


**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5456.93	60.69 PK	74	-13.31	-39.49	4.92	-34.57
2	5459.9	48.61 AV	54	-5.39	-51.57	4.92	-46.65
3	#5469.25	65.01 PK	68.2	-3.19	-35.17	4.92	-30.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









**802.11ax (HE40) - Channel 134**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3771.87	53.98 PK	74	-20.02	-46.2	4.92	-41.28
2	3792.18	43.41 AV	54	-10.59	-56.77	4.92	-51.85
3	7560.93	51.68 PK	74	-22.32	-48.5	4.92	-43.58
4	7553.12	40.92 AV	54	-13.08	-59.26	4.92	-54.34
5	11334.37	51.8 PK	74	-22.2	-48.38	4.92	-43.46
6	11350	41.14 AV	54	-12.86	-59.04	4.92	-54.12
7	#17016.12	40.68 PK	68.2	-27.52	-59.5	4.92	-54.58

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5725.87	67.34 PK	68.2	-0.86	-32.84	4.92	-27.92

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









## 802.11ax (HE40) - Channel 142

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3789.06	54.42 PK	74	-19.58	-45.76	4.92	-40.84
2	3800	43.49 AV	54	-10.51	-56.69	4.92	-51.77
3	7603.12	52.9 PK	74	-21.1	-47.28	4.92	-42.36
4	7620.31	41.11 AV	54	-12.89	-59.07	4.92	-54.15
5	11434.37	53.73 PK	74	-20.27	-46.45	4.92	-41.53
6	11439.06	41.59 AV	54	-12.41	-58.59	4.92	-53.67
7	#17128.25	43.89 PK	68.2	-24.31	-56.29	4.92	-51.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5850.77	59.07 PK	68.2	-9.13	-41.11	4.92	-36.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











## 802.11ax (HE40) - Channel 151

### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3820.31	54.76 PK	74	-19.24	-45.42	4.92	-40.50
2	3840.62	38.29 AV	54	-15.71	-61.89	4.92	-56.97
3	7675	52.69 PK	74	-21.31	-47.49	4.92	-42.57
4	7656.25	35.5 AV	54	-18.5	-64.68	4.92	-59.76
5	11500	53.49 PK	74	-20.51	-46.69	4.92	-41.77
6	11498.43	37.76 AV	54	-16.24	-62.42	4.92	-57.50
7	#17266.25	44.58 PK	68.2	-23.62	-55.6	4.92	-50.68

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Bandedge table









### 802.11ax (HE40) - Channel 159

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3850	53.55 PK	74	-20.45	-46.63	4.92	-41.71
2	3850	37.81 AV	54	-16.19	-62.37	4.92	-57.45
3	7707.81	52.55 PK	74	-21.45	-47.63	4.92	-42.71
4	7710.93	36.01 AV	54	-17.99	-64.17	4.92	-59.25
5	11603.12	52.47 PK	74	-21.53	-47.71	4.92	-42.79
6	11604.68	37.54 AV	54	-16.46	-62.64	4.92	-57.72
7	#17391.31	44.71 PK	68.2	-23.49	-55.47	4.92	-50.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**Bandedge table**









## 802.11ax (HE80) - Channel 42

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3467.18	51.15 PK	68.2	-17.05	-49.03	4.92	-44.11
2	#6954.68	52.33 PK	68.2	-15.87	-47.85	4.92	-42.93
3	#10414.06	53.17 PK	68.2	-15.03	-47.01	4.92	-42.09
4	15649.06	42.29 PK	74	-31.71	-57.89	4.92	-52.97
5	15633.25	31.95 AV	54	-22.05	-68.23	4.92	-63.31

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5147.87	63.01 PK	74	-10.99	-37.17	4.92	-32.25
2	5149.87	50 AV	54	-4	-50.18	4.92	-45.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11ax (HE80) - Channel 58**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3509.37	52 PK	74	-22	-48.18	4.92	-43.26
2	3534.37	39.67 AV	54	-14.33	-60.51	4.92	-55.59
3	#7040.62	52.23 PK	68.2	-15.97	-47.95	4.92	-43.03
4	#10571.87	53.1 PK	68.2	-15.1	-47.08	4.92	-42.16
5	15874.75	42.24 PK	74	-31.76	-57.94	4.92	-53.02
6	15887.68	31.61 AV	54	-22.39	-68.57	4.92	-63.65

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5361.62	63.4 PK	74	-10.6	-36.78	4.92	-31.86
2	5354.05	51.97 AV	54	-2.03	-48.21	4.92	-43.29

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









## 802.11ax (HE80) - Channel 106

### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3706.25	54.66 PK	74	-19.34	-45.52	4.92	-40.60
2	3695.31	43.39 AV	54	-10.61	-56.79	4.92	-51.87
3	7356.25	51.95 PK	74	-22.05	-48.23	4.92	-43.31
4	7357.81	40.96 AV	54	-13.04	-59.22	4.92	-54.30
5	11079.68	52.99 PK	74	-21.01	-47.19	4.92	-42.27
6	11068.75	41.69 AV	54	-12.31	-58.49	4.92	-53.57
7	#16590.62	42.23 PK	68.2	-25.97	-57.95	4.92	-53.03

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



# Bandedge table



### 802.11ax (HE80) - Channel 122







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3754.68	55.2 PK	74	-18.8	-44.98	4.92	-40.06
2	3726.56	43.43 AV	54	-10.57	-56.75	4.92	-51.83
3	7462.5	52.75 PK	74	-21.25	-47.43	4.92	-42.51
4	7475	40.65 AV	54	-13.35	-59.53	4.92	-54.61
5	11217.18	51.98 PK	74	-22.02	-48.2	4.92	-43.28
6	11209.37	41.1 AV	54	-12.9	-59.08	4.92	-54.16
7	#16846.5	41.66 PK	68.2	-26.54	-58.52	4.92	-53.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5725.55	67.2 PK	68.2	-1	-32.98	4.92	-28.06

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









**802.11ax (HE80) - Channel 138**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3746.87	54.95 PK	74	-19.05	-45.23	4.92	-40.31
2	3756.25	43.55 AV	54	-10.45	-56.63	4.92	-51.71
3	7493.75	52.69 PK	74	-21.31	-47.49	4.92	-42.57
4	7496.87	40.76 AV	54	-13.24	-59.42	4.92	-54.50
5	11209.37	52.69 PK	74	-21.31	-47.49	4.92	-42.57
6	11209.37	41.14 AV	54	-12.86	-59.04	4.92	-54.12
7	#16846.5	41.97 PK	68.2	-26.23	-58.21	4.92	-53.29

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5854.22	66.18 PK	68.2	-2.02	-34	4.92	-29.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11ax (HE80) - Channel 155



Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3843.75	53.12 PK	74	-20.88	-47.06	4.92	-42.14
2	3860.93	37.95 AV	54	-16.05	-62.23	4.92	-57.31
3	7709.37	53.03 PK	74	-20.97	-47.15	4.92	-42.23
4	7703.12	36.56 AV	54	-17.44	-63.62	4.92	-58.70
5	11531.25	52.48 PK	74	-21.52	-47.7	4.92	-42.78
6	11532.81	36.35 AV	54	-17.65	-63.83	4.92	-58.91
7	#17305.06	42.71 PK	68.2	-25.49	-57.47	4.92	-52.55

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table











**802.11ax (HE160) - Channel 50**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3484.37	50.86 PK	68.2	-17.34	-49.32	4.92	-44.40
2	3500	39.62 AV	54	-14.38	-60.56	4.92	-55.64
3	#6987.5	52.56 PK	68.2	-15.64	-47.62	4.92	-42.70
4	#10507.81	53.2 PK	68.2	-15	-46.98	4.92	-42.06
5	15736.75	41.37 PK	74	-32.63	-58.81	4.92	-53.89
6	15743.93	32.06 AV	54	-21.94	-68.12	4.92	-63.20

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5364.67	64.77 PK	74	-9.23	-35.41	4.92	-30.49
2	5366.05	51.99 AV	54	-2.01	-48.19	4.92	-43.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11ax (HE160) - Channel 114**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3698.43	54.76 PK	74	-19.24	-45.42	4.92	-40.50
2	3701.56	43.34 AV	54	-10.66	-56.84	4.92	-51.92
3	7435.93	52.1 PK	74	-21.9	-48.08	4.92	-43.16
4	7432.81	40.96 AV	54	-13.04	-59.22	4.92	-54.30
5	11132.81	52.24 PK	74	-21.76	-47.94	4.92	-43.02
6	11125	41.52 AV	54	-12.48	-58.66	4.92	-53.74
7	#16712.81	42.8 PK	68.2	-25.4	-57.38	4.92	-52.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5469.84	60.79 PK	68.2	-7.41	-39.39	4.92	-34.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### 802.11be (EHT20) - Channel 36

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3465.62	60.96 PK	68.2	-7.24	-39.22	4.92	-34.30
2	#6887.5	62.57 PK	68.2	-5.63	-37.61	4.92	-32.69
3	#10354.68	63.05 PK	68.2	-5.15	-37.13	4.92	-32.21
4	15558.5	53.37 PK	74	-20.63	-46.81	4.92	-41.89
5	15555.43	41.6 AV	54	-12.4	-58.58	4.92	-53.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5145.65	70.09 PK	74	-3.91	-30.09	4.92	-25.17
2	5149.75	53.36 AV	54	-0.64	-46.82	4.92	-41.90

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11be (EHT20) - Channel 40**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3485.93	60.63 PK	68.2	-7.57	-39.55	4.92	-34.63
2	#6920.31	62.13 PK	68.2	-6.07	-38.05	4.92	-33.13
3	#10410.93	63.59 PK	68.2	-4.61	-36.59	4.92	-31.67
4	15584.37	52.14 PK	74	-21.86	-48.04	4.92	-43.12
5	15587.25	41.99 AV	54	-12.01	-58.19	4.92	-53.27

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5148.72	64.7 PK	74	-9.3	-35.48	4.92	-30.56
2	5149.77	52.82 AV	54	-1.18	-47.36	4.92	-42.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### 802.11be (EHT20) - Channel 48

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3503.12	61.45 PK	74	-12.55	-38.73	4.92	-33.81
2	3507.81	39.12 AV	54	-14.88	-61.06	4.92	-56.14
3	#6976.56	61.7 PK	68.2	-6.5	-38.48	4.92	-33.56
4	#10500	63.07 PK	68.2	-5.13	-37.11	4.92	-32.19
5	15716.62	52.86 PK	74	-21.14	-47.32	4.92	-42.40
6	15702.25	41.83 AV	54	-12.17	-58.35	4.92	-53.43

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5104.87	64.38 PK	74	-9.62	-35.8	4.92	-30.88
2	5101.6	52.44 AV	54	-1.56	-47.74	4.92	-42.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11be (EHT20) - Channel 149**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3834.37	66.05 PK	74	-7.95	-34.13	4.92	-29.21
2	3832.81	43.38 AV	54	-10.62	-56.8	4.92	-51.88
3	7670.62	62.25 PK	74	-11.75	-37.93	4.92	-33.01
4	7673.43	41.18 AV	54	-12.82	-59	4.92	-54.08
5	11493.12	64.9 PK	74	-9.1	-35.28	4.92	-30.36
6	11493.75	41.59 AV	54	-12.41	-58.59	4.92	-53.67
7	#17224.56	52.63 PK	68.2	-15.57	-47.55	4.92	-42.63

**Remarks:**


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









### 802.11be (EHT20) - Channel 157

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3851.56	64.93 PK	74	-9.07	-35.25	4.92	-30.33
2	3848.43	43.15 AV	54	-10.85	-57.03	4.92	-52.11
3	7723.43	62.46 PK	74	-11.54	-37.72	4.92	-32.80
4	7714.06	41.05 AV	54	-12.95	-59.13	4.92	-54.21
5	11557.81	63.68 PK	74	-10.32	-36.5	4.92	-31.58
6	11560.93	41.44 AV	54	-12.56	-58.74	4.92	-53.82
7	#17343.87	53.35 PK	68.2	-14.85	-46.83	4.92	-41.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









**802.11be (EHT20) - Channel 165**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3879.68	65.42 PK	74	-8.58	-34.76	4.92	-29.84
2	3879.62	43.01 AV	54	-10.99	-57.17	4.92	-52.25
3	#7762.5	62.36 PK	68.2	-5.84	-37.82	4.92	-32.90
4	11639.06	63.01 PK	74	-10.99	-37.17	4.92	-32.25
5	11639.81	41.05 AV	54	-12.95	-59.13	4.92	-54.21
6	#17456	52.12 PK	68.2	-16.08	-48.06	4.92	-43.14


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table











**802.11be (EHT40) - Channel 38**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3456.25	61.52 PK	68.2	-6.68	-38.66	4.92	-33.74
2	#6900	62.15 PK	68.2	-6.05	-38.03	4.92	-33.11
3	#10365.62	62.39 PK	68.2	-5.81	-37.79	4.92	-32.87
4	15585.81	51.7 PK	74	-22.3	-48.48	4.92	-43.56
5	15585.06	41.57 AV	54	-12.43	-58.61	4.92	-53.69

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5148.95	66.01 PK	74	-7.99	-34.17	4.92	-29.25
2	5149.45	53.3 AV	54	-0.7	-46.88	4.92	-41.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11be (EHT40) - Channel 46**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3487.5	60.66 PK	68.2	-7.54	-39.52	4.92	-34.60
2	#6981.25	62.5 PK	68.2	-5.7	-37.68	4.92	-32.76
3	#10440.62	62.91 PK	68.2	-5.29	-37.27	4.92	-32.35
4	15692.18	52.11 PK	74	-21.89	-48.07	4.92	-43.15
5	15700.81	41.91 AV	54	-12.09	-58.27	4.92	-53.35

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5355.8	62.43 PK	74	-11.57	-37.75	4.92	-32.83
2	5350.5	43.77 AV	54	-10.23	-56.41	4.92	-51.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11be (EHT40) - Channel 151**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3826.56	65.59 PK	74	-8.41	-34.59	4.92	-29.67
2	3820.31	43.32 AV	54	-10.68	-56.86	4.92	-51.94
3	7680.93	63.5 PK	74	-10.5	-36.68	4.92	-31.76
4	7685.93	41.17 AV	54	-12.83	-59.01	4.92	-54.09
5	11500	63.88 PK	74	-10.12	-36.3	4.92	-31.38
6	11493.75	41.56 AV	54	-12.44	-58.62	4.92	-53.70
7	#17276.31	53.99 PK	68.2	-14.21	-46.19	4.92	-41.27

**Remarks:**


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









**802.11be (EHT40) - Channel 159**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3867.18	65.34 PK	74	-8.66	-34.84	4.92	-29.92
2	3867.56	43.11 AV	54	-10.89	-57.07	4.92	-52.15
3	7715.62	62.93 PK	74	-11.07	-37.25	4.92	-32.33
4	7710.93	41.07 AV	54	-12.93	-59.11	4.92	-54.19
5	11587.87	62.25 PK	74	-11.75	-37.93	4.92	-33.01
6	11587.5	41.49 AV	54	-12.51	-58.69	4.92	-53.77
7	#17401.37	53.4 PK	68.2	-14.8	-46.78	4.92	-41.86


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









**802.11be (EHT80) - Channel 42**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3454.68	60.25 PK	68.2	-7.95	-39.93	4.92	-35.01
2	#6962.5	62.42 PK	68.2	-5.78	-37.76	4.92	-32.84
3	#10420.31	63.14 PK	68.2	-5.06	-37.04	4.92	-32.12
4	15643.31	53.08 PK	74	-20.92	-47.1	4.92	-42.18
5	15643.12	41.85 AV	54	-12.15	-58.33	4.92	-53.41

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5149.22	66.67 PK	74	-7.33	-33.51	4.92	-28.59
2	5149.9	53.08 AV	54	-0.92	-47.1	4.92	-42.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



### 802.11be (EHT80) - Channel 155







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3832.81	66.17 PK	74	-7.83	-34.01	4.92	-29.09
2	3831.25	43.3 AV	54	-10.7	-56.88	4.92	-51.96
3	7714.06	63.06 PK	74	-10.94	-37.12	4.92	-32.20
4	7695.31	41.24 AV	54	-12.76	-58.94	4.92	-54.02
5	11551.56	64.1 PK	74	-9.9	-36.08	4.92	-31.16
6	11540.62	41.61 AV	54	-12.39	-58.57	4.92	-53.65
7	#17329.5	52.4 PK	68.2	-15.8	-47.78	4.92	-42.86

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









### 802.11ax (HE20) 26-tone RU - Channel 36

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3462.5	51.09 PK	68.2	-17.11	-49.09	4.92	-44.17
2	#6890.62	53.12 PK	68.2	-15.08	-47.06	4.92	-42.14
3	#10365.62	52.89 PK	68.2	-15.31	-47.29	4.92	-42.37
4	15535.5	41.66 PK	74	-32.34	-58.52	4.92	-53.60
5	15551.31	31.55 AV	54	-22.45	-68.63	4.92	-63.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5145.17	57.05 PK	74	-16.95	-43.13	4.92	-38.21
2	5149.72	40.05 AV	54	-13.95	-60.13	4.92	-55.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11ax (HE20) 26-tone RU - Channel 64**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3539.06	51.2 PK	74	-22.8	-48.98	4.92	-44.06
2	3562.5	39.86 AV	54	-14.14	-60.32	4.92	-55.40
3	#7100	52.58 PK	68.2	-15.62	-47.6	4.92	-42.68
4	10634.37	52.81 PK	74	-21.19	-47.37	4.92	-42.45
5	10626.56	41.64 AV	54	-12.36	-58.54	4.92	-53.62
6	15969.62	42.01 PK	74	-31.99	-58.17	4.92	-53.25
7	15976.81	31.55 AV	54	-22.45	-68.63	4.92	-63.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5361.65	55.62 PK	74	-18.38	-44.56	4.92	-39.64
2	5361.82	40.6 AV	54	-13.4	-59.58	4.92	-54.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.











**802.11ax (HE20) 26-tone RU - Channel 100**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3678.12	54.48 PK	74	-19.52	-45.7	4.92	-40.78
2	3679.68	42.79 AV	54	-11.21	-57.39	4.92	-52.47
3	7348.43	52.34 PK	74	-21.66	-47.84	4.92	-42.92
4	7337.5	41.04 AV	54	-12.96	-59.14	4.92	-54.22
5	10982.81	52.95 PK	74	-21.05	-47.23	4.92	-42.31
6	10981.25	41.48 AV	54	-12.52	-58.7	4.92	-53.78
7	#16518.75	41.71 PK	68.2	-26.49	-58.47	4.92	-53.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5439.25	54.97 PK	74	-19.03	-45.21	4.92	-40.29
2	5458.9	40.58 AV	54	-13.42	-59.6	4.92	-54.68
3	#5468.06	55.09 PK	68.2	-13.11	-45.09	4.92	-40.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### 802.11ax (HE20) 26-tone RU - Channel 140

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3789.06	54.47 PK	74	-19.53	-45.71	4.92	-40.79
2	3804.68	43.54 AV	54	-10.46	-56.64	4.92	-51.72
3	7601.56	52.92 PK	74	-21.08	-47.26	4.92	-42.34
4	7604.68	41.26 AV	54	-12.74	-58.92	4.92	-54.00
5	11412.5	53.49 PK	74	-20.51	-46.69	4.92	-41.77
6	11409.37	41.51 AV	54	-12.49	-58.67	4.92	-53.75
7	#17100.93	44.43 PK	68.2	-23.77	-55.75	4.92	-50.83

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5733.27	56.11 PK	68.2	-12.09	-44.07	4.92	-39.15

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**802.11ax (HE20) 26-tone RU - Channel 149**
**Conducted spurious emission table**







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3846.87	55.21 PK	74	-18.79	-44.97	4.92	-40.05
2	3831.25	43.49 AV	54	-10.51	-56.69	4.92	-51.77
3	7650	53.79 PK	74	-20.21	-46.39	4.92	-41.47
4	7656.25	41.43 AV	54	-12.57	-58.75	4.92	-53.83
5	11471.87	52.75 PK	74	-21.25	-47.43	4.92	-42.51
6	11473.43	42.21 AV	54	-11.79	-57.97	4.92	-53.05
7	#17253.31	41.87 PK	68.2	-26.33	-58.31	4.92	-53.39

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU  
VERITAS







### Bandedge table









### 802.11ax (HE20) 26-tone RU - Channel 165

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3896.87	54.64 PK	74	-19.36	-45.54	4.92	-40.62
2	3873.43	43.19 AV	54	-10.81	-56.99	4.92	-52.07
3	#7778.12	52.58 PK	68.2	-15.62	-47.6	4.92	-42.68
4	11664.06	52.32 PK	74	-21.68	-47.86	4.92	-42.94
5	11653.12	41.27 AV	54	-12.73	-58.91	4.92	-53.99
6	#17479	42.89 PK	68.2	-25.31	-57.29	4.92	-52.37


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









### 802.11ax (HE20) 52-tone RU - Channel 36

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3443.75	51.26 PK	68.2	-16.94	-48.92	4.92	-44.00
2	#6921.87	52.38 PK	68.2	-15.82	-47.8	4.92	-42.88
3	#10346.87	52.88 PK	68.2	-15.32	-47.3	4.92	-42.38
4	15552.75	43.13 PK	74	-30.87	-57.05	4.92	-52.13
5	15547	31.93 AV	54	-22.07	-68.25	4.92	-63.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5144.75	61.8 PK	74	-12.2	-38.38	4.92	-33.46
2	5078.12	49.8 AV	54	-4.2	-50.38	4.92	-45.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11ax (HE20) 52-tone RU - Channel 64**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3546.87	50.98 PK	74	-23.02	-49.2	4.92	-44.28
2	3557.81	39.76 AV	54	-14.24	-60.42	4.92	-55.50
3	#7095.31	52.47 PK	68.2	-15.73	-47.71	4.92	-42.79
4	10629.68	53.81 PK	74	-20.19	-46.37	4.92	-41.45
5	10654.68	41.79 AV	54	-12.21	-58.39	4.92	-53.47
6	15943.75	44.05 PK	74	-29.95	-56.13	4.92	-51.21
7	15979.68	31.93 AV	54	-22.07	-68.25	4.92	-63.33

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5390	59.39 PK	74	-14.61	-40.79	4.92	-35.87
2	5356.17	47.72 AV	54	-6.28	-52.46	4.92	-47.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11ax (HE20) 52-tone RU - Channel 100**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3681.25	54.42 PK	74	-19.58	-45.76	4.92	-40.84
2	3681.25	42.91 AV	54	-11.09	-57.27	4.92	-52.35
3	7335.93	51.31 PK	74	-22.69	-48.87	4.92	-43.95
4	7335.93	41.21 AV	54	-12.79	-58.97	4.92	-54.05
5	10982.81	52.88 PK	74	-21.12	-47.3	4.92	-42.38
6	10984.37	41.59 AV	54	-12.41	-58.59	4.92	-53.67
7	#16504.37	42.75 PK	68.2	-25.45	-57.43	4.92	-52.51

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5449.62	59.48 PK	74	-14.52	-40.7	4.92	-35.78
2	5449.78	47.77 AV	54	-6.23	-52.41	4.92	-47.49
3	#5463	60.01 PK	68.2	-8.19	-40.17	4.92	-35.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









**802.11ax (HE20) 52-tone RU - Channel 140**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3804.68	54.72 PK	74	-19.28	-45.46	4.92	-40.54
2	3801.56	43.56 AV	54	-10.44	-56.62	4.92	-51.70
3	7600	53.09 PK	74	-20.91	-47.09	4.92	-42.17
4	7604.68	41.15 AV	54	-12.85	-59.03	4.92	-54.11
5	11417.18	52.81 PK	74	-21.19	-47.37	4.92	-42.45
6	11387.5	41.54 AV	54	-12.46	-58.64	4.92	-53.72
7	#17099.5	43.45 PK	68.2	-24.75	-56.73	4.92	-51.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5742.1	60.7 PK	68.2	-7.5	-39.48	4.92	-34.56

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











**802.11ax (HE20) 52-tone RU - Channel 149**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3832.81	54.18 PK	74	-19.82	-46	4.92	-41.08
2	3810.93	43.47 AV	54	-10.53	-56.71	4.92	-51.79
3	7640.62	52.34 PK	74	-21.66	-47.84	4.92	-42.92
4	7659.37	41.26 AV	54	-12.74	-58.92	4.92	-54.00
5	11504.68	53.54 PK	74	-20.46	-46.64	4.92	-41.72
6	11473.43	42.06 AV	54	-11.94	-58.12	4.92	-53.20
7	#17230.31	43.08 PK	68.2	-25.12	-57.1	4.92	-52.18


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









### 802.11ax (HE20) 52-tone RU - Channel 165

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3878.12	54.1 PK	74	-19.9	-46.08	4.92	-41.16
2	3876.56	43.04 AV	54	-10.96	-57.14	4.92	-52.22
3	#7762.5	52.66 PK	68.2	-15.54	-47.52	4.92	-42.60
4	11662.5	52.57 PK	74	-21.43	-47.61	4.92	-42.69
5	11640.62	41.16 AV	54	-12.84	-59.02	4.92	-54.10
6	#17491.93	42.38 PK	68.2	-25.82	-57.8	4.92	-52.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









**802.11ax (HE20) 106-tone RU - Channel 36**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3443.75	51.18 PK	68.2	-17.02	-49	4.92	-44.08
2	#6921.87	52.09 PK	68.2	-16.11	-48.09	4.92	-43.17
3	#10351.56	52.36 PK	68.2	-15.84	-47.82	4.92	-42.90
4	15524	44.18 PK	74	-29.82	-56	4.92	-51.08
5	15522.56	32.46 AV	54	-21.54	-67.72	4.92	-62.80

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5147.6	71.02 PK	74	-2.98	-29.16	4.92	-24.24
2	5149.95	50.28 AV	54	-3.72	-49.9	4.92	-44.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### 802.11ax (HE20) 106-tone RU - Channel 64

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3559.37	51.35 PK	74	-22.65	-48.83	4.92	-43.91
2	3556.25	39.66 AV	54	-14.34	-60.52	4.92	-55.60
3	#7076.56	53.45 PK	68.2	-14.75	-46.73	4.92	-41.81
4	10629.68	53.07 PK	74	-20.93	-47.11	4.92	-42.19
5	10651.56	41.72 AV	54	-12.28	-58.46	4.92	-53.54
6	15949.5	42.04 PK	74	-31.96	-58.14	4.92	-53.22
7	15976.81	32.62 AV	54	-21.38	-67.56	4.92	-62.64

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5350.65	69.27 PK	74	-4.73	-30.91	4.92	-25.99
2	5350.07	47.65 AV	54	-6.35	-52.53	4.92	-47.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11ax (HE20) 106-tone RU - Channel 100**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3671.87	54.27 PK	74	-19.73	-45.91	4.92	-40.99
2	3685.93	42.91 AV	54	-11.09	-57.27	4.92	-52.35
3	7325	52.35 PK	74	-21.65	-47.83	4.92	-42.91
4	7348.43	40.97 AV	54	-13.03	-59.21	4.92	-54.29
5	10995.31	52.72 PK	74	-21.28	-47.46	4.92	-42.54
6	10993.75	41.71 AV	54	-12.29	-58.47	4.92	-53.55
7	#16487.12	41.43 PK	68.2	-26.77	-58.75	4.92	-53.83

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5455.9	58.22 PK	74	-15.78	-41.96	4.92	-37.04
2	5459.87	43.42 AV	54	-10.58	-56.76	4.92	-51.84
3	#5469.59	67.98 PK	68.2	-0.22	-32.2	4.92	-27.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### 802.11ax (HE20) 106-tone RU - Channel 140







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3782.81	54.86 PK	74	-19.14	-45.32	4.92	-40.40
2	3812.5	43.56 AV	54	-10.44	-56.62	4.92	-51.70
3	7592.18	52.66 PK	74	-21.34	-47.52	4.92	-42.60
4	7614.06	41.26 AV	54	-12.74	-58.92	4.92	-54.00
5	11410.93	53.26 PK	74	-20.74	-46.92	4.92	-42.00
6	11400	41.53 AV	54	-12.47	-58.65	4.92	-53.73
7	#17116.75	42.01 PK	68.2	-26.19	-58.17	4.92	-53.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5726.8	66.28 PK	68.2	-1.92	-33.9	4.92	-28.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### 802.11ax (HE20) 106-tone RU - Channel 149

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3821.87	54.61 PK	74	-19.39	-45.57	4.92	-40.65
2	3814.06	43.62 AV	54	-10.38	-56.56	4.92	-51.64
3	7653.12	51.98 PK	74	-22.02	-48.2	4.92	-43.28
4	7675	41.25 AV	54	-12.75	-58.93	4.92	-54.01
5	11507.81	53.18 PK	74	-20.82	-47	4.92	-42.08
6	11473.43	41.78 AV	54	-12.22	-58.4	4.92	-53.48
7	#17220.25	42.49 PK	68.2	-25.71	-57.69	4.92	-52.77


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









**802.11ax (HE20) 106-tone RU - Channel 165**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3879.68	53.67 PK	74	-20.33	-46.51	4.92	-41.59
2	3865.62	43.14 AV	54	-10.86	-57.04	4.92	-52.12
3	#7781.25	52.82 PK	68.2	-15.38	-47.36	4.92	-42.44
4	11645.31	52.81 PK	74	-21.19	-47.37	4.92	-42.45
5	11640.62	41.44 AV	54	-12.56	-58.74	4.92	-53.82
6	#17463.18	42.78 PK	68.2	-25.42	-57.4	4.92	-52.48


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table











**802.11be (EHT20) 26-tone RU - Channel 36**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3445.31	51.15 PK	68.2	-17.05	-49.03	4.92	-44.11
2	#6892.18	53.18 PK	68.2	-15.02	-47	4.92	-42.08
3	#10359.37	52.24 PK	68.2	-15.96	-47.94	4.92	-43.02
4	15531.18	52.28 PK	74	-21.72	-47.9	4.92	-42.98
5	15535.5	41.6 AV	54	-12.4	-58.58	4.92	-53.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5137.42	65.88 PK	74	-8.12	-34.3	4.92	-29.38
2	5137.05	44.8 AV	54	-9.2	-55.38	4.92	-50.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









**802.11be (EHT20) 26-tone RU - Channel 149**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3842.18	54.07 PK	74	-19.93	-46.11	4.92	-41.19
2	3842.06	43.42 AV	54	-10.58	-56.76	4.92	-51.84
3	7648.43	52.85 PK	74	-21.15	-47.33	4.92	-42.41
4	7650	41.04 AV	54	-12.96	-59.14	4.92	-54.22
5	11490.62	53.18 PK	74	-20.82	-47	4.92	-42.08
6	11496.87	41.77 AV	54	-12.23	-58.41	4.92	-53.49
7	#17246.12	52.49 PK	68.2	-15.71	-47.69	4.92	-42.77


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









### 802.11be (EHT20) 26-tone RU - Channel 165

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3895.31	55.83 PK	74	-18.17	-44.35	4.92	-39.43
2	3894.06	43.01 AV	54	-10.99	-57.17	4.92	-52.25
3	11665.43	52.49 PK	74	-21.51	-47.69	4.92	-42.77
4	11665.62	41.22 AV	54	-12.78	-58.96	4.92	-54.04
5	#17486.18	52.16 PK	68.2	-16.04	-48.02	4.92	-43.10

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









### 802.11be (EHT20) 52-tone RU - Channel 36

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3471.87	50.84 PK	68.2	-17.36	-49.34	4.92	-44.42
2	#6915.62	51.83 PK	68.2	-16.37	-48.35	4.92	-43.43
3	#10343.75	51.92 PK	68.2	-16.28	-48.26	4.92	-43.34
4	15549.87	52.13 PK	74	-21.87	-48.05	4.92	-43.13
5	15552.75	41.63 AV	54	-12.37	-58.55	4.92	-53.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5147.62	66.2 PK	74	-7.8	-33.98	4.92	-29.06
2	5148.65	45.59 AV	54	-8.41	-54.59	4.92	-49.67

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### 802.11be (EHT20) 52-tone RU - Channel 149

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3818.75	55.42 PK	74	-18.58	-44.76	4.92	-39.84
2	3812.5	43.36 AV	54	-10.64	-56.82	4.92	-51.90
3	7665.62	52.33 PK	74	-21.67	-47.85	4.92	-42.93
4	7654.68	41.11 AV	54	-12.89	-59.07	4.92	-54.15
5	11487.5	54.35 PK	74	-19.65	-45.83	4.92	-40.91
6	11475	41.53 AV	54	-12.47	-58.65	4.92	-53.73
7	#17250.43	53.1 PK	68.2	-15.1	-47.08	4.92	-42.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table



### 802.11be (EHT20) 52-tone RU - Channel 165







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3900	54.95 PK	74	-19.05	-45.23	4.92	-40.31
2	3899.06	42.96 AV	54	-11.04	-57.22	4.92	-52.30
3	#7778.12	51.93 PK	68.2	-16.27	-48.25	4.92	-43.33
4	11656.25	52.16 PK	74	-21.84	-48.02	4.92	-43.10
5	11657.81	41.24 AV	54	-12.76	-58.94	4.92	-54.02
6	#17467.5	53.09 PK	68.2	-15.11	-47.09	4.92	-42.17

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









### 802.11be (EHT20) 106-tone RU - Channel 36

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3467.18	50.22 PK	68.2	-17.98	-49.96	4.92	-45.04
2	#6896.87	53.12 PK	68.2	-15.08	-47.06	4.92	-42.14
3	#10379.68	52.42 PK	68.2	-15.78	-47.76	4.92	-42.84
4	15545	51.7 PK	74	-22.3	-48.48	4.92	-43.56
5	15545.56	41.62 AV	54	-12.38	-58.56	4.92	-53.64

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5149.25	70.01 PK	74	-3.99	-30.17	4.92	-25.25
2	5149.22	49.53 AV	54	-4.47	-50.65	4.92	-45.73

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### 802.11be (EHT20) 106-tone RU - Channel 149

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3848.43	54.53 PK	74	-19.47	-45.65	4.92	-40.73
2	3845.62	43.36 AV	54	-10.64	-56.82	4.92	-51.90
3	7667.18	52.84 PK	74	-21.16	-47.34	4.92	-42.42
4	7660	41.11 AV	54	-12.89	-59.07	4.92	-54.15
5	11486.56	52.64 PK	74	-21.36	-47.54	4.92	-42.62
6	11489.06	41.49 AV	54	-12.51	-58.69	4.92	-53.77
7	#17249	52.13 PK	68.2	-16.07	-48.05	4.92	-43.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table











## 802.11be (EHT20) 106-tone RU - Channel 165

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3868.75	54.22 PK	74	-19.78	-45.96	4.92	-41.04
2	3864.06	43.1 AV	54	-10.9	-57.08	4.92	-52.16
3	#7767.18	52.46 PK	68.2	-15.74	-47.72	4.92	-42.80
4	11631.25	52.24 PK	74	-21.76	-47.94	4.92	-43.02
5	11639.06	41.2 AV	54	-12.8	-58.98	4.92	-54.06
6	#17464.62	53.05 PK	68.2	-15.15	-47.13	4.92	-42.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









## 802.11be (EHT20) 52+26-tone MRU - Channel 36

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3445.31	49.98 PK	68.2	-18.22	-50.2	4.92	-45.28
2	#6895.31	52.94 PK	68.2	-15.26	-47.24	4.92	-42.32
3	#10345.31	53.02 PK	68.2	-15.18	-47.16	4.92	-42.24
4	15548.43	52.37 PK	74	-21.63	-47.81	4.92	-42.89
5	15541.25	41.56 AV	54	-12.44	-58.62	4.92	-53.70

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5149.2	64.96 PK	74	-9.04	-35.22	4.92	-30.30
2	5149.62	46.12 AV	54	-7.88	-54.06	4.92	-49.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









## 802.11be (EHT20) 52+26-tone MRU - Channel 149

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3837.5	54.88 PK	74	-19.12	-45.3	4.92	-40.38
2	3837.18	43.32 AV	54	-10.68	-56.86	4.92	-51.94
3	7670.31	52.2 PK	74	-21.8	-47.98	4.92	-43.06
4	7667.18	41.11 AV	54	-12.89	-59.07	4.92	-54.15
5	11501.56	52.65 PK	74	-21.35	-47.53	4.92	-42.61
6	11492.18	41.62 AV	54	-12.38	-58.56	4.92	-53.64
7	#17237.5	52.3 PK	68.2	-15.9	-47.88	4.92	-42.96

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









## 802.11be (EHT20) 52+26-tone MRU - Channel 165

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3864.06	54.18 PK	74	-19.82	-46	4.92	-41.08
2	3865.62	43.05 AV	54	-10.95	-57.13	4.92	-52.21
3	#7767.18	52.61 PK	68.2	-15.59	-47.57	4.92	-42.65
4	11660.93	53.04 PK	74	-20.96	-47.14	4.92	-42.22
5	11660.62	41.11 AV	54	-12.89	-59.07	4.92	-54.15
6	#17493.37	52.62 PK	68.2	-15.58	-47.56	4.92	-42.64


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









**802.11be (EHT20) 106+26-tone MRU - Channel 36**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3435.93	49.88 PK	68.2	-18.32	-50.3	4.92	-45.38
2	#6907.81	51.34 PK	68.2	-16.86	-48.84	4.92	-43.92
3	#10357.81	52.2 PK	68.2	-16	-47.98	4.92	-43.06
4	15557.06	53.16 PK	74	-20.84	-47.02	4.92	-42.10
5	15556.87	41.91 AV	54	-12.09	-58.27	4.92	-53.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5149.92	67.32 PK	74	-6.68	-32.86	4.92	-27.94
2	5149.92	48.84 AV	54	-5.16	-51.34	4.92	-46.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



## 802.11be (EHT20) 106+26-tone MRU - Channel 149







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3818.75	54.12 PK	74	-19.88	-46.06	4.92	-41.14
2	3814.06	43.52 AV	54	-10.48	-56.66	4.92	-51.74
3	7665.62	52.81 PK	74	-21.19	-47.37	4.92	-42.45
4	7656.25	41.19 AV	54	-12.81	-58.99	4.92	-54.07
5	11490	52.83 PK	74	-21.17	-47.35	4.92	-42.43
6	11490.62	41.5 AV	54	-12.5	-58.68	4.92	-53.76
7	#17215.93	52.73 PK	68.2	-15.47	-47.45	4.92	-42.53

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.







### Bandedge table









**802.11be (EHT20) 106+26-tone MRU - Channel 165**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3885.93	53.77 PK	74	-20.23	-46.41	4.92	-41.49
2	3885.62	43.4 AV	54	-10.6	-56.78	4.92	-51.86
3	#7765.62	52.01 PK	68.2	-16.19	-48.17	4.92	-43.25
4	11632.81	52.27 PK	74	-21.73	-47.91	4.92	-42.99
5	11632.81	40.95 AV	54	-13.05	-59.23	4.92	-54.31
6	#17486.18	52.99 PK	68.2	-15.21	-47.19	4.92	-42.27


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table









**802.11be (EHT80) 484+242-tone MRU - Channel 42**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#3456.25	50.98 PK	68.2	-17.22	-49.2	4.92	-44.28
2	#6948.43	53.29 PK	68.2	-14.91	-46.89	4.92	-41.97
3	#10403.12	52.36 PK	68.2	-15.84	-47.82	4.92	-42.90
4	15637.56	52.31 PK	74	-21.69	-47.87	4.92	-42.95
5	15637.56	41.75 AV	54	-12.25	-58.43	4.92	-53.51

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5141.8	67.85 PK	74	-6.15	-32.33	4.92	-27.41
2	5141.62	52.88 AV	54	-1.12	-47.3	4.92	-42.38

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.











## 802.11be (EHT80) 484+242-tone MRU - Channel 155

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3837.5	54.58 PK	74	-19.42	-45.6	4.92	-40.68
2	3842.18	43.31 AV	54	-10.69	-56.87	4.92	-51.95
3	7696.87	52.57 PK	74	-21.43	-47.61	4.92	-42.69
4	7703.12	41.2 AV	54	-12.8	-58.98	4.92	-54.06
5	11542.81	52.94 PK	74	-21.06	-47.24	4.92	-42.32
6	11543.75	41.42 AV	54	-12.58	-58.76	4.92	-53.84
7	#17306.5	53.34 PK	68.2	-14.86	-46.84	4.92	-41.92


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### Bandedge table



2TX  
 802.11a - Channel 36

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3439.06	56.49 PK	68.2	-11.71	-49.77	-49.65	7.93	-38.77
2	#6906.25	57.97 PK	68.2	-10.23	-47.79	-48.71	7.93	-37.29
3	#10371.87	57.71 PK	68.2	-10.49	-48.39	-48.6	7.93	-37.55
4	15555.75	57.34 PK	74	-16.66	-48.02	-49.9	7.93	-37.92
5	15555.62	47.52 AV	54	-6.48	-58.83	-58.53	7.93	-47.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5510.75	69.19 PK	74	-4.81	-38.36	-35.99	7.93	-26.07
2	5150	51.47 AV	54	-2.53	-54.91	-54.56	7.93	-43.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



**802.11a - Channel 40**
**Conducted spurious emission table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3479.68	56.45 PK	68.2	-11.75	-51.13	-48.7	7.93	-38.81
2	#6929.68	57.85 PK	68.2	-10.35	-49.91	-47.2	7.93	-37.41
3	#10406.25	57.95 PK	68.2	-10.25	-47.09	-49.83	7.93	-37.31
4	15603.06	58.03 PK	74	-15.97	-48.09	-48.26	7.93	-37.23
5	15602.93	47.68 AV	54	-6.32	-58.43	-58.62	7.93	-47.58







**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.32	69.17 PK	74	-4.83	-37.22	-36.85	7.93	-26.09
2	5149.8	49.88 AV	54	-4.12	-56.56	-56.09	7.93	-45.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



### 802.11a - Channel 48

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3479.68	56.04 PK	68.2	-12.16	-51.02	-49.45	7.93	-39.22
2	#6981.25	57.56 PK	68.2	-10.64	-48.83	-48.46	7.93	-37.70
3	#10479.68	58.95 PK	68.2	-9.25	-48.98	-46.02	7.93	-36.31
4	15739.81	58.03 PK	74	-15.97	-47.96	-48.4	7.93	-37.23
5	15739.62	47.69 AV	54	-6.31	-58.64	-58.38	7.93	-47.57

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5143.17	69.48 PK	74	-4.52	-36.16	-37.36	7.93	-25.78
2	5143.27	49.33 AV	54	-4.67	-57.13	-56.63	7.93	-45.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



## 802.11a - Channel 52

### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3517.18	56.88 PK	74	-17.12	-50.17	-48.61	7.93	-38.38
2	3507.81	45.2 AV	54	-8.8	-61.02	-60.99	7.93	-50.06
3	#7015.62	57.72 PK	68.2	-10.48	-48.8	-48.19	7.93	-37.54
4	#10515.62	57.95 PK	68.2	-10.25	-48.1	-48.4	7.93	-37.31
5	15794.06	57.71 PK	74	-16.29	-48.73	-48.27	7.93	-37.55
6	15798.56	47.59 AV	54	-6.41	-58.84	-58.39	7.93	-47.67


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5443.77	67.49 PK	74	-6.51	-40.79	-37.31	7.93	-27.77
2	5443.25	47.96 AV	54	-6.04	-58.52	-57.98	7.93	-47.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



### 802.11a - Channel 60

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3548.43	55.87 PK	74	-18.13	-50.9	-49.83	7.93	-39.39
2	3548.43	45.37 AV	54	-8.63	-61.04	-60.63	7.93	-49.89
3	#7062.5	58.36 PK	68.2	-9.84	-48.49	-47.28	7.93	-36.90
4	10604.68	58.38 PK	74	-15.62	-47.87	-47.77	7.93	-36.88
5	10604.68	47.22 AV	54	-6.78	-58.99	-58.98	7.93	-48.04
6	15892	57.61 PK	74	-16.39	-49.82	-47.63	7.93	-37.65
7	15892	47.39 AV	54	-6.61	-58.69	-58.94	7.93	-47.87

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5444.2	67.75 PK	74	-6.25	-37.53	-39.62	7.93	-27.51
2	5444.27	49.19 AV	54	-4.81	-57.36	-56.69	7.93	-46.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



### 802.11a - Channel 64

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3557.81	56.83 PK	74	-17.17	-49.59	-49.16	7.93	-38.43
2	3564.06	45.54 AV	54	-8.46	-60.66	-60.66	7.93	-49.72
3	#7079.68	57.93 PK	68.2	-10.27	-48.32	-48.22	7.93	-37.33
4	10651.68	57.96 PK	74	-16.04	-47.9	-48.61	7.93	-37.30
5	10651.56	47.37 AV	54	-6.63	-59.06	-58.61	7.93	-47.89
6	15959.56	58.17 PK	74	-15.83	-48.77	-47.4	7.93	-37.09
7	15959.18	47.48 AV	54	-6.52	-58.81	-58.63	7.93	-47.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5448.4	67.14 PK	74	-6.86	-39.58	-38.59	7.93	-28.12
2	5448.27	50.64 AV	54	-3.36	-55.49	-55.64	7.93	-44.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



### 802.11a - Channel 100

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3684.62	59.55 PK	74	-14.45	-47.03	-46.3	7.93	-35.71
2	3684.37	48.57 AV	54	-5.43	-57.71	-57.56	7.93	-46.69
3	7353.43	58.42 PK	74	-15.58	-46.81	-49.03	7.93	-36.84
4	7353.12	46.79 AV	54	-7.21	-59.41	-59.41	7.93	-48.47
5	10987.5	57.86 PK	74	-16.14	-49.15	-47.65	7.93	-37.40
6	10987.5	47.46 AV	54	-6.54	-58.95	-58.54	7.93	-47.80
7	#16484.25	57.32 PK	68.2	-10.88	-47.7	-50.51	7.93	-37.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.93	67.53 PK	74	-6.47	-41.75	-36.88	7.93	-27.73
2	5459.93	50.09 AV	54	-3.91	-56.83	-55.5	7.93	-45.17
3	#5466.93	67.09 PK	68.2	-1.11	-39.44	-38.8	7.93	-28.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11a - Channel 116

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3731.25	60.35 PK	74	-13.65	-46.13	-45.59	7.93	-34.91
2	3731.5	49.05 AV	54	-4.95	-57.13	-57.17	7.93	-46.21
3	7442.18	57.81 PK	74	-16.19	-49.65	-47.42	7.93	-37.45
4	7443.75	46.31 AV	54	-7.69	-59.92	-59.86	7.93	-48.95
5	11154.68	58.27 PK	74	-15.73	-49.32	-46.88	7.93	-36.99
6	11157.81	46.88 AV	54	-7.12	-59.3	-59.35	7.93	-48.38
7	#16720	58.06 PK	68.2	-10.14	-47.3	-49.18	7.93	-37.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5456.65	67.83 PK	74	-6.17	-39.6	-37.42	7.93	-27.43
2	5459.43	48.27 AV	54	-5.73	-58.1	-57.77	7.93	-46.99
3	#5462.9	67.47 PK	68.2	-0.73	-39.77	-37.89	7.93	-27.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11a - Channel 140

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3792.18	60.11 PK	74	-13.89	-46.81	-45.47	7.93	-35.15
2	3796.87	49.31 AV	54	-4.69	-57.05	-56.74	7.93	-45.95
3	7596.87	57.83 PK	74	-16.17	-47.45	-49.55	7.93	-37.43
4	7601.56	46.79 AV	54	-7.21	-59.23	-59.59	7.93	-48.47
5	11406.25	59.19 PK	74	-14.81	-45.69	-48.92	7.93	-36.07
6	11410.93	47.4 AV	54	-6.6	-58.62	-58.98	7.93	-47.86
7	#17113.87	57.71 PK	68.2	-10.49	-49.64	-47.58	7.93	-37.55

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5763.25	67.87 PK	68.2	-0.33	-38.08	-38.6	7.93	-27.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11a - Channel 144

#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3806.25	59.79 PK	74	-14.21	-46.91	-45.96	7.93	-35.47
2	3809.37	49.31 AV	54	-4.69	-56.87	-56.91	7.93	-45.95
3	7629.68	57.56 PK	74	-16.44	-48.28	-49.04	7.93	-37.70
4	7639.06	46.97 AV	54	-7.03	-59.31	-59.15	7.93	-48.29
5	11459.37	59.06 PK	74	-14.94	-48.4	-46.16	7.93	-36.20
6	11457.81	47.59 AV	54	-6.41	-58.61	-58.62	7.93	-47.67
7	#17142.62	57.65 PK	68.2	-10.55	-48.43	-48.68	7.93	-37.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5866.45	68.12 PK	68.2	-0.08	-37.74	-38.46	7.93	-27.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11a - Channel 149

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3846.87	59.94 PK	74	-14.06	-46.29	-46.24	7.93	-35.32
2	3846.06	49.35 AV	54	-4.65	-56.63	-57.09	7.93	-45.91
3	7676.56	57.84 PK	74	-16.16	-47.72	-49.11	7.93	-37.42
4	7676.18	47.01 AV	54	-6.99	-59.29	-59.09	7.93	-48.25
5	11496.87	58.34 PK	74	-15.66	-48.26	-47.5	7.93	-36.92
6	11496.25	47.62 AV	54	-6.38	-58.7	-58.47	7.93	-47.64
7	#17220.25	57.6 PK	68.2	-10.6	-49.01	-48.23	7.93	-37.66

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0






### Chain 1






### Bandedge table

#### Chain 0





Chain 1





**802.11a - Channel 157**
**Conducted spurious emission table**


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3859.37	61.14 PK	74	-12.86	-44.76	-45.39	7.93	-34.12
2	3858.43	49.17 AV	54	-4.83	-56.81	-57.27	7.93	-46.09
3	7731.87	58.61 PK	74	-15.39	-47.99	-47.22	7.93	-36.65
4	7731.25	47.09 AV	54	-6.91	-59.11	-59.12	7.93	-48.17
5	11576.56	58.47 PK	74	-15.53	-47.55	-47.91	7.93	-36.79
6	11576	47.56 AV	54	-6.44	-58.48	-58.8	7.93	-47.70
7	#17349.62	58.31 PK	68.2	-9.89	-48.93	-47.05	7.93	-36.95

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0






### Chain 1






### Bandedge table

#### Chain 0





Chain 1



### 802.11a - Channel 165

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3887.5	60.25 PK	74	-13.75	-46.64	-45.36	7.93	-35.01
2	3887.18	49.02 AV	54	-4.98	-57.22	-57.15	7.93	-46.24
3	#7765.62	58.4 PK	68.2	-9.8	-48.98	-46.87	7.93	-36.86
4	11642.81	58.17 PK	74	-15.83	-47.47	-48.67	7.93	-37.09
5	11645.31	47.11 AV	54	-6.89	-58.86	-59.33	7.93	-48.15
6	#17477.56	58.95 PK	68.2	-9.25	-46.01	-48.98	7.93	-36.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0






### Chain 1








### Bandedge table





Chain 1



2S2T

802.11ax (HE20) - Channel 36

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3467.18	54.46 PK	68.2	-13.74	-49.24	-48.28	4.92	-40.80
2	#6893.75	55.67 PK	68.2	-12.53	-48.19	-46.94	4.92	-39.59
3	#10375	56.08 PK	68.2	-12.12	-48.84	-45.88	4.92	-39.18
4	15559.93	44.66 PK	74	-29.34	-57.57	-59.77	4.92	-50.60
5	15552.75	34.59 AV	54	-19.41	-68.43	-68.78	4.92	-60.67

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.5	60.57 PK	74	-13.43	-43.39	-41.96	4.92	-34.69
2	5149.82	48.36 AV	54	-5.64	-55.48	-54.27	4.92	-46.90


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



### 802.11ax (HE20) - Channel 40

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3464.06	53.53 PK	68.2	-14.67	-48.64	-51	4.92	-41.73
2	#6923.43	54.63 PK	68.2	-13.57	-48.27	-48.87	4.92	-40.63
3	#10412.5	55.36 PK	68.2	-12.84	-48.26	-47.44	4.92	-39.90
4	15611.68	45.15 PK	74	-28.85	-58.29	-57.8	4.92	-50.11
5	15600.18	34.69 AV	54	-19.31	-68.38	-68.62	4.92	-60.57

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0







### Chain 1

