


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5144.8	58.61 PK	74	-15.39	-44.1	-45.11	4.92	-36.65
2	5149.57	45.37 AV	54	-8.63	-57.51	-58.15	4.92	-49.89


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 48

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3507.81	53.38 PK	74	-20.62	-50.28	-49.38	4.92	-41.88
2	#7003.12	54.35 PK	68.2	-13.85	-48.77	-48.91	4.92	-40.91
3	#10496.87	55.99 PK	68.2	-12.21	-47.89	-46.61	4.92	-39.27
4	15720.93	45.05 PK	74	-28.95	-57.09	-59.54	4.92	-50.21
5	15710.87	34.83 AV	54	-19.17	-68.17	-68.56	4.92	-60.43

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5146.62	57.76 PK	74	-16.24	-46.54	-44.54	4.92	-37.50
2	5148.55	43.81 AV	54	-10.19	-58.95	-59.85	4.92	-51.45


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 52
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3504.68	53.35 PK	74	-20.65	-49.62	-50.08	4.92	-41.91
2	3507.81	42.27 AV	54	-11.73	-60.72	-61.13	4.92	-52.99
3	#7010.93	55.56 PK	68.2	-12.64	-47.96	-47.33	4.92	-39.70
4	#10525	55.22 PK	68.2	-12.98	-48.04	-47.9	4.92	-40.04
5	15761.18	45.18 PK	74	-28.82	-59.17	-57.1	4.92	-50.08
6	15779.87	34.82 AV	54	-19.18	-68.49	-68.25	4.92	-60.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5359.37	56.93 PK	74	-17.07	-46.18	-46.35	4.92	-38.33
2	5350.42	43.99 AV	54	-10.01	-58.92	-59.5	4.92	-51.27


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 60
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3531.25	53.77 PK	74	-20.23	-48.76	-50.19	4.92	-41.49
2	3543.75	42.59 AV	54	-11.41	-60.4	-60.82	4.92	-52.67
3	#7085.93	55.83 PK	68.2	-12.37	-46.87	-47.92	4.92	-39.43
4	10615.62	55.93 PK	74	-18.07	-46.69	-47.92	4.92	-39.33
5	10614.06	44.44 AV	54	-9.56	-58.67	-58.84	4.92	-50.82
6	15893.43	44.57 PK	74	-29.43	-58.14	-59.17	4.92	-50.69
7	15896.31	34.79 AV	54	-19.21	-68.13	-68.69	4.92	-60.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5355.92	57.81 PK	74	-16.19	-45.31	-45.46	4.92	-37.45
2	5350.55	45.62 AV	54	-8.38	-57.21	-57.97	4.92	-49.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 64
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3551.56	53.71 PK	74	-20.29	-49.1	-49.89	4.92	-41.55
2	3559.37	42.69 AV	54	-11.31	-60.48	-60.53	4.92	-52.57
3	#7101.56	55.88 PK	68.2	-12.32	-48.66	-46.29	4.92	-39.38
4	10657.81	55.68 PK	74	-18.32	-46.28	-49.22	4.92	-39.58
5	10657.81	44.7 AV	54	-9.3	-58.27	-58.73	4.92	-50.56
6	15953.81	45.06 PK	74	-28.94	-57.81	-58.48	4.92	-50.20
7	15959.56	34.81 AV	54	-19.19	-68.48	-68.29	4.92	-60.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5356.05	59.56 PK	74	-14.44	-41.91	-46.52	4.92	-35.70
2	5350	48.22 AV	54	-5.78	-55.29	-54.68	4.92	-47.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 100
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3670.31	56.72 PK	74	-17.28	-45.48	-47.75	4.92	-38.54
2	3684.37	45.79 AV	54	-8.21	-57.37	-57.44	4.92	-49.47
3	7321.87	55.3 PK	74	-18.7	-49.67	-46.63	4.92	-39.96
4	7325	44.02 AV	54	-9.98	-59.02	-59.33	4.92	-51.24
5	10984.37	55.73 PK	74	-18.27	-47.9	-47.06	4.92	-39.53
6	11010.93	44.66 AV	54	-9.34	-58.22	-58.87	4.92	-50.60
7	#16518.75	45.75 PK	68.2	-22.45	-58.28	-56.74	4.92	-49.51

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.43	59.47 PK	74	-14.53	-45.77	-42.33	4.92	-35.79
2	5459.96	47.39 AV	54	-6.61	-56.6	-55.13	4.92	-47.87
3	#5469.21	60.14 PK	68.2	-8.06	-42.99	-43.12	4.92	-35.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 116
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3735.93	58.08 PK	74	-15.92	-43.81	-46.96	4.92	-37.18
2	3737.5	46.35 AV	54	-7.65	-56.92	-56.77	4.92	-48.91
3	7432.81	54.79 PK	74	-19.21	-47.53	-49.48	4.92	-40.47
4	7431.25	43.68 AV	54	-10.32	-59.37	-59.66	4.92	-51.58
5	11167.18	55.95 PK	74	-18.05	-47	-47.5	4.92	-39.31
6	11143.75	44.28 AV	54	-9.72	-58.73	-59.09	4.92	-50.98
7	#16731.5	44.57 PK	68.2	-23.63	-57.46	-60.21	4.92	-50.69

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5741.65	56.66 PK	68.2	-11.54	-46.15	-46.94	4.92	-38.60


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 140
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3810.93	57.9 PK	74	-16.1	-44.5	-46.25	4.92	-37.36
2	3803.12	46.69 AV	54	-7.31	-56.29	-56.72	4.92	-48.57
3	7581.25	55.03 PK	74	-18.97	-48.86	-47.56	4.92	-40.23
4	7606.25	44.26 AV	54	-9.74	-58.9	-58.97	4.92	-51.00
5	11396.87	55.92 PK	74	-18.08	-46.23	-48.65	4.92	-39.34
6	11407.81	44.53 AV	54	-9.47	-58.44	-58.89	4.92	-50.73
7	#17103.81	44.73 PK	68.2	-23.47	-58.11	-58.85	4.92	-50.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.37	63.95 PK	68.2	-4.25	-37.31	-42.82	4.92	-31.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11ax (HE20) - Channel 144
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3807.81	57.21 PK	74	-16.79	-46.05	-45.91	4.92	-38.05
2	3810.93	46.46 AV	54	-7.54	-56.74	-56.73	4.92	-48.80
3	7610.93	55.02 PK	74	-18.98	-48.65	-47.74	4.92	-40.24
4	7623.43	44.23 AV	54	-9.77	-58.7	-59.24	4.92	-51.03
5	11440.62	55.25 PK	74	-18.75	-48.36	-47.56	4.92	-40.01
6	11445.31	44.82 AV	54	-9.18	-58.72	-58.05	4.92	-50.44
7	#17167.06	45.06 PK	68.2	-23.14	-56.65	-60.4	4.92	-50.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5852.83	57.16 PK	68.2	-11.04	-44.51	-48.38	4.92	-38.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 149
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3820.31	58.06 PK	74	-15.94	-44.12	-46.46	4.92	-37.20
2	3814.06	46.7 AV	54	-7.3	-56.4	-56.59	4.92	-48.56
3	7668.75	56.49 PK	74	-17.51	-46.93	-46.48	4.92	-38.77
4	7678.12	44.38 AV	54	-9.62	-58.8	-58.82	4.92	-50.88
5	11501.56	56.31 PK	74	-17.69	-47.82	-46.1	4.92	-38.95
6	11492.18	44.89 AV	54	-9.11	-58.49	-58.11	4.92	-50.37
7	#17243.25	46.55 PK	68.2	-21.65	-57.79	-55.74	4.92	-48.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table





Chain 1



802.11ax (HE20) - Channel 157
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3837.5	57.47 PK	74	-16.53	-46.53	-45.04	4.92	-37.79
2	3840.62	46.36 AV	54	-7.64	-56.7	-56.96	4.92	-48.90
3	7729.68	55.6 PK	74	-18.4	-47.29	-47.91	4.92	-39.66
4	7732.81	44.28 AV	54	-9.72	-59	-58.83	4.92	-50.98
5	11551.56	55.76 PK	74	-18.24	-47.19	-47.68	4.92	-39.50
6	11551.56	44.64 AV	54	-9.36	-58.59	-58.52	4.92	-50.62
7	#17351.06	46.16 PK	68.2	-22.04	-58.27	-56.06	4.92	-49.10

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table





Chain 1



802.11ax (HE20) - Channel 165
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	57.23 PK	74	-16.77	-45.63	-46.31	4.92	-38.03
2	3868.75	46.22 AV	54	-7.78	-56.98	-56.96	4.92	-49.04
3	#7767.18	55.06 PK	68.2	-13.14	-49.77	-46.94	4.92	-40.20
4	11664.06	55.32 PK	74	-18.68	-48.57	-47.27	4.92	-39.94
5	11637.5	44.37 AV	54	-9.63	-58.97	-58.67	4.92	-50.89
6	#17476.12	46.64 PK	68.2	-21.56	-59.24	-54.9	4.92	-48.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0







Chain 1



Bandedge table



Chain 1



802.11ax (HE40) - Channel 38
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3448.43	53.11 PK	68.2	-15.09	-50.26	-49.91	4.92	-42.15
2	#6921.87	55.2 PK	68.2	-13	-48.73	-47.36	4.92	-40.06
3	#10378.12	55.19 PK	68.2	-13.01	-48.92	-47.24	4.92	-40.07
4	15555.62	44.52 PK	74	-29.48	-57.88	-59.63	4.92	-50.74
5	15572.87	34.67 AV	54	-19.33	-68.44	-68.61	4.92	-60.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.77	63.86 PK	74	-10.14	-41.97	-37.7	4.92	-31.40
2	5150	51.99 AV	54	-2.01	-52.1	-50.46	4.92	-43.27


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 46

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3495.31	53.31 PK	68.2	-14.89	-48.92	-51.12	4.92	-41.95
2	#6965.62	54.85 PK	68.2	-13.35	-49.45	-47.45	4.92	-40.41
3	#10450	54.97 PK	68.2	-13.23	-47.94	-48.52	4.92	-40.29
4	15692.18	45.72 PK	74	-28.28	-57.04	-57.94	4.92	-49.54
5	15693.62	34.9 AV	54	-19.1	-68.33	-68.26	4.92	-60.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5141.32	65.01 PK	74	-8.99	-46.6	-35.49	4.92	-30.25
2	5149.52	52.12 AV	54	-1.88	-51.48	-50.7	4.92	-43.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 54

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3507.81	53.2 PK	74	-20.8	-50.67	-49.41	4.92	-42.06
2	3506.25	42.37 AV	54	-11.63	-60.75	-60.89	4.92	-52.89
3	#7032.81	55.37 PK	68.2	-12.83	-47.43	-48.24	4.92	-39.89
4	#10554.68	56.05 PK	68.2	-12.15	-46.76	-47.55	4.92	-39.21
5	15828.75	45.11 PK	74	-28.89	-59.17	-57.21	4.92	-50.15
6	15824.43	34.68 AV	54	-19.32	-68.65	-68.37	4.92	-60.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.25	64.62 PK	74	-9.38	-40.57	-37.21	4.92	-30.64
2	5350.15	52.22 AV	54	-1.78	-50.81	-51.14	4.92	-43.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 62

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3532.81	53.47 PK	74	-20.53	-49.06	-50.5	4.92	-41.79
2	3540.62	42.8 AV	54	-11.2	-60.45	-60.33	4.92	-52.46
3	#7089.06	55.27 PK	68.2	-12.93	-47.34	-48.59	4.92	-39.99
4	10609.37	55.97 PK	74	-18.03	-46.02	-48.89	4.92	-39.29
5	10632.81	44.47 AV	54	-9.53	-58.76	-58.69	4.92	-50.79
6	15916.43	44.99 PK	74	-29.01	-59.42	-57.25	4.92	-50.27
7	15940.87	34.72 AV	54	-19.28	-68.26	-68.69	4.92	-60.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.62	61.29 PK	74	-12.71	-42.76	-41.18	4.92	-33.97
2	5350	49.96 AV	54	-4.04	-54.47	-52.27	4.92	-45.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 102

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3690.62	56.77 PK	74	-17.23	-46.18	-46.67	4.92	-38.49
2	3690.62	46.07 AV	54	-7.93	-57.07	-57.17	4.92	-49.19
3	7359.37	55.55 PK	74	-18.45	-47.35	-47.95	4.92	-39.71
4	7328.12	44.08 AV	54	-9.92	-59.2	-59.02	4.92	-51.18
5	11003.12	55.96 PK	74	-18.04	-47.21	-47.25	4.92	-39.30
6	11003.12	44.53 AV	54	-9.47	-58.75	-58.58	4.92	-50.73
7	#16547.5	44.55 PK	68.2	-23.65	-58.61	-58.68	4.92	-50.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459	60.18 PK	74	-13.82	-42.96	-43.06	4.92	-35.08
2	5460	48.14 AV	54	-5.86	-55.29	-54.82	4.92	-47.12
3	#5464.59	64.18 PK	68.2	-4.02	-44.64	-36.64	4.92	-31.08


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 110
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3687.5	57.23 PK	74	-16.77	-46.86	-45.22	4.92	-38.03
2	3707.81	46.17 AV	54	-7.83	-56.95	-57.1	4.92	-49.09
3	7381.25	55.08 PK	74	-18.92	-47.59	-48.71	4.92	-40.18
4	7390.62	43.71 AV	54	-10.29	-59.31	-59.65	4.92	-51.55
5	11085.93	55.8 PK	74	-18.2	-48.19	-46.71	4.92	-39.46
6	11092.18	44.51 AV	54	-9.49	-58.42	-58.95	4.92	-50.75
7	#16651	45.49 PK	68.2	-22.71	-58.09	-57.35	4.92	-49.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.87	61.34 PK	74	-12.66	-40.83	-43.2	4.92	-33.92
2	5459.96	49.35 AV	54	-4.65	-54.43	-53.32	4.92	-45.91
3	#5469.65	63.84 PK	68.2	-4.36	-41.06	-38.13	4.92	-31.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 134
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3785.93	58.13 PK	74	-15.87	-46.49	-43.99	4.92	-37.13
2	3779.68	46.46 AV	54	-7.54	-56.55	-56.91	4.92	-48.80
3	7575	55.79 PK	74	-18.21	-46.82	-48.08	4.92	-39.47
4	7568.75	44.1 AV	54	-9.9	-59.29	-58.89	4.92	-51.16
5	11339.06	55.32 PK	74	-18.68	-49.22	-46.85	4.92	-39.94
6	11337.5	44.13 AV	54	-9.87	-58.97	-59.15	4.92	-51.13
7	#17017.56	43.79 PK	68.2	-24.41	-58.26	-60.95	4.92	-51.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5734.3	67.47 PK	68.2	-0.73	-43.87	-33.06	4.92	-27.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 142
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3825	57.6 PK	74	-16.4	-46.35	-44.95	4.92	-37.66
2	3789.06	46.55 AV	54	-7.45	-56.49	-56.8	4.92	-48.71
3	7607.81	55.2 PK	74	-18.8	-49.51	-46.87	4.92	-40.06
4	7614.06	44.22 AV	54	-9.78	-59.09	-58.86	4.92	-51.04
5	11425	55.76 PK	74	-18.24	-48.02	-46.91	4.92	-39.50
6	11439.06	44.76 AV	54	-9.24	-58.36	-58.5	4.92	-50.50
7	#17139.75	44.64 PK	68.2	-23.56	-58.52	-58.58	4.92	-50.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5859.32	58.57 PK	68.2	-9.63	-48.31	-42.65	4.92	-36.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 151

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3823.43	57.44 PK	74	-16.56	-44.83	-46.92	4.92	-37.82
2	3829.68	46.59 AV	54	-7.41	-56.6	-56.61	4.92	-48.67
3	7682.81	54.69 PK	74	-19.31	-49.43	-47.73	4.92	-40.57
4	7692.18	44.5 AV	54	-9.5	-58.74	-58.64	4.92	-50.76
5	11529.68	56.77 PK	74	-17.23	-48.77	-44.91	4.92	-38.49
6	11490.62	44.73 AV	54	-9.27	-58.56	-58.37	4.92	-50.53
7	#17274.87	46.02 PK	68.2	-22.18	-59.45	-55.69	4.92	-49.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1






Bandedge table

Chain 0



Chain 1



802.11ax (HE40) - Channel 159
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3846.87	57.33 PK	74	-16.67	-47.94	-44.46	4.92	-37.93
2	3843.75	46.43 AV	54	-7.57	-56.62	-56.9	4.92	-48.83
3	7729.68	54.73 PK	74	-19.27	-48.77	-48.18	4.92	-40.53
4	7725	44.29 AV	54	-9.71	-58.88	-58.93	4.92	-50.97
5	11575	56.1 PK	74	-17.9	-48.49	-46.04	4.92	-39.16
6	11593.75	44.7 AV	54	-9.3	-58.45	-58.53	4.92	-50.56
7	#17397.06	45.83 PK	68.2	-22.37	-57.01	-57.75	4.92	-49.43

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0







Chain 1



Bandedge table



Chain 1



802.11ax (HE80) - Channel 42
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3489.06	53.82 PK	68.2	-14.38	-50.49	-48.48	4.92	-41.44
2	#6953.12	54.99 PK	68.2	-13.21	-48.79	-47.69	4.92	-40.27
3	#10404.68	55.34 PK	68.2	-12.86	-47.61	-48.11	4.92	-39.92
4	15644.75	44.51 PK	74	-29.49	-59.55	-57.95	4.92	-50.75
5	15630.37	34.68 AV	54	-19.32	-68.55	-68.48	4.92	-60.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5146.07	63.47 PK	74	-10.53	-43.68	-37.68	4.92	-31.79
2	5149.9	51.43 AV	54	-2.57	-52.37	-51.22	4.92	-43.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE80) - Channel 58


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3521.87	54.05 PK	74	-19.95	-51.56	-47.59	4.92	-41.21
2	3540.62	42.61 AV	54	-11.39	-60.57	-60.59	4.92	-52.65
3	#7071.87	54.83 PK	68.2	-13.37	-47.36	-49.65	4.92	-40.43
4	#10565.62	54.96 PK	68.2	-13.24	-47.84	-48.65	4.92	-40.30
5	15876.18	44.63 PK	74	-29.37	-57.59	-59.8	4.92	-50.63
6	15889.12	34.52 AV	54	-19.48	-68.79	-68.55	4.92	-60.74

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5355.05	62.56 PK	74	-11.44	-40.02	-41.33	4.92	-32.70
2	5350.95	50.72 AV	54	-3.28	-52.66	-52.28	4.92	-44.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE80) - Channel 106
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3695.31	57.1 PK	74	-16.9	-46.14	-46.04	4.92	-38.16
2	3703.12	45.97 AV	54	-8.03	-57.23	-57.22	4.92	-49.29
3	7387.5	55.17 PK	74	-18.83	-46.72	-49.9	4.92	-40.09
4	7364.06	43.8 AV	54	-10.2	-59.45	-59.33	4.92	-51.46
5	11064.06	55.29 PK	74	-18.71	-46.9	-49.2	4.92	-39.97
6	11042.18	44.51 AV	54	-9.49	-58.79	-58.57	4.92	-50.75
7	#16607.87	44.9 PK	68.2	-23.3	-59.51	-57.34	4.92	-50.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5455.96	62.47 PK	74	-11.53	-39.46	-42.5	4.92	-32.79
2	5456.46	51.25 AV	54	-2.75	-51.15	-52.9	4.92	-44.01
3	#5465.21	62.94 PK	68.2	-5.26	-40.01	-40.5	4.92	-32.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 122
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3759.37	57.26 PK	74	-16.74	-46.93	-45.11	4.92	-38.00
2	3753.12	46.31 AV	54	-7.69	-56.89	-56.87	4.92	-48.95
3	7479.68	54.52 PK	74	-19.48	-49.35	-48.09	4.92	-40.74
4	7490.62	43.57 AV	54	-10.43	-59.76	-59.48	4.92	-51.69
5	11232.81	54.84 PK	74	-19.16	-48.82	-47.93	4.92	-40.42
6	11209.37	43.99 AV	54	-10.01	-59.02	-59.39	4.92	-51.27
7	#16846.5	44.12 PK	68.2	-24.08	-60.04	-58.27	4.92	-51.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.92	66.81 PK	68.2	-1.39	-35.5	-37.48	4.92	-28.45


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 138
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3720.31	57.22 PK	74	-16.78	-45.09	-47.07	4.92	-38.04
2	3753.12	46.26 AV	54	-7.74	-56.95	-56.91	4.92	-49.00
3	7481.25	54.58 PK	74	-19.42	-49.75	-47.71	4.92	-40.68
4	7475	43.66 AV	54	-10.34	-59.73	-59.33	4.92	-51.60
5	11239.06	54.58 PK	74	-19.42	-48.31	-48.93	4.92	-40.68
6	11209.37	44.08 AV	54	-9.92	-59.27	-58.96	4.92	-51.18
7	#16849.37	44.67 PK	68.2	-23.53	-58.4	-58.64	4.92	-50.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5861.5	61.98 PK	68.2	-6.22	-46.1	-38.97	4.92	-33.28


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 155
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3832.81	57.96 PK	74	-16.04	-46.47	-44.27	4.92	-37.30
2	3831.25	46.45 AV	54	-7.55	-56.67	-56.82	4.92	-48.81
3	7695.31	55.65 PK	74	-18.35	-50.25	-45.89	4.92	-39.61
4	7715.62	44.37 AV	54	-9.63	-58.82	-58.82	4.92	-50.89
5	11531.25	55.27 PK	74	-18.73	-49.36	-46.84	4.92	-39.99
6	11532.81	44.73 AV	54	-9.27	-58.65	-58.28	4.92	-50.53
7	#17309.37	45.37 PK	68.2	-22.83	-56.26	-60.27	4.92	-49.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table





Chain 1



802.11ax (HE160) - Channel 50
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3489.06	53.56 PK	68.2	-14.64	-50.96	-48.62	4.92	-41.70
2	#6981.25	55.14 PK	68.2	-13.06	-47.3	-48.96	4.92	-40.12
3	#10507.81	55.5 PK	68.2	-12.7	-47.55	-47.84	4.92	-39.76
4	15733.87	44.94 PK	74	-29.06	-57.87	-58.67	4.92	-50.32
5	15733.87	34.92 AV	54	-19.08	-68.34	-68.21	4.92	-60.34

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5394.25	64.95 PK	74	-9.05	-40.29	-36.85	4.92	-30.31
2	5393.77	53.56 AV	54	-0.44	-50.55	-48.88	4.92	-41.70





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE160) - Channel 114

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3707.81	57.36 PK	74	-16.64	-45.06	-46.76	4.92	-37.90
2	3726.56	46.45 AV	54	-7.55	-56.65	-56.84	4.92	-48.81
3	7431.25	55.03 PK	74	-18.97	-47.24	-49.33	4.92	-40.23
4	7415.62	43.92 AV	54	-10.08	-59.32	-59.23	4.92	-51.34
5	11150	55.59 PK	74	-18.41	-48.12	-47.13	4.92	-39.67
6	11153.12	44.61 AV	54	-9.39	-58.76	-58.41	4.92	-50.65
7	#16691.25	44.89 PK	68.2	-23.31	-58.49	-58.12	4.92	-50.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5467.56	65.47 PK	68.2	-2.73	-40.81	-35.93	4.92	-29.79





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 36

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3471.87	53.54 PK	68.2	-14.66	-50.88	-48.7	4.92	-41.72
2	#6909.37	54.73 PK	68.2	-13.47	-48.81	-48.13	4.92	-40.53
3	#10365.62	55.2 PK	68.2	-13	-47.25	-48.89	4.92	-40.06
4	15532.43	54.66 PK	74	-19.34	-47.96	-49.18	4.92	-40.60
5	15532.62	44.48 AV	54	-9.52	-58.83	-58.6	4.92	-50.78

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.57	72.87 PK	74	-1.13	-27.51	-40.72	4.92	-22.39
2	5150	53.4 AV	54	-0.6	-47.94	-53.07	4.92	-41.86


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 40

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3459.37	52.94 PK	68.2	-15.26	-50.32	-50.19	4.92	-42.32
2	#6950	54.24 PK	68.2	-13.96	-49.57	-48.4	4.92	-41.02
3	#10381.25	55.11 PK	68.2	-13.09	-47.08	-49.39	4.92	-40.15
4	15584.37	54.83 PK	74	-19.17	-48.05	-48.69	4.92	-40.43
5	15585.81	44.55 AV	54	-9.45	-58.71	-58.58	4.92	-50.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.2	68.08 PK	74	-5.92	-33.45	-37.84	4.92	-27.18
2	5150	51.39 AV	54	-2.61	-50.42	-53.82	4.92	-43.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 48

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#6993.75	55.11 PK	68.2	-13.09	-48.53	-47.67	4.92	-40.15
2	#10489.06	55.58 PK	68.2	-12.62	-47.19	-48.08	4.92	-39.68
3	15708	55.36 PK	74	-18.64	-47.5	-48.18	4.92	-39.90
4	15706.56	44.71 AV	54	-9.29	-58.69	-58.28	4.92	-50.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.97	66.5 PK	74	-7.5	-35.94	-37.59	4.92	-28.76
2	5148.22	47.38 AV	54	-6.62	-55.64	-55.98	4.92	-47.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	57.28 PK	74	-16.72	-46.71	-45.24	4.92	-37.98
2	3815.62	46.31 AV	54	-7.69	-56.9	-56.87	4.92	-48.95
3	7664.06	55.1 PK	74	-18.9	-48.21	-47.98	4.92	-40.16
4	7664.56	44.05 AV	54	-9.95	-59.22	-59.07	4.92	-51.21
5	11490.62	55.26 PK	74	-18.74	-49.53	-46.77	4.92	-40.00
6	11484.37	44.68 AV	54	-9.32	-58.46	-58.57	4.92	-50.58
7	#17230.31	55.09 PK	68.2	-13.11	-48.48	-47.76	4.92	-40.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table





Chain 1



802.11be (EHT20) - Channel 157

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3840.62	56.7 PK	74	-17.3	-45.8	-47.32	4.92	-38.56
2	3839.06	46.29 AV	54	-7.71	-56.94	-56.87	4.92	-48.97
3	7728.12	54.83 PK	74	-19.17	-47.84	-48.95	4.92	-40.43
4	7718.75	44.11 AV	54	-9.89	-59.46	-58.74	4.92	-51.15
5	11561.56	55.38 PK	74	-18.62	-47.55	-48.09	4.92	-39.88
6	11568.75	44.33 AV	54	-9.67	-58.78	-58.94	4.92	-50.93
7	#17335.25	55.8 PK	68.2	-12.4	-49.21	-46.11	4.92	-39.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1






Bandedge table





Chain 1



802.11be (EHT20) - Channel 165

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3867.18	56.4 PK	74	-17.6	-46.59	-47.01	4.92	-38.86
2	3865.62	45.98 AV	54	-8.02	-57.39	-57.04	4.92	-49.28
3	#7781.25	54.99 PK	68.2	-13.21	-47.97	-48.45	4.92	-40.27
4	11656.25	54.97 PK	74	-19.03	-48.41	-48.03	4.92	-40.29
5	11646.87	44.02 AV	54	-9.98	-58.92	-59.43	4.92	-51.24
6	#17467.5	55.95 PK	68.2	-12.25	-48.89	-46.05	4.92	-39.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table





Chain 1



802.11be (EHT40) - Channel 38

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3459.37	53.21 PK	68.2	-14.99	-51.13	-49.07	4.92	-42.05
2	#6934.37	54.45 PK	68.2	-13.75	-49.54	-48.06	4.92	-40.81
3	#10392.18	54.96 PK	68.2	-13.24	-48.66	-47.84	4.92	-40.30
4	15584.31	54.71 PK	74	-19.29	-49.24	-47.84	4.92	-40.55
5	15588.68	44.57 AV	54	-9.43	-58.59	-58.65	4.92	-50.69

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5146.2	66.82 PK	74	-7.18	-36.75	-36.03	4.92	-28.44
2	5150	53.52 AV	54	-0.48	-49.59	-49.75	4.92	-41.74


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 46

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#6981.25	54.97 PK	68.2	-13.23	-48.37	-48.08	4.92	-40.29
2	#10468.75	55.83 PK	68.2	-12.37	-47.12	-47.62	4.92	-39.43
3	15686.43	55.15 PK	74	-18.85	-48.61	-47.53	4.92	-40.11
4	15703.68	44.73 AV	54	-9.27	-58.36	-58.56	4.92	-50.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5143.07	66.9 PK	74	-7.1	-36.6	-36.01	4.92	-28.36
2	5149.85	52.8 AV	54	-1.2	-50	-50.83	4.92	-42.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 151

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3818.75	57.1 PK	74	-16.9	-46.12	-46.06	4.92	-38.16
2	3818.75	46.35 AV	54	-7.65	-56.7	-56.99	4.92	-48.91
3	7670.31	55.21 PK	74	-18.79	-47.23	-48.9	4.92	-40.05
4	7670.68	44.05 AV	54	-9.95	-58.94	-59.36	4.92	-51.21
5	11523.43	54.96 PK	74	-19.04	-47.97	-48.5	4.92	-40.30
6	11523	44.55 AV	54	-9.45	-58.62	-58.66	4.92	-50.71
7	#17246.12	54.7 PK	68.2	-13.5	-48.6	-48.39	4.92	-40.56

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT40) - Channel 159

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3854.68	57.08 PK	74	-16.92	-46.6	-45.67	4.92	-38.18
2	3850	46.24 AV	54	-7.76	-56.92	-56.98	4.92	-49.02
3	7743.75	55.42 PK	74	-18.58	-48.73	-46.98	4.92	-39.84
4	7743.06	43.97 AV	54	-10.03	-59.23	-59.21	4.92	-51.29
5	11575	55.04 PK	74	-18.96	-47.57	-48.82	4.92	-40.22
6	11571.87	44.34 AV	54	-9.66	-58.62	-59.09	4.92	-50.92
7	#17372.62	54.93 PK	68.2	-13.27	-47.25	-49.59	4.92	-40.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table





Chain 1



802.11be (EHT80) - Channel 42

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3490.62	53.44 PK	68.2	-14.76	-49.01	-50.65	4.92	-41.82
2	#6962.5	54.84 PK	68.2	-13.36	-48.49	-48.22	4.92	-40.42
3	#10434.37	54.97 PK	68.2	-13.23	-48.91	-47.62	4.92	-40.29
4	15634.06	54.74 PK	74	-19.26	-48.71	-48.2	4.92	-40.52
5	15634.68	44.71 AV	54	-9.29	-58.44	-58.52	4.92	-50.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0





Chain 1

