Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.52	67.83 PK	74	-6.17	-38.8	-33.47	4.92	-27.43
2	5149.9	53.58 AV	54	-0.42	-49.93	-49.32	4.92	-41.68

Remarks:
1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) - Channel 155

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3843.5	57.11 PK	74	-16.89	-46.77	-45.48	4.92	-38.15
2	3843.75	46.28 AV	54	-7.72	-57.01	-56.82	4.92	-48.98
3	7695.93	55.06 PK	74	-18.94	-48.79	-47.56	4.92	-40.20
4	7696.87	44.27 AV	54	-9.73	-59.04	-58.81	4.92	-50.99
5	11559.37	55.96 PK	74	-18.04	-47.78	-46.75	4.92	-39.30
6	11555.93	44.45 AV	54	-9.55	-58.88	-58.6	4.92	-50.81
7	#17305.06	55.49 PK	68.2	-12.71	-48.48	-47.04	4.92	-39.77

Remarks:
1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 8.95 dBm 5.80468 GHz
Marker 2 [T1] -45.04 dBm 3.68750 GHz
Marker 3 [T1] 8.95 dBm 5.80468 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.20 dBm 23.84281 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.29 dBm 38.74562 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 1 kHz
SWT 12.996267 s
[T1] MP VIEW
Marker 1 [T1] -0.40 dBm 5.77343 GHz
Marker 2 [T1] -56.76 dBm 3.80468 GHz
Marker 3 [T1] -0.53 dBm 5.77656 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 1 kHz
SWT 11.956267 s
[T1] MP VIEW
Marker 1 [T1] -54.12 dBm 23.79537 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 1 kHz
SWT 15.5952 s
[T1] MP VIEW
Marker 1 [T1] -59.31 dBm 38.84687 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 10.12 dBm 5.77031 GHz
Marker 2 [T1] -45.18 dBm 3.87500 GHz
Marker 3 [T1] 8.98 dBm 5.77812 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.24 dBm 23.88593 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.33 dBm 38.74375 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 1 kHz
SWT 12.996267 s
[T1] MP VIEW
Marker 1 [T1] 0.01 dBm 5.77656 GHz
Marker 2 [T1] -56.62 dBm 3.81562 GHz
Marker 3 [T1] 0.01 dBm 5.77656 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 1 kHz
SWT 11.956267 s
[T1] MP VIEW
Marker 1 [T1] -54.01 dBm 23.78962 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 1 kHz
SWT 15.5952 s
[T1] MP VIEW
Marker 1 [T1] -59.29 dBm 38.80937 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
17.73 dBm
5.77788 GHz
Marker 2 [T1]
-27.54 dBm
5.61460 GHz
Marker 3 [T1]
-9.59 dBm
5.67955 GHz
Marker 4 [T1]
-4.66 dBm
5.72000 GHz
Marker 5 [T1]
-4.55 dBm
5.72005 GHz
Marker 6 [T1]
-14.46 dBm
5.85388 GHz
Marker 7 [T1]
-14.04 dBm
5.85756 GHz
Marker 8 [T1]
-21.15 dBm
5.87608 GHz
Marker 9 [T1]
-29.25 dBm

802.11ax (HE20) 26-tone RU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3442.18	60.62 PK	68.2	-7.58	-42.95	-42.23	4.92	-34.64
2	#6923.43	61.56 PK	68.2	-6.64	-40.74	-42.76	4.92	-33.70
3	#10340.62	61.25 PK	68.2	-6.95	-40.64	-43.79	4.92	-34.01
4	15534.06	51.08 PK	74	-22.92	-51.48	-52.85	4.92	-44.18
5	15558.5	41.12 AV	54	-12.88	-61.79	-62.37	4.92	-54.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 10.94 dBm 5.17187 GHz
Marker 2 [T1] -36.86 dBm 3.84531 GHz
Marker 3 [T1] -39.29 dBm 7.68437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.52 dBm 23.70481 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -53.20 dBm 39.86500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.71 dBm 5.17187 GHz
Marker 2 [T1] -58.50 dBm 3.80156 GHz
Marker 3 [T1] -61.41 dBm 8.92812 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.23 dBm 23.85431 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.55 dBm 39.98312 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 12.97 dBm 5.17187 GHz
Marker 2 [T1] -36.77 dBm 3.80000 GHz
Marker 3 [T1] -38.67 dBm 8.36406 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.30 dBm 24.06993 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.59 dBm 34.70312 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 3.61 dBm 5.17187 GHz
Marker 2 [T1] -58.60 dBm 3.79531 GHz
Marker 3 [T1] -61.47 dBm 8.94531 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.32 dBm 23.92331 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.54 dBm 39.99437 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5071.97	64.35 PK	74	-9.65	-37.44	-40.91	4.92	-30.91
2	5076.02	53.07 AV	54	-0.93	-50.36	-49.9	4.92	-42.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11ax (HE20) 26-tone RU - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3564.06	59.93 PK	74	-14.07	-43.61	-42.94	4.92	-35.33
2	3560.93	39.72 AV	54	-14.28	-63.31	-63.64	4.92	-55.54
3	#7076.56	61.53 PK	68.2	-6.67	-41.64	-41.69	4.92	-33.73
4	10625	62.01 PK	74	-11.99	-40.14	-42.54	4.92	-33.25
5	10620.31	40.94 AV	54	-13.06	-62.18	-62.33	4.92	-54.32
6	15969.62	51.43 PK	74	-22.57	-50.76	-53.05	4.92	-43.83
7	15946.62	40.98 AV	54	-13.02	-62.06	-62.36	4.92	-54.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 10.92 dBm 5.32812 GHz
Marker 2 [T1] -37.26 dBm 3.83281 GHz
Marker 3 [T1] -38.49 dBm 9.78281 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.16 dBm 24.57737 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.18 dBm 39.20687 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.11 dBm 5.32812 GHz
Marker 2 [T1] -58.50 dBm 3.79062 GHz
Marker 3 [T1] -60.95 dBm 8.33750 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.20 dBm 23.92187 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.45 dBm 39.98875 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 11.88 dBm 5.32812 GHz
Marker 2 [T1] -36.61 dBm 3.75468 GHz
Marker 3 [T1] -38.88 dBm 11.51875 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.23 dBm 23.99806 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.21 dBm 38.90312 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.76 dBm 5.32812 GHz
Marker 2 [T1] -58.65 dBm 3.78906 GHz
Marker 3 [T1] -61.42 dBm 6.39531 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.45 dBm 23.99087 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.68 dBm 39.97375 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5446.6	61.1 PK	74	-12.9	-40.61	-44.36	4.92	-34.16
2	5380.95	50.49 AV	54	-3.51	-53.05	-52.37	4.92	-44.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11ax (HE20) 26-tone RU - Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3684.37	63.53 PK	74	-10.47	-39.45	-39.89	4.92	-31.73
2	3681.25	43.1 AV	54	-10.9	-60.11	-60.07	4.92	-52.16
3	7321.87	61.14 PK	74	-12.86	-41.23	-43.06	4.92	-34.12
4	7321.87	40.77 AV	54	-13.23	-62.08	-62.8	4.92	-54.49
5	10998.43	61.98 PK	74	-12.02	-42.37	-40.29	4.92	-33.28
6	10995.31	41.22 AV	54	-12.78	-62.13	-61.81	4.92	-54.04
7	#16515.87	51.89 PK	68.2	-16.31	-49.83	-53.53	4.92	-43.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Marker 1 [T1] 11.44 dBm 5.49218 GHz
Marker 2 [T1] -36.94 dBm 3.79687 GHz
Marker 3 [T1] -38.87 dBm 9.05000 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] -45.63 dBm 23.94775 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1] -51.39 dBm 38.92562 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] 2.40 dBm 5.49218 GHz
Marker 2 [T1] -58.20 dBm 3.78906 GHz
Marker 3 [T1] -61.36 dBm 8.42968 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] -57.22 dBm 23.83850 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1] -63.48 dBm 39.98125 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
12.39 dBm
5.49218 GHz
Marker 2 [T1]
-36.94 dBm
3.78437 GHz
Marker 3 [T1]
-39.30 dBm
10.70156 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.41 dBm
24.13462 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.17 dBm
39.03437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
3.12 dBm
5.49062 GHz
Marker 2 [T1]
-58.81 dBm
3.78437 GHz
Marker 3 [T1]
-61.62 dBm
5.82500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.42 dBm
23.83850 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.63 dBm
39.98312 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5436.78	61.59 PK	74	-12.41	-40.98	-42.33	4.92	-33.67
2	5457.59	50.76 AV	54	-3.24	-52.67	-52.2	4.92	-44.50
3	#5467.28	60.94 PK	68.2	-7.26	-41.49	-43.17	4.92	-34.32

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1





802.11ax (HE20) 26-tone RU - Channel 140

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3801.56	64.98 PK	74	-9.02	-40.03	-36.93	4.92	-30.28
2	3801.56	44.27 AV	54	-9.73	-59.25	-58.61	4.92	-50.99
3	7618.75	61.55 PK	74	-12.45	-42.47	-40.94	4.92	-33.71
4	7595.31	40.91 AV	54	-13.09	-62.4	-62.17	4.92	-54.35
5	11393.75	62.14 PK	74	-11.86	-41.58	-40.57	4.92	-33.12
6	11409.37	40.91 AV	54	-13.09	-62.14	-62.42	4.92	-54.35
7	#17112.43	50.98 PK	68.2	-17.22	-51.89	-52.56	4.92	-44.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 12.38 dBm 5.70781 GHz
Marker 2 [T1] -37.74 dBm 3.82187 GHz
Marker 3 [T1] -38.71 dBm 8.90781 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.32 dBm 23.69906 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.75 dBm 38.86750 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.70 dBm 5.70781 GHz
Marker 2 [T1] -58.76 dBm 3.83593 GHz
Marker 3 [T1] -61.36 dBm 5.87656 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.23 dBm 23.94487 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.59 dBm 39.98687 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 12.75 dBm 5.70937 GHz
Marker 2 [T1] -36.85 dBm 3.72656 GHz
Marker 3 [T1] -39.27 dBm 8.90312 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.91 dBm 22.82937 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.36 dBm 39.97937 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 3.78 dBm 5.70781 GHz
Marker 2 [T1] -58.51 dBm 3.83437 GHz
Marker 3 [T1] -61.30 dBm 5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.46 dBm 23.87300 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.32 dBm 39.97187 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5786.72	61.46 PK	68.2	-6.74	-41.83	-41.64	4.92	-33.80

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1





802.11ax (HE20) 26-tone RU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3837.5	65.65 PK	74	-8.35	-38.1	-37.04	4.92	-29.61
2	3840.62	44.41 AV	54	-9.59	-58.8	-58.76	4.92	-50.85
3	7642.18	61.67 PK	74	-12.33	-42	-41.09	4.92	-33.59
4	7656.25	40.93 AV	54	-13.07	-62.64	-61.91	4.92	-54.33
5	11509.37	62.09 PK	74	-11.91	-41.54	-40.7	4.92	-33.17
6	11473.43	41.25 AV	54	-12.75	-61.95	-61.93	4.92	-54.01
7	#17247.56	51.6 PK	68.2	-16.6	-53.86	-50.11	4.92	-43.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 22.78 dBm 5.73750 GHz
Marker 2 [T1] -37.67 dBm 3.80937 GHz
Marker 3 [T1] -27.68 dBm 5.77500 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.85 dBm 24.83612 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.05 dBm 39.99250 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 15.18 dBm 5.73593 GHz
Marker 2 [T1] -58.78 dBm 3.82500 GHz
Marker 3 [T1] -52.40 dBm 5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.32 dBm 23.84425 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.43 dBm 39.99250 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
23.04 dBm
5.73593 GHz
Marker 2 [T1]
-36.96 dBm
3.75468 GHz
Marker 3 [T1]
-33.20 dBm
5.77968 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-46.25 dBm
23.60275 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.42 dBm
39.92500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
15.85 dBm
5.73593 GHz
Marker 2 [T1]
-58.66 dBm
3.79218 GHz
Marker 3 [T1]
-52.36 dBm
5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.47 dBm
23.85143 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.35 dBm
39.98875 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
27.25 dBm
5.73620 GHz
Marker 2 [T1]
-35.47 dBm
5.62113 GHz
Marker 3 [T1]
-19.89 dBm
5.69962 GHz
Marker 4 [T1]
-12.57 dBm
5.70211 GHz
Marker 5 [T1]
-16.41 dBm
5.72456 GHz
Marker 6 [T1]
-36.35 dBm
5.85091 GHz
Marker 7 [T1]
-34.86 dBm
5.86884 GHz
Marker 8 [T1]
-36.18 dBm
5.89663 GHz
Marker 9 [T1]
-35.42 dBm

802.11ax (HE20) 26-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	64.09 PK	74	-9.91	-39.82	-38.49	4.92	-31.17
2	3876.56	44.05 AV	54	-9.95	-59.28	-59.01	4.92	-51.21
3	#7754.68	62.05 PK	68.2	-6.15	-41.41	-40.88	4.92	-33.21
4	11646.87	61.35 PK	74	-12.65	-41.86	-41.83	4.92	-33.91
5	11667.18	41.26 AV	54	-12.74	-61.46	-62.45	4.92	-54.00
6	#17480.43	51.96 PK	68.2	-16.24	-51.51	-50.96	4.92	-43.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
22.08 dBm
5.83281 GHz
Marker 2 [T1]
-37.80 dBm
3.81406 GHz
Marker 3 [T1]
22.08 dBm
5.83281 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-44.18 dBm
24.43650 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.69 dBm
38.93125 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
15.86 dBm
5.83281 GHz
Marker 2 [T1]
-58.49 dBm
3.81250 GHz
Marker 3 [T1]
15.86 dBm
5.83281 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.39 dBm
24.00525 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.33 dBm
39.99062 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 22.63 dBm 5.83437 GHz
Marker 2 [T1] -37.26 dBm 3.80468 GHz
Marker 3 [T1] 22.63 dBm 5.83437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.45 dBm 23.93337 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -51.69 dBm 38.98562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 15.30 dBm 5.83281 GHz
Marker 2 [T1] -58.76 dBm 3.85781 GHz
Marker 3 [T1] 15.30 dBm 5.83281 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.19 dBm 23.83418 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.58 dBm 39.97937 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
1
2
3
4
5
6
7
8
9
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
27.07 dBm
5.83405 GHz
Marker 2 [T1]
-35.52 dBm
5.63680 GHz
Marker 3 [T1]
-36.02 dBm
5.66221 GHz
Marker 4 [T1]
-36.00 dBm
5.70295 GHz
Marker 5 [T1]
-36.46 dBm
5.72100 GHz
Marker 6 [T1]
-15.93 dBm
5.85115 GHz
Marker 7 [T1]
-5.86 dBm
5.86753 GHz
Marker 8 [T1]
-32.70 dBm
5.88143 GHz
Marker 9 [T1]
-35.37 dBm

802.11ax (HE20) 52-tone RU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3451.56	60.91 PK	68.2	-7.29	-41.39	-43.4	4.92	-34.35
2	#6906.25	61.15 PK	68.2	-7.05	-41.81	-42.29	4.92	-34.11
3	#10348.43	61.15 PK	68.2	-7.05	-42.29	-41.81	4.92	-34.11
4	15548.43	51.35 PK	74	-22.65	-52.26	-51.46	4.92	-43.91
5	15545.56	41.21 AV	54	-12.79	-62.34	-61.64	4.92	-54.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 11.50 dBm 5.17500 GHz
Marker 2 [T1] -37.43 dBm 3.81562 GHz
Marker 3 [T1] -38.59 dBm 13.13750 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.89 dBm 23.92331 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.43 dBm 38.94062 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.27 dBm 5.17500 GHz
Marker 2 [T1] -58.50 dBm 3.80937 GHz
Marker 3 [T1] -61.39 dBm 8.28750 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.37 dBm 23.81981 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.39 dBm 39.99625 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Marker 1 [T1] 14.83 dBm 5.17656 GHz
Marker 2 [T1] -36.61 dBm 3.81406 GHz
Marker 3 [T1] -39.15 dBm 8.38437 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] -44.88 dBm 24.07568 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1] -52.51 dBm 39.99625 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] 3.25 dBm 5.17656 GHz
Marker 2 [T1] -58.78 dBm 3.82500 GHz
Marker 3 [T1] -61.27 dBm 8.91875 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] -57.17 dBm 23.95350 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1] -63.43 dBm 39.99062 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5131.55	63.63 PK	74	-10.37	-38.72	-40.6	4.92	-31.63
2	5100.25	52.96 AV	54	-1.04	-50.17	-50.3	4.92	-42.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11ax (HE20) 52-tone RU - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3551.56	60.39 PK	74	-13.61	-43.83	-41.97	4.92	-34.87
2	3537.5	39.52 AV	54	-14.48	-63.71	-63.63	4.92	-55.74
3	#7096.87	62.01 PK	68.2	-6.19	-40.99	-41.38	4.92	-33.25
4	10642.18	61.75 PK	74	-12.25	-41.27	-41.62	4.92	-33.51
5	10631.25	40.88 AV	54	-13.12	-62.4	-62.23	4.92	-54.38
6	15945.18	50.78 PK	74	-23.22	-51.14	-54.21	4.92	-44.48
7	15942.31	40.9 AV	54	-13.1	-62.08	-62.52	4.92	-54.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
13.73 dBm
5.32656 GHz
Marker 2 [T1]
-37.43 dBm
3.80625 GHz
Marker 3 [T1]
-39.78 dBm
9.11093 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.96 dBm
23.93050 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-51.51 dBm
38.90687 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
2.27 dBm
5.32500 GHz
Marker 2 [T1]
-58.78 dBm
3.82656 GHz
Marker 3 [T1]
-61.54 dBm
8.99218 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.33 dBm
24.08287 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.51 dBm
39.99812 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 13.37 dBm 5.32500 GHz
Marker 2 [T1] -37.49 dBm 3.82031 GHz
Marker 3 [T1] -39.12 dBm 10.62656 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.06 dBm 24.02968 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.04 dBm 39.91562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.61 dBm 5.32656 GHz
Marker 2 [T1] -58.58 dBm 3.77656 GHz
Marker 3 [T1] -61.44 dBm 8.48437 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.37 dBm 23.91181 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.48 dBm 39.99812 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5408.8	61.59 PK	74	-12.41	-40.3	-43.48	4.92	-33.67
2	5444.85	50.63 AV	54	-3.37	-52.48	-52.64	4.92	-44.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) 52-tone RU - Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3670.31	64.07 PK	74	-9.93	-38.27	-40.18	4.92	-31.19
2	3679.68	42.96 AV	54	-11.04	-59.76	-60.75	4.92	-52.30
3	7331.25	61.07 PK	74	-12.93	-41.52	-42.82	4.92	-34.19
4	7318.75	40.71 AV	54	-13.29	-62.53	-62.43	4.92	-54.55
5	11003.12	61.85 PK	74	-12.15	-41.33	-41.35	4.92	-33.41
6	10981.25	41.02 AV	54	-12.98	-61.98	-62.37	4.92	-54.24
7	#16491.43	50.91 PK	68.2	-17.29	-51.13	-53.86	4.92	-44.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
13.53 dBm
5.49687 GHz
Marker 2 [T1]
-36.58 dBm
3.75312 GHz
Marker 3 [T1]
-39.07 dBm
5.84062 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
31.5
20
10
0
-10
-20
-30
-40
-50
-60
-68.5
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.57 dBm
24.86200 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
31.5
20
10
0
-10
-20
-30
-40
-50
-60
-68.5
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.66 dBm
38.18500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
31.5
20
10
0
-10
-20
-30
-40
-50
-60
-68.5
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
2.27 dBm
5.49218 GHz
Marker 2 [T1]
-58.58 dBm
3.84843 GHz
Marker 3 [T1]
-61.01 dBm
5.81093 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
21.5
10
0
-10
-20
-30
-40
-50
-60
-70
-78.5
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.35 dBm
23.92331 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
21.5
10
0
-10
-20
-30
-40
-50
-60
-70
-78.5
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.67 dBm
39.97750 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
21.5
10
0
-10
-20
-30
-40
-50
-60
-70
-78.5
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 13.20 dBm 5.49375 GHz
Marker 2 [T1] -37.33 dBm 3.85312 GHz
Marker 3 [T1] -39.64 dBm 7.18437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -44.95 dBm 23.88162 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.88 dBm 38.97812 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.94 dBm 5.49218 GHz
Marker 2 [T1] -58.79 dBm 3.84218 GHz
Marker 3 [T1] -61.54 dBm 5.87500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.11 dBm 23.95637 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.51 dBm 39.99062 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5441.81	61.19 PK	74	-12.81	-41.84	-42.17	4.92	-34.07
2	5454.25	50.73 AV	54	-3.27	-52.54	-52.39	4.92	-44.53
3	#5469.84	60.98 PK	68.2	-7.22	-43.32	-41.33	4.92	-34.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1





802.11ax (HE20) 52-tone RU - Channel 140

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3806.25	64.74 PK	74	-9.26	-38.5	-38.41	4.92	-30.52
2	3818.75	44.34 AV	54	-9.66	-58.86	-58.85	4.92	-50.92
3	7618.75	61.79 PK	74	-12.21	-40.98	-41.86	4.92	-33.47
4	7617.18	40.74 AV	54	-13.26	-62.43	-62.48	4.92	-54.52
5	11400	61.84 PK	74	-12.16	-41.62	-41.09	4.92	-33.42
6	11418.75	40.73 AV	54	-13.27	-62.4	-62.53	4.92	-54.53
7	#17119.62	51.36 PK	68.2	-16.84	-53.4	-50.68	4.92	-43.90

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
12.15 dBm
5.70312 GHz
Marker 2 [T1]
-37.07 dBm
3.80781 GHz
Marker 3 [T1]
-39.25 dBm
5.88437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.64 dBm
23.85718 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.03 dBm
39.97750 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
2.60 dBm
5.70781 GHz
Marker 2 [T1]
-58.76 dBm
3.80156 GHz
Marker 3 [T1]
-60.14 dBm
5.82031 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.35 dBm
23.86581 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.40 dBm
39.99437 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 12.76 dBm 5.70625 GHz
Marker 2 [T1] -37.17 dBm 3.87031 GHz
Marker 3 [T1] -39.46 dBm 8.51718 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.89 dBm 23.87300 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.02 dBm 38.87312 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 3.09 dBm 5.70781 GHz
Marker 2 [T1] -58.72 dBm 3.84531 GHz
Marker 3 [T1] -59.98 dBm 5.78125 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.30 dBm 23.82125 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.47 dBm 39.99250 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5795.37	61.89 PK	68.2	-6.31	-41.5	-41.1	4.92	-33.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1





802.11ax (HE20) 52-tone RU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3818.75	64.79 PK	74	-9.21	-39.59	-37.47	4.92	-30.47
2	3810.93	44.23 AV	54	-9.77	-59.1	-58.82	4.92	-51.03
3	7640.62	61.27 PK	74	-12.73	-42.19	-41.67	4.92	-33.99
4	7651.56	41.08 AV	54	-12.92	-62.03	-62.2	4.92	-54.18
5	11485.93	61.68 PK	74	-12.32	-41.7	-41.33	4.92	-33.58
6	11501.56	41.18 AV	54	-12.82	-61.95	-62.08	4.92	-54.08
7	#17238.93	51 PK	68.2	-17.2	-53.15	-51.41	4.92	-44.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 17.94 dBm 5.74062 GHz
Marker 2 [T1] -35.21 dBm 3.77968 GHz
Marker 3 [T1] -29.81 dBm 5.77656 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.15 dBm 23.88306 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.90 dBm 34.54937 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 9.61 dBm 5.73750 GHz
Marker 2 [T1] -58.58 dBm 3.82187 GHz
Marker 3 [T1] -46.83 dBm 5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.30 dBm 23.97650 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.64 dBm 39.99625 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
18.64 dBm
5.73906 GHz
Marker 2 [T1]
-37.13 dBm
3.87812 GHz
Marker 3 [T1]
-25.83 dBm
5.78437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.99 dBm
23.79968 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.42 dBm
38.10062 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
9.21 dBm
5.74062 GHz
Marker 2 [T1]
-58.84 dBm
3.82656 GHz
Marker 3 [T1]
-46.81 dBm
5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.33 dBm
23.93912 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.16 dBm
39.99437 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
1
2
3
4
5
6
7
8
9
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
25.93 dBm
5.73762 GHz
Marker 2 [T1]
-34.88 dBm
5.60961 GHz
Marker 3 [T1]
-31.69 dBm
5.69950 GHz
Marker 4 [T1]
-11.65 dBm
5.70793 GHz
Marker 5 [T1]
-13.18 dBm
5.72290 GHz
Marker 6 [T1]
-36.63 dBm
5.85103 GHz
Marker 7 [T1]
-35.80 dBm
5.87181 GHz
Marker 8 [T1]
-35.42 dBm
5.89449 GHz
Marker 9 [T1]
-35.83 dBm

802.11ax (HE20) 52-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3875	65.86 PK	74	-8.14	-36.05	-39.16	4.92	-29.40
2	3875	44.2 AV	54	-9.8	-59.23	-58.77	4.92	-51.06
3	#7756.25	62 PK	68.2	-6.2	-41.26	-41.12	4.92	-33.26
4	7746.87	41.15 AV	54	-12.85	-61.96	-62.12	4.92	-54.11
5	11639.06	61.44 PK	74	-12.56	-41.62	-41.88	4.92	-33.82
6	11664.06	40.8 AV	54	-13.2	-62.07	-62.73	4.92	-54.46
7	#17476.12	51.57 PK	68.2	-16.63	-51.54	-51.7	4.92	-43.69

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
19.18 dBm
5.82656 GHz
Marker 2 [T1]
-36.68 dBm
3.88750 GHz
Marker 3 [T1]
19.18 dBm
5.82656 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-46.03 dBm
23.88018 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.50 dBm
39.22187 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
8.72 dBm
5.83125 GHz
Marker 2 [T1]
-58.68 dBm
3.85781 GHz
Marker 3 [T1]
8.72 dBm
5.83125 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.41 dBm
23.95062 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.45 dBm
39.99812 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 18.80 dBm 5.82968 GHz
Marker 2 [T1] -37.61 dBm 3.83125 GHz
Marker 3 [T1] 18.80 dBm 5.82968 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.94 dBm 23.86006 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -53.37 dBm 35.50937 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 9.21 dBm 5.83125 GHz
Marker 2 [T1] -58.60 dBm 3.84531 GHz
Marker 3 [T1] 9.21 dBm 5.83125 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.44 dBm 23.89743 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.62 dBm 39.94750 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
1
2
3
4
5
6
7
8
9
Marker 1 [T1]
25.95 dBm
5.83286 GHz
Marker 2 [T1]
-34.68 dBm
5.61851 GHz
Marker 3 [T1]
-34.96 dBm
5.66970 GHz
Marker 4 [T1]
-36.12 dBm
5.70057 GHz
Marker 5 [T1]
-36.05 dBm
5.72301 GHz
Marker 6 [T1]
-17.47 dBm
5.85257 GHz
Marker 7 [T1]
-11.56 dBm
5.86611 GHz
Marker 8 [T1]
-30.72 dBm
5.87834 GHz
Marker 9 [T1]
-35.23 dBm

802.11ax (HE20) 106-tone RU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3448.43	59.71 PK	68.2	-8.49	-44.77	-42.48	4.92	-35.55
2	#6887.5	61.45 PK	68.2	-6.75	-42.06	-41.45	4.92	-33.81
3	#10379.68	61.62 PK	68.2	-6.58	-43.17	-40.4	4.92	-33.64
4	15524	51.13 PK	74	-22.87	-51.27	-53.03	4.92	-44.13
5	15538.37	41.69 AV	54	-12.31	-61.22	-61.81	4.92	-53.57

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 11.81 dBm 5.17187 GHz
Marker 2 [T1] -36.69 dBm 3.79687 GHz
Marker 3 [T1] -39.22 dBm 12.64843 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.51 dBm 24.12025 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.02 dBm 39.82562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.48 dBm 5.17187 GHz
Marker 2 [T1] -58.79 dBm 3.81250 GHz
Marker 3 [T1] -61.54 dBm 9.74218 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.39 dBm 23.99087 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.45 dBm 39.98687 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 13.12 dBm 5.17343 GHz
Marker 2 [T1] -37.04 dBm 3.81093 GHz
Marker 3 [T1] -39.05 dBm 5.81562 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.28 dBm 23.85575 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.76 dBm 38.84500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 3.14 dBm 5.17187 GHz
Marker 2 [T1] -58.62 dBm 3.80312 GHz
Marker 3 [T1] -61.46 dBm 8.92656 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.08 dBm 23.85000 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.42 dBm 39.98312 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5107.6	63.63 PK	74	-10.37	-39.8	-39.34	4.92	-31.63
2	5083.25	53.08 AV	54	-0.92	-50.21	-50.02	4.92	-42.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11ax (HE20) 106-tone RU - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3562.5	60.63 PK	74	-13.37	-43.86	-41.56	4.92	-34.63
2	3562.5	39.68 AV	54	-14.32	-63.55	-63.47	4.92	-55.58
3	#7104.68	61.72 PK	68.2	-6.48	-42	-40.99	4.92	-33.54
4	10626.56	62.44 PK	74	-11.56	-43.4	-39.12	4.92	-32.82
5	10631.25	40.98 AV	54	-13.02	-62.13	-62.29	4.92	-54.28
6	15943.75	51.11 PK	74	-22.89	-50.62	-54.28	4.92	-44.15
7	15952.37	40.98 AV	54	-13.02	-62.05	-62.37	4.92	-54.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
12.66 dBm
5.32812 GHz
Marker 2 [T1]
-37.21 dBm
3.68906 GHz
Marker 3 [T1]
-39.20 dBm
8.19531 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-46.15 dBm
23.95350 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.96 dBm
38.81500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
2.19 dBm
5.32812 GHz
Marker 2 [T1]
-58.85 dBm
3.85000 GHz
Marker 3 [T1]
-61.43 dBm
6.41093 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.39 dBm
23.88018 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.53 dBm
39.97562 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 12.60 dBm 5.32812 GHz
Marker 2 [T1] -37.13 dBm 3.86406 GHz
Marker 3 [T1] -39.35 dBm 9.01406 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -45.71 dBm 23.92043 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.07 dBm 38.68375 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 2.74 dBm 5.32812 GHz
Marker 2 [T1] -58.71 dBm 3.85468 GHz
Marker 3 [T1] -61.12 dBm 8.08750 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.35 dBm 23.84281 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.30 dBm 39.99812 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.8	64.99 PK	74	-9.01	-35.85	-43.73	4.92	-30.27
2	5350.85	50.92 AV	54	-3.08	-52.61	-51.96	4.92	-44.34

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11ax (HE20) 106-tone RU - Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3657.81	63.45 PK	74	-10.55	-38.95	-40.7	4.92	-31.81
2	3682.81	43.01 AV	54	-10.99	-60.46	-59.91	4.92	-52.25
3	7317.18	61.47 PK	74	-12.53	-43.18	-40.63	4.92	-33.79
4	7318.75	40.85 AV	54	-13.15	-62.24	-62.44	4.92	-54.41
5	10993.75	62.31 PK	74	-11.69	-40.58	-41.2	4.92	-32.95
6	11006.25	41.05 AV	54	-12.95	-62	-62.28	4.92	-54.21
7	#16507.25	50.79 PK	68.2	-17.41	-52.96	-51.91	4.92	-44.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
12.21 dBm
5.49375 GHz
Marker 2 [T1]
-37.48 dBm
3.80937 GHz
Marker 3 [T1]
-39.36 dBm
8.88437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.61 dBm
23.99087 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.51 dBm
38.91812 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
2.09 dBm
5.49375 GHz
Marker 2 [T1]
-58.26 dBm
3.82343 GHz
Marker 3 [T1]
-61.12 dBm
5.78437 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.24 dBm
23.89168 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.38 dBm
40.00000 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
12.28 dBm
5.49375 GHz
Marker 2 [T1]
-37.14 dBm
3.84062 GHz
Marker 3 [T1]
-39.17 dBm
8.92968 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-44.78 dBm
23.97075 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.44 dBm
38.04625 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
2.71 dBm
5.49218 GHz
Marker 2 [T1]
-58.69 dBm
3.79062 GHz
Marker 3 [T1]
-61.10 dBm
5.94375 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.09 dBm
23.89743 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.57 dBm
39.96250 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5454.03	61.01 PK	74	-12.99	-44.04	-40.88	4.92	-34.25
2	5459.03	50.93 AV	54	-3.07	-52.1	-52.43	4.92	-44.33
3	#5468.71	63.21 PK	68.2	-4.99	-42.3	-38.47	4.92	-32.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1





802.11ax (HE20) 106-tone RU - Channel 140

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3807.81	65.36 PK	74	-8.64	-37.07	-38.75	4.92	-29.90
2	3801.56	44.35 AV	54	-9.65	-58.76	-58.93	4.92	-50.91
3	7604.68	61.67 PK	74	-12.33	-42.57	-40.67	4.92	-33.59
4	7601.56	40.8 AV	54	-13.2	-62.31	-62.48	4.92	-54.46
5	11404.68	61.45 PK	74	-12.55	-41.09	-42.51	4.92	-33.81
6	11414.06	41.12 AV	54	-12.88	-61.99	-62.16	4.92	-54.14
7	#17109.56	50.55 PK	68.2	-17.65	-53.51	-51.92	4.92	-44.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Marker 1 [T1] 11.05 dBm 5.70781 GHz
Marker 2 [T1] -37.14 dBm 3.85156 GHz
Marker 3 [T1] -39.09 dBm 11.45625 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] -46.09 dBm 23.90462 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1] -52.62 dBm 38.97250 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] 2.54 dBm 5.70781 GHz
Marker 2 [T1] -58.65 dBm 3.83437 GHz
Marker 3 [T1] -60.52 dBm 5.78750 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1] -57.46 dBm 23.88306 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1] -63.41 dBm 39.99625 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
12.95 dBm
5.70937 GHz
Marker 2 [T1]
-37.80 dBm
3.82500 GHz
Marker 3 [T1]
-39.16 dBm
8.38437 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-45.41 dBm
23.91325 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.68 dBm
38.04250 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
3.27 dBm
5.70781 GHz
Marker 2 [T1]
-58.62 dBm
3.82500 GHz
Marker 3 [T1]
-60.54 dBm
5.78906 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.09 dBm
23.87443 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.63 dBm
39.97937 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.1	66.11 PK	68.2	-2.09	-44.05	-34.53	4.92	-29.15

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1





802.11ax (HE20) 106-tone RU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3810.93	64.74 PK	74	-9.26	-39.1	-37.89	4.92	-30.52
2	3826.56	44.33 AV	54	-9.67	-58.89	-58.84	4.92	-50.93
3	7640.62	61.98 PK	74	-12.02	-41.68	-40.78	4.92	-33.28
4	7654.68	41.06 AV	54	-12.94	-61.91	-62.36	4.92	-54.20
5	11485.93	62.49 PK	74	-11.51	-41.91	-39.76	4.92	-32.77
6	11473.43	41.26 AV	54	-12.74	-61.92	-61.95	4.92	-54.00
7	#17236.06	51.94 PK	68.2	-16.26	-51.3	-51.2	4.92	-43.32

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 19.91 dBm 5.73906 GHz
Marker 2 [T1] -37.53 dBm 3.78281 GHz
Marker 3 [T1] -26.81 dBm 5.77500 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -44.82 dBm 23.84856 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -53.11 dBm 39.34187 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 12.24 dBm 5.73750 GHz
Marker 2 [T1] -58.49 dBm 3.79843 GHz
Marker 3 [T1] -50.47 dBm 5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.42 dBm 23.90175 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.48 dBm 39.98500 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 20.33 dBm 5.73750 GHz
Marker 2 [T1] -37.45 dBm 3.81250 GHz
Marker 3 [T1] -28.55 dBm 5.77656 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.45 dBm 23.93768 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.86 dBm 34.50437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 12.50 dBm 5.73593 GHz
Marker 2 [T1] -58.78 dBm 3.81406 GHz
Marker 3 [T1] -51.46 dBm 5.77500 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.49 dBm 23.93337 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.43 dBm 39.98312 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
1
2
3
4
5
6
7
8
9
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
24.31 dBm
5.73715 GHz
Marker 2 [T1]
-35.38 dBm
5.62505 GHz
Marker 3 [T1]
-24.03 dBm
5.69926 GHz
Marker 4 [T1]
-16.04 dBm
5.71482 GHz
Marker 5 [T1]
-7.96 dBm
5.72500 GHz
Marker 6 [T1]
-35.61 dBm
5.85079 GHz
Marker 7 [T1]
-35.20 dBm
5.86480 GHz
Marker 8 [T1]
-35.79 dBm
5.91788 GHz
Marker 9 [T1]
-35.71 dBm

802.11ax (HE20) 106-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3887.5	65.01 PK	74	-8.99	-36.68	-40.48	4.92	-30.25
2	3864.06	43.98 AV	54	-10.02	-59.18	-59.25	4.92	-51.28
3	#7762.5	62.25 PK	68.2	-5.95	-42.28	-39.92	4.92	-33.01
4	11662.5	61.69 PK	74	-12.31	-41.79	-41.22	4.92	-33.57
5	11640.62	40.81 AV	54	-13.19	-62.5	-62.26	4.92	-54.45
6	#17466.06	51.45 PK	68.2	-16.75	-53.24	-50.62	4.92	-43.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
21.20 dBm
5.83281 GHz
Marker 2 [T1]
-36.05 dBm
3.87500 GHz
Marker 3 [T1]
21.20 dBm
5.83281 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-44.99 dBm
23.88162 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-52.40 dBm
38.89750 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
12.20 dBm
5.83281 GHz
Marker 2 [T1]
-58.41 dBm
3.83125 GHz
Marker 3 [T1]
12.20 dBm
5.83281 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-57.29 dBm
23.87875 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-63.46 dBm
39.97562 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 20.93 dBm 5.83125 GHz
Marker 2 [T1] -37.51 dBm 3.79531 GHz
Marker 3 [T1] 20.93 dBm 5.83125 GHz
Ref 31.5 dBm
Att 20 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -46.01 dBm 23.58118 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -52.01 dBm 34.60562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 12.11 dBm 5.83281 GHz
Marker 2 [T1] -58.77 dBm 3.87500 GHz
Marker 3 [T1] 12.11 dBm 5.83281 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -57.21 dBm 23.90750 GHz
Ref 21.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -63.56 dBm 39.98312 GHz
Ref 21.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
23.90 dBm
5.82894 GHz
Marker 2 [T1]
-35.20 dBm
5.59536 GHz
Marker 3 [T1]
-35.32 dBm
5.69784 GHz
Marker 4 [T1]
-35.98 dBm
5.71731 GHz
Marker 5 [T1]
-36.21 dBm
5.72500 GHz
Marker 6 [T1]
-11.91 dBm
5.85340 GHz
Marker 7 [T1]
-15.20 dBm
5.85566 GHz
Marker 8 [T1]
-25.02 dBm
5.88546 GHz
Marker 9 [T1]
-35.14 dBm

802.11be (EHT20) 26-tone RU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3445.31	53.99 PK	68.2	-14.21	-49.21	-49.19	4.92	-41.27
2	#6907.81	54.94 PK	68.2	-13.26	-47.82	-48.73	4.92	-40.32
3	#10340.62	55.48 PK	68.2	-12.72	-47.5	-47.94	4.92	-39.78
4	15555.93	55.69 PK	74	-18.31	-46.63	-48.59	4.92	-39.57
5	15555.62	44.98 AV	54	-9.02	-58.4	-58.02	4.92	-50.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 14.76 dBm 5.17187 GHz
Marker 2 [T1] -44.50 dBm 3.83593 GHz
Marker 3 [T1] -45.29 dBm 9.80468 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.22 dBm 23.89600 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.71 dBm 38.58062 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 6.05 dBm 5.17187 GHz
Marker 2 [T1] -56.23 dBm 3.81093 GHz
Marker 3 [T1] -57.71 dBm 8.91718 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.33 dBm 23.72350 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.33 dBm 38.82250 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
15.81 dBm
5.17187 GHz
Marker 2 [T1]
-44.32 dBm
3.83593 GHz
Marker 3 [T1]
-45.60 dBm
8.94687 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-41.98 dBm
23.95493 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-47.22 dBm
38.57500 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
6.96 dBm
5.17187 GHz
Marker 2 [T1]
-55.91 dBm
3.82187 GHz
Marker 3 [T1]
-57.79 dBm
8.97343 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.62 dBm
23.81118 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.60 dBm
38.83375 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5108.7	67.46 PK	74	-6.54	-35.47	-36	4.92	-27.80
2	5096.8	46.91 AV	54	-7.09	-56.06	-56.52	4.92	-48.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11be (EHT20) 26-tone RU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3835.93	57.28 PK	74	-16.72	-45.02	-47.04	4.92	-37.98
2	3832.5	46.69 AV	54	-7.31	-56.57	-56.43	4.92	-48.57
3	7657.81	55.91 PK	74	-18.09	-47.11	-47.46	4.92	-39.35
4	7664.06	44.66 AV	54	-9.34	-58.84	-58.24	4.92	-50.60
5	11501.87	56.56 PK	74	-17.44	-47.19	-46.13	4.92	-38.70
6	11501.56	45.14 AV	54	-8.86	-58.08	-58.02	4.92	-50.12
7	#17238.93	55.49 PK	68.2	-12.71	-46.62	-49.14	4.92	-39.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 26.11 dBm 5.73750 GHz
Marker 2 [T1] -43.80 dBm 4.74218 GHz
Marker 3 [T1] -21.89 dBm 5.77500 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz



RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.55 dBm 23.82843 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz



RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.23 dBm 38.63875 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz



RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 18.96 dBm 5.73750 GHz
Marker 2 [T1] -56.29 dBm 3.77500 GHz
Marker 3 [T1] -48.34 dBm 5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz



RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.57 dBm 23.81550 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz



RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.39 dBm 38.81500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
25.93 dBm
5.73593 GHz
Marker 2 [T1]
-45.49 dBm
3.78750 GHz
Marker 3 [T1]
-22.05 dBm
5.77656 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.56 dBm
23.86006 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.63 dBm
38.87687 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
19.46 dBm
5.73593 GHz
Marker 2 [T1]
-56.10 dBm
3.82343 GHz
Marker 3 [T1]
-46.19 dBm
5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.42 dBm
23.87443 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.54 dBm
38.77375 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
1
2
3
4
5
6
7
8
9
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
31.41 dBm
5.73679 GHz
Marker 2 [T1]
-30.11 dBm
5.64571 GHz
Marker 3 [T1]
-7.37 dBm
5.70000 GHz
Marker 4 [T1]
3.50 dBm
5.70235 GHz
Marker 5 [T1]
-1.64 dBm
5.72491 GHz
Marker 6 [T1]
-31.75 dBm
5.85245 GHz
Marker 7 [T1]
-31.70 dBm
5.87145 GHz
Marker 8 [T1]
-30.43 dBm
5.89128 GHz
Marker 9 [T1]
-31.78 dBm

802.11be (EHT20) 26-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3882.81	57.23 PK	74	-16.77	-44.88	-47.39	4.92	-38.03
2	3882.62	46.27 AV	54	-7.73	-56.85	-57	4.92	-48.99
3	#7773.43	55.27 PK	68.2	-12.93	-47.96	-47.88	4.92	-39.99
4	11668.75	55.16 PK	74	-18.84	-47.8	-48.27	4.92	-40.10
5	11667.18	44.97 AV	54	-9.03	-57.42	-59.19	4.92	-50.29
6	#17494.81	55.24 PK	68.2	-12.96	-47.12	-48.97	4.92	-40.02

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 25.89 dBm 5.83437 GHz
Marker 2 [T1] -44.08 dBm 3.78906 GHz
Marker 3 [T1] 25.89 dBm 5.83437 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.03 dBm 24.99425 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.13 dBm 38.58812 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 18.74 dBm 5.83281 GHz
Marker 2 [T1] -56.28 dBm 3.72656 GHz
Marker 3 [T1] 18.74 dBm 5.83281 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.52 dBm 23.79393 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.44 dBm 38.79437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 26.05 dBm 5.83437 GHz
Marker 2 [T1] -44.84 dBm 3.85625 GHz
Marker 3 [T1] 26.05 dBm 5.83437 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.06 dBm 23.74362 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -46.78 dBm 38.74562 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 19.58 dBm 5.83281 GHz
Marker 2 [T1] -56.27 dBm 3.78437 GHz
Marker 3 [T1] 19.58 dBm 5.83281 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.37 dBm 23.79106 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.52 dBm 38.80187 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
31.42 dBm
5.83369 GHz
Marker 2 [T1]
-31.46 dBm
5.62053 GHz
Marker 3 [T1]
-31.35 dBm
5.69428 GHz
Marker 4 [T1]
-31.29 dBm
5.71660 GHz
Marker 5 [T1]
-33.04 dBm
5.72337 GHz
Marker 6 [T1]
-4.13 dBm
5.85103 GHz
Marker 7 [T1]
7.88 dBm
5.86765 GHz
Marker 8 [T1]
-12.25 dBm
5.90256 GHz
Marker 9 [T1]
-30.34 dBm

802.11be (EHT20) 52-tone RU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3434.37	53.04 PK	68.2	-15.16	-50	-50.31	4.92	-42.22
2	#6917.18	55.23 PK	68.2	-12.97	-48.98	-47.14	4.92	-40.03
3	#10343.75	55.19 PK	68.2	-13.01	-48.97	-47.2	4.92	-40.07
4	15545.56	54.79 PK	74	-19.21	-47.8	-49.09	4.92	-40.47
5	15554.18	44.98 AV	54	-9.02	-58.31	-58.11	4.92	-50.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
15.86 dBm
5.17187 GHz
Marker 2 [T1]
-44.54 dBm
3.81718 GHz
Marker 3 [T1]
-44.84 dBm
6.42968 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-41.72 dBm
24.92237 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.17 dBm
35.47750 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
6.56 dBm
5.17343 GHz
Marker 2 [T1]
-55.89 dBm
3.81875 GHz
Marker 3 [T1]
-57.39 dBm
8.99687 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.21 dBm
23.83562 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.06 dBm
38.80562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 15.57 dBm 5.17343 GHz
Marker 2 [T1] -44.41 dBm 4.88906 GHz
Marker 3 [T1] -45.61 dBm 9.71406 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.10 dBm 24.06993 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.76 dBm 38.77187 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 6.98 dBm 5.17343 GHz
Marker 2 [T1] -56.25 dBm 5.07968 GHz
Marker 3 [T1] -57.65 dBm 8.97968 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.36 dBm 23.86437 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.36 dBm 38.79437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5143	67.11 PK	74	-6.89	-35.17	-37.24	4.92	-28.15
2	5143.92	47.32 AV	54	-6.68	-55.78	-55.96	4.92	-47.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3835.93	57.87 PK	74	-16.13	-44.07	-47.08	4.92	-37.39
2	3830.93	46.71 AV	54	-7.29	-56.65	-56.32	4.92	-48.55
3	7670.93	55.67 PK	74	-18.33	-47.42	-47.63	4.92	-39.59
4	7678.12	44.54 AV	54	-9.46	-58.62	-58.68	4.92	-50.72
5	11492.18	55.59 PK	74	-18.41	-47.23	-48.01	4.92	-39.67
6	11492	45.09 AV	54	-8.91	-57.9	-58.32	4.92	-50.17
7	#17246.12	55.37 PK	68.2	-12.83	-49.16	-46.8	4.92	-39.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
24.22 dBm
5.73906 GHz
Marker 2 [T1]
-44.07 dBm
3.83593 GHz
Marker 3 [T1]
-25.94 dBm
5.78593 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-41.97 dBm
22.50450 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.43 dBm
38.83375 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
15.92 dBm
5.73750 GHz
Marker 2 [T1]
-56.24 dBm
3.78125 GHz
Marker 3 [T1]
-47.11 dBm
5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.43 dBm
23.79393 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.64 dBm
38.81312 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 23.57 dBm 5.73750 GHz
Marker 2 [T1] -44.36 dBm 3.87031 GHz
Marker 3 [T1] -22.65 dBm 5.77500 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.27 dBm 24.19787 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.63 dBm 38.73625 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 16.06 dBm 5.73750 GHz
Marker 2 [T1] -56.16 dBm 3.80156 GHz
Marker 3 [T1] -46.90 dBm 5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.52 dBm 23.84281 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.42 dBm 38.81875 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
30.56 dBm
5.73726 GHz
Marker 2 [T1]
-31.51 dBm
5.59619 GHz
Marker 3 [T1]
-24.34 dBm
5.67753 GHz
Marker 4 [T1]
-4.60 dBm
5.70770 GHz
Marker 5 [T1]
-1.51 dBm
5.72491 GHz
Marker 6 [T1]
-31.19 dBm
5.85281 GHz
Marker 7 [T1]
-32.32 dBm
5.85685 GHz
Marker 8 [T1]
-31.27 dBm
5.87893 GHz
Marker 9 [T1]
-32.05 dBm

802.11be (EHT20) 52-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	57.07 PK	74	-16.93	-45.55	-46.78	4.92	-38.19
2	3873.43	46.39 AV	54	-7.61	-56.86	-56.75	4.92	-48.87
3	11665.62	55.52 PK	74	-18.48	-46.33	-49.63	4.92	-39.74
4	11664.06	44.95 AV	54	-9.05	-57.96	-58.54	4.92	-50.31
5	#17481.87	54.81 PK	68.2	-13.39	-47.27	-49.88	4.92	-40.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 24.23 dBm 5.83281 GHz
Marker 2 [T1] -44.56 dBm 3.79375 GHz
Marker 3 [T1] 24.23 dBm 5.83281 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.02 dBm 23.93337 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.39 dBm 38.53000 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 15.47 dBm 5.83125 GHz
Marker 2 [T1] -56.28 dBm 3.78125 GHz
Marker 3 [T1] 15.47 dBm 5.83125 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.09 dBm 23.79537 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.57 dBm 38.80375 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 24.29 dBm 5.83437 GHz
Marker 2 [T1] -44.43 dBm 3.80781 GHz
Marker 3 [T1] 24.29 dBm 5.83437 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.18 dBm 23.84137 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.16 dBm 38.88062 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 16.06 dBm 5.83125 GHz
Marker 2 [T1] -56.14 dBm 3.79375 GHz
Marker 3 [T1] 16.06 dBm 5.83125 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.34 dBm 23.86150 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.39 dBm 38.79625 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



Marker 1 [T1]
29.77 dBm
5.83274 GHz
Marker 2 [T1]
-31.08 dBm
5.64535 GHz
Marker 3 [T1]
-31.73 dBm
5.65450 GHz
Marker 4 [T1]
-32.24 dBm
5.70000 GHz
Marker 5 [T1]
-32.52 dBm
5.72301 GHz
Marker 6 [T1]
-7.96 dBm
5.85091 GHz
Marker 7 [T1]
-1.30 dBm
5.85696 GHz
Marker 8 [T1]
-24.98 dBm
5.88250 GHz
Marker 9 [T1]
-31.43 dBm

802.11be (EHT20) 106-tone RU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3457.81	53.5 PK	68.2	-14.7	-48.97	-50.56	4.92	-41.76
2	#6893.75	55.09 PK	68.2	-13.11	-49.87	-46.84	4.92	-40.17
3	#10360.93	55.54 PK	68.2	-12.66	-47.44	-47.87	4.92	-39.72
4	15547.56	54.59 PK	74	-19.41	-47.31	-50.43	4.92	-40.67
5	15547	44.84 AV	54	-9.16	-58.3	-58.4	4.92	-50.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 16.69 dBm 5.17187 GHz
Marker 2 [T1] -44.27 dBm 3.77812 GHz
Marker 3 [T1] -45.67 dBm 10.21406 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -41.97 dBm 24.94106 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.49 dBm 38.52062 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 6.40 dBm 5.17187 GHz
Marker 2 [T1] -55.68 dBm 5.09843 GHz
Marker 3 [T1] -57.69 dBm 8.89687 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.46 dBm 23.79106 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.49 dBm 38.65562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 17.52 dBm 5.17187 GHz
Marker 2 [T1] -43.99 dBm 5.07343 GHz
Marker 3 [T1] -45.16 dBm 9.49062 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz



RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.22 dBm 23.85143 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz



RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.57 dBm 38.68000 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz



RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 6.95 dBm 5.17343 GHz
Marker 2 [T1] -55.72 dBm 5.02656 GHz
Marker 3 [T1] -57.71 dBm 9.02187 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz



RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.51 dBm 23.83706 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz



RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.56 dBm 38.82625 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.25	67.51 PK	74	-6.49	-34.43	-37.43	4.92	-27.75
2	5148.47	49.37 AV	54	-4.63	-53.43	-54.26	4.92	-45.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3832.81	57.19 PK	74	-16.81	-46.11	-45.89	4.92	-38.07
2	3827.18	46.57 AV	54	-7.43	-56.69	-56.56	4.92	-48.69
3	7678.12	55.21 PK	74	-18.79	-47.78	-48.2	4.92	-40.05
4	7673.43	44.51 AV	54	-9.49	-58.89	-58.48	4.92	-50.75
5	11507.81	55.84 PK	74	-18.16	-46.08	-49.16	4.92	-39.42
6	11507.12	45.14 AV	54	-8.86	-57.78	-58.34	4.92	-50.12
7	#17249	56.18 PK	68.2	-12.02	-47.94	-46.25	4.92	-39.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
21.73 dBm
5.74062 GHz
Marker 2 [T1]
-44.14 dBm
3.80312 GHz
Marker 3 [T1]
-19.83 dBm
5.77500 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.33 dBm
23.81981 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.10 dBm
38.86562 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
12.69 dBm
5.74218 GHz
Marker 2 [T1]
-56.25 dBm
3.75781 GHz
Marker 3 [T1]
-43.16 dBm
5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.47 dBm
23.81837 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.40 dBm
38.82250 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
23.37 dBm
5.73906 GHz
Marker 2 [T1]
-45.24 dBm
3.73906 GHz
Marker 3 [T1]
-22.95 dBm
5.78125 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-41.05 dBm
23.90031 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.11 dBm
38.83937 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
13.20 dBm
5.73906 GHz
Marker 2 [T1]
-56.46 dBm
3.80468 GHz
Marker 3 [T1]
-39.55 dBm
5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.65 dBm
23.82556 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.73 dBm
38.78312 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
Marker 1 [T1] 27.47 dBm 5.74047 GHz
Marker 2 [T1] -30.68 dBm 5.64595 GHz
Marker 3 [T1] -15.93 dBm 5.70000 GHz
Marker 4 [T1] -4.80 dBm 5.71684 GHz
Marker 5 [T1] 0.00 dBm 5.72468 GHz
Marker 6 [T1] -32.89 dBm 5.85233 GHz
Marker 7 [T1] -31.59 dBm 5.86373 GHz
Marker 8 [T1] -31.48 dBm 5.89473 GHz
Marker 9 [T1] -32.26 dBm
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz

802.11be (EHT20) 106-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3873.43	56.9 PK	74	-17.1	-46.04	-46.55	4.92	-38.36
2	3871.87	46.29 AV	54	-7.71	-56.82	-56.98	4.92	-48.97
3	#7753.12	55.25 PK	68.2	-12.95	-47.29	-48.7	4.92	-40.01
4	11664.06	54.99 PK	74	-19.01	-48.29	-48.12	4.92	-40.27
5	11659.37	44.41 AV	54	-9.59	-58.51	-59.07	4.92	-50.85
6	#17468.93	55.71 PK	68.2	-12.49	-50.42	-45.74	4.92	-39.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 22.35 dBm 5.82968 GHz
Marker 2 [T1] -45.10 dBm 5.07500 GHz
Marker 3 [T1] 22.35 dBm 5.82968 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -41.91 dBm 23.89312 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.83 dBm 38.68375 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 12.39 dBm 5.83437 GHz
Marker 2 [T1] -56.18 dBm 3.73125 GHz
Marker 3 [T1] 12.39 dBm 5.83437 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.69 dBm 23.81118 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.47 dBm 38.85437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 22.76 dBm 5.83125 GHz
Marker 2 [T1] -44.84 dBm 3.82031 GHz
Marker 3 [T1] 22.76 dBm 5.83125 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -41.52 dBm 23.78531 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.94 dBm 38.76062 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 13.16 dBm 5.83281 GHz
Marker 2 [T1] -56.08 dBm 3.82031 GHz
Marker 3 [T1] 13.16 dBm 5.83281 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.51 dBm 23.79968 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.38 dBm 38.82812 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1] 28.86 dBm 5.82906 GHz
Marker 2 [T1] -31.21 dBm 5.58075 GHz
Marker 3 [T1] -32.50 dBm 5.67943 GHz
Marker 4 [T1] -32.63 dBm 5.71363 GHz
Marker 5 [T1] -32.58 dBm 5.72432 GHz
Marker 6 [T1] 0.83 dBm 5.85162 GHz
Marker 7 [T1] -0.87 dBm 5.85791 GHz
Marker 8 [T1] -15.95 dBm 5.87549 GHz
Marker 9 [T1] -31.78 dBm

802.11be (EHT20) 52+26-tone MRU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3434.37	53.04 PK	68.2	-15.16	-51.15	-49.34	4.92	-42.22
2	#6889.06	54.25 PK	68.2	-13.95	-48.09	-49.99	4.92	-41.01
3	#10348.43	54.88 PK	68.2	-13.32	-47.91	-48.76	4.92	-40.38
4	15549.87	54.64 PK	74	-19.36	-47.28	-50.36	4.92	-40.62
5	15541.12	44.85 AV	54	-9.15	-58.17	-58.51	4.92	-50.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
17.59 dBm
5.17500 GHz
Marker 2 [T1]
-44.60 dBm
5.04062 GHz
Marker 3 [T1]
-46.11 dBm
11.55625 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.66 dBm
23.86150 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.65 dBm
38.77000 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
7.19 dBm
5.17500 GHz
Marker 2 [T1]
-55.43 dBm
5.10000 GHz
Marker 3 [T1]
-57.78 dBm
8.95156 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.69 dBm
23.83131 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.44 dBm
38.74937 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 16.41 dBm 5.17500 GHz
Marker 2 [T1] -44.37 dBm 5.06718 GHz
Marker 3 [T1] -45.93 dBm 8.50468 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -41.95 dBm 23.73931 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.48 dBm 38.71562 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 7.16 dBm 5.17812 GHz
Marker 2 [T1] -55.74 dBm 5.10000 GHz
Marker 3 [T1] -57.39 dBm 8.88593 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.54 dBm 23.80400 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.65 dBm 38.77000 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.42	67.73 PK	74	-6.27	-38.17	-33.81	4.92	-27.53
2	5147.32	48.73 AV	54	-5.27	-55.11	-53.89	4.92	-46.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3846.87	57.09 PK	74	-16.91	-44.76	-48.06	4.92	-38.17
2	3844.06	46.64 AV	54	-7.36	-56.42	-56.69	4.92	-48.62
3	7660.93	54.68 PK	74	-19.32	-49.27	-47.86	4.92	-40.58
4	7650	44.52 AV	54	-9.48	-58.76	-58.58	4.92	-50.74
5	11485.93	55.3 PK	74	-18.7	-47.89	-47.89	4.92	-39.96
6	11481.25	45.27 AV	54	-8.73	-57.28	-58.66	4.92	-49.99
7	#17220.25	55.44 PK	68.2	-12.76	-49.52	-46.49	4.92	-39.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 24.20 dBm 5.74062 GHz
Marker 2 [T1] -44.76 dBm 3.84687 GHz
Marker 3 [T1] -18.11 dBm 5.77500 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.10 dBm 23.93625 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.86 dBm 38.83000 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 13.45 dBm 5.74062 GHz
Marker 2 [T1] -56.32 dBm 3.80312 GHz
Marker 3 [T1] -44.32 dBm 5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.61 dBm 23.85143 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.54 dBm 38.72125 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
22.86 dBm
5.74218 GHz
Marker 2 [T1]
-44.08 dBm
3.79375 GHz
Marker 3 [T1]
-18.89 dBm
5.77656 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz



RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.49 dBm
24.01531 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz



RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.80 dBm
38.75687 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz



RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
13.83 dBm
5.73906 GHz
Marker 2 [T1]
-56.35 dBm
3.82812 GHz
Marker 3 [T1]
-42.79 dBm
5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz



RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.66 dBm
23.83850 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz



RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.60 dBm
38.80937 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
Marker 1 [T1] 29.59 dBm 5.74320 GHz
Marker 2 [T1] -31.16 dBm 5.62231 GHz
Marker 3 [T1] -20.32 dBm 5.69843 GHz
Marker 4 [T1] 0.63 dBm 5.71993 GHz
Marker 5 [T1] 0.80 dBm 5.72468 GHz
Marker 6 [T1] -32.28 dBm 5.85281 GHz
Marker 7 [T1] -31.77 dBm 5.86540 GHz
Marker 8 [T1] -31.57 dBm 5.87941 GHz
Marker 9 [T1] -31.64 dBm
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz

802.11be (EHT20) 52+26-tone MRU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3870.31	56.76 PK	74	-17.24	-45.72	-47.27	4.92	-38.50
2	3868.75	46.15 AV	54	-7.85	-57.03	-57.05	4.92	-49.11
3	#7754.68	54.72 PK	68.2	-13.48	-48.03	-48.95	4.92	-40.54
4	11653.12	54.95 PK	74	-19.05	-47.09	-49.81	4.92	-40.31
5	11657.81	44.76 AV	54	-9.24	-57.85	-59.09	4.92	-50.50
6	#17494.81	55.66 PK	68.2	-12.54	-46.61	-48.69	4.92	-39.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 23.10 dBm 5.83125 GHz
Marker 2 [T1] -45.18 dBm 3.82187 GHz
Marker 3 [T1] 23.10 dBm 5.83125 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.41 dBm 23.75225 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.47 dBm 39.64750 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 13.74 dBm 5.82968 GHz
Marker 2 [T1] -56.29 dBm 3.80312 GHz
Marker 3 [T1] 13.74 dBm 5.82968 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.32 dBm 23.77956 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.57 dBm 38.80562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 22.56 dBm 5.82968 GHz
Marker 2 [T1] -43.95 dBm 3.75937 GHz
Marker 3 [T1] 22.56 dBm 5.82968 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.21 dBm 23.83418 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.63 dBm 38.88062 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 14.41 dBm 5.83125 GHz
Marker 2 [T1] -56.45 dBm 3.78125 GHz
Marker 3 [T1] 14.41 dBm 5.83125 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.66 dBm 23.87587 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.58 dBm 38.82437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
1
2
3
4
5
6
7
8
9
Marker 1 [T1]
29.33 dBm
5.82799 GHz
Marker 2 [T1]
-31.92 dBm
5.56401 GHz
Marker 3 [T1]
-31.39 dBm
5.69036 GHz
Marker 4 [T1]
-31.97 dBm
5.70330 GHz
Marker 5 [T1]
-33.19 dBm
5.72064 GHz
Marker 6 [T1]
2.08 dBm
5.85340 GHz
Marker 7 [T1]
-2.04 dBm
5.85566 GHz
Marker 8 [T1]
-19.34 dBm
5.87917 GHz
Marker 9 [T1]
-31.57 dBm

802.11be (EHT20) 106+26-tone MRU - Channel 36

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3456.25	53.5 PK	68.2	-14.7	-50.73	-48.86	4.92	-41.76
2	#6896.87	55.01 PK	68.2	-13.19	-48.31	-48.06	4.92	-40.25
3	#10364.06	55.84 PK	68.2	-12.36	-46.05	-49.21	4.92	-39.42
4	15558.5	54.98 PK	74	-19.02	-50.29	-46.81	4.92	-40.28
5	15552.75	45.02 AV	54	-8.98	-58.46	-57.89	4.92	-50.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
15.26 dBm
5.17656 GHz
Marker 2 [T1]
-44.94 dBm
4.99062 GHz
Marker 3 [T1]
-45.69 dBm
9.70468 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.03 dBm
22.35356 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-47.20 dBm
38.67625 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
5.98 dBm
5.17812 GHz
Marker 2 [T1]
-55.77 dBm
5.09843 GHz
Marker 3 [T1]
-57.79 dBm
8.91875 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.59 dBm
23.85000 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.60 dBm
38.79437 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 15.46 dBm 5.17656 GHz
Marker 2 [T1] -44.25 dBm 3.80625 GHz
Marker 3 [T1] -45.74 dBm 12.00468 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -41.88 dBm 23.77956 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.41 dBm 38.81875 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 6.55 dBm 5.17812 GHz
Marker 2 [T1] -55.83 dBm 5.07812 GHz
Marker 3 [T1] -57.69 dBm 8.99375 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.73 dBm 23.78387 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.68 dBm 38.78687 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.27	69.88 PK	74	-4.12	-37.87	-31.14	4.92	-25.38
2	5149.87	49.77 AV	54	-4.23	-53.65	-53.2	4.92	-45.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11be (EHT20) 106+26-tone MRU - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3826.56	57.4 PK	74	-16.6	-47.12	-44.78	4.92	-37.86
2	3822.5	46.72 AV	54	-7.28	-56.26	-56.69	4.92	-48.54
3	7671.87	55.33 PK	74	-18.67	-48.02	-47.7	4.92	-39.93
4	7670.31	44.4 AV	54	-9.6	-59.05	-58.55	4.92	-50.86
5	11506.25	56.15 PK	74	-17.85	-47.15	-46.93	4.92	-39.11
6	11501.87	44.85 AV	54	-9.15	-58.54	-58.14	4.92	-50.41
7	#17233.18	56.44 PK	68.2	-11.76	-47.13	-46.4	4.92	-38.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 21.91 dBm 5.74375 GHz
Marker 2 [T1] -44.21 dBm 3.78906 GHz
Marker 3 [T1] -21.39 dBm 5.77500 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.63 dBm 23.64300 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -47.10 dBm 39.40375 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 12.61 dBm 5.74375 GHz
Marker 2 [T1] -56.13 dBm 3.78437 GHz
Marker 3 [T1] -40.20 dBm 5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.73 dBm 23.86581 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.50 dBm 38.76062 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 22.12 dBm 5.74375 GHz
Marker 2 [T1] -44.06 dBm 5.06718 GHz
Marker 3 [T1] -27.94 dBm 5.78437 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -42.09 dBm 24.91950 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.13 dBm 38.79625 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 13.20 dBm 5.74375 GHz
Marker 2 [T1] -56.30 dBm 3.84218 GHz
Marker 3 [T1] -39.04 dBm 5.77500 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.58 dBm 23.86150 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.57 dBm 38.79062 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
28.67 dBm
5.74403 GHz
Marker 2 [T1]
-32.27 dBm
5.55023 GHz
Marker 3 [T1]
-24.19 dBm
5.69677 GHz
Marker 4 [T1]
-5.14 dBm
5.71648 GHz
Marker 5 [T1]
-4.69 dBm
5.72444 GHz
Marker 6 [T1]
-33.04 dBm
5.85174 GHz
Marker 7 [T1]
-31.01 dBm
5.86088 GHz
Marker 8 [T1]
-31.65 dBm
5.88166 GHz
Marker 9 [T1]
-30.92 dBm

802.11be (EHT20) 106+26-tone MRU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	56.84 PK	74	-17.16	-45.52	-47.39	4.92	-38.42
2	3865.62	46.65 AV	54	-7.35	-56.34	-56.74	4.92	-48.61
3	#7759.37	54.88 PK	68.2	-13.32	-47.43	-49.42	4.92	-40.38
4	11659.37	55.23 PK	74	-18.77	-47.65	-48.3	4.92	-40.03
5	11656.25	44.6 AV	54	-9.4	-58.11	-59.12	4.92	-50.66
6	#17494.81	55.47 PK	68.2	-12.73	-49.16	-46.64	4.92	-39.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
22.07 dBm
5.82500 GHz
Marker 2 [T1]
-44.84 dBm
3.70781 GHz
Marker 3 [T1]
22.07 dBm
5.82500 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-41.72 dBm
24.10156 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.32 dBm
38.88625 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
12.41 dBm
5.82656 GHz
Marker 2 [T1]
-56.34 dBm
3.86562 GHz
Marker 3 [T1]
12.41 dBm
5.82656 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.75 dBm
23.81118 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.54 dBm
38.78500 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1] 21.92 dBm 5.82656 GHz
Marker 2 [T1] -45.51 dBm 3.83750 GHz
Marker 3 [T1] 21.92 dBm 5.82656 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1] -41.67 dBm 24.04406 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1] -48.35 dBm 39.36812 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz
RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1] 12.90 dBm 5.82656 GHz
Marker 2 [T1] -56.21 dBm 3.80312 GHz
Marker 3 [T1] 12.90 dBm 5.82656 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz
RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1] -53.50 dBm 23.82700 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz
RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1] -59.51 dBm 38.80562 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table



Chain 1



RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
1
2
3
4
5
6
7
8
9
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
27.80 dBm
5.82775 GHz
Marker 2 [T1]
-31.84 dBm
5.61519 GHz
Marker 3 [T1]
-32.03 dBm
5.67860 GHz
Marker 4 [T1]
-32.41 dBm
5.70615 GHz
Marker 5 [T1]
-30.24 dBm
5.72147 GHz
Marker 6 [T1]
-3.23 dBm
5.85000 GHz
Marker 7 [T1]
-12.45 dBm
5.85554 GHz
Marker 8 [T1]
-23.95 dBm
5.87786 GHz
Marker 9 [T1]
-31.48 dBm

802.11be (EHT80) 484+242-tone MRU - Channel 42

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3460.93	53.74 PK	68.2	-14.46	-50.05	-48.92	4.92	-41.52
2	#6939.06	54.53 PK	68.2	-13.67	-49.82	-47.75	4.92	-40.73
3	#10404.68	54.9 PK	68.2	-13.3	-47.35	-49.48	4.92	-40.36
4	15634.68	54.95 PK	74	-19.05	-49.35	-47.36	4.92	-40.31
5	15624.62	45.1 AV	54	-8.9	-57.78	-58.43	4.92	-50.16

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
[T1] MP VIEW
VBW 3 MHz
SWT 21.333333 ms
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1]
7.56 dBm
5.20156 GHz
Marker 2 [T1]
-42.52 dBm
5.09687 GHz
Marker 3 [T1]
-45.56 dBm
10.22343 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
[T1] MP VIEW
VBW 3 MHz
SWT 19.733333 ms
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1]
-41.53 dBm
23.69618 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
[T1] MP VIEW
VBW 3 MHz
SWT 25.6 ms
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1]
-48.64 dBm
38.56562 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
[T1] MP VIEW
VBW 2 kHz
SWT 6.498133 s
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1]
-3.24 dBm
5.20625 GHz
Marker 2 [T1]
-53.95 dBm
5.09687 GHz
Marker 3 [T1]
-57.60 dBm
9.03125 GHz
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
[T1] MP VIEW
VBW 2 kHz
SWT 5.978133 s
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Marker 1 [T1]
-53.35 dBm
23.83275 GHz
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
[T1] MP VIEW
VBW 2 kHz
SWT 7.797867 s
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Marker 1 [T1]
-59.52 dBm
38.75312 GHz
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
7.75 dBm
5.19375 GHz
Marker 2 [T1]
-41.56 dBm
5.09687 GHz
Marker 3 [T1]
-45.85 dBm
8.37968 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-41.86 dBm
23.70912 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.47 dBm
38.85062 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
-2.81 dBm
5.20781 GHz
Marker 2 [T1]
-54.25 dBm
5.10000 GHz
Marker 3 [T1]
-57.62 dBm
8.97343 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.46 dBm
23.83850 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.46 dBm
38.77937 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5141.32	68.58 PK	74	-5.42	-34.87	-34.36	4.92	-26.68
2	5148.5	52.96 AV	54	-1.04	-50.44	-50.03	4.92	-42.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1





802.11be (EHT80) 484+242-tone MRU - Channel 155

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	57.38 PK	74	-16.62	-44.76	-47.19	4.92	-37.88
2	3862.81	46.61 AV	54	-7.39	-56.66	-56.5	4.92	-48.65
3	7692.18	55.57 PK	74	-18.43	-48.02	-47.25	4.92	-39.69
4	7685.93	44.75 AV	54	-9.25	-58.49	-58.39	4.92	-50.51
5	11564.06	56.16 PK	74	-17.84	-49.26	-45.56	4.92	-39.10
6	11563.75	44.72 AV	54	-9.28	-58.56	-58.38	4.92	-50.54
7	#17312.25	55.38 PK	68.2	-12.82	-47.17	-48.56	4.92	-39.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
10.94 dBm
5.77031 GHz
Marker 2 [T1]
-44.76 dBm
3.86562 GHz
Marker 3 [T1]
7.39 dBm
5.79843 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.10 dBm
24.04118 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-47.89 dBm
38.95187 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
0.78 dBm
5.77187 GHz
Marker 2 [T1]
-56.26 dBm
3.81406 GHz
Marker 3 [T1]
-2.09 dBm
5.79531 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.49 dBm
23.80112 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.64 dBm
38.82625 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 21.333333 ms
[T1] MP VIEW
Marker 1 [T1]
11.58 dBm
5.77343 GHz
Marker 2 [T1]
-44.55 dBm
3.81562 GHz
Marker 3 [T1]
8.84 dBm
5.80312 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 3 MHz
SWT 19.733333 ms
[T1] MP VIEW
Marker 1 [T1]
-42.42 dBm
23.77956 GHz
Ref 41.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 3 MHz
SWT 25.6 ms
[T1] MP VIEW
Marker 1 [T1]
-48.09 dBm
38.63875 GHz
Ref 41.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz


RBW 1 MHz
VBW 2 kHz
SWT 6.498133 s
[T1] MP VIEW
Marker 1 [T1]
1.54 dBm
5.77343 GHz
Marker 2 [T1]
-56.06 dBm
3.79218 GHz
Marker 3 [T1]
-1.34 dBm
5.79687 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 1 GHz
1.25 GHz/
Stop 13.5 GHz


RBW 1 MHz
VBW 2 kHz
SWT 5.978133 s
[T1] MP VIEW
Marker 1 [T1]
-53.52 dBm
23.86150 GHz
Ref 31.5 dBm
Att 10 dB
Offset 21.5 dB
Start 13.5 GHz
1.15 GHz/
Stop 25 GHz


RBW 1 MHz
VBW 2 kHz
SWT 7.797867 s
[T1] MP VIEW
Marker 1 [T1]
-59.50 dBm
38.80375 GHz
Ref 31.5 dBm
Att 0 dB
Offset 21.5 dB
Start 25 GHz
1.5 GHz/
Stop 40 GHz

Bandedge table

Chain 0



Chain 1


RBW 1 MHz
VBW 3 MHz
SWT 1.066667 ms
[T1] MP VIEW
Ref 36.42 dBm
Att 20 dB
Offset 26.42 dB
36.42
30
20
10
0
-10
-20
-30
-40
-50
-60
-63.58
Start 5.55 GHz
47.5 MHz/
Stop 6.025 GHz
Marker 1 [T1]
17.02 dBm
5.77301 GHz
Marker 2 [T1]
-30.64 dBm
5.63811 GHz
Marker 3 [T1]
-16.73 dBm
5.69820 GHz
Marker 4 [T1]
-14.00 dBm
5.70651 GHz
Marker 5 [T1]
-13.77 dBm
5.72147 GHz
Marker 6 [T1]
-21.96 dBm
5.85000 GHz
Marker 7 [T1]
-22.66 dBm
5.86338 GHz
Marker 8 [T1]
-27.46 dBm
5.87965 GHz
Marker 9 [T1]
-31.81 dBm

Mode B
1TX

RF Mode	802.11a	Channel	CH 36：5180 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10360.00	48.7 PK	68.2	-19.5	3.55 H	61	33.2	15.5
2	15540.00	47.8 PK	74.0	-26.2	1.41 H	152	31.4	16.4
3	15540.00	35.9 AV	54.0	-18.1	1.41 H	152	19.5	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 36：5180 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10360.00	53.3 PK	68.2	-14.9	2.08 V	183	37.8	15.5
2	15540.00	48.8 PK	74.0	-25.2	1.51 V	38	32.4	16.4
3	15540.00	36.6 AV	54.0	-17.4	1.51 V	38	20.2	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 40：5200 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10400.00	49.1 PK	68.2	-19.1	3.54 H	62	33.5	15.6
2	15600.00	48.2 PK	74.0	-25.8	1.42 H	177	31.5	16.7
3	15600.00	36.2 AV	54.0	-17.8	1.42 H	177	19.5	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 40：5200 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10400.00	52.6 PK	68.2	-15.6	2.08 V	178	37.0	15.6
2	15600.00	48.6 PK	74.0	-25.4	1.53 V	60	31.9	16.7
3	15600.00	36.2 AV	54.0	-17.8	1.53 V	60	19.5	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 48：5240 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10480.00	49.1 PK	68.2	-19.1	3.53 H	57	33.3	15.8
2	15720.00	48.4 PK	74.0	-25.6	1.46 H	171	31.8	16.6
3	15720.00	36.1 AV	54.0	-17.9	1.46 H	171	19.5	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	**Channel**	CH 48：5240 MHz
Frequency Range	1 GHz ~ 40 GHz	**Detector Function & Bandwidth**	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	**Environmental Conditions**	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	**Frequency (MHz)**	**Emission Level (dBuV/m)**	**Limit (dBuV/m)**	**Margin (dB)**	**Antenna Height (m)**	**Table Angle (Degree)**	**Raw Value (dBuV)**	**Correction Factor (dB/m)**
1	#10480.00	52.5 PK	68.2	-15.7	2.06 V	195	36.7	15.8
2	15720.00	48.9 PK	74.0	-25.1	1.56 V	56	32.3	16.6
3	15720.00	36.8 AV	54.0	-17.2	1.56 V	56	20.2	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 52：5260 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10520.00	48.8 PK	68.2	-19.4	3.56 H	59	32.8	16.0
2	15780.00	48.2 PK	74.0	-25.8	1.41 H	164	31.5	16.7
3	15780.00	36.3 AV	54.0	-17.7	1.41 H	164	19.6	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 52：5260 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10520.00	52.9 PK	68.2	-15.3	2.04 V	176	36.9	16.0
2	15780.00	48.1 PK	74.0	-25.9	1.58 V	38	31.4	16.7
3	15780.00	36.1 AV	54.0	-17.9	1.58 V	38	19.4	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 60：5300 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10600.00	48.8 PK	74.0	-25.2	3.55 H	65	33.0	15.8
2	10600.00	37.5 AV	54.0	-16.5	3.55 H	65	21.7	15.8
3	15900.00	48.3 PK	74.0	-25.7	1.44 H	165	31.9	16.4
4	15900.00	36.2 AV	54.0	-17.8	1.44 H	165	19.8	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11a	Channel	CH 60：5300 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10600.00	53.1 PK	74.0	-20.9	2.07 V	188	37.3	15.8
2	10600.00	41.5 AV	54.0	-12.5	2.07 V	188	25.7	15.8
3	15900.00	48.6 PK	74.0	-25.4	1.57 V	52	32.2	16.4
4	15900.00	36.4 AV	54.0	-17.6	1.57 V	52	20.0	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11a	Channel	CH 64：5320 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10640.00	48.5 PK	74.0	-25.5	3.57 H	77	32.5	16.0
2	10640.00	37.0 AV	54.0	-17.0	3.57 H	77	21.0	16.0
3	15960.00	48.9 PK	74.0	-25.1	1.44 H	154	32.0	16.9
4	15960.00	36.7 AV	54.0	-17.3	1.44 H	154	19.8	16.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11a	Channel	CH 64：5320 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10640.00	53.4 PK	74.0	-20.6	2.01 V	183	37.4	16.0
2	10640.00	41.7 AV	54.0	-12.3	2.01 V	183	25.7	16.0
3	15960.00	48.9 PK	74.0	-25.1	1.53 V	44	32.0	16.9
4	15960.00	36.9 AV	54.0	-17.1	1.53 V	44	20.0	16.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11a	Channel	CH 100：5500 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11000.00	48.5 PK	74.0	-25.5	3.53 H	56	31.9	16.6
2	11000.00	37.1 AV	54.0	-16.9	3.53 H	56	20.5	16.6
3	#16500.00	48.2 PK	68.2	-20.0	1.42 H	158	29.4	18.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 100：5500 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11000.00	51.8 PK	74.0	-22.2	2.02 V	197	35.2	16.6
2	11000.00	40.3 AV	54.0	-13.7	2.02 V	197	23.7	16.6
3	#16500.00	48.9 PK	68.2	-19.3	1.52 V	41	30.1	18.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 116：5580 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11160.00	48.8 PK	74.0	-25.2	3.50 H	62	32.8	16.0
2	11160.00	37.2 AV	54.0	-16.8	3.50 H	62	21.2	16.0
3	#16740.00	48.4 PK	68.2	-19.8	1.41 H	180	27.5	20.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 116：5580 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11160.00	53.1 PK	74.0	-20.9	2.06 V	207	37.1	16.0
2	11160.00	41.3 AV	54.0	-12.7	2.06 V	207	25.3	16.0
3	#16740.00	49.1 PK	68.2	-19.1	1.55 V	48	28.2	20.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 140：5700 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11400.00	49.0 PK	74.0	-25.0	3.55 H	74	32.3	16.7
2	11400.00	37.9 AV	54.0	-16.1	3.55 H	74	21.2	16.7
3	#17100.00	48.9 PK	68.2	-19.3	1.38 H	172	27.3	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	**Channel**	CH 140：5700 MHz
Frequency Range	1 GHz ~ 40 GHz	**Detector Function & Bandwidth**	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	**Environmental Conditions**	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	**Frequency (MHz)**	**Emission Level (dBuV/m)**	**Limit (dBuV/m)**	**Margin (dB)**	**Antenna Height (m)**	**Table Angle (Degree)**	**Raw Value (dBuV)**	**Correction Factor (dB/m)**
1	11400.00	52.8 PK	74.0	-21.2	1.99 V	205	36.1	16.7
2	11400.00	40.9 AV	54.0	-13.1	1.99 V	205	24.2	16.7
3	#17100.00	49.0 PK	68.2	-19.2	1.48 V	42	27.4	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 144：5720 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11440.00	48.4 PK	74.0	-25.6	3.57 H	62	31.6	16.8
2	11440.00	37.3 AV	54.0	-16.7	3.57 H	62	20.5	16.8
3	#17160.00	51.3 PK	68.2	-16.9	1.47 H	150	30.0	21.3

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 144：5720 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11440.00	52.5 PK	74.0	-21.5	1.95 V	216	35.7	16.8
2	11440.00	40.8 AV	54.0	-13.2	1.95 V	216	24.0	16.8
3	#17160.00	51.6 PK	68.2	-16.6	1.44 V	53	30.3	21.3

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 149：5745 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11490.00	49.2 PK	74.0	-24.8	3.53 H	46	32.3	16.9
2	11490.00	38.4 AV	54.0	-15.6	3.53 H	46	21.5	16.9
3	#17235.00	51.2 PK	68.2	-17.0	1.51 H	170	30.1	21.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 149：5745 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11490.00	52.2 PK	74.0	-21.8	2.17 V	194	35.3	16.9
2	11490.00	42.8 AV	54.0	-11.2	2.17 V	194	25.9	16.9
3	#17235.00	51.9 PK	68.2	-16.3	1.49 V	38	30.8	21.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 157：5785 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11570.00	49.1 PK	74.0	-24.9	3.51 H	39	32.4	16.7
2	11570.00	38.0 AV	54.0	-16.0	3.51 H	39	21.3	16.7
3	#17355.00	50.7 PK	68.2	-17.5	1.47 H	168	29.1	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 157：5785 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11570.00	52.7 PK	74.0	-21.3	2.14 V	193	36.0	16.7
2	11570.00	43.1 AV	54.0	-10.9	2.14 V	193	26.4	16.7
3	#17355.00	51.8 PK	68.2	-16.4	1.51 V	28	30.2	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 165：5825 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11650.00	48.9 PK	74.0	-25.1	3.57 H	33	32.4	16.5
2	11650.00	38.1 AV	54.0	-15.9	3.57 H	33	21.6	16.5
3	#17475.00	51.1 PK	68.2	-17.1	1.46 H	157	29.1	22.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11a	Channel	CH 165：5825 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 510 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11650.00	52.4 PK	74.0	-21.6	2.14 V	187	35.9	16.5
2	11650.00	43.1 AV	54.0	-10.9	2.14 V	187	26.6	16.5
3	#17475.00	52.1 PK	68.2	-16.1	1.52 V	31	30.1	22.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



1S1T

RF Mode	802.11ax (HE20)	Channel	CH 36：5180 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10360.00	48.9 PK	68.2	-19.3	3.46 H	59	33.4	15.5
2	15540.00	48.7 PK	74.0	-25.3	1.38 H	174	32.3	16.4
3	15540.00	36.3 AV	54.0	-17.7	1.38 H	174	19.9	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 36：5180 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10360.00	51.9 PK	68.2	-16.3	1.97 V	222	36.4	15.5
2	15540.00	49.2 PK	74.0	-24.8	1.39 V	42	32.8	16.4
3	15540.00	36.8 AV	54.0	-17.2	1.39 V	42	20.4	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 40：5200 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10400.00	48.3 PK	68.2	-19.9	3.55 H	74	32.7	15.6
2	15600.00	48.6 PK	74.0	-25.4	1.45 H	177	31.9	16.7
3	15600.00	36.1 AV	54.0	-17.9	1.45 H	177	19.4	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 40：5200 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10400.00	52.8 PK	68.2	-15.4	2.08 V	180	37.2	15.6
2	15600.00	47.7 PK	74.0	-26.3	1.62 V	40	31.0	16.7
3	15600.00	35.7 AV	54.0	-18.3	1.62 V	40	19.0	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 48：5240 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10480.00	48.9 PK	68.2	-19.3	3.52 H	62	33.1	15.8
2	15720.00	48.0 PK	74.0	-26.0	1.42 H	190	31.4	16.6
3	15720.00	35.7 AV	54.0	-18.3	1.42 H	190	19.1	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 48：5240 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10480.00	53.1 PK	68.2	-15.1	2.00 V	168	37.3	15.8
2	15720.00	48.6 PK	74.0	-25.4	1.54 V	26	32.0	16.6
3	15720.00	36.4 AV	54.0	-17.6	1.54 V	26	19.8	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 52：5260 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10520.00	48.1 PK	68.2	-20.1	3.52 H	64	32.1	16.0
2	15780.00	47.9 PK	74.0	-26.1	1.41 H	192	31.2	16.7
3	15780.00	35.8 AV	54.0	-18.2	1.41 H	192	19.1	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 52：5260 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10520.00	52.2 PK	68.2	-16.0	2.04 V	175	36.2	16.0
2	15780.00	47.7 PK	74.0	-26.3	1.53 V	35	31.0	16.7
3	15780.00	35.9 AV	54.0	-18.1	1.53 V	35	19.2	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 60：5300 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10600.00	48.4 PK	74.0	-25.6	3.47 H	75	32.6	15.8
2	10600.00	36.8 AV	54.0	-17.2	3.47 H	75	21.0	15.8
3	15900.00	48.1 PK	74.0	-25.9	1.36 H	179	31.7	16.4
4	15900.00	35.7 AV	54.0	-18.3	1.36 H	179	19.3	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11ax (HE20)	Channel	CH 60：5300 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10600.00	52.8 PK	74.0	-21.2	2.01 V	169	37.0	15.8
2	10600.00	41.0 AV	54.0	-13.0	2.01 V	169	25.2	15.8
3	15900.00	48.0 PK	74.0	-26.0	1.59 V	33	31.6	16.4
4	15900.00	36.1 AV	54.0	-17.9	1.59 V	33	19.7	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11ax (HE20)	Channel	CH 64：5320 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10640.00	48.9 PK	74.0	-25.1	3.47 H	58	32.9	16.0
2	10640.00	37.1 AV	54.0	-16.9	3.47 H	58	21.1	16.0
3	15960.00	48.2 PK	74.0	-25.8	1.42 H	186	31.3	16.9
4	15960.00	36.0 AV	54.0	-18.0	1.42 H	186	19.1	16.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11ax (HE20)	Channel	CH 64：5320 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10640.00	52.6 PK	74.0	-21.4	1.96 V	215	36.6	16.0
2	10640.00	40.9 AV	54.0	-13.1	1.96 V	215	24.9	16.0
3	15960.00	48.8 PK	74.0	-25.2	1.40 V	53	31.9	16.9
4	15960.00	36.2 AV	54.0	-17.8	1.40 V	53	19.3	16.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11ax (HE20)	Channel	CH 100：5500 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11000.00	48.8 PK	74.0	-25.2	3.44 H	78	32.2	16.6
2	11000.00	37.3 AV	54.0	-16.7	3.44 H	78	20.7	16.6
3	#16500.00	48.3 PK	68.2	-19.9	1.43 H	184	29.5	18.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 100：5500 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11000.00	52.8 PK	74.0	-21.2	1.90 V	205	36.2	16.6
2	11000.00	40.8 AV	54.0	-13.2	1.90 V	205	24.2	16.6
3	#16500.00	48.6 PK	68.2	-19.6	1.44 V	56	29.8	18.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 116：5580 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11160.00	49.0 PK	74.0	-25.0	3.53 H	58	33.0	16.0
2	11160.00	37.2 AV	54.0	-16.8	3.53 H	58	21.2	16.0
3	#16740.00	48.1 PK	68.2	-20.1	1.47 H	180	27.2	20.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 116：5580 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11160.00	52.6 PK	74.0	-21.4	2.07 V	167	36.6	16.0
2	11160.00	40.9 AV	54.0	-13.1	2.07 V	167	24.9	16.0
3	#16740.00	48.7 PK	68.2	-19.5	1.63 V	39	27.8	20.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 140：5700 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11400.00	48.8 PK	74.0	-25.2	3.55 H	63	32.1	16.7
2	11400.00	37.3 AV	54.0	-16.7	3.55 H	63	20.6	16.7
3	#17100.00	48.5 PK	68.2	-19.7	1.41 H	178	26.9	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 140：5700 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11400.00	50.5 PK	74.0	-23.5	1.90 V	215	33.8	16.7
2	11400.00	39.6 AV	54.0	-14.4	1.90 V	215	22.9	16.7
3	#17100.00	48.3 PK	68.2	-19.9	1.45 V	41	26.7	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 144：5720 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11440.00	49.0 PK	74.0	-25.0	3.54 H	44	32.2	16.8
2	11440.00	38.0 AV	54.0	-16.0	3.54 H	44	21.2	16.8
3	#17160.00	50.4 PK	68.2	-17.8	1.47 H	170	29.1	21.3

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 144：5720 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11440.00	52.6 PK	74.0	-21.4	2.08 V	165	35.8	16.8
2	11440.00	41.3 AV	54.0	-12.7	2.08 V	165	24.5	16.8
3	#17160.00	51.9 PK	68.2	-16.3	1.63 V	39	30.6	21.3

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 149：5745 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11490.00	49.0 PK	74.0	-25.0	3.56 H	33	32.1	16.9
2	11490.00	37.7 AV	54.0	-16.3	3.56 H	33	20.8	16.9
3	#17235.00	50.5 PK	68.2	-17.7	1.46 H	170	29.4	21.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 149：5745 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11490.00	52.2 PK	74.0	-21.8	2.16 V	199	35.3	16.9
2	11490.00	42.7 AV	54.0	-11.3	2.16 V	199	25.8	16.9
3	#17235.00	51.9 PK	68.2	-16.3	1.57 V	26	30.8	21.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 157：5785 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11570.00	48.9 PK	74.0	-25.1	3.56 H	54	32.2	16.7
2	11570.00	37.9 AV	54.0	-16.1	3.56 H	54	21.2	16.7
3	#17355.00	51.0 PK	68.2	-17.2	1.41 H	171	29.4	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 157：5785 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11570.00	52.3 PK	74.0	-21.7	2.19 V	196	35.6	16.7
2	11570.00	42.8 AV	54.0	-11.2	2.19 V	196	26.1	16.7
3	#17355.00	51.8 PK	68.2	-16.4	1.55 V	28	30.2	21.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 165：5825 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11650.00	49.3 PK	74.0	-24.7	3.50 H	46	32.8	16.5
2	11650.00	38.3 AV	54.0	-15.7	3.50 H	46	21.8	16.5
3	#17475.00	50.5 PK	68.2	-17.7	1.44 H	168	28.5	22.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE20)	Channel	CH 165：5825 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11650.00	52.0 PK	74.0	-22.0	2.12 V	203	35.5	16.5
2	11650.00	42.7 AV	54.0	-11.3	2.12 V	203	26.2	16.5
3	#17475.00	51.9 PK	68.2	-16.3	1.54 V	31	29.9	22.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 38：5190 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10380.00	49.0 PK	68.2	-19.2	3.49 H	54	33.4	15.6
2	15570.00	48.7 PK	74.0	-25.3	1.45 H	184	32.2	16.5
3	15570.00	36.3 AV	54.0	-17.7	1.45 H	184	19.8	16.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 38：5190 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10380.00	49.7 PK	68.2	-18.5	1.89 V	219	34.1	15.6
2	15570.00	48.8 PK	74.0	-25.2	1.52 V	31	32.3	16.5
3	15570.00	36.8 AV	54.0	-17.2	1.52 V	31	20.3	16.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 46：5230 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10460.00	49.1 PK	68.2	-19.1	3.59 H	67	33.3	15.8
2	15690.00	47.9 PK	74.0	-26.1	1.50 H	190	31.3	16.6
3	15690.00	35.7 AV	54.0	-18.3	1.50 H	190	19.1	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 46：5230 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10460.00	50.4 PK	68.2	-17.8	1.92 V	202	34.6	15.8
2	15690.00	48.4 PK	74.0	-25.6	1.44 V	28	31.8	16.6
3	15690.00	36.1 AV	54.0	-17.9	1.44 V	28	19.5	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 54：5270 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10540.00	49.5 PK	68.2	-18.7	3.52 H	48	33.7	15.8
2	15810.00	48.2 PK	74.0	-25.8	1.44 H	195	31.5	16.7
3	15810.00	35.9 AV	54.0	-18.1	1.44 H	195	19.2	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 54：5270 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10540.00	50.0 PK	68.2	-18.2	1.96 V	228	34.2	15.8
2	15810.00	47.7 PK	74.0	-26.3	1.47 V	54	31.0	16.7
3	15810.00	35.8 AV	54.0	-18.2	1.47 V	54	19.1	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 62：5310 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10620.00	48.7 PK	74.0	-25.3	3.56 H	59	32.8	15.9
2	10620.00	36.9 AV	54.0	-17.1	3.56 H	59	21.0	15.9
3	15930.00	48.2 PK	74.0	-25.8	1.42 H	180	31.6	16.6
4	15930.00	36.2 AV	54.0	-17.8	1.42 H	180	19.6	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11ax (HE40)	Channel	CH 62：5310 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	10620.00	50.3 PK	74.0	-23.7	1.82 V	220	34.4	15.9
2	10620.00	38.4 AV	54.0	-15.6	1.82 V	220	22.5	15.9
3	15930.00	48.5 PK	74.0	-25.5	1.44 V	38	31.9	16.6
4	15930.00	36.3 AV	54.0	-17.7	1.44 V	38	19.7	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11ax (HE40)	Channel	CH 102：5510 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11020.00	49.2 PK	74.0	-24.8	3.55 H	64	32.8	16.4
2	11020.00	37.7 AV	54.0	-16.3	3.55 H	64	21.3	16.4
3	#16530.00	48.0 PK	68.2	-20.2	1.49 H	170	28.8	19.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 102：5510 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11020.00	49.9 PK	74.0	-24.1	1.87 V	210	33.5	16.4
2	11020.00	38.2 AV	54.0	-15.8	1.87 V	210	21.8	16.4
3	#16530.00	48.8 PK	68.2	-19.4	1.49 V	34	29.6	19.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 110：5550 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11100.00	49.0 PK	74.0	-25.0	3.54 H	68	33.0	16.0
2	11100.00	37.4 AV	54.0	-16.6	3.54 H	68	21.4	16.0
3	#16650.00	48.6 PK	68.2	-19.6	1.49 H	171	28.1	20.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 110：5550 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11100.00	51.0 PK	74.0	-23.0	1.88 V	229	35.0	16.0
2	11100.00	39.8 AV	54.0	-14.2	1.88 V	229	23.8	16.0
3	#16650.00	48.2 PK	68.2	-20.0	1.41 V	42	27.7	20.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 134：5670 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11340.00	49.3 PK	74.0	-24.7	3.53 H	53	32.7	16.6
2	11340.00	38.4 AV	54.0	-15.6	3.53 H	53	21.8	16.6
3	#17010.00	50.8 PK	68.2	-17.4	1.48 H	151	28.7	22.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 134：5670 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11340.00	49.7 PK	74.0	-24.3	1.86 V	213	33.1	16.6
2	11340.00	38.4 AV	54.0	-15.6	1.86 V	213	21.8	16.6
3	#17010.00	49.7 PK	68.2	-18.5	1.47 V	27	27.6	22.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 142：5710 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11420.00	49.1 PK	74.0	-24.9	3.52 H	46	32.4	16.7
2	11420.00	38.3 AV	54.0	-15.7	3.52 H	46	21.6	16.7
3	#17130.00	51.2 PK	68.2	-17.0	1.48 H	158	29.7	21.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 142：5710 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11420.00	50.3 PK	74.0	-23.7	1.88 V	225	33.6	16.7
2	11420.00	38.3 AV	54.0	-15.7	1.88 V	225	21.6	16.7
3	#17130.00	49.6 PK	68.2	-18.6	1.42 V	32	28.1	21.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 151：5755 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11510.00	49.5 PK	74.0	-24.5	3.54 H	49	32.6	16.9
2	11510.00	38.7 AV	54.0	-15.3	3.54 H	49	21.8	16.9
3	#17265.00	50.6 PK	68.2	-17.6	1.50 H	164	29.5	21.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 151：5755 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11510.00	50.2 PK	74.0	-23.8	2.14 V	198	33.3	16.9
2	11510.00	38.5 AV	54.0	-15.5	2.14 V	198	21.6	16.9
3	#17265.00	51.6 PK	68.2	-16.6	1.59 V	24	30.5	21.1

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 159：5795 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11590.00	49.5 PK	74.0	-24.5	3.52 H	41	32.9	16.6
2	11590.00	38.7 AV	54.0	-15.3	3.52 H	41	22.1	16.6
3	#17385.00	50.6 PK	68.2	-17.6	1.39 H	154	28.8	21.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE40)	Channel	CH 159：5795 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11590.00	50.5 PK	74.0	-23.5	2.13 V	218	33.9	16.6
2	11590.00	38.7 AV	54.0	-15.3	2.13 V	218	22.1	16.6
3	#17385.00	51.8 PK	68.2	-16.4	1.49 V	32	30.0	21.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 42：5210 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10420.00	49.4 PK	68.2	-18.8	3.55 H	70	33.7	15.7
2	15630.00	48.1 PK	74.0	-25.9	1.51 H	169	31.5	16.6
3	15630.00	36.0 AV	54.0	-18.0	1.51 H	169	19.4	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 42：5210 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10420.00	49.5 PK	68.2	-18.7	1.88 V	212	33.8	15.7
2	15630.00	48.2 PK	74.0	-25.8	1.46 V	31	31.6	16.6
3	15630.00	36.3 AV	54.0	-17.7	1.46 V	31	19.7	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 58：5290 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10580.00	49.4 PK	68.2	-18.8	3.55 H	73	33.5	15.9
2	15870.00	48.4 PK	74.0	-25.6	1.53 H	156	31.9	16.5
3	15870.00	36.1 AV	54.0	-17.9	1.53 H	156	19.6	16.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 58：5290 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10580.00	49.5 PK	68.2	-18.7	1.91 V	226	33.6	15.9
2	15870.00	48.7 PK	74.0	-25.3	1.56 V	39	32.2	16.5
3	15870.00	36.7 AV	54.0	-17.3	1.56 V	39	20.2	16.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 106：5530 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11060.00	49.1 PK	74.0	-24.9	3.60 H	56	32.9	16.2
2	11060.00	37.7 AV	54.0	-16.3	3.60 H	56	21.5	16.2
3	#16590.00	47.9 PK	68.2	-20.3	1.54 H	179	27.7	20.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 106：5530 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11060.00	49.6 PK	74.0	-24.4	1.84 V	204	33.4	16.2
2	11060.00	37.9 AV	54.0	-16.1	1.84 V	204	21.7	16.2
3	#16590.00	49.3 PK	68.2	-18.9	1.54 V	15	29.1	20.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 122：5610 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11220.00	49.6 PK	74.0	-24.4	3.50 H	51	33.6	16.0
2	11220.00	37.8 AV	54.0	-16.2	3.50 H	51	21.8	16.0
3	#16830.00	47.7 PK	68.2	-20.5	1.45 H	182	26.5	21.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 122：5610 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11220.00	49.4 PK	74.0	-24.6	1.92 V	208	33.4	16.0
2	11220.00	37.5 AV	54.0	-16.5	1.92 V	208	21.5	16.0
3	#16830.00	48.9 PK	68.2	-19.3	1.52 V	23	27.7	21.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 138：5690 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11380.00	49.1 PK	74.0	-24.9	3.52 H	39	32.4	16.7
2	11380.00	38.3 AV	54.0	-15.7	3.52 H	39	21.6	16.7
3	#17070.00	51.0 PK	68.2	-17.2	1.38 H	133	29.3	21.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 138：5690 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11380.00	50.7 PK	74.0	-23.3	2.07 V	226	34.0	16.7
2	11380.00	38.6 AV	54.0	-15.4	2.07 V	226	21.9	16.7
3	#17070.00	51.2 PK	68.2	-17.0	1.53 V	27	29.5	21.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	Channel	CH 155：5775 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11550.00	48.8 PK	74.0	-25.2	3.55 H	27	32.1	16.7
2	11550.00	38.2 AV	54.0	-15.8	3.55 H	27	21.5	16.7
3	#17325.00	50.3 PK	68.2	-17.9	1.36 H	148	29.1	21.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE80)	**Channel**	CH 155：5775 MHz
Frequency Range	1 GHz ~ 40 GHz	**Detector Function & Bandwidth**	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	**Environmental Conditions**	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	**Frequency (MHz)**	**Emission Level (dBuV/m)**	**Limit (dBuV/m)**	**Margin (dB)**	**Antenna Height (m)**	**Table Angle (Degree)**	**Raw Value (dBuV)**	**Correction Factor (dB/m)**
1	11550.00	50.2 PK	74.0	-23.8	2.12 V	234	33.5	16.7
2	11550.00	38.1 AV	54.0	-15.9	2.12 V	234	21.4	16.7
3	#17325.00	51.7 PK	68.2	-16.5	1.49 V	24	30.5	21.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE160)	Channel	CH 50：5250 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10500.00	50.0 PK	68.2	-18.2	3.54 H	43	34.1	15.9
2	15750.00	47.5 PK	74.0	-26.5	1.48 H	186	30.9	16.6
3	15750.00	35.8 AV	54.0	-18.2	1.48 H	186	19.2	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE160)	Channel	CH 50：5250 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10500.00	49.9 PK	68.2	-18.3	1.87 V	230	34.0	15.9
2	15750.00	48.8 PK	74.0	-25.2	1.54 V	26	32.2	16.6
3	15750.00	36.7 AV	54.0	-17.3	1.54 V	26	20.1	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE160)	Channel	CH 114：5570 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11140.00	49.1 PK	74.0	-24.9	3.46 H	47	33.1	16.0
2	11140.00	37.3 AV	54.0	-16.7	3.46 H	47	21.3	16.0
3	#16710.00	47.6 PK	68.2	-20.6	1.49 H	167	26.7	20.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11ax (HE160)	Channel	CH 114：5570 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 1 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	11140.00	50.0 PK	74.0	-24.0	1.94 V	204	34.0	16.0
2	11140.00	38.1 AV	54.0	-15.9	1.94 V	204	22.1	16.0
3	#16710.00	48.6 PK	68.2	-19.6	1.50 V	17	27.7	20.9

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11be (EHT20)	Channel	CH 36：5180 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10360.00	49.7 PK	68.2	-18.5	3.57 H	86	34.2	15.5
2	15540.00	48.8 PK	74.0	-25.2	1.55 H	148	32.4	16.4
3	15540.00	36.6 AV	54.0	-17.4	1.55 H	148	20.2	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11be (EHT20)	Channel	CH 36：5180 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10360.00	52.0 PK	68.2	-16.2	1.94 V	217	36.5	15.5
2	15540.00	49.1 PK	74.0	-24.9	1.41 V	30	32.7	16.4
3	15540.00	37.0 AV	54.0	-17.0	1.41 V	30	20.6	16.4

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11be (EHT20)	**Channel**	CH 40：5200 MHz
Frequency Range	1 GHz ~ 40 GHz	**Detector Function & Bandwidth**	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	**Environmental Conditions**	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	**Frequency (MHz)**	**Emission Level (dBuV/m)**	**Limit (dBuV/m)**	**Margin (dB)**	**Antenna Height (m)**	**Table Angle (Degree)**	**Raw Value (dBuV)**	**Correction Factor (dB/m)**
1	#10400.00	49.2 PK	68.2	-19.0	3.59 H	83	33.6	15.6
2	15600.00	48.5 PK	74.0	-25.5	1.51 H	144	31.8	16.7
3	15600.00	37.3 AV	54.0	-16.7	1.51 H	144	20.6	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11be (EHT20)	Channel	CH 40：5200 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10400.00	52.8 PK	68.2	-15.4	2.04 V	184	37.2	15.6
2	15600.00	48.6 PK	74.0	-25.4	1.52 V	17	31.9	16.7
3	15600.00	36.5 AV	54.0	-17.5	1.52 V	17	19.8	16.7

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.



RF Mode	802.11be (EHT20)	Channel	CH 48：5240 MHz
Frequency Range	1 GHz ~ 40 GHz	Detector Function & Bandwidth	Peak (PK), RB = 1 MHz, VB = 3 MHz Peak (AV), RB = 1 MHz, VB = 300 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	27°C, 68% RH
Tested By	Tom Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	#10480.00	49.2 PK	68.2	-19.0	3.54 H	85	33.4	15.8
2	15720.00	47.9 PK	74.0	-26.1	1.45 H	154	31.3	16.6
3	15720.00	36.9 AV	54.0	-17.1	1.45 H	154	20.3	16.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.
5. " # ": The radiated frequency is out of the restricted band.