




Chain 1




802.11be (EHT20) - Channel 105
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12946.87	55.88 PK	88.2	-32.32	-47.13	-47.49	4.92	-39.38
2	#12942.18	40.03 AV	68.2	-28.17	-63.15	-63.18	4.92	-55.23
3	19444.06	49.36 PK	74	-24.64	-55.59	-52.58	4.92	-45.90
4	19444.81	43.85 AV	54	-10.15	-59.71	-59	4.92	-51.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


Chain 0





BUREAU
VERITAS

Chain 1



802.11be (EHT20) - Channel 113
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13047.18	55.92 PK	88.2	-32.28	-48.51	-46.3	4.92	-39.34
2	#13050	39.44 AV	68.2	-28.76	-62.83	-64.93	4.92	-55.82
3	19537.5	49.31 PK	74	-24.69	-53.26	-54.61	4.92	-45.95
4	19537.87	43.56 AV	54	-10.44	-59.9	-59.38	4.92	-51.70

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13089.06	54.58 PK	88.2	-33.62	-48.32	-48.93	4.92	-40.68
2	#13087.5	40.29 AV	68.2	-27.91	-62.3	-63.6	4.92	-54.97
3	19612.25	48.8 PK	74	-25.2	-53.53	-55.46	4.92	-46.46
4	19609.37	43.06 AV	54	-10.94	-60.59	-59.71	4.92	-52.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13407	55.41 PK	88.2	-32.79	-47.94	-47.62	4.92	-39.85
2	#13407.81	41.6 AV	68.2	-26.6	-61.45	-61.73	4.92	-53.66
3	20083.75	48.82 PK	74	-25.18	-55.89	-53.24	4.92	-46.44
4	20083.06	44.32 AV	54	-9.68	-59.3	-58.48	4.92	-50.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13701.25	47.11 PK	88.2	-41.09	-56.2	-55.96	4.92	-48.15
2	#13705.56	42.68 AV	68.2	-25.52	-60.32	-60.71	4.92	-52.58
3	20566.62	48.5 PK	74	-25.5	-54.68	-54.71	4.92	-46.76
4	20568.18	42.49 AV	54	-11.51	-60.9	-60.5	4.92	-52.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 185
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13758.75	47.07 PK	88.2	-41.13	-57.95	-54.84	4.92	-48.19
2	#13757.31	43.07 AV	68.2	-25.13	-60.35	-59.9	4.92	-52.19
3	20635.75	49.02 PK	74	-24.98	-53.71	-54.68	4.92	-46.24
4	20628.56	43.08 AV	54	-10.92	-60.62	-59.66	4.92	-52.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 209
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14008.87	45.83 PK	88.2	-42.37	-56.1	-59.14	4.92	-49.43
2	#14008.5	42.98 AV	68.2	-25.22	-60.69	-59.78	4.92	-52.28
3	20980.75	48.6 PK	74	-25.4	-54.34	-54.85	4.92	-46.66
4	20976.43	43.45 AV	54	-10.55	-60.15	-59.36	4.92	-51.81

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) - Channel 233
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14243.06	46.25 PK	88.2	-41.95	-59.15	-55.48	4.92	-49.01
2	#14248.93	43.09 AV	68.2	-25.11	-60.23	-59.97	4.92	-52.17
3	21358.81	48.75 PK	74	-25.25	-53.23	-56.12	4.92	-46.51
4	21351.56	43.99 AV	54	-10.01	-58.81	-59.64	4.92	-51.27

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	58.89 PK	88.2	-29.3	-43.39	-43.48	4.09	-36.37
2	#7125	49.35 AV	68.2	-18.9	-55.78	-55.81	4.09	-45.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11943.75	56.29 PK	74	-17.71	-47.59	-46.3	4.92	-38.97
2	11939.06	41.02 AV	54	-12.98	-62.23	-62.11	4.92	-54.24
3	17881.5	46.28 PK	74	-27.72	-56.81	-57.01	4.92	-48.98
4	17884.37	41.83 AV	54	-12.17	-62.64	-60.37	4.92	-53.43
5	#7964.06	56.47 PK	88.2	-31.73	-48.17	-45.64	4.92	-38.79
6	#7963.12	42.57 AV	68.2	-25.63	-58.76	-63.93	4.92	-52.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5852.85	65.46 PK	88.2	-22.74	-36.05	-39.92	4.76	-29.80
2	#5850.07	50.73 AV	68.2	-17.47	-53.3	-51.49	4.76	-44.53


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 43







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12346.87	55.91 PK	74	-18.09	-46.92	-47.67	4.92	-39.35
2	12346.18	41.16 AV	54	-12.84	-61.89	-62.18	4.92	-54.10
3	18508.25	47.99 PK	74	-26.01	-55	-55.42	4.92	-47.27
4	18509.68	42.83 AV	54	-11.17	-61.22	-59.64	4.92	-52.43
5	8218.75	56.13 PK	74	-17.87	-46.72	-47.44	4.92	-39.13
6	8220.31	41.56 AV	54	-12.44	-60.07	-64.09	4.92	-53.70

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1



802.11be (EHT40) - Channel 91
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12820.31	55.26 PK	88.2	-32.94	-47.57	-48.32	4.92	-40.00
2	#12812.5	41.13 AV	68.2	-27.07	-62.65	-61.54	4.92	-54.13
3	19227.18	48.67 PK	74	-25.33	-54.98	-54.1	4.92	-46.59
4	19227	44.35 AV	54	-9.65	-59.1	-58.59	4.92	-50.91
5	#8537.5	55.67 PK	88.2	-32.53	-48.92	-46.46	4.92	-39.59
6	#8540.62	41.06 AV	68.2	-27.14	-60.49	-64.81	4.92	-54.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 99

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12879.68	55.98 PK	88.2	-32.22	-47.85	-46.66	4.92	-39.28
2	#12871.87	40.94 AV	68.2	-27.26	-62.43	-62.08	4.92	-54.32
3	19336	49.3 PK	74	-24.7	-53.75	-54.03	4.92	-45.96
4	19336.25	44.28 AV	54	-9.72	-58.8	-59.02	4.92	-50.98
5	#8591.25	55.89 PK	88.2	-32.31	-46.52	-48.25	4.92	-39.37
6	#8593.75	41.56 AV	68.2	-26.64	-60.67	-62.87	4.92	-53.70

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 107
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12959.37	54.94 PK	88.2	-33.26	-48.99	-47.61	4.92	-40.32
2	#12962.5	39.7 AV	68.2	-28.5	-63.71	-63.28	4.92	-55.56
3	19472.81	49.27 PK	74	-24.73	-56.69	-52.24	4.92	-45.99
4	19472.87	43.64 AV	54	-10.36	-61.09	-58.42	4.92	-51.62
5	#8642.81	55.75 PK	88.2	-32.45	-47.34	-47.54	4.92	-39.51
6	#8646.87	42.51 AV	68.2	-25.69	-59.17	-63.01	4.92	-52.75

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





BUREAU VERITAS

Chain 1



802.11be (EHT40) - Channel 115
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13067.18	55.47 PK	88.2	-32.73	-47.69	-47.75	4.92	-39.79
2	#13068.75	40.02 AV	68.2	-28.18	-62.71	-63.68	4.92	-55.24
3	19566.25	47.95 PK	74	-26.05	-54.6	-55.99	4.92	-47.31
4	19556.18	44.61 AV	54	-9.39	-58.38	-58.79	4.92	-50.65
5	#8714.06	55.17 PK	88.2	-33.03	-50.04	-46.64	4.92	-40.09
6	#8711.25	39.85 AV	68.2	-28.35	-64.03	-62.74	4.92	-55.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT40) - Channel 123







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13132.81	54.99 PK	88.2	-33.21	-47.99	-48.43	4.92	-40.27
2	#13135.93	40.89 AV	68.2	-27.31	-62.52	-62.09	4.92	-54.37
3	19710.81	47.77 PK	74	-26.23	-55.92	-54.97	4.92	-47.49
4	19710	43.74 AV	54	-10.26	-59.72	-59.19	4.92	-51.52
5	#8757.81	55.93 PK	88.2	-32.27	-47.8	-46.78	4.92	-39.33
6	#8753.12	39.29 AV	68.2	-28.91	-62.87	-65.26	4.92	-55.97

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT40) - Channel 155
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13464.06	55.22 PK	88.2	-32.98	-48.58	-47.44	4.92	-40.04
2	#13464	41.41 AV	68.2	-26.79	-61.52	-62.05	4.92	-53.85
3	20191.56	49.4 PK	74	-24.6	-53.11	-54.6	4.92	-45.86
4	20194.43	44.13 AV	54	-9.87	-58.88	-59.24	4.92	-51.13
5	#8984.37	55.83 PK	88.2	-32.37	-47.92	-46.87	4.92	-39.43
6	#8984.62	41.32 AV	68.2	-26.88	-61.75	-61.99	4.92	-53.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 179

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13705.56	47.74 PK	88.2	-40.46	-54.4	-56.85	4.92	-47.52
2	#13705.31	42.96 AV	68.2	-25.24	-59.93	-60.56	4.92	-52.30
3	20542.68	49.22 PK	74	-24.78	-54.97	-53.16	4.92	-46.04
4	20542.31	43.64 AV	54	-10.36	-60.39	-58.85	4.92	-51.62
5	9132.81	57.01 PK	74	-16.99	-47.08	-45.44	4.92	-38.25
6	9131.25	42.05 AV	54	-11.95	-61.3	-60.99	4.92	-53.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT40) - Channel 187
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13764.5	46.96 PK	88.2	-41.24	-57.53	-55.23	4.92	-48.30
2	#13767.37	43.66 AV	68.2	-24.54	-59.28	-59.8	4.92	-51.60
3	20650.12	47.92 PK	74	-26.08	-54.52	-56.18	4.92	-47.34
4	20648.68	44.13 AV	54	-9.87	-59.48	-58.68	4.92	-51.13
5	9175.62	57.36 PK	74	-16.64	-44.69	-47.37	4.92	-37.90
6	9176.56	41.27 AV	54	-12.73	-62.58	-61.34	4.92	-53.99

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT40) - Channel 211

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13991.62	45.99 PK	88.2	-42.21	-60.39	-55.38	4.92	-49.27
2	#14017.5	43.05 AV	68.2	-25.15	-59.11	-61.49	4.92	-52.21
3	21002.31	48.78 PK	74	-25.22	-56.23	-53.13	4.92	-46.48
4	21015.25	43.57 AV	54	-10.43	-59.52	-59.72	4.92	-51.69
5	9321.87	56.51 PK	74	-17.49	-47.54	-45.97	4.92	-38.75
6	9357.81	40.92 AV	54	-13.08	-63.36	-61.4	4.92	-54.34

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT40) - Channel 227

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14181.18	46.49 PK	88.2	-41.71	-56.93	-56.49	4.92	-48.77
2	#14188.56	43.14 AV	68.2	-25.06	-60.38	-59.75	4.92	-52.12
3	21245.25	49.12 PK	74	-24.88	-53.38	-54.88	4.92	-46.14
4	21242.37	44.32 AV	54	-9.68	-58.94	-58.81	4.92	-50.94
5	9453.12	56.35 PK	74	-17.65	-47.11	-46.58	4.92	-38.91
6	9451.56	41.68 AV	54	-12.32	-61.59	-61.43	4.92	-53.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7206.22	56.39 PK	88.2	-31.81	-44.28	-48.77	4.09	-38.87
2	#7205.27	43.61 AV	68.2	-24.59	-57.53	-60.44	4.09	-51.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 7

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11965.62	56.75 PK	74	-17.25	-46.43	-46.46	4.92	-38.51
2	11964.06	41.17 AV	54	-12.83	-62.7	-61.44	4.92	-54.09
3	17974.87	47.16 PK	74	-26.84	-58.01	-54.68	4.92	-48.10
4	17973.5	42.42 AV	54	-11.58	-61.37	-60.24	4.92	-52.84
5	#7989.06	56.39 PK	88.2	-31.81	-46.52	-47.11	4.92	-38.87
6	#7979.68	45.89 AV	68.2	-22.31	-55.15	-61.73	4.92	-49.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5894.02	65.78 PK	88.2	-22.42	-37.37	-37.14	4.76	-29.48
2	#5894.57	51.94 AV	68.2	-16.26	-51.37	-50.83	4.76	-43.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 39

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12271.87	56.45 PK	74	-17.55	-46.39	-47.12	4.92	-38.81
2	12276.56	40.78 AV	54	-13.22	-61.6	-63.41	4.92	-54.48
3	18424.87	48.41 PK	74	-25.59	-53.54	-56.51	4.92	-46.85
4	18430.62	43.29 AV	54	-10.71	-60.83	-59.14	4.92	-51.97
5	8200	56.82 PK	74	-17.18	-47.07	-45.76	4.92	-38.44
6	8193.75	44.16 AV	54	-9.84	-56.81	-63.8	4.92	-51.10

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11be (EHT80) - Channel 87

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12780.31	55.97 PK	88.2	-32.23	-46.75	-47.75	4.92	-39.29
2	#12784.37	40.78 AV	68.2	-27.42	-62.83	-62.03	4.92	-54.48
3	19160.87	48.99 PK	74	-25.01	-54.64	-53.8	4.92	-46.27
4	19165.18	44.23 AV	54	-9.77	-58.96	-58.97	4.92	-51.03
5	#8512.5	55.14 PK	88.2	-33.06	-48.25	-47.85	4.92	-40.12
6	#8514.06	40.61 AV	68.2	-27.59	-61.63	-63.8	4.92	-54.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT80) - Channel 103

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12926.56	55.22 PK	88.2	-32.98	-49.37	-46.91	4.92	-40.04
2	#12926.56	40.01 AV	68.2	-28.19	-63.73	-62.69	4.92	-55.25
3	19387.93	49.14 PK	74	-24.86	-53.72	-54.41	4.92	-46.12
4	19389.43	43.88 AV	54	-10.12	-58.76	-59.94	4.92	-51.38
5	#8620.56	55.87 PK	88.2	-32.33	-47.56	-47.1	4.92	-39.39
6	#8620.31	41.44 AV	68.2	-26.76	-60.32	-63.89	4.92	-53.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT80) - Channel 119
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13101.56	55.46 PK	88.2	-32.74	-47.66	-47.81	4.92	-39.80
2	#13106.25	40.83 AV	68.2	-27.37	-62.26	-62.47	4.92	-54.43
3	19638.12	48.44 PK	74	-25.56	-54.24	-55.33	4.92	-46.82
4	19643.87	43.73 AV	54	-10.27	-59.19	-59.74	4.92	-51.53
5	#8731.87	55.24 PK	88.2	-32.96	-47.95	-47.95	4.92	-40.02
6	#8735.93	38.86 AV	68.2	-29.34	-63.92	-64.78	4.92	-56.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) - Channel 151

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13415.62	56.11 PK	88.2	-32.09	-48.27	-46.15	4.92	-39.15
2	#13412.5	41.62 AV	68.2	-26.58	-60.97	-62.27	4.92	-53.64
3	20111	49.15 PK	74	-24.85	-53.68	-54.43	4.92	-46.11
4	20113.93	44.54 AV	54	-9.46	-57.91	-59.55	4.92	-50.72
5	#8923.43	57.04 PK	88.2	-31.16	-46.95	-45.48	4.92	-38.22
6	#8921.87	41.81 AV	68.2	-26.39	-60.68	-62.21	4.92	-53.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



802.11be (EHT80) - Channel 183

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13744.37	47.07 PK	88.2	-41.13	-55.54	-56.79	4.92	-48.19
2	#13741.5	43.47 AV	68.2	-24.73	-59.8	-59.64	4.92	-51.79
3	20609.68	48.51 PK	74	-25.49	-55.16	-54.25	4.92	-46.75
4	20609.87	43.81 AV	54	-10.19	-59.83	-58.98	4.92	-51.45
5	9162.31	57.02 PK	74	-16.98	-45.36	-47.17	4.92	-38.24
6	9162.5	41.77 AV	54	-12.23	-60.77	-62.19	4.92	-53.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



802.11be (EHT80) - Channel 199

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13891	46.56 PK	88.2	-41.64	-57.83	-55.69	4.92	-48.70
2	#13896.75	42.44 AV	68.2	-25.76	-60.91	-60.59	4.92	-52.82
3	20849.93	49.09 PK	74	-24.91	-55.12	-53.27	4.92	-46.17
4	20847.06	43.24 AV	54	-10.76	-59.23	-60.81	4.92	-52.02
5	#9262.5	55.61 PK	88.2	-32.59	-47.51	-47.66	4.92	-39.65
6	#9262.18	40.85 AV	68.2	-27.35	-61.67	-63.14	4.92	-54.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) - Channel 215

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14066.37	47.55 PK	88.2	-40.65	-56.56	-54.89	4.92	-47.71
2	#14034.75	43.4 AV	68.2	-24.8	-59.7	-59.88	4.92	-51.86
3	21087.12	48.66 PK	74	-25.34	-53.87	-55.32	4.92	-46.60
4	21084.25	43.31 AV	54	-10.69	-59.51	-60.28	4.92	-51.95
5	9348.43	55.77 PK	74	-18.23	-47.26	-47.58	4.92	-39.49
6	9365.62	41.07 AV	54	-12.93	-62.87	-61.48	4.92	-54.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7210	56.13 PK	88.2	-32.07	-44.72	-48.57	4.09	-39.13
2	#7209.8	43.28 AV	68.2	-24.92	-59.32	-58.86	4.09	-51.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 15

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12054.68	56.98 PK	74	-17.02	-45.25	-47.45	4.92	-38.28
2	12048.43	41.96 AV	54	-12.04	-62.2	-60.44	4.92	-53.30
3	18069.81	47.72 PK	74	-26.28	-55.72	-55.23	4.92	-47.54
4	18068.31	43.66 AV	54	-10.34	-60.64	-58.64	4.92	-51.60
5	8034.37	56.51 PK	74	-17.49	-46.46	-46.91	4.92	-38.75
6	8032.81	45.62 AV	54	-8.38	-55.44	-61.95	4.92	-49.64

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5903.37	67.04 PK	88.2	-21.16	-38.23	-34.52	4.76	-28.22
2	#5897.45	53.42 AV	68.2	-14.78	-49.47	-49.76	4.76	-41.84


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 47

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12375	56.45 PK	74	-17.55	-48.48	-45.5	4.92	-38.81
2	12373.12	41.47 AV	54	-12.53	-61.75	-61.69	4.92	-53.79
3	18555.68	48.31 PK	74	-25.69	-56.15	-53.9	4.92	-46.95
4	18564.31	44.55 AV	54	-9.45	-58.72	-58.56	4.92	-50.71
5	8260.93	56.89 PK	74	-17.11	-46.85	-45.82	4.92	-38.37
6	8256.87	43.8 AV	54	-10.2	-57.6	-62.48	4.92	-51.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT160) - Channel 79

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12692.18	56.13 PK	74	-17.87	-48.61	-45.92	4.92	-39.13
2	12692.43	41.7 AV	54	-12.3	-62.3	-60.8	4.92	-53.56
3	19024.31	49.66 PK	74	-24.34	-52.03	-55.83	4.92	-45.60
4	19030.06	44.48 AV	54	-9.52	-58.35	-59.1	4.92	-50.78
5	8450.62	56.63 PK	74	-17.37	-47.94	-45.52	4.92	-38.63
6	8459.37	43.26 AV	54	-10.74	-58.67	-61.71	4.92	-52.00

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT160) - Channel 111
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13021.56	55.45 PK	88.2	-32.75	-48.54	-47.07	4.92	-39.81
2	#13026.56	40.46 AV	68.2	-27.74	-63.82	-61.86	4.92	-54.80
3	19534.62	49.52 PK	74	-24.48	-52.89	-54.61	4.92	-45.74
4	19527.43	44.8 AV	54	-9.2	-58.8	-58.01	4.92	-50.46
5	#8660.93	55.27 PK	88.2	-32.93	-47.56	-48.32	4.92	-39.99
6	#8673.43	42.45 AV	68.2	-25.75	-58.94	-63.86	4.92	-52.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT160) - Channel 143

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13339.06	55.39 PK	74	-18.61	-49.2	-46.74	4.92	-39.87
2	13348.43	41.22 AV	54	-12.78	-63.13	-61.05	4.92	-54.04
3	20001.37	48.9 PK	74	-25.1	-54.99	-53.68	4.92	-46.36
4	20001.81	44.59 AV	54	-9.41	-58.19	-59.05	4.92	-50.67
5	#8903.12	56.68 PK	88.2	-31.52	-46.94	-46.12	4.92	-38.58
6	#8892.18	42.87 AV	68.2	-25.33	-59.78	-60.94	4.92	-52.39

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT160) - Channel 175

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13639.43	47.23 PK	88.2	-40.97	-56.89	-55.2	4.92	-48.03
2	#13633.68	43.69 AV	68.2	-24.51	-60.63	-58.61	4.92	-51.57
3	20492.06	49.03 PK	74	-24.97	-53.09	-55.58	4.92	-46.23
4	20492	44.46 AV	54	-9.54	-58.39	-59.09	4.92	-50.80
5	9112.5	56.48 PK	74	-17.52	-46.79	-46.64	4.92	-38.78
6	9118.75	42.01 AV	54	-11.99	-61.54	-60.84	4.92	-53.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT160) - Channel 207

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13978.68	46.99 PK	88.2	-41.21	-55.61	-56.88	4.92	-48.27
2	#13974.25	43.81 AV	68.2	-24.39	-59.18	-59.6	4.92	-51.45
3	20975	49.04 PK	74	-24.96	-55.82	-52.94	4.92	-46.22
4	20972.12	44.61 AV	54	-9.39	-57.78	-59.57	4.92	-50.65
5	9331.25	56.08 PK	74	-17.92	-46.72	-47.55	4.92	-39.18
6	9321.81	41.3 AV	54	-12.7	-62.35	-61.47	4.92	-53.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7131.02	67.27 PK	88.2	-20.93	-43.3	-32.42	4.09	-27.99
2	#7132.32	50.34 AV	68.2	-17.86	-52.88	-51.31	4.09	-44.92


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11921.87	56.15 PK	74	-17.85	-49.1	-45.65	4.92	-39.11
2	11910.93	41.48 AV	54	-12.52	-60.56	-63.27	4.92	-53.78
3	17857.06	45.98 PK	74	-28.02	-57.12	-57.31	4.92	-49.28
4	17851.31	42.87 AV	54	-11.13	-60.12	-60.54	4.92	-52.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5832.65	65.66 PK	88.2	-22.54	-36.29	-38.82	4.76	-29.60
2	#5825.07	53.12 AV	68.2	-15.08	-48.98	-51.1	4.76	-42.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12810.93	55.51 PK	88.2	-32.69	-48.38	-47.07	4.92	-39.75
2	#12814.06	41.68 AV	68.2	-26.52	-61.34	-61.69	4.92	-53.58
3	19251.43	48.04 PK	74	-25.96	-54.31	-56.19	4.92	-47.22
4	19241.37	44.68 AV	54	-9.32	-57.76	-59.43	4.92	-50.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12870.31	55.76 PK	88.2	-32.44	-46.25	-49.06	4.92	-39.50
2	#12854.68	41.29 AV	68.2	-26.91	-61.26	-62.64	4.92	-53.97
3	19293.12	48.44 PK	74	-25.56	-56.98	-53.28	4.92	-46.82
4	19314.68	44.98 AV	54	-9.02	-58.17	-58.25	4.92	-50.28

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 113

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13040.62	54.61 PK	88.2	-33.59	-47.67	-49.74	4.92	-40.65
2	#13032.81	39.93 AV	68.2	-28.27	-63.5	-63.03	4.92	-55.33
3	19537.5	47.67 PK	74	-26.33	-54.38	-57.07	4.92	-47.59
4	19527.43	44.37 AV	54	-9.63	-59.61	-58.16	4.92	-50.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13068.75	55 PK	88.2	-33.2	-49.05	-47.47	4.92	-40.26
2	#13073.43	40.58 AV	68.2	-27.62	-62.27	-62.98	4.92	-54.68
3	19586.37	48.18 PK	74	-25.82	-56.48	-53.91	4.92	-47.08
4	19605.06	43.73 AV	54	-10.27	-59.7	-59.23	4.92	-51.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13730	46.64 PK	88.2	-41.56	-55.53	-57.89	4.92	-48.62
2	#13745.81	44.13 AV	68.2	-24.07	-60.91	-57.77	4.92	-51.13
3	20621.37	48.52 PK	74	-25.48	-53.98	-55.49	4.92	-46.74
4	20640.06	44 AV	54	-10	-57.89	-61.07	4.92	-51.26

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 209

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13984.43	47.26 PK	88.2	-40.94	-58.99	-54.15	4.92	-48.00
2	#13980.12	43.89 AV	68.2	-24.31	-60.13	-58.6	4.92	-51.37
3	20979.31	47.54 PK	74	-26.46	-56.27	-55.11	4.92	-47.72
4	20969.25	43.9 AV	54	-10.1	-60.57	-58.3	4.92	-51.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14233.12	46.39 PK	88.2	-41.81	-57.37	-56.29	4.92	-48.87
2	#14247.5	43.74 AV	68.2	-24.46	-60.61	-58.53	4.92	-51.52
3	21364.56	48.48 PK	74	-25.52	-55.11	-54.35	4.92	-46.78
4	21327.18	44.59 AV	54	-9.41	-57.34	-60.38	4.92	-50.67

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	74.01 PK	88.2	-14.2	-28.4	-28.3	4.09	-21.25
2	#7125	60.57 AV	68.2	-7.63	-41.82	-41.76	4.09	-34.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11906.25	56.13 PK	74	-17.87	-46.44	-47.79	4.92	-39.13
2	11928.12	39.96 AV	54	-14.04	-64.56	-62.22	4.92	-55.30
3	17875.75	46.56 PK	74	-27.44	-57.09	-56.22	4.92	-48.70
4	17865.68	42.77 AV	54	-11.23	-60.66	-60.19	4.92	-52.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





BUREAU
VERITAS

Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5826.55	66.39 PK	88.2	-21.81	-36.38	-36.92	4.76	-28.87
2	#5831.6	53.08 AV	68.2	-15.12	-50.56	-49.42	4.76	-42.18


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12821.87	55.64 PK	88.2	-32.56	-47.53	-47.57	4.92	-39.62
2	#12837.5	41.31 AV	68.2	-26.89	-62.24	-61.55	4.92	-53.95
3	19250	48.78 PK	74	-25.22	-54.02	-54.85	4.92	-46.48
4	19231.31	44.67 AV	54	-9.33	-59.05	-58.04	4.92	-50.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12873.43	55.42 PK	88.2	-32.78	-47.7	-47.85	4.92	-39.84
2	#12850	41.33 AV	68.2	-26.87	-62.52	-61.29	4.92	-53.93
3	19298.87	49.13 PK	74	-24.87	-55.2	-53.16	4.92	-46.13
4	19287.37	44.41 AV	54	-9.59	-57.97	-59.77	4.92	-50.85

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



802.11be (EHT20) 52-tone RU - Channel 113

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13029.68	55.47 PK	88.2	-32.73	-46.6	-49.22	4.92	-39.79
2	#13048.43	39.73 AV	68.2	-28.47	-63.79	-63.16	4.92	-55.53
3	19534.62	47.16 PK	74	-26.84	-56.02	-56.04	4.92	-48.10
4	19526	44.5 AV	54	-9.5	-59.92	-57.73	4.92	-50.76

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13085.93	54.43 PK	88.2	-33.77	-48.67	-48.85	4.92	-40.83
2	#13070.31	40.29 AV	68.2	-27.91	-63.05	-62.75	4.92	-54.97
3	19616.56	47.44 PK	74	-26.56	-54.3	-57.95	4.92	-47.82
4	19615.12	43.61 AV	54	-10.39	-59.51	-59.65	4.92	-51.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13745.81	47.08 PK	88.2	-41.12	-55.47	-56.85	4.92	-48.18
2	#13742.93	43.71 AV	68.2	-24.49	-59.62	-59.35	4.92	-51.55
3	20632.87	48.74 PK	74	-25.26	-57.47	-52.68	4.92	-46.52
4	20637.18	44.77 AV	54	-9.23	-59.35	-57.66	4.92	-50.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0

