


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5462.53	66.4 PK	68.2	-1.8	-33.78	4.92	-28.86

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT160) 996+484+242-tone MRU - Channel 50
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3518.75	53.09 PK	74	-20.91	-47.09	4.92	-42.17
2	3506.25	40.56 AV	54	-13.44	-59.62	4.92	-54.70
3	#6981.25	53.25 PK	68.2	-14.95	-46.93	4.92	-42.01
4	#10503.12	53.68 PK	68.2	-14.52	-46.5	4.92	-41.58
5	15754	53.02 PK	74	-20.98	-47.16	4.92	-42.24
6	15756.87	42.42 AV	54	-11.58	-57.76	4.92	-52.84

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU
VERITAS




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	5145.87	66.23 PK	74	-7.77	-33.95	4.92	-29.03
2	5145.67	51.12 AV	54	-2.88	-49.06	4.92	-44.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









802.11be (EHT160) 996+484+242-tone MRU - Channel 114
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3730.31	54.01 PK	74	-19.99	-46.17	4.92	-41.25
2	3731.25	44.07 AV	54	-9.93	-56.11	4.92	-51.19
3	7407.81	51.91 PK	74	-22.09	-48.27	4.92	-43.35
4	7412.5	41.69 AV	54	-12.31	-58.49	4.92	-53.57
5	11142.18	53.7 PK	74	-20.3	-46.48	4.92	-41.56
6	11139.06	42.15 AV	54	-11.85	-58.03	4.92	-53.11
7	#16697	51.96 PK	68.2	-16.24	-48.22	4.92	-43.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5766.12	67.39 PK	68.2	-0.81	-32.79	4.92	-27.87

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



For 2S2T

802.11be (EHT20) - Channel 52

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3501.56	53.25 PK	74	-20.75	-49	-51.15	4.92	-42.01
2	3501.56	42.04 AV	54	-11.96	-61.37	-60.94	4.92	-53.22
3	#7010.93	55.81 PK	68.2	-12.39	-47.37	-47.39	4.92	-39.45
4	#10514.06	55.38 PK	68.2	-12.82	-47.18	-48.54	4.92	-39.88
5	15778.43	54.8 PK	74	-19.2	-50.33	-47.06	4.92	-40.46
6	15774.06	44.52 AV	54	-9.48	-58.84	-58.5	4.92	-50.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5445.45	64.2 PK	74	-9.8	-40.89	-37.67	4.92	-31.06
2	5445.75	53.25 AV	54	-0.75	-49.97	-49.92	4.92	-42.01


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 60

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3551.87	53.72 PK	74	-20.28	-49.61	-49.34	4.92	-41.54
2	3553.12	42.29 AV	54	-11.71	-60.96	-60.85	4.92	-52.97
3	#7059.37	55.27 PK	68.2	-12.93	-48.71	-47.25	4.92	-39.99
4	#10595.31	55.03 PK	68.2	-13.17	-46.75	-50.26	4.92	-40.23
5	15916.43	54.73 PK	74	-19.27	-49.02	-47.96	4.92	-40.53
6	15916.43	44.32 AV	54	-9.68	-59.2	-58.57	4.92	-50.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5448.82	63.96 PK	74	-10.04	-41.43	-37.78	4.92	-31.30
2	5448.3	53.39 AV	54	-0.61	-49.77	-49.84	4.92	-41.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 64
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3564.62	53.01 PK	74	-20.99	-50.95	-49.52	4.92	-42.25
2	3564.06	42.46 AV	54	-11.54	-60.75	-60.72	4.92	-52.80
3	#7082.81	54.98 PK	68.2	-13.22	-47.51	-49.04	4.92	-40.28
4	10651.56	54.76 PK	74	-19.24	-49.44	-47.61	4.92	-40.50
5	10651.56	44.26 AV	54	-9.74	-59.1	-58.77	4.92	-51.00
6	15958.12	54.82 PK	74	-19.18	-48.01	-48.76	4.92	-40.44
7	15952.37	44.57 AV	54	-9.43	-58.8	-58.45	4.92	-50.69

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5446.25	65.11 PK	74	-8.89	-36.13	-41.73	4.92	-30.15
2	5446.25	53.74 AV	54	-0.26	-49.41	-49.49	4.92	-41.52


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 100

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3678.12	56.18 PK	74	-17.82	-46.92	-47.11	4.92	-39.08
2	3679.68	45.66 AV	54	-8.34	-57.5	-57.57	4.92	-49.60
3	7353.12	54.78 PK	74	-19.22	-50.21	-47.14	4.92	-40.48
4	7353.06	43.86 AV	54	-10.14	-59.41	-59.26	4.92	-51.40
5	11009.37	55.55 PK	74	-18.45	-48.56	-46.89	4.92	-39.71
6	11009.62	44.42 AV	54	-9.58	-58.97	-58.57	4.92	-50.84
7	#16490	54.46 PK	68.2	-13.74	-49.56	-48.03	4.92	-40.80

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5446.84	64.34 PK	74	-9.66	-38.3	-39.49	4.92	-30.92
2	5457	53.87 AV	54	-0.13	-49.35	-49.3	4.92	-41.39
3	#5469.62	65.65 PK	68.2	-2.55	-37.91	-37.2	4.92	-29.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 116

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3734.81	56.75 PK	74	-17.25	-45.64	-47.43	4.92	-38.51
2	3734.37	46.11 AV	54	-7.89	-57.27	-56.9	4.92	-49.15
3	7445.31	53.71 PK	74	-20.29	-48.54	-50.67	4.92	-41.55
4	7445.5	43.25 AV	54	-10.75	-60.1	-59.78	4.92	-52.01
5	11143.75	54.51 PK	74	-19.49	-48.1	-49.35	4.92	-40.75
6	11148.43	43.98 AV	54	-10.02	-59.52	-58.92	4.92	-51.28
7	#16743	55.03 PK	68.2	-13.17	-47.59	-48.81	4.92	-40.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5740.72	65.67 PK	68.2	-2.53	-37.92	-37.15	4.92	-29.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 140

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3815.62	57.62 PK	74	-16.38	-45.44	-45.7	4.92	-37.64
2	3815.81	46.33 AV	54	-7.67	-56.95	-56.78	4.92	-48.93
3	7604.68	55.02 PK	74	-18.98	-48	-48.34	4.92	-40.24
4	7610.93	43.97 AV	54	-10.03	-59.2	-59.24	4.92	-51.29
5	11411.56	55.86 PK	74	-18.14	-49.42	-45.92	4.92	-39.40
6	11415.62	44.26 AV	54	-9.74	-59	-58.86	4.92	-51.00
7	#17083.68	54.84 PK	68.2	-13.36	-48.32	-48.39	4.92	-40.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5799.37	65.99 PK	68.2	-2.21	-36.65	-37.83	4.92	-29.27


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 144
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3795.31	57.99 PK	74	-16.01	-46.61	-44.13	4.92	-37.27
2	3798.43	46.27 AV	54	-7.73	-57.03	-56.81	4.92	-48.99
3	7631.06	55.13 PK	74	-18.87	-48.23	-47.89	4.92	-40.13
4	7631.25	43.93 AV	54	-10.07	-59.34	-59.18	4.92	-51.33
5	11443.75	55.63 PK	74	-18.37	-48.06	-47.12	4.92	-39.63
6	11443	44.51 AV	54	-9.49	-58.69	-58.68	4.92	-50.75
7	#17144.06	55.75 PK	68.2	-12.45	-48.14	-46.84	4.92	-39.51

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5864.83	65.09 PK	68.2	-3.11	-37.51	-38.79	4.92	-30.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 54

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3519.37	52.8 PK	74	-21.2	-49.82	-51.04	4.92	-42.46
2	3521.87	42.17 AV	54	-11.83	-61.13	-60.92	4.92	-53.09
3	#7043.75	54.29 PK	68.2	-13.91	-48.98	-48.83	4.92	-40.97
4	#10525	54.96 PK	68.2	-13.24	-47.24	-49.51	4.92	-40.30
5	15815.81	54.99 PK	74	-19.01	-47.62	-48.88	4.92	-40.27
6	15810.06	44.52 AV	54	-9.48	-58.84	-58.5	4.92	-50.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.52	65.6 PK	74	-8.4	-37.16	-38.07	4.92	-29.66
2	5350.32	52.62 AV	54	-1.38	-50.24	-50.93	4.92	-42.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 62

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3557.87	53.16 PK	74	-20.84	-49.83	-50.25	4.92	-42.10
2	3557.81	42.59 AV	54	-11.41	-60.5	-60.7	4.92	-52.67
3	#7067.18	54.84 PK	68.2	-13.36	-48.22	-48.49	4.92	-40.42
4	10637.5	55.06 PK	74	-18.94	-47.92	-48.36	4.92	-40.20
5	10635	44.35 AV	54	-9.65	-58.6	-59.1	4.92	-50.91
6	15910.68	55.48 PK	74	-18.52	-47.4	-48.05	4.92	-39.78
7	15916.43	44.37 AV	54	-9.63	-59.07	-58.58	4.92	-50.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.72	66.92 PK	74	-7.08	-40.39	-34.2	4.92	-28.34
2	5350.07	53.67 AV	54	-0.33	-51.92	-47.98	4.92	-41.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 102

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3692.12	56.58 PK	74	-17.42	-47.16	-46.12	4.92	-38.68
2	3692.18	45.77 AV	54	-8.23	-57.37	-57.48	4.92	-49.49
3	7337.5	54.54 PK	74	-19.46	-48.92	-48.4	4.92	-40.72
4	7328.12	43.74 AV	54	-10.26	-59.41	-59.5	4.92	-51.52
5	11000	55.22 PK	74	-18.78	-47.03	-49.16	4.92	-40.04
6	11003.12	44.33 AV	54	-9.67	-58.73	-59	4.92	-50.93
7	#16518.75	54.59 PK	68.2	-13.61	-48.24	-48.99	4.92	-40.67







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS







Chain 0





BUREAU VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5456.21	66.8 PK	74	-7.2	-35.25	-37.93	4.92	-28.46
2	5459.9	50.56 AV	54	-3.44	-52.54	-52.73	4.92	-44.70
3	#5468.71	65.92 PK	68.2	-2.28	-38.11	-36.57	4.92	-29.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 110
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3707.81	56.74 PK	74	-17.26	-48.41	-45.11	4.92	-38.52
2	3717.18	45.9 AV	54	-8.1	-57.19	-57.4	4.92	-49.36
3	7404.37	55.19 PK	74	-18.81	-47.02	-49.26	4.92	-40.07
4	7407.81	43.4 AV	54	-10.6	-60.03	-59.56	4.92	-51.86
5	11101.56	55.79 PK	74	-18.21	-47.37	-47.44	4.92	-39.47
6	11102.81	44.27 AV	54	-9.73	-58.8	-59.04	4.92	-50.99
7	#16636.62	55.64 PK	68.2	-12.56	-48.13	-47.04	4.92	-39.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5457.31	66.77 PK	74	-7.23	-38.94	-34.83	4.92	-28.49
2	5459.96	52.1 AV	54	-1.9	-51.29	-50.9	4.92	-43.16
3	#5465.5	66.62 PK	68.2	-1.58	-38	-35.49	4.92	-28.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 134

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3778.75	57.79 PK	74	-16.21	-45.41	-45.4	4.92	-37.47
2	3781.25	46.27 AV	54	-7.73	-56.88	-56.97	4.92	-48.99
3	7570.12	54.55 PK	74	-19.45	-49.49	-47.93	4.92	-40.71
4	7571.87	43.7 AV	54	-10.3	-59.62	-59.36	4.92	-51.56
5	11357.62	54.42 PK	74	-19.58	-49.81	-47.94	4.92	-40.84
6	11357.81	43.82 AV	54	-10.18	-59.39	-59.35	4.92	-51.44
7	#17007.5	55.34 PK	68.2	-12.86	-47.43	-48.31	4.92	-39.92

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5747.62	65.17 PK	68.2	-3.03	-35.82	-42.69	4.92	-30.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 142
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3792.18	57.38 PK	74	-16.62	-46.8	-45.01	4.92	-37.88
2	3793.75	46.31 AV	54	-7.69	-56.76	-57	4.92	-48.95
3	7623.43	55.09 PK	74	-18.91	-49.82	-46.87	4.92	-40.17
4	7617.18	44.02 AV	54	-9.98	-59.23	-59.11	4.92	-51.24
5	11423.12	54.93 PK	74	-19.07	-48.62	-47.92	4.92	-40.33
6	11428.12	44.54 AV	54	-9.46	-59.09	-58.26	4.92	-50.72
7	#17148.37	54.88 PK	68.2	-13.32	-47.83	-48.85	4.92	-40.38

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5870.08	66.33 PK	68.2	-1.87	-41.5	-34.67	4.92	-28.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 58

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3545.93	52.75 PK	74	-21.25	-50.59	-50.29	4.92	-42.51
2	3545.31	42.32 AV	54	-11.68	-60.95	-60.8	4.92	-52.94
3	#7070.31	54.57 PK	68.2	-13.63	-49.91	-47.62	4.92	-40.69
4	#10598.43	55.32 PK	68.2	-12.88	-49.29	-46.8	4.92	-39.94
5	15861.81	54.2 PK	74	-19.8	-49.24	-48.75	4.92	-41.06
6	15857.5	44.46 AV	54	-9.54	-58.88	-58.58	4.92	-50.80


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5353.62	65.59 PK	74	-8.41	-36.62	-38.88	4.92	-29.67
2	5350.02	53.87 AV	54	-0.13	-50.85	-48.19	4.92	-41.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) - Channel 106

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3706.62	56.42 PK	74	-17.58	-46.88	-46.67	4.92	-38.84
2	3706.25	45.89 AV	54	-8.11	-57.5	-57.11	4.92	-49.37
3	7382.25	54.42 PK	74	-19.58	-48.94	-48.6	4.92	-40.84
4	7382.81	43.51 AV	54	-10.49	-59.66	-59.7	4.92	-51.75
5	11070.31	55.96 PK	74	-18.04	-46.25	-48.49	4.92	-39.30
6	11070.12	44.39 AV	54	-9.61	-58.96	-58.64	4.92	-50.87
7	#16586.31	55.04 PK	68.2	-13.16	-49.52	-47.11	4.92	-40.22

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5456.81	66.8 PK	74	-7.2	-37.7	-35.39	4.92	-28.46
2	5458.93	53.95 AV	54	-0.05	-49.28	-49.2	4.92	-41.31
3	#5465.71	67.4 PK	68.2	-0.8	-34.21	-38.29	4.92	-27.86


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 122
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3732.81	57.5 PK	74	-16.5	-44.87	-46.7	4.92	-37.76
2	3731.25	46.29 AV	54	-7.71	-56.57	-57.25	4.92	-48.97
3	7495.31	54.18 PK	74	-19.82	-49.87	-48.29	4.92	-41.08
4	7490.62	43.44 AV	54	-10.56	-60.05	-59.47	4.92	-51.82
5	11220.31	55.16 PK	74	-18.84	-47.86	-48.2	4.92	-40.10
6	11218.75	43.74 AV	54	-10.26	-59.38	-59.53	4.92	-51.52
7	#16846.5	54.38 PK	68.2	-13.82	-49.25	-48.41	4.92	-40.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5726.87	67.58 PK	68.2	-0.62	-36.94	-34.59	4.92	-27.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 138

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3739.68	57.62 PK	74	-16.38	-44.81	-46.49	4.92	-37.64
2	3740.62	46.25 AV	54	-7.75	-57	-56.88	4.92	-49.01
3	7495.62	54.08 PK	74	-19.92	-49.62	-48.65	4.92	-41.18
4	7498.43	43.34 AV	54	-10.66	-59.66	-60.04	4.92	-51.92
5	11203.12	54.83 PK	74	-19.17	-49.92	-47.22	4.92	-40.43
6	11209.37	43.74 AV	54	-10.26	-59.41	-59.49	4.92	-51.52
7	#16817.75	53.98 PK	68.2	-14.22	-50.4	-48.28	4.92	-41.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5852.5	67.56 PK	68.2	-0.64	-34.31	-37.53	4.92	-27.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 50

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#6990.62	54.42 PK	68.2	-13.78	-47.34	-50.91	4.92	-40.84
2	#10503.12	55.37 PK	68.2	-12.83	-48.07	-47.58	4.92	-39.89
3	15762.62	54.89 PK	74	-19.11	-48.49	-48.11	4.92	-40.37
4	15762.5	44.98 AV	54	-9.02	-58.09	-58.33	4.92	-50.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5380.97	66.43 PK	74	-7.57	-39.26	-35.19	4.92	-28.83
2	5373.2	53.46 AV	54	-0.54	-48.7	-51.08	4.92	-41.80

Remarks:





1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1



802.11be (EHT160) - Channel 114
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3726.56	56.44 PK	74	-17.56	-47.08	-46.45	4.92	-38.82
2	3729.68	46.53 AV	54	-7.47	-56.77	-56.55	4.92	-48.73
3	7421.87	54.82 PK	74	-19.18	-47.68	-49.18	4.92	-40.44
4	7415.62	43.88 AV	54	-10.12	-59.16	-59.47	4.92	-51.38
5	11155	54.76 PK	74	-19.24	-48.54	-48.32	4.92	-40.50
6	11156.25	44.47 AV	54	-9.53	-58.75	-58.7	4.92	-50.79
7	#16728.62	54.66 PK	68.2	-13.54	-47.41	-50.03	4.92	-40.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5469.15	67.2 PK	68.2	-1	-35.38	-36.69	4.92	-28.06

Remarks:





1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3561.25	53.42 PK	74	-20.58	-49.28	-50.32	4.92	-41.84
2	3562.5	42.78 AV	54	-11.22	-60.4	-60.43	4.92	-52.48
3	#7076.56	55.07 PK	68.2	-13.13	-47.99	-48.25	4.92	-40.19
4	10656.25	55.78 PK	74	-18.22	-46.28	-48.95	4.92	-39.48
5	10655.93	44.77 AV	54	-9.23	-58.24	-58.61	4.92	-50.49
6	15976.75	55.15 PK	74	-18.85	-47.19	-49.11	4.92	-40.11
7	15979.68	44.87 AV	54	-9.13	-57.98	-58.69	4.92	-50.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU
VERITAS


Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5443.1	65.11 PK	74	-8.89	-37.87	-38.31	4.92	-30.15
2	5446.7	44.93 AV	54	-9.07	-59.05	-57.59	4.92	-50.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 100

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3681	56.55 PK	74	-17.45	-45.98	-47.42	4.92	-38.71
2	3681.25	45.98 AV	54	-8.02	-57.44	-57	4.92	-49.28
3	7320.31	55.53 PK	74	-18.47	-47.5	-47.83	4.92	-39.73
4	7315.62	44.5 AV	54	-9.5	-58.64	-58.74	4.92	-50.76
5	11007.81	55.4 PK	74	-18.6	-48.75	-47.01	4.92	-39.86
6	11015.62	44.83 AV	54	-9.17	-58.09	-58.65	4.92	-50.43
7	#16513	53.98 PK	68.2	-14.22	-49.01	-49.42	4.92	-41.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5452.75	65.13 PK	74	-8.87	-39.37	-37.06	4.92	-30.13
2	5459.12	45.25 AV	54	-8.75	-58.17	-57.73	4.92	-50.01
3	#5467.75	65.21 PK	68.2	-2.99	-38.08	-37.89	4.92	-30.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 140
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3793.75	57.49 PK	74	-16.51	-45.5	-45.9	4.92	-37.77
2	3804.68	46.88 AV	54	-7.12	-56.08	-56.55	4.92	-48.38
3	7604.68	55.03 PK	74	-18.97	-48.57	-47.78	4.92	-40.23
4	7612.5	44.51 AV	54	-9.49	-58.95	-58.43	4.92	-50.75
5	11418.75	55.54 PK	74	-18.46	-48.25	-47.13	4.92	-39.72
6	11407.81	44.79 AV	54	-9.21	-58.33	-58.48	4.92	-50.47
7	#17098.06	55.24 PK	68.2	-12.96	-51.26	-46.1	4.92	-40.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5779.97	65.83 PK	68.2	-2.37	-41.1	-35.38	4.92	-29.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 64
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3543.75	53.22 PK	74	-20.78	-50.32	-49.64	4.92	-42.04
2	3554.68	43.12 AV	54	-10.88	-60.19	-59.95	4.92	-52.14
3	#7084.37	56.1 PK	68.2	-12.1	-47.52	-46.7	4.92	-39.16
4	10634.37	54.85 PK	74	-19.15	-47.49	-49.4	4.92	-40.41
5	10629.68	44.92 AV	54	-9.08	-58.54	-58.01	4.92	-50.34
6	15978.25	54.69 PK	74	-19.31	-48.38	-48.62	4.92	-40.57
7	15976.81	44.86 AV	54	-9.14	-58.66	-58.02	4.92	-50.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5445.32	65.5 PK	74	-8.5	-37.34	-38.08	4.92	-29.76
2	5455.22	46.17 AV	54	-7.83	-57.4	-56.67	4.92	-49.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3679.68	56.66 PK	74	-17.34	-48.41	-45.22	4.92	-38.60
2	3685.93	46.06 AV	54	-7.94	-57.4	-56.87	4.92	-49.20
3	7323.43	55.62 PK	74	-18.38	-49.62	-46.18	4.92	-39.64
4	7321.87	44.33 AV	54	-9.67	-58.82	-58.9	4.92	-50.93
5	11001.56	55.93 PK	74	-18.07	-48.89	-46.08	4.92	-39.33
6	10993.75	44.87 AV	54	-9.13	-58.49	-58.15	4.92	-50.39
7	#16497.18	54.79 PK	68.2	-13.41	-50.18	-47.14	4.92	-40.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5453.18	64.86 PK	74	-9.14	-38.28	-38.38	4.92	-30.40
2	5459.81	45.81 AV	54	-8.19	-56.69	-58.19	4.92	-49.45
3	#5460.81	65.43 PK	68.2	-2.77	-36.99	-38.7	4.92	-29.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 140

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3807.81	57.89 PK	74	-16.11	-46.24	-44.52	4.92	-37.37
2	3807.81	46.81 AV	54	-7.19	-56.19	-56.58	4.92	-48.45
3	7595.31	55.66 PK	74	-18.34	-47.35	-47.71	4.92	-39.60
4	7604.68	44.48 AV	54	-9.52	-58.71	-58.72	4.92	-50.78
5	11412	55.45 PK	74	-18.55	-49.13	-46.69	4.92	-39.81
6	11412.5	44.79 AV	54	-9.21	-58.36	-58.44	4.92	-50.47
7	#17112.43	54.99 PK	68.2	-13.21	-49.49	-47.21	4.92	-40.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5726.35	66.16 PK	68.2	-2.04	-36.56	-37.56	4.92	-29.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3554.68	53.14 PK	74	-20.86	-50.66	-49.52	4.92	-42.12
2	3548.43	42.91 AV	54	-11.09	-60.55	-60.02	4.92	-52.35
3	#7100	55.78 PK	68.2	-12.42	-47.2	-47.64	4.92	-39.48
4	10655.93	54.99 PK	74	-19.01	-48.56	-47.86	4.92	-40.27
5	10659.37	44.74 AV	54	-9.26	-58.57	-58.34	4.92	-50.52
6	15972.37	55.35 PK	74	-18.65	-47.34	-48.41	4.92	-39.91
7	15973.93	44.94 AV	54	-9.06	-58.52	-58	4.92	-50.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.92	70.28 PK	74	-3.72	-39.08	-30.46	4.92	-24.98
2	5350.37	49.44 AV	54	-4.56	-54.62	-53.03	4.92	-45.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 100

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3684.06	55.85 PK	74	-18.15	-47.67	-47.04	4.92	-39.41
2	3685.93	45.96 AV	54	-8.04	-57.15	-57.32	4.92	-49.30
3	7348.43	55.24 PK	74	-18.76	-49.06	-47.06	4.92	-40.02
4	7347.18	44.41 AV	54	-9.59	-58.91	-58.65	4.92	-50.85
5	11001.56	55.39 PK	74	-18.61	-48.63	-47.11	4.92	-39.87
6	11001.81	44.79 AV	54	-9.21	-58.49	-58.31	4.92	-50.47
7	#16481.37	54.78 PK	68.2	-13.42	-48.02	-48.83	4.92	-40.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5455.4	64.97 PK	74	-9.03	-38.36	-38.09	4.92	-30.29
2	5458.87	47.7 AV	54	-6.3	-55.45	-55.54	4.92	-47.56
3	#5468.15	66.76 PK	68.2	-1.44	-34.41	-40.33	4.92	-28.50


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 140

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3806.25	58.99 PK	74	-15.01	-44.44	-43.97	4.92	-36.27
2	3810.93	46.67 AV	54	-7.33	-56.54	-56.51	4.92	-48.59
3	7614.68	55.48 PK	74	-18.52	-47.16	-48.34	4.92	-39.78
4	7617.18	44.58 AV	54	-9.42	-58.39	-58.84	4.92	-50.68
5	11406.25	55.71 PK	74	-18.29	-46.84	-48.23	4.92	-39.55
6	11406.25	44.61 AV	54	-9.39	-58.48	-58.68	4.92	-50.65
7	#17112.43	54.8 PK	68.2	-13.4	-49.81	-47.32	4.92	-40.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5726.35	67.91 PK	68.2	-0.29	-36.42	-34.38	4.92	-27.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 64

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3553.75	53.29 PK	74	-20.71	-52.1	-48.45	4.92	-41.97
2	3557.81	42.72 AV	54	-11.28	-60.63	-60.31	4.92	-52.54
3	#7103.12	54.88 PK	68.2	-13.32	-48.63	-48.02	4.92	-40.38
4	10621.87	55.63 PK	74	-18.37	-47.02	-48.17	4.92	-39.63
5	10628.12	44.64 AV	54	-9.36	-58.6	-58.5	4.92	-50.62
6	15960.93	54.67 PK	74	-19.33	-49.42	-47.78	4.92	-40.59
7	15968.18	44.86 AV	54	-9.14	-58.46	-58.21	4.92	-50.40


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5353	65.4 PK	74	-8.6	-36.63	-39.39	4.92	-29.86
2	5350.05	47.15 AV	54	-6.85	-56.09	-56	4.92	-48.11


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 100

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3682.81	56.28 PK	74	-17.72	-46.91	-46.91	4.92	-38.98
2	3679.68	46.13 AV	54	-7.87	-57.42	-56.72	4.92	-49.13
3	7331.25	55.39 PK	74	-18.61	-48.18	-47.46	4.92	-39.87
4	7331.87	44.24 AV	54	-9.76	-58.93	-58.98	4.92	-51.02
5	11015.62	55.8 PK	74	-18.2	-46.12	-49.18	4.92	-39.46
6	11006.25	44.79 AV	54	-9.21	-58.62	-58.2	4.92	-50.47
7	#16518.75	54.39 PK	68.2	-13.81	-48.12	-49.61	4.92	-40.87

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5356.34	64.97 PK	74	-9.03	-39.52	-37.22	4.92	-30.29
2	5459.56	47.06 AV	54	-6.94	-56.36	-55.92	4.92	-48.20
3	#5468.87	65.21 PK	68.2	-2.99	-36.69	-39.83	4.92	-30.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 140
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.87	57.87 PK	74	-16.13	-44.89	-45.8	4.92	-37.39
2	3812.5	46.72 AV	54	-7.28	-56.41	-56.53	4.92	-48.54
3	7604.68	55.37 PK	74	-18.63	-49.03	-46.87	4.92	-39.89
4	7600	44.34 AV	54	-9.66	-58.84	-58.87	4.92	-50.92
5	11415.62	55.34 PK	74	-18.66	-48.21	-47.52	4.92	-39.92
6	11415.62	44.61 AV	54	-9.39	-58.78	-58.39	4.92	-50.65
7	#17102.37	55.34 PK	68.2	-12.86	-50.45	-46.23	4.92	-39.92

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5797.37	65.63 PK	68.2	-2.57	-38.69	-36.67	4.92	-29.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 64
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3565.62	52.97 PK	74	-21.03	-49.79	-50.69	4.92	-42.29
2	3557.81	42.94 AV	54	-11.06	-60.68	-59.86	4.92	-52.32
3	#7112.5	55.34 PK	68.2	-12.86	-48.17	-47.55	4.92	-39.92
4	10649.06	55.17 PK	74	-18.83	-48.72	-47.42	4.92	-40.09
5	10653.12	44.77 AV	54	-9.23	-58.47	-58.38	4.92	-50.49
6	15968.12	54.36 PK	74	-19.64	-49.68	-48.12	4.92	-40.90
7	15971.06	44.88 AV	54	-9.12	-58.1	-58.54	4.92	-50.38

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.07	72.19 PK	74	-1.81	-39.47	-28.31	4.92	-23.07
2	5350.4	48.76 AV	54	-5.24	-55.24	-53.75	4.92	-46.50


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 100
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3671.56	56.2 PK	74	-17.8	-47.67	-46.4	4.92	-39.06
2	3673.43	46.05 AV	54	-7.95	-57.24	-57.05	4.92	-49.21
3	7314.06	55.07 PK	74	-18.93	-49.95	-46.84	4.92	-40.19
4	7314.06	44.49 AV	54	-9.51	-58.62	-58.79	4.92	-50.77
5	10992.18	56.06 PK	74	-17.94	-46.24	-48.26	4.92	-39.20
6	10993.75	44.78 AV	54	-9.22	-58.38	-58.44	4.92	-50.48
7	#16508.68	53.84 PK	68.2	-14.36	-49.1	-49.62	4.92	-41.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5457.53	65.16 PK	74	-8.84	-37.14	-39.15	4.92	-30.10
2	5457.78	47.84 AV	54	-6.16	-55.8	-54.95	4.92	-47.42
3	#5467.09	68.12 PK	68.2	-0.08	-33.14	-38.65	4.92	-27.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 140

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3798.06	57.39 PK	74	-16.61	-44.9	-46.94	4.92	-37.87
2	3798.43	46.86 AV	54	-7.14	-56.2	-56.46	4.92	-48.40
3	7603.12	55.61 PK	74	-18.39	-48.74	-46.67	4.92	-39.65
4	7604.68	44.48 AV	54	-9.52	-58.69	-58.74	4.92	-50.78
5	11402.18	55.7 PK	74	-18.3	-47	-48.04	4.92	-39.56
6	11406.25	44.92 AV	54	-9.08	-58.22	-58.33	4.92	-50.34
7	#17109.56	54.67 PK	68.2	-13.53	-49.37	-47.81	4.92	-40.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5781.32	65.71 PK	68.2	-2.49	-38.98	-36.37	4.92	-29.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 58
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3539.06	53.33 PK	74	-20.67	-49.56	-50.19	4.92	-41.93
2	3539.06	42.78 AV	54	-11.22	-60.47	-60.36	4.92	-52.48
3	#7040.62	54.61 PK	68.2	-13.59	-48.02	-49.23	4.92	-40.65
4	#10567.18	55.25 PK	68.2	-12.95	-47.09	-49.01	4.92	-40.01
5	15851.75	55.03 PK	74	-18.97	-47.84	-48.51	4.92	-40.23
6	15853.18	44.86 AV	54	-9.14	-58.26	-58.4	4.92	-50.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5362.55	66.66 PK	74	-7.34	-37.21	-35.94	4.92	-28.60
2	5360.77	52.42 AV	54	-1.58	-50.55	-51.01	4.92	-42.84


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 106

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3700	56.97 PK	74	-17.03	-45.4	-47.24	4.92	-38.29
2	3695.93	46.16 AV	54	-7.84	-56.84	-57.23	4.92	-49.10
3	7371.87	54.83 PK	74	-19.17	-48.45	-48.28	4.92	-40.43
4	7364.06	44.06 AV	54	-9.94	-59.07	-59.2	4.92	-51.20
5	11060.62	55.15 PK	74	-18.85	-48.31	-47.78	4.92	-40.11
6	11060.93	44.64 AV	54	-9.36	-58.57	-58.53	4.92	-50.62
7	#16577.68	54.54 PK	68.2	-13.66	-48.23	-49.12	4.92	-40.72

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5454.68	67.34 PK	74	-6.66	-34.66	-37.49	4.92	-27.92
2	5459.75	53.32 AV	54	-0.68	-49.89	-49.86	4.92	-41.94
3	#5466.81	67.91 PK	68.2	-0.29	-37.49	-33.82	4.92	-27.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 138

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3746.87	57.3 PK	74	-16.7	-46.09	-45.7	4.92	-37.96
2	3746.87	46.74 AV	54	-7.26	-56.55	-56.35	4.92	-48.52
3	7482.81	54.78 PK	74	-19.22	-47.55	-49.48	4.92	-40.48
4	7481.25	43.87 AV	54	-10.13	-59.41	-59.24	4.92	-51.39
5	11209.37	55.26 PK	74	-18.74	-47.23	-48.77	4.92	-40.00
6	11207.81	44.36 AV	54	-9.64	-58.98	-58.68	4.92	-50.90
7	#16833.56	54.36 PK	68.2	-13.84	-48.33	-49.39	4.92	-40.90

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5863.45	67.29 PK	68.2	-0.91	-37.28	-34.85	4.92	-27.97


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 50

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3496.87	52.99 PK	68.2	-15.21	-51.69	-49.09	4.92	-42.27
2	#6989.06	54.54 PK	68.2	-13.66	-49.26	-48.12	4.92	-40.72
3	#10492.18	55.66 PK	68.2	-12.54	-48.94	-46.47	4.92	-39.60
4	15751	54.87 PK	74	-19.13	-48.12	-48.54	4.92	-40.39
5	15756.87	44.96 AV	54	-9.04	-58.52	-57.96	4.92	-50.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0





Chain 1

