


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5888.92	57.84 PK	88.2	-30.36	-48.42	-48	7.77	-37.42
2	#5918.25	46.53 AV	68.2	-21.67	-59.31	-59.73	7.77	-48.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12343.75	47.45 PK	74	-26.55	-60.36	-57.34	7.77	-47.81
2	12353.12	36.42 AV	54	-17.58	-69.72	-69.53	7.77	-58.84
3	18526.93	49 PK	74	-25	-56.27	-57.98	7.77	-46.26
4	18532.68	38.33 AV	54	-15.67	-67.55	-67.87	7.77	-56.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12831.25	46.7 PK	88.2	-41.5	-60.13	-58.67	7.77	-48.56
2	#12821.87	35.58 AV	68.2	-32.62	-70.44	-70.48	7.77	-59.68
3	19242.81	50.24 PK	74	-23.76	-56.59	-55.13	7.77	-45.02
4	19239.93	38.81 AV	54	-15.19	-67.22	-67.25	7.77	-56.45







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12876.56	46.04 PK	88.2	-42.16	-59.34	-60.79	7.77	-49.22
2	#12864.06	35.51 AV	68.2	-32.69	-70.51	-70.55	7.77	-59.75
3	19311.81	49.31 PK	74	-24.69	-57.24	-56.28	7.77	-45.95
4	19310.37	38.94 AV	54	-15.06	-67.1	-67.1	7.77	-56.32







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 105


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12956.25	46.26 PK	88.2	-41.94	-58.96	-60.79	7.77	-49.00
2	#12943.75	35.13 AV	68.2	-33.07	-70.95	-70.87	7.77	-60.13
3	19429.68	49.06 PK	74	-24.94	-57.11	-56.86	7.77	-46.20
4	19428.25	38.88 AV	54	-15.12	-67.06	-67.26	7.77	-56.38







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 113


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13032.81	46.55 PK	88.2	-41.65	-60.7	-58.54	7.77	-48.71
2	#13028.12	35.25 AV	68.2	-32.95	-70.98	-70.61	7.77	-60.01
3	19553.31	48.78 PK	74	-25.22	-57.72	-56.85	7.77	-46.48
4	19540.37	38.6 AV	54	-15.4	-67.41	-67.47	7.77	-56.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13068.75	46.38 PK	88.2	-41.82	-59.23	-60.14	7.77	-48.88
2	#13073.43	35.55 AV	68.2	-32.65	-70.45	-70.54	7.77	-59.71
3	19610.81	49.01 PK	74	-24.99	-58.62	-55.87	7.77	-46.25
4	19606.5	38.44 AV	54	-15.56	-67.39	-67.83	7.77	-56.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 153


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13425	47.23 PK	88.2	-40.97	-60.41	-57.65	7.77	-48.03
2	#13428.12	35.94 AV	68.2	-32.26	-69.78	-70.44	7.77	-59.32
3	20151.31	49.06 PK	74	-24.94	-57.28	-56.7	7.77	-46.20
4	20136.93	38.79 AV	54	-15.21	-66.97	-67.55	7.77	-56.47







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13719.93	47.22 PK	88.2	-40.98	-59.79	-58.03	7.77	-48.04
2	#13707	37.2 AV	68.2	-31	-68.72	-68.96	7.77	-58.06
3	20556.68	49.12 PK	74	-24.88	-58.16	-55.95	7.77	-46.14
4	20568.18	38.74 AV	54	-15.26	-67.29	-67.31	7.77	-56.52


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 185


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13741.5	47.47 PK	88.2	-40.73	-58.96	-58.21	7.77	-47.79
2	#13741.5	37.21 AV	68.2	-30.99	-68.67	-68.99	7.77	-58.05
3	20634.31	48.72 PK	74	-25.28	-57.28	-57.37	7.77	-46.54
4	20627.12	38.61 AV	54	-15.39	-67.37	-67.49	7.77	-56.65







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 213


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14024.68	48.32 PK	88.2	-39.88	-58.81	-56.85	7.77	-46.94
2	#14023.25	37.47 AV	68.2	-30.73	-68.58	-68.57	7.77	-57.79
3	21036.81	48.71 PK	74	-25.29	-57.77	-56.94	7.77	-46.55
4	21045.43	39.16 AV	54	-14.84	-66.6	-67.18	7.77	-56.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14231.68	47.73 PK	88.2	-40.47	-56.7	-60.9	7.77	-47.53
2	#14231.68	37.76 AV	68.2	-30.44	-67.93	-68.67	7.77	-57.50
3	21350.18	50 PK	74	-24	-56.55	-55.58	7.77	-45.26
4	21351.62	38.96 AV	54	-15.04	-66.93	-67.24	7.77	-56.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.02	67.63 PK	88.2	-20.57	-37.11	-38.47	7.10	-27.63
2	#7125	52.12 AV	68.2	-16.08	-53.7	-52.85	7.10	-43.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11907.81	44.22 PK	74	-29.78	-57.83	-60.08	4.76	-51.04
2	11910.93	33.27 AV	54	-20.73	-69.58	-69.95	4.76	-61.99
3	17874.31	45.56 PK	74	-28.44	-57.34	-57.61	4.76	-49.70
4	17861.37	34.02 AV	54	-19.98	-69	-69.03	4.76	-61.24







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5839.57	54.84 PK	88.2	-33.36	-48.84	-47.63	4.76	-40.42
2	#5903.02	43.55 AV	68.2	-24.65	-59.37	-59.59	4.76	-51.71


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14215.87	44.62 PK	88.2	-43.58	-58.24	-58.58	4.76	-50.64
2	#14228.81	34.68 AV	68.2	-33.52	-68.34	-68.37	4.76	-60.58
3	21332.93	46.42 PK	74	-27.58	-56.34	-56.9	4.76	-48.84
4	21361.68	35.99 AV	54	-18.01	-66.91	-67.17	4.76	-59.27







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	54.74 PK	88.2	-33.46	-48.57	-46.84	4.09	-40.52
2	#7125	50.02 AV	68.2	-18.18	-52.62	-52.07	4.09	-45.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11ax (HE40) - Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11935.93	44.51 PK	74	-29.49	-56.97	-60.96	4.76	-50.75
2	11929.68	33.3 AV	54	-20.7	-69.69	-69.77	4.76	-61.96
3	17898.75	44.21 PK	74	-29.79	-60.61	-57.56	4.76	-51.05
4	17898.75	34.1 AV	54	-19.9	-68.96	-68.91	4.76	-61.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5870.42	54.39 PK	88.2	-33.81	-49.81	-47.72	4.76	-40.87
2	#5923.05	43.69 AV	68.2	-24.51	-59.61	-59.09	4.76	-51.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 227


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14161.25	44.64 PK	88.2	-43.56	-59.12	-57.77	4.76	-50.62
2	#14177.06	34.44 AV	68.2	-33.76	-68.47	-68.71	4.76	-60.82
3	21248.12	46.19 PK	74	-27.81	-58.34	-55.73	4.76	-49.07
4	21253.87	36.03 AV	54	-17.97	-66.81	-67.19	4.76	-59.23







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7149.25	53.78 PK	88.2	-34.42	-47.58	-49.87	4.09	-41.48
2	#7125.97	42.86 AV	68.2	-25.34	-59.45	-59.55	4.09	-52.40


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 7


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11979.68	43.74 PK	74	-30.26	-58.58	-60.13	4.76	-51.52
2	11967.18	32.94 AV	54	-21.06	-69.92	-70.27	4.76	-62.32
3	17947.62	44.59 PK	74	-29.41	-57.07	-60.45	4.76	-50.67
4	17962	34.13 AV	54	-19.87	-68.75	-69.06	4.76	-61.13







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5919.25	56.6 PK	88.2	-31.6	-50.89	-44.28	4.76	-38.66
2	#5924.75	45.6 AV	68.2	-22.6	-58.86	-56.36	4.76	-49.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 215


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14056.31	45.15 PK	88.2	-43.05	-56.88	-59.18	4.76	-50.11
2	#14054.87	34.36 AV	68.2	-33.84	-68.67	-68.68	4.76	-60.90
3	21078.5	46.23 PK	74	-27.77	-57.48	-56.21	4.76	-49.03
4	21072.75	36.08 AV	54	-17.92	-66.76	-67.14	4.76	-59.18


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7168	54.47 PK	88.2	-33.73	-50.12	-46.42	4.09	-40.79
2	#7194.82	43.29 AV	68.2	-24.91	-59.09	-59.06	4.09	-51.97


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 15


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12042.18	44.02 PK	74	-29.98	-60.08	-58.15	4.76	-51.24
2	12051.56	32.96 AV	54	-21.04	-70.12	-70.03	4.76	-62.30
3	18077	45.56 PK	74	-28.44	-57.03	-57.96	4.76	-49.70
4	18075.56	34.43 AV	54	-19.57	-68.64	-68.57	4.76	-60.83







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5908.87	62.74 PK	88.2	-25.46	-47.51	-37.71	4.76	-32.52
2	#5920.6	48.71 AV	68.2	-19.49	-55.1	-53.66	4.76	-46.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




802.11ax (HE160) - Channel 47
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12368.75	44.68 PK	74	-29.32	-58.47	-58.23	4.76	-50.58
2	12360.93	33.51 AV	54	-20.49	-69.4	-69.64	4.76	-61.75
3	18549.93	46.03 PK	74	-27.97	-56.61	-57.44	4.76	-49.23
4	18552.81	35.51 AV	54	-18.49	-67.27	-67.79	4.76	-59.75







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE160) - Channel 79


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12700	43.75 PK	74	-30.25	-59.83	-58.79	4.76	-51.51
2	12684.37	33.09 AV	54	-20.91	-70.1	-69.79	4.76	-62.17
3	19032.93	45.9 PK	74	-28.1	-56.81	-57.47	4.76	-49.36
4	19025.75	35.9 AV	54	-18.1	-67.27	-66.99	4.76	-59.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 111


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13010.93	42.76 PK	88.2	-45.44	-59.5	-61.21	4.76	-52.50
2	#13017.18	32.07 AV	68.2	-36.13	-70.96	-70.96	4.76	-63.19
3	19513.06	46.08 PK	74	-27.92	-57.05	-56.85	4.76	-49.18
4	19517.37	35.76 AV	54	-18.24	-67.21	-67.33	4.76	-59.50







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 143


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13325	44.31 PK	74	-29.69	-59.17	-58.32	4.76	-50.95
2	13320.31	32.73 AV	54	-21.27	-70.27	-70.33	4.76	-62.53
3	20000.37	46.13 PK	74	-27.87	-55.92	-58.18	4.76	-49.13
4	19993.18	35.8 AV	54	-18.2	-67.22	-67.25	4.76	-59.46







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE160) - Channel 175


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13658.12	45.07 PK	88.2	-43.13	-58.35	-57.61	4.76	-50.19
2	#13645.18	34.48 AV	68.2	-33.72	-68.52	-68.59	4.76	-60.78
3	20481.93	46.28 PK	74	-27.72	-59.23	-55.18	4.76	-48.98
4	20480.5	35.58 AV	54	-18.42	-67.55	-67.35	4.76	-59.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 207


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13974.37	44.67 PK	88.2	-43.53	-57.34	-59.69	4.76	-50.59
2	#13968.62	34.3 AV	68.2	-33.9	-68.78	-68.69	4.76	-60.96
3	20950.56	46.71 PK	74	-27.29	-55.49	-57.34	4.76	-48.55
4	20964.93	35.85 AV	54	-18.15	-67.21	-67.16	4.76	-59.41


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7129.12	57.76 PK	88.2	-30.44	-48.23	-42.65	4.09	-37.50
2	#7127.72	45.07 AV	68.2	-23.13	-57.42	-57.16	4.09	-50.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11901.56	44.27 PK	74	-29.73	-59.21	-58.36	4.76	-50.99
2	11909.37	33.27 AV	54	-20.73	-69.79	-69.73	4.76	-61.99
3	17857.06	43.66 PK	74	-30.34	-59.75	-59.02	4.76	-51.60
4	17857.06	34.06 AV	54	-19.94	-69.05	-68.9	4.76	-61.20







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5873.75	55.23 PK	88.2	-32.97	-50	-46.34	4.76	-40.03
2	#5861.95	43.35 AV	68.2	-24.85	-59.64	-59.72	4.76	-51.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12350	44.57 PK	74	-29.43	-59.64	-57.53	4.76	-50.69
2	12357.81	33.54 AV	54	-20.46	-69.69	-69.3	4.76	-61.72
3	18522.62	46.13 PK	74	-27.87	-55.72	-58.54	4.76	-49.13
4	18525.5	35.39 AV	54	-18.61	-67.58	-67.71	4.76	-59.87







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) – Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12835.93	43.73 PK	88.2	-44.47	-60.76	-58.21	4.76	-51.53
2	#12832.81	32.68 AV	68.2	-35.52	-70.35	-70.36	4.76	-62.58
3	19250	46.68 PK	74	-27.32	-55.76	-57.04	4.76	-48.58
4	19245.68	35.94 AV	54	-18.06	-66.97	-67.21	4.76	-59.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12873.43	43.31 PK	88.2	-44.89	-59.18	-60.34	4.76	-51.95
2	#12871.87	32.47 AV	68.2	-35.73	-70.64	-70.48	4.76	-62.79
3	19314.68	46.35 PK	74	-27.65	-55.26	-58.8	4.76	-48.91
4	19297.43	35.96 AV	54	-18.04	-66.97	-67.18	4.76	-59.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 105


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12945.31	43.05 PK	88.2	-45.15	-59.97	-59.99	4.76	-52.21
2	#12950	32.19 AV	68.2	-36.01	-70.81	-70.87	4.76	-63.07
3	19434	46.35 PK	74	-27.65	-56.62	-56.75	4.76	-48.91
4	19425.37	35.92 AV	54	-18.08	-66.95	-67.28	4.76	-59.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 113


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13020.31	42.83 PK	88.2	-45.37	-59.67	-60.8	4.76	-52.43
2	#13039.06	32.17 AV	68.2	-36.03	-71.02	-70.71	4.76	-63.09
3	19541.81	46.56 PK	74	-27.44	-57.25	-55.81	4.76	-48.70
4	19540.37	35.64 AV	54	-18.36	-67.41	-67.38	4.76	-59.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13065.62	43.26 PK	88.2	-44.94	-59.02	-60.67	4.76	-52.00
2	#13067.18	32.38 AV	68.2	-35.82	-70.62	-70.68	4.76	-62.88
3	19605.06	45.65 PK	74	-28.35	-58.07	-56.79	4.76	-49.61
4	19597.87	35.52 AV	54	-18.48	-67.56	-67.46	4.76	-59.74







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 153


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13431.25	44.64 PK	88.2	-43.56	-58.28	-58.5	4.76	-50.62
2	#13429.68	32.71 AV	68.2	-35.49	-70.34	-70.3	4.76	-62.55
3	20149.87	46.41 PK	74	-27.59	-57.06	-56.22	4.76	-48.85
4	20151.31	35.85 AV	54	-18.15	-67.09	-67.28	4.76	-59.41







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13705.56	44.37 PK	88.2	-43.83	-58.03	-59.4	4.76	-50.89
2	#13705.56	34.23 AV	68.2	-33.97	-68.75	-68.86	4.76	-61.03
3	20559.56	45.91 PK	74	-28.09	-57.31	-56.94	4.76	-49.35
4	20566.75	35.75 AV	54	-18.25	-67.19	-67.38	4.76	-59.51


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 185


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13757.31	45.35 PK	88.2	-42.85	-59.51	-56.4	4.76	-49.91
2	#13754.43	34.29 AV	68.2	-33.91	-68.81	-68.68	4.76	-60.97
3	20625.68	46.18 PK	74	-27.82	-56.79	-56.92	4.76	-49.08
4	20615.62	35.56 AV	54	-18.44	-67.43	-67.51	4.76	-59.70







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 213


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14029	46.57 PK	88.2	-41.63	-56.87	-56.08	4.76	-48.69
2	#14033.31	34.47 AV	68.2	-33.73	-68.86	-68.28	4.76	-60.79
3	21051.18	46.31 PK	74	-27.69	-56.39	-57.08	4.76	-48.95
4	21045.43	36.13 AV	54	-17.87	-66.8	-67	4.76	-59.13







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14236	44.31 PK	88.2	-43.89	-59.03	-58.44	4.76	-50.95
2	#14231.68	34.58 AV	68.2	-33.62	-68.59	-68.32	4.76	-60.68
3	21343	46.57 PK	74	-27.43	-55.97	-57.01	4.76	-48.69
4	21344.43	36.05 AV	54	-17.95	-66.88	-67.08	4.76	-59.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7196.17	60.57 PK	88.2	-27.63	-44.89	-47.02	8.13	-34.69
2	#7210.12	47.1 AV	68.2	-21.1	-59.35	-59.26	8.13	-48.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11932.81	43.87 PK	74	-30.13	-57.94	-60.87	4.76	-51.39
2	11934.37	33.19 AV	54	-20.81	-69.8	-69.88	4.76	-62.07
3	17903.06	44.08 PK	74	-29.92	-58.98	-58.93	4.76	-51.18
4	17891.56	34.06 AV	54	-19.94	-68.76	-69.2	4.76	-61.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5828.97	54.72 PK	88.2	-33.48	-48.23	-48.4	4.76	-40.54
2	#5923.82	43.59 AV	68.2	-24.61	-59.57	-59.32	4.76	-51.67


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 43


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12323.43	44.07 PK	74	-29.93	-59.62	-58.38	4.76	-51.19
2	12337.5	33.38 AV	54	-20.62	-69.67	-69.63	4.76	-61.88
3	18489.56	46.07 PK	74	-27.93	-57.2	-56.74	4.76	-49.19
4	18501.06	35.32 AV	54	-18.68	-67.53	-67.89	4.76	-59.94







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 91


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12818.75	43.31 PK	88.2	-44.89	-60.45	-59.1	4.76	-51.95
2	#12812.5	32.72 AV	68.2	-35.48	-70.43	-70.19	4.76	-62.54
3	19206.87	45.91 PK	74	-28.09	-57.14	-57.1	4.76	-49.35
4	19216.93	35.81 AV	54	-18.19	-67.05	-67.39	4.76	-59.45







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 99


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12895.31	44.4 PK	88.2	-43.8	-58.83	-58.44	4.76	-50.86
2	#12896.87	32.45 AV	68.2	-35.75	-70.57	-70.59	4.76	-62.81
3	19326.18	47.25 PK	74	-26.75	-56.87	-54.91	4.76	-48.01
4	19331.93	35.83 AV	54	-18.17	-67.22	-67.18	4.76	-59.43







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 107


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12973.43	43.11 PK	88.2	-45.09	-58.75	-61.54	4.76	-52.15
2	#12978.12	32.03 AV	68.2	-36.17	-70.88	-71.12	4.76	-63.23
3	19461.31	46.44 PK	74	-27.56	-57.31	-55.98	4.76	-48.82
4	19452.68	35.71 AV	54	-18.29	-67.16	-67.48	4.76	-59.55







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 115


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13043.75	42.72 PK	88.2	-45.48	-60.99	-59.73	4.76	-52.54
2	#13050	32.25 AV	68.2	-35.95	-70.92	-70.64	4.76	-63.01
3	19570.56	46.35 PK	74	-27.65	-57.88	-55.74	4.76	-48.91
4	19574.87	35.47 AV	54	-18.53	-67.43	-67.7	4.76	-59.79







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 123


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13132.81	43.47 PK	88.2	-44.73	-59.57	-59.56	4.76	-51.79
2	#13129.68	32.69 AV	68.2	-35.51	-70.36	-70.33	4.76	-62.57
3	19698.5	46.69 PK	74	-27.31	-55.52	-57.34	4.76	-48.57
4	19704.25	35.5 AV	54	-18.5	-67.5	-67.56	4.76	-59.76







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 155


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13442.18	43.98 PK	88.2	-44.22	-59.75	-58.44	4.76	-51.28
2	#13451.56	32.81 AV	68.2	-35.39	-70.15	-70.29	4.76	-62.45
3	20182.93	46.33 PK	74	-27.67	-58.13	-55.62	4.76	-48.93
4	20168.56	35.65 AV	54	-18.35	-67.37	-67.4	4.76	-59.61







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 179


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13685.43	44.48 PK	88.2	-43.72	-58.35	-58.76	4.76	-50.78
2	#13682.56	34.29 AV	68.2	-33.91	-68.81	-68.67	4.76	-60.97
3	20530.81	46.65 PK	74	-27.35	-55.02	-58.38	4.76	-48.61
4	20529.37	35.65 AV	54	-18.35	-67.33	-67.43	4.76	-59.61







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 187


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13767.37	45.92 PK	88.2	-42.28	-55.57	-59.52	4.76	-49.34
2	#13777.43	34.13 AV	68.2	-34.07	-69.06	-68.75	4.76	-61.13
3	20648.68	45.8 PK	74	-28.2	-57.48	-56.99	4.76	-49.46
4	20661.62	35.54 AV	54	-18.46	-67.4	-67.59	4.76	-59.72


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 211


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14011.75	44.1 PK	88.2	-44.1	-60	-58.08	4.76	-51.16
2	#14003.12	34.27 AV	68.2	-33.93	-68.57	-68.96	4.76	-60.99
3	21022.43	46.74 PK	74	-27.26	-57.37	-55.43	4.76	-48.52
4	21012.37	36.03 AV	54	-17.97	-67.1	-66.9	4.76	-59.23







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 227


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14162.68	45.46 PK	88.2	-42.74	-57.05	-58.17	4.76	-49.80
2	#14161.25	34.52 AV	68.2	-33.68	-68.61	-68.41	4.76	-60.74
3	21259.62	46.11 PK	74	-27.89	-56.76	-57.08	4.76	-49.15
4	21258.18	35.9 AV	54	-18.1	-67.07	-67.2	4.76	-59.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7126.67	53.88 PK	88.2	-34.32	-49.51	-47.65	4.09	-41.38
2	#7125.35	43.55 AV	68.2	-24.65	-58.72	-58.9	4.09	-51.71


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 7


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11975	44.66 PK	74	-29.34	-59.89	-57.24	4.76	-50.60
2	11962.5	32.93 AV	54	-21.07	-70.15	-70.06	4.76	-62.33
3	17962	44.33 PK	74	-29.67	-59.95	-57.73	4.76	-50.93
4	17947.62	34.28 AV	54	-19.72	-68.8	-68.7	4.76	-60.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5923.37	56.52 PK	88.2	-31.68	-50.64	-44.43	4.76	-38.74
2	#5923.82	44.51 AV	68.2	-23.69	-58.9	-58.18	4.76	-50.75


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 39


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12296.87	43.54 PK	74	-30.46	-60.02	-59.01	4.76	-51.72
2	12281.25	33.23 AV	54	-20.77	-69.62	-69.99	4.76	-62.03
3	18443.56	46.14 PK	74	-27.86	-56.61	-57.18	4.76	-49.12
4	18437.81	35.42 AV	54	-18.58	-67.55	-67.68	4.76	-59.84







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) - Channel 87

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12767.18	43.69 PK	88.2	-44.51	-59.33	-59.36	4.76	-51.57
2	#12770.31	33 AV	68.2	-35.2	-69.84	-70.23	4.76	-62.26
3	19152.25	47.13 PK	74	-26.87	-56.3	-55.53	4.76	-48.13
4	19153.68	35.9 AV	54	-18.1	-67.02	-67.24	4.76	-59.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0

