


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5924.95        | 82.56 PK                | 88.2           | -5.64       | -17.46          | 4.76                   | -12.70           |
| 2   | #5925           | 68.16 AV                | 68.2           | -0.04       | -31.86          | 4.76                   | -27.10           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




**802.11ax (HE40) - Channel 91**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12814.06       | 62.26 PK                | 88.2           | -25.94      | -37.76          | 4.76                   | -33.00           |
| 2   | #12804.68       | 42.13 AV                | 68.2           | -26.07      | -57.89          | 4.76                   | -53.13           |
| 3   | 19212.62        | 55.41 PK                | 74             | -18.59      | -44.61          | 4.76                   | -39.85           |
| 4   | 19216.93        | 44.85 AV                | 54             | -9.15       | -55.17          | 4.76                   | -50.41           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




**802.11ax (HE40) - Channel 123**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13120.31       | 62.71 PK                | 88.2           | -25.49      | -37.31          | 4.76                   | -32.55           |
| 2   | #13137.5        | 41.74 AV                | 68.2           | -26.46      | -58.28          | 4.76                   | -53.52           |
| 3   | 19685.56        | 54.27 PK                | 74             | -19.73      | -45.75          | 4.76                   | -40.99           |
| 4   | 19689.87        | 44.63 AV                | 54             | -9.37       | -55.39          | 4.76                   | -50.63           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




**802.11ax (HE40) - Channel 179**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13688.31       | 53.98 PK                | 88.2           | -34.22      | -46.04          | 4.76                   | -41.28           |
| 2   | #13684          | 43.56 AV                | 68.2           | -24.64      | -56.46          | 4.76                   | -51.70           |
| 3   | 20526.5         | 55.24 PK                | 74             | -18.76      | -44.78          | 4.76                   | -40.02           |
| 4   | 20543.75        | 44.82 AV                | 54             | -9.18       | -55.2           | 4.76                   | -50.44           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7193.47        | 64.59 PK                | 88.2           | -23.61      | -35.28          | 4.61                   | -30.67           |
| 2   | #7201.12        | 52.24 AV                | 68.2           | -15.96      | -47.63          | 4.61                   | -43.02           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0






### 802.11ax (HE80) - Channel 7

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11976.56        | 62.37 PK                | 74             | -11.63      | -37.65          | 4.76                   | -32.89           |
| 2   | 11962.5         | 42.1 AV                 | 54             | -11.9       | -57.92          | 4.76                   | -53.16           |
| 3   | 17964.87        | 54.99 PK                | 74             | -19.01      | -45.03          | 4.76                   | -40.27           |
| 4   | 17963.43        | 43.3 AV                 | 54             | -10.7       | -56.72          | 4.76                   | -51.96           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5917.67        | 81.32 PK                | 88.2           | -6.88       | -18.7           | 4.76                   | -13.94           |
| 2   | #5924.1         | 67.14 AV                | 68.2           | -1.06       | -32.88          | 4.76                   | -28.12           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




### 802.11ax (HE80) - Channel 87

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12768.75       | 61.84 PK                | 88.2           | -26.36      | -38.18          | 4.76                   | -33.42           |
| 2   | #12778.12       | 41.98 AV                | 68.2           | -26.22      | -58.04          | 4.76                   | -53.28           |
| 3   | 19160.87        | 56.06 PK                | 74             | -17.94      | -43.96          | 4.76                   | -39.20           |
| 4   | 19152.25        | 45 AV                   | 54             | -9          | -55.02          | 4.76                   | -50.26           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


**Chain 0**

**802.11ax (HE80) - Channel 135**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13248.43       | 63.04 PK                | 88.2           | -25.16      | -36.98          | 4.76                   | -32.22           |
| 2   | #13242.18       | 42.05 AV                | 68.2           | -26.15      | -57.97          | 4.76                   | -53.21           |
| 3   | 19873.87        | 55.47 PK                | 74             | -18.53      | -44.55          | 4.76                   | -39.79           |
| 4   | 19875.31        | 44.78 AV                | 54             | -9.22       | -55.24          | 4.76                   | -50.48           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**


**802.11ax (HE80) - Channel 167**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13571.87       | 51.74 PK                | 88.2           | -36.46      | -48.28          | 4.76                   | -43.52           |
| 2   | #13566.12       | 42.23 AV                | 68.2           | -25.97      | -57.79          | 4.76                   | -53.03           |
| 3   | 20361.18        | 54.18 PK                | 74             | -19.82      | -45.84          | 4.76                   | -41.08           |
| 4   | 20364.06        | 44.58 AV                | 54             | -9.42       | -55.44          | 4.76                   | -50.68           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7146.6         | 64.14 PK                | 88.2           | -24.06      | -35.73          | 4.61                   | -31.12           |
| 2   | #7187.7         | 53 AV                   | 68.2           | -15.2       | -46.87          | 4.61                   | -42.26           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




**802.11ax (HE160) - Channel 15**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12053.12        | 62.34 PK                | 74             | -11.66      | -37.68          | 4.76                   | -32.92           |
| 2   | 12043.75        | 42.11 AV                | 54             | -11.89      | -57.91          | 4.76                   | -53.15           |
| 3   | 18084.18        | 55.99 PK                | 74             | -18.01      | -44.03          | 4.76                   | -39.27           |
| 4   | 18082.75        | 43.8 AV                 | 54             | -10.2       | -56.22          | 4.76                   | -51.46           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5917.15        | 85.97 PK                | 88.2           | -2.23       | -14.05          | 4.76                   | -9.29            |
| 2   | #5921.87        | 67.54 AV                | 68.2           | -0.66       | -32.48          | 4.76                   | -27.72           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




**802.11ax (HE160) - Channel 79**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12698.43        | 62.38 PK                | 74             | -11.62      | -37.64          | 4.76                   | -32.88           |
| 2   | 12685.93        | 42.18 AV                | 54             | -11.82      | -57.84          | 4.76                   | -53.08           |
| 3   | 19041.56        | 55.19 PK                | 74             | -18.81      | -44.83          | 4.76                   | -40.07           |
| 4   | 19032.93        | 44.97 AV                | 54             | -9.03       | -55.05          | 4.76                   | -50.29           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



**802.11ax (HE160) - Channel 143**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 13339.06        | 62.76 PK                | 74             | -11.24      | -37.26          | 4.76                   | -32.50           |
| 2   | 13323.43        | 41.71 AV                | 54             | -12.29      | -58.31          | 4.76                   | -53.55           |
| 3   | 19993.18        | 55.87 PK                | 74             | -18.13      | -44.15          | 4.76                   | -39.39           |
| 4   | 19996.06        | 44.92 AV                | 54             | -9.08       | -55.1           | 4.76                   | -50.34           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



### Chain 0




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7178.75        | 63.95 PK                | 88.2           | -24.25      | -35.92          | 4.61                   | -31.31           |
| 2   | #7173.62        | 52.98 AV                | 68.2           | -15.22      | -46.89          | 4.61                   | -42.28           |

### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




**802.11be (EHT20) - Channel 1**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11915.62        | 63.15 PK                | 74             | -10.85      | -36.87          | 4.76                   | -32.11           |
| 2   | 11904.68        | 42.59 AV                | 54             | -11.41      | -57.43          | 4.76                   | -52.67           |
| 3   | 17862.81        | 53.91 PK                | 74             | -20.09      | -46.11          | 4.76                   | -41.35           |
| 4   | 17868.56        | 43.09 AV                | 54             | -10.91      | -56.93          | 4.76                   | -52.17           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5923.62        | 84 PK                   | 88.2           | -4.2        | -16.02          | 4.76                   | -11.26           |
| 2   | #5924.9         | 66.58 AV                | 68.2           | -1.62       | -33.44          | 4.76                   | -28.68           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




### 802.11be (EHT20) - Channel 45

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12356.25        | 64.38 PK                | 74             | -9.62       | -35.64          | 4.76                   | -30.88           |
| 2   | 12346.87        | 42.56 AV                | 54             | -11.44      | -57.46          | 4.76                   | -52.70           |
| 3   | 18524.06        | 54.86 PK                | 74             | -19.14      | -45.16          | 4.76                   | -40.40           |
| 4   | 18519.75        | 44.42 AV                | 54             | -9.58       | -55.6           | 4.76                   | -50.84           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**

### 802.11be (EHT20) – Channel 93

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12831.25       | 62.8 PK                 | 88.2           | -25.4       | -37.22          | 4.76                   | -32.46           |
| 2   | #12832.81       | 41.7 AV                 | 68.2           | -26.5       | -58.32          | 4.76                   | -53.56           |
| 3   | 19237.06        | 55.73 PK                | 74             | -18.27      | -44.29          | 4.76                   | -39.53           |
| 4   | 19251.43        | 45.32 AV                | 54             | -8.68       | -54.7           | 4.76                   | -49.94           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0




**802.11be (EHT20) - Channel 117**

**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13073.43       | 62.05 PK                | 88.2           | -26.15      | -37.97          | 4.76                   | -33.21           |
| 2   | #13065.62       | 41.47 AV                | 68.2           | -26.73      | -58.55          | 4.76                   | -53.79           |
| 3   | 19613.68        | 54.77 PK                | 74             | -19.23      | -45.25          | 4.76                   | -40.49           |
| 4   | 19599.31        | 44.71 AV                | 54             | -9.29       | -55.31          | 4.76                   | -50.55           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


**Chain 0**

**802.11be (EHT20) - Channel 149**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 13385.93        | 62.54 PK                | 74             | -11.46      | -37.48          | 4.76                   | -32.72           |
| 2   | 13381.25        | 41.67 AV                | 54             | -12.33      | -58.35          | 4.76                   | -53.59           |
| 3   | 20078           | 55.19 PK                | 74             | -18.81      | -44.83          | 4.76                   | -40.07           |
| 4   | 20078           | 44.95 AV                | 54             | -9.05       | -55.07          | 4.76                   | -50.31           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**

## 802.11be (EHT20) - Channel 181


### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13714.18       | 53.21 PK                | 88.2           | -34.99      | -46.81          | 4.76                   | -42.05           |
| 2   | #13712.75       | 43.34 AV                | 68.2           | -24.86      | -56.68          | 4.76                   | -51.92           |
| 3   | 20555.25        | 56.31 PK                | 74             | -17.69      | -43.71          | 4.76                   | -38.95           |
| 4   | 20572.5         | 44.9 AV                 | 54             | -9.1        | -55.12          | 4.76                   | -50.36           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7139.4         | 64.67 PK                | 88.2           | -23.53      | -35.2           | 4.61                   | -30.59           |
| 2   | #7201.95        | 52.25 AV                | 68.2           | -15.95      | -47.62          | 4.61                   | -43.01           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.






### 802.11be (EHT40) - Channel 3

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11935.93        | 62.65 PK                | 74             | -11.35      | -37.37          | 4.76                   | -32.61           |
| 2   | 11925           | 42.37 AV                | 54             | -11.63      | -57.65          | 4.76                   | -52.89           |
| 3   | 17891.56        | 54.63 PK                | 74             | -19.37      | -45.39          | 4.76                   | -40.63           |
| 4   | 17894.43        | 43.16 AV                | 54             | -10.84      | -56.86          | 4.76                   | -52.10           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5921.15        | 79.13 PK                | 88.2           | -9.07       | -20.89          | 4.76                   | -16.13           |
| 2   | #5924.97        | 66.59 AV                | 68.2           | -1.61       | -33.43          | 4.76                   | -28.67           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




**802.11be (EHT40) - Channel 43**

**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12321.87        | 63.29 PK                | 74             | -10.71      | -36.73          | 4.76                   | -31.97           |
| 2   | 12339.06        | 42.49 AV                | 54             | -11.51      | -57.53          | 4.76                   | -52.77           |
| 3   | 18493.87        | 56.25 PK                | 74             | -17.75      | -43.77          | 4.76                   | -39.01           |
| 4   | 18491           | 44.37 AV                | 54             | -9.63       | -55.65          | 4.76                   | -50.89           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**

## 802.11be (EHT40) - Channel 91


### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12814.06       | 62.15 PK                | 88.2           | -26.05      | -37.87          | 4.76                   | -33.11           |
| 2   | #12801.56       | 41.67 AV                | 68.2           | -26.53      | -58.35          | 4.76                   | -53.59           |
| 3   | 19209.75        | 56 PK                   | 74             | -18         | -44.02          | 4.76                   | -39.26           |
| 4   | 19208.31        | 44.97 AV                | 54             | -9.03       | -55.05          | 4.76                   | -50.29           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### 802.11be (EHT40) - Channel 123


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13137.5        | 62.71 PK                | 88.2           | -25.49      | -37.31          | 4.76                   | -32.55           |
| 2   | #13125          | 41.72 AV                | 68.2           | -26.48      | -58.3           | 4.76                   | -53.54           |
| 3   | 19704.25        | 56.82 PK                | 74             | -17.18      | -43.2           | 4.76                   | -38.44           |
| 4   | 19702.81        | 44.76 AV                | 54             | -9.24       | -55.26          | 4.76                   | -50.50           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**Chain 0**

**802.11be (EHT40) - Channel 155**


**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13453.12       | 62.92 PK                | 88.2           | -25.28      | -37.1           | 4.76                   | -32.34           |
| 2   | #13456.25       | 42.14 AV                | 68.2           | -26.06      | -57.88          | 4.76                   | -53.12           |
| 3   | 20175.75        | 54.75 PK                | 74             | -19.25      | -45.27          | 4.76                   | -40.51           |
| 4   | 20170           | 44.76 AV                | 54             | -9.24       | -55.26          | 4.76                   | -50.50           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### 802.11be (EHT40) - Channel 179


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13682.56       | 53.84 PK                | 88.2           | -34.36      | -46.18          | 4.76                   | -41.42           |
| 2   | #13681.12       | 43.44 AV                | 68.2           | -24.76      | -56.58          | 4.76                   | -51.82           |
| 3   | 20527.93        | 55.1 PK                 | 74             | -18.9       | -44.92          | 4.76                   | -40.16           |
| 4   | 20533.68        | 44.72 AV                | 54             | -9.28       | -55.3           | 4.76                   | -50.54           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7199.17        | 64.22 PK                | 88.2           | -23.98      | -35.65          | 4.61                   | -31.04           |
| 2   | #7216.05        | 52.38 AV                | 68.2           | -15.82      | -47.49          | 4.61                   | -42.88           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




**802.11be (EHT80) - Channel 7**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11975           | 62.44 PK                | 74             | -11.56      | -37.58          | 4.76                   | -32.82           |
| 2   | 11962.5         | 42.18 AV                | 54             | -11.82      | -57.84          | 4.76                   | -53.08           |
| 3   | 17953.37        | 54.54 PK                | 74             | -19.46      | -45.48          | 4.76                   | -40.72           |
| 4   | 17950.5         | 43.56 AV                | 54             | -10.44      | -56.46          | 4.76                   | -51.70           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5918.05        | 81.8 PK                 | 88.2           | -6.4        | -18.22          | 4.76                   | -13.46           |
| 2   | #5923.85        | 67.01 AV                | 68.2           | -1.19       | -33.01          | 4.76                   | -28.25           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




### 802.11be (EHT80) - Channel 39

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12295.31        | 63.44 PK                | 74             | -10.56      | -36.58          | 4.76                   | -31.82           |
| 2   | 12293.75        | 42.51 AV                | 54             | -11.49      | -57.51          | 4.76                   | -52.75           |
| 3   | 18426.31        | 54.84 PK                | 74             | -19.16      | -45.18          | 4.76                   | -40.42           |
| 4   | 18427.75        | 44.65 AV                | 54             | -9.35       | -55.37          | 4.76                   | -50.61           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**


**802.11be (EHT80) - Channel 87**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12765.62       | 62.79 PK                | 88.2           | -25.41      | -37.23          | 4.76                   | -32.47           |
| 2   | #12764.06       | 42.19 AV                | 68.2           | -26.01      | -57.83          | 4.76                   | -53.07           |
| 3   | 19146.5         | 56.15 PK                | 74             | -17.85      | -43.87          | 4.76                   | -39.11           |
| 4   | 19159.43        | 45.17 AV                | 54             | -8.83       | -54.85          | 4.76                   | -50.09           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0




### 802.11be (EHT80) - Channel 135

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13231.25       | 62.73 PK                | 88.2           | -25.47      | -37.29          | 4.76                   | -32.53           |
| 2   | 13264.06        | 41.86 AV                | 54             | -12.14      | -58.16          | 4.76                   | -53.40           |
| 3   | 19882.5         | 56.43 PK                | 74             | -17.57      | -43.59          | 4.76                   | -38.83           |
| 4   | 19868.12        | 44.76 AV                | 54             | -9.24       | -55.26          | 4.76                   | -50.50           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**

**802.11be (EHT80) - Channel 151**
**Conducted spurious emission table**


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13407.81       | 62.75 PK                | 88.2           | -25.45      | -37.27          | 4.76                   | -32.51           |
| 2   | #13410.93       | 41.7 AV                 | 68.2           | -26.5       | -58.32          | 4.76                   | -53.56           |
| 3   | 20116.81        | 56.44 PK                | 74             | -17.56      | -43.58          | 4.76                   | -38.82           |
| 4   | 20108.18        | 45.02 AV                | 54             | -8.98       | -55             | 4.76                   | -50.24           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0




## 802.11be (EHT80) - Channel 167

### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13566.12       | 52.94 PK                | 88.2           | -35.26      | -47.08          | 4.76                   | -42.32           |
| 2   | #13566.12       | 42.19 AV                | 68.2           | -26.01      | -57.83          | 4.76                   | -53.07           |
| 3   | 20346.81        | 55.52 PK                | 74             | -18.48      | -44.5           | 4.76                   | -39.74           |
| 4   | 20351.12        | 44.49 AV                | 54             | -9.51       | -55.53          | 4.76                   | -50.77           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7128           | 64.21 PK                | 88.2           | -23.99      | -35.66          | 4.61                   | -31.05           |
| 2   | #7191.2         | 52.87 AV                | 68.2           | -15.33      | -47             | 4.61                   | -42.39           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




**802.11be (EHT160) - Channel 15**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12053.12        | 62.81 PK                | 74             | -11.19      | -37.21          | 4.76                   | -32.45           |
| 2   | 12042.18        | 41.82 AV                | 54             | -12.18      | -58.2           | 4.76                   | -53.44           |
| 3   | 18081.31        | 53.91 PK                | 74             | -20.09      | -46.11          | 4.76                   | -41.35           |
| 4   | 18071.25        | 43.5 AV                 | 54             | -10.5       | -56.52          | 4.76                   | -51.76           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5908.2         | 82.92 PK                | 88.2           | -5.28       | -17.1           | 4.76                   | -12.34           |
| 2   | #5924.72        | 67.51 AV                | 68.2           | -0.69       | -32.51          | 4.76                   | -27.75           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**802.11be (EHT160) - Channel 47**
**Conducted spurious emission table**


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12376.56        | 62.4 PK                 | 74             | -11.6       | -37.62          | 4.76                   | -32.86           |
| 2   | 12365.62        | 42.48 AV                | 54             | -11.52      | -57.54          | 4.76                   | -52.78           |
| 3   | 18555.68        | 56.15 PK                | 74             | -17.85      | -43.87          | 4.76                   | -39.11           |
| 4   | 18545.62        | 44.55 AV                | 54             | -9.45       | -55.47          | 4.76                   | -50.71           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



### Chain 0



## 802.11be (EHT160) - Channel 79


### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12696.87        | 62.57 PK                | 74             | -11.43      | -37.45          | 4.76                   | -32.69           |
| 2   | 12685.93        | 41.94 AV                | 54             | -12.06      | -58.08          | 4.76                   | -53.32           |
| 3   | 19043           | 54.92 PK                | 74             | -19.08      | -45.1           | 4.76                   | -40.34           |
| 4   | 19035.81        | 44.92 AV                | 54             | -9.08       | -55.1           | 4.76                   | -50.34           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0




**802.11be (EHT160) - Channel 143**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 13332.81        | 62.78 PK                | 74             | -11.22      | -37.24          | 4.76                   | -32.48           |
| 2   | 13332.81        | 41.78 AV                | 54             | -12.22      | -58.24          | 4.76                   | -53.48           |
| 3   | 19996.06        | 54.8 PK                 | 74             | -19.2       | -45.22          | 4.76                   | -40.46           |
| 4   | 19993.18        | 44.84 AV                | 54             | -9.16       | -55.18          | 4.76                   | -50.42           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**


**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7162.37        | 64.74 PK                | 88.2           | -23.46      | -35.13          | 4.61                   | -30.52           |
| 2   | #7199.5         | 53.03 AV                | 68.2           | -15.17      | -46.84          | 4.61                   | -42.23           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




### 802.11be (EHT320) - Channel 31

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12207.81        | 63.04 PK                | 74             | -10.96      | -36.98          | 4.76                   | -32.22           |
| 2   | 12212.5         | 42.75 AV                | 54             | -11.25      | -57.27          | 4.76                   | -52.51           |
| 3   | 18319.93        | 55.68 PK                | 74             | -18.32      | -44.34          | 4.76                   | -39.58           |
| 4   | 18307           | 44.87 AV                | 54             | -9.13       | -55.15          | 4.76                   | -50.39           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5841.7         | 85.16 PK                | 88.2           | -3.04       | -14.86          | 4.76                   | -10.10           |
| 2   | #5917.75        | 66.77 AV                | 68.2           | -1.43       | -33.25          | 4.76                   | -28.49           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**




### 802.11be (EHT320) - Channel 63

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12529.68        | 63.15 PK                | 74             | -10.85      | -36.87          | 4.76                   | -32.11           |
| 2   | 12521.87        | 42.56 AV                | 54             | -11.44      | -57.46          | 4.76                   | -52.70           |
| 3   | 18801.5         | 55.52 PK                | 74             | -18.48      | -44.5           | 4.76                   | -39.74           |
| 4   | 18794.31        | 45.8 AV                 | 54             | -8.2        | -54.22          | 4.76                   | -49.46           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**







### 20 MHz Preamble 802.11ax (RU26) - Channel 1

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11915.62        | 53.66 PK                | 74             | -20.34      | -46.36          | 4.76                   | -41.60           |
| 2   | 11918.75        | 42.64 AV                | 54             | -11.36      | -57.38          | 4.76                   | -52.62           |
| 3   | 17861.37        | 54.56 PK                | 74             | -19.44      | -45.46          | 4.76                   | -40.70           |
| 4   | 17867.12        | 43.62 AV                | 54             | -10.38      | -56.4           | 4.76                   | -51.64           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5855.65        | 65.47 PK                | 88.2           | -22.73      | -34.55          | 4.76                   | -29.79           |
| 2   | #5849.72        | 53.45 AV                | 68.2           | -14.75      | -46.57          | 4.76                   | -41.81           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



## 20 MHz Preamble 802.11ax (RU26) - Channel 93

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12835.93       | 52.57 PK                | 88.2           | -35.63      | -47.45          | 4.76                   | -42.69           |
| 2   | #12839.06       | 42.08 AV                | 68.2           | -26.12      | -57.94          | 4.76                   | -53.18           |
| 3   | 19251.43        | 55.09 PK                | 74             | -18.91      | -44.93          | 4.76                   | -40.17           |
| 4   | 19247.12        | 45.35 AV                | 54             | -8.65       | -54.67          | 4.76                   | -49.91           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS





## 20 MHz Preamble 802.11ax (RU26) - Channel 117

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13076.56       | 52.36 PK                | 88.2           | -35.84      | -47.66          | 4.76                   | -42.90           |
| 2   | #13070.31       | 41.68 AV                | 68.2           | -26.52      | -58.34          | 4.76                   | -53.58           |
| 3   | 19600.75        | 55.88 PK                | 74             | -18.12      | -44.14          | 4.76                   | -39.38           |
| 4   | 19602.18        | 45.32 AV                | 54             | -8.68       | -54.7           | 4.76                   | -49.94           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS









## 20 MHz Preamble 802.11ax (RU26) - Channel 181

### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13715.62       | 54.72 PK                | 88.2           | -33.48      | -45.3           | 4.76                   | -40.54           |
| 2   | #13719.93       | 43.73 AV                | 68.2           | -24.47      | -56.29          | 4.76                   | -51.53           |
| 3   | 20572.5         | 55.92 PK                | 74             | -18.08      | -44.1           | 4.76                   | -39.34           |
| 4   | 20556.68        | 45.46 AV                | 54             | -8.54       | -54.56          | 4.76                   | -49.80           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7218.9         | 64.99 PK                | 88.2           | -23.21      | -34.88          | 4.61                   | -30.27           |
| 2   | #7196.62        | 53.23 AV                | 68.2           | -14.97      | -46.64          | 4.61                   | -42.03           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



## 20 MHz Preamble 802.11ax (RU52) - Channel 1

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11912.5         | 53.26 PK                | 74             | -20.74      | -46.76          | 4.76                   | -42.00           |
| 2   | 11900           | 43.03 AV                | 54             | -10.97      | -56.99          | 4.76                   | -52.23           |
| 3   | 17865.68        | 53.9 PK                 | 74             | -20.1       | -46.12          | 4.76                   | -41.36           |
| 4   | 17864.25        | 44.21 AV                | 54             | -9.79       | -55.81          | 4.76                   | -51.05           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5897.27        | 65.13 PK                | 88.2           | -23.07      | -34.89          | 4.76                   | -30.13           |
| 2   | #5922.2         | 54.03 AV                | 68.2           | -14.17      | -45.99          | 4.76                   | -41.23           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











## 20 MHz Preamble 802.11ax (RU52) - Channel 93

### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12823.43       | 53 PK                   | 88.2           | -35.2       | -47.02          | 4.76                   | -42.26           |
| 2   | #12837.5        | 42.42 AV                | 68.2           | -25.78      | -57.6           | 4.76                   | -52.84           |
| 3   | 19235.62        | 54.58 PK                | 74             | -19.42      | -45.44          | 4.76                   | -40.68           |
| 4   | 19238.5         | 45.74 AV                | 54             | -8.26       | -54.28          | 4.76                   | -49.52           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



## 20 MHz Preamble 802.11ax (RU52) - Channel 117

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13076.56       | 52.36 PK                | 88.2           | -35.84      | -47.66          | 4.76                   | -42.90           |
| 2   | #13070.31       | 41.68 AV                | 68.2           | -26.52      | -58.34          | 4.76                   | -53.58           |
| 3   | 19600.75        | 55.88 PK                | 74             | -18.12      | -44.14          | 4.76                   | -39.38           |
| 4   | 19602.18        | 45.32 AV                | 54             | -8.68       | -54.7           | 4.76                   | -49.94           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS



## 20 MHz Preamble 802.11ax (RU52) - Channel 181

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13715.62       | 54.72 PK                | 88.2           | -33.48      | -45.3           | 4.76                   | -40.54           |
| 2   | #13719.93       | 43.73 AV                | 68.2           | -24.47      | -56.29          | 4.76                   | -51.53           |
| 3   | 20572.5         | 55.92 PK                | 74             | -18.08      | -44.1           | 4.76                   | -39.34           |
| 4   | 20556.68        | 45.46 AV                | 54             | -8.54       | -54.56          | 4.76                   | -49.80           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU  
VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7177.05        | 64.78 PK                | 88.2           | -23.42      | -35.09          | 4.61                   | -30.48           |
| 2   | #7214.55        | 53.51 AV                | 68.2           | -14.69      | -46.36          | 4.61                   | -41.75           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



## 20 MHz Preamble 802.11ax (RU106) - Channel 1







### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11906.25        | 53.72 PK                | 74             | -20.28      | -46.3           | 4.76                   | -41.54           |
| 2   | 11906.25        | 42.93 AV                | 54             | -11.07      | -57.09          | 4.76                   | -52.33           |
| 3   | 17870           | 54.01 PK                | 74             | -19.99      | -46.01          | 4.76                   | -41.25           |
| 4   | 17872.87        | 44.27 AV                | 54             | -9.73       | -55.75          | 4.76                   | -50.99           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5923.32        | 78.26 PK                | 88.2           | -9.94       | -21.76          | 4.76                   | -17.00           |
| 2   | #5924.9         | 59 AV                   | 68.2           | -9.2        | -41.02          | 4.76                   | -36.26           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



## 20 MHz Preamble 802.11ax (RU106) - Channel 93

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12835.93       | 52.75 PK                | 88.2           | -35.45      | -47.27          | 4.76                   | -42.51           |
| 2   | #12823.43       | 42.47 AV                | 68.2           | -25.73      | -57.55          | 4.76                   | -52.79           |
| 3   | 19250           | 55.22 PK                | 74             | -18.78      | -44.8           | 4.76                   | -40.04           |
| 4   | 19245.68        | 45.67 AV                | 54             | -8.33       | -54.35          | 4.76                   | -49.59           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS









**20 MHz Preamble 802.11ax (RU106) - Channel 117**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13067.18       | 51.51 PK                | 88.2           | -36.69      | -48.51          | 4.76                   | -43.75           |
| 2   | #13078.12       | 42.45 AV                | 68.2           | -25.75      | -57.57          | 4.76                   | -52.81           |
| 3   | 19596.43        | 55.5 PK                 | 74             | -18.5       | -44.52          | 4.76                   | -39.76           |
| 4   | 19606.5         | 45.23 AV                | 54             | -8.77       | -54.79          | 4.76                   | -50.03           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



## 20 MHz Preamble 802.11ax (RU106) - Channel 181

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13702.68       | 55.21 PK                | 88.2           | -32.99      | -44.81          | 4.76                   | -40.05           |
| 2   | #13708.43       | 43.92 AV                | 68.2           | -24.28      | -56.1           | 4.76                   | -51.34           |
| 3   | 20561           | 55.56 PK                | 74             | -18.44      | -44.46          | 4.76                   | -39.70           |
| 4   | 20563.87        | 45.34 AV                | 54             | -8.66       | -54.68          | 4.76                   | -49.92           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS






### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7161.45        | 64.71 PK                | 88.2           | -23.49      | -35.16          | 4.61                   | -30.55           |
| 2   | #7186.5         | 53.37 AV                | 68.2           | -14.83      | -46.5           | 4.61                   | -41.89           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









## 20 MHz Preamble 802.11be (RU52+26) - Channel 1

### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11900           | 62.99 PK                | 74             | -11.01      | -37.03          | 4.76                   | -32.27           |
| 2   | 11903.12        | 43 AV                   | 54             | -11         | -57.02          | 4.76                   | -52.26           |
| 3   | 17874.31        | 53.11 PK                | 74             | -20.89      | -46.91          | 4.76                   | -42.15           |
| 4   | 17872.87        | 43.88 AV                | 54             | -10.12      | -56.14          | 4.76                   | -51.38           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5924.1         | 78.02 PK                | 88.2           | -10.18      | -22             | 4.76                   | -17.24           |
| 2   | #5924.4         | 55.8 AV                 | 68.2           | -12.4       | -44.22          | 4.76                   | -39.46           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



## 20 MHz Preamble 802.11be (RU52+26) - Channel 93

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12835.93       | 62.48 PK                | 88.2           | -25.72      | -37.54          | 4.76                   | -32.78           |
| 2   | #12825          | 42.2 AV                 | 68.2           | -26         | -57.82          | 4.76                   | -53.06           |
| 3   | 19237.06        | 54.15 PK                | 74             | -19.85      | -45.87          | 4.76                   | -41.11           |
| 4   | 19242.81        | 45.41 AV                | 54             | -8.59       | -54.61          | 4.76                   | -49.85           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS



## 20 MHz Preamble 802.11be (RU52+26) - Channel 117

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13065.62       | 61.77 PK                | 88.2           | -26.43      | -38.25          | 4.76                   | -33.49           |
| 2   | #13071.87       | 42.19 AV                | 68.2           | -26.01      | -57.83          | 4.76                   | -53.07           |
| 3   | 19607.93        | 55.18 PK                | 74             | -18.82      | -44.84          | 4.76                   | -40.08           |
| 4   | 19595           | 45.13 AV                | 54             | -8.87       | -54.89          | 4.76                   | -50.13           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS





## 20 MHz Preamble 802.11be (RU52+26) - Channel 181

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13711.31       | 52.9 PK                 | 88.2           | -35.3       | -47.12          | 4.76                   | -42.36           |
| 2   | #13718.5        | 43.75 AV                | 68.2           | -24.45      | -56.27          | 4.76                   | -51.51           |
| 3   | 20562.43        | 54.82 PK                | 74             | -19.18      | -45.2           | 4.76                   | -40.44           |
| 4   | 20572.5         | 45.73 AV                | 54             | -8.27       | -54.29          | 4.76                   | -49.53           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7175.25        | 63.53 PK                | 88.2           | -24.67      | -35.82          | 4.09                   | -31.73           |
| 2   | #7220.92        | 52.83 AV                | 68.2           | -15.37      | -46.52          | 4.09                   | -42.43           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**20 MHz Preamble 802.11be (RU106+26) - Channel 1**  
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11901.56        | 62.47 PK                | 74             | -11.53      | -37.55          | 4.76                   | -32.79           |
| 2   | 11904.68        | 42.93 AV                | 54             | -11.07      | -57.09          | 4.76                   | -52.33           |
| 3   | 17858.5         | 53.77 PK                | 74             | -20.23      | -46.25          | 4.76                   | -41.49           |
| 4   | 17870           | 43.74 AV                | 54             | -10.26      | -56.28          | 4.76                   | -51.52           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5924.95        | 79.72 PK                | 88.2           | -8.48       | -20.3           | 4.76                   | -15.54           |
| 2   | #5924.6         | 64.5 AV                 | 68.2           | -3.7        | -35.52          | 4.76                   | -30.76           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









**20 MHz Preamble 802.11be (RU106+26) - Channel 93**

**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12825          | 62.47 PK                | 88.2           | -25.73      | -37.55          | 4.76                   | -32.79           |
| 2   | #12826.56       | 42.11 AV                | 68.2           | -26.09      | -57.91          | 4.76                   | -53.15           |
| 3   | 19254.31        | 56.05 PK                | 74             | -17.95      | -43.97          | 4.76                   | -39.21           |
| 4   | 19254.31        | 45.42 AV                | 54             | -8.58       | -54.6           | 4.76                   | -49.84           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





## 20 MHz Preamble 802.11be (RU106+26) - Channel 117

### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13079.68       | 62.18 PK                | 88.2           | -26.02      | -37.84          | 4.76                   | -33.08           |
| 2   | #13064.06       | 41.87 AV                | 68.2           | -26.33      | -58.15          | 4.76                   | -53.39           |
| 3   | 19596.43        | 56.3 PK                 | 74             | -17.7       | -43.72          | 4.76                   | -38.96           |
| 4   | 19596.43        | 44.84 AV                | 54             | -9.16       | -55.18          | 4.76                   | -50.42           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU  
VERITAS



**20 MHz Preamble 802.11be (RU106+26) - Channel 181**

**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13717.06       | 54.53 PK                | 88.2           | -33.67      | -45.49          | 4.76                   | -40.73           |
| 2   | #13704.12       | 43.77 AV                | 68.2           | -24.43      | -56.25          | 4.76                   | -51.49           |
| 3   | 20562.43        | 55.4 PK                 | 74             | -18.6       | -44.62          | 4.76                   | -39.86           |
| 4   | 20565.31        | 45.13 AV                | 54             | -8.87       | -54.89          | 4.76                   | -50.13           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU  
VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7128.97        | 64.67 PK                | 88.2           | -23.53      | -34.68          | 4.09                   | -30.59           |
| 2   | #7217.17        | 52.91 AV                | 68.2           | -15.29      | -46.44          | 4.09                   | -42.35           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### 80 MHz Preamble 802.11be (RU484+242) - Channel 7

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 11962.5         | 62.32 PK                | 74             | -11.68      | -37.7           | 4.76                   | -32.94           |
| 2   | 11965.62        | 42.77 AV                | 54             | -11.23      | -57.25          | 4.76                   | -52.49           |
| 3   | 17946.18        | 53.86 PK                | 74             | -20.14      | -46.16          | 4.76                   | -41.40           |
| 4   | 17953.37        | 43.69 AV                | 54             | -10.31      | -56.33          | 4.76                   | -51.57           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5914.87        | 83.78 PK                | 88.2           | -4.42       | -16.24          | 4.76                   | -11.48           |
| 2   | #5923.9         | 67.53 AV                | 68.2           | -0.67       | -32.49          | 4.76                   | -27.73           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### 80 MHz Preamble 802.11be (RU484+242) - Channel 87

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #12768.75       | 62.56 PK                | 88.2           | -25.64      | -37.46          | 4.76                   | -32.70           |
| 2   | #12760.93       | 43.15 AV                | 68.2           | -25.05      | -56.87          | 4.76                   | -52.11           |
| 3   | 19147.93        | 54.96 PK                | 74             | -19.04      | -45.06          | 4.76                   | -40.30           |
| 4   | 19152.25        | 45.37 AV                | 54             | -8.63       | -54.65          | 4.76                   | -49.89           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU  
VERITAS



**80 MHz Preamble 802.11be (RU484+242) - Channel 135**

**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #13246.87       | 62.88 PK                | 88.2           | -25.32      | -37.14          | 4.76                   | -32.38           |
| 2   | 13257.81        | 42.2 AV                 | 54             | -11.8       | -57.82          | 4.76                   | -53.06           |
| 3   | 19875.31        | 54.49 PK                | 74             | -19.51      | -45.53          | 4.76                   | -40.77           |
| 4   | 19871           | 45.38 AV                | 54             | -8.62       | -54.64          | 4.76                   | -49.88           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU  
VERITAS






### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7157.87        | 63.88 PK                | 88.2           | -24.32      | -35.47          | 4.09                   | -31.38           |
| 2   | #7162.75        | 52.69 AV                | 68.2           | -15.51      | -46.66          | 4.09                   | -42.57           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### 160 MHz Preamble 802.11be (RU996+484) - Channel 15

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12056.25        | 62.4 PK                 | 74             | -11.6       | -37.62          | 4.76                   | -32.86           |
| 2   | 12046.87        | 42.16 AV                | 54             | -11.84      | -57.86          | 4.76                   | -53.10           |
| 3   | 18084.18        | 54.67 PK                | 74             | -19.33      | -45.35          | 4.76                   | -40.59           |
| 4   | 18079.87        | 44.27 AV                | 54             | -9.73       | -55.75          | 4.76                   | -50.99           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU  
VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5871.12        | 81.6 PK                 | 88.2           | -6.6        | -18.42          | 4.76                   | -13.66           |
| 2   | #5922.7         | 66.49 AV                | 68.2           | -1.71       | -33.53          | 4.76                   | -28.77           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











### 160 MHz Preamble 802.11be (RU996+484) - Channel 79

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12689.06        | 62.52 PK                | 74             | -11.48      | -37.5           | 4.76                   | -32.74           |
| 2   | 12690.62        | 42.35 AV                | 54             | -11.65      | -57.67          | 4.76                   | -52.91           |
| 3   | 19037.25        | 54.91 PK                | 74             | -19.09      | -45.11          | 4.76                   | -40.35           |
| 4   | 19044.43        | 45.64 AV                | 54             | -8.36       | -54.38          | 4.76                   | -49.62           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



### 160 MHz Preamble 802.11be (RU996+484) - Channel 143

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 13337.5         | 63.45 PK                | 74             | -10.55      | -36.57          | 4.76                   | -31.81           |
| 2   | 13329.68        | 42.12 AV                | 54             | -11.88      | -57.9           | 4.76                   | -53.14           |
| 3   | 20001.81        | 54.99 PK                | 74             | -19.01      | -45.03          | 4.76                   | -40.27           |
| 4   | 19993.18        | 45.3 AV                 | 54             | -8.7        | -54.72          | 4.76                   | -49.96           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7197.6         | 63.62 PK                | 88.2           | -24.58      | -35.73          | 4.09                   | -31.64           |
| 2   | #7204.95        | 52.94 AV                | 68.2           | -15.26      | -46.41          | 4.09                   | -42.32           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**160 MHz Preamble 802.11be (RU996+484+242) - Channel 15**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12043.75        | 53.32 PK                | 74             | -20.68      | -46.7           | 4.76                   | -41.94           |
| 2   | 12043.75        | 42.05 AV                | 54             | -11.95      | -57.97          | 4.76                   | -53.21           |
| 3   | 18078.43        | 44.65 PK                | 74             | -29.35      | -55.37          | 4.76                   | -50.61           |
| 4   | 18075.56        | 34.29 AV                | 54             | -19.71      | -65.73          | 4.76                   | -60.97           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5911.17        | 83.51 PK                | 88.2           | -4.69       | -16.51          | 4.76                   | -11.75           |
| 2   | #5920.92        | 66.59 AV                | 68.2           | -1.61       | -33.43          | 4.76                   | -28.67           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





**160 MHz Preamble 802.11be (RU996+484+242) - Channel 79**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12695.31        | 52.3 PK                 | 74             | -21.7       | -47.72          | 4.76                   | -42.96           |
| 2   | 12685.93        | 42.45 AV                | 54             | -11.55      | -57.57          | 4.76                   | -52.81           |
| 3   | 19040.12        | 45.16 PK                | 74             | -28.84      | -54.86          | 4.76                   | -50.10           |
| 4   | 19028.62        | 35.24 AV                | 54             | -18.76      | -64.78          | 4.76                   | -60.02           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS









**160 MHz Preamble 802.11be (RU996+484+242) - Channel 143**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 13320.31        | 52.58 PK                | 74             | -21.42      | -47.44          | 4.76                   | -42.68           |
| 2   | 13332.81        | 42.16 AV                | 54             | -11.84      | -57.86          | 4.76                   | -53.10           |
| 3   | 19988.87        | 46.04 PK                | 74             | -27.96      | -53.98          | 4.76                   | -49.22           |
| 4   | 19997.5         | 35.14 AV                | 54             | -18.86      | -64.88          | 4.76                   | -60.12           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #7125.82        | 73.9 PK                 | 88.2           | -14.3       | -25.45          | 4.09                   | -21.36           |
| 2   | #7127.2         | 48.19 AV                | 68.2           | -20.01      | -51.16          | 4.09                   | -47.07           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### 320 MHz Preamble 802.11be (RU996\*2+484) - Channel 31

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12217.18        | 63.98 PK                | 74             | -10.02      | -36.04          | 4.76                   | -31.28           |
| 2   | 12201.56        | 42.73 AV                | 54             | -11.27      | -57.29          | 4.76                   | -52.53           |
| 3   | 18321.37        | 54.66 PK                | 74             | -19.34      | -45.36          | 4.76                   | -40.60           |
| 4   | 18312.75        | 44.86 AV                | 54             | -9.14       | -55.16          | 4.76                   | -50.40           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5856.1         | 85.78 PK                | 88.2           | -2.42       | -14.24          | 4.76                   | -9.48            |
| 2   | #5923.5         | 68 AV                   | 68.2           | -0.2        | -32.02          | 4.76                   | -27.26           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





### 320 MHz Preamble 802.11be (RU996\*2+484) - Channel 63

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12526.56        | 62.89 PK                | 74             | -11.11      | -37.13          | 4.76                   | -32.37           |
| 2   | 12529.68        | 42.84 AV                | 54             | -11.16      | -57.18          | 4.76                   | -52.42           |
| 3   | 18791.43        | 55.16 PK                | 74             | -18.84      | -44.86          | 4.76                   | -40.10           |
| 4   | 18795.75        | 45.41 AV                | 54             | -8.59       | -54.61          | 4.76                   | -49.85           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS



### 320 MHz Preamble 802.11be (RU996\*3) - Channel 31

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12212.5         | 63.31 PK                | 74             | -10.69      | -36.71          | 4.76                   | -31.95           |
| 2   | 12210.93        | 42.62 AV                | 54             | -11.38      | -57.4           | 4.76                   | -52.64           |
| 3   | 18317.06        | 54.98 PK                | 74             | -19.02      | -45.04          | 4.76                   | -40.28           |
| 4   | 18321.37        | 44.87 AV                | 54             | -9.13       | -55.15          | 4.76                   | -50.39           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU VERITAS






**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5920.67        | 83.08 PK                | 88.2           | -5.12       | -16.94          | 4.76                   | -12.18           |
| 2   | #5904.4         | 67.59 AV                | 68.2           | -0.61       | -32.43          | 4.76                   | -27.67           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



**320 MHz Preamble 802.11be (RU996\*3) - Channel 63**

**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12532.81        | 63.65 PK                | 74             | -10.35      | -36.37          | 4.76                   | -31.61           |
| 2   | 12535.93        | 42.81 AV                | 54             | -11.19      | -57.21          | 4.76                   | -52.45           |
| 3   | 18790           | 56.69 PK                | 74             | -17.31      | -43.33          | 4.76                   | -38.57           |
| 4   | 18788.56        | 45.44 AV                | 54             | -8.56       | -54.58          | 4.76                   | -49.82           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



BUREAU  
VERITAS



### 320 MHz Preamble 802.11be (RU996\*3+484) - Channel 31

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12203.12        | 62.88 PK                | 74             | -11.12      | -37.14          | 4.76                   | -32.38           |
| 2   | 12212.5         | 42.67 AV                | 54             | -11.33      | -57.35          | 4.76                   | -52.59           |
| 3   | 18307           | 54.24 PK                | 74             | -19.76      | -45.78          | 4.76                   | -41.02           |
| 4   | 18305.56        | 45 AV                   | 54             | -9          | -55.02          | 4.76                   | -50.26           |







#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





BUREAU VERITAS




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | #5875.15        | 82.09 PK                | 88.2           | -6.11       | -17.93          | 4.76                   | -13.17           |
| 2   | #5916.25        | 67.01 AV                | 68.2           | -1.19       | -33.01          | 4.76                   | -28.25           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









**320 MHz Preamble 802.11be (RU996\*3+484) - Channel 63**

**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|------------------------|------------------|
| 1   | 12529.68        | 63.58 PK                | 74             | -10.42      | -36.44          | 4.76                   | -31.68           |
| 2   | 12534.37        | 42.79 AV                | 54             | -11.21      | -57.23          | 4.76                   | -52.47           |
| 3   | 18791.43        | 55.64 PK                | 74             | -18.36      | -44.38          | 4.76                   | -39.62           |
| 4   | 18795.75        | 45.6 AV                 | 54             | -8.4        | -54.42          | 4.76                   | -49.66           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




**2T2S**
**802.11a - Channel 1**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11910.93        | 68.56 PK                | 74             | -5.44       | -37.1           | -37.9  | 7.77                   | -26.70           |
| 2   | 11906.25        | 48.38 AV                | 54             | -5.62       | -57.71          | -57.62 | 7.77                   | -46.88           |
| 3   | 17870           | 59.57 PK                | 74             | -14.43      | -46.14          | -46.83 | 7.77                   | -35.69           |
| 4   | 17858.5         | 49.08 AV                | 54             | -4.92       | -57             | -56.93 | 7.77                   | -46.18           |

**Remarks:**


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5898.75        | 69.5 PK                 | 88.2           | -18.7       | -38.78          | -35.07 | 7.77                   | -25.76           |
| 2   | #5924.92        | 58.73 AV                | 68.2           | -9.47       | -47.22          | -47.41 | 7.77                   | -36.53           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

**Chain 0**



**Chain 1**





802.11a - Channel 45

802.11a - Channel 45

**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12342.18        | 68.99 PK                | 74             | -5.01       | -37.6           | -36.57 | 7.77                   | -26.27           |
| 2   | 12340.62        | 48.54 AV                | 54             | -5.46       | -57.72          | -57.29 | 7.77                   | -46.72           |
| 3   | 18516.87        | 61.36 PK                | 74             | -12.64      | -44.48          | -44.88 | 7.77                   | -33.90           |
| 4   | 18532.68        | 50.44 AV                | 54             | -3.56       | -55.7           | -55.5  | 7.77                   | -44.82           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




### Chain 0





### Chain 1



### 802.11a - Channel 93


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12828.12       | 67.96 PK                | 88.2           | -20.24      | -37.05          | -39.43 | 7.77                   | -27.30           |
| 2   | #12831.25       | 47.79 AV                | 68.2           | -20.41      | -58.47          | -58.04 | 7.77                   | -47.47           |
| 3   | 19239.93        | 60.53 PK                | 74             | -13.47      | -44.9           | -46.21 | 7.77                   | -34.73           |
| 4   | 19247.12        | 50.95 AV                | 54             | -3.05       | -55.11          | -55.08 | 7.77                   | -44.31           |


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11a - Channel 117

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13070.31       | 67.58 PK                | 88.2           | -20.62      | -38.51          | -38.42 | 7.77                   | -27.68           |
| 2   | #13075          | 47.36 AV                | 68.2           | -20.84      | -58.52          | -58.84 | 7.77                   | -47.90           |
| 3   | 19605.06        | 60.84 PK                | 74             | -13.16      | -45.32          | -45.08 | 7.77                   | -34.42           |
| 4   | 19602.18        | 50.44 AV                | 54             | -3.56       | -55.51          | -55.7  | 7.77                   | -44.82           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0







### Chain 1



802.11a - Channel 149

802.11a - Channel 149

**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 13395.31        | 68.17 PK                | 74             | -5.83       | -37.18          | -38.7  | 7.77                   | -27.09           |
| 2   | 13396.87        | 47.69 AV                | 54             | -6.31       | -58.34          | -58.36 | 7.77                   | -47.57           |
| 3   | 20089.5         | 60.97 PK                | 74             | -13.03      | -44.7           | -45.47 | 7.77                   | -34.29           |
| 4   | 20080.87        | 50.87 AV                | 54             | -3.13       | -55.2           | -55.14 | 7.77                   | -44.39           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



### 802.11a - Channel 181

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13719.93       | 60.64 PK                | 88.2           | -27.56      | -44.96          | -45.88 | 7.77                   | -34.62           |
| 2   | #13719.93       | 49.2 AV                 | 68.2           | -19         | -56.74          | -56.94 | 7.77                   | -46.06           |
| 3   | 20559.56        | 61.2 PK                 | 74             | -12.8       | -45.76          | -44.09 | 7.77                   | -34.06           |
| 4   | 20558.12        | 50.76 AV                | 54             | -3.24       | -55.28          | -55.29 | 7.77                   | -44.50           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7210.05        | 69.44 PK                | 88.2           | -18.76      | -34.72          | -39.36 | 7.62                   | -25.82           |
| 2   | #7209.6         | 58.3 AV                 | 68.2           | -9.9        | -47.69          | -47.5  | 7.62                   | -36.96           |


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

**Chain 0**



**Chain 1**





### 802.11ax (HE20) - Channel 1

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11901.56        | 65.73 PK                | 74             | -8.27       | -38.21          | -36.55 | 4.76                   | -29.53           |
| 2   | 11912.5         | 45.42 AV                | 54             | -8.58       | -57.57          | -57.65 | 4.76                   | -49.84           |
| 3   | 17859.93        | 55.81 PK                | 74             | -18.19      | -46.87          | -47.61 | 4.76                   | -39.45           |
| 4   | 17868.56        | 46.21 AV                | 54             | -7.79       | -57.11          | -56.55 | 4.76                   | -49.05           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5921.95        | 77.42 PK                | 88.2           | -10.78      | -25.74          | -25.48 | 4.76                   | -17.84           |
| 2   | #5925           | 63.41 AV                | 68.2           | -4.79       | -39.31          | -39.96 | 4.76                   | -31.85           |


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



**802.11ax (HE20) - Channel 93**
**Conducted spurious emission table**


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12823.43       | 65.59 PK                | 88.2           | -22.61      | -37.58          | -37.3  | 4.76                   | -29.67           |
| 2   | #12834.37       | 44.8 AV                 | 68.2           | -23.4       | -58.31          | -58.15 | 4.76                   | -50.46           |
| 3   | 19242.81        | 57.73 PK                | 74             | -16.27      | -43.85          | -47.5  | 4.76                   | -37.53           |
| 4   | 19250           | 47.97 AV                | 54             | -6.03       | -55.18          | -54.94 | 4.76                   | -47.29           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



**802.11ax (HE20) - Channel 117**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13064.06       | 64.6 PK                 | 88.2           | -23.6       | -37.05          | -40.47 | 4.76                   | -30.66           |
| 2   | #13067.18       | 44.35 AV                | 68.2           | -23.85      | -58.79          | -58.58 | 4.76                   | -50.91           |
| 3   | 19595           | 58.03 PK                | 74             | -15.97      | -45.56          | -44.51 | 4.76                   | -37.23           |
| 4   | 19599.31        | 47.64 AV                | 54             | -6.36       | -55.54          | -55.25 | 4.76                   | -47.62           |


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











### Chain 0





### Chain 1



### 802.11ax (HE20) - Channel 181

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13722.81       | 56.16 PK                | 88.2           | -32.04      | -46.36          | -47.45 | 4.76                   | -39.10           |
| 2   | #13698.37       | 46.34 AV                | 68.2           | -21.86      | -56.69          | -56.69 | 4.76                   | -48.92           |
| 3   | 20566.75        | 57.87 PK                | 74             | -16.13      | -44.98          | -45.35 | 4.76                   | -37.39           |
| 4   | 20576.81        | 47.87 AV                | 54             | -6.13       | -54.88          | -55.46 | 4.76                   | -47.39           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7153.05        | 66.14 PK                | 88.2           | -22.06      | -36.68          | -36.8  | 4.61                   | -29.12           |
| 2   | #7197.37        | 55.33 AV                | 68.2           | -12.87      | -47.59          | -47.52 | 4.61                   | -39.93           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11ax (HE40) - Channel 3

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11926.56        | 66.05 PK                | 74             | -7.95       | -39.07          | -35.58 | 4.76                   | -29.21           |
| 2   | 11934.37        | 45.19 AV                | 54             | -8.81       | -57.8           | -57.89 | 4.76                   | -50.07           |
| 3   | 17903.06        | 56.22 PK                | 74             | -17.78      | -47.71          | -46.07 | 4.76                   | -39.04           |
| 4   | 17894.43        | 46.08 AV                | 54             | -7.92       | -56.84          | -57.07 | 4.76                   | -49.18           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### Chain 0







### Chain 1




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5922.77        | 80.91 PK                | 88.2           | -7.29       | -19.96          | -26.59 | 4.76                   | -14.35           |
| 2   | #5924.82        | 66.3 AV                 | 68.2           | -1.9        | -36.34          | -37.15 | 4.76                   | -28.96           |


### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11ax (HE40) - Channel 91

### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12804.68       | 64.93 PK                | 88.2           | -23.27      | -38.22          | -37.99 | 4.76                   | -30.33           |
| 2   | #12801.56       | 44.78 AV                | 68.2           | -23.42      | -58.22          | -58.29 | 4.76                   | -50.48           |
| 3   | 19224.12        | 58.23 PK                | 74             | -15.77      | -45.84          | -43.96 | 4.76                   | -37.03           |
| 4   | 19205.43        | 48.01 AV                | 54             | -5.99       | -55.03          | -55.01 | 4.76                   | -47.25           |

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.