

Appendix G: Test Results of Band 26 Lower Band for NB-IoT operation

| | |
|---|----------|
| APPENDIX G: TEST RESULTS OF BAND 26 LOWER BAND FOR NB-IoT OPERATION | 1 |
| APPENDIX G.1: RF POWER OUTPUT AND EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA FOR NB | 2 |
| Test Result | 2 |
| APPENDIX G.2: PEAK-TO-AVERAGE RATIO (CCDF) FOR NB | 3 |
| Test Result | 3 |
| Test Graphs..... | 3 |
| APPENDIX G.3: 26DB EMISSION BANDWIDTH AND OCCUPIED BANDWIDTH FOR NB..... | 9 |
| Test Result | 9 |
| Test Graphs..... | 9 |
| APPENDIX G.4: BAND EDGE FOR NB | 17 |
| Test Result | 17 |
| Test Graphs..... | 17 |
| APPENDIX G.5: CONDUCTED SPURIOUS EMISSION FOR NB..... | 27 |
| Test Result | 27 |
| Test Graphs..... | 28 |
| APPENDIX G.6: FREQUENCY STABILITY FOR NB | 58 |
| Test Result | 58 |

Appendix G.1: RF Power Output and Effective (Isotropic) Radiated Power Output Data for NB

Test Result


| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | Result | | Limit (watts) | Verdict |
|--------|-------------|-----------|------------|---------|-------|---------|--------|-------|---------------|---------|
| | | | | | | | dBm | Watts | | |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@47 | 3.75kHz | 5.55 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 15kHz | 5.46 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@11 | 15kHz | 5.38 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 3@3 | 15kHz | 5.35 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | 5.63 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26692 | 1@0 | 3.75kHz | 20.1 | 0.102 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26692 | 1@47 | 3.75kHz | 20.02 | 0.100 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26692 | 3@3 | 15kHz | 20.69 | 0.117 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26692 | 1@11 | 15kHz | 20.5 | 0.112 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26692 | 1@0 | 15kHz | 20.58 | 0.114 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 3@3 | 15kHz | 20.79 | 0.120 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | 20.4 | 0.110 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | 20.54 | 0.113 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | 19.96 | 0.099 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 20.16 | 0.104 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26788 | 1@11 | 15kHz | 20.44 | 0.111 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26788 | 1@0 | 15kHz | 20.53 | 0.113 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26788 | 3@3 | 15kHz | 20.67 | 0.117 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26788 | 1@0 | 3.75kHz | 20.13 | 0.103 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26788 | 1@47 | 3.75kHz | 20.06 | 0.101 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 15kHz | 5.47 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 3@3 | 15kHz | 5.4 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@11 | 15kHz | 5.42 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | 5.64 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@47 | 3.75kHz | 5.57 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | 5.4 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 3@3 | 15kHz | 5.35 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@47 | 3.75kHz | 5.52 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 3.75kHz | 5.57 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@11 | 15kHz | 5.38 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26692 | 1@11 | 15kHz | 20.39 | 0.109 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26692 | 1@0 | 15kHz | 20.44 | 0.111 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26692 | 1@0 | 3.75kHz | 20.08 | 0.102 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26692 | 1@47 | 3.75kHz | 20.12 | 0.103 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26692 | 3@3 | 15kHz | 20.69 | 0.117 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@47 | 3.75kHz | 19.97 | 0.099 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 3.75kHz | 20.06 | 0.101 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 20.41 | 0.110 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@11 | 15kHz | 20.3 | 0.107 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 3@3 | 15kHz | 20.8 | 0.120 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26788 | 1@47 | 3.75kHz | 20.04 | 0.101 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26788 | 1@0 | 3.75kHz | 20.1 | 0.102 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26788 | 3@3 | 15kHz | 20.67 | 0.117 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26788 | 1@11 | 15kHz | 20.3 | 0.107 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26788 | 1@0 | 15kHz | 20.38 | 0.109 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@11 | 15kHz | 5.49 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 3@3 | 15kHz | 5.4 | 0.003 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@47 | 3.75kHz | 5.55 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 3.75kHz | 5.6 | 0.004 | 100 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | 5.44 | 0.003 | 100 | PASS |


Appendix G.2: Peak-to-Average Ratio (CCDF) for NB

Test Result

| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | Result (dB) | Limit (dB) | Verdict |
|--------|-------------|-----------|------------|---------|-------|---------|-------------|------------|---------|
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 3@3 | 15kHz | 9.65 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 8.41 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | 1.71 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | 6.96 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | 10.49 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@47 | 3.75kHz | 12.93 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 1.39 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@11 | 15kHz | 8.49 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 3.75kHz | 1.74 | <=13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 3@3 | 15kHz | 8.2 | <=13 | PASS |


Test Graphs






Date: 20.DEC.2019 17:23:45

Band26_Stand-Alone_NaN_QPSK_26740_1@47_3.75kHz_1.71_<=13_PASS_




Date: 20.DEC.2019 17:25:16


Band26_Stand-Alone_NaN_QPSK_26740_1@0_15kHz_6.96_<=13_PASS_



Band26_Stand-Alone_NaN_QPSK_26740_1@11_15kHz_10.49_<=13_PASS_



Band26_Stand-Alone_NaN_BPSK_26740_1@47_3.75kHz_12.93_<=13_PASS_




Date: 20.DEC.2019 17:24:31

Band26_Stand-Alone_NaN_BPSK_26740_1@0_15kHz_1.39_<=13_PASS_



Date: 23.DEC.2019 01:47:39

Band26_Stand-Alone_NaN_BPSK_26740_1@11_15kHz_8.49_<=13_PASS_



Date: 23.DEC.2019 01:49:09


Band26_Stand-Alone_NaN_BPSK_26740_1@0_3.75kHz_1.74_<=13_PASS_



Date: 20.DEC.2019 17:23:00

Band26_Stand-Alone_NaN_BPSK_26740_3@3_15kHz_8.2_<=13_PASS_

Produkte
 Products





Appendix G.3: 26dB Emission Bandwidth and Occupied Bandwidth for NB

Test Result

| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | 26dB Bandwidth (MHz) | Occupied Bandwidth (MHz) | Verdict |
|--------|-------------|-----------|------------|---------|-------|---------|----------------------|--------------------------|---------|
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 12@0 | 15kHz | 0.251 | 0.184 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | 0.038 | 0.051 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 15kHz | 0.117 | 0.119 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 0.038 | 0.051 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 12@0 | 15kHz | 0.25 | 0.184 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | 0.117 | 0.121 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 12@0 | 15kHz | 0.251 | 0.184 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 15kHz | 0.117 | 0.119 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | 0.038 | 0.051 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 3.75kHz | 0.032 | 0.054 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | 0.104 | 0.128 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 0.106 | 0.127 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 3.75kHz | 0.032 | 0.054 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | 0.104 | 0.128 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 3.75kHz | 0.032 | 0.054 | PASS |


Test Graphs






Date: 20.DEC.2019 14:13:09

Band26_Stand-Alone_NaN_QPSK_26691_1@0_15kHz_0.117_PASS_




Date: 20.DEC.2019 13:40:55

Band26_Stand-Alone_NaN_QPSK_26740_1@0_3.75kHz_0.038_PASS_




Date: 20.DEC.2019 14:14:16

Band26_Stand-Alone_NaN_QPSK_26740_12@0_15kHz_0.250_PASS__




Date: 20.DEC.2019 12:35:20

Band26_Stand-Alone_NaN_QPSK_26740_1@0_15kHz_0.117_PASS__




Date: 20.DEC.2019 13:41:51

Band26_Stand-Alone_NaN_QPSK_26789_12@0_15kHz_0.251_PASS__




Date: 20.DEC.2019 12:36:16

Band26_Stand-Alone_NaN_QPSK_26789_1@0_15kHz_0.117_PASS__




Date: 20.DEC.2019 13:42:47

Band26_Stand-Alone_NaN_QPSK_26789_1@0_3.75kHz_0.038_PASS_




Date: 20.DEC.2019 14:15:14

Band26_Stand-Alone_NaN_BPSK_26691_1@0_3.75kHz_0.032_PASS_



Date: 20.DEC.2019 14:46:39


Band26_Stand-Alone_NaN_BPSK_26691_1@0_15kHz_0.104_PASS_



Date: 20.DEC.2019 13:07:46


Band26_Stand-Alone_NaN_BPSK_26740_1@0_15kHz_0.106_PASS_

Produkte
 Products




Date: 20.DEC.2019 13:08:54

Band26_Stand-Alone_NaN_BPSK_26740_1@0_3.75kHz_0.032_PASS__




Date: 20.DEC.2019 14:47:46

Band26_Stand-Alone_NaN_BPSK_26789_1@0_15kHz_0.104_PASS__



Date: 20.DEC.2019 13:10:01

Band26_Stand-Alone_NaN_BPSK_26789_1@_0.375kHz_0.032_PASS_




Date: 20.DEC.2019 14:48:43

Appendix G.4: Band Edge for NB


Test Result

| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | Result (dBm) | Verdict |
|--------|-------------|-----------|------------|---------|-------|---------|---------------|---------|
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@47 | 3.75kHz | -49.48,-57.71 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 15kHz | -22.94,-44.48 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@11 | 15kHz | -41.28,-50.45 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 12@0 | 15kHz | -39.58,-54.50 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | -28.24,-47.86 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | -48.81,-57.67 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@47 | 3.75kHz | -27.06,-46.59 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 15kHz | -40.89,-50.33 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 12@0 | 15kHz | -35.75,-53.02 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@11 | 15kHz | -22.10,-43.54 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | -21.36,-42.71 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 3.75kHz | -26.57,-46.30 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@47 | 3.75kHz | -48.51,-57.18 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@11 | 15kHz | -39.84,-49.80 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 3.75kHz | -48.06,-56.41 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@47 | 3.75kHz | -26.62,-46.12 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@11 | 15kHz | -20.88,-42.28 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | -39.41,-49.15 | PASS |

Test Graphs




Produkte
 Products



Date: 17.DEC.2019 05:19:08


Band26_Stand-Alone_NaN_QPSK_26691_1@11_15kHz_-41.28,-50.45_PASS_



Date: 17.DEC.2019 05:19:53


Band26_Stand-Alone_NaN_QPSK_26691_12@0_15kHz_-39.58,-54.50_PASS_

Produkte
 Products




Date: 17.DEC.2019 05:20:39

Band26_Stand-Alone_NaN_QPSK_26691_1@0_3.75kHz_-28.24,-47.86_PASS_




Date: 17.DEC.2019 05:17:12

Band26_Stand-Alone_NaN_QPSK_26789_1@0_3.75kHz_-48.81,-57.67_PASS_



Date: 17.DEC.2019 05:24:29


Band26_Stand-Alone_NaN_QPSK_26789_1@47_3.75kHz_-27.06,-46.59_PASS_



Date: 17.DEC.2019 05:25:15


Band26_Stand-Alone_NaN_QPSK_26789_1@0_15kHz_-40.89,-50.33_PASS_

Produkte
 Products



Date: 17.DEC.2019 05:26:02


Band26_Stand-Alone_NaN_QPSK_26789_12@0_15kHz_-35.75,-53.02_PASS_



Date: 17.DEC.2019 05:27:33


Band26_Stand-Alone_NaN_QPSK_26789_1@11_15kHz_-22.10,-43.54_PASS_

Produkte
Products




Date: 17.DEC.2019 05:26:48

Band26_Stand-Alone_NaN_BPSK_26691_1@0_15kHz_-21.36,-42.71_PASS_




Date: 17.DEC.2019 07:04:53

Band26_Stand-Alone_NaN_BPSK_26691_1@0_3.75kHz_-26.57,-46.30_PASS_



Date: 17.DEC.2019 07:02:32


Band26_Stand-Alone_NaN_BPSK_26691_1@47_3.75kHz_-48.51,-57.18_PASS_



Date: 17.DEC.2019 07:03:41


Band26_Stand-Alone_NaN_BPSK_26691_1@11_15kHz_-39.84,-49.80_PASS_

Produkte
 Products




Date: 17.DEC.2019 07:06:02

Band26_Stand-Alone_NaN_BPSK_26789_1@0_3.75kHz_-48.06,-56.41_PASS_



Date: 17.DEC.2019 07:09:31

Band26_Stand-Alone_NaN_BPSK_26789_1@47_3.75kHz_-26.62,-46.12_PASS_



Date: 17.DEC.2019 07:10:41


Band26_Stand-Alone_NaN_BPSK_26789_1@11_15kHz_-20.88,-42.28_PASS_



Date: 17.DEC.2019 07:13:00

Band26_Stand-Alone_NaN_BPSK_26789_1@0_15kHz_-39.41,-49.15_PASS_

Produkte
Products



Appendix G.5: Conducted Spurious Emission for NB



Test Result

| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | StartFreq (MHz) | StopFreq (MHz) | Result (dBm) | Limit (dBm) | Verdict |
|--------|-------------|-----------|------------|---------|-------|---------|-----------------|----------------|--------------------------|-------------|---------|
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@47 | 3.75kHz | 12000 | 26500 | 12000~26500MHz@-41.27dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | 1000 | 5000 | 1000~5000MHz@-37.88dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | 5000 | 12000 | 5000~12000MHz@-47.44dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | 12000 | 26500 | 12000~26500MHz@-41.4dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@47 | 3.75kHz | 30 | 1000 | 30~1000MHz@-35.9dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@47 | 3.75kHz | 1000 | 5000 | 1000~5000MHz@-37.7dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@47 | 3.75kHz | 5000 | 12000 | 5000~12000MHz@-47.4dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 12@0 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.83dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 1@0 | 3.75kHz | 30 | 1000 | 30~1000MHz@-36.32dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 12@0 | 15kHz | 30 | 1000 | 30~1000MHz@-36.12dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 12@0 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.56dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26691 | 12@0 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.38dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 12@0 | 15kHz | 30 | 1000 | 30~1000MHz@-36.2dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 12@0 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.52dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | 30 | 1000 | 30~1000MHz@-35.6dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 12@0 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.81dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | 12000 | 26500 | 12000~26500MHz@-41.42dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 12@0 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.33dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | 1000 | 5000 | 1000~5000MHz@-37.65dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 12000 | 26500 | 12000~26500MHz@-41.51dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 5000 | 12000 | 5000~12000MHz@-47.29dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 1000 | 5000 | 1000~5000MHz@-37.78dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | 30 | 1000 | 30~1000MHz@-36.12dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | 5000 | 12000 | 5000~12000MHz@-47.53dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 12@0 | 15kHz | 30 | 1000 | 30~1000MHz@-35.72dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 12@0 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.9dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | 12000 | 26500 | 12000~26500MHz@-41.37dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | 30 | 1000 | 30~1000MHz@-36.05dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 12@0 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.38dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | 5000 | 12000 | 5000~12000MHz@-47.36dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@47 | 3.75kHz | 30 | 1000 | 30~1000MHz@-35.95dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 12@0 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.51dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@47 | 3.75kHz | 5000 | 12000 | 5000~12000MHz@-47.17dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@47 | 3.75kHz | 12000 | 26500 | 12000~26500MHz@-41.44dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@47 | 3.75kHz | 1000 | 5000 | 1000~5000MHz@-37.9dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26789 | 1@0 | 3.75kHz | 1000 | 5000 | 1000~5000MHz@-37.66dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.28dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.74dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.37dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@11 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.25dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@11 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.29dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@11 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.77dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@11 | 15kHz | 30 | 1000 | 30~1000MHz@-35.54dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26691 | 1@0 | 15kHz | 30 | 1000 | 30~1000MHz@-35.63dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@11 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.46dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 30 | 1000 | 30~1000MHz@-35.4dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.93dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.4dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@0 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.41dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@11 | 15kHz | 30 | 1000 | 30~1000MHz@-35.89dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@11 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.49dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26740 | 1@11 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.85dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.83dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.38dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.36dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@11 | 15kHz | 30 | 1000 | 30~1000MHz@-35.64dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@11 | 15kHz | 1000 | 5000 | 1000~5000MHz@-37.73dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@11 | 15kHz | 12000 | 26500 | 12000~26500MHz@-41.39dBm | -13 | PASS |

Produkte
 Products


| | | | | | | | | | | | |
|--------|-------------|-----|------|-------|------|-------|------|-------|-------------------------|-----|------|
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@11 | 15kHz | 5000 | 12000 | 5000~12000MHz@-47.43dBm | -13 | PASS |
| Band26 | Stand-Alone | NaN | BPSK | 26789 | 1@0 | 15kHz | 30 | 1000 | 30~1000MHz@-36.17dBm | -13 | PASS |

Test Graphs




Band26_Stand-Alone_NaN_QPSK_26691_1@0_3.75kHz_5000_12000_5000~12000MHz@-47.44dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 12:53:16


Band26_Stand-Alone_NaN_QPSK_26691_1@0_3.75kHz_12000_26500_12000~26500MHz@-41.4dBm_-13_PASS_



Date: 30.DEC.2019 12:53:38


Band26_Stand-Alone_NaN_QPSK_26691_1@47_3.75kHz_30_1000_30~1000MHz@-35.9dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 12:54:25


Band26_Stand-Alone_NaN_QPSK_26691_1@47_3.75kHz_1000_5000_1000~5000MHz@-37.7dBm_-13_PASS_




Date: 30.DEC.2019 12:54:48

Band26_Stand-Alone_NaN_QPSK_26691_1@47_3.75kHz_5000_12000_5000~12000MHz@-47.4dBm_-13_PASS_

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26691_12@0_15kHz_1000_5000_1000~5000MHz@-37.83dBm_-13_PASS_




Band26_Stand-Alone_NaN_QPSK_26691_1@0_3.75kHz_30_1000_30~1000MHz@-36.32dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 12:52:31


Band26_Stand-Alone_NaN_QPSK_26691_12@0_15kHz_30_1000_30~1000MHz@-36.12dBm_-13_PASS_




Date: 30.DEC.2019 13:40:19

Band26_Stand-Alone_NaN_QPSK_26691_12@0_15kHz_5000_12000_5000~12000MHz@-47.56dBm_-13_PASS_

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26691_12@0_15kHz_12000_26500_12000~26500MHz@-41.38dBm_-13_PASS__




Band26_Stand-Alone_NaN_QPSK_26740_12@0_15kHz_30_1000_30~1000MHz@-36.2dBm_-13_PASS__

Produkte
Products



Date: 30.DEC.2019 13:42:13


Band26_Stand-Alone_NaN_QPSK_26740_12@0_15kHz_5000_12000_5000~12000MHz@-47.52dBm_-13_PASS_



Date: 30.DEC.2019 13:42:59


Band26_Stand-Alone_NaN_QPSK_26740_1@47_3.75kHz_30_1000_30~1000MHz@-35.6dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 12:58:15


Band26_Stand-Alone_NaN_QPSK_26740_12@0_15kHz_1000_5000_1000~5000MHz@-37.81dBm_-13_PASS_




Date: 30.DEC.2019 13:42:37

Band26_Stand-Alone_NaN_QPSK_26740_1@47_3.75kHz_12000_26500_12000~26500MHz@-41.42dBm_-13_PASS_

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26740_12@0_15kHz_12000_26500_12000~26500MHz@-41.33dBm_-13_PASS__




Band26_Stand-Alone_NaN_QPSK_26740_1@47_3.75kHz_1000_5000_1000~5000MHz@-37.65dBm_-13_PASS__

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26740_1@0_3.75kHz_12000_26500_12000~26500MHz@-41.51dBm_-13_PASS




Band26_Stand-Alone_NaN_QPSK_26740_1@0_3.75kHz_5000_12000_5000~12000MHz@-47.29dBm_-13_PASS

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26740_1@0_3.75kHz_1000_5000_1000~5000MHz@-37.78dBm_-13_PASS_




Band26_Stand-Alone_NaN_QPSK_26740_1@0_3.75kHz_30_1000_30~1000MHz@-36.12dBm_-13_PASS_

Produkte
Products




Date: 30.DEC.2019 12:56:24

Band26_Stand-Alone_NaN_QPSK_26740_1@47_3.75kHz_5000_12000_5000-12000MHz@-47.53dBm_-13_PASS__




Date: 30.DEC.2019 12:59:00

Band26_Stand-Alone_NaN_QPSK_26789_12@0_15kHz_30_1000_30-1000MHz@-35.72dBm_-13_PASS__



Date: 30.DEC.2019 13:44:08


Band26_Stand-Alone_NaN_QPSK_26789_12@0_15kHz_1000_5000_1000~5000MHz@-37.9dBm_-13_PASS__



Date: 30.DEC.2019 13:44:31


Band26_Stand-Alone_NaN_QPSK_26789_1@0_3.75kHz_12000_26500_12000~26500MHz@-41.37dBm_-13_PASS__

Produkte
Products



Date: 30.DEC.2019 13:01:32


Band26_Stand-Alone_NaN_QPSK_26789_1@0_3.75kHz_30_1000_30~1000MHz@-36.05dBm_-13_PASS__




Date: 30.DEC.2019 13:00:25

Band26_Stand-Alone_NaN_QPSK_26789_12@0_15kHz_12000_26500_12000~26500MHz@-41.38dBm_-13_PASS__

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26789_1@0_3.75kHz_5000_12000_5000~12000MHz@-47.36dBm_-13_PASS_




Band26_Stand-Alone_NaN_QPSK_26789_1@47_3.75kHz_30_1000_30~1000MHz@-35.95dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:02:16


Band26_Stand-Alone_NaN_QPSK_26789_12@0_15kHz_5000_12000_5000~12000MHz@-47.51dBm_-13_PASS_




Date: 30.DEC.2019 13:44:53

Band26_Stand-Alone_NaN_QPSK_26789_1@47_3.75kHz_5000_12000_5000~12000MHz@-47.17dBm_-13_PASS_

Produkte
Products




Band26_Stand-Alone_NaN_QPSK_26789_1@47_3.75kHz_12000_26500_12000~26500MHz@-41.44dBm_-13_PASS_




Band26_Stand-Alone_NaN_QPSK_26789_1@47_3.75kHz_1000_5000_1000~5000MHz@-37.9dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:02:39


Band26_Stand-Alone_NaN_QPSK_26789_1@0_3.75kHz_1000_5000_1000~5000MHz@-37.66dBm_-13_PASS_



Date: 30.DEC.2019 13:00:48


Band26_Stand-Alone_NaN_BPSK_26691_1@0_15kHz_12000_26500_12000~26500MHz@-41.28dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:47:23


Band26_Stand-Alone_NaN_BPSK_26691_1@0_15kHz_1000_5000_1000-5000MHz@-37.74dBm_-13_PASS_




Date: 30.DEC.2019 13:46:39

Band26_Stand-Alone_NaN_BPSK_26691_1@0_15kHz_5000_12000_5000-12000MHz@-47.37dBm_-13_PASS_

Produkte
Products




Band26_Stand-Alone_NaN_BPSK_26691_1@11_15kHz_12000_26500_12000~-26500MHz@-41.25dBm_-13_PASS_




Band26_Stand-Alone_NaN_BPSK_26691_1@11_15kHz_5000_12000_5000~12000MHz@-47.29dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:49:15


Band26_Stand-Alone_NaN_BPSK_26691_1@11_15kHz_1000_5000_1000~5000MHz@-37.77dBm_-13_PASS_



Date: 30.DEC.2019 13:48:53


Band26_Stand-Alone_NaN_BPSK_26691_1@11_15kHz_30_1000_30~1000MHz@-35.54dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:48:30


Band26_Stand-Alone_NaN_BPSK_26691_1@0_15kHz_30_1000_30~1000MHz@-35.63dBm_-13_PASS_



Date: 30.DEC.2019 13:46:16


Band26_Stand-Alone_NaN_BPSK_26740_1@11_15kHz_12000_26500_12000~26500MHz@-41.46dBm_-13_PASS_

Produkte
 Products



Date: 30.DEC.2019 13:53:45


Band26_Stand-Alone_NaN_BPSK_26740_1@0_15kHz_30_1000_30~1000MHz@-35.4dBm_-13_PASS__




Date: 30.DEC.2019 13:50:24

Band26_Stand-Alone_NaN_BPSK_26740_1@0_15kHz_1000_5000_1000~5000MHz@-37.93dBm_-13_PASS__

Produkte
Products




Band26_Stand-Alone_NaN_BPSK_26740_1@0_15kHz_5000_12000_5000~12000MHz@-47.4dBm_-13_PASS_




Band26_Stand-Alone_NaN_BPSK_26740_1@0_15kHz_12000_26500_12000~26500MHz@-41.41dBm_-13_PASS_

Produkte
 Products



Date: 30.DEC.2019 13:51:31


Band26_Stand-Alone_NaN_BPSK_26740_1@11_15kHz_30_1000_30~1000MHz@-35.89dBm_-13_PASS_




Date: 30.DEC.2019 13:52:38

Band26_Stand-Alone_NaN_BPSK_26740_1@11_15kHz_5000_12000_5000~12000MHz@-47.49dBm_-13_PASS_

Produkte
Products




Band26_Stand-Alone_NaN_BPSK_26740_1@11_15kHz_1000_5000_1000~5000MHz@-37.85dBm_-13_PASS__




Band26_Stand-Alone_NaN_BPSK_26789_1@0_15kHz_1000_5000_1000~5000MHz@-37.83dBm_-13_PASS__

Produkte
Products



Date: 30.DEC.2019 13:54:55


Band26_Stand-Alone_NaN_BPSK_26789_1@@0_15kHz_5000_12000_5000~12000MHz@-47.38dBm_-13_PASS_



Date: 30.DEC.2019 13:55:17


Band26_Stand-Alone_NaN_BPSK_26789_1@@0_15kHz_12000_26500_12000~26500MHz@-41.36dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:55:39


Band26_Stand-Alone_NaN_BPSK_26789_1@11_15kHz_30_1000_30~1000MHz@-35.64dBm_-13_PASS__




Date: 30.DEC.2019 13:56:35

Band26_Stand-Alone_NaN_BPSK_26789_1@11_15kHz_1000_5000_1000~5000MHz@-37.73dBm_-13_PASS__

Produkte
Products




Band26_Stand-Alone_NaN_BPSK_26789_1@11_15kHz_12000_26500_12000-26500MHz@-41.39dBm_-13_PASS_




Band26_Stand-Alone_NaN_BPSK_26789_1@11_15kHz_5000_12000_5000-12000MHz@-47.43dBm_-13_PASS_

Produkte
Products



Date: 30.DEC.2019 13:57:20

Band26_Stand-Alone_NaN_BPSK_26789_1@0_15kHz_30_1000_30~1000MHz@-36.17dBm_-13_PASS_



Date: 30.DEC.2019 13:54:32

Appendix G.6: Frequency Stability for NB

Test Result

| Voltage | | | | | | | | | | | | |
|---------|-------------|-----------|------------|---------|-------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | HV | NT | -9.6 | -0.011722 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | LV | NT | -15.49 | -0.018913 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | NT | -15.75 | -0.019231 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | HV | NT | -14.19 | -0.017326 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | NT | -14.18 | -0.017314 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | HV | NT | -15.64 | -0.019096 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | LV | NT | -10.06 | -0.012283 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | NT | -7.42 | -0.00906 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | HV | NT | -9.83 | -0.012002 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | LV | NT | -9.53 | -0.011636 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | NT | -8.28 | -0.01011 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | LV | NT | -14.49 | -0.017692 | ±2.5 | PASS |

| Temperature | | | | | | | | | | | | |
|-------------|-------------|-----------|------------|---------|-------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band | OpMode | Bandwidth | Modulation | Channel | Tones | SCS | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 80 | -17.22 | -0.021026 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 70 | -13.03 | -0.01591 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 60 | -16.68 | -0.020366 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 50 | -14.79 | -0.018059 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 40 | -17.45 | -0.021306 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 30 | -13.2 | -0.016117 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 20 | -16.22 | -0.019805 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 10 | -17.02 | -0.020781 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 0 | -14.71 | -0.017961 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | 85 | -14.53 | -0.017741 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | -20 | -13.85 | -0.016911 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 40 | -18.28 | -0.02232 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | -10 | -13.9 | -0.016972 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | -40 | -15.78 | -0.019267 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | -30 | -13.4 | -0.016361 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | -20 | -15.56 | -0.018999 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | -10 | -14.85 | -0.018132 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 0 | -18.01 | -0.02199 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 10 | -15.49 | -0.018913 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 30 | -14.82 | -0.018095 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 50 | -13.02 | -0.015897 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 60 | -17.87 | -0.021819 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 70 | -12.19 | -0.014884 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 80 | -15.61 | -0.01906 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | -40 | -14.98 | -0.018291 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 85 | -7.65 | -0.009341 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 20 | -15.46 | -0.018877 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | -30 | -8.2 | -0.010012 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 15kHz | NV | -30 | -13.7 | -0.016728 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | -40 | -10.4 | -0.012698 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@11 | 15kHz | NV | 85 | -12.87 | -0.015714 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | -20 | -9.43 | -0.011514 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | -10 | -7.48 | -0.009133 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 0 | -8.03 | -0.009805 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 10 | -9.63 | -0.011758 | ±2.5 | PASS |

Produkte
Products

| | | | | | | | | | | | | |
|--------|-------------|-----|------|-------|------|---------|----|-----|--------|-----------|------|------|
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 20 | -8.74 | -0.010672 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 30 | -8.5 | -0.010379 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 40 | -8.04 | -0.009817 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 50 | -7.32 | -0.008938 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 60 | -8.65 | -0.010562 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 70 | -8.9 | -0.010867 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 80 | -9.93 | -0.012125 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 40 | -9.67 | -0.011807 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 70 | -8.93 | -0.010904 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@0 | 3.75kHz | NV | 85 | -9.26 | -0.011306 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 50 | -8.64 | -0.010549 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 80 | -8.63 | -0.010537 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 30 | -9.11 | -0.011123 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 20 | -8.38 | -0.010232 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 10 | -10.33 | -0.012613 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 0 | -7.57 | -0.009243 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | -10 | -7.98 | -0.009744 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | -20 | -6.98 | -0.008523 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | -30 | -8.94 | -0.010916 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | -40 | -9.06 | -0.011062 | ±2.5 | PASS |
| Band26 | Stand-Alone | NaN | QPSK | 26740 | 1@47 | 3.75kHz | NV | 60 | -10.23 | -0.012491 | ±2.5 | PASS |