

Appendix A

Test Information:

Sample No.:	2RL8-1	Test Date:	2024/09/23~2024/09/30
Test Site:	RF	Test Mode:	Transmitting
Tester:	Chin Qin	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.3-26.5	Relative Humidity: (%)	55-58	ATM Pressure: (kPa)	100.1-100.2
-----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2024/04/01	2025/03/31
R&S	Wideband Radio Communication Tester	CMW500	143458	2024/04/01	2025/03/31
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
R&S	Spectrum Analyzer	FSU26	200256	2024/04/01	2025/03/31
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A
Unknown	Coaxial tee connector	Unknown	2204004	Each time	N/A
UNI-T	Multimeter	UT39A+	C210582554	2024/01/23	2025/01/22
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability

FCC For 90S

B26_1 , TN/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-0.7	-0.001	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-1.1	-0.001	±2.5	Pass

B26_1 , T1/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-0.9	-0.001	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-1.6	-0.002	±2.5	Pass

B26_1 , T2/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-1.5	-0.002	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-1.3	-0.002	±2.5	Pass

B26_1 , T3/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-2.3	-0.003	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-1.1	-0.001	±2.5	Pass

B26_1 , T4/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-1.2	-0.001	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-0.1	0.000	±2.5	Pass

B26_1 , T5/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-0.5	-0.001	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-2.1	-0.003	±2.5	Pass

B26_1 , T6/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-1.1	-0.001	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-1.8	-0.002	±2.5	Pass

B26_1 , T7/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	0.1	0.000	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	0.0	0.000	±2.5	Pass

B26_1 , T8/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-1.1	-0.001	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-0.6	-0.001	±2.5	Pass

B26_1 , TN/VH

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-1.8	-0.002	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-0.4	-0.001	±2.5	Pass

B26_1 , TN/VL

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
1_15MHz_Low_QPSK_75@0	821.5	-0.1	0.000	±2.5	Pass
1_15MHz_Low_16QAM_25@0	821.5	-1.1	-0.001	±2.5	Pass

Note:**Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶****TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.****VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.**

FCC Part 22H**B5 , TN/VN**

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.6	-0.001	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-1.1	-0.001	±2.5	Pass

B5 , T1/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-1.6	-0.002	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.7	-0.001	±2.5	Pass

B5 , T2/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-1.4	-0.002	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-1.5	-0.002	±2.5	Pass

B5 , T3/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.7	-0.001	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.6	-0.001	±2.5	Pass

B5 , T4/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-1.3	-0.002	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.4	0.000	±2.5	Pass

B5 , T5/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.2	0.000	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-1.6	-0.002	±2.5	Pass

B5 , T6/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.1	0.000	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.9	-0.001	±2.5	Pass

B5 , T7/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.8	-0.001	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.5	-0.001	±2.5	Pass

B5 , T8/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-1.2	-0.001	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	0.0	0.000	±2.5	Pass

B5 , TN/VH

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.6	-0.001	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.6	-0.001	±2.5	Pass

B5 , TN/VL

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
10MHz_Middle_QPSK_50@0	836.5	-0.9	-0.001	±2.5	Pass
10MHz_Middle_16QAM_25@0	836.5	-0.3	0.000	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

B26_2 , TN/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-1.0	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.1	-0.001	±2.5	Pass

B26_2 , T1/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.9	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.4	-0.002	±2.5	Pass

B26_2 , T2/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-1.1	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.3	-0.002	±2.5	Pass

B26_2 , T3/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	0.0	0.000	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.1	-0.001	±2.5	Pass

B26_2 , T4/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-1.5	-0.002	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.3	-0.002	±2.5	Pass

B26_2 , T5/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.5	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-0.7	-0.001	±2.5	Pass

B26_2 , T6/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.4	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-0.8	-0.001	±2.5	Pass

B26_2 , T7/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.6	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-0.7	-0.001	±2.5	Pass

B26_2 , T8/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.9	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-0.6	-0.001	±2.5	Pass

B26_2 , TN/VH

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.2	0.000	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.5	-0.002	±2.5	Pass

B26_2 , TN/VL

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
2_15MHz_Middle_QPSK_75@0	836.5	-0.9	-0.001	±2.5	Pass
2_15MHz_Middle_16QAM_25@0	836.5	-1.1	-0.001	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E**B2 , TN/VN**

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1869.000	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.400	1909.050	1850 ~ 1910	Pass

B2 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1869.000	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.400	1909.050	1850 ~ 1910	Pass

B2 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.600	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.300	1909.100	1850 ~ 1910	Pass

B2 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.700	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.350	1909.050	1850 ~ 1910	Pass

B2 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1869.000	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.600	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.350	1909.100	1850 ~ 1910	Pass

B2 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.900	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.400	1909.100	1850 ~ 1910	Pass

B2 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.900	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.400	1909.050	1850 ~ 1910	Pass

B2 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.350	1909.050	1850 ~ 1910	Pass

B2 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.100	1869.000	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.700	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.850	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.400	1909.050	1850 ~ 1910	Pass

B2 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1869.000	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.900	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.400	1909.100	1850 ~ 1910	Pass

B2 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1910	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.100	1908.900	1850 ~ 1910	Pass
20MHz_High_16QAM_25@75	1904.350	1909.100	1850 ~ 1910	Pass

B25 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.950	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1869.000	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.100	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.350	1914.100	1850 ~ 1915	Pass

B25 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.700	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.350	1914.100	1850 ~ 1915	Pass

B25 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.950	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.350	1914.100	1850 ~ 1915	Pass

B25 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.150	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.950	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.900	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

B25 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.100	1868.950	1850 ~ 1915	Pass
20MHz_Low_16QAM_25@0	1850.900	1855.650	1850 ~ 1915	Pass
20MHz_High_QPSK_100@0	1896.050	1913.950	1850 ~ 1915	Pass
20MHz_High_16QAM_25@75	1909.400	1914.100	1850 ~ 1915	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 27**B4 , TN/VN**

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.150	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.650	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.050	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.100	1710 ~ 1755	Pass

B4 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.150	1728.900	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.950	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.150	1710 ~ 1755	Pass

B4 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.100	1728.900	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.650	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.100	1710 ~ 1755	Pass

B4 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.150	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.050	1710 ~ 1755	Pass

B4 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.150	1728.900	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.650	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.950	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.100	1710 ~ 1755	Pass

B4 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.100	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.100	1710 ~ 1755	Pass

B4 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.100	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.050	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.350	1754.100	1710 ~ 1755	Pass

B4 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.100	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.350	1754.100	1710 ~ 1755	Pass

B4 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.100	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.950	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.350	1754.100	1710 ~ 1755	Pass

B4 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.150	1728.900	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.600	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.100	1753.950	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.100	1710 ~ 1755	Pass

B4 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.150	1728.950	1710 ~ 1755	Pass
20MHz_Low_16QAM_25@0	1710.950	1715.650	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.050	1753.900	1710 ~ 1755	Pass
20MHz_High_16QAM_25@75	1749.400	1754.100	1710 ~ 1755	Pass

B12 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.525	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.475	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B12 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.525	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.475	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B12 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.550	708.450	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.525	715.475	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B12 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.525	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.475	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B12 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.550	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.450	699 ~ 716	Pass
10MHz_High_16QAM_25@25	710.975	715.500	699 ~ 716	Pass

B12 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.550	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.525	715.475	699 ~ 716	Pass
10MHz_High_16QAM_25@25	710.975	715.500	699 ~ 716	Pass

B12 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.525	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.450	699 ~ 716	Pass
10MHz_High_16QAM_25@25	710.975	715.500	699 ~ 716	Pass

B12 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.550	708.450	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.000	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.525	715.475	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B12 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.525	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.000	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.450	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B12 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.550	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.450	699 ~ 716	Pass
10MHz_High_16QAM_25@25	710.975	715.500	699 ~ 716	Pass

B12 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.525	708.475	699 ~ 716	Pass
10MHz_Low_16QAM_25@0	699.500	704.025	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.550	715.450	699 ~ 716	Pass
10MHz_High_16QAM_25@25	711.000	715.500	699 ~ 716	Pass

B13 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.425	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.975	786.500	777 ~ 787	Pass

B13 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.450	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.975	786.500	777 ~ 787	Pass

B13 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.450	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.975	786.500	777 ~ 787	Pass

B13 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.450	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.950	786.500	777 ~ 787	Pass

B13 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.425	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.475	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.950	786.500	777 ~ 787	Pass

B13 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.450	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.950	786.500	777 ~ 787	Pass

B13 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.425	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.975	786.500	777 ~ 787	Pass

B13 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.450	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.950	786.500	777 ~ 787	Pass

B13 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.450	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.950	786.525	777 ~ 787	Pass

B13 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.525	786.425	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.975	786.500	777 ~ 787	Pass

B13 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.500	786.425	777 ~ 787	Pass
10MHz_Middle_16QAM_25@0	777.500	782.000	777 ~ 787	Pass
10MHz_Middle_16QAM_25@25	781.950	786.500	777 ~ 787	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

Occupied Bandwidth**FCC For 90S****B26_1 , Normal**

Mode	99% OBW (MHz)	EBW (MHz)
1_1.4MHz_Low_QPSK_6@0	1.078	1.254
1_1.4MHz_Low_16QAM_6@0	1.084	1.294
1_1.4MHz_High_QPSK_6@0	1.081	1.254
1_1.4MHz_High_16QAM_6@0	1.095	1.302
1_3MHz_Low_QPSK_15@0	2.688	2.958
1_3MHz_Low_16QAM_15@0	2.682	2.952
1_3MHz_High_QPSK_15@0	2.688	2.940
1_3MHz_High_16QAM_15@0	2.682	2.952
1_5MHz_Low_QPSK_25@0	4.460	4.850
1_5MHz_Low_16QAM_25@0	4.460	4.840
1_5MHz_High_QPSK_25@0	4.460	4.900
1_5MHz_High_16QAM_25@0	4.460	4.810
1_10MHz_Low_QPSK_50@0	8.900	9.640
1_10MHz_Low_16QAM_25@0	4.540	5.340
1_15MHz_Low_QPSK_75@0	13.320	14.370
1_15MHz_Low_16QAM_25@0	4.650	5.550


B26_3 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
3_1.4MHz_Middle_QPSK_6@0	1.089	1.282
3_1.4MHz_Middle_16QAM_6@0	1.086	1.285
3_3MHz_Middle_QPSK_15@0	2.688	2.952
3_3MHz_Middle_16QAM_15@0	2.688	2.958
3_5MHz_Middle_QPSK_25@0	4.470	4.890
3_5MHz_Middle_16QAM_25@0	4.470	4.890
3_10MHz_Middle_QPSK_50@0	8.940	9.620
3_10MHz_Middle_16QAM_25@0	4.520	5.100
3_15MHz_Middle_QPSK_75@0	13.380	14.490
3_15MHz_Middle_16QAM_25@0	4.650	5.610

B26_1 , Normal


1_1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:10:01


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:10:22


1_1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:11:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:11:40


1_1.4MHz_High_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:12:37


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:13:01


1_1.4MHz_High_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:14:01


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:14:25


1_3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:15:02


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:15:24


1_3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:15:59


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:16:21


1_3MHz_High_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:16:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:17:20


1_3MHz_High_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:17:54


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:18:16


1_5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:18:50


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:19:08


1_10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:22:25


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:22:45


1_10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:23:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:23:39


1_15MHz_Low_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:24:53


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:25:21


1_15MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:26:03

26dB Bandwidth




ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:26:32

B26_3 , Normal


3 1.4MHz Middle QPSK 6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:16:56


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:17:17


3_1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:18:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:18:35


3_3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:19:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:19:37


3_3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:20:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:20:37


3_5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:21:13


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:21:31


3_15MHz_Middle_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:25:10


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:25:34


3_15MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:26:11

26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:26:36

FCC Part 22H**B5 , Normal**

Mode	99% OBW (MHz)	EBW (MHz)
1.4MHz_Low_QPSK_6@0	1.089	1.294
1.4MHz_Low_16QAM_6@0	1.084	1.288
1.4MHz_Middle_QPSK_6@0	1.078	1.249
1.4MHz_Middle_16QAM_6@0	1.086	1.291
1.4MHz_High_QPSK_6@0	1.081	1.254
1.4MHz_High_16QAM_6@0	1.092	1.291
3MHz_Low_QPSK_15@0	2.688	2.946
3MHz_Low_16QAM_15@0	2.688	2.946
3MHz_Middle_QPSK_15@0	2.688	2.940
3MHz_Middle_16QAM_15@0	2.688	2.958
3MHz_High_QPSK_15@0	2.688	2.964
3MHz_High_16QAM_15@0	2.682	2.940
5MHz_Low_QPSK_25@0	4.470	4.940
5MHz_Low_16QAM_25@0	4.470	4.840
5MHz_Middle_QPSK_25@0	4.460	4.870
5MHz_Middle_16QAM_25@0	4.470	4.910
5MHz_High_QPSK_25@0	4.470	4.920
5MHz_High_16QAM_25@0	4.460	4.920
10MHz_Low_QPSK_50@0	8.940	9.760
10MHz_Low_16QAM_25@0	4.540	5.280
10MHz_Middle_QPSK_50@0	8.900	9.680
10MHz_Middle_16QAM_25@0	4.520	5.220
10MHz_High_QPSK_50@0	8.960	9.760
10MHz_High_16QAM_25@0	4.560	5.240

B26_2 , Normal


Mode	99% OBW (MHz)	EBW (MHz)
2_1.4MHz_Low_QPSK_6@0	1.081	1.257
2_1.4MHz_Low_16QAM_6@0	1.084	1.285
2_1.4MHz_Middle_QPSK_6@0	1.081	1.266
2_1.4MHz_Middle_16QAM_6@0	1.089	1.288

Mode	99% OBW (MHz)	EBW (MHz)
2_1.4MHz_High_QPSK_6@0	1.092	1.285
2_1.4MHz_High_16QAM_6@0	1.086	1.288
2_3MHz_Low_QPSK_15@0	2.688	2.952
2_3MHz_Low_16QAM_15@0	2.688	2.958
2_3MHz_Middle_QPSK_15@0	2.688	2.946
2_3MHz_Middle_16QAM_15@0	2.682	2.964
2_3MHz_High_QPSK_15@0	2.688	2.964
2_3MHz_High_16QAM_15@0	2.688	2.958
2_5MHz_Low_QPSK_25@0	4.480	4.920
2_5MHz_Low_16QAM_25@0	4.470	4.850
2_5MHz_Middle_QPSK_25@0	4.470	4.800
2_5MHz_Middle_16QAM_25@0	4.480	4.870
2_5MHz_High_QPSK_25@0	4.490	4.880
2_5MHz_High_16QAM_25@0	4.470	4.920
2_10MHz_Low_QPSK_50@0	8.940	9.680
2_10MHz_Low_16QAM_25@0	4.540	5.320
2_10MHz_Middle_QPSK_50@0	8.900	9.680
2_10MHz_Middle_16QAM_25@0	4.540	5.180
2_10MHz_High_QPSK_50@0	8.960	9.800
2_10MHz_High_16QAM_25@0	4.540	5.220
2_15MHz_Low_QPSK_75@0	13.500	14.640
2_15MHz_Low_16QAM_25@0	4.710	5.610
2_15MHz_Middle_QPSK_75@0	13.380	14.580
2_15MHz_Middle_16QAM_25@0	4.710	5.730
2_15MHz_High_QPSK_75@0	13.380	14.430
2_15MHz_High_16QAM_25@0	4.650	5.670

B5 , Normal


1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:55:19


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:55:31


1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:56:37


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:56:58


1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:58:04


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:58:30


1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 19:59:40


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:00:06


1.4MHz_High_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:01:00


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:01:26


1.4MHz_High_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:02:19


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:02:39


3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:03:45


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:04:06


3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:04:40


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:05:02


3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:05:40


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:06:07


3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:06:45


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:07:12


3MHz_High_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:07:46


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:08:08


3MHz_High_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:08:42


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:09:05


5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:10:17


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:10:35


5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:11:06


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:11:31


5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:12:09


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:12:35


5MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:13:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:13:40


5MHz_High_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:14:12


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:14:31


5MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:15:03


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:15:22


10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:16:30


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:16:57


10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:17:37


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:18:03


10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:18:45


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:19:13


10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:19:55


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:20:23


10MHz_High_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:21:05


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:21:35


10MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:22:16

26dB Bandwidth




ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:22:46

B26_2, Normal


2_1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:29:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:29:39


2_1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:30:36


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:30:59


2_1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:32:12


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:32:39


2_1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:33:54


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:34:22


2_1.4MHz_High_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:35:19


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:35:40


2_1.4MHz_High_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:36:37


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:36:59


2_3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:38:22


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:38:45


2_3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:39:24


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:39:48


2_3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:41:02


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:41:32


2_3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:47:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:48:26


2_3MHz_High_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:50:52


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:51:15


2_3MHz_High_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:51:58


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:52:21


2_5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:53:49


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:54:08


2_5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:54:41


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:55:00


2_5MHz_Middle_QPSK_25@0

Occupied Bandwidth




ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:55:48


26dB Bandwidth




ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:56:08

2_5MHz_Middle_16QAM_25@0**Occupied Bandwidth**


ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:56:49

26dB Bandwidth


ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:57:16

2_5MHz_High_QPSK_25@0**Occupied Bandwidth**


ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:57:49

26dB Bandwidth

ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:58:09

2_5MHz_High_16QAM_25@0**Occupied Bandwidth**


ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:58:42

26dB Bandwidth

ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:59:02


2_10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:00:42


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:01:10


2_10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:02:00


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:02:28


2_10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:03:12


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:03:41


2_10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:04:25


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:04:54


2_10MHz_High_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:05:38


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:06:08


2_10MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:06:52


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:07:23


2_15MHz_Low_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:09:05


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:09:35


2_15MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:10:17


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:10:46


2_15MHz_Middle_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:11:29


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:11:59


2_15MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:12:43


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:13:12


2_15MHz_High_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:13:56


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:14:27


2_15MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:15:11

26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 23:15:42

FCC Part 24E

B2 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
1.4MHz_Low_QPSK_6@0	1.084	1.266
1.4MHz_Low_16QAM_6@0	1.086	1.291
1.4MHz_Middle_QPSK_6@0	1.092	1.285
1.4MHz_Middle_16QAM_6@0	1.086	1.291
1.4MHz_High_QPSK_6@0	1.078	1.257
1.4MHz_High_16QAM_6@0	1.089	1.299
3MHz_Low_QPSK_15@0	2.688	2.946
3MHz_Low_16QAM_15@0	2.688	2.964
3MHz_Middle_QPSK_15@0	2.688	2.946
3MHz_Middle_16QAM_15@0	2.694	2.958
3MHz_High_QPSK_15@0	2.688	2.970
3MHz_High_16QAM_15@0	2.688	2.958
5MHz_Low_QPSK_25@0	4.480	4.920
5MHz_Low_16QAM_25@0	4.470	4.850
5MHz_Middle_QPSK_25@0	4.480	4.920
5MHz_Middle_16QAM_25@0	4.490	4.920
5MHz_High_QPSK_25@0	4.500	4.890
5MHz_High_16QAM_25@0	4.480	4.890
10MHz_Low_QPSK_50@0	8.940	9.700
10MHz_Low_16QAM_25@0	4.540	5.360
10MHz_Middle_QPSK_50@0	8.940	9.800
10MHz_Middle_16QAM_25@0	4.560	5.260
10MHz_High_QPSK_50@0	8.940	9.680
10MHz_High_16QAM_25@0	4.520	5.240
15MHz_Low_QPSK_75@0	13.440	14.520
15MHz_Low_16QAM_25@0	4.650	5.700
15MHz_Middle_QPSK_75@0	13.440	14.490
15MHz_Middle_16QAM_25@0	4.650	5.700
15MHz_High_QPSK_75@0	13.410	14.700
15MHz_High_16QAM_25@0	4.710	5.730
20MHz_Low_QPSK_100@0	17.880	19.360

Mode	99% OBW (MHz)	EBW (MHz)
20MHz_Low_16QAM_25@0	4.640	5.640
20MHz_Middle_QPSK_100@0	17.920	19.080
20MHz_Middle_16QAM_25@0	4.720	5.800
20MHz_High_QPSK_100@0	17.840	19.040
20MHz_High_16QAM_25@0	4.800	6

B25 , Normal


Mode	99% OBW (MHz)	EBW (MHz)
1.4MHz_Low_QPSK_6@0	1.092	1.271
1.4MHz_Low_16QAM_6@0	1.084	1.291
1.4MHz_Middle_QPSK_6@0	1.092	1.291
1.4MHz_Middle_16QAM_6@0	1.086	1.288
1.4MHz_High_QPSK_6@0	1.078	1.252
1.4MHz_High_16QAM_6@0	1.089	1.291
3MHz_Low_QPSK_15@0	2.694	2.952
3MHz_Low_16QAM_15@0	2.688	2.964
3MHz_Middle_QPSK_15@0	2.688	2.958
3MHz_Middle_16QAM_15@0	2.694	2.934
3MHz_High_QPSK_15@0	2.682	2.982
3MHz_High_16QAM_15@0	2.682	2.934
5MHz_Low_QPSK_25@0	4.460	4.890
5MHz_Low_16QAM_25@0	4.470	4.870
5MHz_Middle_QPSK_25@0	4.480	4.890
5MHz_Middle_16QAM_25@0	4.480	4.890
5MHz_High_QPSK_25@0	4.460	4.860
5MHz_High_16QAM_25@0	4.460	4.880
10MHz_Low_QPSK_50@0	8.940	9.780
10MHz_Low_16QAM_25@0	4.520	5.300
10MHz_Middle_QPSK_50@0	8.940	9.700
10MHz_Middle_16QAM_25@0	4.540	5.280
10MHz_High_QPSK_50@0	8.940	9.720
10MHz_High_16QAM_25@0	4.560	5.340
15MHz_Low_QPSK_75@0	13.440	14.670

Mode	99% OBW (MHz)	EBW (MHz)
15MHz_Low_16QAM_25@0	4.650	5.580
15MHz_Middle_QPSK_75@0	13.410	14.580
15MHz_Middle_16QAM_25@0	4.680	5.670
15MHz_High_QPSK_75@0	13.440	14.580
15MHz_High_16QAM_25@0	4.680	5.700
20MHz_Low_QPSK_100@0	17.800	19.200
20MHz_Low_16QAM_25@0	4.640	5.760
20MHz_Middle_QPSK_100@0	17.920	19.160
20MHz_Middle_16QAM_25@0	4.720	5.800
20MHz_High_QPSK_100@0	17.840	19.040
20MHz_High_16QAM_25@0	4.720	5.800

B2 , Normal


1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 22:58:59


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 22:59:32


1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:00:42


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:01:15


1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:02:37


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:03:11


3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:10:35


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:11:10


3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:11:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:12:33


3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:13:19


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:13:53


5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:19:53


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:20:19


5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:20:59


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:21:25


5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:22:06


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:22:32


5MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:23:12


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:23:37


5MHz_High_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:24:34


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:25:08


5MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:25:56


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:26:29


10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:28:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:28:52


10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:15:09


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:15:32


10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:48:39


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:49:08


10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:16:16


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:16:34


10MHz_High_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:50:01


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:50:38


10MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:17:25


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:17:50


15MHz_Low_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:52:33


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:53:12


15MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:19:43


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:20:16


15MHz_Middle_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:59:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 23.SEP.2024 23:59:40


15MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:21:00


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:21:17


15MHz_High_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:00:30


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:01:07


15MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:22:09


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:22:33


20MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:24:59


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:25:20


20MHz_High_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:04:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:04:40


20MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:26:11

26dB Bandwidth




ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:26:35

B25 , Normal


1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:23:03


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:23:23


1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:24:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:24:39


1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:27:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:28:18


1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:29:15


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:29:35


1.4MHz_High_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:30:39


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:31:06


1.4MHz_High_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:32:19


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:32:36


3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:34:07


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:34:30


3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:35:05


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:35:27


3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:36:00


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:36:21


3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:36:55


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:37:16


3MHz_High_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:37:54


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:38:20


3MHz_High_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:38:58


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:39:25


5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:40:52


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:41:12


5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:41:44


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:42:04


5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:42:35


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:42:53


5MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:43:23


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:43:40


5MHz_High_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:44:15


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:44:36


5MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:45:11


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:45:32


10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:46:55


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:47:17


10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:47:54


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:48:17


10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:48:49


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:49:08


10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:49:39


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:49:57


10MHz_High_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:50:35


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:51:00


10MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:51:46


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:52:11


15MHz_Low_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:53:20


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:53:46


15MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:54:26


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:54:52


15MHz_Middle_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:55:24


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:55:43


15MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:56:16


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:56:35


15MHz_High_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:57:16


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:57:43


15MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:58:24


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:58:52


20MHz_Low_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:00:02


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:00:30


20MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:01:10


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:01:37


20MHz_Middle_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:02:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:02:36


20MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:03:10


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:03:32


20MHz_High_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:04:11


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:04:37


20MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:05:16

26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 22:05:43

FCC Part 27

B4 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
1.4MHz_Low_QPSK_6@0	1.092	1.280
1.4MHz_Low_16QAM_6@0	1.086	1.285
1.4MHz_Middle_QPSK_6@0	1.084	1.268
1.4MHz_Middle_16QAM_6@0	1.095	1.299
1.4MHz_High_QPSK_6@0	1.092	1.285
1.4MHz_High_16QAM_6@0	1.086	1.291
3MHz_Low_QPSK_15@0	2.688	2.946
3MHz_Low_16QAM_15@0	2.688	2.964
3MHz_Middle_QPSK_15@0	2.688	2.940
3MHz_Middle_16QAM_15@0	2.694	2.976
3MHz_High_QPSK_15@0	2.682	2.952
3MHz_High_16QAM_15@0	2.682	2.952
5MHz_Low_QPSK_25@0	4.470	4.880
5MHz_Low_16QAM_25@0	4.480	4.850
5MHz_Middle_QPSK_25@0	4.480	4.940
5MHz_Middle_16QAM_25@0	4.470	4.940
5MHz_High_QPSK_25@0	4.470	4.850
5MHz_High_16QAM_25@0	4.480	4.900
10MHz_Low_QPSK_50@0	8.940	9.660
10MHz_Low_16QAM_25@0	4.560	5.300
10MHz_Middle_QPSK_50@0	8.940	9.720
10MHz_Middle_16QAM_25@0	4.520	5.200
10MHz_High_QPSK_50@0	8.920	9.700
10MHz_High_16QAM_25@0	4.540	5.120
15MHz_Low_QPSK_75@0	13.410	14.520
15MHz_Low_16QAM_25@0	4.650	5.610
15MHz_Middle_QPSK_75@0	13.440	14.640
15MHz_Middle_16QAM_25@0	4.710	5.700
15MHz_High_QPSK_75@0	13.350	14.460
15MHz_High_16QAM_25@0	4.710	5.550
20MHz_Low_QPSK_100@0	17.840	19.160

Mode	99% OBW (MHz)	EBW (MHz)
20MHz_Low_16QAM_25@0	4.680	5.720
20MHz_Middle_QPSK_100@0	17.800	19.120
20MHz_Middle_16QAM_25@0	4.720	5.920
20MHz_High_QPSK_100@0	17.840	19.160
20MHz_High_16QAM_25@0	4.800	5.880

B12 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
1.4MHz_Low_QPSK_6@0	1.078	1.254
1.4MHz_Low_16QAM_6@0	1.086	1.285
1.4MHz_Middle_QPSK_6@0	1.081	1.268
1.4MHz_Middle_16QAM_6@0	1.092	1.305
1.4MHz_High_QPSK_6@0	1.089	1.280
1.4MHz_High_16QAM_6@0	1.084	1.285
3MHz_Low_QPSK_15@0	2.688	2.940
3MHz_Low_16QAM_15@0	2.730	3.030
3MHz_Middle_QPSK_15@0	2.688	2.952
3MHz_Middle_16QAM_15@0	2.694	2.970
3MHz_High_QPSK_15@0	2.682	2.964
3MHz_High_16QAM_15@0	2.688	2.946
5MHz_Low_QPSK_25@0	4.470	4.900
5MHz_Low_16QAM_25@0	4.480	4.880
5MHz_Middle_QPSK_25@0	4.470	4.920
5MHz_Middle_16QAM_25@0	4.470	4.930
5MHz_High_QPSK_25@0	4.460	4.850
5MHz_High_16QAM_25@0	4.450	4.850
10MHz_Low_QPSK_50@0	8.920	9.760
10MHz_Low_16QAM_25@0	4.540	5.300
10MHz_Middle_QPSK_50@0	8.960	9.780
10MHz_Middle_16QAM_25@0	4.540	5.340
10MHz_High_QPSK_50@0	8.920	9.600
10MHz_High_16QAM_25@0	4.540	5.260


B13 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
5MHz_Low_QPSK_25@0	4.450	4.900
5MHz_Low_16QAM_25@0	4.460	4.840
5MHz_High_QPSK_25@0	4.480	4.900
5MHz_High_16QAM_25@0	4.480	4.930
10MHz_Middle_QPSK_50@0	8.920	9.600
10MHz_Middle_16QAM_25@0	4.500	5.260

B4 , Normal


1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:06:08


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:06:32


1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:07:35


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:08:00


1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:09:25


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:09:59


1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:11:16


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:11:50


1.4MHz_High_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:13:05


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:13:40


1.4MHz_High_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:14:56


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:15:29


3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:17:15


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:17:51


3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:18:40


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:19:17


3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:20:05


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:20:39


3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:21:28


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:22:03


3MHz_High_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:22:51


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:23:25


3MHz_High_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:24:22


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:24:56


5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:26:38


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:27:11


5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:27:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:28:30


5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:29:18


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:29:45


10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:35:03


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:35:38


10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:27:30


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:27:52


10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:36:23


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:36:51


10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:28:37


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:28:54


10MHz_High_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:37:43


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:38:20


10MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:29:45


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:30:07


15MHz_Low_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:40:17


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:40:54


15MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:31:56


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:32:18


15MHz_Middle_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:41:40


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:42:10


15MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:33:03


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:33:21


15MHz_High_QPSK_75@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:43:01


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:43:36


15MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:34:08


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:34:28


20MHz_Low_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:45:16


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:45:52


20MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:36:24


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:36:46


20MHz_Middle_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:46:39


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:47:19


20MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:37:32


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:37:51


20MHz_High_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:48:00


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 24.SEP.2024 00:48:36


20MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:38:40

26dB Bandwidth




ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 12:39:00

B12 , Normal


1.4MHz_Low_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:25:08


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:25:30


1.4MHz_Low_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:26:25


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:26:47


1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:27:45


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:28:10


1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:29:07


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:29:32


1.4MHz_High_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:31:35


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:31:53


1.4MHz_High_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:35:27


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:35:47


3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:36:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:37:25


3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:38:19


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:38:39


3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:40:01


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:40:25


3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:41:00


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:41:25


3MHz_High_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:41:57


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:42:18


3MHz_High_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:42:51


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:43:11


5MHz_Low_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:46:08


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:46:30


5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:47:04


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:47:25


5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:48:09


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:48:21


5MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:48:55


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:49:16


5MHz_High_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:49:47


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:50:04


5MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:50:34


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:50:51


10MHz_Low_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:55:02


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:55:27


10MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:56:06


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:56:32


10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:57:09


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:57:34


10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:58:12


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:58:36


10MHz_High_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:59:14


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 20:59:39


10MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:00:17


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:00:42


5MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:10:26


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:10:46


10MHz_Middle_QPSK_50@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:14:39


26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:14:52


10MHz_Middle_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:15:27

26dB Bandwidth



ProjectNo.:2403X65150E-RF Tester:Chin Qin
Date: 30.SEP.2024 21:15:48

RF Output Power

FCC For 90S

B26_1 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
1_1.4MHz_Low_QPSK_1@0	21.73	16.93	0.049	100	Pass
1_1.4MHz_Low_QPSK_1@3	22.13	17.33	0.054	100	Pass
1_1.4MHz_Low_QPSK_1@5	22.08	17.28	0.053	100	Pass
1_1.4MHz_Low_QPSK_3@0	21.71	16.91	0.049	100	Pass
1_1.4MHz_Low_QPSK_3@1	21.89	17.09	0.051	100	Pass
1_1.4MHz_Low_QPSK_3@3	21.88	17.08	0.051	100	Pass
1_1.4MHz_Low_QPSK_6@0	20.81	16.01	0.040	100	Pass
1_1.4MHz_Low_16QAM_1@0	20.60	15.80	0.038	100	Pass
1_1.4MHz_Low_16QAM_1@3	20.58	15.78	0.038	100	Pass
1_1.4MHz_Low_16QAM_1@5	20.48	15.68	0.037	100	Pass
1_1.4MHz_Low_16QAM_3@0	20.62	15.82	0.038	100	Pass
1_1.4MHz_Low_16QAM_3@1	20.62	15.82	0.038	100	Pass
1_1.4MHz_Low_16QAM_3@3	20.71	15.91	0.039	100	Pass
1_1.4MHz_Low_16QAM_6@0	19.51	14.71	0.030	100	Pass
1_1.4MHz_High_QPSK_1@0	21.02	16.22	0.042	100	Pass
1_1.4MHz_High_QPSK_1@3	21.30	16.50	0.045	100	Pass
1_1.4MHz_High_QPSK_1@5	21.07	16.27	0.042	100	Pass
1_1.4MHz_High_QPSK_3@0	21.42	16.62	0.046	100	Pass
1_1.4MHz_High_QPSK_3@1	21.25	16.45	0.044	100	Pass
1_1.4MHz_High_QPSK_3@3	21.38	16.58	0.045	100	Pass
1_1.4MHz_High_QPSK_6@0	20.30	15.50	0.035	100	Pass
1_1.4MHz_High_16QAM_1@0	20.11	15.31	0.034	100	Pass
1_1.4MHz_High_16QAM_1@3	20.08	15.28	0.034	100	Pass
1_1.4MHz_High_16QAM_1@5	20.14	15.34	0.034	100	Pass
1_1.4MHz_High_16QAM_3@0	20.85	16.05	0.040	100	Pass
1_1.4MHz_High_16QAM_3@1	20.89	16.09	0.041	100	Pass
1_1.4MHz_High_16QAM_3@3	20.85	16.05	0.040	100	Pass
1_1.4MHz_High_16QAM_6@0	19.47	14.67	0.029	100	Pass
1_3MHz_Low_QPSK_1@0	22.56	17.76	0.060	100	Pass
1_3MHz_Low_QPSK_1@14	22.65	17.85	0.061	100	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
1_3MHz_Low_QPSK_1@8	22.24	17.44	0.055	100	Pass
1_3MHz_Low_QPSK_15@0	21.28	16.48	0.044	100	Pass
1_3MHz_Low_QPSK_8@0	21.23	16.43	0.044	100	Pass
1_3MHz_Low_QPSK_8@4	21.32	16.52	0.045	100	Pass
1_3MHz_Low_QPSK_8@7	21.39	16.59	0.046	100	Pass
1_3MHz_Low_16QAM_1@0	21.04	16.24	0.042	100	Pass
1_3MHz_Low_16QAM_1@14	21.01	16.21	0.042	100	Pass
1_3MHz_Low_16QAM_1@8	21.11	16.31	0.043	100	Pass
1_3MHz_Low_16QAM_15@0	20.23	15.43	0.035	100	Pass
1_3MHz_Low_16QAM_8@0	20.14	15.34	0.034	100	Pass
1_3MHz_Low_16QAM_8@4	20.46	15.66	0.037	100	Pass
1_3MHz_Low_16QAM_8@7	20.37	15.57	0.036	100	Pass
1_3MHz_High_QPSK_1@0	22.11	17.31	0.054	100	Pass
1_3MHz_High_QPSK_1@14	22.03	17.23	0.053	100	Pass
1_3MHz_High_QPSK_1@8	22.18	17.38	0.055	100	Pass
1_3MHz_High_QPSK_15@0	21.35	16.55	0.045	100	Pass
1_3MHz_High_QPSK_8@0	21.36	16.56	0.045	100	Pass
1_3MHz_High_QPSK_8@4	21.32	16.52	0.045	100	Pass
1_3MHz_High_QPSK_8@7	21.27	16.47	0.044	100	Pass
1_3MHz_High_16QAM_1@0	20.87	16.07	0.040	100	Pass
1_3MHz_High_16QAM_1@14	20.87	16.07	0.040	100	Pass
1_3MHz_High_16QAM_1@8	21.12	16.32	0.043	100	Pass
1_3MHz_High_16QAM_15@0	20.20	15.40	0.035	100	Pass
1_3MHz_High_16QAM_8@0	20.22	15.42	0.035	100	Pass
1_3MHz_High_16QAM_8@4	20.19	15.39	0.035	100	Pass
1_3MHz_High_16QAM_8@7	20.07	15.27	0.034	100	Pass
1_5MHz_Low_QPSK_1@0	21.81	17.01	0.050	100	Pass
1_5MHz_Low_QPSK_1@12	22.32	17.52	0.056	100	Pass
1_5MHz_Low_QPSK_1@24	22.23	17.43	0.055	100	Pass
1_5MHz_Low_QPSK_12@0	21.05	16.25	0.042	100	Pass
1_5MHz_Low_QPSK_12@13	21.26	16.46	0.044	100	Pass
1_5MHz_Low_QPSK_12@7	21.03	16.23	0.042	100	Pass
1_5MHz_Low_QPSK_25@0	21.14	16.34	0.043	100	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
1_5MHz_Low_16QAM_1@0	21.14	16.34	0.043	100	Pass
1_5MHz_Low_16QAM_1@12	21.51	16.71	0.047	100	Pass
1_5MHz_Low_16QAM_1@24	21.11	16.31	0.043	100	Pass
1_5MHz_Low_16QAM_12@0	19.80	15.00	0.032	100	Pass
1_5MHz_Low_16QAM_12@13	20.08	15.28	0.034	100	Pass
1_5MHz_Low_16QAM_12@7	19.77	14.97	0.031	100	Pass
1_5MHz_Low_16QAM_25@0	20.28	15.48	0.035	100	Pass
1_5MHz_High_QPSK_1@0	21.71	16.91	0.049	100	Pass
1_5MHz_High_QPSK_1@12	21.71	16.91	0.049	100	Pass
1_5MHz_High_QPSK_1@24	21.63	16.83	0.048	100	Pass
1_5MHz_High_QPSK_12@0	20.79	15.99	0.040	100	Pass
1_5MHz_High_QPSK_12@13	20.77	15.97	0.040	100	Pass
1_5MHz_High_QPSK_12@7	20.81	16.01	0.040	100	Pass
1_5MHz_High_QPSK_25@0	20.81	16.01	0.040	100	Pass
1_5MHz_High_16QAM_1@0	20.46	15.66	0.037	100	Pass
1_5MHz_High_16QAM_1@12	20.62	15.82	0.038	100	Pass
1_5MHz_High_16QAM_1@24	20.32	15.52	0.036	100	Pass
1_5MHz_High_16QAM_12@0	19.81	15.01	0.032	100	Pass
1_5MHz_High_16QAM_12@13	19.81	15.01	0.032	100	Pass
1_5MHz_High_16QAM_12@7	19.82	15.02	0.032	100	Pass
1_5MHz_High_16QAM_25@0	19.67	14.87	0.031	100	Pass
1_10MHz_Low_QPSK_1@0	22.49	17.69	0.059	100	Pass
1_10MHz_Low_QPSK_1@25	22.83	18.03	0.064	100	Pass
1_10MHz_Low_QPSK_1@49	22.68	17.88	0.061	100	Pass
1_10MHz_Low_QPSK_25@0	21.32	16.52	0.045	100	Pass
1_10MHz_Low_QPSK_25@12	21.35	16.55	0.045	100	Pass
1_10MHz_Low_QPSK_25@25	21.33	16.53	0.045	100	Pass
1_10MHz_Low_QPSK_50@0	21.34	16.54	0.045	100	Pass
1_10MHz_Low_16QAM_1@0	21.38	16.58	0.045	100	Pass
1_10MHz_Low_16QAM_1@25	21.16	16.36	0.043	100	Pass
1_10MHz_Low_16QAM_1@49	21.19	16.39	0.044	100	Pass
1_10MHz_Low_16QAM_12@0	21.74	16.94	0.049	100	Pass
1_10MHz_Low_16QAM_12@19	22.06	17.26	0.053	100	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
1_10MHz_Low_16QAM_12@38	22.13	17.33	0.054	100	Pass
1_10MHz_Low_16QAM_25@0	20.35	15.55	0.036	100	Pass
1_10MHz_Low_16QAM_25@12	20.59	15.79	0.038	100	Pass
1_10MHz_Low_16QAM_25@25	20.57	15.77	0.038	100	Pass
1_15MHz_Low_QPSK_1@0	22.14	17.34	0.054	100	Pass
1_15MHz_Low_QPSK_1@37	22.62	17.82	0.061	100	Pass
1_15MHz_Low_QPSK_1@74	22.02	17.22	0.053	100	Pass
1_15MHz_Low_QPSK_36@0	20.94	16.14	0.041	100	Pass
1_15MHz_Low_QPSK_36@20	20.93	16.13	0.041	100	Pass
1_15MHz_Low_QPSK_36@39	20.77	15.97	0.040	100	Pass
1_15MHz_Low_QPSK_75@0	20.94	16.14	0.041	100	Pass
1_15MHz_Low_16QAM_1@0	20.81	16.01	0.040	100	Pass
1_15MHz_Low_16QAM_1@37	21.03	16.23	0.042	100	Pass
1_15MHz_Low_16QAM_1@74	20.26	15.46	0.035	100	Pass
1_15MHz_Low_16QAM_12@0	22.48	17.68	0.059	100	Pass
1_15MHz_Low_16QAM_12@31	22.30	17.50	0.056	100	Pass
1_15MHz_Low_16QAM_12@63	21.91	17.11	0.051	100	Pass
1_15MHz_Low_16QAM_25@0	21.51	16.71	0.047	100	Pass
1_15MHz_Low_16QAM_25@25	21.31	16.51	0.045	100	Pass
1_15MHz_Low_16QAM_25@50	21.31	16.51	0.045	100	Pass

Note:

ERP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

B26_1:

1.Ant Gain = -2.65dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

B26_3 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
3_1.4MHz_Middle_QPSK_1@0	23.02	18.22	0.066	7	Pass
3_1.4MHz_Middle_QPSK_1@3	23.26	18.46	0.070	7	Pass
3_1.4MHz_Middle_QPSK_1@5	22.85	18.05	0.064	7	Pass
3_1.4MHz_Middle_QPSK_3@0	22.91	18.11	0.065	7	Pass
3_1.4MHz_Middle_QPSK_3@1	22.98	18.18	0.066	7	Pass
3_1.4MHz_Middle_QPSK_3@3	22.91	18.11	0.065	7	Pass
3_1.4MHz_Middle_QPSK_6@0	21.83	17.03	0.050	7	Pass
3_1.4MHz_Middle_16QAM_1@0	21.80	17.00	0.050	7	Pass
3_1.4MHz_Middle_16QAM_1@3	21.82	17.02	0.050	7	Pass
3_1.4MHz_Middle_16QAM_1@5	21.80	17.00	0.050	7	Pass
3_1.4MHz_Middle_16QAM_3@0	21.88	17.08	0.051	7	Pass
3_1.4MHz_Middle_16QAM_3@1	21.85	17.05	0.051	7	Pass
3_1.4MHz_Middle_16QAM_3@3	21.94	17.14	0.052	7	Pass
3_1.4MHz_Middle_16QAM_6@0	21.03	16.23	0.042	7	Pass
3_3MHz_Middle_QPSK_1@0	23.10	18.30	0.068	7	Pass
3_3MHz_Middle_QPSK_1@14	22.81	18.01	0.063	7	Pass
3_3MHz_Middle_QPSK_1@8	23.04	18.24	0.067	7	Pass
3_3MHz_Middle_QPSK_15@0	21.80	17.00	0.050	7	Pass
3_3MHz_Middle_QPSK_8@0	21.82	17.02	0.050	7	Pass
3_3MHz_Middle_QPSK_8@4	21.70	16.90	0.049	7	Pass
3_3MHz_Middle_QPSK_8@7	21.71	16.91	0.049	7	Pass
3_3MHz_Middle_16QAM_1@0	22.15	17.35	0.054	7	Pass
3_3MHz_Middle_16QAM_1@14	21.60	16.80	0.048	7	Pass
3_3MHz_Middle_16QAM_1@8	21.60	16.80	0.048	7	Pass
3_3MHz_Middle_16QAM_15@0	20.71	15.91	0.039	7	Pass
3_3MHz_Middle_16QAM_8@0	20.73	15.93	0.039	7	Pass
3_3MHz_Middle_16QAM_8@4	20.44	15.64	0.037	7	Pass
3_3MHz_Middle_16QAM_8@7	20.76	15.96	0.039	7	Pass
3_5MHz_Middle_QPSK_1@0	22.79	17.99	0.063	7	Pass
3_5MHz_Middle_QPSK_1@12	22.94	18.14	0.065	7	Pass
3_5MHz_Middle_QPSK_1@24	22.74	17.94	0.062	7	Pass
3_5MHz_Middle_QPSK_12@0	21.59	16.79	0.048	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
3_5MHz_Middle_QPSK_12@13	21.56	16.76	0.047	7	Pass
3_5MHz_Middle_QPSK_12@7	21.71	16.91	0.049	7	Pass
3_5MHz_Middle_QPSK_25@0	21.65	16.85	0.048	7	Pass
3_5MHz_Middle_16QAM_1@0	21.11	16.31	0.043	7	Pass
3_5MHz_Middle_16QAM_1@12	21.02	16.22	0.042	7	Pass
3_5MHz_Middle_16QAM_1@24	20.91	16.11	0.041	7	Pass
3_5MHz_Middle_16QAM_12@0	20.76	15.96	0.039	7	Pass
3_5MHz_Middle_16QAM_12@13	20.56	15.76	0.038	7	Pass
3_5MHz_Middle_16QAM_12@7	20.70	15.90	0.039	7	Pass
3_5MHz_Middle_16QAM_25@0	20.77	15.97	0.040	7	Pass
3_10MHz_Middle_QPSK_1@0	22.96	18.16	0.065	7	Pass
3_10MHz_Middle_QPSK_1@25	23.02	18.22	0.066	7	Pass
3_10MHz_Middle_QPSK_1@49	22.81	18.01	0.063	7	Pass
3_10MHz_Middle_QPSK_25@0	21.75	16.95	0.050	7	Pass
3_10MHz_Middle_QPSK_25@12	21.77	16.97	0.050	7	Pass
3_10MHz_Middle_QPSK_25@25	21.79	16.99	0.050	7	Pass
3_10MHz_Middle_QPSK_50@0	21.86	17.06	0.051	7	Pass
3_10MHz_Middle_16QAM_1@0	21.54	16.74	0.047	7	Pass
3_10MHz_Middle_16QAM_1@25	21.64	16.84	0.048	7	Pass
3_10MHz_Middle_16QAM_1@49	21.57	16.77	0.048	7	Pass
3_10MHz_Middle_16QAM_12@0	21.73	16.93	0.049	7	Pass
3_10MHz_Middle_16QAM_12@19	21.76	16.96	0.050	7	Pass
3_10MHz_Middle_16QAM_12@38	21.68	16.88	0.049	7	Pass
3_10MHz_Middle_16QAM_25@0	20.88	16.08	0.041	7	Pass
3_10MHz_Middle_16QAM_25@12	20.90	16.10	0.041	7	Pass
3_10MHz_Middle_16QAM_25@25	20.94	16.14	0.041	7	Pass
3_15MHz_Middle_QPSK_1@0	23.12	18.32	0.068	7	Pass
3_15MHz_Middle_QPSK_1@37	23.19	18.39	0.069	7	Pass
3_15MHz_Middle_QPSK_1@74	22.86	18.06	0.064	7	Pass
3_15MHz_Middle_QPSK_36@0	21.71	16.91	0.049	7	Pass
3_15MHz_Middle_QPSK_36@20	21.71	16.91	0.049	7	Pass
3_15MHz_Middle_QPSK_36@39	21.77	16.97	0.050	7	Pass
3_15MHz_Middle_QPSK_75@0	21.69	16.89	0.049	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
3_15MHz_Middle_16QAM_1@0	21.81	17.01	0.050	7	Pass
3_15MHz_Middle_16QAM_1@37	22.38	17.58	0.057	7	Pass
3_15MHz_Middle_16QAM_1@74	21.67	16.87	0.049	7	Pass
3_15MHz_Middle_16QAM_12@0	21.81	17.01	0.050	7	Pass
3_15MHz_Middle_16QAM_12@31	21.75	16.95	0.050	7	Pass
3_15MHz_Middle_16QAM_12@63	21.62	16.82	0.048	7	Pass
3_15MHz_Middle_16QAM_25@0	20.63	15.83	0.038	7	Pass
3_15MHz_Middle_16QAM_25@25	20.78	15.98	0.040	7	Pass
3_15MHz_Middle_16QAM_25@50	20.76	15.96	0.039	7	Pass

Note:

ERP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

B26_3:

1.Ant Gain = -2.65dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 22H

B5 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
1.4MHz_Low_QPSK_1@0	23.32	18.52	0.071	7	Pass
1.4MHz_Low_QPSK_1@3	23.26	18.46	0.070	7	Pass
1.4MHz_Low_QPSK_1@5	23.40	18.60	0.072	7	Pass
1.4MHz_Low_QPSK_3@0	23.42	18.62	0.073	7	Pass
1.4MHz_Low_QPSK_3@1	23.26	18.46	0.070	7	Pass
1.4MHz_Low_QPSK_3@3	23.12	18.32	0.068	7	Pass
1.4MHz_Low_QPSK_6@0	22.16	17.36	0.054	7	Pass
1.4MHz_Low_16QAM_1@0	22.02	17.22	0.053	7	Pass
1.4MHz_Low_16QAM_1@3	21.80	17.00	0.050	7	Pass
1.4MHz_Low_16QAM_1@5	21.71	16.91	0.049	7	Pass
1.4MHz_Low_16QAM_3@0	22.04	17.24	0.053	7	Pass
1.4MHz_Low_16QAM_3@1	22.09	17.29	0.054	7	Pass
1.4MHz_Low_16QAM_3@3	21.82	17.02	0.050	7	Pass
1.4MHz_Low_16QAM_6@0	20.82	16.02	0.040	7	Pass
1.4MHz_Middle_QPSK_1@0	22.68	17.88	0.061	7	Pass
1.4MHz_Middle_QPSK_1@3	23.12	18.32	0.068	7	Pass
1.4MHz_Middle_QPSK_1@5	22.98	18.18	0.066	7	Pass
1.4MHz_Middle_QPSK_3@0	22.82	18.02	0.063	7	Pass
1.4MHz_Middle_QPSK_3@1	22.79	17.99	0.063	7	Pass
1.4MHz_Middle_QPSK_3@3	22.95	18.15	0.065	7	Pass
1.4MHz_Middle_QPSK_6@0	21.80	17.00	0.050	7	Pass
1.4MHz_Middle_16QAM_1@0	21.52	16.72	0.047	7	Pass
1.4MHz_Middle_16QAM_1@3	21.56	16.76	0.047	7	Pass
1.4MHz_Middle_16QAM_1@5	21.56	16.76	0.047	7	Pass
1.4MHz_Middle_16QAM_3@0	21.83	17.03	0.050	7	Pass
1.4MHz_Middle_16QAM_3@1	21.82	17.02	0.050	7	Pass
1.4MHz_Middle_16QAM_3@3	21.69	16.89	0.049	7	Pass
1.4MHz_Middle_16QAM_6@0	20.76	15.96	0.039	7	Pass
1.4MHz_High_QPSK_1@0	22.69	17.89	0.062	7	Pass
1.4MHz_High_QPSK_1@3	23.10	18.30	0.068	7	Pass
1.4MHz_High_QPSK_1@5	22.98	18.18	0.066	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
1.4MHz_High_QPSK_3@0	22.89	18.09	0.064	7	Pass
1.4MHz_High_QPSK_3@1	22.88	18.08	0.064	7	Pass
1.4MHz_High_QPSK_3@3	22.80	18.00	0.063	7	Pass
1.4MHz_High_QPSK_6@0	21.84	17.04	0.051	7	Pass
1.4MHz_High_16QAM_1@0	21.63	16.83	0.048	7	Pass
1.4MHz_High_16QAM_1@3	21.90	17.10	0.051	7	Pass
1.4MHz_High_16QAM_1@5	21.72	16.92	0.049	7	Pass
1.4MHz_High_16QAM_3@0	21.93	17.13	0.052	7	Pass
1.4MHz_High_16QAM_3@1	21.96	17.16	0.052	7	Pass
1.4MHz_High_16QAM_3@3	21.77	16.97	0.050	7	Pass
1.4MHz_High_16QAM_6@0	20.92	16.12	0.041	7	Pass
3MHz_Low_QPSK_1@0	23.03	18.23	0.067	7	Pass
3MHz_Low_QPSK_1@14	22.76	17.96	0.063	7	Pass
3MHz_Low_QPSK_1@8	22.95	18.15	0.065	7	Pass
3MHz_Low_QPSK_15@0	21.88	17.08	0.051	7	Pass
3MHz_Low_QPSK_8@0	21.84	17.04	0.051	7	Pass
3MHz_Low_QPSK_8@4	21.75	16.95	0.050	7	Pass
3MHz_Low_QPSK_8@7	21.72	16.92	0.049	7	Pass
3MHz_Low_16QAM_1@0	21.67	16.87	0.049	7	Pass
3MHz_Low_16QAM_1@14	21.57	16.77	0.048	7	Pass
3MHz_Low_16QAM_1@8	21.30	16.50	0.045	7	Pass
3MHz_Low_16QAM_15@0	20.59	15.79	0.038	7	Pass
3MHz_Low_16QAM_8@0	20.76	15.96	0.039	7	Pass
3MHz_Low_16QAM_8@4	20.78	15.98	0.040	7	Pass
3MHz_Low_16QAM_8@7	20.87	16.07	0.040	7	Pass
3MHz_Middle_QPSK_1@0	22.73	17.93	0.062	7	Pass
3MHz_Middle_QPSK_1@14	22.92	18.12	0.065	7	Pass
3MHz_Middle_QPSK_1@8	22.80	18.00	0.063	7	Pass
3MHz_Middle_QPSK_15@0	21.78	16.98	0.050	7	Pass
3MHz_Middle_QPSK_8@0	21.71	16.91	0.049	7	Pass
3MHz_Middle_QPSK_8@4	21.74	16.94	0.049	7	Pass
3MHz_Middle_QPSK_8@7	21.66	16.86	0.049	7	Pass
3MHz_Middle_16QAM_1@0	21.50	16.70	0.047	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
3MHz_Middle_16QAM_1@14	22.06	17.26	0.053	7	Pass
3MHz_Middle_16QAM_1@8	21.44	16.64	0.046	7	Pass
3MHz_Middle_16QAM_15@0	20.69	15.89	0.039	7	Pass
3MHz_Middle_16QAM_8@0	20.75	15.95	0.039	7	Pass
3MHz_Middle_16QAM_8@4	21.06	16.26	0.042	7	Pass
3MHz_Middle_16QAM_8@7	21.14	16.34	0.043	7	Pass
3MHz_High_QPSK_1@0	22.80	18.00	0.063	7	Pass
3MHz_High_QPSK_1@14	22.88	18.08	0.064	7	Pass
3MHz_High_QPSK_1@8	22.59	17.79	0.060	7	Pass
3MHz_High_QPSK_15@0	21.54	16.74	0.047	7	Pass
3MHz_High_QPSK_8@0	21.55	16.75	0.047	7	Pass
3MHz_High_QPSK_8@4	21.65	16.85	0.048	7	Pass
3MHz_High_QPSK_8@7	21.58	16.78	0.048	7	Pass
3MHz_High_16QAM_1@0	21.34	16.54	0.045	7	Pass
3MHz_High_16QAM_1@14	21.26	16.46	0.044	7	Pass
3MHz_High_16QAM_1@8	21.18	16.38	0.043	7	Pass
3MHz_High_16QAM_15@0	20.49	15.69	0.037	7	Pass
3MHz_High_16QAM_8@0	20.67	15.87	0.039	7	Pass
3MHz_High_16QAM_8@4	20.78	15.98	0.040	7	Pass
3MHz_High_16QAM_8@7	20.70	15.90	0.039	7	Pass
5MHz_Low_QPSK_1@0	22.37	17.57	0.057	7	Pass
5MHz_Low_QPSK_1@12	22.29	17.49	0.056	7	Pass
5MHz_Low_QPSK_1@24	21.98	17.18	0.052	7	Pass
5MHz_Low_QPSK_12@0	21.25	16.45	0.044	7	Pass
5MHz_Low_QPSK_12@13	20.96	16.16	0.041	7	Pass
5MHz_Low_QPSK_12@7	21.22	16.42	0.044	7	Pass
5MHz_Low_QPSK_25@0	21.20	16.40	0.044	7	Pass
5MHz_Low_16QAM_1@0	20.75	15.95	0.039	7	Pass
5MHz_Low_16QAM_1@12	20.35	15.55	0.036	7	Pass
5MHz_Low_16QAM_1@24	20	15.20	0.033	7	Pass
5MHz_Low_16QAM_12@0	20.17	15.37	0.034	7	Pass
5MHz_Low_16QAM_12@13	19.89	15.09	0.032	7	Pass
5MHz_Low_16QAM_12@7	19.93	15.13	0.033	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_Low_16QAM_25@0	20.05	15.25	0.033	7	Pass
5MHz_Middle_QPSK_1@0	21.99	17.19	0.052	7	Pass
5MHz_Middle_QPSK_1@12	22.24	17.44	0.055	7	Pass
5MHz_Middle_QPSK_1@24	22.08	17.28	0.053	7	Pass
5MHz_Middle_QPSK_12@0	20.94	16.14	0.041	7	Pass
5MHz_Middle_QPSK_12@13	21.05	16.25	0.042	7	Pass
5MHz_Middle_QPSK_12@7	20.98	16.18	0.041	7	Pass
5MHz_Middle_QPSK_25@0	20.96	16.16	0.041	7	Pass
5MHz_Middle_16QAM_1@0	20.35	15.55	0.036	7	Pass
5MHz_Middle_16QAM_1@12	20.80	16.00	0.040	7	Pass
5MHz_Middle_16QAM_1@24	20.48	15.68	0.037	7	Pass
5MHz_Middle_16QAM_12@0	20.03	15.23	0.033	7	Pass
5MHz_Middle_16QAM_12@13	20.01	15.21	0.033	7	Pass
5MHz_Middle_16QAM_12@7	19.87	15.07	0.032	7	Pass
5MHz_Middle_16QAM_25@0	20.05	15.25	0.033	7	Pass
5MHz_High_QPSK_1@0	21.36	16.56	0.045	7	Pass
5MHz_High_QPSK_1@12	21.62	16.82	0.048	7	Pass
5MHz_High_QPSK_1@24	21.46	16.66	0.046	7	Pass
5MHz_High_QPSK_12@0	20.55	15.75	0.038	7	Pass
5MHz_High_QPSK_12@13	20.49	15.69	0.037	7	Pass
5MHz_High_QPSK_12@7	20.58	15.78	0.038	7	Pass
5MHz_High_QPSK_25@0	20.52	15.72	0.037	7	Pass
5MHz_High_16QAM_1@0	20.61	15.81	0.038	7	Pass
5MHz_High_16QAM_1@12	20.84	16.04	0.040	7	Pass
5MHz_High_16QAM_1@24	20.48	15.68	0.037	7	Pass
5MHz_High_16QAM_12@0	19.58	14.78	0.030	7	Pass
5MHz_High_16QAM_12@13	19.52	14.72	0.030	7	Pass
5MHz_High_16QAM_12@7	19.59	14.79	0.030	7	Pass
5MHz_High_16QAM_25@0	19.56	14.76	0.030	7	Pass
10MHz_Low_QPSK_1@0	22.54	17.74	0.059	7	Pass
10MHz_Low_QPSK_1@25	21.94	17.14	0.052	7	Pass
10MHz_Low_QPSK_1@49	22.36	17.56	0.057	7	Pass
10MHz_Low_QPSK_25@0	21.16	16.36	0.043	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_Low_QPSK_25@12	20.93	16.13	0.041	7	Pass
10MHz_Low_QPSK_25@25	21.10	16.30	0.043	7	Pass
10MHz_Low_QPSK_50@0	21.20	16.40	0.044	7	Pass
10MHz_Low_16QAM_1@0	20.77	15.97	0.040	7	Pass
10MHz_Low_16QAM_1@25	20.22	15.42	0.035	7	Pass
10MHz_Low_16QAM_1@49	20.26	15.46	0.035	7	Pass
10MHz_Low_16QAM_12@0	22.15	17.35	0.054	7	Pass
10MHz_Low_16QAM_12@19	21.61	16.81	0.048	7	Pass
10MHz_Low_16QAM_12@38	21.88	17.08	0.051	7	Pass
10MHz_Low_16QAM_25@0	20.15	15.35	0.034	7	Pass
10MHz_Low_16QAM_25@12	19.93	15.13	0.033	7	Pass
10MHz_Low_16QAM_25@25	20.21	15.41	0.035	7	Pass
10MHz_Middle_QPSK_1@0	22.48	17.68	0.059	7	Pass
10MHz_Middle_QPSK_1@25	22.77	17.97	0.063	7	Pass
10MHz_Middle_QPSK_1@49	22.44	17.64	0.058	7	Pass
10MHz_Middle_QPSK_25@0	21.43	16.63	0.046	7	Pass
10MHz_Middle_QPSK_25@12	21.56	16.76	0.047	7	Pass
10MHz_Middle_QPSK_25@25	21.51	16.71	0.047	7	Pass
10MHz_Middle_QPSK_50@0	22.01	17.21	0.053	7	Pass
10MHz_Middle_16QAM_1@0	21.30	16.50	0.045	7	Pass
10MHz_Middle_16QAM_1@25	21.93	17.13	0.052	7	Pass
10MHz_Middle_16QAM_1@49	21.75	16.95	0.050	7	Pass
10MHz_Middle_16QAM_12@0	22.07	17.27	0.053	7	Pass
10MHz_Middle_16QAM_12@19	22.13	17.33	0.054	7	Pass
10MHz_Middle_16QAM_12@38	21.83	17.03	0.050	7	Pass
10MHz_Middle_16QAM_25@0	20.55	15.75	0.038	7	Pass
10MHz_Middle_16QAM_25@12	20.66	15.86	0.039	7	Pass
10MHz_Middle_16QAM_25@25	20.77	15.97	0.040	7	Pass
10MHz_High_QPSK_1@0	22.61	17.81	0.060	7	Pass
10MHz_High_QPSK_1@25	22.90	18.10	0.065	7	Pass
10MHz_High_QPSK_1@49	22.47	17.67	0.058	7	Pass
10MHz_High_QPSK_25@0	21.44	16.64	0.046	7	Pass
10MHz_High_QPSK_25@12	21.36	16.56	0.045	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
10MHz_High_QPSK_25@25	21.41	16.61	0.046	7	Pass
10MHz_High_QPSK_50@0	21.43	16.63	0.046	7	Pass
10MHz_High_16QAM_1@0	21.18	16.38	0.043	7	Pass
10MHz_High_16QAM_1@25	21.41	16.61	0.046	7	Pass
10MHz_High_16QAM_1@49	21.15	16.35	0.043	7	Pass
10MHz_High_16QAM_12@0	21.80	17.00	0.050	7	Pass
10MHz_High_16QAM_12@19	21.62	16.82	0.048	7	Pass
10MHz_High_16QAM_12@38	21.87	17.07	0.051	7	Pass
10MHz_High_16QAM_25@0	20.55	15.75	0.038	7	Pass
10MHz_High_16QAM_25@12	20.51	15.71	0.037	7	Pass
10MHz_High_16QAM_25@25	20.51	15.71	0.037	7	Pass

Note:

ERP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

B5:

1.Ant Gain = -2.65dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

B26_2 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_1.4MHz_Low_QPSK_1@0	22.85	18.05	0.064	7	Pass
2_1.4MHz_Low_QPSK_1@3	23.10	18.30	0.068	7	Pass
2_1.4MHz_Low_QPSK_1@5	22.84	18.04	0.064	7	Pass
2_1.4MHz_Low_QPSK_3@0	23.09	18.29	0.067	7	Pass
2_1.4MHz_Low_QPSK_3@1	22.91	18.11	0.065	7	Pass
2_1.4MHz_Low_QPSK_3@3	22.89	18.09	0.064	7	Pass
2_1.4MHz_Low_QPSK_6@0	21.72	16.92	0.049	7	Pass
2_1.4MHz_Low_16QAM_1@0	21.69	16.89	0.049	7	Pass
2_1.4MHz_Low_16QAM_1@3	21.47	16.67	0.046	7	Pass
2_1.4MHz_Low_16QAM_1@5	21.06	16.26	0.042	7	Pass
2_1.4MHz_Low_16QAM_3@0	21.73	16.93	0.049	7	Pass
2_1.4MHz_Low_16QAM_3@1	21.52	16.72	0.047	7	Pass
2_1.4MHz_Low_16QAM_3@3	21.71	16.91	0.049	7	Pass
2_1.4MHz_Low_16QAM_6@0	20.82	16.02	0.040	7	Pass
2_1.4MHz_Middle_QPSK_1@0	22.11	17.31	0.054	7	Pass
2_1.4MHz_Middle_QPSK_1@3	22.07	17.27	0.053	7	Pass
2_1.4MHz_Middle_QPSK_1@5	21.99	17.19	0.052	7	Pass
2_1.4MHz_Middle_QPSK_3@0	22.14	17.34	0.054	7	Pass
2_1.4MHz_Middle_QPSK_3@1	21.98	17.18	0.052	7	Pass
2_1.4MHz_Middle_QPSK_3@3	22	17.20	0.052	7	Pass
2_1.4MHz_Middle_QPSK_6@0	20.99	16.19	0.042	7	Pass
2_1.4MHz_Middle_16QAM_1@0	20.76	15.96	0.039	7	Pass
2_1.4MHz_Middle_16QAM_1@3	20.73	15.93	0.039	7	Pass
2_1.4MHz_Middle_16QAM_1@5	20.65	15.85	0.038	7	Pass
2_1.4MHz_Middle_16QAM_3@0	20.56	15.76	0.038	7	Pass
2_1.4MHz_Middle_16QAM_3@1	20.74	15.94	0.039	7	Pass
2_1.4MHz_Middle_16QAM_3@3	20.69	15.89	0.039	7	Pass
2_1.4MHz_Middle_16QAM_6@0	19.59	14.79	0.030	7	Pass
2_1.4MHz_High_QPSK_1@0	22.29	17.49	0.056	7	Pass
2_1.4MHz_High_QPSK_1@3	22.36	17.56	0.057	7	Pass
2_1.4MHz_High_QPSK_1@5	22.53	17.73	0.059	7	Pass
2_1.4MHz_High_QPSK_3@0	22.37	17.57	0.057	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_1.4MHz_High_QPSK_3@1	22.47	17.67	0.058	7	Pass
2_1.4MHz_High_QPSK_3@3	22.38	17.58	0.057	7	Pass
2_1.4MHz_High_QPSK_6@0	21.24	16.44	0.044	7	Pass
2_1.4MHz_High_16QAM_1@0	21.04	16.24	0.042	7	Pass
2_1.4MHz_High_16QAM_1@3	21.10	16.30	0.043	7	Pass
2_1.4MHz_High_16QAM_1@5	21.13	16.33	0.043	7	Pass
2_1.4MHz_High_16QAM_3@0	21.43	16.63	0.046	7	Pass
2_1.4MHz_High_16QAM_3@1	21.47	16.67	0.046	7	Pass
2_1.4MHz_High_16QAM_3@3	21.38	16.58	0.045	7	Pass
2_1.4MHz_High_16QAM_6@0	20.52	15.72	0.037	7	Pass
2_3MHz_Low_QPSK_1@0	22.74	17.94	0.062	7	Pass
2_3MHz_Low_QPSK_1@14	22.68	17.88	0.061	7	Pass
2_3MHz_Low_QPSK_1@8	22.83	18.03	0.064	7	Pass
2_3MHz_Low_QPSK_15@0	21.68	16.88	0.049	7	Pass
2_3MHz_Low_QPSK_8@0	21.69	16.89	0.049	7	Pass
2_3MHz_Low_QPSK_8@4	21.64	16.84	0.048	7	Pass
2_3MHz_Low_QPSK_8@7	21.53	16.73	0.047	7	Pass
2_3MHz_Low_16QAM_1@0	21.39	16.59	0.046	7	Pass
2_3MHz_Low_16QAM_1@14	20.84	16.04	0.040	7	Pass
2_3MHz_Low_16QAM_1@8	21.15	16.35	0.043	7	Pass
2_3MHz_Low_16QAM_15@0	20.34	15.54	0.036	7	Pass
2_3MHz_Low_16QAM_8@0	20.51	15.71	0.037	7	Pass
2_3MHz_Low_16QAM_8@4	20.37	15.57	0.036	7	Pass
2_3MHz_Low_16QAM_8@7	20.26	15.46	0.035	7	Pass
2_3MHz_Middle_QPSK_1@0	22.56	17.76	0.060	7	Pass
2_3MHz_Middle_QPSK_1@14	22.93	18.13	0.065	7	Pass
2_3MHz_Middle_QPSK_1@8	22.88	18.08	0.064	7	Pass
2_3MHz_Middle_QPSK_15@0	21.55	16.75	0.047	7	Pass
2_3MHz_Middle_QPSK_8@0	21.48	16.68	0.047	7	Pass
2_3MHz_Middle_QPSK_8@4	21.63	16.83	0.048	7	Pass
2_3MHz_Middle_QPSK_8@7	21.53	16.73	0.047	7	Pass
2_3MHz_Middle_16QAM_1@0	21.34	16.54	0.045	7	Pass
2_3MHz_Middle_16QAM_1@14	21.51	16.71	0.047	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_3MHz_Middle_16QAM_1@8	21.33	16.53	0.045	7	Pass
2_3MHz_Middle_16QAM_15@0	20.59	15.79	0.038	7	Pass
2_3MHz_Middle_16QAM_8@0	20.96	16.16	0.041	7	Pass
2_3MHz_Middle_16QAM_8@4	21.05	16.25	0.042	7	Pass
2_3MHz_Middle_16QAM_8@7	21.02	16.22	0.042	7	Pass
2_3MHz_High_QPSK_1@0	22.71	17.91	0.062	7	Pass
2_3MHz_High_QPSK_1@14	22.78	17.98	0.063	7	Pass
2_3MHz_High_QPSK_1@8	22.69	17.89	0.062	7	Pass
2_3MHz_High_QPSK_15@0	21.50	16.70	0.047	7	Pass
2_3MHz_High_QPSK_8@0	21.51	16.71	0.047	7	Pass
2_3MHz_High_QPSK_8@4	21.54	16.74	0.047	7	Pass
2_3MHz_High_QPSK_8@7	21.57	16.77	0.048	7	Pass
2_3MHz_High_16QAM_1@0	21.43	16.63	0.046	7	Pass
2_3MHz_High_16QAM_1@14	21.20	16.40	0.044	7	Pass
2_3MHz_High_16QAM_1@8	21.15	16.35	0.043	7	Pass
2_3MHz_High_16QAM_15@0	20.46	15.66	0.037	7	Pass
2_3MHz_High_16QAM_8@0	20.64	15.84	0.038	7	Pass
2_3MHz_High_16QAM_8@4	20.68	15.88	0.039	7	Pass
2_3MHz_High_16QAM_8@7	20.67	15.87	0.039	7	Pass
2_5MHz_Low_QPSK_1@0	22.13	17.33	0.054	7	Pass
2_5MHz_Low_QPSK_1@12	22.16	17.36	0.054	7	Pass
2_5MHz_Low_QPSK_1@24	22.07	17.27	0.053	7	Pass
2_5MHz_Low_QPSK_12@0	21.19	16.39	0.044	7	Pass
2_5MHz_Low_QPSK_12@13	20.99	16.19	0.042	7	Pass
2_5MHz_Low_QPSK_12@7	21.11	16.31	0.043	7	Pass
2_5MHz_Low_QPSK_25@0	21	16.20	0.042	7	Pass
2_5MHz_Low_16QAM_1@0	20.61	15.81	0.038	7	Pass
2_5MHz_Low_16QAM_1@12	20.25	15.45	0.035	7	Pass
2_5MHz_Low_16QAM_1@24	20.07	15.27	0.034	7	Pass
2_5MHz_Low_16QAM_12@0	19.95	15.15	0.033	7	Pass
2_5MHz_Low_16QAM_12@13	19.86	15.06	0.032	7	Pass
2_5MHz_Low_16QAM_12@7	20	15.20	0.033	7	Pass
2_5MHz_Low_16QAM_25@0	20.02	15.22	0.033	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_5MHz_Middle_QPSK_1@0	21.75	16.95	0.050	7	Pass
2_5MHz_Middle_QPSK_1@12	21.90	17.10	0.051	7	Pass
2_5MHz_Middle_QPSK_1@24	21.71	16.91	0.049	7	Pass
2_5MHz_Middle_QPSK_12@0	20.54	15.74	0.037	7	Pass
2_5MHz_Middle_QPSK_12@13	20.68	15.88	0.039	7	Pass
2_5MHz_Middle_QPSK_12@7	20.62	15.82	0.038	7	Pass
2_5MHz_Middle_QPSK_25@0	20.61	15.81	0.038	7	Pass
2_5MHz_Middle_16QAM_1@0	20.10	15.30	0.034	7	Pass
2_5MHz_Middle_16QAM_1@12	20.06	15.26	0.034	7	Pass
2_5MHz_Middle_16QAM_1@24	20.12	15.32	0.034	7	Pass
2_5MHz_Middle_16QAM_12@0	19.45	14.65	0.029	7	Pass
2_5MHz_Middle_16QAM_12@13	19.67	14.87	0.031	7	Pass
2_5MHz_Middle_16QAM_12@7	19.51	14.71	0.030	7	Pass
2_5MHz_Middle_16QAM_25@0	21.36	16.56	0.045	7	Pass
2_5MHz_High_QPSK_1@0	22.42	17.62	0.058	7	Pass
2_5MHz_High_QPSK_1@12	22.93	18.13	0.065	7	Pass
2_5MHz_High_QPSK_1@24	22.62	17.82	0.061	7	Pass
2_5MHz_High_QPSK_12@0	21.54	16.74	0.047	7	Pass
2_5MHz_High_QPSK_12@13	21.61	16.81	0.048	7	Pass
2_5MHz_High_QPSK_12@7	21.47	16.67	0.046	7	Pass
2_5MHz_High_QPSK_25@0	21.52	16.72	0.047	7	Pass
2_5MHz_High_16QAM_1@0	21.60	16.80	0.048	7	Pass
2_5MHz_High_16QAM_1@12	21.77	16.97	0.050	7	Pass
2_5MHz_High_16QAM_1@24	21.44	16.64	0.046	7	Pass
2_5MHz_High_16QAM_12@0	20.29	15.49	0.035	7	Pass
2_5MHz_High_16QAM_12@13	20.49	15.69	0.037	7	Pass
2_5MHz_High_16QAM_12@7	20.45	15.65	0.037	7	Pass
2_5MHz_High_16QAM_25@0	20.63	15.83	0.038	7	Pass
2_10MHz_Low_QPSK_1@0	23.53	18.73	0.075	7	Pass
2_10MHz_Low_QPSK_1@25	23.29	18.49	0.071	7	Pass
2_10MHz_Low_QPSK_1@49	23.42	18.62	0.073	7	Pass
2_10MHz_Low_QPSK_25@0	22.35	17.55	0.057	7	Pass
2_10MHz_Low_QPSK_25@12	22.26	17.46	0.056	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_10MHz_Low_QPSK_25@25	22.16	17.36	0.054	7	Pass
2_10MHz_Low_QPSK_50@0	22.24	17.44	0.055	7	Pass
2_10MHz_Low_16QAM_1@0	21.69	16.89	0.049	7	Pass
2_10MHz_Low_16QAM_1@25	22.10	17.30	0.054	7	Pass
2_10MHz_Low_16QAM_1@49	22.14	17.34	0.054	7	Pass
2_10MHz_Low_16QAM_12@0	22.19	17.39	0.055	7	Pass
2_10MHz_Low_16QAM_12@19	21.80	17.00	0.050	7	Pass
2_10MHz_Low_16QAM_12@38	21.90	17.10	0.051	7	Pass
2_10MHz_Low_16QAM_25@0	21.25	16.45	0.044	7	Pass
2_10MHz_Low_16QAM_25@12	21.04	16.24	0.042	7	Pass
2_10MHz_Low_16QAM_25@25	21.15	16.35	0.043	7	Pass
2_10MHz_Middle_QPSK_1@0	23.01	18.21	0.066	7	Pass
2_10MHz_Middle_QPSK_1@25	23.41	18.61	0.073	7	Pass
2_10MHz_Middle_QPSK_1@49	23.11	18.31	0.068	7	Pass
2_10MHz_Middle_QPSK_25@0	21.98	17.18	0.052	7	Pass
2_10MHz_Middle_QPSK_25@12	22.07	17.27	0.053	7	Pass
2_10MHz_Middle_QPSK_25@25	22.03	17.23	0.053	7	Pass
2_10MHz_Middle_QPSK_50@0	21.99	17.19	0.052	7	Pass
2_10MHz_Middle_16QAM_1@0	21.83	17.03	0.050	7	Pass
2_10MHz_Middle_16QAM_1@25	22.05	17.25	0.053	7	Pass
2_10MHz_Middle_16QAM_1@49	21.93	17.13	0.052	7	Pass
2_10MHz_Middle_16QAM_12@0	21.88	17.08	0.051	7	Pass
2_10MHz_Middle_16QAM_12@19	22.08	17.28	0.053	7	Pass
2_10MHz_Middle_16QAM_12@38	22.15	17.35	0.054	7	Pass
2_10MHz_Middle_16QAM_25@0	21.12	16.32	0.043	7	Pass
2_10MHz_Middle_16QAM_25@12	21.34	16.54	0.045	7	Pass
2_10MHz_Middle_16QAM_25@25	21.35	16.55	0.045	7	Pass
2_10MHz_High_QPSK_1@0	23.18	18.38	0.069	7	Pass
2_10MHz_High_QPSK_1@25	22.90	18.10	0.065	7	Pass
2_10MHz_High_QPSK_1@49	22.78	17.98	0.063	7	Pass
2_10MHz_High_QPSK_25@0	22.08	17.28	0.053	7	Pass
2_10MHz_High_QPSK_25@12	21.96	17.16	0.052	7	Pass
2_10MHz_High_QPSK_25@25	22.02	17.22	0.053	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_10MHz_High_QPSK_50@0	22.03	17.23	0.053	7	Pass
2_10MHz_High_16QAM_1@0	21.63	16.83	0.048	7	Pass
2_10MHz_High_16QAM_1@25	21.20	16.40	0.044	7	Pass
2_10MHz_High_16QAM_1@49	22.66	17.86	0.061	7	Pass
2_10MHz_High_16QAM_12@0	22.12	17.32	0.054	7	Pass
2_10MHz_High_16QAM_12@19	21.79	16.99	0.050	7	Pass
2_10MHz_High_16QAM_12@38	21.90	17.10	0.051	7	Pass
2_10MHz_High_16QAM_25@0	21.23	16.43	0.044	7	Pass
2_10MHz_High_16QAM_25@12	21.05	16.25	0.042	7	Pass
2_10MHz_High_16QAM_25@25	21.04	16.24	0.042	7	Pass
2_15MHz_Low_QPSK_1@0	23.50	18.70	0.074	7	Pass
2_15MHz_Low_QPSK_1@37	22.62	17.82	0.061	7	Pass
2_15MHz_Low_QPSK_1@74	22.77	17.97	0.063	7	Pass
2_15MHz_Low_QPSK_36@0	22.26	17.46	0.056	7	Pass
2_15MHz_Low_QPSK_36@20	22.10	17.30	0.054	7	Pass
2_15MHz_Low_QPSK_36@39	22.34	17.54	0.057	7	Pass
2_15MHz_Low_QPSK_75@0	22	17.20	0.052	7	Pass
2_15MHz_Low_16QAM_1@0	22.14	17.34	0.054	7	Pass
2_15MHz_Low_16QAM_1@37	21.97	17.17	0.052	7	Pass
2_15MHz_Low_16QAM_1@74	22.58	17.78	0.060	7	Pass
2_15MHz_Low_16QAM_12@0	21.76	16.96	0.050	7	Pass
2_15MHz_Low_16QAM_12@31	21.76	16.96	0.050	7	Pass
2_15MHz_Low_16QAM_12@63	22.06	17.26	0.053	7	Pass
2_15MHz_Low_16QAM_25@0	21.05	16.25	0.042	7	Pass
2_15MHz_Low_16QAM_25@25	20.97	16.17	0.041	7	Pass
2_15MHz_Low_16QAM_25@50	21.13	16.33	0.043	7	Pass
2_15MHz_Middle_QPSK_1@0	22.93	18.13	0.065	7	Pass
2_15MHz_Middle_QPSK_1@37	23.32	18.52	0.071	7	Pass
2_15MHz_Middle_QPSK_1@74	22.91	18.11	0.065	7	Pass
2_15MHz_Middle_QPSK_36@0	21.81	17.01	0.050	7	Pass
2_15MHz_Middle_QPSK_36@20	21.87	17.07	0.051	7	Pass
2_15MHz_Middle_QPSK_36@39	21.93	17.13	0.052	7	Pass
2_15MHz_Middle_QPSK_75@0	21.81	17.01	0.050	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
2_15MHz_Middle_16QAM_1@0	21.68	16.88	0.049	7	Pass
2_15MHz_Middle_16QAM_1@37	22.11	17.31	0.054	7	Pass
2_15MHz_Middle_16QAM_1@74	21.45	16.65	0.046	7	Pass
2_15MHz_Middle_16QAM_12@0	21.65	16.85	0.048	7	Pass
2_15MHz_Middle_16QAM_12@31	22.06	17.26	0.053	7	Pass
2_15MHz_Middle_16QAM_12@63	21.73	16.93	0.049	7	Pass
2_15MHz_Middle_16QAM_25@0	20.93	16.13	0.041	7	Pass
2_15MHz_Middle_16QAM_25@25	21.07	16.27	0.042	7	Pass
2_15MHz_Middle_16QAM_25@50	21.03	16.23	0.042	7	Pass
2_15MHz_High_QPSK_1@0	22.81	18.01	0.063	7	Pass
2_15MHz_High_QPSK_1@37	23.07	18.27	0.067	7	Pass
2_15MHz_High_QPSK_1@74	22.78	17.98	0.063	7	Pass
2_15MHz_High_QPSK_36@0	21.74	16.94	0.049	7	Pass
2_15MHz_High_QPSK_36@20	21.82	17.02	0.050	7	Pass
2_15MHz_High_QPSK_36@39	21.88	17.08	0.051	7	Pass
2_15MHz_High_QPSK_75@0	21.81	17.01	0.050	7	Pass
2_15MHz_High_16QAM_1@0	21.94	17.14	0.052	7	Pass
2_15MHz_High_16QAM_1@37	22.10	17.30	0.054	7	Pass
2_15MHz_High_16QAM_1@74	21.86	17.06	0.051	7	Pass
2_15MHz_High_16QAM_12@0	22.02	17.22	0.053	7	Pass
2_15MHz_High_16QAM_12@31	22.10	17.30	0.054	7	Pass
2_15MHz_High_16QAM_12@63	21.87	17.07	0.051	7	Pass
2_15MHz_High_16QAM_25@0	21.01	16.21	0.042	7	Pass
2_15MHz_High_16QAM_25@25	20.96	16.16	0.041	7	Pass
2_15MHz_High_16QAM_25@50	20.91	16.11	0.041	7	Pass

Note:

ERP = Average Conducted Power(dBm) - L_c(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

B26_2:

1.Ant Gain = -2.65dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 24E

B2 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
1.4MHz_Low_QPSK_1@0	22.78	22.53	0.179	2	Pass
1.4MHz_Low_QPSK_1@3	22.65	22.40	0.174	2	Pass
1.4MHz_Low_QPSK_1@5	22.78	22.53	0.179	2	Pass
1.4MHz_Low_QPSK_3@0	22.67	22.42	0.175	2	Pass
1.4MHz_Low_QPSK_3@1	22.52	22.27	0.169	2	Pass
1.4MHz_Low_QPSK_3@3	22.55	22.30	0.170	2	Pass
1.4MHz_Low_QPSK_6@0	21.42	21.17	0.131	2	Pass
1.4MHz_Low_16QAM_1@0	21.23	20.98	0.125	2	Pass
1.4MHz_Low_16QAM_1@3	20.94	20.69	0.117	2	Pass
1.4MHz_Low_16QAM_1@5	21.03	20.78	0.120	2	Pass
1.4MHz_Low_16QAM_3@0	21.53	21.28	0.134	2	Pass
1.4MHz_Low_16QAM_3@1	21.55	21.30	0.135	2	Pass
1.4MHz_Low_16QAM_3@3	21.35	21.10	0.129	2	Pass
1.4MHz_Low_16QAM_6@0	20.53	20.28	0.107	2	Pass
1.4MHz_Middle_QPSK_1@0	21.51	21.26	0.134	2	Pass
1.4MHz_Middle_QPSK_1@3	21.61	21.36	0.137	2	Pass
1.4MHz_Middle_QPSK_1@5	21.50	21.25	0.133	2	Pass
1.4MHz_Middle_QPSK_3@0	21.50	21.25	0.133	2	Pass
1.4MHz_Middle_QPSK_3@1	21.37	21.12	0.129	2	Pass
1.4MHz_Middle_QPSK_3@3	21.29	21.04	0.127	2	Pass
1.4MHz_Middle_QPSK_6@0	20.35	20.10	0.102	2	Pass
1.4MHz_Middle_16QAM_1@0	19.98	19.73	0.094	2	Pass
1.4MHz_Middle_16QAM_1@3	20.11	19.86	0.097	2	Pass
1.4MHz_Middle_16QAM_1@5	19.84	19.59	0.091	2	Pass
1.4MHz_Middle_16QAM_3@0	20.27	20.02	0.100	2	Pass
1.4MHz_Middle_16QAM_3@1	20.28	20.03	0.101	2	Pass
1.4MHz_Middle_16QAM_3@3	20.21	19.96	0.099	2	Pass
1.4MHz_Middle_16QAM_6@0	18.99	18.74	0.075	2	Pass
1.4MHz_High_QPSK_1@0	21.73	21.48	0.141	2	Pass
1.4MHz_High_QPSK_1@3	21.84	21.59	0.144	2	Pass
1.4MHz_High_QPSK_1@5	21.79	21.54	0.143	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
1.4MHz_High_QPSK_3@0	21.61	21.36	0.137	2	Pass
1.4MHz_High_QPSK_3@1	21.66	21.41	0.138	2	Pass
1.4MHz_High_QPSK_3@3	21.64	21.39	0.138	2	Pass
1.4MHz_High_QPSK_6@0	20.62	20.37	0.109	2	Pass
1.4MHz_High_16QAM_1@0	20.38	20.13	0.103	2	Pass
1.4MHz_High_16QAM_1@3	20.16	19.91	0.098	2	Pass
1.4MHz_High_16QAM_1@5	20.25	20.00	0.100	2	Pass
1.4MHz_High_16QAM_3@0	20.79	20.54	0.113	2	Pass
1.4MHz_High_16QAM_3@1	20.86	20.61	0.115	2	Pass
1.4MHz_High_16QAM_3@3	20.43	20.18	0.104	2	Pass
1.4MHz_High_16QAM_6@0	19.54	19.29	0.085	2	Pass
3MHz_Low_QPSK_1@0	21.94	21.69	0.148	2	Pass
3MHz_Low_QPSK_1@14	22.01	21.76	0.150	2	Pass
3MHz_Low_QPSK_1@8	21.97	21.72	0.149	2	Pass
3MHz_Low_QPSK_15@0	20.88	20.63	0.116	2	Pass
3MHz_Low_QPSK_8@0	20.93	20.68	0.117	2	Pass
3MHz_Low_QPSK_8@4	20.91	20.66	0.116	2	Pass
3MHz_Low_QPSK_8@7	20.82	20.57	0.114	2	Pass
3MHz_Low_16QAM_1@0	20.75	20.50	0.112	2	Pass
3MHz_Low_16QAM_1@14	20.24	19.99	0.100	2	Pass
3MHz_Low_16QAM_1@8	20.33	20.08	0.102	2	Pass
3MHz_Low_16QAM_15@0	19.64	19.39	0.087	2	Pass
3MHz_Low_16QAM_8@0	19.74	19.49	0.089	2	Pass
3MHz_Low_16QAM_8@4	19.72	19.47	0.089	2	Pass
3MHz_Low_16QAM_8@7	19.72	19.47	0.089	2	Pass
3MHz_Middle_QPSK_1@0	21.96	21.71	0.148	2	Pass
3MHz_Middle_QPSK_1@14	21.93	21.68	0.147	2	Pass
3MHz_Middle_QPSK_1@8	21.83	21.58	0.144	2	Pass
3MHz_Middle_QPSK_15@0	20.85	20.60	0.115	2	Pass
3MHz_Middle_QPSK_8@0	20.88	20.63	0.116	2	Pass
3MHz_Middle_QPSK_8@4	20.83	20.58	0.114	2	Pass
3MHz_Middle_QPSK_8@7	20.78	20.53	0.113	2	Pass
3MHz_Middle_16QAM_1@0	20.85	20.60	0.115	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
3MHz_Middle_16QAM_1@14	20.80	20.55	0.114	2	Pass
3MHz_Middle_16QAM_1@8	20.62	20.37	0.109	2	Pass
3MHz_Middle_16QAM_15@0	19.76	19.51	0.089	2	Pass
3MHz_Middle_16QAM_8@0	19.79	19.54	0.090	2	Pass
3MHz_Middle_16QAM_8@4	19.78	19.53	0.090	2	Pass
3MHz_Middle_16QAM_8@7	19.82	19.57	0.091	2	Pass
3MHz_High_QPSK_1@0	21.48	21.23	0.133	2	Pass
3MHz_High_QPSK_1@14	21.31	21.06	0.128	2	Pass
3MHz_High_QPSK_1@8	21.31	21.06	0.128	2	Pass
3MHz_High_QPSK_15@0	20.19	19.94	0.099	2	Pass
3MHz_High_QPSK_8@0	20.18	19.93	0.098	2	Pass
3MHz_High_QPSK_8@4	20.22	19.97	0.099	2	Pass
3MHz_High_QPSK_8@7	20.19	19.94	0.099	2	Pass
3MHz_High_16QAM_1@0	19.98	19.73	0.094	2	Pass
3MHz_High_16QAM_1@14	19.78	19.53	0.090	2	Pass
3MHz_High_16QAM_1@8	19.81	19.56	0.090	2	Pass
3MHz_High_16QAM_15@0	19.05	18.80	0.076	2	Pass
3MHz_High_16QAM_8@0	19.12	18.87	0.077	2	Pass
3MHz_High_16QAM_8@4	19.06	18.81	0.076	2	Pass
3MHz_High_16QAM_8@7	19.17	18.92	0.078	2	Pass
5MHz_Low_QPSK_1@0	21.63	21.38	0.137	2	Pass
5MHz_Low_QPSK_1@12	21.45	21.20	0.132	2	Pass
5MHz_Low_QPSK_1@24	21.36	21.11	0.129	2	Pass
5MHz_Low_QPSK_12@0	20.46	20.21	0.105	2	Pass
5MHz_Low_QPSK_12@13	20.42	20.17	0.104	2	Pass
5MHz_Low_QPSK_12@7	20.39	20.14	0.103	2	Pass
5MHz_Low_QPSK_25@0	20.35	20.10	0.102	2	Pass
5MHz_Low_16QAM_1@0	20.09	19.84	0.096	2	Pass
5MHz_Low_16QAM_1@12	19.77	19.52	0.090	2	Pass
5MHz_Low_16QAM_1@24	19.82	19.57	0.091	2	Pass
5MHz_Low_16QAM_12@0	19.39	19.14	0.082	2	Pass
5MHz_Low_16QAM_12@13	19.38	19.13	0.082	2	Pass
5MHz_Low_16QAM_12@7	19.23	18.98	0.079	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_Low_16QAM_25@0	19.36	19.11	0.081	2	Pass
5MHz_Middle_QPSK_1@0	21.74	21.49	0.141	2	Pass
5MHz_Middle_QPSK_1@12	21.86	21.61	0.145	2	Pass
5MHz_Middle_QPSK_1@24	21.70	21.45	0.140	2	Pass
5MHz_Middle_QPSK_12@0	20.64	20.39	0.109	2	Pass
5MHz_Middle_QPSK_12@13	20.53	20.28	0.107	2	Pass
5MHz_Middle_QPSK_12@7	20.51	20.26	0.106	2	Pass
5MHz_Middle_QPSK_25@0	20.64	20.39	0.109	2	Pass
5MHz_Middle_16QAM_1@0	19.98	19.73	0.094	2	Pass
5MHz_Middle_16QAM_1@12	19.79	19.54	0.090	2	Pass
5MHz_Middle_16QAM_1@24	20.04	19.79	0.095	2	Pass
5MHz_Middle_16QAM_12@0	19.37	19.12	0.082	2	Pass
5MHz_Middle_16QAM_12@13	19.57	19.32	0.086	2	Pass
5MHz_Middle_16QAM_12@7	19.35	19.10	0.081	2	Pass
5MHz_Middle_16QAM_25@0	19.74	19.49	0.089	2	Pass
5MHz_High_QPSK_1@0	21.18	20.93	0.124	2	Pass
5MHz_High_QPSK_1@12	21.37	21.12	0.129	2	Pass
5MHz_High_QPSK_1@24	21.16	20.91	0.123	2	Pass
5MHz_High_QPSK_12@0	20.21	19.96	0.099	2	Pass
5MHz_High_QPSK_12@13	20.27	20.02	0.100	2	Pass
5MHz_High_QPSK_12@7	20.25	20.00	0.100	2	Pass
5MHz_High_QPSK_25@0	20.16	19.91	0.098	2	Pass
5MHz_High_16QAM_1@0	20.05	19.80	0.095	2	Pass
5MHz_High_16QAM_1@12	19.91	19.66	0.092	2	Pass
5MHz_High_16QAM_1@24	20.12	19.87	0.097	2	Pass
5MHz_High_16QAM_12@0	19.04	18.79	0.076	2	Pass
5MHz_High_16QAM_12@13	19.12	18.87	0.077	2	Pass
5MHz_High_16QAM_12@7	18.99	18.74	0.075	2	Pass
5MHz_High_16QAM_25@0	19.36	19.11	0.081	2	Pass
10MHz_Low_QPSK_1@0	21.76	21.51	0.142	2	Pass
10MHz_Low_QPSK_1@25	21.71	21.46	0.140	2	Pass
10MHz_Low_QPSK_1@49	22.33	22.08	0.161	2	Pass
10MHz_Low_QPSK_25@0	21.18	20.93	0.124	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_Low_QPSK_25@12	21.20	20.95	0.124	2	Pass
10MHz_Low_QPSK_25@25	21.07	20.82	0.121	2	Pass
10MHz_Low_QPSK_50@0	20.43	20.18	0.104	2	Pass
10MHz_Low_16QAM_1@0	20.52	20.27	0.106	2	Pass
10MHz_Low_16QAM_1@25	20.05	19.80	0.095	2	Pass
10MHz_Low_16QAM_1@49	20.19	19.94	0.099	2	Pass
10MHz_Low_16QAM_12@0	21.71	21.46	0.140	2	Pass
10MHz_Low_16QAM_12@19	21.58	21.33	0.136	2	Pass
10MHz_Low_16QAM_12@38	21.51	21.26	0.134	2	Pass
10MHz_Low_16QAM_25@0	19.52	19.27	0.085	2	Pass
10MHz_Low_16QAM_25@12	19.36	19.11	0.081	2	Pass
10MHz_Low_16QAM_25@25	19.48	19.23	0.084	2	Pass
10MHz_Middle_QPSK_1@0	21.35	21.10	0.129	2	Pass
10MHz_Middle_QPSK_1@25	21.70	21.45	0.140	2	Pass
10MHz_Middle_QPSK_1@49	21.34	21.09	0.129	2	Pass
10MHz_Middle_QPSK_25@0	20.08	19.83	0.096	2	Pass
10MHz_Middle_QPSK_25@12	20.05	19.80	0.095	2	Pass
10MHz_Middle_QPSK_25@25	20.01	19.76	0.095	2	Pass
10MHz_Middle_QPSK_50@0	20	19.75	0.094	2	Pass
10MHz_Middle_16QAM_1@0	19.97	19.72	0.094	2	Pass
10MHz_Middle_16QAM_1@25	19.91	19.66	0.092	2	Pass
10MHz_Middle_16QAM_1@49	20.09	19.84	0.096	2	Pass
10MHz_Middle_16QAM_12@0	21.53	21.28	0.134	2	Pass
10MHz_Middle_16QAM_12@19	21.11	20.86	0.122	2	Pass
10MHz_Middle_16QAM_12@38	21.28	21.03	0.127	2	Pass
10MHz_Middle_16QAM_25@0	19.63	19.38	0.087	2	Pass
10MHz_Middle_16QAM_25@12	19.73	19.48	0.089	2	Pass
10MHz_Middle_16QAM_25@25	19.52	19.27	0.085	2	Pass
10MHz_High_QPSK_1@0	22.21	21.96	0.157	2	Pass
10MHz_High_QPSK_1@25	22.15	21.90	0.155	2	Pass
10MHz_High_QPSK_1@49	21.90	21.65	0.146	2	Pass
10MHz_High_QPSK_25@0	21.22	20.97	0.125	2	Pass
10MHz_High_QPSK_25@12	21.10	20.85	0.122	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_High_QPSK_25@25	20.85	20.60	0.115	2	Pass
10MHz_High_QPSK_50@0	20.93	20.68	0.117	2	Pass
10MHz_High_16QAM_1@0	20.95	20.70	0.117	2	Pass
10MHz_High_16QAM_1@25	20.83	20.58	0.114	2	Pass
10MHz_High_16QAM_1@49	20.78	20.53	0.113	2	Pass
10MHz_High_16QAM_12@0	20.93	20.68	0.117	2	Pass
10MHz_High_16QAM_12@19	20.70	20.45	0.111	2	Pass
10MHz_High_16QAM_12@38	20.62	20.37	0.109	2	Pass
10MHz_High_16QAM_25@0	20.02	19.77	0.095	2	Pass
10MHz_High_16QAM_25@12	19.94	19.69	0.093	2	Pass
10MHz_High_16QAM_25@25	19.77	19.52	0.090	2	Pass
15MHz_Low_QPSK_1@0	22.88	22.63	0.183	2	Pass
15MHz_Low_QPSK_1@37	22.77	22.52	0.179	2	Pass
15MHz_Low_QPSK_1@74	23.21	22.96	0.198	2	Pass
15MHz_Low_QPSK_36@0	21.70	21.45	0.140	2	Pass
15MHz_Low_QPSK_36@20	21.47	21.22	0.132	2	Pass
15MHz_Low_QPSK_36@39	21.29	21.04	0.127	2	Pass
15MHz_Low_QPSK_75@0	21.19	20.94	0.124	2	Pass
15MHz_Low_16QAM_1@0	21.11	20.86	0.122	2	Pass
15MHz_Low_16QAM_1@37	21.38	21.13	0.130	2	Pass
15MHz_Low_16QAM_1@74	21.26	21.01	0.126	2	Pass
15MHz_Low_16QAM_12@0	21.75	21.50	0.141	2	Pass
15MHz_Low_16QAM_12@31	21.81	21.56	0.143	2	Pass
15MHz_Low_16QAM_12@63	21.99	21.74	0.149	2	Pass
15MHz_Low_16QAM_25@0	20.70	20.45	0.111	2	Pass
15MHz_Low_16QAM_25@25	20.84	20.59	0.115	2	Pass
15MHz_Low_16QAM_25@50	20.74	20.49	0.112	2	Pass
15MHz_Middle_QPSK_1@0	22.51	22.26	0.168	2	Pass
15MHz_Middle_QPSK_1@37	22.25	22.00	0.158	2	Pass
15MHz_Middle_QPSK_1@74	22.19	21.94	0.156	2	Pass
15MHz_Middle_QPSK_36@0	21.40	21.15	0.130	2	Pass
15MHz_Middle_QPSK_36@20	21.17	20.92	0.124	2	Pass
15MHz_Middle_QPSK_36@39	21.20	20.95	0.124	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_Middle_QPSK_75@0	21.19	20.94	0.124	2	Pass
15MHz_Middle_16QAM_1@0	21.15	20.90	0.123	2	Pass
15MHz_Middle_16QAM_1@37	20.89	20.64	0.116	2	Pass
15MHz_Middle_16QAM_1@74	20.98	20.73	0.118	2	Pass
15MHz_Middle_16QAM_12@0	21.73	21.48	0.141	2	Pass
15MHz_Middle_16QAM_12@31	21.65	21.40	0.138	2	Pass
15MHz_Middle_16QAM_12@63	21.70	21.45	0.140	2	Pass
15MHz_Middle_16QAM_25@0	20.51	20.26	0.106	2	Pass
15MHz_Middle_16QAM_25@25	20.20	19.95	0.099	2	Pass
15MHz_Middle_16QAM_25@50	20.53	20.28	0.107	2	Pass
15MHz_High_QPSK_1@0	22.41	22.16	0.164	2	Pass
15MHz_High_QPSK_1@37	22.52	22.27	0.169	2	Pass
15MHz_High_QPSK_1@74	21.77	21.52	0.142	2	Pass
15MHz_High_QPSK_36@0	21.72	21.47	0.140	2	Pass
15MHz_High_QPSK_36@20	21.69	21.44	0.139	2	Pass
15MHz_High_QPSK_36@39	21.34	21.09	0.129	2	Pass
15MHz_High_QPSK_75@0	21.43	21.18	0.131	2	Pass
15MHz_High_16QAM_1@0	21.64	21.39	0.138	2	Pass
15MHz_High_16QAM_1@37	21.26	21.01	0.126	2	Pass
15MHz_High_16QAM_1@74	20.61	20.36	0.109	2	Pass
15MHz_High_16QAM_12@0	21.12	20.87	0.122	2	Pass
15MHz_High_16QAM_12@31	20.85	20.60	0.115	2	Pass
15MHz_High_16QAM_12@63	20.90	20.65	0.116	2	Pass
15MHz_High_16QAM_25@0	20.04	19.79	0.095	2	Pass
15MHz_High_16QAM_25@25	20.14	19.89	0.097	2	Pass
15MHz_High_16QAM_25@50	19.99	19.74	0.094	2	Pass
20MHz_Low_QPSK_1@0	21.98	21.73	0.149	2	Pass
20MHz_Low_QPSK_1@49	22.04	21.79	0.151	2	Pass
20MHz_Low_QPSK_1@99	21.66	21.41	0.138	2	Pass
20MHz_Low_QPSK_100@0	21.93	21.68	0.147	2	Pass
20MHz_Low_QPSK_50@0	21.89	21.64	0.146	2	Pass
20MHz_Low_QPSK_50@24	21.78	21.53	0.142	2	Pass
20MHz_Low_QPSK_50@50	21.78	21.53	0.142	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_Low_16QAM_1@0	20.82	20.57	0.114	2	Pass
20MHz_Low_16QAM_1@49	20.48	20.23	0.105	2	Pass
20MHz_Low_16QAM_1@99	21.89	21.64	0.146	2	Pass
20MHz_Low_16QAM_12@0	20.95	20.70	0.117	2	Pass
20MHz_Low_16QAM_12@43	20.66	20.41	0.110	2	Pass
20MHz_Low_16QAM_12@88	20.49	20.24	0.106	2	Pass
20MHz_Low_16QAM_25@0	19.99	19.74	0.094	2	Pass
20MHz_Low_16QAM_25@37	19.91	19.66	0.092	2	Pass
20MHz_Low_16QAM_25@75	19.82	19.57	0.091	2	Pass
20MHz_Middle_QPSK_1@0	22.23	21.98	0.158	2	Pass
20MHz_Middle_QPSK_1@49	22.01	21.76	0.150	2	Pass
20MHz_Middle_QPSK_1@99	22.01	21.76	0.150	2	Pass
20MHz_Middle_QPSK_100@0	21.24	20.99	0.126	2	Pass
20MHz_Middle_QPSK_50@0	21.32	21.07	0.128	2	Pass
20MHz_Middle_QPSK_50@24	21.16	20.91	0.123	2	Pass
20MHz_Middle_QPSK_50@50	21.08	20.83	0.121	2	Pass
20MHz_Middle_16QAM_1@0	21.45	21.20	0.132	2	Pass
20MHz_Middle_16QAM_1@49	21.18	20.93	0.124	2	Pass
20MHz_Middle_16QAM_1@99	20.89	20.64	0.116	2	Pass
20MHz_Middle_16QAM_12@0	21.13	20.88	0.122	2	Pass
20MHz_Middle_16QAM_12@43	21.23	20.98	0.125	2	Pass
20MHz_Middle_16QAM_12@88	21.26	21.01	0.126	2	Pass
20MHz_Middle_16QAM_25@0	20.26	20.01	0.100	2	Pass
20MHz_Middle_16QAM_25@37	20.30	20.05	0.101	2	Pass
20MHz_Middle_16QAM_25@75	20.18	19.93	0.098	2	Pass
20MHz_High_QPSK_1@0	22.14	21.89	0.155	2	Pass
20MHz_High_QPSK_1@49	22.22	21.97	0.157	2	Pass
20MHz_High_QPSK_1@99	21.54	21.29	0.135	2	Pass
20MHz_High_QPSK_100@0	20.85	20.60	0.115	2	Pass
20MHz_High_QPSK_50@0	20.90	20.65	0.116	2	Pass
20MHz_High_QPSK_50@24	20.93	20.68	0.117	2	Pass
20MHz_High_QPSK_50@50	20.90	20.65	0.116	2	Pass
20MHz_High_16QAM_1@0	20.63	20.38	0.109	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_High_16QAM_1@49	20.85	20.60	0.115	2	Pass
20MHz_High_16QAM_1@99	20.15	19.90	0.098	2	Pass
20MHz_High_16QAM_12@0	21.29	21.04	0.127	2	Pass
20MHz_High_16QAM_12@43	21.13	20.88	0.122	2	Pass
20MHz_High_16QAM_12@88	20.55	20.30	0.107	2	Pass
20MHz_High_16QAM_25@0	20.10	19.85	0.097	2	Pass
20MHz_High_16QAM_25@37	19.93	19.68	0.093	2	Pass
20MHz_High_16QAM_25@75	19.72	19.47	0.089	2	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

B2:

1.Ant Gain = -0.25dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

B25 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
1.4MHz_Low_QPSK_1@0	21.42	21.17	0.131	2	Pass
1.4MHz_Low_QPSK_1@3	21.47	21.22	0.132	2	Pass
1.4MHz_Low_QPSK_1@5	21.48	21.23	0.133	2	Pass
1.4MHz_Low_QPSK_3@0	21.41	21.16	0.131	2	Pass
1.4MHz_Low_QPSK_3@1	21.48	21.23	0.133	2	Pass
1.4MHz_Low_QPSK_3@3	21.33	21.08	0.128	2	Pass
1.4MHz_Low_QPSK_6@0	20.55	20.30	0.107	2	Pass
1.4MHz_Low_16QAM_1@0	20.50	20.25	0.106	2	Pass
1.4MHz_Low_16QAM_1@3	20.24	19.99	0.100	2	Pass
1.4MHz_Low_16QAM_1@5	21.62	21.37	0.137	2	Pass
1.4MHz_Low_16QAM_3@0	21.86	21.61	0.145	2	Pass
1.4MHz_Low_16QAM_3@1	21.81	21.56	0.143	2	Pass
1.4MHz_Low_16QAM_3@3	21.51	21.26	0.134	2	Pass
1.4MHz_Low_16QAM_6@0	20.71	20.46	0.111	2	Pass
1.4MHz_Middle_QPSK_1@0	21.31	21.06	0.128	2	Pass
1.4MHz_Middle_QPSK_1@3	21.61	21.36	0.137	2	Pass
1.4MHz_Middle_QPSK_1@5	21.56	21.31	0.135	2	Pass
1.4MHz_Middle_QPSK_3@0	21.36	21.11	0.129	2	Pass
1.4MHz_Middle_QPSK_3@1	21.35	21.10	0.129	2	Pass
1.4MHz_Middle_QPSK_3@3	21.34	21.09	0.129	2	Pass
1.4MHz_Middle_QPSK_6@0	20.26	20.01	0.100	2	Pass
1.4MHz_Middle_16QAM_1@0	19.89	19.64	0.092	2	Pass
1.4MHz_Middle_16QAM_1@3	19.85	19.60	0.091	2	Pass
1.4MHz_Middle_16QAM_1@5	19.85	19.60	0.091	2	Pass
1.4MHz_Middle_16QAM_3@0	20.33	20.08	0.102	2	Pass
1.4MHz_Middle_16QAM_3@1	20.47	20.22	0.105	2	Pass
1.4MHz_Middle_16QAM_3@3	20.46	20.21	0.105	2	Pass
1.4MHz_Middle_16QAM_6@0	19.46	19.21	0.083	2	Pass
1.4MHz_High_QPSK_1@0	20.59	20.34	0.108	2	Pass
1.4MHz_High_QPSK_1@3	20.58	20.33	0.108	2	Pass
1.4MHz_High_QPSK_1@5	20.58	20.33	0.108	2	Pass
1.4MHz_High_QPSK_3@0	20.60	20.35	0.108	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
1.4MHz_High_QPSK_3@1	20.40	20.15	0.104	2	Pass
1.4MHz_High_QPSK_3@3	20.18	19.93	0.098	2	Pass
1.4MHz_High_QPSK_6@0	19.43	19.18	0.083	2	Pass
1.4MHz_High_16QAM_1@0	19.30	19.05	0.080	2	Pass
1.4MHz_High_16QAM_1@3	19.19	18.94	0.078	2	Pass
1.4MHz_High_16QAM_1@5	19.09	18.84	0.077	2	Pass
1.4MHz_High_16QAM_3@0	19.61	19.36	0.086	2	Pass
1.4MHz_High_16QAM_3@1	19.41	19.16	0.082	2	Pass
1.4MHz_High_16QAM_3@3	19.27	19.02	0.080	2	Pass
1.4MHz_High_16QAM_6@0	18.48	18.23	0.067	2	Pass
3MHz_Low_QPSK_1@0	21.60	21.35	0.136	2	Pass
3MHz_Low_QPSK_1@14	21.52	21.27	0.134	2	Pass
3MHz_Low_QPSK_1@8	21.56	21.31	0.135	2	Pass
3MHz_Low_QPSK_15@0	20.44	20.19	0.104	2	Pass
3MHz_Low_QPSK_8@0	20.44	20.19	0.104	2	Pass
3MHz_Low_QPSK_8@4	20.44	20.19	0.104	2	Pass
3MHz_Low_QPSK_8@7	20.35	20.10	0.102	2	Pass
3MHz_Low_16QAM_1@0	20.03	19.78	0.095	2	Pass
3MHz_Low_16QAM_1@14	20.17	19.92	0.098	2	Pass
3MHz_Low_16QAM_1@8	19.98	19.73	0.094	2	Pass
3MHz_Low_16QAM_15@0	19.31	19.06	0.081	2	Pass
3MHz_Low_16QAM_8@0	19.36	19.11	0.081	2	Pass
3MHz_Low_16QAM_8@4	19.22	18.97	0.079	2	Pass
3MHz_Low_16QAM_8@7	19.24	18.99	0.079	2	Pass
3MHz_Middle_QPSK_1@0	21.56	21.31	0.135	2	Pass
3MHz_Middle_QPSK_1@14	21.73	21.48	0.141	2	Pass
3MHz_Middle_QPSK_1@8	21.57	21.32	0.136	2	Pass
3MHz_Middle_QPSK_15@0	20.64	20.39	0.109	2	Pass
3MHz_Middle_QPSK_8@0	20.66	20.41	0.110	2	Pass
3MHz_Middle_QPSK_8@4	20.63	20.38	0.109	2	Pass
3MHz_Middle_QPSK_8@7	20.66	20.41	0.110	2	Pass
3MHz_Middle_16QAM_1@0	20.40	20.15	0.104	2	Pass
3MHz_Middle_16QAM_1@14	20.38	20.13	0.103	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
3MHz_Middle_16QAM_1@8	20.30	20.05	0.101	2	Pass
3MHz_Middle_16QAM_15@0	19.78	19.53	0.090	2	Pass
3MHz_Middle_16QAM_8@0	19.63	19.38	0.087	2	Pass
3MHz_Middle_16QAM_8@4	19.67	19.42	0.087	2	Pass
3MHz_Middle_16QAM_8@7	19.61	19.36	0.086	2	Pass
3MHz_High_QPSK_1@0	21.28	21.03	0.127	2	Pass
3MHz_High_QPSK_1@14	21.09	20.84	0.121	2	Pass
3MHz_High_QPSK_1@8	21.35	21.10	0.129	2	Pass
3MHz_High_QPSK_15@0	20.04	19.79	0.095	2	Pass
3MHz_High_QPSK_8@0	20.17	19.92	0.098	2	Pass
3MHz_High_QPSK_8@4	20.02	19.77	0.095	2	Pass
3MHz_High_QPSK_8@7	19.92	19.67	0.093	2	Pass
3MHz_High_16QAM_1@0	19.76	19.51	0.089	2	Pass
3MHz_High_16QAM_1@14	19.72	19.47	0.089	2	Pass
3MHz_High_16QAM_1@8	19.67	19.42	0.087	2	Pass
3MHz_High_16QAM_15@0	19.02	18.77	0.075	2	Pass
3MHz_High_16QAM_8@0	19	18.75	0.075	2	Pass
3MHz_High_16QAM_8@4	18.95	18.70	0.074	2	Pass
3MHz_High_16QAM_8@7	18.83	18.58	0.072	2	Pass
5MHz_Low_QPSK_1@0	21.96	21.71	0.148	2	Pass
5MHz_Low_QPSK_1@12	22.13	21.88	0.154	2	Pass
5MHz_Low_QPSK_1@24	21.95	21.70	0.148	2	Pass
5MHz_Low_QPSK_12@0	20.92	20.67	0.117	2	Pass
5MHz_Low_QPSK_12@13	20.91	20.66	0.116	2	Pass
5MHz_Low_QPSK_12@7	20.90	20.65	0.116	2	Pass
5MHz_Low_QPSK_25@0	20.86	20.61	0.115	2	Pass
5MHz_Low_16QAM_1@0	20.63	20.38	0.109	2	Pass
5MHz_Low_16QAM_1@12	20.66	20.41	0.110	2	Pass
5MHz_Low_16QAM_1@24	20.43	20.18	0.104	2	Pass
5MHz_Low_16QAM_12@0	19.94	19.69	0.093	2	Pass
5MHz_Low_16QAM_12@13	20	19.75	0.094	2	Pass
5MHz_Low_16QAM_12@7	19.75	19.50	0.089	2	Pass
5MHz_Low_16QAM_25@0	19.99	19.74	0.094	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_Middle_QPSK_1@0	21.10	20.85	0.122	2	Pass
5MHz_Middle_QPSK_1@12	21.35	21.10	0.129	2	Pass
5MHz_Middle_QPSK_1@24	21.34	21.09	0.129	2	Pass
5MHz_Middle_QPSK_12@0	20.08	19.83	0.096	2	Pass
5MHz_Middle_QPSK_12@13	20.11	19.86	0.097	2	Pass
5MHz_Middle_QPSK_12@7	20.15	19.90	0.098	2	Pass
5MHz_Middle_QPSK_25@0	20.16	19.91	0.098	2	Pass
5MHz_Middle_16QAM_1@0	19.63	19.38	0.087	2	Pass
5MHz_Middle_16QAM_1@12	19.69	19.44	0.088	2	Pass
5MHz_Middle_16QAM_1@24	19.45	19.20	0.083	2	Pass
5MHz_Middle_16QAM_12@0	18.93	18.68	0.074	2	Pass
5MHz_Middle_16QAM_12@13	19.03	18.78	0.076	2	Pass
5MHz_Middle_16QAM_12@7	19.08	18.83	0.076	2	Pass
5MHz_Middle_16QAM_25@0	19.04	18.79	0.076	2	Pass
5MHz_High_QPSK_1@0	20.81	20.56	0.114	2	Pass
5MHz_High_QPSK_1@12	21.35	21.10	0.129	2	Pass
5MHz_High_QPSK_1@24	20.43	20.18	0.104	2	Pass
5MHz_High_QPSK_12@0	20.03	19.78	0.095	2	Pass
5MHz_High_QPSK_12@13	19.91	19.66	0.092	2	Pass
5MHz_High_QPSK_12@7	20.08	19.83	0.096	2	Pass
5MHz_High_QPSK_25@0	19.98	19.73	0.094	2	Pass
5MHz_High_16QAM_1@0	20	19.75	0.094	2	Pass
5MHz_High_16QAM_1@12	20.28	20.03	0.101	2	Pass
5MHz_High_16QAM_1@24	19.46	19.21	0.083	2	Pass
5MHz_High_16QAM_12@0	18.92	18.67	0.074	2	Pass
5MHz_High_16QAM_12@13	18.77	18.52	0.071	2	Pass
5MHz_High_16QAM_12@7	19.12	18.87	0.077	2	Pass
5MHz_High_16QAM_25@0	19.04	18.79	0.076	2	Pass
10MHz_Low_QPSK_1@0	22.25	22.00	0.158	2	Pass
10MHz_Low_QPSK_1@25	22.40	22.15	0.164	2	Pass
10MHz_Low_QPSK_1@49	22.06	21.81	0.152	2	Pass
10MHz_Low_QPSK_25@0	21	20.75	0.119	2	Pass
10MHz_Low_QPSK_25@12	21.23	20.98	0.125	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_Low_QPSK_25@25	21.13	20.88	0.122	2	Pass
10MHz_Low_QPSK_50@0	21.19	20.94	0.124	2	Pass
10MHz_Low_16QAM_1@0	21.07	20.82	0.121	2	Pass
10MHz_Low_16QAM_1@25	20.82	20.57	0.114	2	Pass
10MHz_Low_16QAM_1@49	20.70	20.45	0.111	2	Pass
10MHz_Low_16QAM_12@0	21.36	21.11	0.129	2	Pass
10MHz_Low_16QAM_12@19	21.14	20.89	0.123	2	Pass
10MHz_Low_16QAM_12@38	21.02	20.77	0.119	2	Pass
10MHz_Low_16QAM_25@0	20.34	20.09	0.102	2	Pass
10MHz_Low_16QAM_25@12	20.31	20.06	0.101	2	Pass
10MHz_Low_16QAM_25@25	20.41	20.16	0.104	2	Pass
10MHz_Middle_QPSK_1@0	22.02	21.77	0.150	2	Pass
10MHz_Middle_QPSK_1@25	22.25	22.00	0.158	2	Pass
10MHz_Middle_QPSK_1@49	22.05	21.80	0.151	2	Pass
10MHz_Middle_QPSK_25@0	20.92	20.67	0.117	2	Pass
10MHz_Middle_QPSK_25@12	20.98	20.73	0.118	2	Pass
10MHz_Middle_QPSK_25@25	20.88	20.63	0.116	2	Pass
10MHz_Middle_QPSK_50@0	20.89	20.64	0.116	2	Pass
10MHz_Middle_16QAM_1@0	20.81	20.56	0.114	2	Pass
10MHz_Middle_16QAM_1@25	21.37	21.12	0.129	2	Pass
10MHz_Middle_16QAM_1@49	20.67	20.42	0.110	2	Pass
10MHz_Middle_16QAM_12@0	20.74	20.49	0.112	2	Pass
10MHz_Middle_16QAM_12@19	20.84	20.59	0.115	2	Pass
10MHz_Middle_16QAM_12@38	20.64	20.39	0.109	2	Pass
10MHz_Middle_16QAM_25@0	19.96	19.71	0.094	2	Pass
10MHz_Middle_16QAM_25@12	20.03	19.78	0.095	2	Pass
10MHz_Middle_16QAM_25@25	19.87	19.62	0.092	2	Pass
10MHz_High_QPSK_1@0	20.66	20.41	0.110	2	Pass
10MHz_High_QPSK_1@25	21.02	20.77	0.119	2	Pass
10MHz_High_QPSK_1@49	20.53	20.28	0.107	2	Pass
10MHz_High_QPSK_25@0	19.67	19.42	0.087	2	Pass
10MHz_High_QPSK_25@12	19.61	19.36	0.086	2	Pass
10MHz_High_QPSK_25@25	19.61	19.36	0.086	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_High_QPSK_50@0	19.54	19.29	0.085	2	Pass
10MHz_High_16QAM_1@0	19.37	19.12	0.082	2	Pass
10MHz_High_16QAM_1@25	19.37	19.12	0.082	2	Pass
10MHz_High_16QAM_1@49	19.22	18.97	0.079	2	Pass
10MHz_High_16QAM_12@0	19.46	19.21	0.083	2	Pass
10MHz_High_16QAM_12@19	19.90	19.65	0.092	2	Pass
10MHz_High_16QAM_12@38	19.79	19.54	0.090	2	Pass
10MHz_High_16QAM_25@0	18.67	18.42	0.070	2	Pass
10MHz_High_16QAM_25@12	18.81	18.56	0.072	2	Pass
10MHz_High_16QAM_25@25	18.62	18.37	0.069	2	Pass
15MHz_Low_QPSK_1@0	22.39	22.14	0.164	2	Pass
15MHz_Low_QPSK_1@37	23.07	22.82	0.191	2	Pass
15MHz_Low_QPSK_1@74	22.27	22.02	0.159	2	Pass
15MHz_Low_QPSK_36@0	21.15	20.90	0.123	2	Pass
15MHz_Low_QPSK_36@20	21.13	20.88	0.122	2	Pass
15MHz_Low_QPSK_36@39	21.10	20.85	0.122	2	Pass
15MHz_Low_QPSK_75@0	21.04	20.79	0.120	2	Pass
15MHz_Low_16QAM_1@0	21.40	21.15	0.130	2	Pass
15MHz_Low_16QAM_1@37	21.38	21.13	0.130	2	Pass
15MHz_Low_16QAM_1@74	21.04	20.79	0.120	2	Pass
15MHz_Low_16QAM_12@0	21.14	20.89	0.123	2	Pass
15MHz_Low_16QAM_12@31	21.39	21.14	0.130	2	Pass
15MHz_Low_16QAM_12@63	21.28	21.03	0.127	2	Pass
15MHz_Low_16QAM_25@0	20.09	19.84	0.096	2	Pass
15MHz_Low_16QAM_25@25	20.23	19.98	0.100	2	Pass
15MHz_Low_16QAM_25@50	20.35	20.10	0.102	2	Pass
15MHz_Middle_QPSK_1@0	22.11	21.86	0.153	2	Pass
15MHz_Middle_QPSK_1@37	22.34	22.09	0.162	2	Pass
15MHz_Middle_QPSK_1@74	22.02	21.77	0.150	2	Pass
15MHz_Middle_QPSK_36@0	21.02	20.77	0.119	2	Pass
15MHz_Middle_QPSK_36@20	20.87	20.62	0.115	2	Pass
15MHz_Middle_QPSK_36@39	20.81	20.56	0.114	2	Pass
15MHz_Middle_QPSK_75@0	20.81	20.56	0.114	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_Middle_16QAM_1@0	21.07	20.82	0.121	2	Pass
15MHz_Middle_16QAM_1@37	21.04	20.79	0.120	2	Pass
15MHz_Middle_16QAM_1@74	20.66	20.41	0.110	2	Pass
15MHz_Middle_16QAM_12@0	20.72	20.47	0.111	2	Pass
15MHz_Middle_16QAM_12@31	20.96	20.71	0.118	2	Pass
15MHz_Middle_16QAM_12@63	20.81	20.56	0.114	2	Pass
15MHz_Middle_16QAM_25@0	19.82	19.57	0.091	2	Pass
15MHz_Middle_16QAM_25@25	20.11	19.86	0.097	2	Pass
15MHz_Middle_16QAM_25@50	19.94	19.69	0.093	2	Pass
15MHz_High_QPSK_1@0	21.71	21.46	0.140	2	Pass
15MHz_High_QPSK_1@37	21.69	21.44	0.139	2	Pass
15MHz_High_QPSK_1@74	21.33	21.08	0.128	2	Pass
15MHz_High_QPSK_36@0	20.54	20.29	0.107	2	Pass
15MHz_High_QPSK_36@20	20.43	20.18	0.104	2	Pass
15MHz_High_QPSK_36@39	20.39	20.14	0.103	2	Pass
15MHz_High_QPSK_75@0	20.41	20.16	0.104	2	Pass
15MHz_High_16QAM_1@0	21.19	20.94	0.124	2	Pass
15MHz_High_16QAM_1@37	20.67	20.42	0.110	2	Pass
15MHz_High_16QAM_1@74	19.98	19.73	0.094	2	Pass
15MHz_High_16QAM_12@0	20.51	20.26	0.106	2	Pass
15MHz_High_16QAM_12@31	20.46	20.21	0.105	2	Pass
15MHz_High_16QAM_12@63	20.61	20.36	0.109	2	Pass
15MHz_High_16QAM_25@0	19.75	19.50	0.089	2	Pass
15MHz_High_16QAM_25@25	19.49	19.24	0.084	2	Pass
15MHz_High_16QAM_25@50	19.66	19.41	0.087	2	Pass
20MHz_Low_QPSK_1@0	22.10	21.85	0.153	2	Pass
20MHz_Low_QPSK_1@49	22.10	21.85	0.153	2	Pass
20MHz_Low_QPSK_1@99	21.63	21.38	0.137	2	Pass
20MHz_Low_QPSK_100@0	21.03	20.78	0.120	2	Pass
20MHz_Low_QPSK_50@0	21.01	20.76	0.119	2	Pass
20MHz_Low_QPSK_50@24	21.06	20.81	0.121	2	Pass
20MHz_Low_QPSK_50@50	20.99	20.74	0.119	2	Pass
20MHz_Low_16QAM_1@0	20.83	20.58	0.114	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_Low_16QAM_1@49	20.44	20.19	0.104	2	Pass
20MHz_Low_16QAM_1@99	20.56	20.31	0.107	2	Pass
20MHz_Low_16QAM_12@0	21.01	20.76	0.119	2	Pass
20MHz_Low_16QAM_12@43	21.10	20.85	0.122	2	Pass
20MHz_Low_16QAM_12@88	20.75	20.50	0.112	2	Pass
20MHz_Low_16QAM_25@0	20.06	19.81	0.096	2	Pass
20MHz_Low_16QAM_25@37	20.03	19.78	0.095	2	Pass
20MHz_Low_16QAM_25@75	20.06	19.81	0.096	2	Pass
20MHz_Middle_QPSK_1@0	21.58	21.33	0.136	2	Pass
20MHz_Middle_QPSK_1@49	21.80	21.55	0.143	2	Pass
20MHz_Middle_QPSK_1@99	21.89	21.64	0.146	2	Pass
20MHz_Middle_QPSK_100@0	20.99	20.74	0.119	2	Pass
20MHz_Middle_QPSK_50@0	20.99	20.74	0.119	2	Pass
20MHz_Middle_QPSK_50@24	20.87	20.62	0.115	2	Pass
20MHz_Middle_QPSK_50@50	20.81	20.56	0.114	2	Pass
20MHz_Middle_16QAM_1@0	20.93	20.68	0.117	2	Pass
20MHz_Middle_16QAM_1@49	21.23	20.98	0.125	2	Pass
20MHz_Middle_16QAM_1@99	20.51	20.26	0.106	2	Pass
20MHz_Middle_16QAM_12@0	20.84	20.59	0.115	2	Pass
20MHz_Middle_16QAM_12@43	20.82	20.57	0.114	2	Pass
20MHz_Middle_16QAM_12@88	20.65	20.40	0.110	2	Pass
20MHz_Middle_16QAM_25@0	19.95	19.70	0.093	2	Pass
20MHz_Middle_16QAM_25@37	20.25	20.00	0.100	2	Pass
20MHz_Middle_16QAM_25@75	19.89	19.64	0.092	2	Pass
20MHz_High_QPSK_1@0	22.05	21.80	0.151	2	Pass
20MHz_High_QPSK_1@49	21.46	21.21	0.132	2	Pass
20MHz_High_QPSK_1@99	21.12	20.87	0.122	2	Pass
20MHz_High_QPSK_100@0	20.59	20.34	0.108	2	Pass
20MHz_High_QPSK_50@0	20.72	20.47	0.111	2	Pass
20MHz_High_QPSK_50@24	20.57	20.32	0.108	2	Pass
20MHz_High_QPSK_50@50	20.52	20.27	0.106	2	Pass
20MHz_High_16QAM_1@0	20.26	20.01	0.100	2	Pass
20MHz_High_16QAM_1@49	20.09	19.84	0.096	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
20MHz_High_16QAM_1@99	19.83	19.58	0.091	2	Pass
20MHz_High_16QAM_12@0	20.92	20.67	0.117	2	Pass
20MHz_High_16QAM_12@43	20.34	20.09	0.102	2	Pass
20MHz_High_16QAM_12@88	20.53	20.28	0.107	2	Pass
20MHz_High_16QAM_25@0	19.73	19.48	0.089	2	Pass
20MHz_High_16QAM_25@37	19.52	19.27	0.085	2	Pass
20MHz_High_16QAM_25@75	19.54	19.29	0.085	2	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

B25:

1.Ant Gain = -0.25dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 27

B4 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
1.4MHz_Low_QPSK_1@0	23.26	23.79	0.239	1	Pass
1.4MHz_Low_QPSK_1@3	23.50	24.03	0.253	1	Pass
1.4MHz_Low_QPSK_1@5	23.05	23.58	0.228	1	Pass
1.4MHz_Low_QPSK_3@0	23.24	23.77	0.238	1	Pass
1.4MHz_Low_QPSK_3@1	23.28	23.81	0.240	1	Pass
1.4MHz_Low_QPSK_3@3	22.95	23.48	0.223	1	Pass
1.4MHz_Low_QPSK_6@0	21.95	22.48	0.177	1	Pass
1.4MHz_Low_16QAM_1@0	21.60	22.13	0.163	1	Pass
1.4MHz_Low_16QAM_1@3	21.56	22.09	0.162	1	Pass
1.4MHz_Low_16QAM_1@5	21.52	22.05	0.160	1	Pass
1.4MHz_Low_16QAM_3@0	21.93	22.46	0.176	1	Pass
1.4MHz_Low_16QAM_3@1	22.02	22.55	0.180	1	Pass
1.4MHz_Low_16QAM_3@3	21.97	22.50	0.178	1	Pass
1.4MHz_Low_16QAM_6@0	21.04	21.57	0.144	1	Pass
1.4MHz_Middle_QPSK_1@0	22.16	22.69	0.186	1	Pass
1.4MHz_Middle_QPSK_1@3	22.20	22.73	0.187	1	Pass
1.4MHz_Middle_QPSK_1@5	22.15	22.68	0.185	1	Pass
1.4MHz_Middle_QPSK_3@0	22.12	22.65	0.184	1	Pass
1.4MHz_Middle_QPSK_3@1	22.10	22.63	0.183	1	Pass
1.4MHz_Middle_QPSK_3@3	22.13	22.66	0.185	1	Pass
1.4MHz_Middle_QPSK_6@0	20.98	21.51	0.142	1	Pass
1.4MHz_Middle_16QAM_1@0	21.02	21.55	0.143	1	Pass
1.4MHz_Middle_16QAM_1@3	20.80	21.33	0.136	1	Pass
1.4MHz_Middle_16QAM_1@5	20.59	21.12	0.129	1	Pass
1.4MHz_Middle_16QAM_3@0	20.82	21.35	0.136	1	Pass
1.4MHz_Middle_16QAM_3@1	20.92	21.45	0.140	1	Pass
1.4MHz_Middle_16QAM_3@3	20.81	21.34	0.136	1	Pass
1.4MHz_Middle_16QAM_6@0	19.74	20.27	0.106	1	Pass
1.4MHz_High_QPSK_1@0	21.53	22.06	0.161	1	Pass
1.4MHz_High_QPSK_1@3	21.75	22.28	0.169	1	Pass
1.4MHz_High_QPSK_1@5	21.45	21.98	0.158	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
1.4MHz_High_QPSK_3@0	21.56	22.09	0.162	1	Pass
1.4MHz_High_QPSK_3@1	21.57	22.10	0.162	1	Pass
1.4MHz_High_QPSK_3@3	21.49	22.02	0.159	1	Pass
1.4MHz_High_QPSK_6@0	20.40	20.93	0.124	1	Pass
1.4MHz_High_16QAM_1@0	20.27	20.80	0.120	1	Pass
1.4MHz_High_16QAM_1@3	20.23	20.76	0.119	1	Pass
1.4MHz_High_16QAM_1@5	20.01	20.54	0.113	1	Pass
1.4MHz_High_16QAM_3@0	20.62	21.15	0.130	1	Pass
1.4MHz_High_16QAM_3@1	20.65	21.18	0.131	1	Pass
1.4MHz_High_16QAM_3@3	20.48	21.01	0.126	1	Pass
1.4MHz_High_16QAM_6@0	19.66	20.19	0.104	1	Pass
3MHz_Low_QPSK_1@0	22.41	22.94	0.197	1	Pass
3MHz_Low_QPSK_1@14	22.73	23.26	0.212	1	Pass
3MHz_Low_QPSK_1@8	22.24	22.77	0.189	1	Pass
3MHz_Low_QPSK_15@0	21.46	21.99	0.158	1	Pass
3MHz_Low_QPSK_8@0	21.41	21.94	0.156	1	Pass
3MHz_Low_QPSK_8@4	21.47	22.00	0.158	1	Pass
3MHz_Low_QPSK_8@7	21.38	21.91	0.155	1	Pass
3MHz_Low_16QAM_1@0	20.96	21.49	0.141	1	Pass
3MHz_Low_16QAM_1@14	21.03	21.56	0.143	1	Pass
3MHz_Low_16QAM_1@8	20.84	21.37	0.137	1	Pass
3MHz_Low_16QAM_15@0	20.19	20.72	0.118	1	Pass
3MHz_Low_16QAM_8@0	20.43	20.96	0.125	1	Pass
3MHz_Low_16QAM_8@4	20.62	21.15	0.130	1	Pass
3MHz_Low_16QAM_8@7	20.42	20.95	0.124	1	Pass
3MHz_Middle_QPSK_1@0	21.86	22.39	0.173	1	Pass
3MHz_Middle_QPSK_1@14	21.73	22.26	0.168	1	Pass
3MHz_Middle_QPSK_1@8	21.61	22.14	0.164	1	Pass
3MHz_Middle_QPSK_15@0	20.81	21.34	0.136	1	Pass
3MHz_Middle_QPSK_8@0	20.82	21.35	0.136	1	Pass
3MHz_Middle_QPSK_8@4	20.63	21.16	0.131	1	Pass
3MHz_Middle_QPSK_8@7	20.63	21.16	0.131	1	Pass
3MHz_Middle_16QAM_1@0	21.05	21.58	0.144	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
3MHz_Middle_16QAM_1@14	20.44	20.97	0.125	1	Pass
3MHz_Middle_16QAM_1@8	20.38	20.91	0.123	1	Pass
3MHz_Middle_16QAM_15@0	19.75	20.28	0.107	1	Pass
3MHz_Middle_16QAM_8@0	19.75	20.28	0.107	1	Pass
3MHz_Middle_16QAM_8@4	19.76	20.29	0.107	1	Pass
3MHz_Middle_16QAM_8@7	19.73	20.26	0.106	1	Pass
3MHz_High_QPSK_1@0	21.77	22.30	0.170	1	Pass
3MHz_High_QPSK_1@14	21.82	22.35	0.172	1	Pass
3MHz_High_QPSK_1@8	21.70	22.23	0.167	1	Pass
3MHz_High_QPSK_15@0	20.50	21.03	0.127	1	Pass
3MHz_High_QPSK_8@0	20.51	21.04	0.127	1	Pass
3MHz_High_QPSK_8@4	20.52	21.05	0.127	1	Pass
3MHz_High_QPSK_8@7	20.62	21.15	0.130	1	Pass
3MHz_High_16QAM_1@0	20.17	20.70	0.117	1	Pass
3MHz_High_16QAM_1@14	19.91	20.44	0.111	1	Pass
3MHz_High_16QAM_1@8	20.28	20.81	0.121	1	Pass
3MHz_High_16QAM_15@0	19.69	20.22	0.105	1	Pass
3MHz_High_16QAM_8@0	19.66	20.19	0.104	1	Pass
3MHz_High_16QAM_8@4	19.78	20.31	0.107	1	Pass
3MHz_High_16QAM_8@7	19.70	20.23	0.105	1	Pass
5MHz_Low_QPSK_1@0	22.49	23.02	0.200	1	Pass
5MHz_Low_QPSK_1@12	22.42	22.95	0.197	1	Pass
5MHz_Low_QPSK_1@24	22.36	22.89	0.195	1	Pass
5MHz_Low_QPSK_12@0	21.34	21.87	0.154	1	Pass
5MHz_Low_QPSK_12@13	21.40	21.93	0.156	1	Pass
5MHz_Low_QPSK_12@7	21.36	21.89	0.155	1	Pass
5MHz_Low_QPSK_25@0	21.36	21.89	0.155	1	Pass
5MHz_Low_16QAM_1@0	20.79	21.32	0.136	1	Pass
5MHz_Low_16QAM_1@12	20.92	21.45	0.140	1	Pass
5MHz_Low_16QAM_1@24	20.80	21.33	0.136	1	Pass
5MHz_Low_16QAM_12@0	20.12	20.65	0.116	1	Pass
5MHz_Low_16QAM_12@13	20.38	20.91	0.123	1	Pass
5MHz_Low_16QAM_12@7	20.26	20.79	0.120	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_Low_16QAM_25@0	20.39	20.92	0.124	1	Pass
5MHz_Middle_QPSK_1@0	21.62	22.15	0.164	1	Pass
5MHz_Middle_QPSK_1@12	21.93	22.46	0.176	1	Pass
5MHz_Middle_QPSK_1@24	21.73	22.26	0.168	1	Pass
5MHz_Middle_QPSK_12@0	20.77	21.30	0.135	1	Pass
5MHz_Middle_QPSK_12@13	20.57	21.10	0.129	1	Pass
5MHz_Middle_QPSK_12@7	20.73	21.26	0.134	1	Pass
5MHz_Middle_QPSK_25@0	20.72	21.25	0.133	1	Pass
5MHz_Middle_16QAM_1@0	19.94	20.47	0.111	1	Pass
5MHz_Middle_16QAM_1@12	20.02	20.55	0.114	1	Pass
5MHz_Middle_16QAM_1@24	19.90	20.43	0.110	1	Pass
5MHz_Middle_16QAM_12@0	19.77	20.30	0.107	1	Pass
5MHz_Middle_16QAM_12@13	19.59	20.12	0.103	1	Pass
5MHz_Middle_16QAM_12@7	19.71	20.24	0.106	1	Pass
5MHz_Middle_16QAM_25@0	19.59	20.12	0.103	1	Pass
5MHz_High_QPSK_1@0	21.27	21.80	0.151	1	Pass
5MHz_High_QPSK_1@12	21.52	22.05	0.160	1	Pass
5MHz_High_QPSK_1@24	21.37	21.90	0.155	1	Pass
5MHz_High_QPSK_12@0	20.58	21.11	0.129	1	Pass
5MHz_High_QPSK_12@13	20.64	21.17	0.131	1	Pass
5MHz_High_QPSK_12@7	20.67	21.20	0.132	1	Pass
5MHz_High_QPSK_25@0	20.54	21.07	0.128	1	Pass
5MHz_High_16QAM_1@0	20.59	21.12	0.129	1	Pass
5MHz_High_16QAM_1@12	20.48	21.01	0.126	1	Pass
5MHz_High_16QAM_1@24	20.48	21.01	0.126	1	Pass
5MHz_High_16QAM_12@0	19.49	20.02	0.100	1	Pass
5MHz_High_16QAM_12@13	19.39	19.92	0.098	1	Pass
5MHz_High_16QAM_12@7	19.57	20.10	0.102	1	Pass
5MHz_High_16QAM_25@0	19.66	20.19	0.104	1	Pass
10MHz_Low_QPSK_1@0	23.28	23.81	0.240	1	Pass
10MHz_Low_QPSK_1@25	23.27	23.80	0.240	1	Pass
10MHz_Low_QPSK_1@49	23.20	23.73	0.236	1	Pass
10MHz_Low_QPSK_25@0	21.89	22.42	0.175	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_Low_QPSK_25@12	21.85	22.38	0.173	1	Pass
10MHz_Low_QPSK_25@25	21.79	22.32	0.171	1	Pass
10MHz_Low_QPSK_50@0	21.81	22.34	0.171	1	Pass
10MHz_Low_16QAM_1@0	22.28	22.81	0.191	1	Pass
10MHz_Low_16QAM_1@25	21.94	22.47	0.177	1	Pass
10MHz_Low_16QAM_1@49	22.06	22.59	0.182	1	Pass
10MHz_Low_16QAM_12@0	21.89	22.42	0.175	1	Pass
10MHz_Low_16QAM_12@19	21.91	22.44	0.175	1	Pass
10MHz_Low_16QAM_12@38	21.95	22.48	0.177	1	Pass
10MHz_Low_16QAM_25@0	20.66	21.19	0.132	1	Pass
10MHz_Low_16QAM_25@12	21.03	21.56	0.143	1	Pass
10MHz_Low_16QAM_25@25	20.85	21.38	0.137	1	Pass
10MHz_Middle_QPSK_1@0	23.40	23.93	0.247	1	Pass
10MHz_Middle_QPSK_1@25	23.31	23.84	0.242	1	Pass
10MHz_Middle_QPSK_1@49	23.20	23.73	0.236	1	Pass
10MHz_Middle_QPSK_25@0	22.23	22.76	0.189	1	Pass
10MHz_Middle_QPSK_25@12	22.05	22.58	0.181	1	Pass
10MHz_Middle_QPSK_25@25	22.14	22.67	0.185	1	Pass
10MHz_Middle_QPSK_50@0	22.07	22.60	0.182	1	Pass
10MHz_Middle_16QAM_1@0	21.96	22.49	0.177	1	Pass
10MHz_Middle_16QAM_1@25	21.81	22.34	0.171	1	Pass
10MHz_Middle_16QAM_1@49	21.83	22.36	0.172	1	Pass
10MHz_Middle_16QAM_12@0	21.82	22.35	0.172	1	Pass
10MHz_Middle_16QAM_12@19	21.49	22.02	0.159	1	Pass
10MHz_Middle_16QAM_12@38	21.68	22.21	0.166	1	Pass
10MHz_Middle_16QAM_25@0	21.40	21.93	0.156	1	Pass
10MHz_Middle_16QAM_25@12	21.05	21.58	0.144	1	Pass
10MHz_Middle_16QAM_25@25	21.13	21.66	0.147	1	Pass
10MHz_High_QPSK_1@0	22.94	23.47	0.222	1	Pass
10MHz_High_QPSK_1@25	23.15	23.68	0.233	1	Pass
10MHz_High_QPSK_1@49	22.88	23.41	0.219	1	Pass
10MHz_High_QPSK_25@0	21.98	22.51	0.178	1	Pass
10MHz_High_QPSK_25@12	21.99	22.52	0.179	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz_High_QPSK_25@25	21.88	22.41	0.174	1	Pass
10MHz_High_QPSK_50@0	21.90	22.43	0.175	1	Pass
10MHz_High_16QAM_1@0	21.59	22.12	0.163	1	Pass
10MHz_High_16QAM_1@25	21.57	22.10	0.162	1	Pass
10MHz_High_16QAM_1@49	21.72	22.25	0.168	1	Pass
10MHz_High_16QAM_12@0	21.67	22.20	0.166	1	Pass
10MHz_High_16QAM_12@19	21.90	22.43	0.175	1	Pass
10MHz_High_16QAM_12@38	21.53	22.06	0.161	1	Pass
10MHz_High_16QAM_25@0	20.98	21.51	0.142	1	Pass
10MHz_High_16QAM_25@12	20.91	21.44	0.139	1	Pass
10MHz_High_16QAM_25@25	20.79	21.32	0.136	1	Pass
15MHz_Low_QPSK_1@0	23.28	23.81	0.240	1	Pass
15MHz_Low_QPSK_1@37	23.11	23.64	0.231	1	Pass
15MHz_Low_QPSK_1@74	23.10	23.63	0.231	1	Pass
15MHz_Low_QPSK_36@0	22.46	22.99	0.199	1	Pass
15MHz_Low_QPSK_36@20	22.20	22.73	0.187	1	Pass
15MHz_Low_QPSK_36@39	22.16	22.69	0.186	1	Pass
15MHz_Low_QPSK_75@0	22.14	22.67	0.185	1	Pass
15MHz_Low_16QAM_1@0	22.01	22.54	0.179	1	Pass
15MHz_Low_16QAM_1@37	22.29	22.82	0.191	1	Pass
15MHz_Low_16QAM_1@74	21.99	22.52	0.179	1	Pass
15MHz_Low_16QAM_12@0	21.75	22.28	0.169	1	Pass
15MHz_Low_16QAM_12@31	22.82	23.35	0.216	1	Pass
15MHz_Low_16QAM_12@63	22.88	23.41	0.219	1	Pass
15MHz_Low_16QAM_25@0	21.51	22.04	0.160	1	Pass
15MHz_Low_16QAM_25@25	21.45	21.98	0.158	1	Pass
15MHz_Low_16QAM_25@50	21.45	21.98	0.158	1	Pass
15MHz_Middle_QPSK_1@0	23.58	24.11	0.258	1	Pass
15MHz_Middle_QPSK_1@37	23.18	23.71	0.235	1	Pass
15MHz_Middle_QPSK_1@74	23.47	24.00	0.251	1	Pass
15MHz_Middle_QPSK_36@0	22.08	22.61	0.182	1	Pass
15MHz_Middle_QPSK_36@20	21.92	22.45	0.176	1	Pass
15MHz_Middle_QPSK_36@39	21.94	22.47	0.177	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
15MHz_Middle_QPSK_75@0	21.98	22.51	0.178	1	Pass
15MHz_Middle_16QAM_1@0	22.15	22.68	0.185	1	Pass
15MHz_Middle_16QAM_1@37	21.88	22.41	0.174	1	Pass
15MHz_Middle_16QAM_1@74	21.84	22.37	0.173	1	Pass
15MHz_Middle_16QAM_12@0	22.11	22.64	0.184	1	Pass
15MHz_Middle_16QAM_12@31	21.77	22.30	0.170	1	Pass
15MHz_Middle_16QAM_12@63	21.74	22.27	0.169	1	Pass
15MHz_Middle_16QAM_25@0	21.15	21.68	0.147	1	Pass
15MHz_Middle_16QAM_25@25	20.83	21.36	0.137	1	Pass
15MHz_Middle_16QAM_25@50	20.96	21.49	0.141	1	Pass
15MHz_High_QPSK_1@0	23.13	23.66	0.232	1	Pass
15MHz_High_QPSK_1@37	23.19	23.72	0.236	1	Pass
15MHz_High_QPSK_1@74	22.84	23.37	0.217	1	Pass
15MHz_High_QPSK_36@0	21.74	22.27	0.169	1	Pass
15MHz_High_QPSK_36@20	21.71	22.24	0.167	1	Pass
15MHz_High_QPSK_36@39	21.58	22.11	0.163	1	Pass
15MHz_High_QPSK_75@0	21.59	22.12	0.163	1	Pass
15MHz_High_16QAM_1@0	21.79	22.32	0.171	1	Pass
15MHz_High_16QAM_1@37	21.80	22.33	0.171	1	Pass
15MHz_High_16QAM_1@74	21.50	22.03	0.160	1	Pass
15MHz_High_16QAM_12@0	21.69	22.22	0.167	1	Pass
15MHz_High_16QAM_12@31	21.81	22.34	0.171	1	Pass
15MHz_High_16QAM_12@63	21.53	22.06	0.161	1	Pass
15MHz_High_16QAM_25@0	20.73	21.26	0.134	1	Pass
15MHz_High_16QAM_25@25	20.85	21.38	0.137	1	Pass
15MHz_High_16QAM_25@50	20.75	21.28	0.134	1	Pass
20MHz_Low_QPSK_1@0	22.22	22.75	0.188	1	Pass
20MHz_Low_QPSK_1@49	22.39	22.92	0.196	1	Pass
20MHz_Low_QPSK_1@99	22.25	22.78	0.190	1	Pass
20MHz_Low_QPSK_100@0	21.37	21.90	0.155	1	Pass
20MHz_Low_QPSK_50@0	21.35	21.88	0.154	1	Pass
20MHz_Low_QPSK_50@24	21.20	21.73	0.149	1	Pass
20MHz_Low_QPSK_50@50	21.16	21.69	0.148	1	Pass