



**Test Mode:** UNII-2A/TX N20 Mode\_ANT 2

**TX mode CH52**



Date: 7.AUG.2016 11:50:52


**TX mode CH64**



Date: 7.AUG.2016 11:54:51


**Test Mode:** UNII-2A/TX N40 Mode\_ANT 1

**TX mode CH54**



Date: 7.AUG.2016 17:01:11


**TX mode CH62**



Date: 7.AUG.2016 17:03:04


**Test Mode:** UNII-2A/TX N40 Mode\_ANT 2

**TX mode CH54**



Date: 7.AUG.2016 17:01:55


**TX mode CH62**



Date: 7.AUG.2016 17:03:51


**Test Mode:** UNII-2C/TX A Mode\_ANT 1

**TX mode CH100**



Date: 7.AUG.2016 11:06:14


**TX mode CH140**



Date: 7.AUG.2016 11:24:34


**Test Mode:** UNII-2C/TX A Mode\_ANT 2

**TX mode CH100**



Date: 7.AUG.2016 11:07:00


**TX mode CH140**



Date: 7.AUG.2016 11:25:20


**Test Mode:** UNII-2C/TX N20 Mode\_ANT 1

**TX mode CH100**



Date: 7.AUG.2016 11:57:02


**TX mode CH140**



Date: 7.AUG.2016 12:03:08


**Test Mode:** UNII-2C/TX N20 Mode\_ANT 2

**TX mode CH100**



Date: 7.AUG.2016 11:57:47


**TX mode CH140**



Date: 7.AUG.2016 12:03:55


**Test Mode:** UNII-2C/TX N40 Mode\_ANT 1

**TX mode CH102**



Date: 7.AUG.2016 17:04:48

**TX mode CH134**




Date: 7.AUG.2016 17:08:12




**Test Mode:** UNII-2C/TX N40 Mode\_ANT 2

**TX mode CH102**



Date: 7.AUG.2016 17:05:34


**TX mode CH134**



Date: 7.AUG.2016 17:08:58


**Test Mode:** UNII-3/TX A Mode\_ANT 1

**TX A Mode CH149**



Date: 7.AUG.2016 11:28:56


**TX A Mode CH165**



Date: 7.AUG.2016 11:36:12


**Test Mode:** UNII-3/TX A Mode\_ANT 2

**TX A Mode CH149**



Date: 7.AUG.2016 11:29:47


**TX A Mode CH165**



Date: 7.AUG.2016 11:37:02


**Test Mode: UNII-3/TX N20 Mode\_ANT 1**

**TX HT20 mode CH149**



Date: 7.AUG.2016 12:05:21


**TX HT20 mode CH165**



Date: 7.AUG.2016 12:19:52


**Test Mode: UNII-3/TX N20 Mode\_ANT 2**

**TX HT20 mode CH149**




Date: 7.AUG.2016 12:06:11

**X HT20 mode CH165**




**Test Mode: UNII-3/TX N40 Mode\_ANT 1**

**UNII-3/TX HT40 mode CH151**



Date: 7.AUG.2016 17:10:19


**UNII-3/TX HT40 mode CH159**



Date: 7.AUG.2016 17:12:20


Test Mode: UNII-3/TX N40 Mode\_ANT 2

TX HT40 mode CH151




Date: 7.AUG.2016 17:11:09

HT40 mode CH159




**Test Mode:** UNII-1/TX AC20 Mode\_ANT 1

**TX mode CH36**



Date: 7.AUG.2016 16:19:26

**TX mode CH48**




Date: 7.AUG.2016 16:22:58




**Test Mode:** UNII-1/TX AC20 Mode\_ANT 2

**TX mode CH36**



Date: 7.AUG.2016 16:20:10


**TX mode CH48**



Date: 7.AUG.2016 16:23:43


**Test Mode:** UNII-1/TX AC40 Mode\_ANT 1

**TX mode CH38**



Date: 7.AUG.2016 17:21:31


**TX mode CH46**



Date: 7.AUG.2016 17:23:47


**Test Mode:** UNII-1/TX AC40 Mode\_ANT 2

**TX mode CH38**



Date: 7.AUG.2016 17:22:17


**TX mode CH46**




Date: 7.AUG.2016 17:24:32

**Test Mode: UNII-1/TX AC80 Mode\_ANT 1**

**TX mode CH42**




Date: 7.AUG.2016 17:56:19




Date: 7.AUG.2016 17:56:27

**Test Mode: UNII-1/TX AC80 Mode\_ANT 2**

**TX mode CH42**




Date: 7.AUG.2016 17:57:17



Date: 7.AUG.2016 17:57:25


**Test Mode:** UNII-2A/TX AC20 Mode\_ANT 1

**TX mode CH52**



Date: 7.AUG.2016 16:32:43


**TX mode CH64**



Date: 7.AUG.2016 16:37:27


**Test Mode:** UNII-2A/TX AC20 Mode\_ANT 2

**TX mode CH52**



Date: 7.AUG.2016 16:33:27


**TX mode CH64**



Date: 7.AUG.2016 16:38:12


**Test Mode:** UNII-2A/TX AC40 Mode\_ANT 1

**TX mode CH54**



Date: 7.AUG.2016 17:25:33

**TX mode CH62**




Date: 7.AUG.2016 17:28:59




**Test Mode: UNII-2A/TX AC40 Mode\_ANT 2**

**TX mode CH54**



Date: 7.AUG.2016 17:26:17


**TX mode CH62**




Date: 7.AUG.2016 17:29:45

**Test Mode:** UNII-2A/TX AC80 Mode\_ANT 1

**TX mode CH58**




Date: 7.AUG.2016 17:58:48




Date: 7.AUG.2016 17:58:55

**Test Mode:** UNII-2A/TX AC80 Mode\_ANT 2

**TX mode CH58**




Date: 7.AUG.2016 17:59:49



Date: 7.AUG.2016 17:59:57


**Test Mode:** UNII-2C/TX AC20 Mode\_ANT 1

**TX mode CH100**



Date: 7.AUG.2016 16:43:06


**TX mode CH140**



Date: 7.AUG.2016 16:46:29


**Test Mode: UNII-2C/TX AC20 Mode\_ANT 2**

**TX mode CH100**



Date: 7.AUG.2016 16:43:50


**TX mode CH140**



Date: 7.AUG.2016 16:47:14


**Test Mode: UNII-2C/TX AC40 Mode\_ANT 1**

**TX mode CH102**



Date: 7.AUG.2016 17:36:06


**TX mode CH134**



Date: 7.AUG.2016 17:44:42


Test Mode: UNII-2C/TX AC40 Mode\_ANT 2

TX mode CH102



Date: 7.AUG.2016 17:36:52


TX mode CH134



Date: 7.AUG.2016 17:45:28


**Test Mode: UNII-2C/TX AC80 Mode\_ANT 1**

**TX mode CH106**



Date: 7.AUG.2016 18:01:47

**TX mode CH122**




Date: 7.AUG.2016 18:04:39




**Test Mode: UNII-2C/TX AC80 Mode\_ANT 2**

**TX mode CH106**



Date: 7.AUG.2016 18:02:40


**TX mode CH122**



Date: 7.AUG.2016 18:05:30


**Test Mode:** UNII-3/TX AC20 Mode\_ANT 1

**TX AC HT20 mode CH149**



Date: 7.AUG.2016 16:48:34


**TX AC HT20 mode CH165**



Date: 7.AUG.2016 16:52:25


**Test Mode: UNII-3/TX AC20 Mode\_ANT 2**

**TX AC HT20 mode CH149**



Date: 7.AUG.2016 16:49:25


**TX AC HT20 mode CH165**



Date: 7.AUG.2016 16:53:15


**Test Mode: UNII-3/TX AC40 Mode\_ANT 1**

**TX AC HT40 mode CH151**



Date: 7.AUG.2016 17:46:40


**TX AC HT40 mode CH159**



Date: 7.AUG.2016 17:48:37


**Test Mode:** UNII-3/TX AC40 Mode\_ANT 2

**TX AC HT40 mode CH151**




Date: 7.AUG.2016 17:47:29

**TX AC HT40 mode CH159**




**Test Mode:** UNII-3/TX AC80 Mode\_ANT 1

**TX AC HT80 mode CH155**




Date: 7.AUG.2016 18:07:56




Date: 7.AUG.2016 18:08:04

**Test Mode: UNII-3/TX AC80 Mode\_ANT 2**

**TX AC HT80 mode CH155**



Date: 7.AUG.2016 18:08:59




Date: 7.AUG.2016 18:09:07

## ATTACHMENT H - POWER SPECTRAL DENSITY




**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.90	0.23	4.13	11.00
CH40	5200	3.20	0.23	3.43	11.00
CH48	5240	4.37	0.23	4.60	11.00




Date: 10.AUG.2016 16:57:34

### CH40



Date: 10.AUG.2016 16:58:36


### CH48



Date: 10.AUG.2016 16:59:26


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.79	0.23	4.02	11.00
CH40	5200	3.13	0.23	3.36	11.00
CH48	5240	4.36	0.23	4.59	11.00




Date: 10.AUG.2016 16:57:44

### CH40



Date: 10.AUG.2016 16:58:46

### CH48



Date: 10.AUG.2016 16:59:35

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.09	11.00
CH40	5200	6.41	11.00
CH48	5240	7.61	11.00


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.75	0.25	4.00	11.00
CH40	5200	3.25	0.25	3.50	11.00
CH48	5240	3.99	0.25	4.24	11.00




Date: 10.AUG.2016 17:08:31

### CH40



Date: 10.AUG.2016 17:09:13


### CH48



Date: 10.AUG.2016 17:09:50

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.44	0.25	3.69	11.00
CH40	5200	3.60	0.25	3.85	11.00
CH48	5240	3.97	0.25	4.22	11.00



Date: 10.AUG.2016 17:08:40




### CH40



Date: 10.AUG.2016 17:09:23

### CH48



Date: 10.AUG.2016 17:09:59


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.86	11.00
CH40	5200	6.69	11.00
CH48	5240	7.24	11.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.72	0.59	-0.13	11.00
CH46	5230	-0.47	0.59	0.12	11.00

### CH38



Date: 10.AUG.2016 17:31:41

### CH46




Date: 10.AUG.2016 17:32:12

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.14	0.59	0.45	11.00
CH46	5230	-0.50	0.59	0.09	11.00

### CH38



Date: 10.AUG.2016 17:31:51

### CH46



Date: 10.AUG.2016 17:32:21

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.18	11.00
CH46	5230	3.12	11.00

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.38	0.23	4.61	11.00
CH60	5300	4.23	0.23	4.46	11.00
CH64	5320	5.39	0.23	5.62	11.00



Date: 10.AUG.2016 16:59:56




### CH60



Date: 10.AUG.2016 17:00:23


### CH64



Date: 10.AUG.2016 17:00:53


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.63	0.23	4.86	11.00
CH60	5300	4.56	0.23	4.79	11.00
CH64	5320	5.36	0.23	5.59	11.00




Date: 10.AUG.2016 17:00:05

### CH60



Date: 10.AUG.2016 17:00:32

### CH64




Date: 10.AUG.2016 17:01:02

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.75	11.00
CH60	5300	7.64	11.00
CH64	5320	8.62	11.00


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.09	0.25	5.34	11.00
CH60	5300	4.44	0.25	4.69	11.00
CH64	5320	5.14	0.25	5.39	11.00




Date: 10.AUG.2016 17:11:02

### CH60



Date: 10.AUG.2016 17:11:34


### CH64



Date: 10.AUG.2016 17:12:24


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.15	0.25	5.40	11.00
CH60	5300	5.16	0.25	5.41	11.00
CH64	5320	5.20	0.25	5.45	11.00




Date: 10.AUG.2016 17:11:11

### CH60



Date: 10.AUG.2016 17:11:43

### CH64



Date: 10.AUG.2016 17:12:34




**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.38	11.00
CH60	5300	8.08	11.00
CH64	5320	8.43	11.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.92	0.59	2.51	11.00
CH62	5310	3.85	0.59	4.44	11.00

**CH54**



Date: 10.AUG.2016 18:02:30

**CH62**




Date: 10.AUG.2016 18:03:07

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.63	0.59	3.22	11.00
CH62	5310	3.62	0.59	4.21	11.00

### CH54



Date: 10.AUG.2016 18:02:41

### CH62




Date: 10.AUG.2016 18:03:16

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.89	11.00
CH62	5310	7.34	11.00


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.57	0.23	3.80	11.00
CH116	5580	4.44	0.23	4.67	11.00
CH140	5700	4.63	0.23	4.86	11.00




Date: 10.AUG.2016 17:01:29

### CH116



Date: 10.AUG.2016 17:02:09

### CH140




Date: 10.AUG.2016 17:02:46




**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.88	0.23	4.11	11.00
CH116	5580	4.37	0.23	4.60	11.00
CH140	5700	5.23	0.23	5.46	11.00




Date: 10.AUG.2016 17:01:38

### CH116



Date: 10.AUG.2016 17:02:18

### CH140



Date: 10.AUG.2016 17:02:55


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.97	11.00
CH116	5580	7.65	11.00
CH140	5700	8.18	11.00

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.33	0.25	4.58	11.00
CH116	5580	3.53	0.25	3.78	11.00
CH140	5700	4.79	0.25	5.04	11.00

### CH100




Date: 10.AUG.2016 17:13:04

### CH116



Date: 10.AUG.2016 17:13:45


### CH140



Date: 10.AUG.2016 17:14:25


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.92	0.25	4.17	11.00
CH116	5580	4.31	0.25	4.56	11.00
CH140	5700	4.49	0.25	4.74	11.00

**CH100**



Date: 10.AUG.2016 17:13:13

### CH116



Date: 10.AUG.2016 17:13:54

### CH140



Date: 10.AUG.2016 17:14:34

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.39	11.00
CH116	5580	7.20	11.00
CH140	5700	7.90	11.00



**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.25	0.59	2.84	11.00
CH110	5550	3.01	0.59	3.60	11.00
CH134	5670	3.49	0.59	4.08	11.00

**CH102**




Date: 10.AUG.2016 18:03:43

### CH110



Date: 10.AUG.2016 18:04:14

### CH134




Date: 10.AUG.2016 18:07:10

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.39	0.59	2.98	11.00
CH110	5550	3.14	0.59	3.73	11.00
CH134	5670	3.14	0.59	3.73	11.00

**CH102**




Date: 10.AUG.2016 18:03:52

### CH110



Date: 10.AUG.2016 18:04:24

### CH134



Date: 10.AUG.2016 18:07:19


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.92	11.00
CH110	5550	6.68	11.00
CH134	5670	6.92	11.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.80	0.23	2.03	30.00
CH157	5785	1.65	0.23	1.88	30.00
CH165	5825	1.99	0.23	2.22	30.00

**TX CH149**




Date: 10.AUG.2016 17:03:23

### TX CH157



Date: 10.AUG.2016 17:04:30

### TX CH165




Date: 10.AUG.2016 17:05:09

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.50	0.23	1.73	30.00
CH157	5785	2.39	0.23	2.62	30.00
CH165	5825	1.61	0.23	1.84	30.00


**TX CH149**



Date: 10.AUG.2016 17:03:32




### TX CH157



Date: 10.AUG.2016 17:04:39

### TX CH165



Date: 10.AUG.2016 17:05:18


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.89	30.00
CH157	5785	5.28	30.00
CH165	5825	5.04	30.00

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.06	0.25	1.31	30.00
CH157	5785	2.11	0.25	2.36	30.00
CH165	5825	1.25	0.25	1.50	30.00

**TX CH149**




Date: 10.AUG.2016 17:15:15

### TX CH157



Date: 10.AUG.2016 17:16:03

### TX CH165




Date: 10.AUG.2016 17:16:38

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.61	0.25	1.86	30.00
CH157	5785	2.06	0.25	2.31	30.00
CH165	5825	1.35	0.25	1.60	30.00

**TX CH149**




Date: 10.AUG.2016 17:15:25

**TX CH157**



Date: 10.AUG.2016 17:16:12

**TX CH165**



Date: 10.AUG.2016 17:16:47

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.60	30.00
CH157	5785	5.35	30.00
CH165	5825	4.56	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.09	0.59	1.68	30.00
CH159	5795	0.63	0.59	1.22	30.00




### TX CH151



Date: 10.AUG.2016 18:08:44

### TX CH159




Date: 10.AUG.2016 18:09:28

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.51	0.59	1.10	30.00
CH159	5795	1.06	0.59	1.65	30.00

### TX CH151



Date: 10.AUG.2016 18:08:53

### TX CH159




Date: 10.AUG.2016 18:09:37

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.41	30.00
CH159	5795	4.45	30.00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.82	0.24	5.06	11.00
CH40	5200	5.43	0.24	5.67	11.00
CH48	5240	5.86	0.24	6.10	11.00




Date: 10.AUG.2016 17:19:00

### CH40



Date: 10.AUG.2016 17:19:32


### CH48



Date: 10.AUG.2016 17:20:03


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.00	0.24	5.24	11.00
CH40	5200	5.38	0.24	5.62	11.00
CH48	5240	6.00	0.24	6.24	11.00




Date: 10.AUG.2016 17:19:10

### CH40



Date: 10.AUG.2016 17:19:41

### CH48



Date: 10.AUG.2016 17:20:12




**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.16	11.00
CH40	5200	8.66	11.00
CH48	5240	9.18	11.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.81	0.53	2.34	11.00
CH46	5230	3.43	0.53	3.96	11.00

### CH38



Date: 10.AUG.2016 18:10:34

### CH46




Date: 10.AUG.2016 18:11:20

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.21	0.53	2.74	11.00
CH46	5230	3.21	0.53	3.74	11.00

### CH38



Date: 10.AUG.2016 18:10:43

### CH46




Date: 10.AUG.2016 18:11:30

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.55	11.00
CH46	5230	6.86	11.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.28	0.89	-1.39	11.00



Date: 10.AUG.2016 18:17:56

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.76	0.89	-1.87	11.00



Date: 10.AUG.2016 18:18:09




**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.39	11.00


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.98	0.24	6.22	11.00
CH60	5300	4.60	0.24	4.84	11.00
CH64	5320	5.75	0.24	5.99	11.00




Date: 10.AUG.2016 17:20:53

### CH60



Date: 10.AUG.2016 17:21:35


### CH64



Date: 10.AUG.2016 17:22:10


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.59	0.24	6.83	11.00
CH60	5300	4.60	0.24	4.84	11.00
CH64	5320	5.86	0.24	6.10	11.00




Date: 10.AUG.2016 17:21:02

### CH60



Date: 10.AUG.2016 17:21:44

### CH64



Date: 10.AUG.2016 17:22:19


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.55	11.00
CH60	5300	7.85	11.00
CH64	5320	9.06	11.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.71	0.53	2.24	11.00
CH62	5310	3.71	0.53	4.24	11.00

### CH54



Date: 10.AUG.2016 18:12:37

### CH62




Date: 10.AUG.2016 18:13:09



**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.13	0.53	2.66	11.00
CH62	5310	3.62	0.53	4.15	11.00

### CH54



Date: 10.AUG.2016 18:12:47

### CH62




Date: 10.AUG.2016 18:13:18

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.47	11.00
CH62	5310	7.21	11.00

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.12	0.89	-0.23	11.00



Date: 10.AUG.2016 18:18:34

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.34	0.89	-0.45	11.00




Date: 10.AUG.2016 18:18:46

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.67	11.00


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.98	0.24	5.22	11.00
CH116	5580	5.22	0.24	5.46	11.00
CH140	5700	5.89	0.24	6.13	11.00

**CH100**



Date: 10.AUG.2016 17:22:49

### CH116



Date: 10.AUG.2016 17:23:31

### CH140




Date: 10.AUG.2016 17:24:09




**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.59	0.24	5.83	11.00
CH116	5580	5.41	0.24	5.65	11.00
CH140	5700	6.25	0.24	6.49	11.00




Date: 10.AUG.2016 17:22:58

### CH116



Date: 10.AUG.2016 17:23:40

### CH140




Date: 10.AUG.2016 17:24:18

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.55	11.00
CH116	5580	8.57	11.00
CH140	5700	9.32	11.00


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.24	0.53	2.77	11.00
CH110	5550	2.88	0.53	3.41	11.00
CH134	5670	3.65	0.53	4.18	11.00




Date: 10.AUG.2016 18:14:07

### CH110



Date: 10.AUG.2016 18:14:42

### CH134




Date: 10.AUG.2016 18:15:19

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.84	0.53	3.37	11.00
CH110	5550	2.49	0.53	3.02	11.00
CH134	5670	3.73	0.53	4.26	11.00

**CH102**




Date: 10.AUG.2016 18:14:16

### CH110



Date: 10.AUG.2016 18:14:51

### CH134



Date: 10.AUG.2016 18:15:29

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.09	11.00
CH110	5550	6.23	11.00
CH134	5670	7.23	11.00



**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.13	0.89	-2.24	11.00
CH122	5610	-1.64	0.89	-0.75	11.00

### CH106



Date: 10.AUG.2016 18:19:19

### CH122




Date: 10.AUG.2016 18:20:04

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.77	0.89	-2.88	11.00
CH122	5610	-2.17	0.89	-1.28	11.00

### CH106



Date: 10.AUG.2016 18:19:32

### CH122



Date: 10.AUG.2016 18:20:16


**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.46	11.00
CH122	5610	2.00	11.00

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.28	0.24	3.52	30.00
CH157	5785	2.89	0.24	3.13	30.00
CH165	5825	2.93	0.24	3.17	30.00

**TX CH149**




Date: 10.AUG.2016 17:26:37

### TX CH157



Date: 10.AUG.2016 17:27:31

### TX CH165




Date: 10.AUG.2016 17:28:24

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.25	0.24	3.49	30.00
CH157	5785	3.38	0.24	3.62	30.00
CH165	5825	3.15	0.24	3.39	30.00


**TX CH149**



Date: 10.AUG.2016 17:26:46




### TX CH157



Date: 10.AUG.2016 17:27:40

### TX CH165



Date: 10.AUG.2016 17:28:34


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.52	30.00
CH157	5785	6.39	30.00
CH165	5825	6.29	30.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.23	0.53	1.76	30.00
CH159	5795	1.20	0.53	1.73	30.00

### TX CH151



Date: 10.AUG.2016 18:15:49

### TX CH159




Date: 10.AUG.2016 18:16:18

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.03	0.53	1.56	30.00
CH159	5795	0.19	0.53	0.72	30.00

### TX CH151



Date: 10.AUG.2016 18:15:58

### TX CH159



Date: 10.AUG.2016 18:16:27


**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.67	30.00
CH159	5795	4.26	30.00

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.16	0.89	-3.27	30.00

**TX CH155**




Date: 10.AUG.2016 18:21:10



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.85	0.89	-3.96	30.00

**TX CH155**



Date: 10.AUG.2016 18:21:23

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.59	30.00

## ATTACHMENT I - FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9750
120	5179.9799
108	5179.9799
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.8263

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0000
5	5179.9750
15	5179.9800
25	5180.0000
35	5180.0000
45	5179.9950
50	5179.9950
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.8263

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9750
120	5259.9950
108	5259.9950
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9799
5	5260.0000
15	5260.0000
25	5259.9950
35	5259.9950
45	5260.0000
50	5259.9748
Max. Deviation (MHz)	0.0252
Max. Deviation (ppm)	4.7909

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9799
120	5499.9950
108	5499.9950
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.6545

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9799
5	5499.9950
15	5500.0200
25	5500.0200
35	5499.9950
45	5500.0150
50	5500.0200
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.6545

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9750
120	5744.9950
108	5745.0000
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.3516

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9950
5	5744.9750
15	5745.0200
25	5745.0150
35	5745.0102
45	5745.0150
50	5745.0150
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.3516