


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.62	0.23	2.85	10.00
CH40	5200	2.85	0.23	3.08	10.00
CH48	5240	2.59	0.23	2.82	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.85	2.51	5.36	10.00
CH40	5200	3.08	2.51	5.59	10.00
CH48	5240	2.82	2.51	5.33	10.00


### CH36



### CH40



### CH48



**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.55	10.00
CH40	5200	5.80	10.00
CH48	5240	5.85	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	7.60	10.00
CH40	5200	8.05	10.00
CH48	5240	8.07	10.00


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.61	0.51	1.12	10.00
CH40	5200	0.99	0.51	1.50	10.00
CH48	5240	2.44	0.51	2.95	10.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	1.12	1.91	3.03	10.00
CH40	5200	1.50	1.91	3.41	10.00
CH48	5240	2.95	1.91	4.86	10.00

**CH36**


### CH40



### CH48




**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.44	0.51	1.95	10.00
CH40	5200	1.49	0.51	2.00	10.00
CH48	5240	2.67	0.51	3.18	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	1.95	2.51	4.46	10.00
CH40	5200	2.00	2.51	4.51	10.00
CH48	5240	3.18	2.51	5.69	10.00


### CH36



### CH40



### CH48



**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.57	10.00
CH40	5200	4.77	10.00
CH48	5240	6.08	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	6.82	10.00
CH40	5200	7.01	10.00
CH48	5240	8.31	10.00




**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.63	1.22	-1.41	10.00
CH46	5230	-1.90	1.22	-0.68	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-1.41	1.91	0.50	10.00
CH46	5230	-0.68	1.91	1.23	10.00

### CH38



### CH46




**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.85	1.22	-0.63	10.00
CH46	5230	-1.63	1.22	-0.41	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-0.63	2.51	1.88	10.00
CH46	5230	-0.41	2.51	2.10	10.00

### CH38



### CH46




**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.01	10.00
CH46	5230	2.47	10.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	4.26	10.00
CH46	5230	4.70	10.00

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.63	0.23	2.86	11.00
CH60	5300	2.62	0.23	2.85	11.00
CH64	5320	2.34	0.23	2.57	11.00



### CH60




### CH64




**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.58	0.23	2.81	11.00
CH60	5300	3.24	0.23	3.47	11.00
CH64	5320	3.21	0.23	3.44	11.00






**CH60**



**CH64**




**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.85	11.00
CH60	5300	6.18	11.00
CH64	5320	6.04	11.00

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.46	0.51	2.97	11.00
CH60	5300	1.25	0.51	1.76	11.00
CH64	5320	1.22	0.51	1.73	11.00



### CH60




### CH64




**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.48	0.51	2.99	11.00
CH60	5300	2.03	0.51	2.54	11.00
CH64	5320	2.22	0.51	2.73	11.00



### CH60



### CH64



**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.99	11.00
CH60	5300	5.18	11.00
CH64	5320	5.27	11.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.84	1.22	-0.62	11.00
CH62	5310	-3.03	1.22	-1.81	11.00



### CH54




### CH62




**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.57	1.22	-0.35	11.00
CH62	5310	-2.32	1.22	-1.10	11.00

### CH54



### CH62




**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.53	11.00
CH62	5310	1.57	11.00

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.00	0.23	2.23	11.00
CH116	5580	2.75	0.23	2.98	11.00
CH140	5700	2.68	0.23	2.91	11.00



### CH116




### CH140




**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.55	0.23	3.78	11.00
CH116	5580	3.36	0.23	3.59	11.00
CH140	5700	3.09	0.23	3.32	11.00



### CH116



### CH140






**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.08	11.00
CH116	5580	6.31	11.00
CH140	5700	6.13	11.00

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.93	0.51	1.44	11.00
CH116	5580	1.61	0.51	2.12	11.00
CH140	5700	1.44	0.51	1.95	11.00

**CH100**


### CH116




### CH140




**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.50	0.51	3.01	11.00
CH116	5580	2.52	0.51	3.03	11.00
CH140	5700	1.94	0.51	2.45	11.00

**CH100**


### CH116



### CH140




**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.31	11.00
CH116	5580	5.61	11.00
CH140	5700	5.22	11.00

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.48	1.22	-2.26	11.00
CH110	5550	-3.05	1.22	-1.83	11.00
CH134	5670	-1.95	1.22	-0.73	11.00



### CH110




### CH134






**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.02	1.22	-1.80	11.00
CH110	5550	-1.85	1.22	-0.63	11.00
CH134	5670	-1.50	1.22	-0.28	11.00



### CH110



### CH134




**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.99	11.00
CH110	5550	1.82	11.00
CH134	5670	2.51	11.00


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.04	0.23	0.27	30.00
CH157	5785	-0.03	0.23	0.20	30.00
CH165	5825	-0.70	0.23	-0.47	30.00


**TX CH149**



### TX CH157




### TX CH165




**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.35	0.23	0.58	30.00
CH157	5785	0.31	0.23	0.54	30.00
CH165	5825	0.00	0.23	0.23	30.00


**TX CH149**



### TX CH157



### TX CH165



**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.44	30.00
CH157	5785	3.38	30.00
CH165	5825	2.90	30.00




**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.09	0.51	-0.58	30.00
CH157	5785	-1.05	0.51	-0.54	30.00
CH165	5825	-1.98	0.51	-1.47	30.00


**TX CH149**



### TX CH157




### TX CH165




**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.89	0.51	-0.38	30.00
CH157	5785	-0.81	0.51	-0.30	30.00
CH165	5825	-1.13	0.51	-0.62	30.00


**TX CH149**



### TX CH157



### TX CH165




**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.53	30.00
CH157	5785	2.59	30.00
CH165	5825	1.99	30.00


**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.04	1.22	-3.82	30.00
CH159	5795	-5.25	1.22	-4.03	30.00

### TX CH151



### TX CH159




**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.02	1.22	-3.80	30.00
CH159	5795	-5.11	1.22	-3.89	30.00



### TX CH151



### TX CH159



**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.80	30.00
CH159	5795	-0.95	30.00

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.30	2.07	2.37	10.00
CH40	5200	0.89	2.07	2.96	10.00
CH48	5240	1.34	2.07	3.41	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.37	1.91	4.28	10.00
CH40	5200	2.96	1.91	4.87	10.00
CH48	5240	3.41	1.91	5.32	10.00


### CH36



### CH40



### CH48




**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.94	2.07	4.01	10.00
CH40	5200	2.18	2.07	4.25	10.00
CH48	5240	2.55	2.07	4.62	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	4.01	2.51	6.52	10.00
CH40	5200	4.25	2.51	6.76	10.00
CH48	5240	4.62	2.51	7.13	10.00


### CH36



### CH40



### CH48



**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.28	10.00
CH40	5200	6.66	10.00
CH48	5240	7.07	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	8.55	10.00
CH40	5200	8.93	10.00
CH48	5240	9.33	10.00


**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.33	4.39	2.06	10.00
CH46	5230	-1.75	4.39	2.64	10.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.06	1.91	3.97	10.00
CH46	5230	2.64	1.91	4.55	10.00



### CH38



### CH46




**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.08	4.39	2.31	10.00
CH46	5230	0.00	4.39	4.39	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.31	2.51	4.82	10.00
CH46	5230	4.39	2.51	6.90	10.00

### CH38



### CH46



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.20	10.00
CH46	5230	6.61	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	7.43	10.00
CH46	5230	8.90	10.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.95	4.52	-1.43	10.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-1.43	1.91	0.48	10.00



**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.56	4.52	-2.04	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-2.04	2.51	0.47	10.00




**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.29	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	3.49	10.00


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.12	2.07	3.19	11.00
CH60	5300	1.21	2.07	3.28	11.00
CH64	5320	1.26	2.07	3.33	11.00






### CH60




### CH64




**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.99	2.07	4.06	11.00
CH60	5300	2.54	2.07	4.61	11.00
CH64	5320	2.44	2.07	4.51	11.00



### CH60



### CH64




**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.66	11.00
CH60	5300	7.01	11.00
CH64	5320	6.97	11.00


**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.55	4.39	2.84	11.00
CH62	5310	-1.49	4.39	2.90	11.00

### CH54




### CH62




**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.14	4.39	4.25	11.00
CH62	5310	-1.76	4.39	2.63	11.00

### CH54



### CH62






**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.61	11.00
CH62	5310	5.78	11.00


Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.29	4.52	-3.77	11.00



**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.40	4.52	-2.88	11.00




**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.29	11.00


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.44	2.07	2.51	11.00
CH116	5580	1.68	2.07	3.75	11.00
CH140	5700	1.34	2.07	3.41	11.00


### CH100



### CH116




### CH140




**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.99	2.07	5.06	11.00
CH116	5580	2.82	2.07	4.89	11.00
CH140	5700	2.63	2.07	4.70	11.00



### CH116



### CH140






**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.98	11.00
CH116	5580	7.37	11.00
CH140	5700	7.11	11.00

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.41	4.39	1.98	11.00
CH110	5550	-1.37	4.39	3.02	11.00
CH134	5670	-1.82	4.39	2.57	11.00



### CH110




### CH134




**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.25	4.39	4.14	11.00
CH110	5550	-0.44	4.39	3.95	11.00
CH134	5670	-1.17	4.39	3.22	11.00

**CH102**


### CH110



### CH134




**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.20	11.00
CH110	5550	6.52	11.00
CH134	5670	5.92	11.00


**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.45	4.52	-2.93	11.00
CH122	5610	-4.54	4.52	-0.02	11.00

### CH106



### CH122







**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.57	4.52	-2.05	11.00
CH122	5610	-4.58	4.52	-0.06	11.00

### CH106



### CH122




**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.54	11.00
CH122	5610	2.97	11.00

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.90	2.07	1.17	30.00
CH157	5785	-1.16	2.07	0.91	30.00
CH165	5825	-1.81	2.07	0.26	30.00



### TX CH157




### TX CH165




**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.30	2.07	1.77	30.00
CH157	5785	-0.33	2.07	1.74	30.00
CH165	5825	-0.59	2.07	1.48	30.00

**TX CH149**


**TX CH157**



**TX CH165**



**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.49	30.00
CH157	5785	4.36	30.00
CH165	5825	3.92	30.00




**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.02	4.39	0.37	30.00
CH159	5795	-4.27	4.39	0.12	30.00

### TX CH151




### TX CH159




**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.41	4.39	0.98	30.00
CH159	5795	-3.34	4.39	1.05	30.00

### TX CH151



### TX CH159




**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.70	30.00
CH159	5795	3.62	30.00

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.40	4.52	-4.88	30.00


**TX CH155**



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.74	4.52	-5.22	30.00

**TX CH155**



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.04	30.00



## ATTACHMENT I - FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9550
120	5179.9750
108	5179.9750
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.6873

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9750
5	5179.9399
15	5179.9550
25	5179.9399
35	5179.9800
40	5179.9600
Max. Deviation (MHz)	0.0601
Max. Deviation (ppm)	11.6023

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9600
120	5259.9750
108	5259.9548
Max. Deviation (MHz)	0.0452
Max. Deviation (ppm)	8.5932

**Temperature vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9750
5	5259.9750
15	5259.9750
25	5259.9902
35	5259.9750
40	5259.9800
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9550
120	5499.9599
108	5499.9799
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.1818

**Temperature vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9750
5	5499.9600
15	5499.9550
25	5499.9750
35	5499.9550
40	5499.9800
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.1818

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9550
120	5744.9600
108	5744.9702
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	7.8329

**Temperature vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9750
5	5744.9750
15	5744.9950
25	5744.9600
35	5744.9800
40	5744.9599
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	6.9800