

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.56	0.53	15.09	24.00	0.25
CH46	5230	14.94	0.53	15.47	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.10	0.53	14.63	24.00	0.25
CH46	5230	14.50	0.53	15.03	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.88	24.00	0.25
CH46	5230	18.27	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.76	0.89	13.65	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.81	0.89	13.70	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.68	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.58	0.24	15.82	24.00	0.25
CH60	5300	15.74	0.24	15.98	24.00	0.25
CH64	5320	15.35	0.24	15.59	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.65	0.24	14.89	24.00	0.25
CH60	5300	14.06	0.24	14.30	24.00	0.25
CH64	5320	14.20	0.24	14.44	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.39	24.00	0.25
CH60	5300	18.23	24.00	0.25
CH64	5320	18.06	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.91	0.53	15.44	24.00	0.25
CH62	5310	14.81	0.53	15.34	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.86	0.53	14.39	24.00	0.25
CH62	5310	12.05	0.53	12.58	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.96	24.00	0.25
CH62	5310	17.19	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.73	0.89	13.62	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	11.78	0.89	12.67	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	16.18	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.46	0.24	15.70	24.00	0.25
CH116	5580	16.08	0.24	16.32	24.00	0.25
CH140	5700	15.94	0.24	16.18	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.64	0.24	15.88	24.00	0.25
CH116	5580	15.80	0.24	16.04	24.00	0.25
CH140	5700	15.46	0.24	15.70	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.80	24.00	0.25
CH116	5580	19.19	24.00	0.25
CH140	5700	18.96	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.74	0.53	15.27	24.00	0.25
CH110	5550	15.01	0.53	15.54	24.00	0.25
CH134	5670	15.02	0.53	15.55	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.31	0.53	12.84	24.00	0.25
CH110	5550	14.92	0.53	15.45	24.00	0.25
CH134	5670	14.61	0.53	15.14	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.23	24.00	0.25
CH110	5550	18.51	24.00	0.25
CH134	5670	18.36	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	11.47	0.89	12.36	24.00	0.25
CH122	5610	12.78	0.89	13.67	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.00	0.89	13.89	24.00	0.25
CH122	5610	12.16	0.89	13.05	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.20	24.00	0.25
CH122	5610	16.38	24.00	0.25

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.68	0.24	15.92	30.00	1.00
CH157	5785	15.97	0.24	16.21	30.00	1.00
CH165	5825	15.55	0.24	15.79	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.61	0.24	15.85	30.00	1.00
CH157	5785	15.92	0.24	16.16	30.00	1.00
CH165	5825	15.54	0.24	15.78	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.90	30.00	1.00
CH157	5785	19.20	30.00	1.00
CH165	5825	18.80	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.91	0.53	15.44	30.00	1.00
CH159	5795	14.50	0.53	15.03	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.87	0.53	15.40	30.00	1.00
CH159	5795	14.50	0.53	15.03	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.43	30.00	1.00
CH159	5795	18.04	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.43	0.89	13.32	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.34	0.89	13.23	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.28	30.00	1.00

APPENDIX H - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.90	0.23	4.13	11.00
CH40	5200	3.20	0.23	3.43	11.00
CH48	5240	4.37	0.23	4.60	11.00




Date: 10.JUL.2017 16:57:34

CH40



Date: 10. JUL.2017 16:58:36


CH48



Date: 10. JUL.2017 16:59:26


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.79	0.23	4.02	11.00
CH40	5200	3.13	0.23	3.36	11.00
CH48	5240	4.36	0.23	4.59	11.00




Date: 10. JUL. 2017 16:57:44

CH40



Date: 10.JUL.2017 16:58:46

CH48




Date: 10.JUL.2017 16:59:35

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.09	11.00
CH40	5200	6.41	11.00
CH48	5240	7.61	11.00


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.75	0.25	4.00	11.00
CH40	5200	3.25	0.25	3.50	11.00
CH48	5240	3.99	0.25	4.24	11.00




Date: 10. JUL.2017 17:08:31

CH40



Date: 10. JUL. 2017 17:09:13


CH48



Date: 10. JUL. 2017 17:09:50


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.44	0.25	3.69	11.00
CH40	5200	3.60	0.25	3.85	11.00
CH48	5240	3.97	0.25	4.22	11.00




Date: 10.JUL.2017 17:08:40

CH40



Date: 10. JUL.2017 17:09:23

CH48



Date: 10. JUL.2017 17:09:59


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.86	11.00
CH40	5200	6.69	11.00
CH48	5240	7.24	11.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.72	0.59	-0.13	11.00
CH46	5230	-0.47	0.59	0.12	11.00

CH38



Date: 10. JUL.2017 17:31:41

CH46




Date: 10. JUL.2017 17:32:12

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.14	0.59	0.45	11.00
CH46	5230	-0.50	0.59	0.09	11.00

CH38



Date: 10. JUL.2017 17:31:51

CH46




Date: 10. JUL.2017 17:32:21

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.18	11.00
CH46	5230	3.12	11.00


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.38	0.23	4.61	11.00
CH60	5300	4.23	0.23	4.46	11.00
CH64	5320	5.39	0.23	5.62	11.00




Date: 10.JUL.2017 16:59:56

CH60



Date: 10.JUL.2017 17:00:23


CH64



Date: 10.JUL.2017 17:00:53


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.63	0.23	4.86	11.00
CH60	5300	4.56	0.23	4.79	11.00
CH64	5320	5.36	0.23	5.59	11.00




Date: 10.JUL.2017 17:00:05

CH60



Date: 10.JUL.2017 17:00:32

CH64




Date: 10.JUL.2017 17:01:02

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.75	11.00
CH60	5300	7.64	11.00
CH64	5320	8.62	11.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.09	0.25	5.34	11.00
CH60	5300	4.44	0.25	4.69	11.00
CH64	5320	5.14	0.25	5.39	11.00




Date: 10.JUL.2017 17:11:02

CH60



Date: 10.JUL.2017 17:11:34


CH64



Date: 10.JUL.2017 17:12:24


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.15	0.25	5.40	11.00
CH60	5300	5.16	0.25	5.41	11.00
CH64	5320	5.20	0.25	5.45	11.00




Date: 10.JUL.2017 17:11:11

CH60



Date: 10. JUL.2017 17:11:43

CH64



Date: 10. JUL.2017 17:12:34


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.38	11.00
CH60	5300	8.08	11.00
CH64	5320	8.43	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.92	0.59	2.51	11.00
CH62	5310	3.85	0.59	4.44	11.00

CH54



Date: 10.JUL.2017 18:02:30

CH62




Date: 10.JUL.2017 18:03:07

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.63	0.59	3.22	11.00
CH62	5310	3.62	0.59	4.21	11.00

CH54



Date: 10.JUL.2017 18:02:41

CH62




Date: 10.JUL.2017 18:03:16

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.89	11.00
CH62	5310	7.34	11.00


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.57	0.23	3.80	11.00
CH116	5580	4.44	0.23	4.67	11.00
CH140	5700	4.63	0.23	4.86	11.00




Date: 10.JUL.2017 17:01:29

CH116



Date: 10.JUL.2017 17:02:09


CH140



Date: 10.JUL.2017 17:02:46


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.88	0.23	4.11	11.00
CH116	5580	4.37	0.23	4.60	11.00
CH140	5700	5.23	0.23	5.46	11.00




Date: 10.JUL.2017 17:01:38

CH116



Date: 10. JUL. 2017 17:02:18

CH140




Date: 10. JUL. 2017 17:02:55

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.97	11.00
CH116	5580	7.65	11.00
CH140	5700	8.18	11.00


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.33	0.25	4.58	11.00
CH116	5580	3.53	0.25	3.78	11.00
CH140	5700	4.79	0.25	5.04	11.00




Date: 10. JUL.2017 17:13:04

CH116



Date: 10. JUL. 2017 17:13:45


CH140



Date: 10. JUL. 2017 17:14:25


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.92	0.25	4.17	11.00
CH116	5580	4.31	0.25	4.56	11.00
CH140	5700	4.49	0.25	4.74	11.00




Date: 10. JUL.2017 17:13:13

CH116



Date: 10. JUL.2017 17:13:54

CH140




Date: 10. JUL.2017 17:14:34

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.39	11.00
CH116	5580	7.20	11.00
CH140	5700	7.90	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.25	0.59	2.84	11.00
CH110	5550	3.01	0.59	3.60	11.00
CH134	5670	3.49	0.59	4.08	11.00




Date: 10. JUL.2017 18:03:43

CH110



Date: 10. JUL.2017 18:04:14


CH134



Date: 10. JUL.2017 18:07:10


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.39	0.59	2.98	11.00
CH110	5550	3.14	0.59	3.73	11.00
CH134	5670	3.14	0.59	3.73	11.00




Date: 10. JUL.2017 18:03:52

CH110



Date: 10. JUL.2017 18:04:24

CH134



Date: 10. JUL.2017 18:07:19


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.92	11.00
CH110	5550	6.68	11.00
CH134	5670	6.92	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.80	0.23	2.03	30.00
CH157	5785	1.65	0.23	1.88	30.00
CH165	5825	1.99	0.23	2.22	30.00

TX CH149




Date: 10.JUL.2017 17:03:23

TX CH157



Date: 10.JUL.2017 17:04:30

TX CH165




Date: 10.JUL.2017 17:05:09

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.50	0.23	1.73	30.00
CH157	5785	2.39	0.23	2.62	30.00
CH165	5825	1.61	0.23	1.84	30.00

TX CH149




Date: 10.JUL.2017 17:03:32

TX CH157



Date: 10.JUL.2017 17:04:39

TX CH165



Date: 10.JUL.2017 17:05:18


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.89	30.00
CH157	5785	5.28	30.00
CH165	5825	5.04	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.06	0.25	1.31	30.00
CH157	5785	2.11	0.25	2.36	30.00
CH165	5825	1.25	0.25	1.50	30.00

TX CH149




Date: 10.JUL.2017 17:15:15

TX CH157



Date: 10. JUL.2017 17:16:03

TX CH165




Date: 10. JUL.2017 17:16:38

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.61	0.25	1.86	30.00
CH157	5785	2.06	0.25	2.31	30.00
CH165	5825	1.35	0.25	1.60	30.00

TX CH149




Date: 10. JUL.2017 17:15:25

TX CH157



Date: 10. JUL.2017 17:16:12

TX CH165



Date: 10. JUL.2017 17:16:47


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.60	30.00
CH157	5785	5.35	30.00
CH165	5825	4.56	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.09	0.59	1.68	30.00
CH159	5795	0.63	0.59	1.22	30.00

TX CH151



Date: 10. JUL.2017 18:08:44

TX CH159




Date: 10. JUL.2017 18:09:28

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.51	0.59	1.10	30.00
CH159	5795	1.06	0.59	1.65	30.00

TX CH151



Date: 10. JUL.2017 18:08:53

TX CH159




Date: 10. JUL.2017 18:09:37

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.41	30.00
CH159	5795	4.45	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.82	0.24	5.06	11.00
CH40	5200	5.43	0.24	5.67	11.00
CH48	5240	5.86	0.24	6.10	11.00




Date: 10.JUL.2017 17:19:00

CH40



Date: 10.JUL.2017 17:19:32


CH48



Date: 10.JUL.2017 17:20:03


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.00	0.24	5.24	11.00
CH40	5200	5.38	0.24	5.62	11.00
CH48	5240	6.00	0.24	6.24	11.00




Date: 10.JUL.2017 17:19:10

CH40



Date: 10.JUL.2017 17:19:41

CH48



Date: 10.JUL.2017 17:20:12


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.16	11.00
CH40	5200	8.66	11.00
CH48	5240	9.18	11.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.81	0.53	2.34	11.00
CH46	5230	3.43	0.53	3.96	11.00

CH38



Date: 10.JUL.2017 18:10:34

CH46




Date: 10.JUL.2017 18:11:20

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.21	0.53	2.74	11.00
CH46	5230	3.21	0.53	3.74	11.00

CH38



Date: 10.JUL.2017 18:10:43

CH46




Date: 10.JUL.2017 18:11:30

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.55	11.00
CH46	5230	6.86	11.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.28	0.89	-1.39	11.00



Date: 10. JUL.2017 18:17:56

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.76	0.89	-1.87	11.00




Date: 10. JUL. 2017 18:18:09

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.39	11.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.98	0.24	6.22	11.00
CH60	5300	4.60	0.24	4.84	11.00
CH64	5320	5.75	0.24	5.99	11.00




Date: 10. JUL. 2017 17:20:53

CH60



Date: 10.JUL.2017 17:21:35


CH64



Date: 10.JUL.2017 17:22:10


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.59	0.24	6.83	11.00
CH60	5300	4.60	0.24	4.84	11.00
CH64	5320	5.86	0.24	6.10	11.00




Date: 10. JUL. 2017 17:21:02

CH60



Date: 10.JUL.2017 17:21:44

CH64



Date: 10.JUL.2017 17:22:19


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.55	11.00
CH60	5300	7.85	11.00
CH64	5320	9.06	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.71	0.53	2.24	11.00
CH62	5310	3.71	0.53	4.24	11.00

CH54



Date: 10. JUL.2017 18:12:37

CH62




Date: 10. JUL.2017 18:13:09

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.13	0.53	2.66	11.00
CH62	5310	3.62	0.53	4.15	11.00

CH54



Date: 10. JUL.2017 18:12:47

CH62




Date: 10. JUL.2017 18:13:18

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.47	11.00
CH62	5310	7.21	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.12	0.89	-0.23	11.00



Date: 10. JUL.2017 18:18:34

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.34	0.89	-0.45	11.00




Date: 10.JUL.2017 18:18:46

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.67	11.00


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.98	0.24	5.22	11.00
CH116	5580	5.22	0.24	5.46	11.00
CH140	5700	5.89	0.24	6.13	11.00




Date: 10.JUL.2017 17:22:49

CH116



Date: 10.JUL.2017 17:23:31


CH140



Date: 10.JUL.2017 17:24:09


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.59	0.24	5.83	11.00
CH116	5580	5.41	0.24	5.65	11.00
CH140	5700	6.25	0.24	6.49	11.00




Date: 10. JUL.2017 17:22:58

CH116



Date: 10.JUL.2017 17:23:40

CH140




Date: 10.JUL.2017 17:24:18

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.55	11.00
CH116	5580	8.57	11.00
CH140	5700	9.32	11.00


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.24	0.53	2.77	11.00
CH110	5550	2.88	0.53	3.41	11.00
CH134	5670	3.65	0.53	4.18	11.00




Date: 10. JUL.2017 18:14:07

CH110



Date: 10. JUL.2017 18:14:42


CH134



Date: 10. JUL.2017 18:15:19


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.84	0.53	3.37	11.00
CH110	5550	2.49	0.53	3.02	11.00
CH134	5670	3.73	0.53	4.26	11.00




Date: 10. JUL.2017 18:14:16

CH110



Date: 10.JUL.2017 18:14:51

CH134



Date: 10.JUL.2017 18:15:29


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.09	11.00
CH110	5550	6.23	11.00
CH134	5670	7.23	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.13	0.89	-2.24	11.00
CH122	5610	-1.64	0.89	-0.75	11.00

CH106



Date: 10.JUL.2017 18:19:19

CH122




Date: 10.JUL.2017 18:20:04

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.77	0.89	-2.88	11.00
CH122	5610	-2.17	0.89	-1.28	11.00

CH106



Date: 10. JUL.2017 18:19:32

CH122




Date: 10. JUL.2017 18:20:16

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.46	11.00
CH122	5610	2.00	11.00


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.28	0.24	3.52	30.00
CH157	5785	2.89	0.24	3.13	30.00
CH165	5825	2.93	0.24	3.17	30.00




Date: 10. JUL. 2017 17:26:37

TX CH157



Date: 10.JUL.2017 17:27:31

TX CH165




Date: 10.JUL.2017 17:28:24

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.25	0.24	3.49	30.00
CH157	5785	3.38	0.24	3.62	30.00
CH165	5825	3.15	0.24	3.39	30.00

TX CH149




Date: 10.JUL.2017 17:26:46

TX CH157



Date: 10. JUL. 2017 17:27:40

TX CH165



Date: 10. JUL. 2017 17:28:34


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.52	30.00
CH157	5785	6.39	30.00
CH165	5825	6.29	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.23	0.53	1.76	30.00
CH159	5795	1.20	0.53	1.73	30.00

TX CH151



Date: 10.JUL.2017 18:15:49

TX CH159




Date: 10.JUL.2017 18:16:18

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.03	0.53	1.56	30.00
CH159	5795	0.19	0.53	0.72	30.00

TX CH151



Date: 10. JUL.2017 18:15:58

TX CH159



Date: 10. JUL.2017 18:16:27


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.67	30.00
CH159	5795	4.26	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.16	0.89	-3.27	30.00

TX CH155




Date: 10. JUL. 2017 18:21:10

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.85	0.89	-3.96	30.00

TX CH155



Date: 10. JUL.2017 18:21:23

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.59	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9750
120	5179.9799
108	5179.9799
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.8263

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0000
5	5179.9750
15	5179.9800
25	5180.0000
35	5180.0000
45	5179.9950
50	5179.9950
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.8263

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9750
120	5259.9950
108	5259.9950
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9799
5	5260.0000
15	5260.0000
25	5259.9950
35	5259.9950
45	5260.0000
50	5259.9748
Max. Deviation (MHz)	0.0252
Max. Deviation (ppm)	4.7909

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9799
120	5499.9950
108	5499.9950
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.6545

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9799
5	5499.9950
15	5500.0200
25	5500.0200
35	5499.9950
45	5500.0150
50	5500.0200
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.6545

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9750
120	5744.9950
108	5745.0000
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.3516

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9950
5	5744.9750
15	5745.0200
25	5745.0150
35	5745.0102
45	5745.0150
50	5745.0150
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.3516