




TX, 802.11ax(HE20) (Ch 185)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 185)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 185)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 185)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 185)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 185)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	209
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	6995	74.37	25.52	99.89	N/A	N/A	PK
	@	6995	68.38	25.52	93.9	N/A	N/A	AVG
		7199.8	40.65	26.98	67.63	88.2	-20.57	PK
		7206.8	31.01	26.99	58	68.2	-10.2	AVG
	*	13990	30.13	24.62	54.75	88.2	-33.45	PK
Vertical	@	6995	70.74	25.52	96.26	N/A	N/A	PK
	@	6995	62.34	25.52	87.86	N/A	N/A	AVG
		7183	40.59	26.78	67.37	88.2	-20.83	PK
		7205.4	28.93	26.99	55.92	68.2	-12.28	AVG
	*	13990	30.3	24.62	54.92	88.2	-33.28	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11ax(HE20) (Ch 209)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 209)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 209)
Band Edge (Average), Horizontal

TX, 802.11ax(HE20) (Ch 209)
Band Edge (Average), Vertical

TX, 802.11ax(HE20) (Ch 209)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 209)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	229
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	7095	72.84	26.08	98.92	N/A	N/A	PK
	@	7095	66.19	26.08	92.27	N/A	N/A	AVG
		7136.8	41.02	26.32	67.34	88.2	-20.86	PK
		7167.6	31.44	26.6	58.04	68.2	-10.16	AVG
	*	14190	30.4	25.74	56.14	88.2	-32.06	PK
Vertical	@	7095	69.84	26.08	95.92	N/A	N/A	PK
	@	7095	61.17	26.08	87.25	N/A	N/A	AVG
		7183	40.69	26.78	67.47	88.2	-20.73	PK
		7211	29.02	26.99	56.01	68.2	-12.19	AVG
	*	14190	30.23	25.74	55.97	88.2	-32.23	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1


TX, 802.11ax(HE20) (Ch 229)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 229)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 229)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 229)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 229)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 229)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	233
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	7115	52.13	26.2	78.33	N/A	N/A	PK
	@	7115	43.51	26.2	69.71	N/A	N/A	AVG
		7125	48.31	26.26	74.57	88.2	-13.63	PK
		7125	41.17	26.26	67.43	68.2	-0.77	AVG
	*	14230	30.33	25.94	56.27	88.2	-31.93	PK
Vertical	@	7115	47.33	26.2	73.53	N/A	N/A	PK
	@	7115	38.94	26.2	65.14	N/A	N/A	AVG
		7125	44.17	26.26	70.43	88.2	-17.77	PK
		7125	35.43	26.26	61.69	68.2	-6.51	AVG
	*	14230	30.18	25.94	56.12	88.2	-32.08	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1


TX, 802.11ax(HE20) (Ch 233)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 233)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 233)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 233)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 233)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 233)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	3
------	----------------	---------	---


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5904.8	41.72	21.52	63.24	88.2	-24.96	PK
		5918.8	30.55	21.54	52.09	68.2	-16.11	AVG
	@	5965	81.23	21.62	102.85	N/A	N/A	PK
	@	5965	72.28	21.62	93.9	N/A	N/A	AVG
Vertical		5860	40.92	21.48	62.4	88.2	-25.8	PK
		5913.2	29.99	21.53	51.52	68.2	-16.68	AVG
	@	5965	76.92	21.62	98.54	N/A	N/A	PK
	@	5965	68.76	21.62	90.38	N/A	N/A	AVG




Mode	802.11ax(HE40)	Channel	43
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5889.4	41.38	21.51	62.89	88.2	-25.31	PK
		5921.6	29.91	21.54	51.45	68.2	-16.75	AVG
	@	6165	77.64	22.03	99.67	N/A	N/A	PK
	@	6165	69.37	22.03	91.4	N/A	N/A	AVG
Vertical		5878.2	40.96	21.49	62.45	88.2	-25.75	PK
		5906.2	29.91	21.52	51.43	68.2	-16.77	AVG
	@	6165	72.49	22.03	94.52	N/A	N/A	PK
	@	6165	64.97	22.03	87	N/A	N/A	AVG


TX, 802.11ax(HE40) (Ch 43)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 43)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 43)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 43)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	91
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5902	30.07	21.53	51.6	68.2	-16.6	AVG
		5913.2	40.52	21.53	62.05	88.2	-26.15	PK
	@	6405	77.74	23.35	101.09	N/A	N/A	PK
	@	6405	67.69	23.35	91.04	N/A	N/A	AVG
		7142.4	42.76	26.35	69.11	88.2	-19.09	PK
		7198.4	29.51	26.95	56.46	68.2	-11.74	AVG
Vertical		5883.8	40.42	21.5	61.92	88.2	-26.28	PK
		5890.8	29.88	21.51	51.39	68.2	-16.81	AVG
	@	6405	77.09	23.35	100.44	N/A	N/A	PK
	@	6405	66.55	23.35	89.9	N/A	N/A	AVG
		7202.6	29.45	26.98	56.43	68.2	-11.77	AVG
		7220.8	39.85	27.01	66.86	88.2	-21.34	PK




Mode	802.11ax(HE40)	Channel	99
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5853	40.69	21.47	62.16	88.2	-26.04	PK
		5916	29.91	21.53	51.44	68.2	-16.76	AVG
	@	6445	79.17	23.55	102.72	N/A	N/A	PK
	@	6445	68.95	23.55	92.5	N/A	N/A	AVG
		7190	40.31	26.86	67.17	88.2	-21.03	PK
		7215.2	29.48	27	56.48	68.2	-11.72	AVG
Vertical		5896.4	41.47	21.52	62.99	88.2	-25.21	PK
		5906.2	29.84	21.52	51.36	68.2	-16.84	AVG
	@	6445	72.84	23.55	96.39	N/A	N/A	PK
	@	6445	63.38	23.55	86.93	N/A	N/A	AVG
		7148	41.37	26.38	67.75	88.2	-20.45	PK
		7206.8	29.29	26.99	56.28	68.2	-11.92	AVG




Mode	802.11ax(HE40)	Channel	107
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5876.8	41.65	21.49	63.14	88.2	-25.06	PK
		5888	29.94	21.51	51.45	68.2	-16.75	AVG
	@	6485	77.83	23.6	101.43	N/A	N/A	PK
	@	6485	69.62	23.6	93.22	N/A	N/A	AVG
		7167.6	40.8	26.6	67.4	88.2	-20.8	PK
		7204	29.43	26.98	56.41	68.2	-11.79	AVG
Vertical		5871.2	30.06	21.48	51.54	68.2	-16.66	AVG
		5895	40.84	21.52	62.36	88.2	-25.84	PK
	@	6485	73.13	23.6	96.73	N/A	N/A	PK
	@	6485	63.66	23.6	87.26	N/A	N/A	AVG
		7176	29.62	26.7	56.32	68.2	-11.88	AVG
		7177.4	40.11	26.71	66.82	88.2	-21.38	PK




Mode	802.11ax(HE40)	Channel	115
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5911.8	29.96	21.53	51.49	68.2	-16.71	AVG
		5918.8	41.78	21.54	63.32	88.2	-24.88	PK
	@	6525	78.67	23.8	102.47	N/A	N/A	PK
	@	6525	69.43	23.8	93.23	N/A	N/A	AVG
		7184.4	29.61	26.79	56.4	68.2	-11.8	AVG
		7222.2	39.84	27.01	66.85	88.2	-21.35	PK
Vertical		5886.6	30	21.5	51.5	68.2	-16.7	AVG
		5909	41.1	21.53	62.63	88.2	-25.57	PK
	@	6525	75.31	23.8	99.11	N/A	N/A	PK
	@	6525	67.14	23.8	90.94	N/A	N/A	AVG
		7164.8	41.08	26.57	67.65	88.2	-20.55	PK
		7204	29.39	26.98	56.37	68.2	-11.83	AVG



Mode	802.11ax(HE40)	Channel	123
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5860	29.88	21.48	51.36	68.2	-16.84	AVG
		5914.6	41.31	21.53	62.84	88.2	-25.36	PK
	@	6565	78.18	24.03	102.21	N/A	N/A	PK
	@	6565	69.18	24.03	93.21	N/A	N/A	AVG
		7152.2	40.99	26.42	67.41	88.2	-20.79	PK
		7206.8	29.4	26.99	56.39	68.2	-11.81	AVG
Vertical		5865.6	40.74	21.48	62.22	88.2	-25.98	PK
		5879.6	29.88	21.49	51.37	68.2	-16.83	AVG
	@	6565	74.3	24.03	98.33	N/A	N/A	PK
	@	6565	64.93	24.03	88.96	N/A	N/A	AVG
		7177.4	29.6	26.71	56.31	68.2	-11.89	AVG
		7215.2	40.73	27	67.73	88.2	-20.47	PK




Mode	802.11ax(HE40)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5876.8	41.94	21.49	63.43	88.2	-24.77	PK
		5900.6	30.05	21.52	51.57	68.2	-16.63	AVG
	@	6725	77.45	24.11	101.56	N/A	N/A	PK
	@	6725	69.59	24.11	93.7	N/A	N/A	AVG
		7194.2	40	26.91	66.91	88.2	-21.29	PK
		7212.4	29.3	27	56.3	68.2	-11.9	AVG
Vertical		5868.4	41.22	21.48	62.7	88.2	-25.5	PK
		5923	29.98	21.54	51.52	68.2	-16.68	AVG
	@	6725	73.73	24.11	97.84	N/A	N/A	PK
	@	6725	63.8	24.11	87.91	N/A	N/A	AVG
		7192.8	40.47	26.9	67.37	88.2	-20.83	PK
		7211	29.36	26.99	56.35	68.2	-11.85	AVG


TX, 802.11ax(HE40) (Ch 155)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 155)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 155)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 155)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	179
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5871.2	41.4	21.48	62.88	88.2	-25.32	PK
		5903.4	29.81	21.53	51.34	68.2	-16.86	AVG
	@	6845	78.43	24.75	103.18	N/A	N/A	PK
	@	6845	70.79	24.75	95.54	N/A	N/A	AVG
		7176	40.34	26.7	67.04	88.2	-21.16	PK
		7222.2	29.64	27.01	56.65	68.2	-11.55	AVG
Vertical		5903.4	41.7	21.53	63.23	88.2	-24.97	PK
		5911.8	29.87	21.53	51.4	68.2	-16.8	AVG
	@	6845	73.88	24.75	98.63	N/A	N/A	PK
	@	6845	65.04	24.75	89.79	N/A	N/A	AVG
		7146.6	40.53	26.38	66.91	88.2	-21.29	PK
		7198.4	29.46	26.95	56.41	68.2	-11.79	AVG



Mode	802.11ax(HE40)	Channel	187
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5913.2	29.83	21.53	51.36	68.2	-16.84	AVG
		5917.4	41.18	21.54	62.72	88.2	-25.48	PK
	@	6885	78.72	24.88	103.6	N/A	N/A	PK
	@	6885	70.36	24.88	95.24	N/A	N/A	AVG
		7197	40.84	26.94	67.78	88.2	-20.42	PK
		7211	29.36	26.99	56.35	68.2	-11.85	AVG
Vertical		5886.6	40.54	21.5	62.04	88.2	-26.16	PK
		5909	29.85	21.53	51.38	68.2	-16.82	AVG
	@	6885	71.74	24.88	96.62	N/A	N/A	PK
	@	6885	63.51	24.88	88.39	N/A	N/A	AVG
		7187.2	41.02	26.83	67.85	88.2	-20.35	PK
		7208.2	29.48	26.99	56.47	68.2	-11.73	AVG




Mode	802.11ax(HE40)	Channel	211
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	7005	77.85	25.57	103.42	N/A	N/A	PK
	@	7005	68.82	25.57	94.39	N/A	N/A	AVG
		7181.6	29.59	26.77	56.36	68.2	-11.84	AVG
		7185.8	40.06	26.81	66.87	88.2	-21.33	PK
Vertical	@	7005	71.38	25.57	96.95	N/A	N/A	PK
	@	7005	63.74	25.57	89.31	N/A	N/A	AVG
		7157.8	41.48	26.49	67.97	88.2	-20.23	PK
		7199.8	29.3	26.98	56.28	68.2	-11.92	AVG


TX, 802.11ax(HE40) (Ch 211)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 211)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 211)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 211)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	227
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	7085	74.66	26	100.66	N/A	N/A	PK
	@	7085	67.74	26	93.74	N/A	N/A	AVG
		7153.6	41.08	26.44	67.52	88.2	-20.68	PK
		7184.4	29.61	26.79	56.4	68.2	-11.8	AVG
Vertical	@	7085	71.88	26	97.88	N/A	N/A	PK
	@	7085	63.7	26	89.7	N/A	N/A	AVG
		7198.4	40.18	26.95	67.13	88.2	-21.07	PK
		7198.4	29.41	26.95	56.36	68.2	-11.84	AVG


TX, 802.11ax(HE40) (Ch 227)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 227)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 227)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 227)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	7
------	----------------	---------	---


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5921.6	41.44	21.54	62.98	88.2	-25.22	PK
		5924.4	32.3	21.55	53.85	68.2	-14.35	AVG
	@	5985	78.25	21.68	99.93	N/A	N/A	PK
	@	5985	69.56	21.68	91.24	N/A	N/A	AVG
Vertical		5909	40.64	21.53	62.17	88.2	-26.03	PK
		5914.6	30.93	21.53	52.46	68.2	-15.74	AVG
	@	5985	75.74	21.68	97.42	N/A	N/A	PK
	@	5985	65.72	21.68	87.4	N/A	N/A	AVG




Mode	802.11ax(HE80)	Channel	39
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5882.4	41.43	21.5	62.93	88.2	-25.27	PK
		5913.2	30.58	21.53	52.11	68.2	-16.09	AVG
	@	6145	75.54	21.97	97.51	N/A	N/A	PK
	@	6145	67.67	21.97	89.64	N/A	N/A	AVG
Vertical		5904.8	30.65	21.52	52.17	68.2	-16.03	AVG
		5910.4	40.09	21.53	61.62	88.2	-26.58	PK
	@	6145	71.77	21.97	93.74	N/A	N/A	PK
	@	6145	64.12	21.97	86.09	N/A	N/A	AVG


TX, 802.11ax(HE80) (Ch 39)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 39)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 39)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE80) (Ch 39)
Band Edge (Peak), Vertical




Mode	802.11ax(HE80)	Channel	87
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5872.6	41.53	21.48	63.01	88.2	-25.19	PK
		5879.6	30.68	21.49	52.17	68.2	-16.03	AVG
	@	6385	75.28	23.22	98.5	N/A	N/A	PK
	@	6385	65.21	23.22	88.43	N/A	N/A	AVG
		7195.6	30.23	26.93	57.16	68.2	-11.04	AVG
		7223.6	39.66	27.01	66.67	88.2	-21.53	PK
Vertical		5839	41.01	21.36	62.37	88.2	-25.83	PK
		5900.6	30.62	21.52	52.14	68.2	-16.06	AVG
	@	6385	73.44	23.22	96.66	N/A	N/A	PK
	@	6385	64.01	23.22	87.23	N/A	N/A	AVG
		7204	30.11	26.98	57.09	68.2	-11.11	AVG
		7225	40	27.02	67.02	88.2	-21.18	PK




Mode	802.11ax(HE80)	Channel	103
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5871.2	30.78	21.48	52.26	68.2	-15.94	AVG
		5896.4	40.31	21.52	61.83	88.2	-26.37	PK
	@	6465	75.5	23.58	99.08	N/A	N/A	PK
	@	6465	66.57	23.58	90.15	N/A	N/A	AVG
		7171.8	40.82	26.65	67.47	88.2	-20.73	PK
		7183	30.33	26.78	57.11	68.2	-11.09	AVG
Vertical		5886.6	40.32	21.5	61.82	88.2	-26.38	PK
		5903.4	30.67	21.53	52.2	68.2	-16	AVG
	@	6465	70.39	23.58	93.97	N/A	N/A	PK
	@	6465	61.28	23.58	84.86	N/A	N/A	AVG
		7192.8	40.33	26.9	67.23	88.2	-20.97	PK
		7192.8	30.23	26.9	57.13	68.2	-11.07	AVG




Mode	802.11ax(HE80)	Channel	119
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5907.6	41.13	21.52	62.65	88.2	-25.55	PK
		5909	30.84	21.53	52.37	68.2	-15.83	AVG
	@	6545	76.55	23.95	100.5	N/A	N/A	PK
	@	6545	67.27	23.95	91.22	N/A	N/A	AVG
		7195.6	40.39	26.93	67.32	88.2	-20.88	PK
		7208.2	30.15	26.99	57.14	68.2	-11.06	AVG
Vertical		5862.8	30.65	21.48	52.13	68.2	-16.07	AVG
		5899.2	41.61	21.52	63.13	88.2	-25.07	PK
	@	6545	72.62	23.95	96.57	N/A	N/A	PK
	@	6545	64.58	23.95	88.53	N/A	N/A	AVG
		7174.6	30.34	26.69	57.03	68.2	-11.17	AVG
		7225	40.5	27.02	67.52	88.2	-20.68	PK



Mode	802.11ax(HE80)	Channel	135
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5868.4	40.78	21.48	62.26	88.2	-25.94	PK
		5906.2	30.64	21.52	52.16	68.2	-16.04	AVG
	@	6625	76.99	24.13	101.12	N/A	N/A	PK
	@	6625	68.29	24.13	92.42	N/A	N/A	AVG
		7208.2	30.2	26.99	57.19	68.2	-11.01	AVG
		7212.4	40.47	27	67.47	88.2	-20.73	PK
Vertical		5867	40.56	21.48	62.04	88.2	-26.16	PK
		5896.4	30.97	21.52	52.49	68.2	-15.71	AVG
	@	6625	70.61	24.13	94.74	N/A	N/A	PK
	@	6625	62.31	24.13	86.44	N/A	N/A	AVG
		7192.8	30.41	26.9	57.31	68.2	-10.89	AVG
		7220.8	40.32	27.01	67.33	88.2	-20.87	PK




Mode	802.11ax(HE80)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5892.2	30.77	21.51	52.28	68.2	-15.92	AVG
		5913.2	41.15	21.53	62.68	88.2	-25.52	PK
	@	6705	76.87	24	100.87	N/A	N/A	PK
	@	6705	69.03	24	93.03	N/A	N/A	AVG
		7173.2	41.07	26.66	67.73	88.2	-20.47	PK
		7194.2	30.21	26.91	57.12	68.2	-11.08	AVG
Vertical		5900.6	30.74	21.52	52.26	68.2	-15.94	AVG
		5910.4	40.51	21.53	62.04	88.2	-26.16	PK
	@	6705	73.72	24	97.72	N/A	N/A	PK
	@	6705	64.1	24	88.1	N/A	N/A	AVG
		7185.8	40.07	26.81	66.88	88.2	-21.32	PK
		7204	30.53	26.98	57.51	68.2	-10.69	AVG


TX, 802.11ax(HE80) (Ch 151)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 151)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE80) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ax(HE80)	Channel	167
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5913.2	30.83	21.53	52.36	68.2	-15.84	AVG
		5923	40.61	21.54	62.15	88.2	-26.05	PK
	@	6785	76.53	24.5	101.03	N/A	N/A	PK
	@	6785	67.83	24.5	92.33	N/A	N/A	AVG
		7135.4	40.77	26.31	67.08	88.2	-21.12	PK
		7199.8	30.13	26.98	57.11	68.2	-11.09	AVG
Vertical		5879.6	40.83	21.49	62.32	88.2	-25.88	PK
		5903.4	31.29	21.53	52.82	68.2	-15.38	AVG
	@	6785	71.13	24.5	95.63	N/A	N/A	PK
	@	6785	63.58	24.5	88.08	N/A	N/A	AVG
		7181.6	30.21	26.77	56.98	68.2	-11.22	AVG
		7197	39.65	26.94	66.59	88.2	-21.61	PK


TX, 802.11ax(HE80) (Ch 167)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 167)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 167)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE80) (Ch 167)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	183
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5906.2	30.67	21.52	52.19	68.2	-16.01	AVG
		5921.6	40.25	21.54	61.79	88.2	-26.41	PK
	@	6865	76.88	24.81	101.69	N/A	N/A	PK
	@	6865	68.86	24.81	93.67	N/A	N/A	AVG
		7204	40.45	26.98	67.43	88.2	-20.77	PK
		7208.2	30.24	26.99	57.23	68.2	-10.97	AVG
Vertical		5840.4	42.24	21.37	63.61	88.2	-24.59	PK
		5913.2	30.67	21.53	52.2	68.2	-16	AVG
	@	6865	71.08	24.81	95.89	N/A	N/A	PK
	@	6865	63.83	24.81	88.64	N/A	N/A	AVG
		7187.2	40.55	26.83	67.38	88.2	-20.82	PK
		7191.4	30.14	26.87	57.01	68.2	-11.19	AVG

