

**Summary**

| Mode                                               | Max-N dB<br>(Hz) | Max-OBW<br>(Hz) | ITU-Code | Min-N dB<br>(Hz) | Min-OBW<br>(Hz) |
|----------------------------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 5.15-5.25GHz                                       | -                | -               | -        | -                | -               |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 18.084M          | 17.052M         | 17M1D1D  | 17.952M          | 16.867M         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 18.216M          | 17.094M         | 17M1D1D  | 18.018M          | 16.904M         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 24.288M          | 18.274M         | 18M3D1D  | 19.272M          | 18.016M         |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 18.612M          | 17.235M         | 17M2D1D  | 17.952M          | 17.062M         |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 19.14M           | 17.249M         | 17M2D1D  | 18.084M          | 17.093M         |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 23.364M          | 18.847M         | 18M8D1D  | 21.912M          | 18.561M         |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 39.468M          | 19.231M         | 19M2D1D  | 39.072M          | 18.921M         |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 18.216M          | 17.447M         | 17M4D1D  | 18.216M          | 17.227M         |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 23.76M           | 19.849M         | 19M8D1D  | 22.968M          | 19.314M         |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 38.544M          | 36.521M         | 36M5D1D  | 38.016M          | 36.256M         |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 77.088M          | 37.726M         | 37M7D1D  | 43.56M           | 37.464M         |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 79.992M          | 47.448M         | 47M4D1D  | 79.728M          | 38.166M         |
| 5.25-5.35GHz                                       | -                | -               | -        | -                | -               |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 18.216M          | 17.086M         | 17M1D1D  | 18.084M          | 16.973M         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 18.15M           | 17.086M         | 17M1D1D  | 18.018M          | 17.059M         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 23.232M          | 18.278M         | 18M3D1D  | 20.46M           | 18.166M         |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 18.48M           | 17.221M         | 17M2D1D  | 18.216M          | 16.98M          |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 19.404M          | 17.297M         | 17M3D1D  | 18.084M          | 17.059M         |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 23.364M          | 18.83M          | 18M8D1D  | 21.912M          | 18.489M         |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 39.204M          | 18.99M          | 19M0D1D  | 38.808M          | 18.926M         |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 19.008M          | 17.473M         | 17M5D1D  | 18.48M           | 17.161M         |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 22.968M          | 19.882M         | 19M9D1D  | 22.704M          | 19.333M         |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 39.072M          | 36.552M         | 36M6D1D  | 38.544M          | 36.389M         |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 77.88M           | 37.566M         | 37M6D1D  | 45.408M          | 37.49M          |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 79.992M          | 38.239M         | 38M2D1D  | 79.464M          | 38.039M         |
| 5.47-5.725GHz                                      | -                | -               | -        | -                | -               |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 18.15M           | 17.076M         | 17M1D1D  | 14.025M          | 13.438M         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 18.15M           | 17.078M         | 17M1D1D  | 14.07M           | 13.51M          |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 22.176M          | 18.293M         | 18M3D1D  | 16.335M          | 14.64M          |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 18.48M           | 17.257M         | 17M3D1D  | 13.93M           | 13.597M         |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 19.272M          | 17.286M         | 17M3D1D  | 14M              | 13.645M         |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 24.552M          | 18.855M         | 18M9D1D  | 21.912M          | 18.509M         |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 39.204M          | 19.061M         | 19M1D1D  | 24.99M           | 18.887M         |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 18.6M            | 17.495M         | 17M5D1D  | 18.216M          | 17.226M         |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 23.232M          | 19.88M          | 19M9D1D  | 18.375M          | 15.78M          |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 38.808M          | 36.582M         | 36M6D1D  | 34.8M            | 32.842M         |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 45.408M          | 37.85M          | 37M9D1D  | 43.824M          | 37.161M         |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 80.256M          | 39.632M         | 39M6D1D  | 75.3M            | 37.908M         |
| 5.725-5.85GHz                                      | -                | -               | -        | -                | -               |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 3.56M            | 17.017M         | 17M0D1D  | 2.046M           | 3.748M          |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 15.114M          | 17.07M          | 17M1D1D  | 3.1M             | 4.364M          |

| Mode                                               | Max-N dB<br>(Hz) | Max-OBW<br>(Hz) | ITU-Code | Min-N dB<br>(Hz) | Min-OBW<br>(Hz) |
|----------------------------------------------------|------------------|-----------------|----------|------------------|-----------------|
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 18.15M           | 18.294M         | 18M3D1D  | 3.48M            | 3.974M          |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 3.2M             | 17.252M         | 17M3D1D  | 2.112M           | 3.798M          |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 15.048M          | 17.265M         | 17M3D1D  | 2.9M             | 3.783M          |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 17.556M          | 33.587M         | 33M6D1D  | 4.32M            | 18.546M         |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 18.876M          | 30.275M         | 30M3D1D  | 4.44M            | 18.927M         |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 3.48M            | 39.59M          | 39M6D1D  | 2.112M           | 17.299M         |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 17.16M           | 19.778M         | 19M8D1D  | 3.2M             | 3.828M          |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 35.112M          | 36.498M         | 36M5D1D  | 3.1M             | 3.832M          |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 36.168M          | 38.975M         | 39M0D1D  | 4.2M             | 36.99M          |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 37.752M          | 38.524M         | 38M5D1D  | 4.32M            | 33.051M         |

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Minimum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

**Result**

| Mode                                                  | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) |
|-------------------------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|
| 802.11ax<br>HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | -      | -          | -                | -               | -                | -               |
| 5180MHz                                               | Pass   | Inf        | 18.084M          | 17.048M         | 18.018M          | 16.99M          |
| 5200MHz                                               | Pass   | Inf        | 18.084M          | 17.02M          | 17.952M          | 17.008M         |
| 5240MHz                                               | Pass   | Inf        | 18.084M          | 17.052M         | 18.084M          | 16.867M         |
| 5260MHz                                               | Pass   | Inf        | 18.15M           | 17.058M         | 18.084M          | 16.979M         |
| 5300MHz                                               | Pass   | Inf        | 18.216M          | 17.086M         | 18.084M          | 16.973M         |
| 5320MHz                                               | Pass   | Inf        | 18.15M           | 17.062M         | 18.084M          | 16.98M          |
| 5500MHz                                               | Pass   | Inf        | 18.018M          | 16.97M          | 17.952M          | 16.999M         |
| 5580MHz                                               | Pass   | Inf        | 18.018M          | 16.937M         | 17.952M          | 16.947M         |
| 5700MHz                                               | Pass   | Inf        | 18.15M           | 17.076M         | 18.084M          | 17.015M         |
| 5720MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 14.025M          | 13.438M         | 14.025M          | 13.524M         |
| 5720MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.22M            | 3.748M          | 3.56M            | 3.753M          |
| 5745MHz                                               | Pass   | 500k       | 2.046M           | 16.934M         | 2.046M           | 17.017M         |
| 5785MHz                                               | Pass   | 500k       | 2.112M           | 16.946M         | 2.046M           | 16.998M         |
| 5825MHz                                               | Pass   | 500k       | 2.112M           | 16.937M         | 2.046M           | 17.004M         |
| 802.11ax<br>HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5180MHz                                               | Pass   | Inf        | 18.216M          | 17.062M         | 18.018M          | 17.071M         |
| 5200MHz                                               | Pass   | Inf        | 18.15M           | 17.094M         | 18.084M          | 17.035M         |
| 5240MHz                                               | Pass   | Inf        | 18.15M           | 16.926M         | 18.15M           | 16.904M         |
| 5260MHz                                               | Pass   | Inf        | 18.084M          | 17.059M         | 18.15M           | 17.086M         |
| 5300MHz                                               | Pass   | Inf        | 18.15M           | 17.084M         | 18.084M          | 17.078M         |
| 5320MHz                                               | Pass   | Inf        | 18.15M           | 17.072M         | 18.018M          | 17.083M         |
| 5500MHz                                               | Pass   | Inf        | 18.15M           | 17.078M         | 18.084M          | 17.062M         |
| 5580MHz                                               | Pass   | Inf        | 18.084M          | 17.063M         | 18.084M          | 17.058M         |
| 5700MHz                                               | Pass   | Inf        | 18.15M           | 17.071M         | 18.084M          | 17.026M         |
| 5720MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 14.19M           | 13.51M          | 14.07M           | 13.557M         |
| 5720MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.7M             | 4.364M          | 3.1M             | 4.974M          |
| 5745MHz                                               | Pass   | 500k       | 13.86M           | 16.992M         | 13.794M          | 17.07M          |
| 5785MHz                                               | Pass   | 500k       | 13.794M          | 17.066M         | 15.048M          | 17.047M         |
| 5825MHz                                               | Pass   | 500k       | 15.114M          | 16.944M         | 15.048M          | 17.021M         |
| 802.11ax<br>HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |
| 5180MHz                                               | Pass   | Inf        | 21.648M          | 18.271M         | 20.46M           | 18.158M         |
| 5200MHz                                               | Pass   | Inf        | 24.288M          | 18.274M         | 20.592M          | 18.173M         |
| 5240MHz                                               | Pass   | Inf        | 19.338M          | 18.075M         | 19.272M          | 18.016M         |
| 5260MHz                                               | Pass   | Inf        | 21.912M          | 18.248M         | 21.714M          | 18.174M         |
| 5300MHz                                               | Pass   | Inf        | 23.232M          | 18.276M         | 20.526M          | 18.173M         |
| 5320MHz                                               | Pass   | Inf        | 21.318M          | 18.278M         | 20.46M           | 18.166M         |
| 5500MHz                                               | Pass   | Inf        | 21.384M          | 18.293M         | 21.384M          | 18.143M         |
| 5580MHz                                               | Pass   | Inf        | 22.11M           | 18.268M         | 20.526M          | 18.156M         |

| Mode                                                  | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) |
|-------------------------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|
| 5700MHz                                               | Pass   | Inf        | 22.176M          | 18.265M         | 21.582M          | 18.143M         |
| 5720MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 18.75M           | 14.64M          | 16.335M          | 14.642M         |
| 5720MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.48M            | 4.001M          | 3.48M            | 3.974M          |
| 5745MHz                                               | Pass   | 500k       | 18.15M           | 18.281M         | 17.16M           | 18.178M         |
| 5785MHz                                               | Pass   | 500k       | 17.754M          | 18.294M         | 17.16M           | 18.166M         |
| 5825MHz                                               | Pass   | 500k       | 17.094M          | 18.285M         | 17.16M           | 18.219M         |
| 802.11ax<br>HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5190MHz                                               | Pass   | Inf        | 18.348M          | 17.216M         | 17.952M          | 17.062M         |
| 5230MHz                                               | Pass   | Inf        | 18.612M          | 17.235M         | 18.084M          | 17.089M         |
| 5270MHz                                               | Pass   | Inf        | 18.48M           | 17.221M         | 18.216M          | 16.98M          |
| 5310MHz                                               | Pass   | Inf        | 18.48M           | 17.188M         | 18.216M          | 17.001M         |
| 5510MHz                                               | Pass   | Inf        | 18.48M           | 17.19M          | 18.084M          | 17.016M         |
| 5590MHz                                               | Pass   | Inf        | 18.348M          | 17.215M         | 17.82M           | 16.999M         |
| 5670MHz                                               | Pass   | Inf        | 18.348M          | 17.257M         | 17.952M          | 17.079M         |
| 5710MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 14.07M           | 13.69M          | 13.93M           | 13.597M         |
| 5710MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.2M             | 3.798M          | 2.76M            | 3.824M          |
| 5755MHz                                               | Pass   | 500k       | 2.112M           | 17.209M         | 2.112M           | 17.103M         |
| 5795MHz                                               | Pass   | 500k       | 2.112M           | 17.252M         | 2.112M           | 16.975M         |
| 802.11ax<br>HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5190MHz                                               | Pass   | Inf        | 19.14M           | 17.239M         | 18.216M          | 17.093M         |
| 5230MHz                                               | Pass   | Inf        | 18.876M          | 17.249M         | 18.084M          | 17.136M         |
| 5270MHz                                               | Pass   | Inf        | 19.404M          | 17.258M         | 18.084M          | 17.113M         |
| 5310MHz                                               | Pass   | Inf        | 18.744M          | 17.297M         | 18.084M          | 17.059M         |
| 5510MHz                                               | Pass   | Inf        | 18.612M          | 17.086M         | 18.216M          | 16.899M         |
| 5590MHz                                               | Pass   | Inf        | 19.14M           | 17.227M         | 18.216M          | 17.067M         |
| 5670MHz                                               | Pass   | Inf        | 19.272M          | 17.286M         | 18.216M          | 17.125M         |
| 5710MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 14.7M            | 13.69M          | 14M              | 13.645M         |
| 5710MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.2M             | 3.783M          | 2.9M             | 3.796M          |
| 5755MHz                                               | Pass   | 500k       | 15.048M          | 17.174M         | 14.916M          | 17.137M         |
| 5795MHz                                               | Pass   | 500k       | 13.86M           | 17.265M         | 15.048M          | 17.172M         |
| 802.11ax<br>HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |
| 5190MHz                                               | Pass   | Inf        | 23.232M          | 18.847M         | 22.044M          | 18.561M         |
| 5230MHz                                               | Pass   | Inf        | 23.364M          | 18.83M          | 21.912M          | 18.58M          |
| 5270MHz                                               | Pass   | Inf        | 23.364M          | 18.83M          | 22.44M           | 18.489M         |
| 5310MHz                                               | Pass   | Inf        | 23.364M          | 18.822M         | 21.912M          | 18.49M          |
| 5510MHz                                               | Pass   | Inf        | 24.552M          | 18.79M          | 22.044M          | 18.551M         |
| 5590MHz                                               | Pass   | Inf        | 23.1M            | 18.855M         | 21.912M          | 18.509M         |
| 5670MHz                                               | Pass   | Inf        | 24.156M          | 18.836M         | 22.44M           | 18.571M         |
| 5710MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 23.38M           | 18.782M         | 22.295M          | 18.517M         |
| 5710MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 4.32M            | 33.422M         | 4.44M            | 33.587M         |

| Mode                                                  | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) |
|-------------------------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|
| 5755MHz                                               | Pass   | 500k       | 17.292M          | 18.859M         | 17.292M          | 18.546M         |
| 5795MHz                                               | Pass   | 500k       | 17.292M          | 19.11M          | 17.556M          | 18.655M         |
| 802.11ax<br>HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |
| 5190MHz                                               | Pass   | Inf        | 39.468M          | 19.231M         | 39.072M          | 18.921M         |
| 5230MHz                                               | Pass   | Inf        | 39.468M          | 19.022M         | 39.204M          | 18.947M         |
| 5270MHz                                               | Pass   | Inf        | 39.204M          | 18.99M          | 39.072M          | 18.926M         |
| 5310MHz                                               | Pass   | Inf        | 39.204M          | 18.97M          | 38.808M          | 18.951M         |
| 5510MHz                                               | Pass   | Inf        | 39.204M          | 19.061M         | 38.94M           | 18.929M         |
| 5590MHz                                               | Pass   | Inf        | 39.072M          | 18.957M         | 39.072M          | 18.926M         |
| 5670MHz                                               | Pass   | Inf        | 38.94M           | 18.956M         | 38.94M           | 18.958M         |
| 5710MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 27.335M          | 18.972M         | 24.99M           | 18.887M         |
| 5710MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 4.44M            | 26.204M         | 4.48M            | 30.275M         |
| 5755MHz                                               | Pass   | 500k       | 18.876M          | 19.458M         | 18.744M          | 19.038M         |
| 5795MHz                                               | Pass   | 500k       | 18.744M          | 19.16M          | 18.744M          | 18.927M         |
| 802.11ax<br>HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5210MHz                                               | Pass   | Inf        | 18.216M          | 17.447M         | 18.216M          | 17.227M         |
| 5290MHz                                               | Pass   | Inf        | 19.008M          | 17.473M         | 18.48M           | 17.161M         |
| 5530MHz                                               | Pass   | Inf        | 18.216M          | 17.487M         | 18.48M           | 17.254M         |
| 5610MHz                                               | Pass   | Inf        | 18.48M           | 17.479M         | 18.216M          | 17.37M          |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 18.6M            | 17.495M         | 18.3M            | 17.226M         |
| 5690MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.48M            | 39.545M         | 3.16M            | 39.59M          |
| 5775MHz                                               | Pass   | 500k       | 2.112M           | 17.456M         | 2.112M           | 17.299M         |
| 802.11ax<br>HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | -      | -          | -                | -               | -                | -               |
| 5210MHz                                               | Pass   | Inf        | 23.76M           | 19.849M         | 22.968M          | 19.314M         |
| 5290MHz                                               | Pass   | Inf        | 22.704M          | 19.882M         | 22.968M          | 19.333M         |
| 5530MHz                                               | Pass   | Inf        | 23.232M          | 19.693M         | 22.704M          | 19.178M         |
| 5610MHz                                               | Pass   | Inf        | 22.176M          | 19.88M          | 22.704M          | 19.257M         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 19.5M            | 16.342M         | 18.375M          | 15.78M          |
| 5690MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.2M             | 3.902M          | 3.3M             | 3.828M          |
| 5775MHz                                               | Pass   | 500k       | 17.16M           | 19.778M         | 17.16M           | 19.242M         |
| 802.11ax<br>HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |
| 5210MHz                                               | Pass   | Inf        | 38.016M          | 36.521M         | 38.544M          | 36.256M         |
| 5290MHz                                               | Pass   | Inf        | 39.072M          | 36.552M         | 38.544M          | 36.389M         |
| 5530MHz                                               | Pass   | Inf        | 38.016M          | 36.582M         | 38.544M          | 36.378M         |
| 5610MHz                                               | Pass   | Inf        | 38.808M          | 36.581M         | 38.808M          | 36.322M         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 35.1M            | 32.842M         | 34.8M            | 32.974M         |
| 5690MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 3.1M             | 3.832M          | 3.44M            | 3.842M          |
| 5775MHz                                               | Pass   | 500k       | 35.112M          | 36.497M         | 35.112M          | 36.498M         |
| 802.11ax<br>HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |

| Mode                                                  | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) |
|-------------------------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|
| 5210MHz                                               | Pass   | Inf        | 77.088M          | 37.726M         | 43.56M           | 37.464M         |
| 5290MHz                                               | Pass   | Inf        | 77.88M           | 37.566M         | 45.408M          | 37.49M          |
| 5530MHz                                               | Pass   | Inf        | 45.408M          | 37.757M         | 44.616M          | 37.421M         |
| 5610MHz                                               | Pass   | Inf        | 44.616M          | 37.85M          | 43.824M          | 37.161M         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 44.475M          | 37.69M          | 44.025M          | 37.384M         |
| 5690MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 4.22M            | 36.99M          | 4.2M             | 38.975M         |
| 5775MHz                                               | Pass   | 500k       | 36.168M          | 37.763M         | 36.168M          | 37.34M          |
| 802.11ax<br>HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | -      | -          | -                | -               | -                | -               |
| 5210MHz                                               | Pass   | Inf        | 79.992M          | 47.448M         | 79.728M          | 38.166M         |
| 5290MHz                                               | Pass   | Inf        | 79.992M          | 38.239M         | 79.464M          | 38.039M         |
| 5530MHz                                               | Pass   | Inf        | 80.256M          | 38.404M         | 79.728M          | 37.947M         |
| 5610MHz                                               | Pass   | Inf        | 79.992M          | 38.343M         | 79.992M          | 37.908M         |
| 5690MHz Straddle 5.47-5.725GHz                        | Pass   | Inf        | 76.575M          | 39.632M         | 75.3M            | 39.328M         |
| 5690MHz Straddle 5.725-5.85GHz                        | Pass   | 500k       | 4.46M            | 33.051M         | 4.32M            | 36.04M          |
| 5775MHz                                               | Pass   | 500k       | 37.752M          | 38.524M         | 37.752M          | 38.023M         |



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band

Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5180MHz



5.15-5.25GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5200MHz



## 5.15-5.25GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5240MHz



## 5.25-5.35GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5260MHz



5.25-5.35GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5300MHz



5.25-5.35GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5320MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5500MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5580MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5700MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5745MHz



5.725-5.85GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5745MHz



5.725-5.85GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5785MHz



5.725-5.85GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5785MHz



5.725-5.85GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5825MHz



5.725-5.85GHz\_802.11ax HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_2TX

EBW

5825MHz







5.15-5.25GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5180MHz



5.15-5.25GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW

5200MHz






5.15-5.25GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5240MHz



5.25-5.35GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5260MHz



5.25-5.35GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5300MHz



5.25-5.35GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5320MHz



5.47-5.725GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5500MHz



5.47-5.725GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5580MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5700MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5745MHz



5.725-5.85GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5745MHz



5.725-5.85GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5785MHz



5.725-5.85GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5785MHz



5.725-5.85GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5825MHz



5.725-5.85GHz\_802.11ax HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5825MHz



5.15-5.25GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5180MHz



5.15-5.25GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5200MHz



## 5.15-5.25GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5240MHz



## 5.25-5.35GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5260MHz



5.25-5.35GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5300MHz



5.25-5.35GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5320MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5500MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5580MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW

5700MHz



5.47-5.725GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5745MHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5745MHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5785MHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5785MHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW


5825MHz



5.725-5.85GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_2TX

EBW



5825MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5190MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5230MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5270MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5310MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5510MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW

5590MHz







5.47-5.725GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5670MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW

5710MHz Straddle 5.47-5.725GHz






5.725-5.85GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax\_HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5795MHz



5.725-5.85GHz\_802.11ax HEW40\_RU26\_Index12\_40MHz\_Nss1,(MCS0)\_2TX

EBW

5795MHz







5.15-5.25GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5190MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5230MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5270MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5310MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5510MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5590MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5670MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW

5710MHz Straddle 5.47-5.725GHz






5.725-5.85GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax\_HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5795MHz



5.725-5.85GHz\_802.11ax HEW40\_RU52\_Index42\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5795MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5190MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5230MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5270MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5310MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5510MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5590MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5670MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5795MHz



5.725-5.85GHz\_802.11ax HEW40\_RU106\_Index54\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5795MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5190MHz



5.15-5.25GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5230MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5270MHz



5.25-5.35GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5310MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5510MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5590MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW



5670MHz



5.47-5.725GHz\_802.11ax\_HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5755MHz



5.725-5.85GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5795MHz



5.725-5.85GHz\_802.11ax HEW40\_RU242\_Index61\_40MHz\_Nss1,(MCS0)\_2TX

EBW


5795MHz



## 5.15-5.25GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


### 5210MHz



## 5.25-5.35GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW



### 5290MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5530MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5610MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax\_HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5775MHz



5.725-5.85GHz\_802.11ax HEW80\_RU26\_Index21\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5775MHz



5.15-5.25GHz\_802.11ax HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5210MHz



5.25-5.35GHz\_802.11ax\_HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5290MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5530MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5610MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax\_HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax\_HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5775MHz



5.725-5.85GHz\_802.11ax HEW80\_RU52\_Index49\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5775MHz



5.15-5.25GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5210MHz



5.25-5.35GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5290MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5530MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5610MHz



5.47-5.725GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW

5690MHz Straddle 5.725-5.85GHz






5.725-5.85GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5775MHz



5.725-5.85GHz\_802.11ax HEW80\_RU106\_Index58\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5775MHz



5.15-5.25GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5210MHz



5.25-5.35GHz\_802.11ax\_HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5290MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5530MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5610MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW

5690MHz Straddle 5.725-5.85GHz






5.725-5.85GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5775MHz



5.725-5.85GHz\_802.11ax HEW80\_RU242\_Index62\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5775MHz



## 5.15-5.25GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5210MHz



## 5.25-5.35GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5290MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW



5530MHz



5.47-5.725GHz\_802.11ax\_HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5610MHz



5.47-5.725GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW

5775MHz






5.725-5.85GHz\_802.11ax HEW80\_RU484\_Index65\_80MHz\_Nss1,(MCS0)\_2TX

EBW

5775MHz

CF  
5.775GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
5ms  
Detector Type  
Peak



Port 1  
Port 2

| 26dB(Hz) | F1-26dB(Hz) | Fh-26dB(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|-----------|------|
| 79.8M    | 5.73504G    | 5.81484G    | Inf       | 1    |
| 79.08M   | 5.73504G    | 5.81412G    | Inf       | 2    |

**Non-beamforming mode**
**Summary**

| Mode                                               | Total Power<br>(dBm) | Total Power<br>(W) | EIRP<br>(dBm) | EIRP<br>(W) |
|----------------------------------------------------|----------------------|--------------------|---------------|-------------|
| 5.15-5.25GHz                                       | -                    | -                  | -             | -           |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 13.06                | 0.02023            | 17.46         | 0.05572     |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 16.06                | 0.04036            | 20.46         | 0.11117     |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 17.66                | 0.05834            | 22.06         | 0.16069     |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 12.78                | 0.01897            | 17.18         | 0.05224     |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 15.87                | 0.03864            | 20.27         | 0.10641     |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 17.72                | 0.05916            | 22.12         | 0.16293     |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 17.12                | 0.05152            | 21.52         | 0.14191     |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 12.63                | 0.01832            | 17.03         | 0.05047     |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 14.13                | 0.02588            | 18.53         | 0.07129     |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 15.19                | 0.03304            | 19.59         | 0.09099     |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 15.03                | 0.03184            | 19.43         | 0.08770     |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 14.98                | 0.03148            | 19.38         | 0.08670     |
| 5.25-5.35GHz                                       | -                    | -                  | -             | -           |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 12.91                | 0.01954            | 17.31         | 0.05383     |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 15.99                | 0.03972            | 20.39         | 0.10940     |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 18.74                | 0.07482            | 23.14         | 0.20606     |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 12.87                | 0.01936            | 17.27         | 0.05333     |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 15.75                | 0.03758            | 20.15         | 0.10351     |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 18.47                | 0.07031            | 22.87         | 0.19364     |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 18.78                | 0.07551            | 23.18         | 0.20797     |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 13.04                | 0.02014            | 17.44         | 0.05546     |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 14.60                | 0.02884            | 19.00         | 0.07943     |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 15.57                | 0.03606            | 19.97         | 0.09931     |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 16.39                | 0.04355            | 20.79         | 0.11995     |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 14.92                | 0.03105            | 19.32         | 0.08551     |
| 5.47-5.725GHz                                      | -                    | -                  | -             | -           |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 13.01                | 0.02000            | 17.41         | 0.05508     |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX  | 16.05                | 0.04027            | 20.45         | 0.11092     |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX | 18.96                | 0.07870            | 23.36         | 0.21677     |
| 802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX  | 12.93                | 0.01963            | 17.33         | 0.05408     |
| 802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX  | 15.79                | 0.03793            | 20.19         | 0.10447     |
| 802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX | 18.97                | 0.07889            | 23.37         | 0.21727     |
| 802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX | 22.01                | 0.15885            | 26.41         | 0.43752     |
| 802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX  | 12.99                | 0.01991            | 17.39         | 0.05483     |
| 802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX  | 16.35                | 0.04315            | 20.75         | 0.11885     |
| 802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX | 19.11                | 0.08147            | 23.51         | 0.22439     |
| 802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX | 22.22                | 0.16672            | 26.62         | 0.45920     |
| 802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX | 22.08                | 0.16144            | 26.48         | 0.44463     |
| 5.725-5.85GHz                                      | -                    | -                  | -             | -           |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX   | 22.43                | 0.17498            | 26.83         | 0.48195     |