


A.5 Spurious Emissions at Antenna Terminals

1. WCDMA_Band4


1.1. WCDMA Spurious Emissions(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2985
30	1000	0.1	RMS	851.303	-64.42	-13	Pass	9699
1000	3000	1	RMS	1712.356	18	-13	N/A	2000
3000	20000	1	RMS	19404.033	-38.45	-13	Pass	17000




1.2. WCDMA Spurious Emissions(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.47	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.61	-13	Pass	2985
30	1000	0.1	RMS	835.998	-64.62	-13	Pass	9699
1000	3000	1	RMS	1731.366	17.96	-13	N/A	2000
3000	20000	1	RMS	19401.028	-38.43	-13	Pass	17000



1.3. WCDMA Spurious Emissions(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	832.598	-64.68	-13	Pass	9699
1000	3000	1	RMS	1752.376	17.86	-13	N/A	2000
3000	20000	1	RMS	19900.839	-38.42	-13	Pass	17000



2. LTE_Band5


2.1. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.84	-13	Pass	2985
30	814	0.1	RMS	737.89	-54.48	-13	Pass	7840
814	860	0.1	RMS	824.222	20.37	60	Pass	460
860	1000	0.1	RMS	912.037	-53.93	-13	Pass	1400
1000	3000	1	RMS	2472.736	-43.25	-13	Pass	2000
3000	10000	1	RMS	3297.042	-42.64	-13	Pass	7000




2.2. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.59	-13	Pass	401
0.15	30	0.01	RMS	0.23	-61.93	-13	Pass	2985
30	814	0.1	RMS	776.895	-54.25	-13	Pass	7840
814	860	0.1	RMS	824.222	19.42	60	Pass	460
860	1000	0.1	RMS	967.677	-53.94	-13	Pass	1400
1000	3000	1	RMS	2472.736	-44.04	-13	Pass	2000
3000	10000	1	RMS	3297.042	-43.92	-13	Pass	7000




2.3. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-60.54	-13	Pass	2985
30	814	0.1	RMS	801.098	-54.41	-13	Pass	7840
814	860	0.1	RMS	836.048	20.58	60	Pass	460
860	1000	0.1	RMS	875.111	-53.96	-13	Pass	1400
1000	3000	1	RMS	2507.754	-44.54	-13	Pass	2000
3000	10000	1	RMS	7221.603	-44.49	-13	Pass	7000




2.4. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.17	-13	Pass	2985
30	814	0.1	RMS	810.4	-54.19	-13	Pass	7840
814	860	0.1	RMS	836.048	19.62	60	Pass	460
860	1000	0.1	RMS	959.971	-53.59	-13	Pass	1400
1000	3000	1	RMS	2507.754	-45.33	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.49	-13	Pass	7000




2.5. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.3	-13	Pass	401
0.15	30	0.01	RMS	0.43	-62.47	-13	Pass	2985
30	814	0.1	RMS	812.8	-54.24	-13	Pass	7840
814	860	0.1	RMS	847.874	20.73	60	Pass	460
860	1000	0.1	RMS	909.535	-54.18	-13	Pass	1400
1000	3000	1	RMS	2543.772	-44.22	-13	Pass	2000
3000	10000	1	RMS	3391.056	-43.13	-13	Pass	7000




2.6. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.1	-13	Pass	401
0.15	30	0.01	RMS	0.25	-61.52	-13	Pass	2985
30	814	0.1	RMS	808.899	-54.39	-13	Pass	7840
814	860	0.1	RMS	847.874	19.49	60	Pass	460
860	1000	0.1	RMS	877.813	-54.02	-13	Pass	1400
1000	3000	1	RMS	2543.772	-44.89	-13	Pass	2000
3000	10000	1	RMS	7216.602	-44.36	-13	Pass	7000




2.7. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.8	-13	Pass	401
0.15	30	0.01	RMS	0.62	-62.69	-13	Pass	2985
30	814	0.1	RMS	812.5	-54.46	-13	Pass	7840
814	860	0.1	RMS	824.222	20.63	60	Pass	460
860	1000	0.1	RMS	915.239	-53.82	-13	Pass	1400
1000	3000	1	RMS	2472.736	-43.35	-13	Pass	2000
3000	10000	1	RMS	3297.042	-42.07	-13	Pass	7000




2.8. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.81	-13	Pass	401
0.15	30	0.01	RMS	0.29	-61.39	-13	Pass	2985
30	814	0.1	RMS	812.1	-54.27	-13	Pass	7840
814	860	0.1	RMS	824.222	19.95	60	Pass	460
860	1000	0.1	RMS	981.086	-54.05	-13	Pass	1400
1000	3000	1	RMS	2472.736	-44.15	-13	Pass	2000
3000	10000	1	RMS	3297.042	-44.07	-13	Pass	7000




2.9. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.69	-13	Pass	2985
30	814	0.1	RMS	516.662	-54.19	-13	Pass	7840
814	860	0.1	RMS	835.246	20.55	60	Pass	460
860	1000	0.1	RMS	986.69	-54.16	-13	Pass	1400
1000	3000	1	RMS	2505.753	-43.34	-13	Pass	2000
3000	10000	1	RMS	7220.603	-44.4	-13	Pass	7000




2.10. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.53	-13	Pass	401
0.15	30	0.01	RMS	0.25	-61.1	-13	Pass	2985
30	814	0.1	RMS	808.699	-54.38	-13	Pass	7840
814	860	0.1	RMS	835.246	19.63	60	Pass	460
860	1000	0.1	RMS	933.052	-53.98	-13	Pass	1400
1000	3000	1	RMS	2505.753	-44.26	-13	Pass	2000
3000	10000	1	RMS	7201.6	-44.51	-13	Pass	7000




2.11. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.9	-13	Pass	401
0.15	30	0.01	RMS	0.26	-61.96	-13	Pass	2985
30	814	0.1	RMS	806.399	-54.37	-13	Pass	7840
814	860	0.1	RMS	846.27	20.37	60	Pass	460
860	1000	0.1	RMS	860	-53.86	-13	Pass	1400
1000	3000	1	RMS	2538.769	-44.39	-13	Pass	2000
3000	10000	1	RMS	3385.055	-42.63	-13	Pass	7000




2.12. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.49	-13	Pass	401
0.15	30	0.01	RMS	0.48	-62.16	-13	Pass	2985
30	814	0.1	RMS	811.9	-54.26	-13	Pass	7840
814	860	0.1	RMS	846.27	19.81	60	Pass	460
860	1000	0.1	RMS	954.668	-54.05	-13	Pass	1400
1000	3000	1	RMS	2538.769	-44.85	-13	Pass	2000
3000	10000	1	RMS	3385.055	-43.25	-13	Pass	7000




2.13. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-61.61	-13	Pass	2985
30	814	0.1	RMS	812.4	-54.34	-13	Pass	7840
814	860	0.1	RMS	824.322	20.66	60	Pass	460
860	1000	0.1	RMS	973.781	-54.11	-13	Pass	1400
1000	3000	1	RMS	2472.736	-43.78	-13	Pass	2000
3000	10000	1	RMS	3297.042	-42.53	-13	Pass	7000




2.14. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.36	-13	Pass	2985
30	814	0.1	RMS	484.458	-54.14	-13	Pass	7840
814	860	0.1	RMS	824.322	20.06	60	Pass	460
860	1000	0.1	RMS	869.006	-54.05	-13	Pass	1400
1000	3000	1	RMS	2472.736	-44.58	-13	Pass	2000
3000	10000	1	RMS	7222.603	-44.42	-13	Pass	7000




2.15. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.44	-13	Pass	401
0.15	30	0.01	RMS	0.62	-62.03	-13	Pass	2985
30	814	0.1	RMS	810.2	-54.51	-13	Pass	7840
814	860	0.1	RMS	834.344	20.46	60	Pass	460
860	1000	0.1	RMS	893.124	-54.25	-13	Pass	1400
1000	3000	1	RMS	2502.751	-43.58	-13	Pass	2000
3000	10000	1	RMS	7215.602	-44.49	-13	Pass	7000




2.16. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.33	-13	Pass	401
0.15	30	0.01	RMS	0.29	-61.82	-13	Pass	2985
30	814	0.1	RMS	742.191	-54.4	-13	Pass	7840
814	860	0.1	RMS	834.344	19.89	60	Pass	460
860	1000	0.1	RMS	861.101	-54	-13	Pass	1400
1000	3000	1	RMS	2502.751	-44.06	-13	Pass	2000
3000	10000	1	RMS	7198.6	-44.36	-13	Pass	7000




2.17. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.75	-13	Pass	2985
30	814	0.1	RMS	741.391	-54.41	-13	Pass	7840
814	860	0.1	RMS	844.366	20.61	60	Pass	460
860	1000	0.1	RMS	908.234	-54.19	-13	Pass	1400
1000	3000	1	RMS	2532.766	-44.72	-13	Pass	2000
3000	10000	1	RMS	3377.054	-41.38	-13	Pass	7000




2.18. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.47	-13	Pass	2985
30	814	0.1	RMS	813.1	-54.49	-13	Pass	7840
814	860	0.1	RMS	844.366	19.75	60	Pass	460
860	1000	0.1	RMS	948.964	-54.1	-13	Pass	1400
1000	3000	1	RMS	2532.766	-45.58	-13	Pass	2000
3000	10000	1	RMS	3377.054	-43.54	-13	Pass	7000




2.19. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-61.19	-13	Pass	2985
30	814	0.1	RMS	812.1	-54.31	-13	Pass	7840
814	860	0.1	RMS	824.623	20.41	60	Pass	460
860	1000	0.1	RMS	867.105	-54.03	-13	Pass	1400
1000	3000	1	RMS	2473.737	-43.59	-13	Pass	2000
3000	10000	1	RMS	3298.043	-43.2	-13	Pass	7000




2.20. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.8	-13	Pass	401
0.15	30	0.01	RMS	0.37	-61.85	-13	Pass	2985
30	814	0.1	RMS	736.09	-54.47	-13	Pass	7840
814	860	0.1	RMS	824.623	19.74	60	Pass	460
860	1000	0.1	RMS	920.543	-53.88	-13	Pass	1400
1000	3000	1	RMS	2473.737	-44.23	-13	Pass	2000
3000	10000	1	RMS	3298.043	-43.67	-13	Pass	7000




2.21. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.84	-13	Pass	2985
30	814	0.1	RMS	482.058	-54.39	-13	Pass	7840
814	860	0.1	RMS	832.139	20.04	60	Pass	460
860	1000	0.1	RMS	864.403	-54.09	-13	Pass	1400
1000	3000	1	RMS	2496.748	-43.79	-13	Pass	2000
3000	10000	1	RMS	3328.047	-44.37	-13	Pass	7000




2.22. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.77	-13	Pass	401
0.15	30	0.01	RMS	0.2	-61.57	-13	Pass	2985
30	814	0.1	RMS	813.4	-54.14	-13	Pass	7840
814	860	0.1	RMS	832.139	19.12	60	Pass	460
860	1000	0.1	RMS	917.241	-54.04	-13	Pass	1400
1000	3000	1	RMS	2495.748	-44.62	-13	Pass	2000
3000	10000	1	RMS	7195.599	-44.52	-13	Pass	7000




2.23. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.17	-13	Pass	401
0.15	30	0.01	RMS	0.25	-61.64	-13	Pass	2985
30	814	0.1	RMS	811.9	-54.42	-13	Pass	7840
814	860	0.1	RMS	839.556	20.35	60	Pass	460
860	1000	0.1	RMS	871.508	-53.72	-13	Pass	1400
1000	3000	1	RMS	2518.759	-44.06	-13	Pass	2000
3000	10000	1	RMS	3358.051	-44.13	-13	Pass	7000



2.24. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.17	-13	Pass	401
0.15	30	0.01	RMS	0.42	-62.13	-13	Pass	2985
30	814	0.1	RMS	756.193	-54.38	-13	Pass	7840
814	860	0.1	RMS	839.556	19.36	60	Pass	460
860	1000	0.1	RMS	991.994	-54.04	-13	Pass	1400
1000	3000	1	RMS	2518.759	-44.69	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.45	-13	Pass	7000



3. LTE_Band28


3.1. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:1, Channel:27225, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.36	-13	Pass	401
0.15	30	0.01	RMS	0.3	-62.69	-13	Pass	2985
30	693	0.1	RMS	419.159	-54.69	-13	Pass	6630
693	758	0.1	RMS	703.216	20.46	60	Pass	650
758	1000	0.1	RMS	840.834	-54.26	-13	Pass	2420
1000	3000	1	RMS	2812.906	-33.31	-13	Pass	2000
3000	10000	1	RMS	3516.074	-41.14	-13	Pass	7000




3.2. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:2, Channel:27225, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.55	-13	Pass	401
0.15	30	0.01	RMS	0.33	-63.23	-13	Pass	2985
30	693	0.1	RMS	471.967	-54.67	-13	Pass	6630
693	758	0.1	RMS	703.216	19.33	60	Pass	650
758	1000	0.1	RMS	842.535	-54.16	-13	Pass	2420
1000	3000	1	RMS	2812.906	-34.55	-13	Pass	2000
3000	10000	1	RMS	3516.074	-42.1	-13	Pass	7000




3.3. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:3, Channel:27375, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.44	-13	Pass	401
0.15	30	0.01	RMS	0.34	-62.52	-13	Pass	2985
30	693	0.1	RMS	496.67	-54.86	-13	Pass	6630
693	758	0.1	RMS	718.239	20.67	60	Pass	650
758	1000	0.1	RMS	892.756	-54.19	-13	Pass	2420
1000	3000	1	RMS	2872.936	-33.34	-13	Pass	2000
3000	10000	1	RMS	3591.084	-41.5	-13	Pass	7000




3.4. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:4, Channel:27375, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.29	-13	Pass	401
0.15	30	0.01	RMS	0.25	-61.66	-13	Pass	2985
30	693	0.1	RMS	482.568	-54.7	-13	Pass	6630
693	758	0.1	RMS	718.239	19.68	60	Pass	650
758	1000	0.1	RMS	849.738	-54.34	-13	Pass	2420
1000	3000	1	RMS	2872.936	-35.3	-13	Pass	2000
3000	10000	1	RMS	3591.084	-42.9	-13	Pass	7000




3.5. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:5, Channel:27645, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-62.49	-13	Pass	2985
30	693	0.1	RMS	499.071	-54.73	-13	Pass	6630
693	758	0.1	RMS	745.28	19.73	60	Pass	650
758	1000	0.1	RMS	837.433	-53.81	-13	Pass	2420
1000	3000	1	RMS	2980.99	-34.6	-13	Pass	2000
3000	10000	1	RMS	7212.602	-44.57	-13	Pass	7000




3.6. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:6, Channel:27645, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-62.55	-13	Pass	2985
30	693	0.1	RMS	499.571	-54.68	-13	Pass	6630
693	758	0.1	RMS	745.28	18.85	60	Pass	650
758	1000	0.1	RMS	838.033	-54.22	-13	Pass	2420
1000	3000	1	RMS	2980.99	-36.49	-13	Pass	2000
3000	10000	1	RMS	7201.6	-44.56	-13	Pass	7000




3.7. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:7, Channel:27235, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.83	-13	Pass	2985
30	693	0.1	RMS	490.469	-54.62	-13	Pass	6630
693	758	0.1	RMS	703.316	20.43	60	Pass	650
758	1000	0.1	RMS	860.342	-53.97	-13	Pass	2420
1000	3000	1	RMS	2812.906	-34.82	-13	Pass	2000
3000	10000	1	RMS	3517.074	-41.6	-13	Pass	7000




3.8. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:8, Channel:27235, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.96	-13	Pass	401
0.15	30	0.01	RMS	0.22	-60.54	-13	Pass	2985
30	693	0.1	RMS	484.269	-54.69	-13	Pass	6630
693	758	0.1	RMS	703.316	19.52	60	Pass	650
758	1000	0.1	RMS	838.533	-54.38	-13	Pass	2420
1000	3000	1	RMS	2812.906	-36.13	-13	Pass	2000
3000	10000	1	RMS	3517.074	-42.17	-13	Pass	7000




3.9. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:9, Channel:27385, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.96	-13	Pass	401
0.15	30	0.01	RMS	0.68	-62.37	-13	Pass	2985
30	693	0.1	RMS	513.873	-54.75	-13	Pass	6630
693	758	0.1	RMS	718.339	20.49	60	Pass	650
758	1000	0.1	RMS	822.927	-54.36	-13	Pass	2420
1000	3000	1	RMS	2872.936	-34.63	-13	Pass	2000
3000	10000	1	RMS	3592.085	-42.27	-13	Pass	7000




3.10. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:10, Channel:27385, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.07	-13	Pass	401
0.15	30	0.01	RMS	0.32	-62.78	-13	Pass	2985
30	693	0.1	RMS	635.391	-54.71	-13	Pass	6630
693	758	0.1	RMS	718.339	19.96	60	Pass	650
758	1000	0.1	RMS	851.138	-54.15	-13	Pass	2420
1000	3000	1	RMS	2872.936	-36.25	-13	Pass	2000
3000	10000	1	RMS	3592.085	-43.22	-13	Pass	7000




3.11. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:11, Channel:27635, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-61.77	-13	Pass	2985
30	693	0.1	RMS	485.469	-54.58	-13	Pass	6630
693	758	0.1	RMS	743.378	19.67	60	Pass	650
758	1000	0.1	RMS	831.03	-54.31	-13	Pass	2420
1000	3000	1	RMS	2972.986	-36.51	-13	Pass	2000
3000	10000	1	RMS	7211.602	-44.49	-13	Pass	7000




3.12. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:12, Channel:27635, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.17	-13	Pass	401
0.15	30	0.01	RMS	0.3	-62.15	-13	Pass	2985
30	693	0.1	RMS	507.572	-54.57	-13	Pass	6630
693	758	0.1	RMS	743.378	19.16	60	Pass	650
758	1000	0.1	RMS	851.639	-53.95	-13	Pass	2420
1000	3000	1	RMS	2972.986	-38.16	-13	Pass	2000
3000	10000	1	RMS	7199.6	-44.23	-13	Pass	7000




3.13. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:13, Channel:27260, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.49	-13	Pass	2985
30	693	0.1	RMS	628.09	-54.67	-13	Pass	6630
693	758	0.1	RMS	703.616	20.24	60	Pass	650
758	1000	0.1	RMS	863.944	-54.31	-13	Pass	2420
1000	3000	1	RMS	2813.907	-34.86	-13	Pass	2000
3000	10000	1	RMS	3518.074	-41.07	-13	Pass	7000




3.14. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:14, Channel:27260, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-63.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.51	-13	Pass	2985
30	693	0.1	RMS	482.968	-54.72	-13	Pass	6630
693	758	0.1	RMS	703.616	19.24	60	Pass	650
758	1000	0.1	RMS	823.927	-54.23	-13	Pass	2420
1000	3000	1	RMS	2813.907	-36.25	-13	Pass	2000
3000	10000	1	RMS	3518.074	-41.61	-13	Pass	7000




3.15. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:15, Channel:27410, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.84	-13	Pass	401
0.15	30	0.01	RMS	0.23	-61.69	-13	Pass	2985
30	693	0.1	RMS	485.069	-54.86	-13	Pass	6630
693	758	0.1	RMS	718.639	20	60	Pass	650
758	1000	0.1	RMS	848.737	-54.21	-13	Pass	2420
1000	3000	1	RMS	2873.937	-34.72	-13	Pass	2000
3000	10000	1	RMS	3593.085	-41.63	-13	Pass	7000




3.16. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:16, Channel:27410, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.13	-13	Pass	401
0.15	30	0.01	RMS	0.23	-61.73	-13	Pass	2985
30	693	0.1	RMS	488.369	-54.69	-13	Pass	6630
693	758	0.1	RMS	718.539	18.74	60	Pass	650
758	1000	0.1	RMS	839.834	-54.25	-13	Pass	2420
1000	3000	1	RMS	2873.937	-37.11	-13	Pass	2000
3000	10000	1	RMS	3593.085	-42.48	-13	Pass	7000




3.17. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:17, Channel:27610, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.19	-13	Pass	2985
30	693	0.1	RMS	578.283	-54.73	-13	Pass	6630
693	758	0.1	RMS	738.57	20.58	60	Pass	650
758	1000	0.1	RMS	855.34	-54.33	-13	Pass	2420
1000	3000	1	RMS	2953.977	-36.4	-13	Pass	2000
3000	10000	1	RMS	7215.602	-44.57	-13	Pass	7000




3.18. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:18, Channel:27610, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.06	-13	Pass	401
0.15	30	0.01	RMS	0.23	-62.2	-13	Pass	2985
30	693	0.1	RMS	509.072	-54.34	-13	Pass	6630
693	758	0.1	RMS	738.57	19.64	60	Pass	650
758	1000	0.1	RMS	966.686	-54.45	-13	Pass	2420
1000	3000	1	RMS	2953.977	-37.06	-13	Pass	2000
3000	10000	1	RMS	7219.603	-44.42	-13	Pass	7000




3.19. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:19, Channel:27285, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.58	-13	Pass	401
0.15	30	0.01	RMS	0.18	-61.51	-13	Pass	2985
30	693	0.1	RMS	390.654	-54.78	-13	Pass	6630
693	758	0.1	RMS	703.817	20.11	60	Pass	650
758	1000	0.1	RMS	829.53	-54.38	-13	Pass	2420
1000	3000	1	RMS	2814.907	-35.07	-13	Pass	2000
3000	10000	1	RMS	3519.074	-40.94	-13	Pass	7000




3.20. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:20, Channel:27285, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.65	-13	Pass	401
0.15	30	0.01	RMS	0.44	-62.25	-13	Pass	2985
30	693	0.1	RMS	509.572	-54.75	-13	Pass	6630
693	758	0.1	RMS	703.817	19.44	60	Pass	650
758	1000	0.1	RMS	834.031	-54.24	-13	Pass	2420
1000	3000	1	RMS	2814.907	-36.12	-13	Pass	2000
3000	10000	1	RMS	3519.074	-41.82	-13	Pass	7000




3.21. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:21, Channel:27435, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.22	-13	Pass	401
0.15	30	0.01	RMS	0.27	-62.13	-13	Pass	2985
30	693	0.1	RMS	489.369	-54.66	-13	Pass	6630
693	758	0.1	RMS	718.84	20.7	60	Pass	650
758	1000	0.1	RMS	891.455	-54.19	-13	Pass	2420
1000	3000	1	RMS	2874.937	-35.4	-13	Pass	2000
3000	10000	1	RMS	3594.085	-41.76	-13	Pass	7000




3.22. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:22, Channel:27435, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.12	-13	Pass	401
0.15	30	0.01	RMS	0.4	-61.77	-13	Pass	2985
30	693	0.1	RMS	492.27	-54.86	-13	Pass	6630
693	758	0.1	RMS	718.84	19.28	60	Pass	650
758	1000	0.1	RMS	833.331	-54.34	-13	Pass	2420
1000	3000	1	RMS	2874.937	-36.63	-13	Pass	2000
3000	10000	1	RMS	3594.085	-42.11	-13	Pass	7000




3.23. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:23, Channel:27585, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.8	-13	Pass	401
0.15	30	0.01	RMS	0.47	-62.17	-13	Pass	2985
30	693	0.1	RMS	384.653	-54.72	-13	Pass	6630
693	758	0.1	RMS	733.863	20.45	60	Pass	650
758	1000	0.1	RMS	838.333	-54.27	-13	Pass	2420
1000	3000	1	RMS	2934.967	-35.08	-13	Pass	2000
3000	10000	1	RMS	7215.602	-44.58	-13	Pass	7000




3.24. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:24, Channel:27585, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.48	-13	Pass	2985
30	693	0.1	RMS	386.454	-54.71	-13	Pass	6630
693	758	0.1	RMS	733.863	19.49	60	Pass	650
758	1000	0.1	RMS	835.432	-54.32	-13	Pass	2420
1000	3000	1	RMS	2935.968	-36.11	-13	Pass	2000
3000	10000	1	RMS	7218.603	-44.57	-13	Pass	7000




3.25. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:25, Channel:27310, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.3	-13	Pass	401
0.15	30	0.01	RMS	0.31	-62.41	-13	Pass	2985
30	693	0.1	RMS	500.771	-54.84	-13	Pass	6630
693	758	0.1	RMS	704.117	19.95	60	Pass	650
758	1000	0.1	RMS	840.034	-54.45	-13	Pass	2420
1000	3000	1	RMS	2815.908	-34.75	-13	Pass	2000
3000	10000	1	RMS	3520.074	-41.52	-13	Pass	7000




3.26. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:26, Channel:27310, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.69	-13	Pass	2985
30	693	0.1	RMS	492.37	-54.76	-13	Pass	6630
693	758	0.1	RMS	704.117	19.31	60	Pass	650
758	1000	0.1	RMS	828.329	-54.25	-13	Pass	2420
1000	3000	1	RMS	2815.908	-36.21	-13	Pass	2000
3000	10000	1	RMS	3520.074	-42.91	-13	Pass	7000




3.27. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:27, Channel:27460, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-62.19	-13	Pass	2985
30	693	0.1	RMS	380.953	-54.59	-13	Pass	6630
693	758	0.1	RMS	719.04	19.83	60	Pass	650
758	1000	0.1	RMS	844.036	-54.35	-13	Pass	2420
1000	3000	1	RMS	2875.938	-36.17	-13	Pass	2000
3000	10000	1	RMS	3595.085	-43.75	-13	Pass	7000




3.28. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:28, Channel:27460, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.57	-13	Pass	401
0.15	30	0.01	RMS	0.24	-61.96	-13	Pass	2985
30	693	0.1	RMS	527.275	-54.86	-13	Pass	6630
693	758	0.1	RMS	719.14	18.86	60	Pass	650
758	1000	0.1	RMS	923.969	-54.33	-13	Pass	2420
1000	3000	1	RMS	2875.938	-37.11	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.61	-13	Pass	7000




3.29. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:29, Channel:27560, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.58	-13	Pass	2985
30	693	0.1	RMS	375.052	-54.63	-13	Pass	6630
693	758	0.1	RMS	729.055	20.27	60	Pass	650
758	1000	0.1	RMS	841.234	-54.26	-13	Pass	2420
1000	3000	1	RMS	2915.958	-35.36	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.6	-13	Pass	7000



3.30. LTE Spurious Emissions_1 RB LOW(NTNV)(Subtest:30, Channel:27560, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.92	-13	Pass	401
0.15	30	0.01	RMS	0.31	-61.93	-13	Pass	2985
30	693	0.1	RMS	490.87	-54.77	-13	Pass	6630
693	758	0.1	RMS	729.055	18.72	60	Pass	650
758	1000	0.1	RMS	824.928	-54.27	-13	Pass	2420
1000	3000	1	RMS	2915.958	-37.66	-13	Pass	2000
3000	10000	1	RMS	7220.603	-44.57	-13	Pass	7000



END