

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
Emissions in restricted frequency bands (Peak)	5485.000	30.0	20.000000	PASS
Tx Spurious Emission	5485.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Average)	5485.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5485.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5485.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Peak)	5710.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5710.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Average)	5710.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5710.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Average)	5600.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5600.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Peak)	5600.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5600.000	30.0	20.000000	PASS
Emissions in restricted frequency bands (Peak)	5500.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5500.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)	5500.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5500.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Peak)	5600.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5600.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)	5600.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5600.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)	5700.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5700.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Peak)	5700.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5700.000	30.0	40.000000	PASS
Emissions in restricted frequency bands (Average)	5520.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5520.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Peak)	5520.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5520.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Average)	5600.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5600.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Peak)	5600.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5600.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Peak)	5690.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Peak)(2)	5690.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Average)	5690.000	30.0	80.000000	PASS
Emissions in restricted frequency bands (Average)(2)	5690.000	30.0	80.000000	PASS
Tx Spurious Emission(2)	5485.000	30.0	20.000000	PASS
Tx Spurious Emission	5710.000	30.0	20.000000	PASS
Tx Spurious Emission(2)	5710.000	30.0	20.000000	PASS
Tx Spurious Emission	5500.000	30.0	40.000000	PASS
Tx Spurious Emission(2)	5500.000	30.0	40.000000	PASS
Tx Spurious Emission	5700.000	30.0	40.000000	PASS
Tx Spurious Emission(2)	5700.000	30.0	40.000000	PASS
Tx Spurious Emission	5520.000	30.0	80.000000	PASS
Tx Spurious Emission(2)	5520.000	30.0	80.000000	PASS
Tx Spurious Emission	5690.000	30.0	80.000000	PASS
Tx Spurious Emission(2)	5690.000	30.0	80.000000	PASS

Emissions in restricted frequency bands (Peak) (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5485.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5458.750000	-36.0	14.8	-21.2
5458.250000	-36.0	14.8	-21.2
5404.750000	-38.8	17.6	-21.2
5378.750000	-38.8	17.6	-21.2
5405.250000	-38.9	17.7	-21.2
5448.250000	-39.0	17.8	-21.2
5448.750000	-39.3	18.1	-21.2
5366.250000	-39.4	18.2	-21.2
5030.250000	-39.5	18.3	-21.2
5439.750000	-39.6	18.4	-21.2
5459.250000	-39.6	18.4	-21.2
5455.750000	-39.8	18.6	-21.2
5118.750000	-39.8	18.6	-21.2
5377.750000	-39.8	18.6	-21.2
5366.750000	-39.8	18.6	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5485.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39901.518703	-32.2	5.2	-27.0
39867.488516	-32.3	5.3	-27.0
39887.081654	-32.3	5.3	-27.0
39899.456267	-32.3	5.3	-27.0
39883.988000	-32.4	5.4	-27.0
39893.268960	-32.4	5.4	-27.0
39868.519734	-32.4	5.4	-27.0
39895.331396	-32.4	5.4	-27.0
39898.425049	-32.4	5.4	-27.0
39871.613387	-32.4	5.4	-27.0
39874.707040	-32.4	5.4	-27.0
39925.236711	-32.5	5.5	-27.0
39866.457298	-32.5	5.5	-27.0
39914.924534	-32.5	5.5	-27.0
39900.487485	-32.5	5.5	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5485.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-43.2	2.0	-41.2
5458.750000	-43.8	2.6	-41.2
5459.750000	-43.9	2.7	-41.2
5459.250000	-44.1	2.9	-41.2
5457.250000	-44.1	2.9	-41.2
5458.250000	-44.2	3.0	-41.2
4824.750000	-44.2	3.0	-41.2
5120.250000	-44.4	3.2	-41.2
5457.750000	-44.4	3.2	-41.2
5456.750000	-44.6	3.4	-41.2
5139.250000	-44.8	3.6	-41.2
5148.250000	-44.9	3.7	-41.2
5120.750000	-45.0	3.8	-41.2
5455.250000	-45.0	3.8	-41.2
5148.750000	-45.0	3.8	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak)(2) (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5485.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5455.250000	-35.8	14.6	-21.2
5438.750000	-36.8	15.6	-21.2
5379.250000	-37.2	16.0	-21.2
5417.750000	-37.3	16.1	-21.2
5418.250000	-37.3	16.1	-21.2
5375.750000	-37.4	16.2	-21.2
5422.750000	-37.5	16.3	-21.2
5364.250000	-37.6	16.4	-21.2
5454.750000	-37.6	16.4	-21.2
5425.750000	-37.8	16.6	-21.2
5398.250000	-37.8	16.6	-21.2
5407.250000	-37.9	16.7	-21.2
5371.750000	-38.0	16.8	-21.2
5406.750000	-38.1	16.9	-21.2
5376.750000	-38.1	16.9	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average)(2) (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5485.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5375.750000	-42.3	1.1	-41.2
5376.250000	-42.3	1.1	-41.2
5424.250000	-42.5	1.3	-41.2
5423.750000	-42.6	1.4	-41.2
4824.250000	-43.8	2.6	-41.2
5458.750000	-43.9	2.7	-41.2
5459.250000	-44.0	2.8	-41.2
5136.250000	-44.3	3.1	-41.2
5384.750000	-44.4	3.2	-41.2
5376.750000	-44.4	3.2	-41.2
5375.250000	-44.4	3.2	-41.2
5386.250000	-44.6	3.4	-41.2
5458.250000	-44.6	3.4	-41.2
4823.750000	-44.7	3.5	-41.2
5385.750000	-44.7	3.5	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5710.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36485.094216	-39.7	18.5	-21.2
36464.469860	-40.2	19.0	-21.2
36460.344989	-40.4	19.2	-21.2
36472.719603	-40.5	19.3	-21.2
36477.875691	-40.7	19.5	-21.2
36475.813256	-40.8	19.6	-21.2
36450.032811	-40.9	19.7	-21.2
36478.906909	-40.9	19.7	-21.2
5062.750000	-41.0	19.8	-21.2
36457.251336	-41.0	19.8	-21.2
36455.188900	-41.0	19.8	-21.2
36444.876723	-41.1	19.9	-21.2
36432.502109	-41.1	19.9	-21.2
36446.939158	-41.1	19.9	-21.2
36439.720634	-41.2	20.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5710.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5423.750000	-36.7	15.5	-21.2
5426.750000	-37.2	16.0	-21.2
5424.250000	-37.3	16.1	-21.2
5388.250000	-38.2	17.0	-21.2
5376.250000	-38.9	17.7	-21.2
5452.750000	-39.5	18.3	-21.2
5378.750000	-39.6	18.4	-21.2
5457.250000	-39.8	18.6	-21.2
5443.250000	-39.8	18.6	-21.2
36451.064029	-39.9	18.7	-21.2
5391.750000	-40.0	18.8	-21.2
5454.250000	-40.0	18.8	-21.2
5391.250000	-40.0	18.8	-21.2
5420.750000	-40.0	18.8	-21.2
5430.250000	-40.0	18.8	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5710.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-44.4	3.2	-41.2
4824.750000	-44.8	3.6	-41.2
5120.750000	-45.2	4.0	-41.2
4933.250000	-45.5	4.3	-41.2
5129.750000	-45.5	4.3	-41.2
5050.750000	-45.5	4.3	-41.2
4981.250000	-45.6	4.4	-41.2
4958.750000	-45.6	4.4	-41.2
5144.750000	-45.6	4.4	-41.2
5021.750000	-45.6	4.4	-41.2
5138.250000	-45.7	4.5	-41.2
4889.250000	-45.7	4.5	-41.2
5132.750000	-45.7	4.5	-41.2
5067.250000	-45.7	4.5	-41.2
5096.250000	-45.7	4.5	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5710.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5423.750000	-42.4	1.2	-41.2
3806.750000	-42.4	1.2	-41.2
5376.250000	-42.6	1.4	-41.2
5424.250000	-42.6	1.4	-41.2
3807.250000	-42.7	1.5	-41.2
5375.750000	-42.8	1.6	-41.2
4767.250000	-43.3	2.1	-41.2
4766.750000	-43.4	2.2	-41.2
4824.750000	-44.9	3.7	-41.2
4824.250000	-44.9	3.7	-41.2
4766.250000	-45.0	3.8	-41.2
5136.250000	-45.0	3.8	-41.2
4848.250000	-45.1	3.9	-41.2
4823.750000	-45.1	3.9	-41.2
4767.750000	-45.3	4.1	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Average) (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-43.8	2.6	-41.2
5120.250000	-44.9	3.7	-41.2
4823.750000	-44.9	3.7	-41.2
4824.750000	-45.2	4.0	-41.2
5040.250000	-45.3	4.1	-41.2
4966.250000	-45.3	4.1	-41.2
4944.750000	-45.4	4.2	-41.2
5119.750000	-45.4	4.2	-41.2
5137.750000	-45.4	4.2	-41.2
5087.250000	-45.4	4.2	-41.2
5140.750000	-45.4	4.2	-41.2
4885.250000	-45.5	4.3	-41.2
5141.250000	-45.5	4.3	-41.2
5122.750000	-45.5	4.3	-41.2
5128.750000	-45.5	4.3	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5423.750000	-42.7	1.5	-41.2
5424.250000	-42.8	1.6	-41.2
5375.750000	-42.8	1.6	-41.2
5376.250000	-43.0	1.8	-41.2
3733.750000	-43.8	2.6	-41.2
4693.750000	-44.3	3.1	-41.2
5375.250000	-44.9	3.7	-41.2
4824.250000	-44.9	3.7	-41.2
4693.250000	-45.0	3.8	-41.2
3733.250000	-45.1	3.9	-41.2
7466.750000	-45.2	4.0	-41.2
4824.750000	-45.2	4.0	-41.2
4992.750000	-45.3	4.1	-41.2
5424.750000	-45.4	4.2	-41.2
5423.250000	-45.4	4.2	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36473.750820	-38.5	17.3	-21.2
36482.000562	-39.3	18.1	-21.2
36480.969345	-39.8	18.6	-21.2
36447.970376	-39.9	18.7	-21.2
5456.750000	-40.2	19.0	-21.2
36499.531265	-40.3	19.1	-21.2
36458.282554	-40.3	19.1	-21.2
5432.750000	-40.6	19.4	-21.2
36486.125434	-40.7	19.5	-21.2
36441.783069	-40.8	19.6	-21.2
36490.250305	-40.9	19.7	-21.2
36464.469860	-40.9	19.7	-21.2
36431.470892	-40.9	19.7	-21.2
36479.938127	-41.1	19.9	-21.2
5453.750000	-41.2	20.0	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5423.750000	-37.3	16.1	-21.2
5376.250000	-37.4	16.2	-21.2
5409.250000	-37.4	16.2	-21.2
5425.250000	-37.7	16.5	-21.2
5424.250000	-37.9	16.7	-21.2
5424.750000	-38.2	17.0	-21.2
36489.219087	-38.4	17.2	-21.2
5450.250000	-38.6	17.4	-21.2
5375.750000	-38.9	17.7	-21.2
5402.750000	-39.0	17.8	-21.2
5370.250000	-39.0	17.8	-21.2
5456.750000	-39.0	17.8	-21.2
5392.250000	-39.1	17.9	-21.2
5425.750000	-39.1	17.9	-21.2
5368.250000	-39.2	18.0	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5500.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5447.250000	-35.0	13.8	-21.2
8.383925	-47.2	15.5	-31.7
5455.250000	-36.9	15.7	-21.2
5454.750000	-37.7	16.5	-21.2
5456.750000	-37.8	16.6	-21.2
5453.750000	-37.8	16.6	-21.2
5437.250000	-38.6	17.4	-21.2
5450.750000	-38.8	17.6	-21.2
5456.250000	-38.8	17.6	-21.2
5452.750000	-38.8	17.6	-21.2
5448.750000	-39.0	17.8	-21.2
5419.750000	-39.0	17.8	-21.2
5437.750000	-39.0	17.8	-21.2
5436.250000	-39.0	17.8	-21.2
5446.750000	-39.0	17.8	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5500.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5424.250000	-34.6	13.4	-21.2
5413.250000	-35.6	14.4	-21.2
5352.250000	-35.6	14.4	-21.2
5413.750000	-35.6	14.4	-21.2
5371.250000	-35.7	14.5	-21.2
5432.250000	-36.1	14.9	-21.2
5431.750000	-36.2	15.0	-21.2
5423.750000	-36.3	15.1	-21.2
5458.250000	-36.4	15.2	-21.2
5447.750000	-36.4	15.2	-21.2
5424.750000	-36.7	15.5	-21.2
5441.250000	-36.7	15.5	-21.2
5451.250000	-37.1	15.9	-21.2
5444.250000	-37.1	15.9	-21.2
5444.750000	-37.1	15.9	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5500.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-43.6	2.4	-41.2
5457.250000	-43.8	2.6	-41.2
5456.750000	-44.0	2.8	-41.2
5447.250000	-44.0	2.8	-41.2
5447.750000	-44.0	2.8	-41.2
5457.750000	-44.2	3.0	-41.2
5452.250000	-44.3	3.1	-41.2
5446.750000	-44.3	3.1	-41.2
5453.750000	-44.4	3.2	-41.2
5449.250000	-44.4	3.2	-41.2
5454.250000	-44.4	3.2	-41.2
5448.250000	-44.5	3.3	-41.2
5454.750000	-44.6	3.4	-41.2
5446.250000	-44.6	3.4	-41.2
5456.250000	-44.6	3.4	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5500.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5424.250000	-41.4	0.2	-41.2
5423.750000	-41.6	0.4	-41.2
5376.250000	-41.8	0.6	-41.2
5375.750000	-42.2	1.0	-41.2
5458.250000	-43.4	2.2	-41.2
5458.750000	-43.5	2.3	-41.2
5424.750000	-43.7	2.5	-41.2
5394.750000	-43.8	2.6	-41.2
5423.250000	-43.8	2.6	-41.2
5457.750000	-43.8	2.6	-41.2
5459.250000	-44.0	2.8	-41.2
5443.250000	-44.1	2.9	-41.2
5451.250000	-44.1	2.9	-41.2
5456.250000	-44.2	3.0	-41.2
5455.750000	-44.2	3.0	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36436.626980	-39.4	18.2	-21.2
36480.969345	-39.6	18.4	-21.2
36495.406394	-40.0	18.8	-21.2
36472.719603	-40.3	19.1	-21.2
36494.375176	-40.6	19.4	-21.2
5370.250000	-40.6	19.4	-21.2
36493.343958	-40.6	19.4	-21.2
5400.250000	-40.6	19.4	-21.2
36499.531265	-40.7	19.5	-21.2
36432.502109	-40.9	19.7	-21.2
36476.844474	-41.0	19.8	-21.2
5403.750000	-41.0	19.8	-21.2
5404.250000	-41.1	19.9	-21.2
5451.250000	-41.1	19.9	-21.2
36441.783069	-41.3	20.1	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5423.750000	-36.6	15.4	-21.2
5357.250000	-38.6	17.4	-21.2
5375.750000	-38.7	17.5	-21.2
5357.750000	-38.8	17.6	-21.2
36451.064029	-38.9	17.7	-21.2
5364.250000	-39.0	17.8	-21.2
36450.032811	-39.1	17.9	-21.2
36453.126465	-39.1	17.9	-21.2
5373.750000	-39.2	18.0	-21.2
5373.250000	-39.2	18.0	-21.2
5369.750000	-39.2	18.0	-21.2
5377.750000	-39.3	18.1	-21.2
5446.250000	-39.4	18.2	-21.2
36430.439674	-39.4	18.2	-21.2
5378.250000	-39.4	18.2	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-43.1	1.9	-41.2
4824.750000	-44.3	3.1	-41.2
5120.250000	-44.5	3.3	-41.2
5120.750000	-44.9	3.7	-41.2
5119.750000	-45.0	3.8	-41.2
4823.750000	-45.1	3.9	-41.2
5136.250000	-45.2	4.0	-41.2
5126.750000	-45.3	4.1	-41.2
5057.250000	-45.4	4.2	-41.2
4971.750000	-45.4	4.2	-41.2
5149.250000	-45.4	4.2	-41.2
4963.750000	-45.4	4.2	-41.2
4961.250000	-45.4	4.2	-41.2
5040.750000	-45.4	4.2	-41.2
5118.250000	-45.5	4.3	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5424.250000	-42.7	1.5	-41.2
5376.250000	-42.9	1.7	-41.2
5423.750000	-43.1	1.9	-41.2
5375.750000	-43.1	1.9	-41.2
3733.750000	-43.8	2.6	-41.2
4693.750000	-44.1	2.9	-41.2
3733.250000	-44.1	2.9	-41.2
4824.250000	-44.4	3.2	-41.2
5424.750000	-45.1	3.9	-41.2
4823.750000	-45.1	3.9	-41.2
4944.250000	-45.1	3.9	-41.2
5144.750000	-45.2	4.0	-41.2
4824.750000	-45.2	4.0	-41.2
4944.750000	-45.2	4.0	-41.2
5136.250000	-45.2	4.0	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Average) (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5700.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-43.4	2.2	-41.2
73.333340	-63.3	3.4	-59.9
4824.750000	-44.6	3.4	-41.2
73.383340	-63.4	3.5	-59.9
5083.750000	-45.3	4.1	-41.2
5120.250000	-45.4	4.2	-41.2
4823.750000	-45.4	4.2	-41.2
5076.250000	-45.5	4.3	-41.2
5060.750000	-45.5	4.3	-41.2
4923.250000	-45.5	4.3	-41.2
5139.250000	-45.6	4.4	-41.2
4963.750000	-45.6	4.4	-41.2
5146.250000	-45.6	4.4	-41.2
5067.250000	-45.6	4.4	-41.2
5119.750000	-45.6	4.4	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5700.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-44.2	3.0	-41.2
4942.250000	-45.1	3.9	-41.2
5129.750000	-45.1	3.9	-41.2
4824.750000	-45.1	3.9	-41.2
4944.250000	-45.2	4.0	-41.2
4823.750000	-45.5	4.3	-41.2
5143.750000	-45.5	4.3	-41.2
4982.750000	-45.5	4.3	-41.2
5058.750000	-45.5	4.3	-41.2
4968.250000	-45.6	4.4	-41.2
5139.750000	-45.6	4.4	-41.2
5123.750000	-45.6	4.4	-41.2
4956.750000	-45.6	4.4	-41.2
4967.750000	-45.7	4.5	-41.2
5048.250000	-45.7	4.5	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak) (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5700.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36475.813256	-39.6	18.4	-21.2
36489.219087	-39.7	18.5	-21.2
36436.626980	-39.9	18.7	-21.2
36490.250305	-40.0	18.8	-21.2
36450.032811	-40.3	19.1	-21.2
36442.814287	-40.3	19.1	-21.2
36437.658198	-40.6	19.4	-21.2
5403.750000	-40.7	19.5	-21.2
36453.126465	-40.8	19.6	-21.2
36465.501078	-40.8	19.6	-21.2
36486.125434	-40.9	19.7	-21.2
36459.313771	-41.0	19.8	-21.2
5149.750000	-41.1	19.9	-21.2
36479.938127	-41.1	19.9	-21.2
36440.751852	-41.2	20.0	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5700.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
1492.750000	-33.6	12.4	-21.2
1494.250000	-33.6	12.4	-21.2
1493.750000	-34.2	13.0	-21.2
1494.750000	-35.0	13.8	-21.2
1496.750000	-35.1	13.9	-21.2
1498.250000	-35.9	14.7	-21.2
1496.250000	-36.7	15.5	-21.2
1493.250000	-36.8	15.6	-21.2
1498.750000	-36.9	15.7	-21.2
1495.250000	-36.9	15.7	-21.2
1492.250000	-37.2	16.0	-21.2
1495.750000	-37.5	16.3	-21.2
1491.750000	-37.6	16.4	-21.2
5424.250000	-37.9	16.7	-21.2
1497.750000	-38.3	17.1	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector2

Attenuation



— Connector2

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5520.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5432.250000	-40.7	-43.9	-41.2	2.7	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5432.250000	-40.7	-0.5	-41.2
5431.750000	-40.8	-0.4	-41.2
5454.750000	-41.2	0.0	-41.2
5455.250000	-41.2	0.0	-41.2
5432.750000	-41.4	0.2	-41.2
5454.250000	-41.4	0.2	-41.2
5431.250000	-41.5	0.3	-41.2
5427.250000	-41.5	0.3	-41.2
5455.750000	-41.5	0.3	-41.2
5426.750000	-41.6	0.4	-41.2
5428.750000	-41.6	0.4	-41.2
5456.250000	-41.7	0.5	-41.2
5449.250000	-41.7	0.5	-41.2
5437.750000	-41.7	0.5	-41.2
5434.750000	-41.7	0.5	-41.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Average)(2) (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5520.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5423.750000	-39.7	-41.2	-41.2	0.0	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5423.750000	-39.7	-1.5	-41.2
5424.250000	-39.8	-1.4	-41.2
5431.750000	-40.6	-0.6	-41.2
5423.250000	-40.7	-0.5	-41.2
5431.250000	-40.9	-0.3	-41.2
5424.750000	-40.9	-0.3	-41.2
5375.750000	-41.0	-0.2	-41.2
5446.750000	-41.0	-0.2	-41.2
5432.250000	-41.1	-0.1	-41.2
5376.250000	-41.1	-0.1	-41.2
5435.250000	-41.2	0.0	-41.2
5447.250000	-41.2	0.0	-41.2
5429.250000	-41.2	0.0	-41.2
5446.250000	-41.2	0.0	-41.2
5425.250000	-41.2	0.0	-41.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Peak) (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5520.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5426.750000	-33.3	12.1	-21.2
5435.750000	-34.2	13.0	-21.2
5456.250000	-34.4	13.2	-21.2
5459.250000	-34.5	13.3	-21.2
5438.250000	-35.0	13.8	-21.2
5457.250000	-35.1	13.9	-21.2
5444.250000	-35.2	14.0	-21.2
5416.750000	-35.5	14.3	-21.2
5456.750000	-35.6	14.4	-21.2
5441.750000	-35.7	14.5	-21.2
5434.250000	-35.7	14.5	-21.2
5417.250000	-35.8	14.6	-21.2
5428.250000	-36.2	15.0	-21.2
5451.250000	-36.2	15.0	-21.2
5432.250000	-36.4	15.2	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5520.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5448.750000	-32.4	11.2	-21.2
5444.750000	-32.7	11.5	-21.2
5449.250000	-33.1	11.9	-21.2
5452.250000	-33.5	12.3	-21.2
5452.750000	-33.7	12.5	-21.2
5445.250000	-33.9	12.7	-21.2
5435.750000	-34.1	12.9	-21.2
5447.750000	-34.1	12.9	-21.2
5434.750000	-34.3	13.1	-21.2
5411.750000	-34.4	13.2	-21.2
5415.750000	-34.7	13.5	-21.2
5438.250000	-34.8	13.6	-21.2
5454.250000	-34.8	13.6	-21.2
5453.250000	-34.8	13.6	-21.2
5410.250000	-34.8	13.6	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2

Restricted Band




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
4824.250000	-44.2	3.0	-41.2
4824.750000	-44.7	3.5	-41.2
4944.250000	-45.0	3.8	-41.2
5120.250000	-45.1	3.9	-41.2
4823.750000	-45.1	3.9	-41.2
5134.250000	-45.1	3.9	-41.2
5123.250000	-45.2	4.0	-41.2
5129.250000	-45.2	4.0	-41.2
5124.250000	-45.3	4.1	-41.2
5148.250000	-45.3	4.1	-41.2
4921.750000	-45.4	4.2	-41.2
4973.250000	-45.4	4.2	-41.2
5120.750000	-45.4	4.2	-41.2
5058.750000	-45.4	4.2	-41.2
5132.750000	-45.4	4.2	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5424.250000	-41.7	0.5	-41.2
5423.750000	-41.8	0.6	-41.2
5376.250000	-42.7	1.5	-41.2
5375.750000	-42.8	1.6	-41.2
3733.750000	-44.0	2.8	-41.2
5424.750000	-44.1	2.9	-41.2
5423.250000	-44.2	3.0	-41.2
4824.250000	-44.3	3.1	-41.2
4693.750000	-44.4	3.2	-41.2
5453.250000	-44.8	3.6	-41.2
3733.250000	-44.8	3.6	-41.2
5376.750000	-44.8	3.6	-41.2
5375.250000	-44.9	3.7	-41.2
5459.750000	-45.0	3.8	-41.2
5136.250000	-45.0	3.8	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36493.343958	-39.3	18.1	-21.2
36457.251336	-39.5	18.3	-21.2
36496.437611	-39.7	18.5	-21.2
36479.938127	-39.7	18.5	-21.2
36439.720634	-40.0	18.8	-21.2
36441.783069	-40.0	18.8	-21.2
36476.844474	-40.1	18.9	-21.2
36475.813256	-40.1	18.9	-21.2
36431.470892	-40.4	19.2	-21.2
5459.750000	-40.4	19.2	-21.2
36464.469860	-40.5	19.3	-21.2
36480.969345	-40.6	19.4	-21.2
36478.906909	-40.7	19.5	-21.2
36442.814287	-40.7	19.5	-21.2
36459.313771	-40.8	19.6	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5600.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5354.750000	-37.5	16.3	-21.2
5376.750000	-37.7	16.5	-21.2
5376.250000	-37.7	16.5	-21.2
5355.250000	-37.7	16.5	-21.2
5404.250000	-38.4	17.2	-21.2
5458.750000	-38.5	17.3	-21.2
5360.750000	-38.5	17.3	-21.2
5443.750000	-38.7	17.5	-21.2
5406.750000	-38.9	17.7	-21.2
5451.750000	-38.9	17.7	-21.2
5443.250000	-38.9	17.7	-21.2
5447.250000	-38.9	17.7	-21.2
36451.064029	-39.0	17.8	-21.2
5458.250000	-39.0	17.8	-21.2
5452.250000	-39.1	17.9	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2

Restricted Band




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5690.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5441.750000	-36.5	15.3	-21.2
5456.250000	-36.7	15.5	-21.2
5457.250000	-36.7	15.5	-21.2
5457.750000	-37.1	15.9	-21.2
5458.750000	-37.1	15.9	-21.2
5445.750000	-37.1	15.9	-21.2
5450.750000	-37.6	16.4	-21.2
5446.250000	-37.6	16.4	-21.2
5438.250000	-37.8	16.6	-21.2
5447.750000	-38.1	16.9	-21.2
5447.250000	-38.2	17.0	-21.2
5456.750000	-38.6	17.4	-21.2
5450.250000	-38.7	17.5	-21.2
5455.250000	-39.1	17.9	-21.2
36430.439674	-39.2	18.0	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak)(2) (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5690.000000	PASS

Final measurements




Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5373.250000	-38.8	17.6	-21.2
5376.750000	-39.0	17.8	-21.2
36461.376207	-39.0	17.8	-21.2
36496.437611	-39.1	17.9	-21.2
36434.564545	-39.5	18.3	-21.2
36468.594731	-39.9	18.7	-21.2
5450.250000	-40.0	18.8	-21.2
36435.595763	-40.0	18.8	-21.2
5362.750000	-40.1	18.9	-21.2
5387.750000	-40.1	18.9	-21.2
5388.250000	-40.2	19.0	-21.2
5410.750000	-40.3	19.1	-21.2
36459.313771	-40.3	19.1	-21.2
5392.750000	-40.4	19.2	-21.2
36494.375176	-40.5	19.3	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	1	1
1000.000000	7000.000000	1	2
7000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	20000	~ 20000
SweepTime	1.080 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	10.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5690.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
37.833660	-56.9	-63.5	-59.9	3.6	PASS
75.183323	-59.1	-63.2	-59.9	3.3	PASS
114.932966	-55.3	-64.5	-56.4	8.1	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
37.833660	-56.9	-3.0	-59.9
37.783660	-57.1	-2.8	-59.9
114.932966	-55.3	-1.1	-56.4
37.883659	-58.9	-1.0	-59.9
114.982965	-55.4	-1.0	-56.4
75.183323	-59.1	-0.8	-59.9
114.882966	-56.3	-0.1	-56.4
37.733660	-59.8	-0.1	-59.9
255.431701	-54.2	0.3	-53.9
162.432538	-57.0	0.6	-56.4
125.382872	-57.0	0.6	-56.4
127.332854	-57.1	0.7	-56.4
162.382539	-57.1	0.7	-56.4
73.883335	-60.7	0.8	-59.9
255.481701	-54.8	0.9	-53.9


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Average)(2) (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5690.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
3793.750000	-42.9	1.7	-41.2
5424.250000	-43.1	1.9	-41.2
5375.750000	-43.2	2.0	-41.2
5423.750000	-43.3	2.1	-41.2
5376.250000	-43.7	2.5	-41.2
4753.750000	-43.7	2.5	-41.2
3793.250000	-43.7	2.5	-41.2
4753.250000	-44.5	3.3	-41.2
5136.250000	-44.9	3.7	-41.2
4944.250000	-45.1	3.9	-41.2
4824.250000	-45.1	3.9	-41.2
4754.250000	-45.3	4.1	-41.2
3794.250000	-45.3	4.1	-41.2
4992.250000	-45.4	4.2	-41.2
4959.750000	-45.4	4.2	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold x Critical — Sum Level x Final Critical

Gain



— Connector2

Attenuation



— Connector2

Tx Spurious Emission(2) (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5485.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39900.487485	-32.5	5.5	-27.0
39877.800694	-32.5	5.5	-27.0
39898.425049	-32.5	5.5	-27.0
39863.363645	-32.5	5.5	-27.0
39876.769476	-32.6	5.6	-27.0
39908.737227	-32.6	5.6	-27.0
39904.612356	-32.6	5.6	-27.0
39899.456267	-32.6	5.6	-27.0
39888.112871	-32.6	5.6	-27.0
39860.269992	-32.7	5.7	-27.0
39855.113903	-32.7	5.7	-27.0
39699.400019	-32.7	5.7	-27.0
39906.674791	-32.7	5.7	-27.0
39697.337583	-32.7	5.7	-27.0
39894.300178	-32.7	5.7	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold X Critical — Sum Level X Final Critical

Gain



Connector2

Attenuation



Connector2

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5710.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39895.331396	-32.2	5.2	-27.0
39883.988000	-32.3	5.3	-27.0
39901.518703	-32.3	5.3	-27.0
39900.487485	-32.4	5.4	-27.0
39897.393831	-32.4	5.4	-27.0
39890.175307	-32.4	5.4	-27.0
39907.706009	-32.4	5.4	-27.0
39880.894347	-32.4	5.4	-27.0
39899.456267	-32.4	5.4	-27.0
39869.550952	-32.5	5.5	-27.0
39903.581138	-32.5	5.5	-27.0
39872.644605	-32.5	5.5	-27.0
39868.519734	-32.5	5.5	-27.0
39909.768445	-32.5	5.5	-27.0
39870.582169	-32.5	5.5	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission(2) (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5710.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39861.301209	-32.5	5.5	-27.0
39893.268960	-32.5	5.5	-27.0
39898.425049	-32.6	5.6	-27.0
39870.582169	-32.6	5.6	-27.0
39879.863129	-32.6	5.6	-27.0
39888.112871	-32.6	5.6	-27.0
39900.487485	-32.6	5.6	-27.0
39880.894347	-32.6	5.6	-27.0
39877.800694	-32.6	5.6	-27.0
39889.144089	-32.6	5.6	-27.0
39702.493672	-32.6	5.6	-27.0
39859.238774	-32.7	5.7	-27.0
39908.737227	-32.7	5.7	-27.0
39696.306365	-32.7	5.7	-27.0
39858.207556	-32.7	5.7	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector2

Attenuation



Connector2

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5500.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39894.300178	-32.2	5.2	-27.0
39878.831912	-32.3	5.3	-27.0
39877.800694	-32.3	5.3	-27.0
39881.925565	-32.3	5.3	-27.0
39886.050436	-32.3	5.3	-27.0
39891.206525	-32.3	5.3	-27.0
39898.425049	-32.4	5.4	-27.0
39885.019218	-32.4	5.4	-27.0
39869.550952	-32.4	5.4	-27.0
39861.301209	-32.4	5.4	-27.0
39903.581138	-32.4	5.4	-27.0
39872.644605	-32.4	5.4	-27.0
39895.331396	-32.5	5.5	-27.0
39907.706009	-32.5	5.5	-27.0
39892.237743	-32.5	5.5	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission(2) (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5500.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39894.300178	-32.3	5.3	-27.0
39893.268960	-32.4	5.4	-27.0
39895.331396	-32.4	5.4	-27.0
39862.332427	-32.5	5.5	-27.0
39898.425049	-32.5	5.5	-27.0
39701.462454	-32.5	5.5	-27.0
39899.456267	-32.5	5.5	-27.0
39891.206525	-32.5	5.5	-27.0
39688.056623	-32.6	5.6	-27.0
39892.237743	-32.6	5.6	-27.0
39845.832943	-32.6	5.6	-27.0
39878.831912	-32.6	5.6	-27.0
39848.926596	-32.7	5.7	-27.0
39887.081654	-32.7	5.7	-27.0
39872.644605	-32.7	5.7	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector2

Attenuation



Connector2

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5700.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5727.750000	-29.5	2.5	-27.0
5727.250000	-29.6	2.6	-27.0
5728.250000	-30.2	3.2	-27.0
5726.750000	-30.5	3.5	-27.0
5733.250000	-30.5	3.5	-27.0
5732.750000	-30.6	3.6	-27.0
5732.250000	-31.0	4.0	-27.0
5728.750000	-31.0	4.0	-27.0
5726.250000	-31.1	4.1	-27.0
5733.750000	-31.6	4.6	-27.0
39880.894347	-32.2	5.2	-27.0
39883.988000	-32.2	5.2	-27.0
39905.643574	-32.3	5.3	-27.0
39887.081654	-32.3	5.3	-27.0
39882.956783	-32.3	5.3	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission(2) (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5700.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5727.750000	-29.1	2.1	-27.0
5727.250000	-29.3	2.3	-27.0
5728.250000	-29.8	2.8	-27.0
5732.750000	-30.6	3.6	-27.0
5726.750000	-30.8	3.8	-27.0
5728.750000	-31.0	4.0	-27.0
5733.250000	-31.1	4.1	-27.0
5732.250000	-31.5	4.5	-27.0
5733.750000	-31.5	4.5	-27.0
5726.250000	-32.0	5.0	-27.0
39893.268960	-32.1	5.1	-27.0
39871.613387	-32.1	5.1	-27.0
39870.582169	-32.2	5.2	-27.0
39859.238774	-32.3	5.3	-27.0
39904.612356	-32.3	5.3	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5520.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39882.956783	-32.2	5.2	-27.0
39909.768445	-32.2	5.2	-27.0
39860.269992	-32.3	5.3	-27.0
39897.393831	-32.3	5.3	-27.0
39880.894347	-32.3	5.3	-27.0
39912.862098	-32.3	5.3	-27.0
39911.830880	-32.3	5.3	-27.0
39914.924534	-32.3	5.3	-27.0
39899.456267	-32.3	5.3	-27.0
39872.644605	-32.3	5.3	-27.0
39891.206525	-32.3	5.3	-27.0
39885.019218	-32.4	5.4	-27.0
39886.050436	-32.4	5.4	-27.0
39900.487485	-32.4	5.4	-27.0
39878.831912	-32.4	5.4	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission(2) (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5520.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39889.144089	-32.4	5.4	-27.0
39883.988000	-32.5	5.5	-27.0
39878.831912	-32.5	5.5	-27.0
39897.393831	-32.5	5.5	-27.0
39684.962970	-32.5	5.5	-27.0
39895.331396	-32.5	5.5	-27.0
39904.612356	-32.5	5.5	-27.0
39872.644605	-32.6	5.6	-27.0
39874.707040	-32.6	5.6	-27.0
39695.275148	-32.6	5.6	-27.0
39858.207556	-32.6	5.6	-27.0
39899.456267	-32.6	5.6	-27.0
39871.613387	-32.6	5.6	-27.0
39846.864160	-32.6	5.6	-27.0
39888.112871	-32.6	5.6	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector2

Attenuation



Connector2

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5690.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5853.250000	-29.4	2.4	-27.0
5852.750000	-29.6	2.6	-27.0
5854.750000	-29.7	2.7	-27.0
5854.250000	-29.8	2.8	-27.0
5855.250000	-29.9	2.9	-27.0
5856.250000	-30.0	3.0	-27.0
5855.750000	-30.1	3.1	-27.0
5857.750000	-30.1	3.1	-27.0
5866.250000	-30.1	3.1	-27.0
5856.750000	-30.2	3.2	-27.0
5852.250000	-30.2	3.2	-27.0
5853.750000	-30.2	3.2	-27.0
5866.750000	-30.2	3.2	-27.0
5867.750000	-30.3	3.3	-27.0
5857.250000	-30.3	3.3	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector1

Attenuation



Connector1

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission(2) (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5690.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39886.050436	-32.4	5.4	-27.0
39891.206525	-32.5	5.5	-27.0
39857.176338	-32.5	5.5	-27.0
39879.863129	-32.5	5.5	-27.0
39889.144089	-32.5	5.5	-27.0
39881.925565	-32.6	5.6	-27.0
39890.175307	-32.6	5.6	-27.0
39704.556108	-32.6	5.6	-27.0
39861.301209	-32.6	5.6	-27.0
39905.643574	-32.6	5.6	-27.0
39706.618543	-32.6	5.6	-27.0
39852.020249	-32.7	5.7	-27.0
39907.706009	-32.7	5.7	-27.0
39872.644605	-32.7	5.7	-27.0
39895.331396	-32.7	5.7	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	7000.000000	2	2
7000.000000	40000.000000	2	2

Spurious




— Limit - - - - - Threshold × Critical — Sum Level × Final Critical

Gain



Connector2

Attenuation



Connector2

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	8300	~ 8300
Sweeptime	8.300 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off