

DUTY CYCLE

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval (mo)
Spectrum Analyzer	Keysight	N9010A	AFO	6/23/2015	12
NC02 Cable	ESM Cable Corp.	TTBJ-141 KMKM-72	NC5	6/6/2015	12
Attenuator	Fairview Microwave	SA4014-20	TKE	1/16/2015	12
DC Block, 40 GHz	Fairview Microwave	SD3379	AMJ	6/6/2015	12
Signal Generator	Keysight	N5182B	TFY	4/16/2015	36

TEST DESCRIPTION

The Duty Cycle (x) of the single channel operation of the radio as controlled by the provided test software was measured for each of the EUT operating modes.

There is no compliance requirement to be met by this test, so therefore no Pass / Fail criteria.

The measurements were made using a zero span on the spectrum analyzer to see the pulses in the time domain. The transmit power was set to its default maximum. A direct connection was made between the RF output of the EUT and a spectrum analyzer. Attenuation and a DC block were used.

The duty cycle was calculated by dividing the transmission pulse duration (T) by the total period of a single on and total off time.

If the transmit duty cycle < 98 percent, burst gating may have been used during some of the other tests in this report to only take the measurement during the burst duration.

DUTY CYCLE




XMit 2015.01.14

EUT: Precor Wi-Fi / Bluetooth Module Model 303346		Work Order: PRCR0230					
Serial Number: None		Date: 10/01/15					
Customer: Precor, Inc.		Temperature: 23°C					
Attendees: Rich Whitbeck		Humidity: 44%					
Project: None		Barometric Pres.: 1017mb					
Tested by: Richard Melloth		Power: 110VAC/60Hz					
		Job Site: NC01					
TEST SPECIFICATIONS		Test Method					
FCC 15.247:2015		ANSI C63.10:2013					
COMMENTS							
Power settings at Maximum.							
DEVIATIONS FROM TEST STANDARD							
None							
Configuration #	1	Signature <i>R. Melloth</i>					
		Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
Ant 1							
20 MHz							
2.4 GHz Band							
802.11(b) 1Mbps							
	Low Channel 1, 2412 MHz	8.434 ms	8.832 ms	1	95.5	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	6	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	8.435 ms	8.832 ms	1	95.5	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	6	N/A	N/A	N/A
	High Channel 11, 2462 MHz	8.434 ms	8.83 ms	1	95.5	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A
802.11(b) 11Mbps							
	Low Channel 1, 2412 MHz	943.1 us	1.332 ms	1	70.8	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	943 us	1.332 ms	1	70.8	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	6	N/A	N/A	N/A
	High Channel 11, 2462 MHz	943.1 us	1.332 ms	1	70.8	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A
802.11(g) 6Mbps							
	Low Channel 1, 2412 MHz	1.395 ms	1.794 ms	1	77.7	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	1.395 ms	1.804 ms	1	77.3	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A
	High Channel 11, 2462 MHz	1.395 ms	1.795 ms	1	77.7	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	6	N/A	N/A	N/A
802.11(g) 36Mbps							
	Low Channel 1, 2412 MHz	246.7 us	646.4 us	1	38.2	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	246.6 us	646.3 us	1	38.2	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A
	High Channel 11, 2462 MHz	246.6 us	655.4 us	1	37.6	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A
802.11(g) 54Mbps							
	Low Channel 1, 2412 MHz	170.7 us	570.2 us	1	29.9	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	170.7 us	579.2 us	1	29.5	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A
	High Channel 11, 2462 MHz	171 us	579.5 us	1	29.5	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A
802.11(n) MCS0							
	Low Channel 1, 2412 MHz	1.176 ms	1.584 ms	1	74.2	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	6	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	1.175 ms	1.575 ms	1	74.6	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A
	High Channel 11, 2462 MHz	1.175 ms	1.575 ms	1	74.6	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A
802.11(n) MCS7							
	Low Channel 1, 2412 MHz	145.8 us	554.5 us	1	26.3	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	146 us	554.8 us	1	26.3	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A
	High Channel 11, 2462 MHz	145.8 us	545.5 us	1	26.7	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A
40 MHz							
2.4 GHz Band							
802.11(n) MCS0							
	Low Channel 5, 2432 MHz	556 us	980.9 us	1	56.7	N/A	N/A
	Low Channel 5, 2432 MHz	N/A	N/A	6	N/A	N/A	N/A
	High Channel 9, 2452 MHz	556 us	980.9 us	1	56.7	N/A	N/A
	High Channel 9, 2452 MHz	N/A	N/A	6	N/A	N/A	N/A
802.11(n) MCS7							
	Low Channel 5, 2432 MHz	63 us	497.2 us	1	12.7	N/A	N/A
	Low Channel 5, 2432 MHz	N/A	N/A	6	N/A	N/A	N/A
	High Channel 9, 2452 MHz	62.8 us	487.9 us	1	12.9	N/A	N/A
	High Channel 9, 2452 MHz	N/A	N/A	6	N/A	N/A	N/A
Ant 2							
20 MHz							
2.4 GHz Band							
802.11(b) 1Mbps							
	Low Channel 1, 2412 MHz	8.434 ms	8.822 ms	1	95.6	N/A	N/A
	Low Channel 1, 2412 MHz	N/A	N/A	6	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	8.435 ms	8.832 ms	1	95.5	N/A	N/A
	Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A
	High Channel 11, 2462 MHz	8.434 ms	8.822 ms	1	95.6	N/A	N/A
	High Channel 11, 2462 MHz	N/A	N/A	6	N/A	N/A	N/A


802.11(b) 11Mbps							
Low Channel 1, 2412 MHz	943.5 us	1.332 ms	1	70.8	N/A	N/A	N/A
Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	943.1 us	1.341 ms	1	70.3	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
High Channel 11, 2462 MHz	943.5 us	1.332 ms	1	70.8	N/A	N/A	N/A
High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
802.11(g) 6Mbps							
Low Channel 1, 2412 MHz	1.395 ms	1.795 ms	1	77.7	N/A	N/A	N/A
Low Channel 1, 2412 MHz	N/A	N/A	6	N/A	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	1.395 ms	1.795 ms	1	77.7	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
High Channel 11, 2462 MHz	1.395 ms	1.794 ms	1	77.7	N/A	N/A	N/A
High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
802.11(g) 36Mbps							
Low Channel 1, 2412 MHz	246.8 us	646.3 us	1	38.2	N/A	N/A	N/A
Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	246.6 us	646.3 us	1	38.2	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
High Channel 11, 2462 MHz	246.9 us	646.3 us	1	38.2	N/A	N/A	N/A
High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
802.11(g) 54Mbps							
Low Channel 1, 2412 MHz	171 us	579.5 us	1	29.5	N/A	N/A	N/A
Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	170.9 us	579.4 us	1	29.5	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
High Channel 11, 2462 MHz	170.9 us	570.2 us	1	30	N/A	N/A	N/A
High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
802.11(n) MCS0							
Low Channel 1, 2412 MHz	1.176 ms	1.585 ms	1	74.2	N/A	N/A	N/A
Low Channel 1, 2412 MHz	N/A	N/A	6	N/A	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	1.176 ms	1.585 ms	1	74.2	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	N/A	N/A	6	N/A	N/A	N/A	N/A
High Channel 11, 2462 MHz	1.176 ms	1.575 ms	1	74.6	N/A	N/A	N/A
High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
802.11(n) MCS7							
Low Channel 1, 2412 MHz	146 us	545.5 us	1	26.8	N/A	N/A	N/A
Low Channel 1, 2412 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	146 us	545.5 us	1	26.8	N/A	N/A	N/A
Mid Channel 6, 2437 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
High Channel 11, 2462 MHz	146.3 us	554.5 us	1	26.4	N/A	N/A	N/A
High Channel 11, 2462 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
40 MHz							
2.4 GHz Band							
802.11(n) MCS0							
Low Channel 5, 2432 MHz	556.4 us	981.2 us	1	56.7	N/A	N/A	N/A
Low Channel 5, 2432 MHz	N/A	N/A	6	N/A	N/A	N/A	N/A
High Channel 9, 2452 MHz	556.3 us	981.2 us	1	56.7	N/A	N/A	N/A
High Channel 9, 2452 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
802.11(n) MCS7							
Low Channel 5, 2432 MHz	63 us	487.8 us	1	12.9	N/A	N/A	N/A
Low Channel 5, 2432 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A
High Channel 9, 2452 MHz	63.3 us	487.9 us	1	13	N/A	N/A	N/A
High Channel 9, 2452 MHz	N/A	N/A	5	N/A	N/A	N/A	N/A

DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
8.434 ms	8.832 ms	1	95.5	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
8.435 ms	8.832 ms	1	95.5	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
8.434 ms	8.83 ms	1	95.5	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
943.1 us	1.332 ms	1	70.8	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
943 us	1.332 ms	1	70.8	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
943.1 us	1.332 ms	1	70.8	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.395 ms	1.794 ms	1	77.7	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.395 ms	1.804 ms	1	77.3	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.395 ms	1.795 ms	1	77.7	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
246.7 us	646.4 us	1	38.2	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
246.6 us	646.3 us	1	38.2	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
246.6 us	655.4 us	1	37.6	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
170.7 us	570.2 us	1	29.9	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
170.7 us	579.2 us	1	29.5	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
171 us	579.5 us	1	29.5	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.176 ms	1.584 ms	1	74.2	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.175 ms	1.575 ms	1	74.6	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.175 ms	1.575 ms	1	74.6	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
145.8 us	554.5 us	1	26.3	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
146 us	554.8 us	1	26.3	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
145.8 us	545.5 us	1	26.7	N/A	N/A	




Ant 1, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 5, 2432 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	556 us	980.9 us	1	56.7	N/A	N/A




Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 5, 2432 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	6	N/A	N/A	N/A




DUTY CYCLE

Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 9, 2452 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	556 us	980.9 us	1	56.7	N/A	N/A




Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 9, 2452 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	6	N/A	N/A	N/A




DUTY CYCLE

Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 5, 2432 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	63 us	497.2 us	1	12.7	N/A	N/A




Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 5, 2432 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	6	N/A	N/A	N/A




DUTY CYCLE

Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 9, 2452 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	62.8 us	487.9 us	1	12.9	N/A	N/A




Ant 1, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 9, 2452 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	6	N/A	N/A	N/A




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
8.434 ms	8.822 ms	1	95.6	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
8.435 ms	8.832 ms	1	95.5	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
8.434 ms	8.822 ms	1	95.6	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 1Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
943.5 us	1.332 ms	1	70.8	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
943.1 us	1.341 ms	1	70.3	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
943.5 us	1.332 ms	1	70.8	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(b) 11Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.395 ms	1.795 ms	1	77.7	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.395 ms	1.795 ms	1	77.7	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.395 ms	1.794 ms	1	77.7	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 6Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
246.8 us	646.3 us	1	38.2	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
246.6 us	646.3 us	1	38.2	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
246.9 us	646.3 us	1	38.2	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 36Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
171 us	579.5 us	1	29.5	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
170.9 us	579.4 us	1	29.5	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
170.9 us	570.2 us	1	30	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(g) 54Mbps, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.176 ms	1.585 ms	1	74.2	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.176 ms	1.585 ms	1	74.2	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
1.176 ms	1.575 ms	1	74.6	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
146 us	545.5 us	1	26.8	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 1, 2412 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
146 us	545.5 us	1	26.8	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, Mid Channel 6, 2437 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
146.3 us	554.5 us	1	26.4	N/A	N/A	




Ant 2, 20 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 11, 2462 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 5, 2432 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
556.4 us	981.2 us	1	56.7	N/A	N/A	




Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, Low Channel 5, 2432 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	6	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 9, 2452 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
556.3 us	981.2 us	1	56.7	N/A	N/A	




Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS0, High Channel 9, 2452 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	




DUTY CYCLE

Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 5, 2432 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
63 us	487.8 us	1	12.9	N/A	N/A	




Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, Low Channel 5, 2432 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	



DUTY CYCLE

Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 9, 2452 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
63.3 us	487.9 us	1	13	N/A	N/A	



Ant 2, 40 MHz, 2.4 GHz Band, 802.11(n) MCS7, High Channel 9, 2452 MHz						
Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results	
N/A	N/A	5	N/A	N/A	N/A	

