


A.5 Spurious Emission at Antenna Terminals

GSM_GSM850


1.1 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.72	-13	Pass	401
0.15	30	0.01	Peak	0.36	-54.03	-13	Pass	2985
30	500	0.1	Peak	487.697	-42.3	-13	Pass	4700
500	1000	0.1	Peak	824.265	31.31	-13	N/A	5000
1000	10000	1	Peak	6780.706	-21.86	-13	Pass	9000




1.2 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-56.49	-13	Pass	401
0.15	30	0.01	Peak	0.17	-51.93	-13	Pass	2985
30	500	0.1	Peak	401.079	-42.65	-13	Pass	4700
500	1000	0.1	Peak	836.567	31.56	-13	N/A	5000
1000	10000	1	Peak	8833.956	-21.51	-13	Pass	9000



1.3 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.28	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.13	-13	Pass	2985
30	500	0.1	Peak	334.565	-42.84	-13	Pass	4700
500	1000	0.1	Peak	848.77	31.49	-13	N/A	5000
1000	10000	1	Peak	9350.196	-21.92	-13	Pass	9000



GSM_PCS


1.4 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.91	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.51	-13	Pass	2985
30	1000	0.1	Peak	736.086	-43.44	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.08	-13	N/A	2000
3000	20000	1	Peak	14182.365	-21.39	-13	Pass	17000




1.5 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.82	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.58	-13	Pass	2985
30	1000	0.1	Peak	829.998	-43.27	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.05	-13	N/A	2000
3000	20000	1	Peak	14201.367	-21.1	-13	Pass	17000



1.6 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.72	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.72	-13	Pass	2985
30	1000	0.1	Peak	889.353	-42.75	-13	Pass	9699
1000	3000	1	Peak	1909.455	19.56	-13	N/A	2000
3000	20000	1	Peak	14207.368	-21.11	-13	Pass	17000



EGPRS_GSM850


1.7 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.2	-13	Pass	2985
30	500	0.1	Peak	498.6	-42.88	-13	Pass	4700
500	1000	0.1	Peak	824.165	27.67	-13	N/A	5000
1000	10000	1	Peak	7768.826	-21.27	-13	Pass	9000




1.8 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.6	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.76	-13	Pass	2985
30	500	0.1	Peak	489.898	-43.03	-13	Pass	4700
500	1000	0.1	Peak	836.567	27.99	-13	N/A	5000
1000	10000	1	Peak	9983.98	-22.19	-13	Pass	9000



1.9 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.05	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.51	-13	Pass	2985
30	500	0.1	Peak	477.995	-42.24	-13	Pass	4700
500	1000	0.1	Peak	848.77	27.96	-13	N/A	5000
1000	10000	1	Peak	6978.73	-21.62	-13	Pass	9000



EGPRS_PCS


1.10 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.99	-13	Pass	401
0.15	30	0.01	Peak	0.27	-54.48	-13	Pass	2985
30	1000	0.1	Peak	735.086	-43.37	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.49	-13	N/A	2000
3000	20000	1	Peak	14197.367	-21.02	-13	Pass	17000




1.11 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.13	-13	Pass	2985
30	1000	0.1	Peak	905.875	-42.42	-13	Pass	9699
1000	3000	1	Peak	1880.44	27.7	-13	N/A	2000
3000	20000	1	Peak	14217.369	-21.51	-13	Pass	17000



1.12 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.59	-13	Pass	401
0.15	30	0.01	Peak	0.26	-54.54	-13	Pass	2985
30	1000	0.1	Peak	908.178	-43.27	-13	Pass	9699
1000	3000	1	Peak	1909.455	15.89	-13	N/A	2000
3000	20000	1	Peak	14217.369	-20.8	-13	Pass	17000



WCDMA_Band2


1.13 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.9	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.06	-13	Pass	2985
30	1000	0.1	Peak	788.893	-52.2	-13	Pass	9699
1000	3000	1	Peak	1851.426	22.3	-13	N/A	2000
3000	20000	1	Peak	19800.676	-22.74	-13	Pass	17000




1.14 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.85	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.7	-13	Pass	2985
30	1000	0.1	Peak	902.17	-52.16	-13	Pass	9699
1000	3000	1	Peak	1878.439	22.16	-13	N/A	2000
3000	20000	1	Peak	19805.685	-22.95	-13	Pass	17000



1.15 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.44	-13	Pass	2985
30	1000	0.1	Peak	898.565	-51.4	-13	Pass	9699
1000	3000	1	Peak	1906.453	22.35	-13	N/A	2000
3000	20000	1	Peak	19796.67	-23.3	-13	Pass	17000



WCDMA_Band4


1.16 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	1000	0.1	RMS	865.822	-64.24	-13	Pass	9699
1000	3000	1	RMS	1711.356	16.36	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.44	-13	Pass	17000




1.17 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	854.006	-64.26	-13	Pass	9699
1000	3000	1	RMS	1731.366	16.26	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.3	-13	Pass	17000



1.18 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	10.604	-71.17	-13	Pass	2985
30	1000	0.1	RMS	809.395	-61.96	-13	Pass	9699
1000	3000	1	RMS	1751.376	16.27	-13	N/A	2000
3000	20000	1	RMS	19799.675	-34.37	-13	Pass	17000



WCDMA_Band5


1.19 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.82	-13	Pass	2985
30	500	0.1	Peak	476.195	-53.21	-13	Pass	4700
500	1000	0.1	Peak	825.465	18.65	-13	N/A	5000
1000	10000	1	Peak	8773.949	-31.95	-13	Pass	9000




1.20 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.64	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.11	-13	Pass	2985
30	500	0.1	Peak	361.871	-52.71	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.07	-13	N/A	5000
1000	10000	1	Peak	7713.82	-32.38	-13	Pass	9000



1.21 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.26	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.21	-13	Pass	2985
30	500	0.1	Peak	480.596	-53.2	-13	Pass	4700
500	1000	0.1	Peak	847.169	18.75	-13	N/A	5000
1000	10000	1	Peak	8842.957	-32.01	-13	Pass	9000



LTE_Band2


1.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-69.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.56	-13	Pass	2985
30	1000	0.1	Peak	929.006	-52.84	-13	Pass	9699
1000	1840	1	Peak	1723.862	-41.74	-13	Pass	840
1840	1920	1	Peak	1850.2	26.22	60	Pass	401
1920	3000	1	Peak	2962.966	-39.12	-13	Pass	1080
3000	12000	1	Peak	11800.753	-33.19	-13	Pass	9000
12000	20000	1	Peak	15153.394	-24.75	-13	Pass	8000




1.23 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.35	-13	Pass	401
0.15	30	0.01	Peak	0.31	-65.2	-13	Pass	2985
30	1000	0.1	Peak	926.603	-53.14	-13	Pass	9699
1000	1840	1	Peak	1674.803	-42.75	-13	Pass	840
1840	1920	1	Peak	1850.4	26.01	60	Pass	401
1920	3000	1	Peak	2945.95	-38.6	-13	Pass	1080
3000	12000	1	Peak	11323.162	-32.9	-13	Pass	9000
12000	20000	1	Peak	19449.931	-25.39	-13	Pass	8000




**1.24 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.67	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.3	-13	Pass	2985
30	1000	0.1	Peak	824.397	-53.66	-13	Pass	9699
1000	1840	1	Peak	1832.992	-42.22	-13	Pass	840
1840	1920	1	Peak	1879.6	26.5	60	Pass	401
1920	3000	1	Peak	2953.957	-39.03	-13	Pass	1080
3000	12000	1	Peak	3759.093	-32.15	-13	Pass	9000
12000	20000	1	Peak	19436.93	-25.51	-13	Pass	8000




1.25 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-69.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.96	-13	Pass	2985
30	1000	0.1	Peak	880.141	-53.41	-13	Pass	9699
1000	1840	1	Peak	1803.957	-42.38	-13	Pass	840
1840	1920	1	Peak	1879.6	26.55	60	Pass	401
1920	3000	1	Peak	2965.968	-38.27	-13	Pass	1080
3000	12000	1	Peak	3759.093	-32.01	-13	Pass	9000
12000	20000	1	Peak	19433.929	-25.14	-13	Pass	8000




**1.26 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.3	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.46	-13	Pass	2985
30	1000	0.1	Peak	773.191	-54.11	-13	Pass	9699
1000	1840	1	Peak	1838.999	-41.6	-13	Pass	840
1840	1920	1	Peak	1908.8	25.74	60	Pass	401
1920	3000	1	Peak	2854.866	-38.78	-13	Pass	1080
3000	12000	1	Peak	3817.1	-31.32	-13	Pass	9000
12000	20000	1	Peak	19036.88	-25.97	-13	Pass	8000




1.27 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-68.19	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.07	-13	Pass	2985
30	1000	0.1	Peak	677.779	-54.4	-13	Pass	9699
1000	1840	1	Peak	1595.709	-41.82	-13	Pass	840
1840	1920	1	Peak	1908.8	25.81	60	Pass	401
1920	3000	1	Peak	2965.968	-38.18	-13	Pass	1080
3000	12000	1	Peak	3818.1	-31.49	-13	Pass	9000
12000	20000	1	Peak	19412.927	-24.44	-13	Pass	8000




**1.28 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.56	-13	Pass	2985
30	1000	0.1	Peak	989.086	-53.53	-13	Pass	9699
1000	1840	1	Peak	1625.745	-42.04	-13	Pass	840
1840	1920	1	Peak	1850.2	26.18	60	Pass	401
1920	3000	1	Peak	2948.953	-38.65	-13	Pass	1080
3000	12000	1	Peak	11911.891	-33.04	-13	Pass	9000
12000	20000	1	Peak	19441.93	-25.19	-13	Pass	8000




**1.29 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.89	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.72	-13	Pass	2985
30	1000	0.1	Peak	466.553	-54.15	-13	Pass	9699
1000	1840	1	Peak	1719.857	-42.44	-13	Pass	840
1840	1920	1	Peak	1850.2	26.16	60	Pass	401
1920	3000	1	Peak	2913.92	-38.69	-13	Pass	1080
3000	12000	1	Peak	11638.553	-33.04	-13	Pass	9000
12000	20000	1	Peak	19442.93	-25.98	-13	Pass	8000




1.30 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.75	-13	Pass	2985
30	1000	0.1	Peak	623.372	-54.08	-13	Pass	9699
1000	1840	1	Peak	1770.918	-42.2	-13	Pass	840
1840	1920	1	Peak	1878.8	26.6	60	Pass	401
1920	3000	1	Peak	2947.952	-38.58	-13	Pass	1080
3000	12000	1	Peak	3757.092	-31.73	-13	Pass	9000
12000	20000	1	Peak	14702.338	-24.25	-13	Pass	8000




**1.31 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.17	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.12	-13	Pass	2985
30	1000	0.1	Peak	862.918	-54.18	-13	Pass	9699
1000	1840	1	Peak	1280.334	-42.57	-13	Pass	840
1840	1920	1	Peak	1878.8	26.28	60	Pass	401
1920	3000	1	Peak	2942.947	-37.95	-13	Pass	1080
3000	12000	1	Peak	11590.493	-32.65	-13	Pass	9000
12000	20000	1	Peak	19655.957	-25.83	-13	Pass	8000




1.32 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.2	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.3	-13	Pass	2985
30	1000	0.1	Peak	824.597	-53.35	-13	Pass	9699
1000	1840	1	Peak	1828.987	-42.77	-13	Pass	840
1840	1920	1	Peak	1907.2	25.75	60	Pass	401
1920	3000	1	Peak	2928.934	-38.72	-13	Pass	1080
3000	12000	1	Peak	3815.099	-31.36	-13	Pass	9000
12000	20000	1	Peak	15491.436	-25.71	-13	Pass	8000




1.33 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.38	-13	Pass	2985
30	1000	0.1	Peak	372.142	-53.85	-13	Pass	9699
1000	1840	1	Peak	1587.7	-41.39	-13	Pass	840
1840	1920	1	Peak	1907.2	25.75	60	Pass	401
1920	3000	1	Peak	2941.946	-38.6	-13	Pass	1080
3000	12000	1	Peak	3814.099	-31.54	-13	Pass	9000
12000	20000	1	Peak	15480.435	-25.08	-13	Pass	8000




**1.34 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.77	-13	Pass	401
0.15	30	0.01	Peak	0.4	-66.03	-13	Pass	2985
30	1000	0.1	Peak	838.599	-53.7	-13	Pass	9699
1000	1840	1	Peak	1734.875	-42.32	-13	Pass	840
1840	1920	1	Peak	1850.2	26.12	60	Pass	401
1920	3000	1	Peak	2917.924	-37.09	-13	Pass	1080
3000	12000	1	Peak	11792.743	-32.12	-13	Pass	9000
12000	20000	1	Peak	19457.932	-25.45	-13	Pass	8000




**1.35 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.42	-13	Pass	401
0.15	30	0.01	Peak	0.31	-66.06	-13	Pass	2985
30	1000	0.1	Peak	953.138	-53.57	-13	Pass	9699
1000	1840	1	Peak	1840	-41.95	-13	Pass	840
1840	1920	1	Peak	1850.2	26.14	60	Pass	401
1920	3000	1	Peak	2958.962	-38.18	-13	Pass	1080
3000	12000	1	Peak	11782.731	-33.23	-13	Pass	9000
12000	20000	1	Peak	15144.393	-25.53	-13	Pass	8000




**1.36 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.5	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.6	-13	Pass	2985
30	1000	0.1	Peak	776.091	-54.32	-13	Pass	9699
1000	1840	1	Peak	1793.945	-41.28	-13	Pass	840
1840	1920	1	Peak	1877.8	26.41	60	Pass	401
1920	3000	1	Peak	2939.944	-38.49	-13	Pass	1080
3000	12000	1	Peak	3756.092	-31.89	-13	Pass	9000
12000	20000	1	Peak	19449.931	-25.62	-13	Pass	8000




**1.37 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.56	-13	Pass	401
0.15	30	0.01	Peak	0.6	-64.63	-13	Pass	2985
30	1000	0.1	Peak	619.972	-53.97	-13	Pass	9699
1000	1840	1	Peak	1414.493	-41.87	-13	Pass	840
1840	1920	1	Peak	1877.8	26.3	60	Pass	401
1920	3000	1	Peak	2800.816	-39.15	-13	Pass	1080
3000	12000	1	Peak	3756.092	-32.49	-13	Pass	9000
12000	20000	1	Peak	15477.435	-25.34	-13	Pass	8000




1.38 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.61	-13	Pass	401
0.15	30	0.01	Peak	0.29	-65.76	-13	Pass	2985
30	1000	0.1	Peak	761.689	-53.9	-13	Pass	9699
1000	1840	1	Peak	1603.719	-41.89	-13	Pass	840
1840	1920	1	Peak	1905.4	25.85	60	Pass	401
1920	3000	1	Peak	2835.848	-38.81	-13	Pass	1080
3000	12000	1	Peak	3811.099	-31.62	-13	Pass	9000
12000	20000	1	Peak	15457.432	-25.44	-13	Pass	8000




**1.39 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-68.48	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.16	-13	Pass	2985
30	1000	0.1	Peak	958.445	-53.98	-13	Pass	9699
1000	1840	1	Peak	1554.66	-42.76	-13	Pass	840
1840	1920	1	Peak	1905.2	25.68	60	Pass	401
1920	3000	1	Peak	2932.938	-37.81	-13	Pass	1080
3000	12000	1	Peak	3811.099	-31.98	-13	Pass	9000
12000	20000	1	Peak	19448.931	-25.58	-13	Pass	8000




1.40 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.75	-13	Pass	401
0.15	30	0.01	Peak	0.33	-65.97	-13	Pass	2985
30	1000	0.1	Peak	848.6	-53.17	-13	Pass	9699
1000	1840	1	Peak	1832.992	-29.28	-13	Pass	840
1840	1920	1	Peak	1850.6	26.03	60	Pass	401
1920	3000	1	Peak	2959.963	-38.54	-13	Pass	1080
3000	12000	1	Peak	3701.086	-33	-13	Pass	9000
12000	20000	1	Peak	19451.931	-25.27	-13	Pass	8000




1.41 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.6	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.8	-13	Pass	2985
30	1000	0.1	Peak	755.689	-53.28	-13	Pass	9699
1000	1840	1	Peak	1832.992	-29.71	-13	Pass	840
1840	1920	1	Peak	1850.6	26.35	60	Pass	401
1920	3000	1	Peak	2951.956	-38.22	-13	Pass	1080
3000	12000	1	Peak	6950.482	-33.04	-13	Pass	9000
12000	20000	1	Peak	15150.394	-25.31	-13	Pass	8000




1.42 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-69.2	-13	Pass	401
0.15	30	0.01	Peak	0.66	-65.97	-13	Pass	2985
30	1000	0.1	Peak	497.557	-52.88	-13	Pass	9699
1000	1840	1	Peak	1703.838	-42.3	-13	Pass	840
1840	1920	1	Peak	1875.6	26.6	60	Pass	401
1920	3000	1	Peak	2939.944	-38.77	-13	Pass	1080
3000	12000	1	Peak	3751.092	-32	-13	Pass	9000
12000	20000	1	Peak	19657.957	-24.91	-13	Pass	8000




1.43 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.03	-13	Pass	401
0.15	30	0.01	Peak	0.17	-66.4	-13	Pass	2985
30	1000	0.1	Peak	922.798	-53.7	-13	Pass	9699
1000	1840	1	Peak	1754.899	-41.98	-13	Pass	840
1840	1920	1	Peak	1875.4	26.5	60	Pass	401
1920	3000	1	Peak	2955.959	-38.51	-13	Pass	1080
3000	12000	1	Peak	3751.092	-32.49	-13	Pass	9000
12000	20000	1	Peak	15152.394	-25.86	-13	Pass	8000




1.44 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.15	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.88	-13	Pass	2985
30	1000	0.1	Peak	991.589	-54.14	-13	Pass	9699
1000	1840	1	Peak	1638.76	-42.42	-13	Pass	840
1840	1920	1	Peak	1900.6	26.2	60	Pass	401
1920	3000	1	Peak	2835.848	-38.34	-13	Pass	1080
3000	12000	1	Peak	3801.098	-32.26	-13	Pass	9000
12000	20000	1	Peak	19432.929	-25.61	-13	Pass	8000




**1.45 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.85	-13	Pass	401
0.15	30	0.01	Peak	0.41	-64.88	-13	Pass	2985
30	1000	0.1	Peak	858.813	-54.2	-13	Pass	9699
1000	1840	1	Peak	1644.768	-42.19	-13	Pass	840
1840	1920	1	Peak	1900.6	26.03	60	Pass	401
1920	3000	1	Peak	2926.932	-38.83	-13	Pass	1080
3000	12000	1	Peak	3801.098	-32.71	-13	Pass	9000
12000	20000	1	Peak	15525.441	-25.39	-13	Pass	8000




**1.46 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.15	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.4	-13	Pass	2985
30	1000	0.1	Peak	840.799	-53.72	-13	Pass	9699
1000	1840	1	Peak	1836.996	-27.23	-13	Pass	840
1840	1920	1	Peak	1850.8	26.21	60	Pass	401
1920	3000	1	Peak	2965.968	-38.89	-13	Pass	1080
3000	12000	1	Peak	11795.747	-31.93	-13	Pass	9000
12000	20000	1	Peak	19992.999	-25.05	-13	Pass	8000




**1.47 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.86	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.71	-13	Pass	2985
30	1000	0.1	Peak	751.588	-53.77	-13	Pass	9699
1000	1840	1	Peak	1836.996	-27.76	-13	Pass	840
1840	1920	1	Peak	1850.8	26.37	60	Pass	401
1920	3000	1	Peak	2952.956	-38.16	-13	Pass	1080
3000	12000	1	Peak	11276.104	-32.85	-13	Pass	9000
12000	20000	1	Peak	19647.956	-24.55	-13	Pass	8000




1.48 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.79	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.72	-13	Pass	2985
30	1000	0.1	Peak	524.66	-53.24	-13	Pass	9699
1000	1840	1	Peak	1297.354	-42.7	-13	Pass	840
1840	1920	1	Peak	1873.4	26.84	60	Pass	401
1920	3000	1	Peak	2951.956	-38.42	-13	Pass	1080
3000	12000	1	Peak	11782.731	-32.83	-13	Pass	9000
12000	20000	1	Peak	19431.929	-25.19	-13	Pass	8000




1.49 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.79	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.26	-13	Pass	2985
30	1000	0.1	Peak	994.693	-53.47	-13	Pass	9699
1000	1840	1	Peak	1767.914	-42.13	-13	Pass	840
1840	1920	1	Peak	1873.2	26.5	60	Pass	401
1920	3000	1	Peak	2942.947	-39.11	-13	Pass	1080
3000	12000	1	Peak	3747.091	-32.07	-13	Pass	9000
12000	20000	1	Peak	15498.437	-24.82	-13	Pass	8000




**1.50 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.54	-64.77	-13	Pass	2985
30	1000	0.1	Peak	833.598	-53.65	-13	Pass	9699
1000	1840	1	Peak	1821.979	-42.13	-13	Pass	840
1840	1920	1	Peak	1895.8	26.29	60	Pass	401
1920	3000	1	Peak	2956.96	-38.9	-13	Pass	1080
3000	12000	1	Peak	11810.766	-32.2	-13	Pass	9000
12000	20000	1	Peak	15503.438	-25.8	-13	Pass	8000




1.51 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.29	-13	Pass	401
0.15	30	0.01	Peak	0.28	-65.89	-13	Pass	2985
30	1000	0.1	Peak	942.424	-54.45	-13	Pass	9699
1000	1840	1	Peak	1775.924	-41.76	-13	Pass	840
1840	1920	1	Peak	1895.8	26.04	60	Pass	401
1920	3000	1	Peak	2838.851	-38.91	-13	Pass	1080
3000	12000	1	Peak	11788.739	-31.64	-13	Pass	9000
12000	20000	1	Peak	15473.434	-25.03	-13	Pass	8000




1.52 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.09	-13	Pass	401
0.15	30	0.01	Peak	0.35	-64.64	-13	Pass	2985
30	1000	0.1	Peak	370.942	-53.59	-13	Pass	9699
1000	1840	1	Peak	1833.993	-31.26	-13	Pass	840
1840	1920	1	Peak	1851.2	26.12	60	Pass	401
1920	3000	1	Peak	2954.958	-38.95	-13	Pass	1080
3000	12000	1	Peak	11801.755	-32.28	-13	Pass	9000
12000	20000	1	Peak	15468.434	-25.1	-13	Pass	8000




**1.53 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.07	-13	Pass	2985
30	1000	0.1	Peak	661.877	-54.03	-13	Pass	9699
1000	1840	1	Peak	1832.992	-30.9	-13	Pass	840
1840	1920	1	Peak	1851	25.94	60	Pass	401
1920	3000	1	Peak	2837.85	-38.08	-13	Pass	1080
3000	12000	1	Peak	3702.086	-33.16	-13	Pass	9000
12000	20000	1	Peak	16062.508	-25.51	-13	Pass	8000




**1.54 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.36	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.42	-13	Pass	2985
30	1000	0.1	Peak	950.534	-53.62	-13	Pass	9699
1000	1840	1	Peak	1835.995	-27.51	-13	Pass	840
1840	1920	1	Peak	1871	26.6	60	Pass	401
1920	3000	1	Peak	2935.941	-38.69	-13	Pass	1080
3000	12000	1	Peak	3742.091	-32.42	-13	Pass	9000
12000	20000	1	Peak	19642.955	-25.39	-13	Pass	8000




**1.55 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.08	-13	Pass	2985
30	1000	0.1	Peak	812.596	-53.9	-13	Pass	9699
1000	1840	1	Peak	1835.995	-29.92	-13	Pass	840
1840	1920	1	Peak	1871	26.67	60	Pass	401
1920	3000	1	Peak	2959.963	-38.7	-13	Pass	1080
3000	12000	1	Peak	3742.091	-32.45	-13	Pass	9000
12000	20000	1	Peak	15491.436	-24.97	-13	Pass	8000




**1.56 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.034	-70.17	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.1	-13	Pass	2985
30	1000	0.1	Peak	404.346	-54.07	-13	Pass	9699
1000	1840	1	Peak	1776.925	-42.31	-13	Pass	840
1840	1920	1	Peak	1891	26.21	60	Pass	401
1920	3000	1	Peak	2957.961	-38.62	-13	Pass	1080
3000	12000	1	Peak	3782.095	-32.19	-13	Pass	9000
12000	20000	1	Peak	19418.927	-25.81	-13	Pass	8000



**1.57 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.71	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.4	-13	Pass	2985
30	1000	0.1	Peak	835.198	-53.06	-13	Pass	9699
1000	1840	1	Peak	1608.725	-42.06	-13	Pass	840
1840	1920	1	Peak	1891.2	26.01	60	Pass	401
1920	3000	1	Peak	1920	-34.56	-13	Pass	1080
3000	12000	1	Peak	11798.751	-32.41	-13	Pass	9000
12000	20000	1	Peak	15988.499	-25.64	-13	Pass	8000



LTE_Band4


1.58 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.44	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-53.38	-13	Pass	700
1700	1765	1	RMS	1710.238	22.49	60	Pass	401
1765	3000	1	RMS	2955.964	-49.87	-13	Pass	1235
3000	12000	1	RMS	11797.75	-43.84	-13	Pass	9000
12000	20000	1	RMS	15503.438	-36.43	-13	Pass	8000




1.59 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.59	-13	Pass	2985
30	1000	0.1	RMS	915.788	-64.33	-13	Pass	9699
1000	1700	1	RMS	1700	-53.43	-13	Pass	700
1700	1765	1	RMS	1710.238	21.5	60	Pass	401
1765	3000	1	RMS	2946.957	-49.83	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.71	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.53	-13	Pass	8000




**1.60 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.4	-72.44	-13	Pass	2985
30	1000	0.1	RMS	760.689	-64.35	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.66	-13	Pass	700
1700	1765	1	RMS	1732.013	22.39	60	Pass	401
1765	3000	1	RMS	2955.964	-49.89	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.78	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.51	-13	Pass	8000




1.61 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.89	-13	Pass	2985
30	1000	0.1	RMS	860.014	-64.24	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.68	-13	Pass	700
1700	1765	1	RMS	1732.013	21.29	60	Pass	401
1765	3000	1	RMS	2951.961	-49.77	-13	Pass	1235
3000	12000	1	RMS	11798.751	-43.86	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.42	-13	Pass	8000




**1.62 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	842.899	-64.3	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.72	-13	Pass	700
1700	1765	1	RMS	1753.788	22.48	60	Pass	401
1765	3000	1	RMS	2948.959	-49.87	-13	Pass	1235
3000	12000	1	RMS	11798.751	-43.69	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.43	-13	Pass	8000




**1.63 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.92	-13	Pass	2985
30	1000	0.1	RMS	847.5	-64.37	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.65	-13	Pass	700
1700	1765	1	RMS	1753.788	21.71	60	Pass	401
1765	3000	1	RMS	2949.959	-49.88	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.65	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.31	-13	Pass	8000




1.64 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.36	-13	Pass	2985
30	1000	0.1	RMS	985.481	-64.33	-13	Pass	9699
1000	1700	1	RMS	1700	-53.21	-13	Pass	700
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2956.965	-49.83	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.83	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.4	-13	Pass	8000




**1.65 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.7	-13	Pass	2985
30	1000	0.1	RMS	855.208	-64.21	-13	Pass	9699
1000	1700	1	RMS	1700	-53.47	-13	Pass	700
1700	1765	1	RMS	1710.238	21.58	60	Pass	401
1765	3000	1	RMS	2947.958	-49.89	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.85	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.46	-13	Pass	8000




**1.66 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	Pass	2985
30	1000	0.1	RMS	858.713	-64.26	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.63	-13	Pass	700
1700	1765	1	RMS	1731.2	22.47	60	Pass	401
1765	3000	1	RMS	2945.956	-49.87	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.7	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.41	-13	Pass	8000




**1.67 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.07	-13	Pass	2985
30	1000	0.1	RMS	944.727	-64.22	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.74	-13	Pass	700
1700	1765	1	RMS	1731.2	21.42	60	Pass	401
1765	3000	1	RMS	2942.954	-49.91	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.75	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.46	-13	Pass	8000




1.68 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.9	-13	Pass	2985
30	1000	0.1	RMS	835.198	-64.34	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.73	-13	Pass	700
1700	1765	1	RMS	1752.163	22.4	60	Pass	401
1765	3000	1	RMS	2944.955	-49.85	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.75	-13	Pass	9000
12000	20000	1	RMS	15502.438	-36.51	-13	Pass	8000




1.69 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.74	-13	Pass	2985
30	1000	0.1	RMS	863.219	-64.35	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.67	-13	Pass	700
1700	1765	1	RMS	1752.325	21.71	60	Pass	401
1765	3000	1	RMS	2952.962	-49.88	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.8	-13	Pass	9000
12000	20000	1	RMS	15494.437	-36.52	-13	Pass	8000




**1.70 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.03	-13	Pass	9699
1000	1700	1	RMS	1700	-52.49	-13	Pass	700
1700	1765	1	RMS	1710.4	22.39	60	Pass	401
1765	3000	1	RMS	2953.963	-49.89	-13	Pass	1235
3000	12000	1	RMS	11797.75	-43.76	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.47	-13	Pass	8000




**1.71 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.32	-13	Pass	9699
1000	1700	1	RMS	1700	-52.42	-13	Pass	700
1700	1765	1	RMS	1710.238	21.44	60	Pass	401
1765	3000	1	RMS	2956.965	-49.89	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.75	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.45	-13	Pass	8000




**1.72 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	1000	0.1	RMS	896.262	-64.3	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.67	-13	Pass	700
1700	1765	1	RMS	1730.388	22.34	60	Pass	401
1765	3000	1	RMS	2944.955	-49.8	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.82	-13	Pass	9000
12000	20000	1	RMS	15149.394	-36.5	-13	Pass	8000




**1.73 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	836.798	-64.38	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.68	-13	Pass	700
1700	1765	1	RMS	1730.388	21.39	60	Pass	401
1765	3000	1	RMS	2942.954	-49.83	-13	Pass	1235
3000	12000	1	RMS	11802.756	-43.7	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.52	-13	Pass	8000




**1.74 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.31	-72.2	-13	Pass	2985
30	1000	0.1	RMS	899.767	-64.37	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.65	-13	Pass	700
1700	1765	1	RMS	1750.375	22.43	60	Pass	401
1765	3000	1	RMS	2947.958	-49.92	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.77	-13	Pass	9000
12000	20000	1	RMS	15150.394	-36.45	-13	Pass	8000




**1.75 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2985
30	1000	0.1	RMS	861.016	-64.27	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.6	-13	Pass	700
1700	1765	1	RMS	1750.375	21.53	60	Pass	401
1765	3000	1	RMS	2949.959	-49.76	-13	Pass	1235
3000	12000	1	RMS	11801.755	-43.79	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.47	-13	Pass	8000




1.76 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	1000	0.1	RMS	854.107	-64.19	-13	Pass	9699
1000	1700	1	RMS	1692.99	-42.37	-13	Pass	700
1700	1765	1	RMS	1710.563	22.6	60	Pass	401
1765	3000	1	RMS	2951.961	-49.9	-13	Pass	1235
3000	12000	1	RMS	11801.755	-43.75	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.36	-13	Pass	8000




1.77 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	865.021	-64.17	-13	Pass	9699
1000	1700	1	RMS	1692.99	-44.47	-13	Pass	700
1700	1765	1	RMS	1710.563	21.79	60	Pass	401
1765	3000	1	RMS	2956.965	-49.76	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.69	-13	Pass	9000
12000	20000	1	RMS	15495.437	-36.52	-13	Pass	8000




1.78 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.9	-13	Pass	2985
30	1000	0.1	RMS	840.499	-64.22	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.67	-13	Pass	700
1700	1765	1	RMS	1728.113	22.58	60	Pass	401
1765	3000	1	RMS	2954.964	-49.91	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.79	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.28	-13	Pass	8000




**1.79 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	Pass	2985
30	1000	0.1	RMS	881.943	-64.14	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.59	-13	Pass	700
1700	1765	1	RMS	1728.113	21.51	60	Pass	401
1765	3000	1	RMS	2949.959	-49.77	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.68	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.52	-13	Pass	8000




**1.80 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.09	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.55	-13	Pass	700
1700	1765	1	RMS	1745.5	22.52	60	Pass	401
1765	3000	1	RMS	2947.958	-49.88	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.73	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.43	-13	Pass	8000




**1.81 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2985
30	1000	0.1	RMS	819.896	-64.39	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.67	-13	Pass	700
1700	1765	1	RMS	1745.663	21.49	60	Pass	401
1765	3000	1	RMS	2952.962	-49.88	-13	Pass	1235
3000	12000	1	RMS	11797.75	-43.77	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.48	-13	Pass	8000




1.82 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-13	Pass	2985
30	1000	0.1	RMS	933.912	-64.11	-13	Pass	9699
1000	1700	1	RMS	1696.996	-37.61	-13	Pass	700
1700	1765	1	RMS	1710.888	22.69	60	Pass	401
1765	3000	1	RMS	2950.96	-49.82	-13	Pass	1235
3000	12000	1	RMS	11792.743	-43.77	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.48	-13	Pass	8000




**1.83 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.07	-13	Pass	2985
30	1000	0.1	RMS	685.38	-64.45	-13	Pass	9699
1000	1700	1	RMS	1697.997	-39.14	-13	Pass	700
1700	1765	1	RMS	1710.888	21.64	60	Pass	401
1765	3000	1	RMS	2946.957	-49.78	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.84	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.43	-13	Pass	8000




1.84 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.8	-13	Pass	2985
30	1000	0.1	RMS	838.399	-64.31	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.15	-13	Pass	700
1700	1765	1	RMS	1725.838	22.65	60	Pass	401
1765	3000	1	RMS	2947.958	-49.81	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.74	-13	Pass	9000
12000	20000	1	RMS	15504.438	-36.47	-13	Pass	8000




**1.85 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	Pass	2985
30	1000	0.1	RMS	848.5	-64.22	-13	Pass	9699
1000	1700	1	RMS	1698.999	-44.71	-13	Pass	700
1700	1765	1	RMS	1725.838	21.57	60	Pass	401
1765	3000	1	RMS	2953.963	-49.84	-13	Pass	1235
3000	12000	1	RMS	11795.747	-43.82	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.43	-13	Pass	8000




**1.86 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	1000	0.1	RMS	978.872	-64.29	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.62	-13	Pass	700
1700	1765	1	RMS	1740.788	22.65	60	Pass	401
1765	3000	1	RMS	1767.002	-35.53	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.83	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.36	-13	Pass	8000




**1.87 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-13	Pass	2985
30	1000	0.1	RMS	840.599	-64.03	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.73	-13	Pass	700
1700	1765	1	RMS	1740.95	21.64	60	Pass	401
1765	3000	1	RMS	1768.002	-36.81	-13	Pass	1235
3000	12000	1	RMS	11798.751	-43.77	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.25	-13	Pass	8000




1.88 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2985
30	1000	0.1	RMS	843.299	-64.26	-13	Pass	9699
1000	1700	1	RMS	1692.99	-38.06	-13	Pass	700
1700	1765	1	RMS	1711.05	22.76	60	Pass	401
1765	3000	1	RMS	2948.959	-49.83	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.79	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.45	-13	Pass	8000




**1.89 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	878.539	-64.39	-13	Pass	9699
1000	1700	1	RMS	1692.99	-39.87	-13	Pass	700
1700	1765	1	RMS	1711.05	21.77	60	Pass	401
1765	3000	1	RMS	2964.972	-49.87	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.74	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.42	-13	Pass	8000




**1.90 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	836.598	-64.47	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.06	-13	Pass	700
1700	1765	1	RMS	1723.563	22.66	60	Pass	401
1765	3000	1	RMS	2950.96	-49.86	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.64	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.5	-13	Pass	8000




**1.91 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	Pass	2985
30	1000	0.1	RMS	844.399	-64.43	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.65	-13	Pass	700
1700	1765	1	RMS	1723.563	21.56	60	Pass	401
1765	3000	1	RMS	2949.959	-49.9	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.83	-13	Pass	9000
12000	20000	1	RMS	15502.438	-36.34	-13	Pass	8000




**1.92 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.18	-13	Pass	2985
30	1000	0.1	RMS	848.3	-64.3	-13	Pass	9699
1000	1700	1	RMS	1700	-43.95	-13	Pass	700
1700	1765	1	RMS	1736.075	22.77	60	Pass	401
1765	3000	1	RMS	1772.006	-36.9	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.74	-13	Pass	9000
12000	20000	1	RMS	15149.394	-36.51	-13	Pass	8000



**1.93 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.46	-13	Pass	2985
30	1000	0.1	RMS	828.597	-64.23	-13	Pass	9699
1000	1700	1	RMS	1700	-45.95	-13	Pass	700
1700	1765	1	RMS	1736.075	21.43	60	Pass	401
1765	3000	1	RMS	1772.006	-38.83	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.87	-13	Pass	9000
12000	20000	1	RMS	15149.394	-36.42	-13	Pass	8000



LTE_Band5


1.94 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.11	-13	Pass	401
0.15	30	0.01	Peak	1.21	-63.56	-13	Pass	2985
30	814	0.1	Peak	502.26	-52.63	-13	Pass	7840
814	860	0.1	Peak	824.322	24.16	60	Pass	460
860	1000	0.1	Peak	868.906	-53.3	-13	Pass	1400
1000	3000	1	Peak	2874.937	-37.03	-13	Pass	2000
3000	10000	1	Peak	7957.708	-31.33	-13	Pass	7000




1.95 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.9	-13	Pass	401
0.15	30	0.01	Peak	0.51	-63.77	-13	Pass	2985
30	814	0.1	Peak	406.248	-52.51	-13	Pass	7840
814	860	0.1	Peak	824.322	24.9	60	Pass	460
860	1000	0.1	Peak	878.713	-52.59	-13	Pass	1400
1000	3000	1	Peak	2936.968	-37.65	-13	Pass	2000
3000	10000	1	Peak	8208.744	-32.06	-13	Pass	7000




**1.96 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.95	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.31	-13	Pass	2985
30	814	0.1	Peak	622.576	-52.68	-13	Pass	7840
814	860	0.1	Peak	836.048	23.81	60	Pass	460
860	1000	0.1	Peak	971.079	-52	-13	Pass	1400
1000	3000	1	Peak	2944.972	-37.23	-13	Pass	2000
3000	10000	1	Peak	8003.715	-32.19	-13	Pass	7000




**1.97 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.25	-13	Pass	2985
30	814	0.1	Peak	793.597	-52.31	-13	Pass	7840
814	860	0.1	Peak	836.048	24.4	60	Pass	460
860	1000	0.1	Peak	860	-52.71	-13	Pass	1400
1000	3000	1	Peak	2870.935	-37.24	-13	Pass	2000
3000	10000	1	Peak	8767.824	-32.51	-13	Pass	7000




**1.98 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-67.91	-13	Pass	401
0.15	30	0.01	Peak	0.75	-64.5	-13	Pass	2985
30	814	0.1	Peak	532.164	-52.2	-13	Pass	7840
814	860	0.1	Peak	847.874	23.69	60	Pass	460
860	1000	0.1	Peak	922.144	-53.22	-13	Pass	1400
1000	3000	1	Peak	2823.912	-37.53	-13	Pass	2000
3000	10000	1	Peak	7271.61	-32.5	-13	Pass	7000




**1.99 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.56	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.03	-13	Pass	2985
30	814	0.1	Peak	741.891	-52.31	-13	Pass	7840
814	860	0.1	Peak	847.874	24.77	60	Pass	460
860	1000	0.1	Peak	993.996	-53.06	-13	Pass	1400
1000	3000	1	Peak	2784.892	-37.31	-13	Pass	2000
3000	10000	1	Peak	8293.756	-31.61	-13	Pass	7000




**1.100 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.46	-13	Pass	401
0.15	30	0.01	Peak	3.051	-64.18	-13	Pass	2985
30	814	0.1	Peak	714.787	-52.71	-13	Pass	7840
814	860	0.1	Peak	824.222	24.52	60	Pass	460
860	1000	0.1	Peak	907.134	-52.87	-13	Pass	1400
1000	3000	1	Peak	2843.922	-37.55	-13	Pass	2000
3000	10000	1	Peak	7152.593	-32.27	-13	Pass	7000




**1.101 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.13	-13	Pass	2985
30	814	0.1	Peak	802.899	-52.45	-13	Pass	7840
814	860	0.1	Peak	824.222	24.25	60	Pass	460
860	1000	0.1	Peak	886.719	-52.83	-13	Pass	1400
1000	3000	1	Peak	2907.954	-37.16	-13	Pass	2000
3000	10000	1	Peak	8794.828	-32.43	-13	Pass	7000




**1.102 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.21	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.86	-13	Pass	2985
30	814	0.1	Peak	472.456	-52.63	-13	Pass	7840
814	860	0.1	Peak	835.246	24.4	60	Pass	460
860	1000	0.1	Peak	908.134	-52.12	-13	Pass	1400
1000	3000	1	Peak	2848.924	-37.62	-13	Pass	2000
3000	10000	1	Peak	8997.857	-32.04	-13	Pass	7000




**1.103 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.67	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.94	-13	Pass	2985
30	814	0.1	Peak	552.367	-52.49	-13	Pass	7840
814	860	0.1	Peak	835.246	24.72	60	Pass	460
860	1000	0.1	Peak	889.021	-52.82	-13	Pass	1400
1000	3000	1	Peak	2883.942	-37.51	-13	Pass	2000
3000	10000	1	Peak	8028.718	-32.53	-13	Pass	7000




**1.104 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.85	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.36	-13	Pass	2985
30	814	0.1	Peak	729.289	-52.41	-13	Pass	7840
814	860	0.1	Peak	846.27	23.94	60	Pass	460
860	1000	0.1	Peak	882.816	-52.35	-13	Pass	1400
1000	3000	1	Peak	2840.92	-37.45	-13	Pass	2000
3000	10000	1	Peak	7983.712	-32.73	-13	Pass	7000




**1.105 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.93	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.41	-13	Pass	2985
30	814	0.1	Peak	793.197	-52.17	-13	Pass	7840
814	860	0.1	Peak	846.27	24.46	60	Pass	460
860	1000	0.1	Peak	909.035	-51.77	-13	Pass	1400
1000	3000	1	Peak	2810.905	-37.46	-13	Pass	2000
3000	10000	1	Peak	8265.752	-32.12	-13	Pass	7000




**1.106 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-67.98	-13	Pass	401
0.15	30	0.01	Peak	0.31	-63.05	-13	Pass	2985
30	814	0.1	Peak	494.459	-53.31	-13	Pass	7840
814	860	0.1	Peak	824.322	24.54	60	Pass	460
860	1000	0.1	Peak	867.305	-51.9	-13	Pass	1400
1000	3000	1	Peak	2927.964	-37.74	-13	Pass	2000
3000	10000	1	Peak	8640.806	-32.43	-13	Pass	7000




**1.107 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.24	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.49	-13	Pass	2985
30	814	0.1	Peak	726.889	-52.89	-13	Pass	7840
814	860	0.1	Peak	824.322	24.11	60	Pass	460
860	1000	0.1	Peak	870.307	-53.4	-13	Pass	1400
1000	3000	1	Peak	2964.982	-37.5	-13	Pass	2000
3000	10000	1	Peak	7303.615	-32.57	-13	Pass	7000




**1.108 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.31	-13	Pass	401
0.15	30	0.01	Peak	0.33	-62.81	-13	Pass	2985
30	814	0.1	Peak	508.161	-51.27	-13	Pass	7840
814	860	0.1	Peak	834.344	25.03	60	Pass	460
860	1000	0.1	Peak	860.1	-50.68	-13	Pass	1400
1000	3000	1	Peak	2859.93	-37.35	-13	Pass	2000
3000	10000	1	Peak	8567.795	-32.13	-13	Pass	7000




**1.109 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.88	-13	Pass	401
0.15	30	0.01	Peak	0.59	-64.46	-13	Pass	2985
30	814	0.1	Peak	750.992	-51.55	-13	Pass	7840
814	860	0.1	Peak	834.344	24.94	60	Pass	460
860	1000	0.1	Peak	860.3	-50.11	-13	Pass	1400
1000	3000	1	Peak	3000	-37.2	-13	Pass	2000
3000	10000	1	Peak	7941.706	-32.29	-13	Pass	7000




**1.110 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.26	-61.15	-13	Pass	2985
30	814	0.1	Peak	770.394	-52.4	-13	Pass	7840
814	860	0.1	Peak	844.266	24.39	60	Pass	460
860	1000	0.1	Peak	981.787	-52.94	-13	Pass	1400
1000	3000	1	Peak	2657.829	-37.86	-13	Pass	2000
3000	10000	1	Peak	8599.8	-32.34	-13	Pass	7000




**1.111 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.27	-13	Pass	401
0.15	30	0.01	Peak	0.24	-62.8	-13	Pass	2985
30	814	0.1	Peak	794.598	-52.56	-13	Pass	7840
814	860	0.1	Peak	844.366	24.08	60	Pass	460
860	1000	0.1	Peak	915.44	-52.99	-13	Pass	1400
1000	3000	1	Peak	2926.963	-37.65	-13	Pass	2000
3000	10000	1	Peak	8779.826	-31.94	-13	Pass	7000




**1.112 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.57	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.48	-13	Pass	2985
30	814	0.1	Peak	496.459	-52.86	-13	Pass	7840
814	860	0.1	Peak	824.523	24.18	60	Pass	460
860	1000	0.1	Peak	888.42	-52.04	-13	Pass	1400
1000	3000	1	Peak	2845.923	-37.37	-13	Pass	2000
3000	10000	1	Peak	7062.58	-32.49	-13	Pass	7000




**1.113 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.79	-13	Pass	401
0.15	30	0.01	Peak	5.112	-64.34	-13	Pass	2985
30	814	0.1	Peak	796.798	-52.2	-13	Pass	7840
814	860	0.1	Peak	824.623	24.62	60	Pass	460
860	1000	0.1	Peak	919.843	-52.72	-13	Pass	1400
1000	3000	1	Peak	2740.87	-37.5	-13	Pass	2000
3000	10000	1	Peak	9828.976	-32.55	-13	Pass	7000




**1.114 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.13	-13	Pass	401
0.15	30	0.01	Peak	6.202	-64.72	-13	Pass	2985
30	814	0.1	Peak	715.587	-51.67	-13	Pass	7840
814	860	0.1	Peak	832.039	23.95	60	Pass	460
860	1000	0.1	Peak	887.119	-53.24	-13	Pass	1400
1000	3000	1	Peak	2850.925	-37.48	-13	Pass	2000
3000	10000	1	Peak	7099.586	-32.24	-13	Pass	7000




**1.115 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.68	-13	Pass	2985
30	814	0.1	Peak	536.865	-52.61	-13	Pass	7840
814	860	0.1	Peak	832.039	24.36	60	Pass	460
860	1000	0.1	Peak	907.634	-53.53	-13	Pass	1400
1000	3000	1	Peak	2947.974	-37.83	-13	Pass	2000
3000	10000	1	Peak	8019.717	-32.01	-13	Pass	7000




**1.116 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.81	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.11	-13	Pass	2985
30	814	0.1	Peak	608.874	-52.72	-13	Pass	7840
814	860	0.1	Peak	839.556	24.07	60	Pass	460
860	1000	0.1	Peak	860.1	-47.38	-13	Pass	1400
1000	3000	1	Peak	2835.918	-37.26	-13	Pass	2000
3000	10000	1	Peak	8792.828	-32.35	-13	Pass	7000



**1.117 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-68.11	-13	Pass	401
0.15	30	0.01	Peak	19.967	-64.97	-13	Pass	2985
30	814	0.1	Peak	548.766	-52.39	-13	Pass	7840
814	860	0.1	Peak	839.556	24.83	60	Pass	460
860	1000	0.1	Peak	987.491	-52.51	-13	Pass	1400
1000	3000	1	Peak	2973.987	-37.15	-13	Pass	2000
3000	10000	1	Peak	9328.904	-31.92	-13	Pass	7000



LTE_Band7


1.118 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-25	Pass	2985
30	1000	0.1	RMS	988.885	-63.07	-25	Pass	9699
1000	2490	1	RMS	2490	-50.48	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.65	60	Pass	401
2580	3000	1	RMS	2846.635	-48.74	-25	Pass	420
3000	12000	1	RMS	11863.831	-43.34	-25	Pass	9000
12000	26500	1	RMS	25895.904	-28.93	-25	Pass	14500




**1.119 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.94	-25	Pass	2985
30	1000	0.1	RMS	493.657	-63.09	-25	Pass	9699
1000	2490	1	RMS	2490	-50.24	-25	Pass	1490
2490	2580	1	RMS	2500.35	19.65	60	Pass	401
2580	3000	1	RMS	2847.637	-48.82	-25	Pass	420
3000	12000	1	RMS	11786.736	-43.3	-25	Pass	9000
12000	26500	1	RMS	25901.905	-28.88	-25	Pass	14500




**1.120 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-25	Pass	2985
30	1000	0.1	RMS	893.959	-62.67	-25	Pass	9699
1000	2490	1	RMS	2490	-50.96	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.11	60	Pass	401
2580	3000	1	RMS	2849.642	-48.78	-25	Pass	420
3000	12000	1	RMS	11737.675	-43.3	-25	Pass	9000
12000	26500	1	RMS	25884.902	-29	-25	Pass	14500




**1.121 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.3	-25	Pass	401
0.15	30	0.01	RMS	1.41	-71.36	-25	Pass	2985
30	1000	0.1	RMS	906.876	-63.1	-25	Pass	9699
1000	2490	1	RMS	2490	-50.88	-25	Pass	1490
2490	2580	1	RMS	2532.75	20.34	60	Pass	401
2580	3000	1	RMS	2849.642	-48.84	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.3	-25	Pass	9000
12000	26500	1	RMS	25913.907	-29.04	-25	Pass	14500




**1.122 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.7	-25	Pass	2985
30	1000	0.1	RMS	872.03	-62.86	-25	Pass	9699
1000	2490	1	RMS	2483.996	-51.05	-25	Pass	1490
2490	2580	1	RMS	2565.375	20.9	60	Pass	401
2580	3000	1	RMS	2851.647	-48.81	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.22	-25	Pass	9000
12000	26500	1	RMS	25875.901	-28.97	-25	Pass	14500




**1.123 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.61	-25	Pass	2985
30	1000	0.1	RMS	884.246	-62.89	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.96	-25	Pass	1490
2490	2580	1	RMS	2565.375	20.01	60	Pass	401
2580	3000	1	RMS	2849.642	-48.83	-25	Pass	420
3000	12000	1	RMS	11871.841	-43.36	-25	Pass	9000
12000	26500	1	RMS	25894.904	-28.98	-25	Pass	14500




**1.124 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.4	-25	Pass	2985
30	1000	0.1	RMS	982.276	-62.57	-25	Pass	9699
1000	2490	1	RMS	2482.995	-49.09	-25	Pass	1490
2490	2580	1	RMS	2500.575	20.8	60	Pass	401
2580	3000	1	RMS	2853.652	-48.8	-25	Pass	420
3000	12000	1	RMS	11771.717	-43.2	-25	Pass	9000
12000	26500	1	RMS	25891.904	-28.9	-25	Pass	14500




**1.125 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.99	-25	Pass	2985
30	1000	0.1	RMS	876.136	-62.82	-25	Pass	9699
1000	2490	1	RMS	2482.995	-49.73	-25	Pass	1490
2490	2580	1	RMS	2500.575	19.85	60	Pass	401
2580	3000	1	RMS	2851.647	-48.74	-25	Pass	420
3000	12000	1	RMS	11791.742	-43.33	-25	Pass	9000
12000	26500	1	RMS	25890.903	-28.99	-25	Pass	14500




**1.126 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.64	-25	Pass	401
0.15	30	0.01	RMS	0.45	-71.01	-25	Pass	2985
30	1000	0.1	RMS	863.018	-63	-25	Pass	9699
1000	2490	1	RMS	2483.996	-50.99	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.21	60	Pass	401
2580	3000	1	RMS	2846.635	-48.77	-25	Pass	420
3000	12000	1	RMS	11899.876	-43.32	-25	Pass	9000
12000	26500	1	RMS	25905.906	-28.91	-25	Pass	14500




**1.127 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-25	Pass	2985
30	1000	0.1	RMS	914.086	-63.11	-25	Pass	9699
1000	2490	1	RMS	2490	-50.98	-25	Pass	1490
2490	2580	1	RMS	2530.5	20.25	60	Pass	401
2580	3000	1	RMS	2844.63	-48.88	-25	Pass	420
3000	12000	1	RMS	11850.815	-43.31	-25	Pass	9000
12000	26500	1	RMS	25896.904	-29.01	-25	Pass	14500




1.128 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.02	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.97	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.19	60	Pass	401
2580	3000	1	RMS	2846.635	-48.74	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.3	-25	Pass	9000
12000	26500	1	RMS	25903.906	-28.9	-25	Pass	14500




**1.129 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.45	-25	Pass	2985
30	1000	0.1	RMS	879.54	-63.16	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.03	-25	Pass	1490
2490	2580	1	RMS	2560.65	20.21	60	Pass	401
2580	3000	1	RMS	2845.632	-48.81	-25	Pass	420
3000	12000	1	RMS	11303.138	-43.19	-25	Pass	9000
12000	26500	1	RMS	25899.905	-28.94	-25	Pass	14500




1.130 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-25	Pass	2985
30	1000	0.1	RMS	862.718	-62.92	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.58	-25	Pass	1490
2490	2580	1	RMS	2500.8	20.88	60	Pass	401
2580	3000	1	RMS	2848.64	-48.8	-25	Pass	420
3000	12000	1	RMS	7763.581	-41.02	-25	Pass	9000
12000	26500	1	RMS	25899.905	-28.88	-25	Pass	14500




**1.131 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.48	-25	Pass	2985
30	1000	0.1	RMS	888.252	-62.84	-25	Pass	9699
1000	2490	1	RMS	2486.998	-42.31	-25	Pass	1490
2490	2580	1	RMS	2500.8	19.91	60	Pass	401
2580	3000	1	RMS	2846.635	-48.86	-25	Pass	420
3000	12000	1	RMS	11745.685	-43.32	-25	Pass	9000
12000	26500	1	RMS	25890.903	-29.02	-25	Pass	14500




**1.132 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.99	-25	Pass	2985
30	1000	0.1	RMS	864.721	-63.08	-25	Pass	9699
1000	2490	1	RMS	2490	-51.03	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.38	60	Pass	401
2580	3000	1	RMS	2852.649	-48.76	-25	Pass	420
3000	12000	1	RMS	11769.715	-43.24	-25	Pass	9000
12000	26500	1	RMS	25884.902	-29.06	-25	Pass	14500




**1.133 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.8	-25	Pass	2985
30	1000	0.1	RMS	862.818	-63.11	-25	Pass	9699
1000	2490	1	RMS	2481.995	-50.86	-25	Pass	1490
2490	2580	1	RMS	2528.25	20.25	60	Pass	401
2580	3000	1	RMS	2844.63	-48.81	-25	Pass	420
3000	12000	1	RMS	11757.7	-43.34	-25	Pass	9000
12000	26500	1	RMS	25903.906	-28.93	-25	Pass	14500




**1.134 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.01	-25	Pass	2985
30	1000	0.1	RMS	871.029	-62.99	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.89	-25	Pass	1490
2490	2580	1	RMS	2555.925	21.32	60	Pass	401
2580	3000	1	RMS	2582.005	-35.58	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.24	-25	Pass	9000
12000	26500	1	RMS	25899.905	-28.97	-25	Pass	14500




**1.135 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-25	Pass	2985
30	1000	0.1	RMS	920.194	-62.81	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51	-25	Pass	1490
2490	2580	1	RMS	2555.925	20.34	60	Pass	401
2580	3000	1	RMS	2582.005	-37.19	-25	Pass	420
3000	12000	1	RMS	11771.717	-43.24	-25	Pass	9000
12000	26500	1	RMS	25898.905	-28.91	-25	Pass	14500




**1.136 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.21	-25	Pass	2985
30	1000	0.1	RMS	914.286	-62.75	-25	Pass	9699
1000	2490	1	RMS	2478.993	-51.03	-25	Pass	1490
2490	2580	1	RMS	2578.875	-50.79	60	Pass	401
2580	3000	1	RMS	2846.635	-48.7	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.14	-25	Pass	9000
12000	26500	1	RMS	25897.905	-28.94	-25	Pass	14500




**1.137 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.16	-25	Pass	2985
30	1000	0.1	RMS	736.586	-63.06	-25	Pass	9699
1000	2490	1	RMS	2482.995	-45.49	-25	Pass	1490
2490	2580	1	RMS	2501.025	20	60	Pass	401
2580	3000	1	RMS	2838.616	-48.78	-25	Pass	420
3000	12000	1	RMS	11760.704	-43.32	-25	Pass	9000
12000	26500	1	RMS	25886.903	-29	-25	Pass	14500




1.138 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.4	-71.31	-25	Pass	2985
30	1000	0.1	RMS	893.859	-62.91	-25	Pass	9699
1000	2490	1	RMS	2490	-45.68	-25	Pass	1490
2490	2580	1	RMS	2526	21.52	60	Pass	401
2580	3000	1	RMS	2839.618	-48.79	-25	Pass	420
3000	12000	1	RMS	11761.705	-43.22	-25	Pass	9000
12000	26500	1	RMS	25895.904	-28.92	-25	Pass	14500




**1.139 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.52	-25	Pass	2985
30	1000	0.1	RMS	833.198	-63.11	-25	Pass	9699
1000	2490	1	RMS	2490	-47.94	-25	Pass	1490
2490	2580	1	RMS	2526	20.58	60	Pass	401
2580	3000	1	RMS	2848.64	-48.72	-25	Pass	420
3000	12000	1	RMS	11758.701	-43.26	-25	Pass	9000
12000	26500	1	RMS	25885.903	-28.98	-25	Pass	14500




**1.140 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.87	-25	Pass	2985
30	1000	0.1	RMS	862.117	-63	-25	Pass	9699
1000	2490	1	RMS	2480.994	-51.05	-25	Pass	1490
2490	2580	1	RMS	2551.2	21.37	60	Pass	401
2580	3000	1	RMS	2587.017	-36.27	-25	Pass	420
3000	12000	1	RMS	11775.722	-43.22	-25	Pass	9000
12000	26500	1	RMS	25905.906	-28.93	-25	Pass	14500



**1.141 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.38	-25	Pass	2985
30	1000	0.1	RMS	844.399	-62.74	-25	Pass	9699
1000	2490	1	RMS	2490	-51.03	-25	Pass	1490
2490	2580	1	RMS	2550.975	20.38	60	Pass	401
2580	3000	1	RMS	2587.017	-38.42	-25	Pass	420
3000	12000	1	RMS	11815.772	-43.22	-25	Pass	9000
12000	26500	1	RMS	25878.902	-28.97	-25	Pass	14500



END