


A.5 Spurious Emission at Antenna Terminals

GSM_GSM850


1.1 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -52.72 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.36 | -54.03 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 487.697 | -42.3 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 824.265 | 31.31 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 6780.706 | -21.86 | -13 | Pass | 9000 |




1.2 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -56.49 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -51.93 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 401.079 | -42.65 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 836.567 | 31.56 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 8833.956 | -21.51 | -13 | Pass | 9000 |



1.3 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -54.28 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -54.13 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 334.565 | -42.84 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 848.77 | 31.49 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 9350.196 | -21.92 | -13 | Pass | 9000 |



GSM_PCS


1.4 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -56.91 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.2 | -54.51 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 736.086 | -43.44 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1850.425 | 29.08 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 14182.365 | -21.39 | -13 | Pass | 17000 |




1.5 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -56.82 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.21 | -54.58 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 829.998 | -43.27 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1879.44 | 29.05 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 14201.367 | -21.1 | -13 | Pass | 17000 |



1.6 GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -56.72 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.2 | -54.72 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 889.353 | -42.75 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1909.455 | 19.56 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 14207.368 | -21.11 | -13 | Pass | 17000 |



EGPRS_GSM850


1.7 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -55.23 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -53.2 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 498.6 | -42.88 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 824.165 | 27.67 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 7768.826 | -21.27 | -13 | Pass | 9000 |




1.8 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -54.6 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.22 | -53.76 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 489.898 | -43.03 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 836.567 | 27.99 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 9983.98 | -22.19 | -13 | Pass | 9000 |



1.9 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -54.05 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.23 | -53.51 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 477.995 | -42.24 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 848.77 | 27.96 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 6978.73 | -21.62 | -13 | Pass | 9000 |



EGPRS_PCS


1.10 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -56.99 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.27 | -54.48 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 735.086 | -43.37 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1850.425 | 27.49 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 14197.367 | -21.02 | -13 | Pass | 17000 |




1.11 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -57.01 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -54.13 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 905.875 | -42.42 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1880.44 | 27.7 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 14217.369 | -21.51 | -13 | Pass | 17000 |



1.12 EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -57.59 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.26 | -54.54 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 908.178 | -43.27 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1909.455 | 15.89 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 14217.369 | -20.8 | -13 | Pass | 17000 |



WCDMA_Band2


1.13 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -64.9 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.22 | -64.06 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 788.893 | -52.2 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1851.426 | 22.3 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 19800.676 | -22.74 | -13 | Pass | 17000 |




1.14 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -65.85 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.19 | -62.7 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 902.17 | -52.16 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1878.439 | 22.16 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 19805.685 | -22.95 | -13 | Pass | 17000 |



1.15 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -65.82 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.26 | -63.44 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 898.565 | -51.4 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | Peak | 1906.453 | 22.35 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | Peak | 19796.67 | -23.3 | -13 | Pass | 17000 |



WCDMA_Band4


1.16 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -72.65 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -72.55 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 865.822 | -64.24 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | RMS | 1711.356 | 16.36 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | RMS | 19800.676 | -34.44 | -13 | Pass | 17000 |




1.17 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -73.39 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -72.37 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 854.006 | -64.26 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | RMS | 1731.366 | 16.26 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | RMS | 19800.676 | -34.3 | -13 | Pass | 17000 |



1.18 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -72.74 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 10.604 | -71.17 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 809.395 | -61.96 | -13 | Pass | 9699 |
| 1000 | 3000 | 1 | RMS | 1751.376 | 16.27 | -13 | N/A | 2000 |
| 3000 | 20000 | 1 | RMS | 19799.675 | -34.37 | -13 | Pass | 17000 |



WCDMA_Band5


1.19 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -65.43 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -63.82 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 476.195 | -53.21 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 825.465 | 18.65 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 8773.949 | -31.95 | -13 | Pass | 9000 |




1.20 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -64.64 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.21 | -64.11 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 361.871 | -52.71 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 837.067 | 18.07 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 7713.82 | -32.38 | -13 | Pass | 9000 |



1.21 WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -65.26 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -64.21 | -13 | Pass | 2985 |
| 30 | 500 | 0.1 | Peak | 480.596 | -53.2 | -13 | Pass | 4700 |
| 500 | 1000 | 0.1 | Peak | 847.169 | 18.75 | -13 | N/A | 5000 |
| 1000 | 10000 | 1 | Peak | 8842.957 | -32.01 | -13 | Pass | 9000 |



LTE_Band2


1.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -69.54 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -65.56 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 929.006 | -52.84 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1723.862 | -41.74 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.2 | 26.22 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2962.966 | -39.12 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11800.753 | -33.19 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15153.394 | -24.75 | -13 | Pass | 8000 |




1.23 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -69.35 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.31 | -65.2 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 926.603 | -53.14 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1674.803 | -42.75 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.4 | 26.01 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2945.95 | -38.6 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11323.162 | -32.9 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19449.931 | -25.39 | -13 | Pass | 8000 |




**1.24 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.67 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.22 | -65.3 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 824.397 | -53.66 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1832.992 | -42.22 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1879.6 | 26.5 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2953.957 | -39.03 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3759.093 | -32.15 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19436.93 | -25.51 | -13 | Pass | 8000 |




**1.25 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.019 | -69.69 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -64.96 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 880.141 | -53.41 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1803.957 | -42.38 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1879.6 | 26.55 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2965.968 | -38.27 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3759.093 | -32.01 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19433.929 | -25.14 | -13 | Pass | 8000 |




**1.26 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -69.3 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.18 | -65.46 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 773.191 | -54.11 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1838.999 | -41.6 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1908.8 | 25.74 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2854.866 | -38.78 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3817.1 | -31.32 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19036.88 | -25.97 | -13 | Pass | 8000 |




**1.27 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.017 | -68.19 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.19 | -65.07 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 677.779 | -54.4 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1595.709 | -41.82 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1908.8 | 25.81 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2965.968 | -38.18 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3818.1 | -31.49 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19412.927 | -24.44 | -13 | Pass | 8000 |




**1.28 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -66.19 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -65.56 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 989.086 | -53.53 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1625.745 | -42.04 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.2 | 26.18 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2948.953 | -38.65 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11911.891 | -33.04 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19441.93 | -25.19 | -13 | Pass | 8000 |




**1.29 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.89 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -65.72 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 466.553 | -54.15 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1719.857 | -42.44 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.2 | 26.16 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2913.92 | -38.69 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11638.553 | -33.04 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19442.93 | -25.98 | -13 | Pass | 8000 |




1.30 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -68.39 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.18 | -65.75 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 623.372 | -54.08 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1770.918 | -42.2 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1878.8 | 26.6 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2947.952 | -38.58 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3757.092 | -31.73 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 14702.338 | -24.25 | -13 | Pass | 8000 |




**1.31 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.17 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -65.12 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 862.918 | -54.18 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1280.334 | -42.57 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1878.8 | 26.28 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2942.947 | -37.95 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11590.493 | -32.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19655.957 | -25.83 | -13 | Pass | 8000 |




1.32 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -70.2 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.21 | -65.3 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 824.597 | -53.35 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1828.987 | -42.77 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1907.2 | 25.75 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2928.934 | -38.72 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3815.099 | -31.36 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15491.436 | -25.71 | -13 | Pass | 8000 |




1.33 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -69.08 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -66.38 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 372.142 | -53.85 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1587.7 | -41.39 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1907.2 | 25.75 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2941.946 | -38.6 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3814.099 | -31.54 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15480.435 | -25.08 | -13 | Pass | 8000 |




**1.34 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -68.77 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.4 | -66.03 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 838.599 | -53.7 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1734.875 | -42.32 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.2 | 26.12 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2917.924 | -37.09 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11792.743 | -32.12 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19457.932 | -25.45 | -13 | Pass | 8000 |




**1.35 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -68.42 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.31 | -66.06 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 953.138 | -53.57 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1840 | -41.95 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.2 | 26.14 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2958.962 | -38.18 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11782.731 | -33.23 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15144.393 | -25.53 | -13 | Pass | 8000 |




1.36 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.5 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.23 | -65.6 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 776.091 | -54.32 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1793.945 | -41.28 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1877.8 | 26.41 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2939.944 | -38.49 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3756.092 | -31.89 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19449.931 | -25.62 | -13 | Pass | 8000 |




**1.37 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -68.56 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.6 | -64.63 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 619.972 | -53.97 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1414.493 | -41.87 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1877.8 | 26.3 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2800.816 | -39.15 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3756.092 | -32.49 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15477.435 | -25.34 | -13 | Pass | 8000 |




1.38 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -67.61 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.29 | -65.76 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 761.689 | -53.9 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1603.719 | -41.89 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1905.4 | 25.85 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2835.848 | -38.81 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3811.099 | -31.62 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15457.432 | -25.44 | -13 | Pass | 8000 |




**1.39 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.016 | -68.48 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -64.16 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 958.445 | -53.98 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1554.66 | -42.76 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1905.2 | 25.68 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2932.938 | -37.81 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3811.099 | -31.98 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19448.931 | -25.58 | -13 | Pass | 8000 |




1.40 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -69.75 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.33 | -65.97 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 848.6 | -53.17 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1832.992 | -29.28 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.6 | 26.03 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2959.963 | -38.54 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3701.086 | -33 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19451.931 | -25.27 | -13 | Pass | 8000 |




**1.41 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -69.6 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -64.8 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 755.689 | -53.28 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1832.992 | -29.71 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.6 | 26.35 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2951.956 | -38.22 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 6950.482 | -33.04 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15150.394 | -25.31 | -13 | Pass | 8000 |




1.42 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.022 | -69.2 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.66 | -65.97 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 497.557 | -52.88 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1703.838 | -42.3 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1875.6 | 26.6 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2939.944 | -38.77 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3751.092 | -32 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19657.957 | -24.91 | -13 | Pass | 8000 |




1.43 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.03 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -66.4 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 922.798 | -53.7 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1754.899 | -41.98 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1875.4 | 26.5 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2955.959 | -38.51 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3751.092 | -32.49 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15152.394 | -25.86 | -13 | Pass | 8000 |




1.44 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -69.15 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.23 | -64.88 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 991.589 | -54.14 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1638.76 | -42.42 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1900.6 | 26.2 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2835.848 | -38.34 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3801.098 | -32.26 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19432.929 | -25.61 | -13 | Pass | 8000 |




**1.45 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -65.85 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.41 | -64.88 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 858.813 | -54.2 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1644.768 | -42.19 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1900.6 | 26.03 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2926.932 | -38.83 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3801.098 | -32.71 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15525.441 | -25.39 | -13 | Pass | 8000 |




1.46 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.15 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.19 | -65.4 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 840.799 | -53.72 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1836.996 | -27.23 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.8 | 26.21 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2965.968 | -38.89 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11795.747 | -31.93 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19992.999 | -25.05 | -13 | Pass | 8000 |




**1.47 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -68.86 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -65.71 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 751.588 | -53.77 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1836.996 | -27.76 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1850.8 | 26.37 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2952.956 | -38.16 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11276.104 | -32.85 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19647.956 | -24.55 | -13 | Pass | 8000 |




1.48 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.79 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.24 | -64.72 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 524.66 | -53.24 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1297.354 | -42.7 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1873.4 | 26.84 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2951.956 | -38.42 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11782.731 | -32.83 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19431.929 | -25.19 | -13 | Pass | 8000 |




1.49 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -66.79 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.22 | -64.26 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 994.693 | -53.47 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1767.914 | -42.13 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1873.2 | 26.5 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2942.947 | -39.11 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3747.091 | -32.07 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15498.437 | -24.82 | -13 | Pass | 8000 |




**1.50 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.39 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.54 | -64.77 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 833.598 | -53.65 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1821.979 | -42.13 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1895.8 | 26.29 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2956.96 | -38.9 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11810.766 | -32.2 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15503.438 | -25.8 | -13 | Pass | 8000 |




**1.51 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -69.29 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.28 | -65.89 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 942.424 | -54.45 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1775.924 | -41.76 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1895.8 | 26.04 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2838.851 | -38.91 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11788.739 | -31.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15473.434 | -25.03 | -13 | Pass | 8000 |




1.52 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -69.09 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.35 | -64.64 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 370.942 | -53.59 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1833.993 | -31.26 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1851.2 | 26.12 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2954.958 | -38.95 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11801.755 | -32.28 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15468.434 | -25.1 | -13 | Pass | 8000 |




1.53 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -67.63 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -65.07 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 661.877 | -54.03 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1832.992 | -30.9 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1851 | 25.94 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2837.85 | -38.08 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3702.086 | -33.16 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 16062.508 | -25.51 | -13 | Pass | 8000 |




1.54 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -70.36 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.22 | -64.42 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 950.534 | -53.62 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1835.995 | -27.51 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1871 | 26.6 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2935.941 | -38.69 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3742.091 | -32.42 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19642.955 | -25.39 | -13 | Pass | 8000 |




**1.55 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -67.78 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -65.08 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 812.596 | -53.9 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1835.995 | -29.92 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1871 | 26.67 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2959.963 | -38.7 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3742.091 | -32.45 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15491.436 | -24.97 | -13 | Pass | 8000 |




**1.56 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.034 | -70.17 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -65.1 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 404.346 | -54.07 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1776.925 | -42.31 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1891 | 26.21 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 2957.961 | -38.62 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 3782.095 | -32.19 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 19418.927 | -25.81 | -13 | Pass | 8000 |



**1.57 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -68.71 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -65.4 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | Peak | 835.198 | -53.06 | -13 | Pass | 9699 |
| 1000 | 1840 | 1 | Peak | 1608.725 | -42.06 | -13 | Pass | 840 |
| 1840 | 1920 | 1 | Peak | 1891.2 | 26.01 | 60 | Pass | 401 |
| 1920 | 3000 | 1 | Peak | 1920 | -34.56 | -13 | Pass | 1080 |
| 3000 | 12000 | 1 | Peak | 11798.751 | -32.41 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | Peak | 15988.499 | -25.64 | -13 | Pass | 8000 |



LTE_Band4


1.58 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -71.46 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.34 | -72.44 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 848.8 | -64.1 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -53.38 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.238 | 22.49 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2955.964 | -49.87 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11797.75 | -43.84 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15503.438 | -36.43 | -13 | Pass | 8000 |




1.59 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -71.83 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.27 | -71.59 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 915.788 | -64.33 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -53.43 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.238 | 21.5 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2946.957 | -49.83 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.71 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.53 | -13 | Pass | 8000 |




**1.60 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.016 | -73.02 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.4 | -72.44 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 760.689 | -64.35 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1695.994 | -53.66 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1732.013 | 22.39 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2955.964 | -49.89 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.78 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15497.437 | -36.51 | -13 | Pass | 8000 |




**1.61 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -73.02 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.25 | -72.89 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 860.014 | -64.24 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1695.994 | -53.68 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1732.013 | 21.29 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2951.961 | -49.77 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11798.751 | -43.86 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.42 | -13 | Pass | 8000 |




**1.62 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -73.42 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -72.3 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 842.899 | -64.3 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1697.997 | -53.72 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1753.788 | 22.48 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2948.959 | -49.87 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11798.751 | -43.69 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.43 | -13 | Pass | 8000 |




**1.63 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -73.36 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.25 | -72.92 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 847.5 | -64.37 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1691.989 | -53.65 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1753.788 | 21.71 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2949.959 | -49.88 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.65 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.31 | -13 | Pass | 8000 |




**1.64 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -72.3 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.22 | -72.36 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 985.481 | -64.33 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -53.21 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.238 | 22.53 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2956.965 | -49.83 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.83 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15497.437 | -36.4 | -13 | Pass | 8000 |




**1.65 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -72.86 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.34 | -71.7 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 855.208 | -64.21 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -53.47 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.238 | 21.58 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2947.958 | -49.89 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.85 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.46 | -13 | Pass | 8000 |




**1.66 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -73.12 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -72.15 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 858.713 | -64.26 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1691.989 | -53.63 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1731.2 | 22.47 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2945.956 | -49.87 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11796.748 | -43.7 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.41 | -13 | Pass | 8000 |




**1.67 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.023 | -73.17 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.28 | -72.07 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 944.727 | -64.22 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1688.984 | -53.74 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1731.2 | 21.42 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2942.954 | -49.91 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.75 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.46 | -13 | Pass | 8000 |




1.68 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.02 | -72.67 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.19 | -72.9 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 835.198 | -64.34 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1693.991 | -53.73 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1752.163 | 22.4 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2944.955 | -49.85 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.75 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15502.438 | -36.51 | -13 | Pass | 8000 |




**1.69 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -72.86 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.21 | -71.74 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 863.219 | -64.35 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1694.993 | -53.67 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1752.325 | 21.71 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2952.962 | -49.88 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.8 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15494.437 | -36.52 | -13 | Pass | 8000 |




**1.70 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -73.82 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -72.35 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 846.5 | -64.03 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -52.49 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.4 | 22.39 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2953.963 | -49.89 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11797.75 | -43.76 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.47 | -13 | Pass | 8000 |




**1.71 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -73.2 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -71.56 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 842.099 | -64.32 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -52.42 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.238 | 21.44 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2956.965 | -49.89 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.75 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.45 | -13 | Pass | 8000 |




**1.72 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -72.95 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -72.48 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 896.262 | -64.3 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1690.987 | -53.67 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1730.388 | 22.34 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2944.955 | -49.8 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.82 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15149.394 | -36.5 | -13 | Pass | 8000 |




**1.73 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -72.58 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -71.83 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 836.798 | -64.38 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1694.993 | -53.68 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1730.388 | 21.39 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2942.954 | -49.83 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11802.756 | -43.7 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.52 | -13 | Pass | 8000 |




**1.74 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -73.9 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.31 | -72.2 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 899.767 | -64.37 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1689.986 | -53.65 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1750.375 | 22.43 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2947.958 | -49.92 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11796.748 | -43.77 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15150.394 | -36.45 | -13 | Pass | 8000 |




**1.75 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -71.74 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -71.74 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 861.016 | -64.27 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1690.987 | -53.6 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1750.375 | 21.53 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2949.959 | -49.76 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11801.755 | -43.79 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15498.437 | -36.47 | -13 | Pass | 8000 |




1.76 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.015 | -74.55 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -72.29 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 854.107 | -64.19 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1692.99 | -42.37 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.563 | 22.6 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2951.961 | -49.9 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11801.755 | -43.75 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.36 | -13 | Pass | 8000 |




**1.77 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -72.21 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -72.23 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 865.021 | -64.17 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1692.99 | -44.47 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.563 | 21.79 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2956.965 | -49.76 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.69 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15495.437 | -36.52 | -13 | Pass | 8000 |




1.78 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -72.98 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.33 | -71.9 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 840.499 | -64.22 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1697.997 | -53.67 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1728.113 | 22.58 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2954.964 | -49.91 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.79 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.28 | -13 | Pass | 8000 |




1.79 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -73.2 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -72.65 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 881.943 | -64.14 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1689.986 | -53.59 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1728.113 | 21.51 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2949.959 | -49.77 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.68 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.52 | -13 | Pass | 8000 |




1.80 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -73.68 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -72.23 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 841.199 | -64.09 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1697.997 | -53.55 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1745.5 | 22.52 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2947.958 | -49.88 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.73 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.43 | -13 | Pass | 8000 |




1.81 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -74.17 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -71.32 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 819.896 | -64.39 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1696.996 | -53.67 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1745.663 | 21.49 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2952.962 | -49.88 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11797.75 | -43.77 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15498.437 | -36.48 | -13 | Pass | 8000 |




1.82 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -73.64 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.2 | -72.37 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 933.912 | -64.11 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1696.996 | -37.61 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.888 | 22.69 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2950.96 | -49.82 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11792.743 | -43.77 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15500.438 | -36.48 | -13 | Pass | 8000 |




**1.83 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -72.73 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.18 | -72.07 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 685.38 | -64.45 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1697.997 | -39.14 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1710.888 | 21.64 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2946.957 | -49.78 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11796.748 | -43.84 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.43 | -13 | Pass | 8000 |




1.84 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -73.9 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.27 | -71.8 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 838.399 | -64.31 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1698.999 | -42.15 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1725.838 | 22.65 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2947.958 | -49.81 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.74 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15504.438 | -36.47 | -13 | Pass | 8000 |




**1.85 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -72.99 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -72.32 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 848.5 | -64.22 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1698.999 | -44.71 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1725.838 | 21.57 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2953.963 | -49.84 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11795.747 | -43.82 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.43 | -13 | Pass | 8000 |




**1.86 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.015 | -72.23 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -71.25 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 978.872 | -64.29 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1689.986 | -53.62 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1740.788 | 22.65 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 1767.002 | -35.53 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11796.748 | -43.83 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.36 | -13 | Pass | 8000 |




**1.87 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -71.19 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.19 | -72.18 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 840.599 | -64.03 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1697.997 | -53.73 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1740.95 | 21.64 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 1768.002 | -36.81 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11798.751 | -43.77 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15498.437 | -36.25 | -13 | Pass | 8000 |




1.88 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -72.37 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -70.72 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 843.299 | -64.26 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1692.99 | -38.06 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1711.05 | 22.76 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2948.959 | -49.83 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.79 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15499.437 | -36.45 | -13 | Pass | 8000 |




**1.89 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -70.82 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -71.66 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 878.539 | -64.39 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1692.99 | -39.87 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1711.05 | 21.77 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2964.972 | -49.87 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.74 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.42 | -13 | Pass | 8000 |




**1.90 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -71.24 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -71.51 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 836.598 | -64.47 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1687.983 | -52.06 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1723.563 | 22.66 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2950.96 | -49.86 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.64 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15501.438 | -36.5 | -13 | Pass | 8000 |




**1.91 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -73.19 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -71.07 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 844.399 | -64.43 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1687.983 | -52.65 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1723.563 | 21.56 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 2949.959 | -49.9 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11799.752 | -43.83 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15502.438 | -36.34 | -13 | Pass | 8000 |




**1.92 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -70.65 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.34 | -72.18 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 848.3 | -64.3 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -43.95 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1736.075 | 22.77 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 1772.006 | -36.9 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11800.753 | -43.74 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15149.394 | -36.51 | -13 | Pass | 8000 |



**1.93 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -72.11 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.23 | -71.46 | -13 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 828.597 | -64.23 | -13 | Pass | 9699 |
| 1000 | 1700 | 1 | RMS | 1700 | -45.95 | -13 | Pass | 700 |
| 1700 | 1765 | 1 | RMS | 1736.075 | 21.43 | 60 | Pass | 401 |
| 1765 | 3000 | 1 | RMS | 1772.006 | -38.83 | -13 | Pass | 1235 |
| 3000 | 12000 | 1 | RMS | 11796.748 | -43.87 | -13 | Pass | 9000 |
| 12000 | 20000 | 1 | RMS | 15149.394 | -36.42 | -13 | Pass | 8000 |



LTE_Band5


1.94 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -67.11 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 1.21 | -63.56 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 502.26 | -52.63 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.322 | 24.16 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 868.906 | -53.3 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2874.937 | -37.03 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7957.708 | -31.33 | -13 | Pass | 7000 |




1.95 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.015 | -67.9 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.51 | -63.77 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 406.248 | -52.51 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.322 | 24.9 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 878.713 | -52.59 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2936.968 | -37.65 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8208.744 | -32.06 | -13 | Pass | 7000 |




**1.96 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -65.95 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.24 | -63.31 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 622.576 | -52.68 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 836.048 | 23.81 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 971.079 | -52 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2944.972 | -37.23 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8003.715 | -32.19 | -13 | Pass | 7000 |




**1.97 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -68.06 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -64.25 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 793.597 | -52.31 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 836.048 | 24.4 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 860 | -52.71 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2870.935 | -37.24 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8767.824 | -32.51 | -13 | Pass | 7000 |




**1.98 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.026 | -67.91 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.75 | -64.5 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 532.164 | -52.2 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 847.874 | 23.69 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 922.144 | -53.22 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2823.912 | -37.53 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7271.61 | -32.5 | -13 | Pass | 7000 |




**1.99 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -65.56 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.24 | -64.03 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 741.891 | -52.31 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 847.874 | 24.77 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 993.996 | -53.06 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2784.892 | -37.31 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8293.756 | -31.61 | -13 | Pass | 7000 |




**1.100 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -66.46 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 3.051 | -64.18 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 714.787 | -52.71 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.222 | 24.52 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 907.134 | -52.87 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2843.922 | -37.55 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7152.593 | -32.27 | -13 | Pass | 7000 |




**1.101 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.017 | -66.51 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -64.13 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 802.899 | -52.45 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.222 | 24.25 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 886.719 | -52.83 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2907.954 | -37.16 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8794.828 | -32.43 | -13 | Pass | 7000 |




**1.102 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -67.21 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -63.86 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 472.456 | -52.63 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 835.246 | 24.4 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 908.134 | -52.12 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2848.924 | -37.62 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8997.857 | -32.04 | -13 | Pass | 7000 |




**1.103 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -65.67 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -63.94 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 552.367 | -52.49 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 835.246 | 24.72 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 889.021 | -52.82 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2883.942 | -37.51 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8028.718 | -32.53 | -13 | Pass | 7000 |




**1.104 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -67.85 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.18 | -64.36 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 729.289 | -52.41 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 846.27 | 23.94 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 882.816 | -52.35 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2840.92 | -37.45 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7983.712 | -32.73 | -13 | Pass | 7000 |




**1.105 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -66.93 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -64.41 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 793.197 | -52.17 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 846.27 | 24.46 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 909.035 | -51.77 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2810.905 | -37.46 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8265.752 | -32.12 | -13 | Pass | 7000 |




**1.106 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.02 | -67.98 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.31 | -63.05 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 494.459 | -53.31 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.322 | 24.54 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 867.305 | -51.9 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2927.964 | -37.74 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8640.806 | -32.43 | -13 | Pass | 7000 |




**1.107 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -65.24 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.23 | -63.49 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 726.889 | -52.89 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.322 | 24.11 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 870.307 | -53.4 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2964.982 | -37.5 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7303.615 | -32.57 | -13 | Pass | 7000 |




**1.108 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -67.31 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.33 | -62.81 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 508.161 | -51.27 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 834.344 | 25.03 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 860.1 | -50.68 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2859.93 | -37.35 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8567.795 | -32.13 | -13 | Pass | 7000 |




**1.109 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.014 | -66.88 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.59 | -64.46 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 750.992 | -51.55 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 834.344 | 24.94 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 860.3 | -50.11 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 3000 | -37.2 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7941.706 | -32.29 | -13 | Pass | 7000 |




**1.110 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -66.97 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.26 | -61.15 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 770.394 | -52.4 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 844.266 | 24.39 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 981.787 | -52.94 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2657.829 | -37.86 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8599.8 | -32.34 | -13 | Pass | 7000 |




**1.111 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -66.27 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.24 | -62.8 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 794.598 | -52.56 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 844.366 | 24.08 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 915.44 | -52.99 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2926.963 | -37.65 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8779.826 | -31.94 | -13 | Pass | 7000 |




**1.112 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -67.57 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.39 | -64.48 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 496.459 | -52.86 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.523 | 24.18 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 888.42 | -52.04 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2845.923 | -37.37 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7062.58 | -32.49 | -13 | Pass | 7000 |




**1.113 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -65.79 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 5.112 | -64.34 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 796.798 | -52.2 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 824.623 | 24.62 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 919.843 | -52.72 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2740.87 | -37.5 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 9828.976 | -32.55 | -13 | Pass | 7000 |




**1.114 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -65.13 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 6.202 | -64.72 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 715.587 | -51.67 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 832.039 | 23.95 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 887.119 | -53.24 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2850.925 | -37.48 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 7099.586 | -32.24 | -13 | Pass | 7000 |




**1.115 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -67.86 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -64.68 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 536.865 | -52.61 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 832.039 | 24.36 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 907.634 | -53.53 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2947.974 | -37.83 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8019.717 | -32.01 | -13 | Pass | 7000 |




**1.116 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -63.81 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.38 | -64.11 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 608.874 | -52.72 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 839.556 | 24.07 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 860.1 | -47.38 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2835.918 | -37.26 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 8792.828 | -32.35 | -13 | Pass | 7000 |



**1.117 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.017 | -68.11 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 19.967 | -64.97 | -13 | Pass | 2985 |
| 30 | 814 | 0.1 | Peak | 548.766 | -52.39 | -13 | Pass | 7840 |
| 814 | 860 | 0.1 | Peak | 839.556 | 24.83 | 60 | Pass | 460 |
| 860 | 1000 | 0.1 | Peak | 987.491 | -52.51 | -13 | Pass | 1400 |
| 1000 | 3000 | 1 | Peak | 2973.987 | -37.15 | -13 | Pass | 2000 |
| 3000 | 10000 | 1 | Peak | 9328.904 | -31.92 | -13 | Pass | 7000 |



LTE_Band7


1.118 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -70.47 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -70.97 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 988.885 | -63.07 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -50.48 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2500.35 | 20.65 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2846.635 | -48.74 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11863.831 | -43.34 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25895.904 | -28.93 | -25 | Pass | 14500 |




**1.119 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -70.92 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.18 | -70.94 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 493.657 | -63.09 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -50.24 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2500.35 | 19.65 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2847.637 | -48.82 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11786.736 | -43.3 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25901.905 | -28.88 | -25 | Pass | 14500 |




**1.120 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -71.27 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -70.16 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 893.959 | -62.67 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -50.96 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2532.75 | 21.11 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2849.642 | -48.78 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11737.675 | -43.3 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25884.902 | -29 | -25 | Pass | 14500 |




**1.121 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -71.3 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 1.41 | -71.36 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 906.876 | -63.1 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -50.88 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2532.75 | 20.34 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2849.642 | -48.84 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11751.693 | -43.3 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25913.907 | -29.04 | -25 | Pass | 14500 |




**1.122 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -70.36 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.27 | -71.7 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 872.03 | -62.86 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2483.996 | -51.05 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2565.375 | 20.9 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2851.647 | -48.81 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11754.696 | -43.22 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25875.901 | -28.97 | -25 | Pass | 14500 |




**1.123 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -70.71 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.32 | -71.61 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 884.246 | -62.89 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2487.999 | -50.96 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2565.375 | 20.01 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2849.642 | -48.83 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11871.841 | -43.36 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25894.904 | -28.98 | -25 | Pass | 14500 |




**1.124 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -71.46 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.29 | -71.4 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 982.276 | -62.57 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2482.995 | -49.09 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2500.575 | 20.8 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2853.652 | -48.8 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11771.717 | -43.2 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25891.904 | -28.9 | -25 | Pass | 14500 |




**1.125 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -70.44 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.26 | -70.99 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 876.136 | -62.82 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2482.995 | -49.73 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2500.575 | 19.85 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2851.647 | -48.74 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11791.742 | -43.33 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25890.903 | -28.99 | -25 | Pass | 14500 |




**1.126 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -70.64 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.45 | -71.01 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 863.018 | -63 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2483.996 | -50.99 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2530.5 | 21.21 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2846.635 | -48.77 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11899.876 | -43.32 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25905.906 | -28.91 | -25 | Pass | 14500 |




**1.127 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -70.47 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.18 | -70.92 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 914.086 | -63.11 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -50.98 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2530.5 | 20.25 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2844.63 | -48.88 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11850.815 | -43.31 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25896.904 | -29.01 | -25 | Pass | 14500 |




1.128 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -70.05 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -71.27 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 599.87 | -63.02 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2488.999 | -50.97 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2560.65 | 21.19 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2846.635 | -48.74 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11754.696 | -43.3 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25903.906 | -28.9 | -25 | Pass | 14500 |




**1.129 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -70.54 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -70.45 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 879.54 | -63.16 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2484.997 | -51.03 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2560.65 | 20.21 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2845.632 | -48.81 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11303.138 | -43.19 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25899.905 | -28.94 | -25 | Pass | 14500 |




1.130 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -70.15 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -70.68 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 862.718 | -62.92 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2487.999 | -40.58 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2500.8 | 20.88 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2848.64 | -48.8 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 7763.581 | -41.02 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25899.905 | -28.88 | -25 | Pass | 14500 |




**1.131 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -71.33 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.2 | -71.48 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 888.252 | -62.84 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2486.998 | -42.31 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2500.8 | 19.91 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2846.635 | -48.86 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11745.685 | -43.32 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25890.903 | -29.02 | -25 | Pass | 14500 |




**1.132 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.015 | -71.44 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.22 | -70.99 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 864.721 | -63.08 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -51.03 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2528.25 | 21.38 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2852.649 | -48.76 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11769.715 | -43.24 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25884.902 | -29.06 | -25 | Pass | 14500 |




**1.133 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -71.48 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.19 | -70.8 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 862.818 | -63.11 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2481.995 | -50.86 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2528.25 | 20.25 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2844.63 | -48.81 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11757.7 | -43.34 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25903.906 | -28.93 | -25 | Pass | 14500 |




**1.134 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -70.51 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.32 | -71.01 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 871.029 | -62.99 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2486.998 | -50.89 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2555.925 | 21.32 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2582.005 | -35.58 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11754.696 | -43.24 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25899.905 | -28.97 | -25 | Pass | 14500 |




**1.135 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -70.48 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -71.38 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 920.194 | -62.81 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2487.999 | -51 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2555.925 | 20.34 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2582.005 | -37.19 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11771.717 | -43.24 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25898.905 | -28.91 | -25 | Pass | 14500 |




**1.136 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -70.14 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.18 | -70.21 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 914.286 | -62.75 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2478.993 | -51.03 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2578.875 | -50.79 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2846.635 | -48.7 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11756.699 | -43.14 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25897.905 | -28.94 | -25 | Pass | 14500 |




**1.137 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.016 | -71.21 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.25 | -71.16 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 736.586 | -63.06 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2482.995 | -45.49 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2501.025 | 20 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2838.616 | -48.78 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11760.704 | -43.32 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25886.903 | -29 | -25 | Pass | 14500 |




1.138 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -71.14 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.4 | -71.31 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 893.859 | -62.91 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -45.68 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2526 | 21.52 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2839.618 | -48.79 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11761.705 | -43.22 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25895.904 | -28.92 | -25 | Pass | 14500 |




**1.139 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -70.58 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.18 | -70.52 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 833.198 | -63.11 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -47.94 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2526 | 20.58 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2848.64 | -48.72 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11758.701 | -43.26 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25885.903 | -28.98 | -25 | Pass | 14500 |




**1.140 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -70.99 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.21 | -69.87 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 862.117 | -63 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2480.994 | -51.05 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2551.2 | 21.37 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2587.017 | -36.27 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11775.722 | -43.22 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25905.906 | -28.93 | -25 | Pass | 14500 |



**1.141 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -71.58 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.23 | -70.38 | -25 | Pass | 2985 |
| 30 | 1000 | 0.1 | RMS | 844.399 | -62.74 | -25 | Pass | 9699 |
| 1000 | 2490 | 1 | RMS | 2490 | -51.03 | -25 | Pass | 1490 |
| 2490 | 2580 | 1 | RMS | 2550.975 | 20.38 | 60 | Pass | 401 |
| 2580 | 3000 | 1 | RMS | 2587.017 | -38.42 | -25 | Pass | 420 |
| 3000 | 12000 | 1 | RMS | 11815.772 | -43.22 | -25 | Pass | 9000 |
| 12000 | 26500 | 1 | RMS | 25878.902 | -28.97 | -25 | Pass | 14500 |



END