

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:14 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 1: Transmit by 802.11b at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2461.240 | 87.258 | 56.648 | N/A | N/A | 30.611 | AV |
| 2 | | | 2483.500 | 45.566 | 14.893 | -8.434 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:18 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 72.678 | 41.994 | -1.322 | 74.000 | 30.684 | PK |
| 2 | | * | 2416.904 | 102.116 | 71.479 | N/A | N/A | 30.637 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:21 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 52.676 | 21.992 | -1.324 | 54.000 | 30.684 | AV |
| 2 | | * | 2415.672 | 88.376 | 57.737 | N/A | N/A | 30.639 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:21 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 69.989 | 39.305 | -4.011 | 74.000 | 30.684 | PK |
| 2 | | * | 2407.272 | 115.218 | 84.566 | N/A | N/A | 30.653 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2360.288 | 52.812 | 22.061 | -1.188 | 54.000 | 30.751 | AV |
| 2 | | | 2375.240 | 52.777 | 22.059 | -1.223 | 54.000 | 30.717 | AV |
| 3 | | | 2390.000 | 53.222 | 22.538 | -0.778 | 54.000 | 30.684 | AV |
| 4 | | * | 2406.096 | 101.090 | 70.436 | N/A | N/A | 30.654 | AV |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:25 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2457.184 | 101.693 | 71.089 | N/A | N/A | 30.604 | PK |
| 2 | | | 2483.500 | 69.347 | 38.674 | -4.653 | 74.000 | 30.673 | PK |
| 3 | | | 2483.920 | 71.721 | 41.047 | -2.279 | 74.000 | 30.673 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:27 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2457.568 | 88.808 | 58.203 | N/A | N/A | 30.604 | AV |
| 2 | | | 2483.500 | 49.338 | 18.665 | -4.662 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:28 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2455.840 | 113.669 | 83.067 | N/A | N/A | 30.602 | PK |
| 2 | | | 2483.500 | 68.008 | 37.335 | -5.992 | 74.000 | 30.673 | PK |
| 3 | | | 2483.536 | 73.228 | 42.555 | -0.772 | 74.000 | 30.673 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:30 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2456.608 | 100.676 | 70.073 | N/A | N/A | 30.603 | AV |
| 2 | | | 2483.500 | 51.557 | 20.884 | -2.443 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:31 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2387.784 | 72.845 | 42.156 | -1.155 | 74.000 | 30.689 | PK |
| 2 | | | 2389.128 | 73.060 | 42.374 | -0.940 | 74.000 | 30.686 | PK |
| 3 | | | 2390.000 | 71.586 | 40.902 | -2.414 | 74.000 | 30.684 | PK |
| 4 | | * | 2414.776 | 115.939 | 85.299 | N/A | N/A | 30.640 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:33 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 53.704 | 23.020 | -0.296 | 54.000 | 30.684 | AV |
| 2 | | * | 2408.000 | 100.943 | 70.292 | N/A | N/A | 30.652 | AV |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2374.120 | 60.864 | 30.144 | -13.136 | 74.000 | 30.720 | PK |
| 2 | | | 2390.000 | 58.439 | 27.755 | -15.561 | 74.000 | 30.684 | PK |
| 3 | | * | 2405.424 | 94.152 | 63.496 | N/A | N/A | 30.655 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2320.024 | 46.085 | 15.173 | -7.915 | 54.000 | 30.912 | AV |
| 2 | | | 2360.120 | 46.414 | 15.663 | -7.586 | 54.000 | 30.751 | AV |
| 3 | | | 2390.000 | 45.860 | 15.176 | -8.140 | 54.000 | 30.684 | AV |
| 4 | | * | 2407.832 | 82.716 | 52.064 | N/A | N/A | 30.651 | AV |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:39 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2466.832 | 117.397 | 86.773 | N/A | N/A | 30.623 | PK |
| 2 | | | 2483.500 | 68.540 | 37.867 | -5.460 | 74.000 | 30.673 | PK |
| 3 | | | 2487.976 | 69.875 | 39.189 | -4.125 | 74.000 | 30.686 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2463.544 | 103.460 | 72.846 | N/A | N/A | 30.615 | AV |
| 2 | | | 2483.500 | 53.427 | 22.754 | -0.573 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2457.136 | 95.351 | 64.747 | N/A | N/A | 30.604 | PK |
| 2 | | | 2483.500 | 61.411 | 30.738 | -12.589 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 17:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 2: Transmit by 802.11g at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2467.720 | 83.051 | 52.425 | N/A | N/A | 30.626 | AV |
| 2 | | | 2483.500 | 48.109 | 17.436 | -5.891 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:33 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2389.800 | 71.395 | 40.711 | -2.605 | 74.000 | 30.684 | PK |
| 2 | | | 2390.000 | 67.865 | 37.181 | -6.135 | 74.000 | 30.684 | PK |
| 3 | | * | 2414.384 | 100.458 | 69.817 | N/A | N/A | 30.641 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 49.941 | 19.257 | -4.059 | 54.000 | 30.684 | AV |
| 2 | | * | 2416.008 | 88.114 | 57.475 | N/A | N/A | 30.638 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:38 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0 | |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 70.110 | 39.426 | -3.890 | 74.000 | 30.684 | PK |
| 2 | | * | 2405.480 | 114.351 | 83.696 | N/A | N/A | 30.655 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:43 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 52.917 | 22.233 | -1.083 | 54.000 | 30.684 | AV |
| 2 | | * | 2406.936 | 99.358 | 68.705 | N/A | N/A | 30.653 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2467.744 | 98.174 | 67.547 | N/A | N/A | 30.626 | PK |
| 2 | | | 2483.500 | 57.881 | 27.208 | -16.119 | 74.000 | 30.673 | PK |
| 3 | | | 2484.712 | 60.579 | 29.903 | -13.421 | 74.000 | 30.676 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2465.776 | 85.291 | 54.670 | N/A | N/A | 30.621 | AV |
| 2 | | | 2483.500 | 45.887 | 15.214 | -8.113 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2455.648 | 110.783 | 80.181 | N/A | N/A | 30.602 | PK |
| 2 | | | 2483.500 | 67.804 | 37.131 | -6.196 | 74.000 | 30.673 | PK |
| 3 | | | 2484.472 | 71.588 | 40.913 | -2.412 | 74.000 | 30.675 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2455.480 | 98.169 | 67.567 | N/A | N/A | 30.601 | AV |
| 2 | | | 2483.500 | 50.341 | 19.668 | -3.659 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 68.387 | 37.703 | -5.613 | 74.000 | 30.684 | PK |
| 2 | | * | 2414.496 | 116.777 | 86.136 | N/A | N/A | 30.641 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 18:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 51.854 | 21.170 | -2.146 | 54.000 | 30.684 | AV |
| 2 | | * | 2410.296 | 100.696 | 70.049 | N/A | N/A | 30.647 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 1 | |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 57.395 | 26.711 | -16.605 | 74.000 | 30.684 | PK |
| 2 | | * | 2409.568 | 94.662 | 64.013 | N/A | N/A | 30.649 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:01 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 45.742 | 15.058 | -8.258 | 54.000 | 30.684 | AV |
| 2 | | * | 2406.768 | 81.953 | 51.300 | N/A | N/A | 30.654 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:02 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2455.720 | 113.394 | 82.792 | N/A | N/A | 30.602 | PK |
| 2 | | | 2483.500 | 68.593 | 37.920 | -5.407 | 74.000 | 30.673 | PK |
| 3 | | | 2485.936 | 71.474 | 40.794 | -2.526 | 74.000 | 30.680 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:03 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2455.336 | 100.522 | 69.921 | N/A | N/A | 30.601 | AV |
| 2 | | | 2483.500 | 52.336 | 21.663 | -1.664 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:05 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2468.416 | 94.806 | 64.177 | N/A | N/A | 30.628 | PK |
| 2 | | | 2483.500 | 58.587 | 27.914 | -15.413 | 74.000 | 30.673 | PK |
| 3 | | | 2484.688 | 61.019 | 30.343 | -12.981 | 74.000 | 30.676 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2467.864 | 82.996 | 52.369 | N/A | N/A | 30.627 | AV |
| 2 | | | 2483.500 | 46.075 | 15.402 | -7.925 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:07 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 70.765 | 40.081 | -3.235 | 74.000 | 30.684 | PK |
| 2 | | * | 2419.368 | 119.007 | 88.374 | N/A | N/A | 30.633 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:13 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 53.325 | 22.641 | -0.675 | 54.000 | 30.684 | AV |
| 2 | | * | 2407.664 | 100.082 | 69.430 | N/A | N/A | 30.652 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:14 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 67.414 | 36.730 | -6.586 | 74.000 | 30.684 | PK |
| 2 | | * | 2405.760 | 114.780 | 84.125 | N/A | N/A | 30.655 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:16 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2412MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 52.720 | 22.036 | -1.280 | 54.000 | 30.684 | AV |
| 2 | | * | 2405.760 | 99.150 | 68.495 | N/A | N/A | 30.655 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:16 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2464.576 | 115.616 | 84.999 | N/A | N/A | 30.617 | PK |
| 2 | | | 2483.500 | 66.383 | 35.710 | -7.617 | 74.000 | 30.673 | PK |
| 3 | | | 2485.648 | 68.769 | 38.090 | -5.231 | 74.000 | 30.678 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:18 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2456.680 | 100.482 | 69.879 | N/A | N/A | 30.604 | AV |
| 2 | | | 2483.500 | 52.523 | 21.850 | -1.477 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:19 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2456.056 | 112.821 | 82.218 | N/A | N/A | 30.603 | PK |
| 2 | | | 2483.500 | 63.486 | 32.813 | -10.514 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:20 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 3: Transmit by 802.11n-HT20 at channel 2462MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2456.152 | 97.007 | 66.404 | N/A | N/A | 30.603 | AV |
| 2 | | | 2483.500 | 50.204 | 19.531 | -3.796 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:21 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2385.636 | 66.815 | 36.121 | -7.185 | 74.000 | 30.694 | PK |
| 2 | | | 2390.000 | 64.017 | 33.333 | -9.983 | 74.000 | 30.684 | PK |
| 3 | | * | 2430.582 | 94.812 | 64.197 | N/A | N/A | 30.616 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 46.983 | 16.299 | -7.017 | 54.000 | 30.684 | AV |
| 2 | | * | 2427.348 | 81.085 | 50.464 | N/A | N/A | 30.620 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:29 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 70.846 | 40.162 | -3.154 | 74.000 | 30.684 | PK |
| 2 | | * | 2406.756 | 111.689 | 81.036 | N/A | N/A | 30.654 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:32 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 52.816 | 22.132 | -1.184 | 54.000 | 30.684 | AV |
| 2 | | * | 2404.974 | 97.464 | 66.808 | N/A | N/A | 30.656 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:32 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2437.066 | 91.627 | 61.023 | N/A | N/A | 30.604 | PK |
| 2 | | | 2483.500 | 60.158 | 29.485 | -13.842 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:34 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2436.182 | 78.743 | 48.138 | N/A | N/A | 30.605 | AV |
| 2 | | | 2483.500 | 45.958 | 15.285 | -8.042 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:35 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2436.216 | 107.453 | 76.848 | N/A | N/A | 30.605 | PK |
| 2 | | | 2483.500 | 72.116 | 41.443 | -1.884 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:37 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2435.332 | 93.654 | 63.047 | N/A | N/A | 30.607 | AV |
| 2 | | | 2483.500 | 50.637 | 19.964 | -3.363 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 72.933 | 42.249 | -1.067 | 74.000 | 30.684 | PK |
| 2 | | * | 2413.224 | 111.681 | 81.038 | N/A | N/A | 30.643 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 53.504 | 22.820 | -0.496 | 54.000 | 30.684 | AV |
| 2 | | * | 2408.076 | 97.294 | 66.642 | N/A | N/A | 30.652 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 58.308 | 27.624 | -15.692 | 74.000 | 30.684 | PK |
| 2 | | * | 2411.442 | 89.195 | 58.549 | N/A | N/A | 30.645 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 1 | |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 45.656 | 14.972 | -8.344 | 54.000 | 30.684 | AV |
| 2 | | * | 2415.270 | 75.810 | 45.170 | N/A | N/A | 30.640 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2443.016 | 109.550 | 78.957 | N/A | N/A | 30.593 | PK |
| 2 | | | 2483.500 | 73.421 | 42.748 | -0.579 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2435.978 | 95.376 | 64.770 | N/A | N/A | 30.606 | AV |
| 2 | | | 2483.500 | 52.707 | 22.034 | -1.293 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2465.898 | 86.701 | 56.080 | N/A | N/A | 30.621 | PK |
| 2 | | | 2483.500 | 59.163 | 28.490 | -14.837 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 19:56 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2468.550 | 74.097 | 43.468 | N/A | N/A | 30.629 | AV |
| 2 | | | 2483.500 | 45.765 | 15.092 | -8.235 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:00 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 73.221 | 42.537 | -0.779 | 74.000 | 30.684 | PK |
| 2 | | * | 2412.894 | 113.451 | 82.807 | N/A | N/A | 30.644 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:04 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 52.346 | 21.662 | -1.654 | 54.000 | 30.684 | AV |
| 2 | | * | 2407.218 | 95.755 | 65.102 | N/A | N/A | 30.653 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:06 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 70.593 | 39.909 | -3.407 | 74.000 | 30.684 | PK |
| 2 | | * | 2406.294 | 111.124 | 80.470 | N/A | N/A | 30.654 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:08 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2422MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 52.472 | 21.788 | -1.528 | 54.000 | 30.684 | AV |
| 2 | | * | 2404.908 | 94.144 | 63.488 | N/A | N/A | 30.656 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:11 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2443.390 | 112.982 | 82.389 | N/A | N/A | 30.593 | PK |
| 2 | | | 2483.500 | 71.626 | 40.953 | -2.374 | 74.000 | 30.673 | PK |
| 3 | | | 2484.054 | 72.926 | 42.252 | -1.074 | 74.000 | 30.675 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:12 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2437.984 | 95.174 | 64.572 | N/A | N/A | 30.602 | AV |
| 2 | | | 2483.500 | 52.881 | 22.208 | -1.119 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:13 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2438.426 | 110.181 | 79.580 | N/A | N/A | 30.602 | PK |
| 2 | | | 2483.500 | 70.635 | 39.962 | -3.365 | 74.000 | 30.673 | PK |
| 3 | | | 2483.884 | 72.713 | 42.039 | -1.287 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|---|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:13 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 4: Transmit by 802.11n-HT40 at channel 2452MHz Ant 0+1 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2436.624 | 93.234 | 62.629 | N/A | N/A | 30.605 | AV |
| 2 | | | 2483.500 | 51.879 | 21.206 | -2.121 | 54.000 | 30.673 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Test by Dipole Antenna – 2dBi

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:28 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 1: Transmit by 802.11b at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 58.443 | 27.759 | -15.557 | 74.000 | 30.684 | PK |
| 2 | | * | 2410.352 | 94.703 | 64.056 | N/A | N/A | 30.647 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:30 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 1: Transmit by 802.11b at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 45.429 | 14.745 | -8.571 | 54.000 | 30.684 | AV |
| 2 | | * | 2411.136 | 91.003 | 60.357 | N/A | N/A | 30.646 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:30 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 1: Transmit by 802.11b at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2389.296 | 68.976 | 38.291 | -5.024 | 74.000 | 30.686 | PK |
| 2 | | | 2390.000 | 68.012 | 37.328 | -5.988 | 74.000 | 30.684 | PK |
| 3 | | * | 2410.632 | 109.515 | 78.868 | N/A | N/A | 30.647 | PK |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:32 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Vertical |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 1: Transmit by 802.11b at channel 2412MHz Ant 0 | |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | | 2390.000 | 49.122 | 18.438 | -4.878 | 54.000 | 30.684 | AV |
| 2 | | * | 2411.304 | 106.249 | 75.603 | N/A | N/A | 30.646 | AV |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

| | |
|--|--------------------------|
| Engineer: Milo Li | |
| Site: AC1 | Time: 2014/08/20 - 20:33 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: BBHA9120D_1-18GHz | Polarity: Horizontal |
| EUT: WIRELESS ACCESS POINT | Power: AC 120V/60Hz |
| Note: Mode 1: Transmit by 802.11b at channel 2462MHz Ant 0 | |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | * | 2461.000 | 93.191 | 62.581 | N/A | N/A | 30.609 | PK |
| 2 | | | 2483.500 | 57.844 | 27.171 | -16.156 | 74.000 | 30.673 | PK |

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).