



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	4.83G	5.67G	AV	5.40036G	7.95	-57.11	-56.46	-56.72	-57.39	-50.88	-42.93	-41.20	-1.73
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.83G	5.67G	PK	5.1471G	7.95	-36.56	-52.84	-33.39	-33.59	-29.50	-21.55	-21.20	-0.35
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.99G	5.51G	AV	5.3826G	7.31	-56.30	-56.56	-55.58	-56.69	-50.24	-42.93	-41.20	-1.73
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	4.99G	5.51G	AV	5.37974G	7.31	-58.61	-56.97	-58.29	-58.45	-52.01	-44.70	-41.20	-3.50
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	4.83G	5.67G	AV	5.39364G	7.31	-57.04	-56.39	-56.91	-57.32	-50.88	-43.57	-41.20	-2.37
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.83G	5.67G	AV	5.06016G	7.31	-57.50	-57.12	-52.74	-55.75	-49.32	-42.01	-41.20	-0.81
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.31G	6.01G	AV	5.36425G	8.43	-58.70	-59.75	-58.07	-58.38	-52.66	-44.23	-41.20	-3.03
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	5.31G	6.01G	AV	5.35585G	8.43	-59.12	-58.79	-58.16	-58.31	-52.56	-44.13	-41.20	-2.93
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	5.15G	6.045G	AV	5.3912G	8.43	-56.88	-57.29	-58.49	-53.77	-50.21	-41.78	-41.20	-0.58
802.11be EHT160_Nss1,(MCS4)_4TX	Pass	5.15G	6.045G	AV	5.37196G	8.43	-57.87	-58.99	-57.58	-57.58	-51.95	-43.52	-41.20	-2.32
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.31G	6.01G	AV	5.37125G	8.69	-59.17	-59.52	-58.18	-58.34	-52.75	-44.06	-41.20	-2.86
802.11be EHT80_Nss1,(MCS4)_4TX	Pass	5.31G	6.01G	AV	5.3765G	8.69	-59.31	-58.96	-58.31	-58.00	-52.59	-43.90	-41.20	-2.70

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_Radio 3_Multi-RU

Appendix D.1

Table with 15 columns: Mode, Result, F-Start (Hz), F-Stop (Hz), Type, Freq (Hz), DG (dB), P1 (dBm), P2 (dBm), P3 (dBm), P4 (dBm), Psum (dBm), EIRP (dBm), Limit (dBm), Margin (dB). Rows include various frequency bands (5610MHz, 5690MHz, 5250MHz) and modes (EHT80, EHT160).



CSE Bandedge_Non-Beamforming_Radio 3_Multi-RU

Appendix D.1

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-61.62	-61.62	-61.20	-61.41	-55.44	-47.01	-41.20	-5.81
5570MHz	Pass	5.15G	6.045G	AV	5.3912G	8.43	-56.88	-57.29	-58.49	-53.77	-50.21	-41.78	-41.20	-0.58
5570MHz	Pass	5.15G	6.045G	PK	5.31871G	8.43	-48.68	-48.99	-48.31	-51.99	-43.26	-34.83	-27.00	-7.83
5570MHz	Pass	5.15G	6.045G	PK	5.45788G	8.43	-41.46	-43.05	-46.39	-43.38	-37.22	-28.79	-21.20	-7.59
5570MHz	Pass	5.15G	6.045G	PK	5.4628G	8.43	-40.97	-42.67	-43.46	-44.16	-36.63	-28.20	-27.00	-1.20
5570MHz	Pass	5.15G	6.045G	PK	5.76889G	8.43	-47.04	-51.19	-43.24	-46.77	-40.18	-31.75	-27.00	-4.75
802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-61.41	-60.81	-60.43	-61.41	-54.97	-46.54	-41.20	-5.34
5570MHz	Pass	5.15G	6.045G	AV	5.37196G	8.43	-57.87	-58.99	-57.58	-57.58	-51.95	-43.52	-41.20	-2.32
5570MHz	Pass	5.15G	6.045G	PK	5.34869G	8.43	-54.38	-53.91	-52.40	-52.94	-47.32	-38.89	-27.00	-11.89
5570MHz	Pass	5.15G	6.045G	PK	5.36972G	8.43	-49.91	-55.45	-51.21	-49.34	-44.91	-36.48	-21.20	-15.28
5570MHz	Pass	5.15G	6.045G	PK	5.46996G	8.43	-53.23	-51.34	-54.39	-49.35	-45.63	-37.20	-27.00	-10.20
5570MHz	Pass	5.15G	6.045G	PK	5.74383G	8.43	-46.42	-51.03	-49.64	-48.14	-42.45	-34.02	-27.00	-7.02


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

5290MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.12962G	-40.20	-21.20	-19.00	7.31	-47.51	-53.94	-51.81	-54.12	-54.92
4.99G	5.51G	1M	PK	5.3501G	-34.39	-21.20	-13.19	7.31	-41.70	-49.39	-48.96	-45.71	-47.80
4.99G	5.51G	1M	PK	5.47516G	-40.99	-27.00	-13.99	7.31	-48.30	-56.03	-55.41	-55.35	-51.86

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [AV]

5290MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.13326G	-46.76	-41.20	-5.56	7.31	-54.07	-60.46	-60.46	-59.42	-60.10
4.99G	5.51G	1M	AV	5.38364G	-45.21	-41.20	-4.01	7.31	-52.52	-58.75	-58.92	-58.59	-57.96

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

5290MHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.12832G	-39.72	-21.20	-18.52	7.31	-47.03	-54.07	-53.22	-50.80	-55.51
4.99G	5.51G	1M	PK	5.35036G	-33.07	-21.20	-11.87	7.31	-40.38	-45.98	-50.07	-44.85	-46.54
4.99G	5.51G	1M	PK	5.46656G	-40.04	-27.00	-13.04	7.31	-47.35	-53.63	-55.55	-55.65	-50.67

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [AV]

5290MHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1499G	-46.60	-41.20	-5.40	7.31	-53.91	-60.07	-59.72	-59.55	-60.43
4.99G	5.51G	1M	AV	5.38052G	-45.11	-41.20	-3.91	7.31	-52.42	-58.61	-58.13	-58.61	-58.44

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5290MHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.13742G	-32.40	-21.20	-11.20	7.31	-39.71	-44.50	-55.44	-42.71	-48.27
4.99G	5.51G	1M	PK	5.3787G	-27.35	-21.20	-6.15	7.31	-34.66	-44.50	-48.43	-44.06	-35.96
4.99G	5.51G	1M	PK	5.4608G	-36.02	-27.00	-9.02	7.31	-43.33	-47.02	-58.65	-52.07	-47.20

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5290MHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1434G	-46.90	-41.20	-5.70	7.31	-54.21	-60.82	-60.82	-59.08	-60.44
4.99G	5.51G	1M	AV	5.3826G	-42.93	-41.20	-1.73	7.31	-50.24	-56.30	-56.56	-55.58	-56.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5290MHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.12312G	-40.94	-21.20	-19.74	7.31	-48.25	-57.63	-52.35	-55.09	-56.02
4.99G	5.51G	1M	PK	5.3501G	-36.08	-21.20	-14.88	7.31	-43.39	-47.68	-51.36	-48.21	-51.95
4.99G	5.51G	1M	PK	5.46656G	-41.64	-27.00	-14.64	7.31	-48.95	-55.47	-56.10	-54.63	-53.97

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5290MHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14418G	-47.00	-41.20	-5.80	7.31	-54.31	-60.26	-59.73	-60.26	-61.21
4.99G	5.51G	1M	AV	5.37974G	-44.70	-41.20	-3.50	7.31	-52.01	-58.61	-56.97	-58.29	-58.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

5530MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.3445G	-42.04	-27.00	-15.04	8.43	-50.47	-58.12	-57.75	-56.68	-54.44
5.31G	5.885G	1M	PK	5.45749G	-38.99	-21.20	-17.79	8.43	-47.42	-50.54	-57.32	-53.45	-55.38
5.31G	5.885G	1M	PK	5.46784G	-36.66	-27.00	-9.66	8.43	-45.09	-53.75	-56.71	-49.07	-49.12
5.31G	5.885G	1M	PK	5.80594G	-44.77	-27.00	-17.77	8.43	-53.20	-62.12	-62.05	-57.30	-57.74

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [AV]

5530MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.44685G	-45.75	-41.20	-4.55	8.43	-54.18	-60.07	-60.82	-59.89	-60.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

5530MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.34076G	-40.37	-27.00	-13.37	8.43	-48.80	-57.85	-56.16	-51.95	-55.63
5.31G	5.885G	1M	PK	5.43564G	-38.88	-21.20	-17.68	8.43	-47.31	-53.97	-54.84	-51.47	-53.81
5.31G	5.885G	1M	PK	5.46985G	-36.25	-27.00	-9.25	8.43	-44.68	-55.94	-54.76	-46.21	-53.73
5.31G	5.885G	1M	PK	5.76023G	-43.30	-27.00	-16.30	8.43	-51.73	-60.23	-58.16	-57.73	-55.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [AV]

5530MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45289G	-45.54	-41.20	-4.34	8.43	-53.97	-59.90	-60.08	-60.08	-59.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5530MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.34335G	-42.60	-27.00	-15.60	8.43	-51.03	-58.60	-58.23	-54.94	-57.46
5.31G	5.885G	1M	PK	5.44771G	-38.85	-21.20	-17.65	8.43	-47.28	-50.20	-56.04	-57.04	-53.28
5.31G	5.885G	1M	PK	5.46956G	-37.83	-27.00	-10.83	8.43	-46.26	-52.47	-56.76	-48.61	-56.71
5.31G	5.885G	1M	PK	5.80824G	-45.17	-27.00	-18.17	8.43	-53.60	-64.02	-61.40	-59.53	-56.72

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5530MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.43708G	-45.70	-41.20	-4.50	8.43	-54.13	-59.71	-60.63	-60.25	-60.07
5.31G	5.885G	1M	AV	5.43851G	-45.70	-41.20	-4.50	8.43	-54.13	-59.71	-60.63	-60.25	-60.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5530MHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.34019G	-43.07	-27.00	-16.07	8.43	-51.50	-58.31	-57.99	-56.15	-57.98
5.31G	5.885G	1M	PK	5.43938G	-39.49	-21.20	-18.29	8.43	-47.92	-53.39	-55.62	-54.80	-52.59
5.31G	5.885G	1M	PK	5.46985G	-37.00	-27.00	-10.00	8.43	-45.43	-51.77	-55.53	-47.81	-55.81
5.31G	5.885G	1M	PK	5.75965G	-45.36	-27.00	-18.36	8.43	-53.79	-59.92	-60.50	-60.93	-58.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5530MHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.43593G	-45.80	-41.20	-4.60	8.43	-54.23	-60.07	-60.44	-60.25	-60.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

5610MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.32696G	-38.06	-27.00	-11.06	8.43	-46.49	-53.94	-55.26	-51.54	-50.75
5.31G	5.885G	1M	PK	5.44628G	-38.19	-21.20	-16.99	8.43	-46.62	-54.62	-54.39	-49.92	-53.46
5.31G	5.885G	1M	PK	5.46784G	-39.58	-27.00	-12.58	8.43	-48.01	-55.08	-54.74	-53.17	-53.43
5.31G	5.885G	1M	PK	5.73981G	-39.65	-27.00	-12.65	8.43	-48.08	-55.83	-52.72	-53.74	-54.74

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [AV]

5610MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.4526G	-45.18	-41.20	-3.98	8.43	-53.61	-59.72	-60.08	-59.55	-59.22

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

5610MHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.32696G	-38.24	-27.00	-11.24	8.43	-46.67	-55.13	-53.92	-51.38	-51.47
5.31G	5.885G	1M	PK	5.44254G	-37.72	-21.20	-16.52	8.43	-46.15	-52.94	-53.58	-50.82	-51.86
5.31G	5.885G	1M	PK	5.46353G	-38.17	-27.00	-11.17	8.43	-46.60	-53.01	-54.97	-52.50	-50.92
5.31G	5.885G	1M	PK	5.73866G	-38.92	-27.00	-11.92	8.43	-47.35	-55.38	-54.33	-52.21	-52.35

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [AV]

5610MHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.42184G	-44.90	-41.20	-3.70	8.43	-53.33	-59.52	-59.70	-59.18	-59.02

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5610MHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.33243G	-38.38	-27.00	-11.38	8.43	-46.81	-55.94	-55.55	-50.07	-52.46
5.31G	5.885G	1M	PK	5.43305G	-38.99	-21.20	-17.79	8.43	-47.42	-53.52	-53.62	-54.55	-52.34
5.31G	5.885G	1M	PK	5.46008G	-39.83	-27.00	-12.83	8.43	-48.26	-54.91	-53.66	-54.51	-54.13
5.31G	5.885G	1M	PK	5.75333G	-39.70	-27.00	-12.70	8.43	-48.13	-56.95	-52.42	-53.55	-54.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5610MHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.41868G	-45.29	-41.20	-4.09	8.43	-53.72	-60.02	-60.02	-59.48	-59.48

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5610MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.33645G	-38.43	-27.00	-11.43	8.43	-46.86	-54.82	-55.21	-52.04	-50.95
5.31G	5.885G	1M	PK	5.41954G	-38.21	-21.20	-17.01	8.43	-46.64	-50.29	-54.41	-53.57	-53.66
5.31G	5.885G	1M	PK	5.46008G	-38.63	-27.00	-11.63	8.43	-47.06	-52.80	-54.57	-52.36	-52.88
5.31G	5.885G	1M	PK	5.76051G	-39.76	-27.00	-12.76	8.43	-48.19	-55.38	-53.30	-54.49	-53.95

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5610MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.42098G	-45.10	-41.20	-3.90	8.43	-53.53	-59.51	-59.87	-59.51	-59.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34605G	-37.39	-27.00	-10.39	8.43	-45.82	-52.95	-53.11	-50.25	-51.68
5.31G	6.01G	1M	PK	5.4045G	-36.99	-21.20	-15.79	8.43	-45.42	-51.56	-54.75	-52.29	-49.04
5.31G	6.01G	1M	PK	5.4654G	-38.18	-27.00	-11.18	8.43	-46.61	-51.44	-53.94	-52.06	-53.56
5.31G	6.01G	1M	PK	5.85565G	-40.89	-27.00	-13.89	8.43	-49.32	-55.67	-55.78	-56.03	-54.14

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.36425G	-44.23	-41.20	-3.03	8.43	-52.66	-58.70	-59.75	-58.07	-58.38

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.3471G	-37.28	-27.00	-10.28	8.43	-45.71	-52.80	-51.25	-50.84	-52.34
5.31G	6.01G	1M	PK	5.36705G	-36.79	-21.20	-15.59	8.43	-45.22	-51.12	-52.99	-49.81	-51.64
5.31G	6.01G	1M	PK	5.4675G	-38.21	-27.00	-11.21	8.43	-46.64	-52.71	-50.64	-54.48	-53.84
5.31G	6.01G	1M	PK	5.8518G	-40.27	-27.00	-13.27	8.43	-48.70	-54.51	-52.17	-56.19	-58.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.35585G	-44.13	-41.20	-2.93	8.43	-52.56	-59.12	-58.79	-58.16	-58.31

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.3464G	-37.88	-27.00	-10.88	8.43	-46.31	-55.30	-56.01	-51.74	-49.50
5.31G	6.01G	1M	PK	5.4087G	-37.65	-21.20	-16.45	8.43	-46.08	-54.99	-55.04	-52.53	-48.93
5.31G	6.01G	1M	PK	5.46995G	-40.07	-27.00	-13.07	8.43	-48.50	-52.88	-55.96	-55.05	-54.80
5.31G	6.01G	1M	PK	5.85775G	-41.95	-27.00	-14.95	8.43	-50.38	-58.53	-54.05	-56.60	-57.85

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.35445G	-44.61	-41.20	-3.41	8.43	-53.04	-59.85	-60.04	-58.81	-57.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.3452G	-38.05	-27.00	-11.05	8.43	-46.48	-53.33	-55.22	-51.30	-51.28
5.31G	6.01G	1M	PK	5.3569G	-37.77	-21.20	-16.57	8.43	-46.20	-54.33	-54.63	-50.51	-51.00
5.31G	6.01G	1M	PK	5.46925G	-39.07	-27.00	-12.07	8.43	-47.50	-52.49	-53.58	-53.26	-55.17
5.31G	6.01G	1M	PK	5.85355G	-41.25	-27.00	-14.25	8.43	-49.68	-56.03	-56.51	-57.22	-53.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.41325G	-44.75	-41.20	-3.55	8.43	-53.18	-59.40	-60.31	-58.73	-58.57

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34535G	-37.38	-27.00	-10.38	8.69	-46.07	-53.46	-53.85	-51.42	-50.52
5.31G	6.01G	1M	PK	5.3534G	-36.78	-21.20	-15.58	8.69	-45.47	-53.40	-54.04	-49.55	-50.56
5.31G	6.01G	1M	PK	5.4647G	-38.42	-27.00	-11.42	8.69	-47.11	-53.38	-54.26	-52.69	-52.41
5.31G	6.01G	1M	PK	5.85355G	-40.69	-27.00	-13.69	8.69	-49.38	-55.58	-54.69	-54.65	-57.13

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.37125G	-44.06	-41.20	-2.86	8.69	-52.75	-59.17	-59.52	-58.18	-58.34

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34675G	-36.91	-27.00	-9.91	8.69	-45.60	-53.46	-51.75	-51.40	-50.40
5.31G	6.01G	1M	PK	5.4129G	-36.52	-21.20	-15.32	8.69	-45.21	-53.45	-50.77	-50.12	-51.23
5.31G	6.01G	1M	PK	5.4654G	-37.47	-27.00	-10.47	8.69	-46.16	-50.55	-52.09	-53.65	-53.08
5.31G	6.01G	1M	PK	5.8672G	-40.30	-27.00	-13.30	8.69	-48.99	-56.94	-53.21	-56.78	-54.31

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU484+RU242 MRU 2_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3765G	-43.90	-41.20	-2.70	8.69	-52.59	-59.31	-58.96	-58.31	-58.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34605G	-37.81	-27.00	-10.81	8.69	-46.50	-54.74	-55.80	-53.00	-49.43
5.31G	6.01G	1M	PK	5.415G	-37.16	-21.20	-15.96	8.69	-45.85	-54.38	-56.36	-51.84	-48.70
5.31G	6.01G	1M	PK	5.4696G	-39.83	-27.00	-12.83	8.69	-48.52	-55.54	-54.64	-54.26	-53.90
5.31G	6.01G	1M	PK	5.85285G	-42.23	-27.00	-15.23	8.69	-50.92	-57.61	-55.95	-57.61	-56.80

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.36075G	-44.30	-41.20	-3.10	8.69	-52.99	-59.59	-60.34	-58.73	-57.79

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34395G	-37.84	-27.00	-10.84	8.69	-46.53	-52.81	-54.95	-51.26	-52.01
5.31G	6.01G	1M	PK	5.41675G	-37.36	-21.20	-16.16	8.69	-46.05	-52.77	-56.71	-50.75	-50.47
5.31G	6.01G	1M	PK	5.4612G	-38.53	-27.00	-11.53	8.69	-47.22	-52.65	-54.74	-53.33	-52.58
5.31G	6.01G	1M	PK	5.85425G	-41.23	-27.00	-14.23	8.69	-49.92	-54.83	-55.82	-56.33	-57.09

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS4),RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

24/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.40485G	-44.45	-41.20	-3.25	8.69	-53.14	-59.48	-59.84	-58.80	-58.63

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14248G	-33.44	-21.20	-12.24	7.95	-41.39	-49.32	-50.25	-44.81	-47.34
4.83G	5.67G	1M	PK	5.40204G	-32.31	-21.20	-11.11	7.95	-40.26	-47.62	-43.77	-47.48	-47.70
4.83G	5.67G	1M	PK	5.46166G	-36.88	-27.00	-9.88	7.95	-44.83	-52.03	-51.36	-49.57	-50.84

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14878G	-44.74	-41.20	-3.54	7.95	-52.69	-59.07	-59.23	-58.03	-58.61
4.83G	5.67G	1M	AV	5.40036G	-42.93	-41.20	-1.73	7.95	-50.88	-57.11	-56.46	-56.72	-57.39

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.11392G	-22.50	-21.20	-1.30	7.95	-30.45	-41.47	-49.59	-30.91	-50.83
4.83G	5.67G	1M	PK	5.35332G	-21.67	-21.20	-0.47	7.95	-29.62	-32.40	-47.59	-33.10	-50.62
4.83G	5.67G	1M	PK	5.48352G	-32.02	-27.00	-5.02	7.95	-39.97	-50.54	-50.84	-41.00	-53.80

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11476G	-42.28	-41.20	-1.08	7.95	-50.23	-55.59	-57.85	-54.23	-58.85
4.83G	5.67G	1M	AV	5.35752G	-42.65	-41.20	-1.45	7.95	-50.60	-55.52	-57.98	-55.19	-58.93

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1471G	-35.87	-21.20	-14.67	7.95	-43.82	-52.77	-50.15	-48.02	-49.66
4.83G	5.67G	1M	PK	5.40666G	-33.51	-21.20	-12.31	7.95	-41.46	-51.10	-46.61	-46.54	-47.05
4.83G	5.67G	1M	PK	5.46126G	-36.63	-27.00	-9.63	7.95	-44.58	-52.78	-49.42	-51.14	-49.90

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.06604G	-44.72	-41.20	-3.52	7.95	-52.67	-58.92	-58.34	-58.77	-58.77
4.83G	5.67G	1M	AV	5.40036G	-44.19	-41.20	-2.99	7.95	-52.14	-58.43	-58.12	-57.97	-58.12

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1471G	-21.55	-21.20	-0.35	7.95	-29.50	-36.56	-52.84	-33.39	-33.59
4.83G	5.67G	1M	PK	5.39794G	-22.29	-21.20	-1.09	7.95	-30.24	-37.91	-45.73	-36.04	-32.93
4.83G	5.67G	1M	PK	5.48772G	-31.24	-27.00	-4.24	7.95	-38.19	-47.67	-54.59	-44.24	-42.05

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.0652G	-42.13	-41.20	-0.93	7.95	-50.08	-57.78	-56.77	-54.95	-55.45
4.83G	5.67G	1M	AV	5.41716G	-42.79	-41.20	-1.59	7.95	-50.74	-57.59	-57.18	-55.26	-57.45

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1492G	-36.28	-21.20	-15.08	7.95	-44.23	-46.71	-53.70	-50.97	-53.81
4.83G	5.67G	1M	PK	5.42262G	-33.80	-21.20	-12.60	7.95	-41.75	-50.33	-47.17	-48.13	-46.37
4.83G	5.67G	1M	PK	5.46042G	-36.39	-27.00	-8.39	7.95	-44.34	-50.60	-51.46	-50.40	-49.27

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.06352G	-44.31	-41.20	-3.11	7.95	-52.26	-58.47	-58.47	-57.51	-58.77
4.83G	5.67G	1M	AV	5.41926G	-43.80	-41.20	-2.60	7.95	-51.75	-58.82	-57.76	-57.62	-57.07

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14248G	-34.80	-21.20	-13.60	7.31	-42.11	-50.15	-47.91	-45.80	-50.31
4.83G	5.67G	1M	PK	5.40204G	-32.98	-21.20	-11.78	7.31	-40.29	-46.58	-44.65	-46.66	-48.05
4.83G	5.67G	1M	PK	5.46714G	-37.56	-27.00	-10.56	7.31	-44.67	-51.17	-50.97	-52.41	-49.50

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.1471G	-45.35	-41.20	-4.15	7.31	-52.66	-58.91	-59.07	-58.17	-58.61
4.83G	5.67G	1M	AV	5.39364G	-43.57	-41.20	-2.37	7.31	-50.88	-57.04	-56.39	-56.91	-57.32

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.11434G	-22.14	-21.20	-0.94	7.31	-29.45	-35.02	-44.74	-31.08	-52.44
4.83G	5.67G	1M	PK	5.3529G	-22.31	-21.20	-1.11	7.31	-29.62	-32.90	-39.24	-33.46	-50.55
4.83G	5.67G	1M	PK	5.4852G	-32.58	-27.00	-5.58	7.31	-39.89	-45.81	-54.72	-41.75	-52.06

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.11518G	-43.38	-41.20	-2.18	7.31	-50.69	-56.35	-57.85	-54.98	-58.55
4.83G	5.67G	1M	AV	5.35752G	-43.31	-41.20	-2.11	7.31	-50.62	-55.52	-58.77	-54.87	-58.93

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1492G	-36.25	-21.20	-15.05	7.31	-43.56	-48.29	-51.80	-50.72	-48.48
4.83G	5.67G	1M	PK	5.4010G	-34.31	-21.20	-13.11	7.31	-41.62	-47.03	-46.42	-47.67	-50.38
4.83G	5.67G	1M	PK	5.46084G	-37.68	-27.00	-10.68	7.31	-44.99	-52.58	-49.26	-51.26	-51.65

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.07192G	-45.27	-41.20	-4.07	7.31	-52.58	-58.79	-58.35	-58.64	-58.64
4.83G	5.67G	1M	AV	5.3949G	-44.76	-41.20	-3.56	7.31	-52.07	-58.53	-57.91	-57.91	-58.06

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1471G	-22.46	-21.20	-1.26	7.31	-29.77	-36.94	-52.64	-33.89	-33.59
4.83G	5.67G	1M	PK	5.40246G	-24.13	-21.20	-2.93	7.31	-31.44	-37.38	-44.05	-45.03	-33.33
4.83G	5.67G	1M	PK	5.46042G	-31.83	-27.00	-4.83	7.31	-38.14	-47.72	-50.75	-47.79	-40.97

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.06016G	-42.01	-41.20	-0.81	7.31	-49.32	-57.50	-57.12	-52.74	-55.75
4.83G	5.67G	1M	AV	5.43312G	-43.22	-41.20	-2.02	7.31	-50.53	-57.27	-57.68	-54.77	-57.14

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14962G	-37.35	-21.20	-16.15	7.31	-44.66	-47.99	-52.48	-51.47	-52.57
4.83G	5.67G	1M	PK	5.43018G	-33.94	-21.20	-12.74	7.31	-41.25	-49.96	-49.96	-48.19	-44.04
4.83G	5.67G	1M	PK	5.46084G	-36.58	-27.00	-9.58	7.31	-43.89	-51.78	-51.23	-47.84	-49.91

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.06604G	-44.89	-41.20	-3.69	7.31	-52.20	-58.19	-58.62	-57.78	-58.34
4.83G	5.67G	1M	AV	5.41842G	-44.02	-41.20	-2.82	7.31	-51.33	-58.97	-58.18	-57.75	-55.39

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

CSE Bandedge [PK]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.33885G	-37.87	-27.00	-10.87	8.43	-46.30	-54.64	-53.97	-50.37	-51.66
5.15G	6.045G	1M	PK	5.44222G	-34.57	-21.20	-13.37	8.43	-43.00	-47.80	-53.27	-52.29	-46.40
5.15G	6.045G	1M	PK	5.46996G	-34.75	-27.00	-7.75	8.43	-43.18	-47.91	-51.77	-50.21	-48.04
5.15G	6.045G	1M	PK	5.72772G	-32.57	-27.00	-5.57	8.43	-41.00	-46.81	-48.27	-47.17	-46.12

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

CSE Bandedge [AV]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-46.30	-41.20	-5.10	8.43	-54.73	-61.41	-60.81	-60.25	-60.62
5.15G	6.045G	1M	AV	5.37375G	-43.58	-41.20	-2.38	8.43	-52.01	-57.86	-58.98	-57.28	-58.17

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.3478G	-38.10	-27.00	-11.10	8.43	-46.53	-54.49	-52.56	-51.31	-52.43
5.15G	6.045G	1M	PK	5.4364G	-34.37	-21.20	-13.17	8.43	-42.80	-49.69	-47.82	-47.97	-50.36
5.15G	6.045G	1M	PK	5.46236G	-35.48	-27.00	-8.48	8.43	-43.91	-50.81	-48.29	-50.40	-50.74
5.15G	6.045G	1M	PK	5.72728G	-33.26	-27.00	-6.26	8.43	-41.69	-47.24	-48.08	-47.32	-48.32

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-46.30	-41.20	-5.10	8.43	-54.73	-61.20	-60.62	-60.25	-61.00
5.15G	6.045G	1M	AV	5.3836G	-44.08	-41.20	-2.88	8.43	-52.51	-58.26	-59.27	-58.26	-58.42








5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX

CSE Bandedge [PK]

5570MHz

24/01/2024



- Limit.PK 
- EIRP.PK 
- Sum.PK 
- Port 1 
- Port 2 
- Port 3 
- Port 4 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.33885G	-31.67	-27.00	-4.67	8.43	-40.10	-46.44	-46.78	-44.42	-47.46
5.15G	6.045G	1M	PK	5.36391G	-25.49	-21.20	-4.29	8.43	-33.92	-50.76	-34.34	-47.26	-49.96
5.15G	6.045G	1M	PK	5.46773G	-27.86	-27.00	-0.86	8.43	-36.29	-40.57	-42.70	-45.38	-41.90
5.15G	6.045G	1M	PK	5.72728G	-29.80	-27.00	-2.80	8.43	-38.23	-43.69	-44.57	-42.44	-48.03








5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 3_4TX

CSE Bandedge [AV]

5570MHz

24/01/2024



- Limit.AV 
- EIRP.AV 
- Sum.AV 
- Port 1 
- Port 2 
- Port 3 
- Port 4 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-47.17	-41.20	-5.97	8.43	-55.60	-61.62	-61.62	-61.41	-61.83
5.15G	6.045G	1M	AV	5.43864G	-43.31	-41.20	-2.11	8.43	-51.74	-56.54	-58.73	-58.73	-57.43

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX

CSE Bandedge [PK]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34198G	-38.42	-27.00	-11.42	8.43	-46.85	-54.64	-53.23	-51.88	-52.25
5.15G	6.045G	1M	PK	5.44759G	-34.60	-21.20	-13.40	8.43	-43.03	-49.91	-51.09	-51.79	-46.00
5.15G	6.045G	1M	PK	5.46594G	-36.58	-27.00	-9.58	8.43	-45.01	-50.20	-49.11	-52.43	-53.93
5.15G	6.045G	1M	PK	5.72683G	-34.35	-27.00	-7.35	8.43	-42.78	-52.58	-47.33	-52.38	-46.40

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU726+RU242+RU242 MRU 4_4TX

CSE Bandedge [AV]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-46.55	-41.20	-5.35	8.43	-54.98	-61.20	-60.81	-60.62	-61.41
5.15G	6.045G	1M	AV	5.37286G	-43.80	-41.20	-2.60	8.43	-52.23	-58.02	-58.65	-58.02	-58.33

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX

CSE Bandedge [PK]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.31871G	-34.83	-27.00	-7.83	8.43	-43.26	-48.68	-48.99	-48.31	-51.99
5.15G	6.045G	1M	PK	5.45788G	-28.79	-21.20	-7.59	8.43	-37.22	-41.46	-43.05	-46.39	-43.38
5.15G	6.045G	1M	PK	5.4628G	-28.20	-27.00	-1.20	8.43	-36.63	-40.97	-42.67	-43.46	-44.16
5.15G	6.045G	1M	PK	5.76889G	-31.75	-27.00	-4.75	8.43	-40.18	-47.04	-51.19	-43.24	-46.77

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 5_4TX

CSE Bandedge [AV]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-47.01	-41.20	-5.81	8.43	-55.44	-61.62	-61.62	-61.20	-61.41
5.15G	6.045G	1M	AV	5.3912G	-41.78	-41.20	-0.58	8.43	-50.21	-56.88	-57.29	-58.49	-53.77

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX

CSE Bandedge [PK]

5570MHz

24/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	PK	5.34869G	-38.89	-27.00	-11.89	8.43	-47.32	-54.38	-53.91	-52.40	-52.94
5.15G	6.045G	1M	PK	5.36972G	-36.48	-21.20	-15.28	8.43	-44.91	-49.91	-55.45	-51.21	-49.34
5.15G	6.045G	1M	PK	5.46996G	-37.20	-27.00	-10.20	8.43	-45.63	-53.23	-51.34	-54.39	-49.35
5.15G	6.045G	1M	PK	5.74383G	-34.02	-27.00	-7.02	8.43	-42.45	-46.42	-51.03	-49.64	-48.14

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS4),RU484+RU484 MRU 6_4TX

CSE Bandedge [AV]

5570MHz

24/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.15G	6.045G	1M	AV	5.15G	-46.54	-41.20	-5.34	8.43	-54.97	-61.41	-60.81	-60.43	-61.41
5.15G	6.045G	1M	AV	5.37196G	-43.52	-41.20	-2.32	8.43	-51.95	-57.87	-58.99	-57.58	-57.58



CSE Bandedge_Non-Beamforming_Radio 3_Channel Puncturing Appendix D.2

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.83G	5.67G	AV	5.10463G	7.95	-56.87	-56.57	-56.37	-56.16	-50.46	-42.51	-41.20	-1.31
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.99G	5.51G	AV	5.3549G	7.31	-59.23	-59.62	-59.32	-59.92	-53.49	-46.18	-41.20	-4.98
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.83G	5.67G	AV	5.40237G	7.31	-56.81	-55.91	-57.24	-57.55	-50.81	-43.50	-41.20	-2.30
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.31G	5.885G	AV	5.45787G	8.43	-58.85	-61.24	-60.46	-59.73	-53.96	-45.53	-41.20	-4.33
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	5.15G	6.045G	AV	5.43744G	8.43	-57.07	-58.09	-56.97	-56.35	-51.06	-42.63	-41.20	-1.43
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.31G	6.01G	AV	5.34912G	8.69	-61.06	-62.12	-59.31	-58.77	-54.09	-45.40	-41.20	-4.20

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_Non-Beamforming_Radio 3_Channel Puncturing Appendix D.2

Table with 16 columns: Mode, Result, F-Start (Hz), F-Slop (Hz), Type, Freq (Hz), DG (dBi), P1 (dBm), P2 (dBm), P3 (dBm), P4 (dBm), Psum (dBm), EIRP (dBm), Limit (dBm), Margin (dB). Rows include various frequency bands (5690MHz, 5250MHz) and test scenarios (802.11be EHT80, 802.11be EHT160).



CSE Bandedge_Non-Beamforming_Radio 3_Channel Puncturing Appendix D.2

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5570MHz	Pass	5.15G	6.045G	AV	5.42611G	8.43	-58.66	-59.72	-58.66	-58.25	-52.77	-44.34	-41.20	-Inf_BP
5570MHz	Pass	5.15G	6.045G	AV	5.42648G	8.43	-57.10	-58.55	-56.76	-57.36	-51.37	-42.94	-41.20	-1.74
5570MHz	Pass	5.15G	6.045G	PK	5.34914G	8.43	-52.73	-52.15	-50.53	-53.08	-45.99	-37.56	-27.00	-10.56
5570MHz	Pass	5.15G	6.045G	PK	5.41313G	8.43	-49.40	-48.78	-47.67	-46.33	-41.86	-33.43	-21.20	-12.23
5570MHz	Pass	5.15G	6.045G	PK	5.46817G	8.43	-45.36	-49.12	-49.43	-49.73	-41.98	-33.55	-27.00	-6.55
5570MHz	Pass	5.15G	6.045G	PK	5.73891G	8.43	-49.57	-49.01	-49.57	-47.61	-42.84	-34.41	-27.00	-7.41
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-66.42	-64.95	-64.04	-65.76	-59.18	-50.75	-41.20	-9.55
5570MHz	Pass	5.15G	6.045G	AV	5.4373G	8.43	-58.23	-59.86	-57.38	-58.06	-52.27	-43.84	-41.20	-Inf_BP
5570MHz	Pass	5.15G	6.045G	AV	5.43744G	8.43	-57.07	-58.09	-56.97	-56.35	-51.06	-42.63	-41.20	-1.43
5570MHz	Pass	5.15G	6.045G	PK	5.34511G	8.43	-52.30	-52.76	-50.81	-51.34	-45.71	-37.28	-27.00	-10.28
5570MHz	Pass	5.15G	6.045G	PK	5.44669G	8.43	-49.24	-50.56	-40.77	-40.45	-37.11	-28.68	-21.20	-7.48
5570MHz	Pass	5.15G	6.045G	PK	5.46594G	8.43	-48.72	-51.45	-49.30	-42.67	-40.63	-32.20	-27.00	-5.20
5570MHz	Pass	5.15G	6.045G	PK	5.72817G	8.43	-51.78	-51.81	-48.03	-44.61	-41.97	-33.54	-27.00	-6.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-66.42	-65.25	-64.30	-67.65	-59.71	-51.28	-41.20	-10.08
5570MHz	Pass	5.15G	6.045G	AV	5.4373G	8.43	-59.18	-60.72	-59.39	-57.63	-53.07	-44.64	-41.20	-Inf_BP
5570MHz	Pass	5.15G	6.045G	AV	5.43735G	8.43	-56.40	-58.09	-58.13	-57.04	-51.49	-43.06	-41.20	-1.86
5570MHz	Pass	5.15G	6.045G	PK	5.34243G	8.43	-52.65	-52.70	-51.77	-51.13	-45.99	-37.56	-27.00	-10.56
5570MHz	Pass	5.15G	6.045G	PK	5.43774G	8.43	-42.34	-50.16	-49.11	-47.19	-40.03	-31.60	-21.20	-10.40
5570MHz	Pass	5.15G	6.045G	PK	5.46594G	8.43	-47.61	-50.95	-51.77	-49.17	-43.55	-35.12	-27.00	-8.12
5570MHz	Pass	5.15G	6.045G	PK	5.72593G	8.43	-52.81	-52.78	-51.19	-43.35	-41.91	-33.48	-27.00	-6.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-67.01	-65.35	-64.04	-65.66	-59.37	-50.94	-41.20	-9.74
5570MHz	Pass	5.15G	6.045G	AV	5.45296G	8.43	-62.35	-63.35	-62.28	-62.21	-56.50	-48.07	-41.20	-Inf_BP
5570MHz	Pass	5.15G	6.045G	AV	5.45317G	8.43	-60.62	-61.81	-61.11	-60.31	-54.91	-46.48	-41.20	-5.28
5570MHz	Pass	5.15G	6.045G	PK	5.30842G	8.43	-55.28	-52.97	-52.52	-53.21	-47.36	-38.93	-27.00	-11.93
5570MHz	Pass	5.15G	6.045G	PK	5.45743G	8.43	-50.95	-53.79	-51.81	-52.46	-46.11	-37.68	-21.20	-16.48
5570MHz	Pass	5.15G	6.045G	PK	5.46773G	8.43	-53.89	-54.37	-52.25	-46.95	-44.70	-36.27	-27.00	-9.27
5570MHz	Pass	5.15G	6.045G	PK	5.72593G	8.43	-51.85	-54.54	-52.34	-50.10	-45.91	-37.48	-27.00	-10.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-66.65	-65.25	-64.04	-65.45	-59.23	-50.80	-41.20	-9.60
5570MHz	Pass	5.15G	6.045G	AV	5.38422G	8.43	-58.44	-60.85	-59.07	-58.98	-53.23	-44.80	-41.20	-3.60
5570MHz	Pass	5.15G	6.045G	AV	5.38449G	8.43	-60.10	-61.85	-60.27	-60.27	-54.55	-46.12	-41.20	-Inf_BP
5570MHz	Pass	5.15G	6.045G	PK	5.32453G	8.43	-52.49	-54.71	-51.75	-53.69	-46.99	-38.56	-27.00	-11.56
5570MHz	Pass	5.15G	6.045G	PK	5.44625G	8.43	-53.10	-51.28	-52.52	-43.23	-41.84	-33.41	-21.20	-12.21
5570MHz	Pass	5.15G	6.045G	PK	5.46728G	8.43	-46.99	-52.32	-49.35	-50.14	-43.26	-34.83	-27.00	-7.83
5570MHz	Pass	5.15G	6.045G	PK	5.72951G	8.43	-47.49	-51.76	-50.05	-46.21	-42.34	-33.91	-27.00	-6.91
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	5.15G	6.045G	AV	5.15G	8.43	-66.77	-65.15	-63.87	-66.20	-59.33	-50.90	-41.20	-9.70
5570MHz	Pass	5.15G	6.045G	AV	5.40731G	8.43	-59.30	-61.26	-59.09	-58.89	-53.52	-45.09	-41.20	-Inf_BP
5570MHz	Pass	5.15G	6.045G	AV	5.40735G	8.43	-57.22	-59.91	-57.58	-57.94	-52.03	-43.60	-41.20	-2.40
5570MHz	Pass	5.15G	6.045G	PK	5.34064G	8.43	-55.32	-52.13	-50.70	-53.91	-46.65	-38.22	-27.00	-11.22
5570MHz	Pass	5.15G	6.045G	PK	5.4458G	8.43	-48.93	-44.71	-51.14	-46.07	-41.02	-32.59	-21.20	-11.39
5570MHz	Pass	5.15G	6.045G	PK	5.46952G	8.43	-45.76	-51.84	-51.79	-45.76	-41.79	-33.36	-27.00	-6.36
5570MHz	Pass	5.15G	6.045G	PK	5.72683G	8.43	-50.56	-46.75	-52.15	-52.13	-43.75	-35.32	-27.00	-8.32


DG = Directional Gain ; PX=Port X ; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5290MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.1447G	-39.27	-21.20	-18.07	7.31	-46.58	-55.30	-52.54	-50.65	-53.16
4.99G	5.51G	1M	PK	5.35036G	-33.23	-21.20	-12.03	7.31	-40.54	-51.21	-52.14	-43.56	-45.15
4.99G	5.51G	1M	PK	5.47906G	-39.84	-27.00	-12.84	7.31	-47.15	-53.28	-54.38	-54.92	-51.12

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5290MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14574G	-49.87	-41.20	-8.67	7.31	-57.18	-63.96	-63.30	-62.04	-63.79
4.99G	5.51G	1M	AV	5.35478G	-47.82	-41.20	-Inf_BP	7.31	-55.13	-61.14	-60.75	-61.34	-61.41

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz


CSE Bandedge-AV Band Power [5.3549GHz]



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5290MHz






5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5290MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14678G	-50.00	-41.20	-8.80	7.31	-57.31	-64.05	-62.76	-62.68	-64.05
4.99G	5.51G	1M	AV	5.35036G	-48.22	-41.20	-Inf_BP	7.31	-55.53	-61.43	-61.85	-61.37	-61.57

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5290MHz

CSE Bandedge-AV Band Power [5.3509GHz]

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	100k(BP1M)	AV	5.3509G	-46.76	-41.20	-5.56	7.31	-54.07	-59.80	-59.51	-60.81	-60.36




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5530MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.34996G	-40.62	-27.00	-13.62	8.43	-49.05	-57.19	-57.40	-55.69	-52.21
5.31G	5.885G	1M	PK	5.44685G	-36.63	-21.20	-15.43	8.43	-45.06	-51.28	-48.55	-53.30	-52.90
5.31G	5.885G	1M	PK	5.46899G	-36.22	-27.00	-9.22	8.43	-44.65	-53.28	-54.69	-49.20	-48.49
5.31G	5.885G	1M	PK	5.8137G	-42.81	-27.00	-15.81	8.43	-51.24	-59.29	-56.93	-58.29	-55.48

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5530MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.44398G	-48.98	-41.20	-Inf_BP	8.43	-57.41	-62.53	-65.83	-63.06	-62.99

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5530MHz


CSE Bandedge-AV Band Power [5.44448GHz]



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5530MHz




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5530MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45806G	-46.84	-41.20	-Inf_BP	8.43	-55.27	-60.78	-62.01	-61.81	-60.72

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz

CSE Bandedge-AV Band Power [5.45787GHz]

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	100k(BP1M)	AV	5.45787G	-45.53	-41.20	-4.33	8.43	-53.96	-58.85	-61.24	-60.46	-59.73

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE Bandedge [PK]

5530MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.33818G	-41.59	-27.00	-14.59	8.43	-50.02	-58.43	-57.97	-53.22	-56.68
5.31G	5.885G	1M	PK	5.45433G	-34.71	-21.20	-13.51	8.43	-43.14	-55.24	-50.96	-50.67	-45.39
5.31G	5.885G	1M	PK	5.4664G	-33.61	-27.00	-6.61	8.43	-42.04	-52.25	-48.16	-48.48	-45.67
5.31G	5.885G	1M	PK	5.8321G	-42.60	-27.00	-15.60	8.43	-51.03	-59.42	-59.53	-57.72	-54.05

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE Bandedge [AV]

5530MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45893G	-49.28	-41.20	-Inf_BP	8.43	-57.71	-63.80	-64.24	-63.14	-63.80



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5530MHz


CSE Bandedge-AV Band Power [5.45875GHz]



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [PK]

5610MHz






5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [AV]

5610MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45289G	-48.21	-41.20	-Inf_BP	8.43	-56.64	-62.35	-63.77	-62.50	-62.20

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5610MHz

CSE Bandedge-AV Band Power [5.45299GHz]

23/01/2024



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	100k(BP1M)	AV	5.45299G	-46.83	-41.20	-5.63	8.43	-55.26	-60.70	-62.51	-61.45	-60.72




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5610MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.32783G	-37.68	-27.00	-10.68	8.43	-46.11	-52.83	-52.33	-50.91	-52.73
5.31G	5.885G	1M	PK	5.45778G	-37.80	-21.20	-16.60	8.43	-46.23	-52.74	-54.41	-52.74	-50.20
5.31G	5.885G	1M	PK	5.46439G	-37.51	-27.00	-10.51	8.43	-45.94	-52.35	-52.88	-51.65	-51.17
5.31G	5.885G	1M	PK	5.73148G	-38.54	-27.00	-11.54	8.43	-46.97	-53.05	-51.90	-53.18	-54.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5610MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45289G	-47.94	-41.20	-Inf_BP	8.43	-56.37	-61.72	-63.60	-62.42	-62.06



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5610MHz


CSE Bandedge-AV Band Power [5.45326GHz]



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5610MHz

CSE Bandedge [PK]






5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5610MHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.4526G	-47.55	-41.20	-Inf_BP	8.43	-55.98	-61.38	-63.27	-61.92	-61.65

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5610MHz

CSE Bandedge-AV Band Power [5.45268GHz]

23/01/2024



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	100k(BP1M)	AV	5.45268G	-46.01	-41.20	-4.81	8.43	-54.44	-59.86	-61.75	-60.44	-60.04




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE Bandedge [PK]

5610MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	PK	5.31058G	-37.19	-27.00	-10.19	8.43	-45.62	-54.65	-54.59	-48.31	-52.39
5.31G	5.885G	1M	PK	5.45346G	-37.74	-21.20	-16.54	8.43	-46.17	-52.44	-53.96	-51.25	-51.58
5.31G	5.885G	1M	PK	5.46755G	-38.47	-27.00	-11.47	8.43	-46.90	-53.03	-53.84	-52.69	-52.27
5.31G	5.885G	1M	PK	5.73176G	-39.86	-27.00	-12.86	8.43	-48.29	-54.94	-54.13	-53.90	-54.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

CSE Bandedge [AV]

5610MHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	5.885G	1M	AV	5.45289G	-48.11	-41.20	-Inf_BP	8.43	-56.54	-62.28	-63.77	-62.20	-62.20



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5610MHz


CSE Bandedge-AV Band Power [5.45289GHz]



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz






5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3758G	-47.21	-41.20	-Inf_BP	8.43	-55.64	-62.66	-63.75	-61.20	-59.96

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz

CSE Bandedge-AV Band Power [5.37564GHz]

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	100k(BP1M)	AV	5.37564G	-45.74	-41.20	-4.54	8.43	-54.17	-60.65	-62.28	-59.43	-59.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34675G	-37.14	-27.00	-10.14	8.43	-45.57	-53.36	-54.05	-50.59	-49.82
5.31G	6.01G	1M	PK	5.41955G	-36.63	-21.20	-15.43	8.43	-45.06	-52.47	-54.34	-50.08	-49.21
5.31G	6.01G	1M	PK	5.4605G	-38.39	-27.00	-11.39	8.43	-46.82	-54.04	-54.50	-51.69	-51.86
5.31G	6.01G	1M	PK	5.8518G	-40.21	-27.00	-13.21	8.43	-48.64	-55.36	-54.91	-53.41	-55.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3589G	-47.34	-41.20	-Inf_BP	8.43	-55.77	-62.63	-63.54	-61.25	-60.41

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.47-5.725GHz


CSE Bandedge-AV Band Power [5.35848GHz]



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3597G	-47.35	-41.20	-Inf_BP	8.43	-55.78	-62.86	-63.45	-60.84	-60.71

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz

CSE Bandedge-AV Band Power [5.36002GHz]

23/01/2024



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	100k(BP1M)	AV	5.36002G	-45.83	-41.20	-4.63	8.43	-54.26	-60.51	-62.15	-59.73	-59.26




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.725-5.85GHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34815G	-38.24	-27.00	-11.24	8.69	-46.93	-52.94	-54.29	-51.64	-53.36
5.31G	6.01G	1M	PK	5.36705G	-36.42	-21.20	-15.22	8.69	-45.11	-52.47	-54.10	-49.86	-49.61
5.31G	6.01G	1M	PK	5.4647G	-37.61	-27.00	-10.61	8.69	-46.30	-52.75	-55.50	-51.21	-51.11
5.31G	6.01G	1M	PK	5.85985G	-40.31	-27.00	-13.31	8.69	-49.00	-54.14	-54.33	-56.88	-55.23

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.3737G	-46.90	-41.20	-Inf_BP	8.69	-55.59	-62.49	-63.14	-61.00	-60.37



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.725-5.85GHz


CSE Bandedge-AV Band Power [5.37346GHz]



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.725-5.85GHz

CSE Bandedge [PK]






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.4199G	-46.98	-41.20	-Inf_BP	8.69	-55.67	-62.73	-64.23	-60.89	-60.07

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5690MHz Straddle 5.725-5.85GHz

CSE Bandedge-AV Band Power [5.4204GHz]

26/03/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	100k(BP1M)	AV	5.4204G	-45.53	-41.20	-4.33	8.69	-54.22	-60.95	-62.97	-59.33	-58.83

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5690MHz Straddle 5.725-5.85GHz

23/01/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	PK	5.34815G	-36.97	-27.00	-9.97	8.69	-45.66	-51.36	-53.94	-51.51	-50.57
5.31G	6.01G	1M	PK	5.3779G	-36.58	-21.20	-15.38	8.69	-45.27	-51.21	-54.16	-51.31	-49.63
5.31G	6.01G	1M	PK	5.4689G	-37.91	-27.00	-10.91	8.69	-46.60	-50.33	-54.22	-53.25	-53.86
5.31G	6.01G	1M	PK	5.85075G	-39.98	-27.00	-12.98	8.69	-48.67	-54.76	-55.16	-54.66	-54.22

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5690MHz Straddle 5.725-5.85GHz

23/01/2024



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.31G	6.01G	1M	AV	5.35095G	-46.93	-41.20	-Inf_BP	8.69	-55.62	-62.44	-63.25	-60.77	-60.64




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.725-5.85GHz

CSE Bandedge-AV Band Power [5.34912GHz]

26/03/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.09838G	-45.63	-41.20	-3.55	7.95	-53.58	-59.04	-59.99	-58.67	-61.12
4.83G	5.67G	1M	AV	5.35374G	-44.75	-41.20	-3.55	7.95	-52.70	-59.79	-57.42	-58.53	-59.57

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge-AV Band Power [5.09858GHz]

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.09858G	-44.52	-41.20	-3.32	7.95	-52.47	-59.13	-58.58	-57.33	-59.21

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

23/01/2024



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.0652G	-30.73	-21.20	-9.53	7.95	-38.68	-39.75	-50.55	-48.43	-51.86
4.83G	5.67G	1M	PK	5.35794G	-26.97	-21.20	-7.77	7.95	-36.92	-38.05	-47.92	-47.04	-49.76
4.83G	5.67G	1M	PK	5.4621G	-31.44	-27.00	-4.44	7.95	-39.39	-40.38	-50.83	-52.25	-50.29

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.1282G	-45.11	-41.20	-Inf_BP	7.95	-53.06	-59.11	-59.88	-58.06	-59.51
4.83G	5.67G	1M	AV	5.37768G	-44.35	-41.20	-3.15	7.95	-52.30	-58.33	-57.73	-57.91	-59.51



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz


CSE Bandedge-AV Band Power [5.12777GHz]



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz






5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.08956G	-45.13	-41.20	-3.59	7.95	-53.08	-59.59	-59.24	-58.46	-59.19
4.83G	5.67G	1M	AV	5.40624G	-44.79	-41.20	-3.59	7.95	-52.74	-59.94	-57.28	-59.35	-58.94

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

5250MHz Straddle 5.15-5.25GHz

CSE Bandedge-AV Band Power [5.08942GHz]

23/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	100k(BP1M)	AV	5.08942G	-43.94	-41.20	-2.74	7.95	-51.89	-57.79	-58.08	-57.73	-58.07

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.15-5.25GHz

23/01/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.10216G	-30.93	-21.20	-9.73	7.95	-38.88	-41.21	-47.09	-46.93	-48.54
4.83G	5.67G	1M	PK	5.35978G	-32.66	-21.20	-11.46	7.95	-40.61	-43.04	-49.37	-48.30	-49.62
4.83G	5.67G	1M	PK	5.46126G	-36.47	-27.00	-9.47	7.95	-44.42	-49.40	-52.23	-49.57	-51.17

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.15-5.25GHz

23/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.10636G	-44.19	-41.20	-Inf_BP	7.95	-52.14	-58.39	-59.08	-56.81	-58.71
4.83G	5.67G	1M	AV	5.3508G	-44.90	-41.20	-3.70	7.95	-52.85	-59.70	-58.21	-58.40	-59.37