



5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX

EBW

5240MHz

15/12/2022





5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX

EBW

5260MHz

15/12/2022





5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX

EBW

5300MHz

15/12/2022





5.25-5.35GHz_802.11n_HT20_Nss1,(MCS0)_2TX

EBW

5320MHz

15/12/2022




5.47-5.725GHz_802.11n_HT20_Nss1,(MCS0)_2TX

EBW


5500MHz

15/12/2022

CF
5.5GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.5GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.395M	5.489275G	5.51067G	17.891M	5.491054G	5.508946G	Inf	1
21.34M	5.489385G	5.510725G	17.766M	5.491129G	5.508896G	Inf	2


5.47-5.725GHz_802.11n_HT20_Nss1,(MCS0)_2TX

EBW


5580MHz

15/12/2022

CF
5.58GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.58GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak





26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.505M	5.56922G	5.590725G	17.891M	5.571029G	5.588921G	Inf	1
21.45M	5.569275G	5.590725G	17.766M	5.571129G	5.588896G	Inf	2

5.47-5.725GHz_802.11n_HT20_Nss1,(MCS0)_2TX

EBW

5700MHz

15/12/2022






5.47-5.725GHz_802.11n_HT20_Nss1,(MCS0)_2TX



EBW

5720MHz Straddle 5.47-5.725GHz

15/12/2022








5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

EBW


5190MHz

15/12/2022

CF
5.19GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.19GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.26M	5.16987G	5.21013G	36.482M	5.171809G	5.208291G	Inf	1
39.27M	5.17031G	5.20958G	36.282M	5.171859G	5.208141G	Inf	2


5.15-5.25GHz_802.11n_HT40_Nss1,(MCS0)_2TX

EBW


5230MHz

15/12/2022

CF
5.23GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.23GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.26M	5.20987G	5.25013G	36.482M	5.211809G	5.248291G	Inf	1
39.16M	5.21042G	5.24958G	36.232M	5.211909G	5.248141G	Inf	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

EBW

5270MHz

15/12/2022






5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

EBW

5310MHz

15/12/2022







5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

EBW

5670MHz

15/12/2022







5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


EBW

5710MHz Straddle 5.47-5.725GHz

15/12/2022








5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

EBW


5200MHz

15/12/2022

CF: 5.2GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.2GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.56M	5.18922G	5.21078G	17.841M	5.191104G	5.208946G	Inf	1
21.395M	5.189275G	5.21067G	17.791M	5.191104G	5.208896G	Inf	2


5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

EBW


5240MHz

15/12/2022

CF: 5.24GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.24GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.615M	5.22922G	5.250835G	17.841M	5.231104G	5.248946G	Inf	1
21.45M	5.22933G	5.25078G	17.791M	5.231104G	5.248896G	Inf	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

EBW


5260MHz

15/12/2022

CF: 5.26GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.26GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.505M	5.249275G	5.27078G	17.841M	5.251104G	5.268946G	Inf	1
21.45M	5.249275G	5.270725G	17.816M	5.251104G	5.268921G	Inf	2


5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

EBW


5300MHz

15/12/2022

CF: 5.3GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.3GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.395M	5.289275G	5.31067G	17.841M	5.291104G	5.308946G	Inf	1
21.285M	5.289385G	5.31067G	17.816M	5.291104G	5.308921G	Inf	2

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

EBW

5320MHz

15/12/2022




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

EBW

5500MHz

15/12/2022




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

EBW


5580MHz

15/12/2022

CF: 5.58GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.58GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.395M	5.569385G	5.59078G	17.866M	5.571079G	5.588946G	Inf	1
21.45M	5.56922G	5.59067G	17.816M	5.571104G	5.588921G	Inf	2


5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

EBW


5700MHz

15/12/2022

CF: 5.7GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.505M	5.689275G	5.71078G	17.866M	5.691079G	5.708946G	Inf	1
21.395M	5.68933G	5.710725G	17.816M	5.691104G	5.708921G	Inf	2

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.47-5.725GHz

15/12/2022






5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

15/12/2022







5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

EBW

5825MHz

15/12/2022





5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

EBW

5190MHz

15/12/2022




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

EBW


5230MHz

15/12/2022

CF
5.23GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.23GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.26M	5.20998G	5.25024G	36.432M	5.211859G	5.248291G	Inf	1
39.27M	5.21053G	5.2498G	36.282M	5.211909G	5.248191G	Inf	2


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

EBW


5270MHz

15/12/2022

CF
5.27GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.27GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.26M	5.24998G	5.29024G	36.382M	5.251859G	5.288241G	Inf	1
39.49M	5.25031G	5.2898G	36.282M	5.251909G	5.288191G	Inf	2


5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

EBW


5310MHz

15/12/2022

CF: 5.31GHz
 Span: 220MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.31GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.15M	5.28998G	5.33013G	36.382M	5.291859G	5.328241G	Inf	1
39.38M	5.29042G	5.3298G	36.282M	5.291909G	5.328191G	Inf	2


5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

EBW


5510MHz

15/12/2022

CF: 5.51GHz
 Span: 220MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.51GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.04M	5.48998G	5.53002G	36.382M	5.491859G	5.528241G	Inf	1
39.38M	5.49042G	5.5298G	36.282M	5.491909G	5.528191G	Inf	2


5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

EBW


5550MHz

15/12/2022

CF
5.55GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.55GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.15M	5.52998G	5.57013G	36.432M	5.531809G	5.568241G	Inf	1
40.04M	5.53009G	5.57013G	36.282M	5.531909G	5.568191G	Inf	2


5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

EBW


5670MHz

15/12/2022

CF
5.67GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.67GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.26M	5.64987G	5.69013G	36.432M	5.651809G	5.688241G	Inf	1
39.49M	5.65042G	5.68991G	36.282M	5.651909G	5.688191G	Inf	2

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.47-5.725GHz

15/12/2022






5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

15/12/2022







5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

EBW

5210MHz

15/12/2022





5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

15/12/2022




5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

EBW


5530MHz

15/12/2022

CF: 5.53GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.53GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.84M	5.4893G	5.57114G	75.662M	5.492319G	5.567981G	Inf	1
81.4M	5.48952G	5.57092G	75.662M	5.492319G	5.567981G	Inf	2


5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

EBW


5610MHz

15/12/2022

CF: 5.61GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.61GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.28M	5.56886G	5.65114G	75.662M	5.572219G	5.647881G	Inf	1
81.18M	5.56952G	5.6507G	75.662M	5.572319G	5.647981G	Inf	2

5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

15/12/2022




5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

15/12/2022




5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

EBW


5775MHz

15/12/2022

CF
5.775GHz
Span
440MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak



CF
5.775GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2

6dB(Hz)	FI-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.46M	5.73738G	5.81284G	75.662M	5.737219G	5.812881G	500k	1
76.34M	5.73694G	5.81328G	75.662M	5.737319G	5.812981G	500k	2


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW


5180MHz

15/12/2022

CF
5.18GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.18GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2

26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.285M	5.16933G	5.190615G	18.991M	5.170505G	5.189495G	Inf	1
21.34M	5.16944G	5.19078G	19.04M	5.170505G	5.189545G	Inf	2


5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

EBW


5200MHz

15/12/2022

CF
5.2GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.2GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.189275G	5.210725G	19.015M	5.190505G	5.20952G	Inf	1
21.505M	5.18933G	5.210835G	19.065M	5.190505G	5.20957G	Inf	2


5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

EBW


5240MHz

15/12/2022

CF
5.24GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.24GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.505M	5.229275G	5.25078G	19.015M	5.230505G	5.24952G	Inf	1
21.34M	5.22944G	5.25078G	19.015M	5.230505G	5.24952G	Inf	2


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

EBW


5260MHz

15/12/2022

CF
5.26GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.26GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.24922G	5.27067G	18.991M	5.250505G	5.269495G	Inf	1
21.395M	5.249385G	5.27078G	19.065M	5.250505G	5.26957G	Inf	2


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

EBW


5300MHz

15/12/2022

CF
5.3GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.3GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.34M	5.28933G	5.31067G	19.015M	5.290505G	5.30952G	Inf	1
21.285M	5.28944G	5.310725G	19.015M	5.290505G	5.30952G	Inf	2


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW


5320MHz

15/12/2022

CF
5.32GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.32GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.395M	5.30933G	5.330725G	18.991M	5.310505G	5.329495G	Inf	1
21.56M	5.30933G	5.33089G	19.04M	5.310505G	5.329545G	Inf	2


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW


5500MHz

15/12/2022

CF
5.5GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.5GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.395M	5.489275G	5.51067G	18.991M	5.490505G	5.509495G	Inf	1
21.45M	5.489385G	5.510835G	19.04M	5.490505G	5.509545G	Inf	2


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW


5580MHz

15/12/2022

CF
5.58GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.58GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.569275G	5.590725G	19.015M	5.57048G	5.589495G	Inf	1
21.285M	5.569385G	5.59067G	19.04M	5.570505G	5.589545G	Inf	2


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW


5700MHz

15/12/2022

CF
5.7GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.7GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.689275G	5.710725G	19.015M	5.690505G	5.70952G	Inf	1
21.175M	5.68944G	5.710615G	19.015M	5.690505G	5.70952G	Inf	2

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.47-5.725GHz

15/12/2022






5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

15/12/2022






5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

EBW


5825MHz

15/12/2022

CF
5.825GHz
Span
110MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak



CF
5.825GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.975M	5.815485G	5.83446G	18.991M	5.815505G	5.834495G	500k	1
18.975M	5.815485G	5.83446G	19.065M	5.815505G	5.83457G	500k	2


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW


5190MHz

15/12/2022

CF
5.19GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.19GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.04M	5.17009G	5.21013G	37.481M	5.171309G	5.208791G	Inf	1
39.38M	5.17031G	5.20969G	37.531M	5.171259G	5.208791G	Inf	2


5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

EBW


5230MHz

15/12/2022

CF
5.23GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.23GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.04M	5.21009G	5.25013G	37.531M	5.211309G	5.248841G	Inf	1
39.27M	5.21042G	5.24969G	37.481M	5.211309G	5.248791G	Inf	2


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

EBW


5270MHz

15/12/2022

CF
5.27GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.27GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.04M	5.25009G	5.29013G	37.481M	5.251309G	5.288791G	Inf	1
39.49M	5.25031G	5.2898G	37.481M	5.251309G	5.288791G	Inf	2


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW


5310MHz

15/12/2022

CF
5.31GHz
Span
220MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.31GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.6M	5.29031G	5.32991G	37.531M	5.291309G	5.328841G	Inf	1
39.38M	5.29042G	5.3298G	37.481M	5.291309G	5.328791G	Inf	2


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW


5510MHz

15/12/2022

CF
5.51GHz
Span
220MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.51GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.6M	5.49031G	5.52991G	37.481M	5.491309G	5.528791G	Inf	1
39.49M	5.49031G	5.5298G	37.481M	5.491309G	5.528791G	Inf	2


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW


5550MHz

15/12/2022

CF
5.55GHz
Span
220MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.55GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.49M	5.53031G	5.5698G	37.481M	5.531309G	5.568791G	Inf	1
39.27M	5.53042G	5.56969G	37.481M	5.531309G	5.568791G	Inf	2


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW


5670MHz

15/12/2022

CF
5.67GHz
Span
220MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.67GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.04M	5.65009G	5.69013G	37.531M	5.651259G	5.688791G	Inf	1
39.49M	5.65031G	5.6898G	37.481M	5.651309G	5.688791G	Inf	2

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.47-5.725GHz

15/12/2022






5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

15/12/2022






5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

EBW


5210MHz

15/12/2022

CF: 5.21GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.21GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.62M	5.16952G	5.25114G	77.061M	5.171619G	5.248681G	Inf	1
81.84M	5.16908G	5.25092G	77.061M	5.171519G	5.248581G	Inf	2


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

EBW


5290MHz

15/12/2022

CF: 5.29GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.29GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.06M	5.2493G	5.33136G	77.061M	5.251619G	5.328681G	Inf	1
81.84M	5.24908G	5.33092G	77.061M	5.251519G	5.328581G	Inf	2


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

EBW


5530MHz

15/12/2022

CF
5.53GHz
Span
440MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.53GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.62M	5.4893G	5.57092G	77.061M	5.491619G	5.568681G	Inf	1
81.18M	5.48952G	5.5707G	77.061M	5.491619G	5.568681G	Inf	2


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

EBW


5610MHz

15/12/2022

CF
5.61GHz
Span
440MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.61GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
82.06M	5.56908G	5.65114G	77.061M	5.571519G	5.648581G	Inf	1
81.84M	5.5693G	5.65114G	77.061M	5.571519G	5.648581G	Inf	2

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

15/12/2022





5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

15/12/2022







Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.47-5.725GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	21.505M	19.065M	19M1D1D	15.735M	14.528M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	39.93M	37.681M	37M7D1D	34.79M	33.688M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	82.28M	77.261M	77M3D1D	75.45M	72.789M
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	164.56M	155.122M	155MD1D	163.68M	154.723M
5.725-5.85GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	19.085M	19.09M	19M1D1D	4.46M	4.558M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	37.73M	37.681M	37M7D1D	3.76M	4.018M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	76.34M	77.261M	77M3D1D	3.76M	4.338M



Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth







Result


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	Inf	21.285M	19.04M	21.395M	19.04M	21.12M	19.065M	21.505M	19.04M
5580MHz	Pass	Inf	21.23M	19.065M	21.34M	19.065M	21.395M	19.04M	21.395M	19.065M
5700MHz	Pass	Inf	21.175M	19.065M	21.34M	19.065M	21.395M	19.04M	21.285M	19.065M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.735M	14.543M	15.75M	14.573M	15.735M	14.573M	15.75M	14.528M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.52M	4.558M	4.5M	4.578M	4.46M	4.558M	4.48M	4.578M
5745MHz	Pass	500k	18.975M	19.04M	18.92M	19.04M	18.975M	19.04M	19.03M	19.065M
5785MHz	Pass	500k	19.03M	19.065M	18.975M	19.065M	19.085M	19.065M	18.92M	19.09M
5825MHz	Pass	500k	18.865M	19.015M	18.865M	19.04M	18.92M	19.04M	19.03M	19.065M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	Inf	39.49M	37.531M	39.6M	37.531M	39.93M	37.681M	39.82M	37.581M
5550MHz	Pass	Inf	39.49M	37.531M	39.71M	37.531M	39.6M	37.581M	39.6M	37.631M
5670MHz	Pass	Inf	39.71M	37.531M	39.71M	37.531M	39.71M	37.581M	39.71M	37.631M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	34.79M	33.723M	35.07M	33.723M	34.895M	33.688M	34.825M	33.688M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.92M	4.018M	3.96M	4.018M	3.76M	4.038M	3.94M	4.018M
5755MHz	Pass	500k	37.07M	37.581M	36.96M	37.581M	36.63M	37.481M	35.97M	37.581M
5795MHz	Pass	500k	37.73M	37.581M	37.62M	37.531M	37.18M	37.581M	37.62M	37.681M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	Inf	81.4M	76.862M	81.62M	76.962M	81.4M	77.061M	81.18M	76.962M
5610MHz	Pass	Inf	82.06M	77.061M	81.4M	77.261M	82.28M	77.161M	80.96M	76.862M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.525M	72.864M	75.45M	72.789M	75.975M	72.939M	75.675M	73.313M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4.02M	4.338M	3.96M	4.378M	3.76M	5.537M	3.92M	4.558M
5775MHz	Pass	500k	76.34M	77.261M	73.7M	76.962M	75.02M	76.962M	70.4M	77.161M
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	Inf	164.56M	154.723M	163.68M	154.723M	164.12M	155.122M	163.68M	154.723M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth




















5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW


5795MHz

21/12/2022

CF: 5.795GHz
 Span: 220MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.795GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.73M	5.77619G	5.81392G	37.581M	5.776209G	5.813791G	500k	1
37.62M	5.77608G	5.8137G	37.531M	5.776159G	5.813691G	500k	2
37.18M	5.7763G	5.81348G	37.581M	5.776159G	5.813741G	500k	3
37.62M	5.77608G	5.8137G	37.681M	5.776059G	5.813741G	500k	4


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW


5530MHz

21/12/2022



CF: 5.53GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak





CF: 5.53GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.4M	5.4893G	5.5707G	76.862M	5.491819G	5.568681G	Inf	1
81.62M	5.48908G	5.5707G	76.962M	5.491719G	5.568681G	Inf	2
81.4M	5.4893G	5.5707G	77.061M	5.491519G	5.568581G	Inf	3
81.18M	5.48952G	5.5707G	76.962M	5.491719G	5.568681G	Inf	4









Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	21.56M	19.065M	19M1D1D	21.175M	19.015M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	39.93M	37.631M	37M6D1D	39.38M	37.481M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	81.62M	77.061M	77M1D1D	81.18M	77.061M
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	81.68M	77.241M	77M2D1D	81.44M	77.001M
5.25-5.35GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	21.45M	19.14M	19M1D1D	20.79M	18.966M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	39.93M	37.731M	37M7D1D	39.05M	37.481M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	82.28M	77.061M	77M1D1D	81.18M	76.962M
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	81.04M	77.241M	77M2D1D	80.8M	77.001M
5.47-5.725GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	21.505M	19.19M	19M2D1D	15.495M	14.543M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	39.82M	37.681M	37M7D1D	34.895M	33.688M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	81.84M	77.261M	77M3D1D	75.75M	73.163M
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	165M	155.322M	155MD1D	163.24M	154.923M
5.725-5.85GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	19.085M	19.065M	19M1D1D	4.46M	4.518M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	37.73M	37.631M	37M6D1D	3.74M	4.018M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	77M	77.161M	77M2D1D	3.78M	4.318M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.45M	19.04M	21.175M	19.04M	21.395M	19.04M	21.505M	19.04M
5200MHz	Pass	Inf	21.285M	19.065M	21.34M	19.065M	21.395M	19.065M	21.56M	19.065M
5240MHz	Pass	Inf	21.34M	19.04M	21.23M	19.04M	21.23M	19.065M	21.285M	19.015M
5260MHz	Pass	Inf	21.175M	19.065M	21.395M	19.065M	21.34M	19.065M	21.23M	19.04M
5300MHz	Pass	Inf	21.45M	19.065M	21.285M	19.015M	21.45M	19.04M	21.45M	19.04M
5320MHz	Pass	Inf	21.285M	18.966M	21.395M	19.14M	21.45M	19.015M	20.79M	19.04M
5500MHz	Pass	Inf	21.505M	18.991M	21.395M	19.04M	21.34M	19.115M	21.23M	19.065M
5580MHz	Pass	Inf	21.065M	19.015M	21.45M	19.065M	21.395M	19.19M	21.395M	19.065M
5700MHz	Pass	Inf	20.845M	19.14M	21.505M	18.991M	21.395M	18.941M	21.505M	19.065M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.495M	14.543M	15.525M	14.543M	15.885M	14.543M	15.57M	14.543M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.5M	4.518M	4.46M	4.518M	4.48M	4.538M	4.48M	4.538M
5745MHz	Pass	500k	18.975M	19.015M	19.03M	19.015M	18.975M	19.065M	18.975M	19.015M
5785MHz	Pass	500k	19.085M	19.015M	18.975M	19.04M	19.085M	19.015M	19.03M	19.015M
5825MHz	Pass	500k	18.865M	19.015M	18.975M	19.015M	19.03M	19.04M	18.92M	19.04M
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	39.93M	37.581M	39.71M	37.581M	39.71M	37.631M	39.49M	37.581M
5230MHz	Pass	Inf	39.71M	37.481M	39.38M	37.531M	39.71M	37.581M	39.71M	37.631M
5270MHz	Pass	Inf	39.05M	37.631M	39.49M	37.481M	39.6M	37.531M	39.16M	37.581M
5310MHz	Pass	Inf	39.93M	37.631M	39.49M	37.581M	39.6M	37.581M	39.93M	37.731M
5510MHz	Pass	Inf	39.82M	37.631M	39.82M	37.581M	39.38M	37.681M	39.49M	37.581M
5550MHz	Pass	Inf	39.71M	37.581M	39.27M	37.581M	39.82M	37.531M	39.82M	37.631M
5670MHz	Pass	Inf	39.05M	37.631M	39.6M	37.581M	39.49M	37.531M	39.71M	37.631M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.105M	33.758M	35.07M	33.723M	35.035M	33.723M	34.895M	33.688M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.74M	4.018M	3.74M	4.018M	3.9M	4.018M	3.84M	4.018M
5755MHz	Pass	500k	37.73M	37.631M	37.73M	37.581M	37.4M	37.631M	37.4M	37.531M
5795MHz	Pass	500k	37.51M	37.581M	37.62M	37.581M	37.73M	37.631M	37.62M	37.581M
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	81.62M	77.061M	81.18M	77.061M	81.62M	77.061M	81.18M	77.061M
5290MHz	Pass	Inf	81.62M	77.061M	81.18M	76.962M	81.62M	77.061M	82.28M	76.962M
5530MHz	Pass	Inf	81.4M	77.061M	81.18M	77.161M	81.4M	77.261M	81.18M	77.161M
5610MHz	Pass	Inf	81.84M	76.962M	81.62M	77.061M	81.18M	77.261M	81.84M	77.161M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.825M	73.238M	75.75M	73.163M	75.75M	73.163M	75.9M	73.163M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.84M	4.338M	3.94M	4.318M	3.78M	4.398M	3.92M	4.518M
5775MHz	Pass	500k	76.12M	76.962M	76.56M	76.962M	77M	77.161M	75.9M	76.962M
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.68M	77.081M	81.44M	77.001M	81.44M	77.081M	81.52M	77.241M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.88M	77.081M	81.04M	77.241M	80.8M	77.001M	80.8M	77.001M
5570MHz	Pass	Inf	164.56M	155.122M	165M	155.322M	163.24M	155.322M	164.12M	154.923M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

5180MHz

21/12/2022




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

5200MHz

21/12/2022




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW


5240MHz

21/12/2022

CF
5.24GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.24GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.34M	5.229275G	5.250615G	19.04M	5.23043G	5.24947G	Inf	1
21.23M	5.22933G	5.25056G	19.04M	5.23043G	5.24947G	Inf	2
21.23M	5.22933G	5.25056G	19.065M	5.23043G	5.249495G	Inf	3
21.285M	5.229385G	5.25067G	19.015M	5.23043G	5.249445G	Inf	4


5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW


5260MHz

21/12/2022

CF
5.26GHz
Span
110MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.26GHz
Span
50MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.175M	5.249385G	5.27056G	19.065M	5.25043G	5.269495G	Inf	1
21.395M	5.249275G	5.27067G	19.065M	5.25043G	5.269495G	Inf	2
21.34M	5.24933G	5.27067G	19.065M	5.25043G	5.269495G	Inf	3
21.23M	5.24933G	5.27056G	19.04M	5.25043G	5.26947G	Inf	4

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

EBW

5300MHz

21/12/2022




5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

EBW

5320MHz

21/12/2022




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

5500MHz

21/12/2022




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

5580MHz

21/12/2022





5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

EBW

5700MHz

21/12/2022







5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX



EBW

5720MHz Straddle 5.47-5.725GHz

21/12/2022








5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

5190MHz

21/12/2022




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW

5230MHz

21/12/2022




5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

EBW

5270MHz

21/12/2022






5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX



EBW



5310MHz

21/12/2022










5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

EBW


5795MHz

21/12/2022

CF: 5.795GHz
 Span: 220MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.795GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.51M	5.77608G	5.81359G	37.581M	5.776109G	5.813691G	500k	1
37.62M	5.77619G	5.81381G	37.581M	5.776159G	5.813741G	500k	2
37.73M	5.77608G	5.81381G	37.631M	5.776159G	5.813791G	500k	3
37.62M	5.77597G	5.81359G	37.581M	5.776159G	5.813741G	500k	4


5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW


5210MHz

21/12/2022

CF: 5.21GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.21GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1: [Waveform]
 Port 2: [Waveform]
 Port 3: [Waveform]
 Port 4: [Waveform]

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.62M	5.16908G	5.2507G	77.061M	5.171419G	5.248481G	Inf	1
81.18M	5.1693G	5.25048G	77.061M	5.171419G	5.248481G	Inf	2
81.62M	5.16908G	5.2507G	77.061M	5.171519G	5.248581G	Inf	3
81.18M	5.1693G	5.25048G	77.061M	5.171419G	5.248481G	Inf	4


5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW


5290MHz

21/12/2022

CF
5.29GHz
Span
440MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.29GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.62M	5.2493G	5.33092G	77.061M	5.251419G	5.328481G	Inf	1
81.18M	5.24952G	5.3307G	76.962M	5.251519G	5.328481G	Inf	2
81.62M	5.2493G	5.33092G	77.061M	5.251319G	5.328381G	Inf	3
82.28M	5.24886G	5.33114G	76.962M	5.251519G	5.328481G	Inf	4


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

EBW


5530MHz

21/12/2022

CF
5.53GHz
Span
440MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak







CF
5.53GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.4M	5.4893G	5.5707G	77.061M	5.491419G	5.568481G	Inf	1
81.18M	5.48952G	5.5707G	77.161M	5.491319G	5.568481G	Inf	2
81.4M	5.48952G	5.57092G	77.261M	5.491019G	5.568281G	Inf	3
81.18M	5.48952G	5.5707G	77.161M	5.491419G	5.568581G	Inf	4






5.15-5.25GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

21/12/2022





5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

21/12/2022







Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.56M	19.04M	19M0D1D	21.23M	19.015M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	40.15M	37.581M	37M6D1D	39.6M	37.481M
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	81.62M	77.061M	77M1D1D	81.18M	76.862M
5.25-5.35GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.67M	19.09M	19M1D1D	21.285M	19.04M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	39.93M	37.631M	37M6D1D	39.49M	37.531M
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	81.4M	77.061M	77M1D1D	80.96M	77.061M
5.47-5.725GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	21.67M	19.065M	19M1D1D	15.645M	14.498M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	39.82M	37.581M	37M6D1D	34.72M	33.548M
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	82.06M	76.962M	77M0D1D	75.375M	73.013M
5.725-5.85GHz	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.03M	19.065M	19M1D1D	4.54M	4.618M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	37.73M	37.581M	37M6D1D	3.88M	4.078M
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	75.9M	77.161M	77M2D1D	3.94M	4.218M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	21.395M	19.04M	21.23M	19.04M
5200MHz	Pass	Inf	21.395M	19.015M	21.56M	19.04M
5240MHz	Pass	Inf	21.45M	19.015M	21.34M	19.04M
5260MHz	Pass	Inf	21.34M	19.065M	21.505M	19.065M
5300MHz	Pass	Inf	21.45M	19.09M	21.67M	19.09M
5320MHz	Pass	Inf	21.285M	19.065M	21.505M	19.04M
5500MHz	Pass	Inf	21.45M	19.065M	21.67M	19.065M
5580MHz	Pass	Inf	21.175M	19.04M	21.395M	19.015M
5700MHz	Pass	Inf	21.45M	19.04M	21.23M	19.04M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.735M	14.513M	15.645M	14.498M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.58M	4.618M	4.54M	4.618M
5745MHz	Pass	500k	19.03M	19.065M	19.03M	19.065M
5785MHz	Pass	500k	19.03M	19.04M	18.975M	19.065M
5825MHz	Pass	500k	18.975M	19.04M	18.975M	19.065M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	40.15M	37.581M	40.04M	37.581M
5230MHz	Pass	Inf	39.71M	37.481M	39.6M	37.531M
5270MHz	Pass	Inf	39.49M	37.581M	39.6M	37.631M
5310MHz	Pass	Inf	39.71M	37.581M	39.93M	37.531M
5510MHz	Pass	Inf	39.71M	37.581M	39.82M	37.531M
5550MHz	Pass	Inf	39.49M	37.481M	39.6M	37.531M
5670MHz	Pass	Inf	39.6M	37.581M	39.49M	37.531M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	34.895M	33.618M	34.72M	33.548M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.88M	4.078M	3.98M	4.078M
5755MHz	Pass	500k	37.4M	37.531M	37.62M	37.581M
5795MHz	Pass	500k	37.73M	37.531M	37.07M	37.531M
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	81.18M	76.862M	81.62M	77.061M
5290MHz	Pass	Inf	81.4M	77.061M	80.96M	77.061M
5530MHz	Pass	Inf	81.84M	76.862M	82.06M	76.962M
5610MHz	Pass	Inf	81.4M	76.862M	81.18M	76.862M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.675M	73.013M	75.375M	73.088M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.94M	4.218M	4.06M	4.238M
5775MHz	Pass	500k	68.64M	77.161M	75.9M	76.962M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

EBW

5180MHz

18/12/2022




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

EBW

5200MHz

18/12/2022



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

EBW

5240MHz

18/12/2022

CF
5.24GHz


Span
110MHz

RBW
200kHz

VBW
1MHz

Sweep Time
100ms

Detector Type
Peak



CF
5.24GHz


Span
50MHz

RBW
200kHz

VBW
1MHz

Sweep Time
100ms

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.22922G	5.25067G	19.015M	5.230505G	5.24952G	Inf	1
21.34M	5.22922G	5.25056G	19.04M	5.230455G	5.249495G	Inf	2

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

EBW

5260MHz

18/12/2022

CF
5.26GHz


Span
110MHz

RBW
200kHz

VBW
1MHz

Sweep Time
100ms

Detector Type
Peak



CF
5.26GHz


Span
50MHz

RBW
200kHz

VBW
1MHz

Sweep Time
100ms

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.34M	5.24944G	5.27078G	19.065M	5.250505G	5.26957G	Inf	1
21.505M	5.249275G	5.27078G	19.065M	5.25048G	5.269545G	Inf	2


5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

EBW


5300MHz

18/12/2022

CF: 5.3GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.3GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.28944G	5.31089G	19.09M	5.290505G	5.309595G	Inf	1
21.67M	5.289275G	5.310945G	19.09M	5.290455G	5.309545G	Inf	2


5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

EBW


5320MHz

18/12/2022


CF: 5.32GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.32GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.285M	5.30933G	5.330615G	19.065M	5.31048G	5.329545G	Inf	1
21.505M	5.309165G	5.33067G	19.04M	5.31048G	5.32952G	Inf	2




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

EBW


5700MHz

18/12/2022

CF: 5.7GHz
 Span: 110MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.7GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.45M	5.689275G	5.710725G	19.04M	5.69048G	5.70952G	Inf	1
21.23M	5.689385G	5.710615G	19.04M	5.690505G	5.709545G	Inf	2


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

EBW


5720MHz Straddle 5.47-5.725GHz

18/12/2022



CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




CF: 5.71GHz
 Span: 30MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.735M	5.709265G	5.725G	14.513M	5.710405G	5.724918G	Inf	1
15.645M	5.709355G	5.725G	14.498M	5.710435G	5.724933G	Inf	2






5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

EBW


5190MHz

18/12/2022

CF: 5.19GHz
 Span: 220MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.19GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
40.15M	5.16998G	5.21013G	37.581M	5.171209G	5.208791G	Inf	1
40.04M	5.16998G	5.21002G	37.581M	5.171209G	5.208791G	Inf	2


5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

EBW


5230MHz

18/12/2022

CF: 5.23GHz
 Span: 220MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.23GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.71M	5.2102G	5.24991G	37.481M	5.211309G	5.248791G	Inf	1
39.6M	5.2102G	5.2498G	37.531M	5.211209G	5.248741G	Inf	2


5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

EBW


5270MHz

18/12/2022

CF
5.27GHz
Span
220MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.27GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.49M	5.25031G	5.2898G	37.581M	5.251259G	5.288841G	Inf	1
39.6M	5.2502G	5.2898G	37.631M	5.251209G	5.288841G	Inf	2


5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

EBW


5310MHz

18/12/2022

CF
5.31GHz
Span
220MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.31GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.71M	5.2902G	5.32991G	37.581M	5.291259G	5.328841G	Inf	1
39.93M	5.28987G	5.3298G	37.531M	5.291259G	5.328791G	Inf	2


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW


5510MHz

18/12/2022

CF: 5.51GHz
 Span: 220MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.51GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.71M	5.48998G	5.52969G	37.581M	5.491259G	5.528841G	Inf	1
39.82M	5.49009G	5.52991G	37.531M	5.491259G	5.528791G	Inf	2


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW


5550MHz

18/12/2022

CF: 5.55GHz
 Span: 220MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.55GHz
 Span: 100MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.49M	5.5302G	5.56969G	37.481M	5.531309G	5.568791G	Inf	1
39.6M	5.5302G	5.5698G	37.531M	5.531259G	5.568791G	Inf	2

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW

5670MHz

18/12/2022




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.47-5.725GHz

18/12/2022




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

18/12/2022




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW

5755MHz

18/12/2022




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW


5795MHz

18/12/2022

CF
5.795GHz
Span
220MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak



CF
5.795GHz
Span
100MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.73M	5.77619G	5.81392G	37.531M	5.776259G	5.813791G	500k	1
37.07M	5.77641G	5.81348G	37.531M	5.776309G	5.813841G	500k	2


5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

EBW


5210MHz

18/12/2022

CF
5.21GHz
Span
440MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.21GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.18M	5.16952G	5.2507G	76.862M	5.171719G	5.248581G	Inf	1
81.62M	5.1693G	5.25092G	77.061M	5.171419G	5.248481G	Inf	2

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

EBW

5290MHz

18/12/2022





5.47-5.725GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

EBW

5530MHz

18/12/2022




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

EBW


5610MHz

18/12/2022

CF: 5.61GHz
 Span: 440MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.61GHz
 Span: 200MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.4M	5.5693G	5.6507G	76.862M	5.571619G	5.648481G	Inf	1
81.18M	5.56974G	5.65092G	76.862M	5.571519G	5.648381G	Inf	2


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

EBW


5690MHz Straddle 5.47-5.725GHz

18/12/2022

CF: 5.65GHz
 Span: 150MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 5.65GHz
 Span: 150MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.675M	5.649325G	5.725G	73.013M	5.651499G	5.724513G	Inf	1
75.375M	5.649625G	5.725G	73.088M	5.651574G	5.724663G	Inf	2

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

18/12/2022




5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

EBW

5775MHz

18/12/2022





Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	11.20	0.01318	24.20	0.26303
802.11n HT20_Nss1,(MCS0)_4TX	11.46	0.01400	24.46	0.27925
802.11n HT40_Nss1,(MCS0)_4TX	13.84	0.02421	26.84	0.48306
802.11ac VHT20_Nss1,(MCS0)_4TX	11.60	0.01445	24.60	0.28840
802.11ac VHT40_Nss1,(MCS0)_4TX	13.89	0.02449	26.89	0.48865
802.11ac VHT80_Nss1,(MCS0)_4TX	16.71	0.04688	29.71	0.93541
802.11ac VHT160_Nss1,(MCS0)_4TX	13.06	0.02023	26.06	0.40365
802.11ax HEW20_Nss1,(MCS0)_4TX	11.79	0.01510	24.79	0.30130
802.11ax HEW40_Nss1,(MCS0)_4TX	14.25	0.02661	27.25	0.53088
802.11ax HEW80_Nss1,(MCS0)_4TX	16.93	0.04932	29.93	0.98401
802.11ax HEW160_Nss1,(MCS0)_4TX	13.60	0.02291	26.60	0.45709
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	22.89	0.19454	35.89	3.88150
802.11n HT20_Nss1,(MCS0)_4TX	22.47	0.17660	35.47	3.52371
802.11n HT40_Nss1,(MCS0)_4TX	22.52	0.17865	35.52	3.56451
802.11ac VHT20_Nss1,(MCS0)_4TX	22.51	0.17824	35.51	3.55631
802.11ac VHT40_Nss1,(MCS0)_4TX	22.60	0.18197	35.60	3.63078
802.11ac VHT80_Nss1,(MCS0)_4TX	21.36	0.13677	34.36	2.72898
802.11ax HEW20_Nss1,(MCS0)_4TX	22.84	0.19231	35.84	3.83707
802.11ax HEW40_Nss1,(MCS0)_4TX	22.99	0.19907	35.99	3.97192
802.11ax HEW80_Nss1,(MCS0)_4TX	21.56	0.14322	34.56	2.85759



Average Power_Non-Beamforming_Radio 1

Appendix C.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	13.00	4.71	4.19	4.39	4.55	10.48	16.98	23.48	30.00
5580MHz	Pass	13.00	5.35	4.25	4.37	5.98	11.07	16.98	24.07	30.00
5700MHz	Pass	13.00	5.49	4.59	5.55	5.01	11.20	16.98	24.20	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	4.19	2.37	3.73	3.90	9.62	15.91	22.62	28.91
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.21	-3.76	-2.83	-2.38	3.27	23.00	16.27	36.00
5745MHz	Pass	13.00	16.36	15.59	16.44	15.94	22.12	23.00	35.12	36.00
5785MHz	Pass	13.00	17.05	16.33	17.18	16.86	22.89	23.00	35.89	36.00
5825MHz	Pass	13.00	16.79	15.98	16.94	16.85	22.68	23.00	35.68	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	13.00	4.90	3.87	4.17	5.16	10.58	16.98	23.58	30.00
5580MHz	Pass	13.00	5.13	4.15	4.99	6.11	11.17	16.98	24.17	30.00
5700MHz	Pass	13.00	5.59	4.89	5.80	5.44	11.46	16.98	24.46	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	3.86	2.59	3.26	4.00	9.48	15.97	22.48	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-1.58	-3.33	-2.47	-1.69	3.81	23.00	16.81	36.00
5745MHz	Pass	13.00	16.44	16.01	16.37	16.13	22.26	23.00	35.26	36.00
5785MHz	Pass	13.00	16.45	15.53	16.32	16.34	22.20	23.00	35.20	36.00
5825MHz	Pass	13.00	16.66	15.78	16.79	16.51	22.47	23.00	35.47	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	13.00	7.24	6.94	7.33	7.63	13.31	16.98	26.31	30.00
5550MHz	Pass	13.00	7.49	7.24	7.51	8.25	13.66	16.98	26.66	30.00
5670MHz	Pass	13.00	7.55	7.67	7.89	8.14	13.84	16.98	26.84	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	7.73	7.03	7.29	7.32	13.37	16.98	26.37	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.36	-3.68	-3.23	-2.99	2.98	23.00	15.98	36.00
5755MHz	Pass	13.00	16.76	16.09	16.44	16.16	22.39	23.00	35.39	36.00
5795MHz	Pass	13.00	16.67	16.22	16.42	16.66	22.52	23.00	35.52	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	13.00	4.92	3.91	3.91	5.43	10.61	16.98	23.61	30.00
5580MHz	Pass	13.00	5.28	4.12	5.22	5.93	11.21	16.98	24.21	30.00
5700MHz	Pass	13.00	5.90	4.98	5.83	5.53	11.60	16.98	24.60	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	3.98	2.67	3.46	4.05	9.59	15.97	22.59	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-1.63	-3.29	-2.44	-1.64	3.82	23.00	16.82	36.00
5745MHz	Pass	13.00	16.54	15.80	16.50	16.16	22.28	23.00	35.28	36.00
5785MHz	Pass	13.00	16.25	15.74	16.57	16.31	22.25	23.00	35.25	36.00
5825MHz	Pass	13.00	16.69	15.88	16.72	16.63	22.51	23.00	35.51	36.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	13.00	7.30	7.62	7.55	7.93	13.63	16.98	26.63	30.00
5550MHz	Pass	13.00	7.55	7.67	7.48	8.29	13.78	16.98	26.78	30.00
5670MHz	Pass	13.00	7.66	7.74	7.91	8.15	13.89	16.98	26.89	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	7.79	7.01	7.28	7.35	13.39	16.98	26.39	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.22	-3.68	-3.39	-2.95	3.00	23.00	16.00	36.00
5755MHz	Pass	13.00	16.76	16.21	16.21	16.33	22.40	23.00	35.40	36.00
5795MHz	Pass	13.00	16.81	16.42	16.52	16.54	22.60	23.00	35.60	36.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	13.00	10.02	10.38	10.12	10.60	16.31	16.98	29.31	30.00
5610MHz	Pass	13.00	10.42	10.58	10.85	10.90	16.71	16.98	29.71	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.00	10.42	10.60	10.64	9.86	16.41	16.98	29.41	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.63	-3.34	-3.73	-4.07	2.61	23.00	15.61	36.00
5775MHz	Pass	13.00	15.35	15.52	15.29	15.21	21.36	23.00	34.36	36.00
802.11ac VHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	13.00	6.88	7.19	6.85	7.22	13.06	16.98	26.06	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	13.00	5.73	4.84	5.18	5.46	11.34	16.98	24.34	30.00
5580MHz	Pass	13.00	5.67	4.74	5.51	6.15	11.57	16.98	24.57	30.00
5700MHz	Pass	13.00	6.36	4.87	6.15	5.53	11.79	16.98	24.79	30.00







Average Power_Non-Beamforming_Radio 1



Appendix C.1



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	4.66	3.61	4.80	3.83	10.28	15.94	23.28	28.94
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-0.55	-1.78	-0.60	-1.34	4.98	23.00	17.98	36.00
5745MHz	Pass	13.00	17.16	16.29	16.88	16.55	22.75	23.00	35.75	36.00
5785MHz	Pass	13.00	16.82	16.02	17.00	16.83	22.70	23.00	35.70	36.00
5825MHz	Pass	13.00	16.96	16.18	17.11	16.96	22.84	23.00	35.84	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	13.00	8.11	8.03	7.70	8.88	14.22	16.98	27.22	30.00
5550MHz	Pass	13.00	8.11	8.37	8.19	8.18	14.23	16.98	27.23	30.00
5670MHz	Pass	13.00	8.46	8.42	8.26	7.74	14.25	16.98	27.25	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	7.97	7.33	7.53	6.76	13.44	16.98	26.44	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	-1.55	-2.64	-2.50	-2.92	3.65	23.00	16.65	36.00
5755MHz	Pass	13.00	17.19	16.62	16.68	16.72	22.83	23.00	35.83	36.00
5795MHz	Pass	13.00	17.15	16.73	16.96	17.04	22.99	23.00	35.99	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	13.00	10.54	10.83	10.67	10.95	16.77	16.98	29.77	30.00
5610MHz	Pass	13.00	10.53	10.74	11.11	11.23	16.93	16.98	29.93	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.00	10.76	10.79	10.97	10.26	16.72	16.98	29.72	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.00	-1.65	-2.49	-2.84	-3.11	3.53	23.00	16.53	36.00
5775MHz	Pass	13.00	15.51	15.74	15.50	15.40	21.56	23.00	34.56	36.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	13.00	7.92	7.68	7.10	7.58	13.60	16.98	26.60	30.00



DG = Directional Gain; Port X = Port X output power


















5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz_TX

AV Power

14/12/2022

CF: 5.735GHz

Span: 40MHz

RBW: 1MHz



VBW: 3MHz



Sweep Time: 20ms

Detector Type: RMS

CP BW: 20MHz

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.98	-0.55	-1.78	-0.60	-1.34







Average Power_Non-Beamforming_Radio 2

Appendix C.2

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	17.11	0.05140	30.11	1.02565
802.11n HT20_Nss1,(MCS0)_4TX	17.16	0.05200	30.16	1.03753
802.11n HT40_Nss1,(MCS0)_4TX	19.97	0.09931	32.97	1.98153
802.11ac VHT20_Nss1,(MCS0)_4TX	17.20	0.05248	30.20	1.04713
802.11ac VHT40_Nss1,(MCS0)_4TX	20.22	0.10520	33.22	2.09894
802.11ac VHT80_Nss1,(MCS0)_4TX	14.71	0.02958	27.71	0.59020
802.11ac VHT160_Nss1,(MCS0)_4TX	9.23	0.00838	22.23	0.16711
802.11ax HEW20_Nss1,(MCS0)_4TX	17.52	0.05649	30.52	1.12720
802.11ax HEW40_Nss1,(MCS0)_4TX	20.29	0.10691	33.29	2.13304
802.11ax HEW80_Nss1,(MCS0)_4TX	15.16	0.03281	28.16	0.65464
802.11ax HEW160_Nss1,(MCS0)_4TX	9.76	0.00946	22.76	0.18880
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	11.15	0.01303	24.15	0.26002
802.11n HT20_Nss1,(MCS0)_4TX	10.91	0.01233	23.91	0.24604
802.11n HT40_Nss1,(MCS0)_4TX	13.82	0.02410	26.82	0.48084
802.11ac VHT20_Nss1,(MCS0)_4TX	11.05	0.01274	24.05	0.25410
802.11ac VHT40_Nss1,(MCS0)_4TX	13.98	0.02500	26.98	0.49888
802.11ac VHT80_Nss1,(MCS0)_4TX	14.06	0.02547	27.06	0.50816
802.11ac VHT160_Nss1,(MCS0)_4TX	9.01	0.00796	22.01	0.15885
802.11ax HEW20_Nss1,(MCS0)_4TX	11.45	0.01396	24.45	0.27861
802.11ax HEW40_Nss1,(MCS0)_4TX	14.42	0.02767	27.42	0.55208
802.11ax HEW80_Nss1,(MCS0)_4TX	14.77	0.02999	27.77	0.59841
802.11ax HEW160_Nss1,(MCS0)_4TX	9.81	0.00957	22.81	0.19099
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	10.93	0.01239	23.93	0.24717
802.11n HT20_Nss1,(MCS0)_4TX	10.99	0.01256	23.99	0.25061
802.11n HT40_Nss1,(MCS0)_4TX	14.02	0.02523	27.02	0.50350
802.11ac VHT20_Nss1,(MCS0)_4TX	11.06	0.01276	24.06	0.25468
802.11ac VHT40_Nss1,(MCS0)_4TX	14.32	0.02704	27.32	0.53951
802.11ac VHT80_Nss1,(MCS0)_4TX	16.63	0.04603	29.63	0.91833
802.11ac VHT160_Nss1,(MCS0)_4TX	11.85	0.01531	24.85	0.30549
802.11ax HEW20_Nss1,(MCS0)_4TX	11.20	0.01318	24.20	0.26303
802.11ax HEW40_Nss1,(MCS0)_4TX	14.53	0.02838	27.53	0.56624
802.11ax HEW80_Nss1,(MCS0)_4TX	16.93	0.04932	29.93	0.98401
802.11ax HEW160_Nss1,(MCS0)_4TX	12.43	0.01750	25.43	0.34914
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	22.98	0.19861	35.98	3.96278
802.11n HT20_Nss1,(MCS0)_4TX	22.57	0.18072	35.57	3.60579
802.11n HT40_Nss1,(MCS0)_4TX	22.75	0.18836	35.75	3.75837
802.11ac VHT20_Nss1,(MCS0)_4TX	22.66	0.18450	35.66	3.68129
802.11ac VHT40_Nss1,(MCS0)_4TX	22.80	0.19055	35.80	3.80189
802.11ac VHT80_Nss1,(MCS0)_4TX	21.53	0.14223	34.53	2.83792
802.11ac HEW20_Nss1,(MCS0)_4TX	22.89	0.19454	35.89	3.88150
802.11ax HEW40_Nss1,(MCS0)_4TX	22.85	0.19275	35.85	3.84592
802.11ax HEW80_Nss1,(MCS0)_4TX	21.88	0.15417	34.88	3.07610



Average Power_Non-Beamforming_Radio 2

Appendix C.2

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	11.32	11.35	10.56	11.07	17.11	23.00	30.11	36.00
5200MHz	Pass	13.00	11.25	11.41	10.58	10.59	16.99	23.00	29.99	36.00
5240MHz	Pass	13.00	11.26	11.35	10.49	10.73	16.99	23.00	29.99	36.00
5260MHz	Pass	13.00	4.88	5.47	4.52	4.65	10.92	16.98	23.92	30.00
5300MHz	Pass	13.00	5.43	5.50	4.45	5.04	11.15	16.98	24.15	30.00
5320MHz	Pass	13.00	5.52	5.23	4.55	4.75	11.05	16.98	24.05	30.00
5500MHz	Pass	13.00	4.84	4.68	4.88	4.37	10.72	16.98	23.72	30.00
5580MHz	Pass	13.00	5.03	4.76	4.48	4.09	10.62	16.98	23.62	30.00
5700MHz	Pass	13.00	5.58	5.38	4.04	4.44	10.93	16.98	23.93	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	4.38	4.34	2.97	3.04	9.76	15.92	22.76	28.92
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-1.97	-1.94	-3.25	-3.18	3.48	23.00	16.48	36.00
5745MHz	Pass	13.00	16.50	16.80	16.54	16.89	22.71	23.00	35.71	36.00
5785MHz	Pass	13.00	16.70	16.94	16.77	17.11	22.90	23.00	35.90	36.00
5825MHz	Pass	13.00	16.83	16.98	16.99	17.03	22.98	23.00	35.98	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	11.28	11.41	10.69	11.13	17.16	23.00	30.16	36.00
5200MHz	Pass	13.00	11.28	11.23	10.81	10.75	17.04	23.00	30.04	36.00
5240MHz	Pass	13.00	11.06	10.91	10.50	11.19	16.94	23.00	29.94	36.00
5260MHz	Pass	13.00	3.99	4.74	4.63	4.53	10.50	16.98	23.50	30.00
5300MHz	Pass	13.00	4.79	5.37	4.35	5.00	10.91	16.98	23.91	30.00
5320MHz	Pass	13.00	4.54	5.03	4.24	5.23	10.80	16.98	23.80	30.00
5500MHz	Pass	13.00	3.53	4.49	3.93	4.59	10.18	16.98	23.18	30.00
5580MHz	Pass	13.00	5.05	4.82	4.62	4.44	10.76	16.98	23.76	30.00
5700MHz	Pass	13.00	5.15	5.39	4.42	4.84	10.99	16.98	23.99	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	4.08	3.88	2.99	3.48	9.65	15.97	22.65	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.67	-1.52	-2.10	-0.65	4.35	23.00	17.35	36.00
5745MHz	Pass	13.00	16.14	16.26	16.54	16.72	22.44	23.00	35.44	36.00
5785MHz	Pass	13.00	16.37	16.43	16.45	16.92	22.57	23.00	35.57	36.00
5825MHz	Pass	13.00	16.23	16.28	16.36	16.67	22.41	23.00	35.41	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	13.00	7.09	7.39	7.36	7.69	13.41	23.00	26.41	36.00
5230MHz	Pass	13.00	13.62	13.74	14.28	14.12	19.97	23.00	32.97	36.00
5270MHz	Pass	13.00	7.43	7.53	8.18	8.00	13.82	16.98	26.82	30.00
5310MHz	Pass	13.00	6.33	7.63	7.30	7.26	13.18	16.98	26.18	30.00
5510MHz	Pass	13.00	7.85	8.39	7.87	7.85	14.02	16.98	27.02	30.00
5550MHz	Pass	13.00	7.76	7.51	7.13	7.78	13.57	16.98	26.57	30.00
5670MHz	Pass	13.00	8.04	7.94	7.46	7.76	13.83	16.98	26.83	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	7.80	7.52	7.05	7.27	13.44	16.98	26.44	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.91	-3.04	-3.71	-3.28	2.80	23.00	15.80	36.00
5755MHz	Pass	13.00	16.41	16.49	16.71	16.72	22.61	23.00	35.61	36.00
5795MHz	Pass	13.00	16.37	16.56	17.07	16.89	22.75	23.00	35.75	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	11.32	11.34	10.76	11.29	17.20	23.00	30.20	36.00
5200MHz	Pass	13.00	11.32	11.20	10.88	10.95	17.11	23.00	30.11	36.00
5240MHz	Pass	13.00	10.97	11.00	10.81	11.13	17.00	23.00	30.00	36.00
5260MHz	Pass	13.00	4.39	4.68	4.00	5.05	10.57	16.98	23.57	30.00
5300MHz	Pass	13.00	5.29	5.22	4.26	5.28	11.05	16.98	24.05	30.00
5320MHz	Pass	13.00	5.21	5.21	4.24	4.83	10.91	16.98	23.91	30.00
5500MHz	Pass	13.00	4.75	4.94	4.56	4.84	10.80	16.98	23.80	30.00
5580MHz	Pass	13.00	4.88	4.66	5.03	4.87	10.88	16.98	23.88	30.00
5700MHz	Pass	13.00	5.20	5.47	4.46	4.95	11.06	16.98	24.06	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	3.52	3.82	2.95	3.38	9.45	15.97	22.45	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.48	-2.01	-2.95	-2.48	3.55	23.00	16.55	36.00
5745MHz	Pass	13.00	16.13	16.50	16.41	16.83	22.50	23.00	35.50	36.00



Average Power_Non-Beamforming_Radio 2

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5785MHz	Pass	13.00	16.48	16.46	16.70	16.90	22.66	23.00	35.66	36.00
5825MHz	Pass	13.00	16.35	16.24	16.56	16.68	22.48	23.00	35.48	36.00
802.11ac VHT40_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	13.00	8.62	8.52	8.33	8.33	14.47	23.00	27.47	36.00
5230MHz	Pass	13.00	13.83	14.05	14.56	14.34	20.22	23.00	33.22	36.00
5270MHz	Pass	13.00	7.29	8.22	8.15	8.12	13.98	16.98	26.98	30.00
5310MHz	Pass	13.00	7.55	8.13	7.84	7.82	13.86	16.98	26.86	30.00
5510MHz	Pass	13.00	7.81	8.36	8.31	7.91	14.12	16.98	27.12	30.00
5550MHz	Pass	13.00	7.89	7.98	7.99	7.64	13.90	16.98	26.90	30.00
5670MHz	Pass	13.00	7.83	8.59	8.36	8.38	14.32	16.98	27.32	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	7.70	7.62	7.18	7.43	13.51	16.98	26.51	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	-3.14	-3.05	-3.54	-3.27	2.77	23.00	15.77	36.00
5755MHz	Pass	13.00	16.52	16.62	16.80	16.80	22.71	23.00	35.71	36.00
5795MHz	Pass	13.00	16.53	16.62	16.98	16.97	22.80	23.00	35.80	36.00
802.11ac VHT80_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	13.00	8.66	8.80	8.78	8.53	14.71	23.00	27.71	36.00
5290MHz	Pass	13.00	7.75	8.16	7.91	8.33	14.06	16.98	27.06	30.00
5530MHz	Pass	13.00	10.05	10.56	10.34	10.13	16.30	16.98	29.30	30.00
5610MHz	Pass	13.00	10.28	10.81	10.41	10.89	16.63	16.98	29.63	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.00	10.37	10.83	10.50	10.70	16.62	16.98	29.62	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.00	-3.73	-3.34	-3.69	-3.61	2.43	23.00	15.43	36.00
5775MHz	Pass	13.00	15.17	15.50	15.73	15.60	21.53	23.00	34.53	36.00
802.11ac VHT160_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	13.00	3.20	3.09	3.13	3.42	9.23	23.00	22.23	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	13.00	2.93	3.23	2.91	2.87	9.01	16.98	22.01	30.00
5570MHz	Pass	13.00	5.50	6.21	5.62	5.94	11.85	16.98	24.85	30.00
802.11ax HEW20_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	11.72	11.77	11.01	11.27	17.47	23.00	30.47	36.00
5200MHz	Pass	13.00	11.74	11.95	10.87	11.16	17.47	23.00	30.47	36.00
5240MHz	Pass	13.00	11.82	11.85	11.00	11.26	17.52	23.00	30.52	36.00
5260MHz	Pass	13.00	6.03	5.64	4.96	5.01	11.45	16.98	24.45	30.00
5300MHz	Pass	13.00	5.84	5.53	4.82	4.68	11.26	16.98	24.26	30.00
5320MHz	Pass	13.00	5.86	5.58	4.93	5.13	11.41	16.98	24.41	30.00
5500MHz	Pass	13.00	5.26	5.33	5.16	4.95	11.20	16.98	24.20	30.00
5580MHz	Pass	13.00	5.39	5.26	4.82	4.63	11.06	16.98	24.06	30.00
5700MHz	Pass	13.00	5.42	5.89	4.52	4.76	11.20	16.98	24.20	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	4.65	4.62	3.23	3.80	10.14	15.94	23.14	28.94
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	-0.77	-0.68	-2.06	-1.55	4.79	23.00	17.79	36.00
5745MHz	Pass	13.00	16.55	16.88	16.45	16.74	22.68	23.00	35.68	36.00
5785MHz	Pass	13.00	16.82	16.94	16.77	16.96	22.89	23.00	35.89	36.00
5825MHz	Pass	13.00	16.67	16.73	16.52	16.88	22.72	23.00	35.72	36.00
802.11ax HEW40_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	13.00	8.21	8.31	8.73	8.63	14.50	23.00	27.50	36.00
5230MHz	Pass	13.00	13.81	14.07	14.56	14.60	20.29	23.00	33.29	36.00
5270MHz	Pass	13.00	8.16	8.88	8.10	8.43	14.42	16.98	27.42	30.00
5310MHz	Pass	13.00	8.22	8.01	8.15	8.36	14.21	16.98	27.21	30.00
5510MHz	Pass	13.00	8.19	8.46	8.36	8.25	14.34	16.98	27.34	30.00
5550MHz	Pass	13.00	8.19	8.43	8.44	8.39	14.38	16.98	27.38	30.00
5670MHz	Pass	13.00	8.57	8.48	8.46	8.52	14.53	16.98	27.53	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	7.77	8.11	7.51	7.33	13.71	16.98	26.71	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.24	-1.74	-2.32	-2.47	3.84	23.00	16.84	36.00
5755MHz	Pass	13.00	16.69	16.60	17.05	16.92	22.84	23.00	35.84	36.00
5795MHz	Pass	13.00	16.92	16.80	16.57	17.03	22.85	23.00	35.85	36.00
802.11ax HEW80_Nss1,(MCSO)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	13.00	8.75	9.38	9.32	9.06	15.16	23.00	28.16	36.00
5290MHz	Pass	13.00	8.64	8.99	8.48	8.86	14.77	16.98	27.77	30.00







Average Power_Non-Beamforming_Radio 2



Appendix C.2


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5530MHz	Pass	13.00	10.62	10.92	10.59	10.89	16.78	16.98	29.78	30.00
5610MHz	Pass	13.00	10.85	10.97	10.63	11.01	16.89	16.98	29.89	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.00	10.89	11.01	10.86	10.88	16.93	16.98	29.93	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.00	-2.69	-2.21	-2.65	-2.32	3.56	23.00	16.56	36.00
5775MHz	Pass	13.00	15.71	15.70	16.00	16.02	21.88	23.00	34.88	36.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	13.00	3.56	3.77	3.68	3.93	9.76	23.00	22.76	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	13.00	3.78	4.19	3.65	3.52	9.81	16.98	22.81	30.00
5570MHz	Pass	13.00	6.75	6.32	5.87	6.65	12.43	16.98	25.43	30.00

DG = Directional Gain; Port X = Port X output power









5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

22/12/2022

CF
5.735GHz

Span
40MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Port 1



Port 2



Port 3



Port 4



Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3.55	-2.48	-2.01	-2.95	-2.48





















Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	15.62	0.03648	28.62	0.72778
802.11n HT20_Nss1,(MCS0)_2TX	16.43	0.04395	29.43	0.87700
802.11n HT40_Nss1,(MCS0)_2TX	16.74	0.04721	29.74	0.94189
802.11ac VHT20_Nss1,(MCS0)_2TX	16.70	0.04677	29.70	0.93325
802.11ac VHT40_Nss1,(MCS0)_2TX	17.16	0.05200	30.16	1.03753
802.11ac VHT80_Nss1,(MCS0)_2TX	14.64	0.02911	27.64	0.58076
802.11ax HEW20_Nss1,(MCS0)_2TX	16.90	0.04898	29.90	0.97724
802.11ax HEW40_Nss1,(MCS0)_2TX	17.21	0.05260	30.21	1.04954
802.11ax HEW80_Nss1,(MCS0)_2TX	14.67	0.02931	27.67	0.58479
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	13.28	0.02128	26.28	0.42462
802.11n HT20_Nss1,(MCS0)_2TX	13.72	0.02355	26.72	0.46989
802.11n HT40_Nss1,(MCS0)_2TX	14.22	0.02642	27.22	0.52723
802.11ac VHT20_Nss1,(MCS0)_2TX	14.12	0.02582	27.12	0.51523
802.11ac VHT40_Nss1,(MCS0)_2TX	14.43	0.02773	27.43	0.55335
802.11ac VHT80_Nss1,(MCS0)_2TX	12.60	0.01820	25.60	0.36308
802.11ax HEW20_Nss1,(MCS0)_2TX	14.17	0.02612	27.17	0.52119
802.11ax HEW40_Nss1,(MCS0)_2TX	14.46	0.02793	27.46	0.55719
802.11ax HEW80_Nss1,(MCS0)_2TX	12.64	0.01837	25.64	0.36644
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	14.00	0.02512	27.00	0.50119
802.11n HT20_Nss1,(MCS0)_2TX	14.20	0.02630	27.20	0.52481
802.11n HT40_Nss1,(MCS0)_2TX	16.81	0.04797	29.81	0.95719
802.11ac VHT20_Nss1,(MCS0)_2TX	14.32	0.02704	27.32	0.53951
802.11ac VHT40_Nss1,(MCS0)_2TX	16.82	0.04808	29.82	0.95940
802.11ac VHT80_Nss1,(MCS0)_2TX	16.84	0.04831	29.84	0.96383
802.11ax HEW20_Nss1,(MCS0)_2TX	14.43	0.02773	27.43	0.55335
802.11ax HEW40_Nss1,(MCS0)_2TX	16.91	0.04909	29.91	0.97949
802.11ax HEW80_Nss1,(MCS0)_2TX	16.88	0.04875	29.88	0.97275
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.93	0.19634	35.93	3.91742
802.11n HT20_Nss1,(MCS0)_2TX	22.74	0.18793	35.74	3.74973
802.11n HT40_Nss1,(MCS0)_2TX	22.56	0.18030	35.56	3.59749
802.11ac VHT20_Nss1,(MCS0)_2TX	22.83	0.19187	35.83	3.82825
802.11ac VHT40_Nss1,(MCS0)_2TX	22.63	0.18323	35.63	3.65595
802.11ac VHT80_Nss1,(MCS0)_2TX	18.43	0.06966	31.43	1.38995
802.11ax HEW20_Nss1,(MCS0)_2TX	22.85	0.19275	35.85	3.84592
802.11ax HEW40_Nss1,(MCS0)_2TX	22.65	0.18408	35.65	3.67282
802.11ax HEW80_Nss1,(MCS0)_2TX	18.57	0.07194	31.57	1.43549



Average Power_Non-Beamforming_Radio 3

Appendix C.3

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	12.63	12.59	15.62	23.00	28.62	36.00
5200MHz	Pass	13.00	12.14	12.01	15.09	23.00	28.09	36.00
5240MHz	Pass	13.00	12.47	12.30	15.40	23.00	28.40	36.00
5260MHz	Pass	13.00	10.05	10.48	13.28	16.98	26.28	30.00
5300MHz	Pass	13.00	8.97	9.38	12.19	16.98	25.19	30.00
5320MHz	Pass	13.00	10.03	10.31	13.18	16.98	26.18	30.00
5500MHz	Pass	13.00	10.98	10.75	13.88	16.98	26.88	30.00
5580MHz	Pass	13.00	10.93	11.04	14.00	16.98	27.00	30.00
5700MHz	Pass	13.00	10.67	11.14	13.92	16.98	26.92	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	9.75	10.10	12.94	15.90	25.94	28.90
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	3.75	4.16	6.97	23.00	19.97	36.00
5745MHz	Pass	13.00	14.70	15.55	18.16	23.00	31.16	36.00
5785MHz	Pass	13.00	19.65	20.17	22.93	23.00	35.93	36.00
5825MHz	Pass	13.00	11.96	12.97	15.50	23.00	28.50	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	13.55	13.28	16.43	23.00	29.43	36.00
5200MHz	Pass	13.00	13.14	12.93	16.05	23.00	29.05	36.00
5240MHz	Pass	13.00	11.49	11.20	14.36	23.00	27.36	36.00
5260MHz	Pass	13.00	10.34	11.05	13.72	16.98	26.72	30.00
5300MHz	Pass	13.00	10.60	10.67	13.65	16.98	26.65	30.00
5320MHz	Pass	13.00	10.48	10.56	13.53	16.98	26.53	30.00
5500MHz	Pass	13.00	11.32	11.04	14.19	16.98	27.19	30.00
5580MHz	Pass	13.00	11.31	11.06	14.20	16.98	27.20	30.00
5700MHz	Pass	13.00	9.66	9.70	12.69	16.98	25.69	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	9.89	9.68	12.80	15.95	25.80	28.95
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	4.35	4.36	7.37	23.00	20.37	36.00
5745MHz	Pass	13.00	13.95	14.37	17.18	23.00	30.18	36.00
5785MHz	Pass	13.00	19.76	19.70	22.74	23.00	35.74	36.00
5825MHz	Pass	13.00	11.56	12.20	14.90	23.00	27.90	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	13.00	10.70	10.64	13.68	23.00	26.68	36.00
5230MHz	Pass	13.00	13.56	13.90	16.74	23.00	29.74	36.00
5270MHz	Pass	13.00	11.48	10.93	14.22	16.98	27.22	30.00
5310MHz	Pass	13.00	11.43	10.82	14.15	16.98	27.15	30.00
5510MHz	Pass	13.00	13.42	12.87	16.16	16.98	29.16	30.00
5550MHz	Pass	13.00	14.05	13.53	16.81	16.98	29.81	30.00
5670MHz	Pass	13.00	13.81	13.77	16.80	16.98	29.80	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	13.41	13.57	16.50	16.98	29.50	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	3.12	3.61	6.38	23.00	19.38	36.00
5755MHz	Pass	13.00	17.88	18.07	20.99	23.00	33.99	36.00
5795MHz	Pass	13.00	19.48	19.62	22.56	23.00	35.56	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	14.02	13.34	16.70	23.00	29.70	36.00
5200MHz	Pass	13.00	13.51	13.27	16.40	23.00	29.40	36.00
5240MHz	Pass	13.00	11.90	11.36	14.65	23.00	27.65	36.00
5260MHz	Pass	13.00	11.07	11.15	14.12	16.98	27.12	30.00
5300MHz	Pass	13.00	10.80	10.81	13.82	16.98	26.82	30.00
5320MHz	Pass	13.00	10.50	10.76	13.64	16.98	26.64	30.00
5500MHz	Pass	13.00	11.49	10.95	14.24	16.98	27.24	30.00
5580MHz	Pass	13.00	11.47	11.14	14.32	16.98	27.32	30.00
5700MHz	Pass	13.00	9.85	9.85	12.86	16.98	25.86	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	9.93	9.84	12.90	15.96	25.90	28.96
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	4.48	4.50	7.50	23.00	20.50	36.00
5745MHz	Pass	13.00	14.14	14.42	17.29	23.00	30.29	36.00



Average Power_Non-Beamforming_Radio 3

Appendix C.3

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5785MHz	Pass	13.00	19.75	19.89	22.83	23.00	35.83	36.00
5825MHz	Pass	13.00	12.00	12.29	15.16	23.00	28.16	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	13.00	10.89	10.82	13.87	23.00	26.87	36.00
5230MHz	Pass	13.00	14.28	14.02	17.16	23.00	30.16	36.00
5270MHz	Pass	13.00	11.72	11.00	14.39	16.98	27.39	30.00
5310MHz	Pass	13.00	11.73	11.08	14.43	16.98	27.43	30.00
5510MHz	Pass	13.00	13.52	12.88	16.22	16.98	29.22	30.00
5550MHz	Pass	13.00	14.14	13.46	16.82	16.98	29.82	30.00
5670MHz	Pass	13.00	13.83	13.78	16.82	16.98	29.82	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	13.65	13.72	16.70	16.98	29.70	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	3.39	3.81	6.62	23.00	19.62	36.00
5755MHz	Pass	13.00	18.13	18.11	21.13	23.00	34.13	36.00
5795MHz	Pass	13.00	19.68	19.56	22.63	23.00	35.63	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	13.00	11.65	11.60	14.64	23.00	27.64	36.00
5290MHz	Pass	13.00	9.33	9.84	12.60	16.98	25.60	30.00
5530MHz	Pass	13.00	13.57	12.73	16.18	16.98	29.18	30.00
5610MHz	Pass	13.00	14.00	13.35	16.70	16.98	29.70	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.00	14.22	13.40	16.84	16.98	29.84	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.00	0.17	0.03	3.11	23.00	16.11	36.00
5775MHz	Pass	13.00	15.35	15.48	18.43	23.00	31.43	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.00	14.02	13.75	16.90	23.00	29.90	36.00
5200MHz	Pass	13.00	13.49	13.33	16.42	23.00	29.42	36.00
5240MHz	Pass	13.00	12.04	11.67	14.87	23.00	27.87	36.00
5260MHz	Pass	13.00	11.00	11.31	14.17	16.98	27.17	30.00
5300MHz	Pass	13.00	10.69	10.98	13.85	16.98	26.85	30.00
5320MHz	Pass	13.00	10.63	10.91	13.78	16.98	26.78	30.00
5500MHz	Pass	13.00	11.51	11.32	14.43	16.98	27.43	30.00
5580MHz	Pass	13.00	11.40	11.44	14.43	16.98	27.43	30.00
5700MHz	Pass	13.00	10.14	10.15	13.16	16.98	26.16	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.00	10.15	10.18	13.18	15.92	26.18	28.92
5720MHz Straddle 5.725-5.85GHz	Pass	13.00	5.09	5.09	8.10	23.00	21.10	36.00
5745MHz	Pass	13.00	13.92	14.80	17.39	23.00	30.39	36.00
5785MHz	Pass	13.00	19.58	20.08	22.85	23.00	35.85	36.00
5825MHz	Pass	13.00	12.14	12.57	15.37	23.00	28.37	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	13.00	10.86	10.95	13.92	23.00	26.92	36.00
5230MHz	Pass	13.00	14.15	14.24	17.21	23.00	30.21	36.00
5270MHz	Pass	13.00	11.61	11.20	14.42	16.98	27.42	30.00
5310MHz	Pass	13.00	11.63	11.26	14.46	16.98	27.46	30.00
5510MHz	Pass	13.00	13.49	13.06	16.29	16.98	29.29	30.00
5550MHz	Pass	13.00	14.17	13.62	16.91	16.98	29.91	30.00
5670MHz	Pass	13.00	13.73	14.01	16.88	16.98	29.88	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.00	13.81	13.90	16.87	16.98	29.87	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.00	4.19	4.68	7.45	23.00	20.45	36.00
5755MHz	Pass	13.00	17.99	18.33	21.17	23.00	34.17	36.00
5795MHz	Pass	13.00	19.55	19.73	22.65	23.00	35.65	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	13.00	11.55	11.76	14.67	23.00	27.67	36.00
5290MHz	Pass	13.00	9.36	9.89	12.64	16.98	25.64	30.00
5530MHz	Pass	13.00	13.51	13.00	16.27	16.98	29.27	30.00
5610MHz	Pass	13.00	13.88	13.68	16.79	16.98	29.79	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.00	14.14	13.58	16.88	16.98	29.88	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.00	0.42	0.96	3.71	23.00	16.71	36.00







Average Power_Non-Beamforming_Radio 3



Appendix C.3



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5775MHz	Pass	13.00	15.16	15.92	18.57	23.00	31.57	36.00



DG = Directional Gain; Port X = Port X output power





























Summary



Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.87	0.01222	29.89	0.97499
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	10.89	0.01227	29.91	0.97949
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	10.80	0.01202	29.82	0.95940
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	10.87	0.01222	29.89	0.97499
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	16.84	0.04831	35.86	3.85478
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	16.84	0.04831	35.86	3.85478
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	16.81	0.04797	35.83	3.82825







Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	19.02	4.31	4.55	4.24	5.35	10.66	10.96	29.68	30.00
5580MHz	Pass	19.02	4.39	4.62	4.58	5.67	10.87	10.96	29.89	30.00
5700MHz	Pass	19.02	5.40	4.10	5.21	4.49	10.85	10.96	29.87	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	19.02	3.96	3.41	4.43	3.69	9.91	9.95	28.93	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	19.02	-1.09	-2.06	-1.03	-1.68	4.58	16.98	23.60	36.00
5745MHz	Pass	19.02	11.16	10.81	10.88	10.14	16.78	16.98	35.80	36.00
5785MHz	Pass	19.02	10.49	11.01	10.81	10.41	16.71	16.98	35.73	36.00
5825MHz	Pass	19.02	11.27	10.18	10.63	11.11	16.84	16.98	35.86	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	19.02	4.30	5.12	4.71	5.27	10.89	10.96	29.91	30.00
5550MHz	Pass	19.02	4.73	4.53	4.69	5.11	10.79	10.96	29.81	30.00
5670MHz	Pass	19.02	4.98	4.33	5.02	4.58	10.76	10.96	29.78	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	19.02	4.76	5.04	5.10	4.41	10.86	10.96	29.88	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	19.02	-4.08	-4.30	-6.01	-5.14	1.20	16.98	20.22	36.00
5755MHz	Pass	19.02	11.42	11.10	9.91	10.70	16.84	16.98	35.86	36.00
5795MHz	Pass	19.02	11.21	11.20	10.30	10.33	16.80	16.98	35.82	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	19.02	5.01	4.80	4.02	5.16	10.79	10.96	29.81	30.00
5610MHz	Pass	19.02	4.06	4.99	4.72	5.15	10.77	10.96	29.79	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	19.02	4.83	5.07	5.06	4.07	10.80	10.96	29.82	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	19.02	-7.20	-8.02	-9.85	-8.53	-2.28	16.98	16.74	36.00
5775MHz	Pass	19.02	11.11	11.13	10.52	10.32	16.81	16.98	35.83	36.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	19.02	4.31	5.42	4.97	4.61	10.87	10.96	29.89	30.00

DG = Directional Gain; Port X = Port X output power









Summary


Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	16.87	0.04864	35.89	3.88150
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	16.96	0.04966	35.98	3.96278
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	16.87	0.04864	35.89	3.88150
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	11.05	0.01274	30.07	1.01625
5.25-5.35GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.82	0.01208	29.84	0.96383
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	10.65	0.01161	29.67	0.92683
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	10.73	0.01183	29.75	0.94406
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	10.90	0.01230	29.92	0.98175
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.83	0.01211	29.85	0.96605
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	10.93	0.01239	29.95	0.98855
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	10.92	0.01236	29.94	0.98628
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	10.39	0.01094	29.41	0.87297
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	16.80	0.04786	35.82	3.81944
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	16.78	0.04764	35.80	3.80189
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	16.46	0.04426	35.48	3.53183







Result


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	19.02	11.55	10.82	10.21	10.39	16.79	16.98	35.81	36.00
5200MHz	Pass	19.02	10.96	11.68	10.30	10.30	16.87	16.98	35.89	36.00
5240MHz	Pass	19.02	11.06	11.19	10.65	10.40	16.86	16.98	35.88	36.00
5260MHz	Pass	19.02	4.92	4.77	4.82	4.68	10.82	10.96	29.84	30.00
5300MHz	Pass	19.02	4.88	4.94	3.98	4.99	10.74	10.96	29.76	30.00
5320MHz	Pass	19.02	4.72	4.37	4.07	4.68	10.49	10.96	29.51	30.00
5500MHz	Pass	19.02	4.84	5.32	4.71	4.29	10.83	10.96	29.85	30.00
5580MHz	Pass	19.02	5.36	4.45	4.22	4.37	10.64	10.96	29.66	30.00
5700MHz	Pass	19.02	4.33	4.59	4.49	4.65	10.54	10.96	29.56	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	19.02	3.52	4.33	3.23	3.13	9.60	9.89	28.62	28.91
5720MHz Straddle 5.725-5.85GHz	Pass	19.02	-1.42	-1.09	-2.08	-1.66	4.47	16.98	23.49	36.00
5745MHz	Pass	19.02	11.06	10.77	10.88	10.38	16.80	16.98	35.82	36.00
5785MHz	Pass	19.02	10.78	11.42	10.19	10.58	16.79	16.98	35.81	36.00
5825MHz	Pass	19.02	11.05	10.32	10.44	11.05	16.75	16.98	35.77	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	19.02	10.86	11.29	11.09	10.36	16.93	16.98	35.95	36.00
5230MHz	Pass	19.02	10.76	11.37	10.71	10.87	16.96	16.98	35.98	36.00
5270MHz	Pass	19.02	4.68	4.56	4.85	4.40	10.65	10.96	29.67	30.00
5310MHz	Pass	19.02	4.15	5.01	4.89	4.06	10.57	10.96	29.59	30.00
5510MHz	Pass	19.02	4.36	5.16	4.14	4.66	10.62	10.96	29.64	30.00
5550MHz	Pass	19.02	4.06	5.21	4.64	5.09	10.79	10.96	29.81	30.00
5670MHz	Pass	19.02	4.24	4.17	4.40	4.00	10.23	10.96	29.25	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	19.02	5.00	4.88	5.20	4.51	10.93	10.96	29.95	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	19.02	-4.72	-4.60	-4.96	-5.03	1.20	16.98	20.22	36.00
5755MHz	Pass	19.02	10.83	11.01	10.59	10.61	16.78	16.98	35.80	36.00
5795MHz	Pass	19.02	11.23	10.66	10.14	10.43	16.65	16.98	35.67	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	19.02	11.08	10.89	10.48	10.94	16.87	16.98	35.89	36.00
5290MHz	Pass	19.02	4.71	5.00	4.31	4.80	10.73	10.96	29.75	30.00
5530MHz	Pass	19.02	4.96	5.14	4.65	4.70	10.89	10.96	29.91	30.00
5610MHz	Pass	19.02	4.42	5.04	4.27	4.38	10.56	10.96	29.58	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	19.02	5.25	5.09	4.87	4.32	10.92	10.96	29.94	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	19.02	-8.64	-8.09	-8.73	-8.91	-2.56	16.98	16.46	36.00
5775MHz	Pass	19.02	10.56	10.74	10.09	10.33	16.46	16.98	35.48	36.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	19.02	5.12	5.40	4.94	4.64	11.05	16.98	30.07	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	19.02	5.06	5.33	4.82	4.25	10.90	10.96	29.92	30.00
5570MHz	Pass	19.02	4.43	4.45	4.50	4.07	10.39	10.96	29.41	30.00

DG = Directional Gain; Port X = Port X output power









5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX

21/12/2022

CF

5.33GHz

Span

320MHz

RBW

1MHz

VBW

3MHz

Sweep Time

20ms

Detector Type

RMS

CP BW

160MHz



Port 1

Port 2

Port 3

Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
10.90	5.06	5.33	4.82	4.25



Summary


Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	16.60	0.04571	32.61	1.82390
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	19.94	0.09863	35.95	3.93550
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.18	0.03296	31.19	1.31522
5.25-5.35GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	13.89	0.02449	29.90	0.97724
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	13.93	0.02472	29.94	0.98628
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	13.94	0.02477	29.95	0.98855
5.47-5.725GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	13.80	0.02399	29.81	0.95719
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	13.96	0.02489	29.97	0.99312
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	13.90	0.02455	29.91	0.97949
5.725-5.85GHz	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.84	0.09638	35.85	3.84592
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	19.90	0.09772	35.91	3.89942
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	19.00	0.07943	35.01	3.16957







Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	16.01	13.58	13.59	16.60	19.99	32.61	36.00
5200MHz	Pass	16.01	13.10	12.42	15.78	19.99	31.79	36.00
5240MHz	Pass	16.01	13.97	13.13	16.58	19.99	32.59	36.00
5260MHz	Pass	16.01	11.20	10.54	13.89	13.97	29.90	30.00
5300MHz	Pass	16.01	10.70	10.88	13.80	13.97	29.81	30.00
5320MHz	Pass	16.01	11.18	10.49	13.86	13.97	29.87	30.00
5500MHz	Pass	16.01	10.95	10.62	13.80	13.97	29.81	30.00
5580MHz	Pass	16.01	10.05	11.12	13.63	13.97	29.64	30.00
5700MHz	Pass	16.01	10.31	10.57	13.45	13.97	29.46	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	16.01	10.09	9.73	12.92	12.93	28.93	28.94
5720MHz Straddle 5.725-5.85GHz	Pass	16.01	4.43	4.99	7.73	19.99	23.74	36.00
5745MHz	Pass	16.01	14.81	15.13	17.98	19.99	33.99	36.00
5785MHz	Pass	16.01	16.07	17.48	19.84	19.99	35.85	36.00
5825MHz	Pass	16.01	12.69	12.76	15.74	19.99	31.75	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	16.01	12.68	12.85	15.78	19.99	31.79	36.00
5230MHz	Pass	16.01	17.13	16.71	19.94	19.99	35.95	36.00
5270MHz	Pass	16.01	11.23	10.10	13.71	13.97	29.72	30.00
5310MHz	Pass	16.01	11.59	10.12	13.93	13.97	29.94	30.00
5510MHz	Pass	16.01	10.77	11.05	13.92	13.97	29.93	30.00
5550MHz	Pass	16.01	10.45	11.02	13.75	13.97	29.76	30.00
5670MHz	Pass	16.01	10.97	10.42	13.71	13.97	29.72	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	16.01	10.73	11.15	13.96	13.97	29.97	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	16.01	0.73	1.89	4.36	19.99	20.37	36.00
5755MHz	Pass	16.01	17.00	16.77	19.90	19.99	35.91	36.00
5795MHz	Pass	16.01	16.62	16.79	19.72	19.99	35.73	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	16.01	12.69	11.58	15.18	19.99	31.19	36.00
5290MHz	Pass	16.01	10.90	10.96	13.94	13.97	29.95	30.00
5530MHz	Pass	16.01	10.86	10.84	13.86	13.97	29.87	30.00
5610MHz	Pass	16.01	10.92	10.85	13.90	13.97	29.91	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	16.01	11.13	10.61	13.89	13.97	29.90	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	16.01	-2.66	-1.50	0.97	19.99	16.98	36.00
5775MHz	Pass	16.01	15.61	16.33	19.00	19.99	35.01	36.00

DG = Directional Gain: Port X = Port X output power









Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-2.08	16.94
802.11n HT20_Nss1,(MCS0)_4TX	-2.18	16.84
802.11n HT40_Nss1,(MCS0)_4TX	-2.35	16.67
802.11ac VHT20_Nss1,(MCS0)_4TX	-2.04	16.98
802.11ac VHT40_Nss1,(MCS0)_4TX	-2.51	16.51
802.11ac VHT80_Nss1,(MCS0)_4TX	-2.31	16.71
802.11ac VHT160_Nss1,(MCS0)_4TX	-8.18	10.84
802.11ax HEW20_Nss1,(MCS0)_4TX	-2.07	16.95
802.11ax HEW40_Nss1,(MCS0)_4TX	-2.19	16.83
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.14	16.88
802.11ax HEW160_Nss1,(MCS0)_4TX	-8.09	10.93
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	8.01	27.03
802.11n HT20_Nss1,(MCS0)_4TX	7.45	26.47
802.11n HT40_Nss1,(MCS0)_4TX	4.69	23.71
802.11ac VHT20_Nss1,(MCS0)_4TX	7.36	26.38
802.11ac VHT40_Nss1,(MCS0)_4TX	4.82	23.84
802.11ac VHT80_Nss1,(MCS0)_4TX	1.03	20.05
802.11ax HEW20_Nss1,(MCS0)_4TX	7.37	26.39
802.11ax HEW40_Nss1,(MCS0)_4TX	4.88	23.90
802.11ax HEW80_Nss1,(MCS0)_4TX	1.33	20.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	19.02	-7.90	-8.78	-8.88	-7.55	-2.45	-2.02	16.57	17.00
5580MHz	Pass	19.02	-7.72	-8.85	-8.52	-7.06	-2.12	-2.02	16.90	17.00
5700MHz	Pass	19.02	-7.32	-8.74	-7.19	-8.39	-2.08	-2.02	16.94	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.36	-9.29	-7.96	-7.85	-2.19	-2.02	16.83	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.74	-11.39	-10.56	-10.01	-4.46	16.98	14.56	36.00
5745MHz	Pass	19.02	1.57	1.07	1.57	1.24	7.08	16.98	26.10	36.00
5785MHz	Pass	19.02	2.15	1.62	2.57	2.15	8.01	16.98	27.03	36.00
5825MHz	Pass	19.02	2.19	1.35	2.29	2.21	7.86	16.98	26.88	36.00
802.11n HT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	19.02	-7.87	-8.94	-9.22	-7.92	-2.54	-2.02	16.48	17.00
5580MHz	Pass	19.02	-8.19	-9.23	-8.28	-7.20	-2.27	-2.02	16.75	17.00
5700MHz	Pass	19.02	-7.64	-8.34	-7.74	-8.08	-2.18	-2.02	16.84	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	19.02	-8.20	-8.87	-8.77	-8.19	-2.64	-2.02	16.38	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.74	-10.76	-10.70	-9.86	-4.36	16.98	14.66	36.00
5745MHz	Pass	19.02	1.76	1.28	1.56	1.22	7.36	16.98	26.38	36.00
5785MHz	Pass	19.02	1.49	1.17	1.65	1.43	7.35	16.98	26.37	36.00
5825MHz	Pass	19.02	1.94	1.17	1.79	1.69	7.45	16.98	26.47	36.00
802.11n HT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	19.02	-8.80	-9.04	-8.67	-8.43	-2.81	-2.02	16.21	17.00
5550MHz	Pass	19.02	-8.39	-8.63	-8.46	-7.71	-2.38	-2.02	16.64	17.00
5670MHz	Pass	19.02	-8.61	-8.49	-8.47	-8.22	-2.63	-2.02	16.39	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.82	-8.53	-8.16	-8.35	-2.35	-2.02	16.67	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.67	-10.70	-10.70	-10.59	-4.61	16.98	14.41	36.00
5755MHz	Pass	19.02	-0.86	-1.25	-1.35	-1.44	4.69	16.98	23.71	36.00
5795MHz	Pass	19.02	-1.16	-1.12	-1.08	-1.05	4.64	16.98	23.66	36.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	19.02	-8.41	-9.37	-9.48	-7.99	-2.83	-2.02	16.19	17.00
5580MHz	Pass	19.02	-8.08	-9.25	-8.18	-7.50	-2.25	-2.02	16.77	17.00
5700MHz	Pass	19.02	-7.61	-8.46	-7.74	-8.06	-2.04	-2.02	16.98	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	19.02	-8.29	-9.45	-8.82	-8.22	-2.77	-2.02	16.25	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.91	-11.31	-10.63	-10.03	-4.61	16.98	14.41	36.00
5745MHz	Pass	19.02	1.70	1.22	1.67	1.05	7.25	16.98	26.27	36.00
5785MHz	Pass	19.02	1.23	1.12	1.55	1.32	7.23	16.98	26.25	36.00
5825MHz	Pass	19.02	1.69	1.21	1.62	1.66	7.36	16.98	26.38	36.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	19.02	-8.83	-8.38	-8.67	-8.33	-2.61	-2.02	16.41	17.00
5550MHz	Pass	19.02	-8.65	-8.40	-8.89	-7.88	-2.51	-2.02	16.51	17.00
5670MHz	Pass	19.02	-8.67	-8.48	-8.47	-8.33	-2.66	-2.02	16.36	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.88	-8.67	-8.57	-8.50	-2.51	-2.02	16.51	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.79	-10.91	-11.00	-10.62	-4.71	16.98	14.31	36.00
5755MHz	Pass	19.02	-0.90	-1.09	-1.53	-1.52	4.69	16.98	23.71	36.00
5795MHz	Pass	19.02	-1.25	-0.79	-1.27	-1.21	4.82	16.98	23.84	36.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	19.02	-8.56	-8.20	-8.61	-8.24	-2.46	-2.02	16.56	17.00
5610MHz	Pass	19.02	-8.63	-8.50	-8.09	-8.01	-2.40	-2.02	16.62	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.98	-7.77	-7.90	-9.21	-2.31	-2.02	16.71	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	19.02	-10.17	-10.70	-11.09	-11.34	-4.99	16.98	14.03	36.00
5775MHz	Pass	19.02	-5.11	-4.31	-4.99	-4.78	1.03	16.98	20.05	36.00
802.11ac VHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	19.02	-14.21	-13.89	-14.49	-13.48	-8.18	-2.02	10.84	17.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	19.02	-7.88	-8.61	-8.57	-8.20	-2.43	-2.02	16.59	17.00
5580MHz	Pass	19.02	-7.89	-8.92	-7.95	-7.48	-2.07	-2.02	16.95	17.00
5700MHz	Pass	19.02	-7.23	-8.49	-7.51	-8.28	-2.13	-2.02	16.89	17.00



PSD_Non-Beamforming_Radio 1

Appendix D.1

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5720MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.65	-8.54	-7.54	-8.44	-2.11	-2.02	16.91	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.52	-10.53	-9.42	-10.42	-4.10	16.98	14.92	36.00
5745MHz	Pass	19.02	1.79	1.16	1.48	1.11	7.31	16.98	26.33	36.00
5785MHz	Pass	19.02	1.42	1.06	1.55	1.38	7.29	16.98	26.31	36.00
5825MHz	Pass	19.02	1.80	1.30	1.65	1.56	7.37	16.98	26.39	36.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	19.02	-8.10	-8.08	-8.79	-7.62	-2.19	-2.02	16.83	17.00
5550MHz	Pass	19.02	-8.35	-8.14	-8.31	-8.27	-2.36	-2.02	16.66	17.00
5670MHz	Pass	19.02	-7.90	-7.76	-8.20	-8.91	-2.30	-2.02	16.72	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.52	-8.13	-8.04	-8.96	-2.31	-2.02	16.71	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.76	-10.72	-10.67	-11.24	-4.70	16.98	14.32	36.00
5755MHz	Pass	19.02	-0.68	-1.09	-1.26	-1.35	4.88	16.98	23.90	36.00
5795MHz	Pass	19.02	-0.86	-0.93	-1.31	-1.09	4.78	16.98	23.80	36.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	19.02	-8.06	-7.91	-8.48	-8.14	-2.25	-2.02	16.77	17.00
5610MHz	Pass	19.02	-8.83	-8.73	-8.28	-7.92	-2.51	-2.02	16.51	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	19.02	-7.74	-7.71	-7.96	-8.94	-2.14	-2.02	16.88	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	19.02	-9.83	-10.40	-10.83	-11.06	-4.71	16.98	14.31	36.00
5775MHz	Pass	19.02	-4.74	-4.02	-4.96	-4.76	1.33	16.98	20.35	36.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	19.02	-13.56	-13.78	-14.54	-13.93	-8.09	-2.02	10.93	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;