APPROVAL SHEET

(RoHS)

CUSTOMER	:
CUSTOMER'S PART NO.	:
DESCRIPTION	: Multi-layer Chip Antenna
PART NO.	: LTA-6020-2G4S3-A1-RP
DATE	:
AUTHORIZED BY	: Yunwei Lin

	FULLY APPROVED	PARTIALLY APPROVED	REJECTED
SIGN			
SUGGESTION			

美磊科技股份有限公司

MAG. LAYERS SCIENTIFIC-TECHNICS CO., LTD HEAD OFFICE / HSINCHU PLANT

No 18, Tz-Chiang Road, Hsin-Chu Industrial Park, Hsin-Chu, Taiwan

TEL: +886-3-5972488 FAX: +886-3-5972477

http://www.maglayers.com.tw E-mail: info@maglayers.com.tw



APPLICATION

WLAN, Home RF, Bluetooth, etc.

FEATURES

Compact Size

Miniaturized SMD packaged in low profile and lightweight.

- Wide Bandwidth
- High Soldering Heat Resistance

High quality termination allows both flow and re-flow soldering methods to be applied.

Available in tape and reel packaging for automatic mounting

PRODUCT IDENTIFICATION

LTA - 6020 - # # # x x - A1 -
$$\Box$$
 \Box \Box \Box \Box \Box

- ① Product Code
- 2 Dimension Code
- ③ Series Type (### represents center frequency and xx represents material type)
- Design Code
- S Pattern Code


ELECTRICAL REQUIREMENTS

Part NO.	Frequency	Impedance	Bandwidth*	Gain*	VSWR	Polarization
LTA-6020-2G4S3-A1-RP	2450 MHz	50 Ohms	~200 MHz	0~1 dBi	2.0 max.	Linear

^{*}Depend on PCB layout.



PRODUCT DIMENSION



L	W	Т	D
6.00±0.2	2.00±0.2	1.00±0.2	0.40±0.2


NOTE: Dimensions in mm

TERMINAL CONFIGURATION



- ① Feed Termination
- ② Solder Termination


MEASURING DIAGRAM




Test Instrument: Agilent E5071A Network Analyzer



RECOMMENDED PCB LAYOUT







A: Performance varies with the length of line.

B: Performance varies with the ground.

■ ELECTRICAL CHARACTERISTICS (T=25°C)












RADIATION PATTERN





RADIATION PATTERN








PACKAGING FOR SMC

Peel-off force



The force for peeling off cover tape is 10 grams in the arrow direction.


Dimension (Unit: mm)



TYPE	Α	В	С	D	E	F
8 mm	178±1	60 +0.5 -0	-	13 ±0.2	9 ±0.5	12 ±0.5
12 mm	330±1	99 ±1		13.5 ±0.5	17.4 ±0.5	-

Taping quantity


SERIES	6025A	5824 5724	5320 5220 6020	4532	4516	3225	3216 2520	2012 1608
PCS/Reel	2000	5000	3000	1000	2000	2500	3000	4000






TAPE PACKING CASE

MIDDLE PACKAGING: 2 reel /BOX



EXTERNAL PACKAGING: 5 BOX / CARTON




ATTENTION REGARDING PCB BENDING

(a) PCB shall be designed so that products are not subjected to the mechanical stress for board wrapage. Product shall be located in the sideway direction to the mechanical stress.



(b) Products (A,B,C,D) shall be located carefully so that products are not subjected to the mechanical stress due to warping the board. Because they may be subjected to the mechanical stress in order of A>C>B≒D.





RELIABILTY TEST

Item	Condition	Specification
Thermal shock	-40°C~+85°C for 100 cycles each cycle being 30 min	No apparent damage Fulfill the electrical spec. after test
Humidity resistance	85±2°C, 80~90% R.H. for 500 hours	No apparent damage Fulfill the electrical spec. after test
High temperature resistance	+85±2°C for 500 hours	No apparent damage Fulfill the electrical spec. after test
Low temperature resistance	-40±3°C for 500 hours	No apparent damage Fulfill the electrical spec. after test
Vibration	10 Hz/min~55 Hz/min~10 Hz/min vibration frequency with 1.5 mm amplitude for two hours in x, y, z directions	No apparent damage
Drop shock	Dropped onto printed circuit board from 100cm height three times in x, y, z directions. The terminals shall be protected.	No apparent damage
Soldering heat resistance	Preheating temperature : 150±10°C Preheating time : 1 to 2 minutes Solder bath temperature : 260±5°C Bathing time : 5±0.5 seconds	No apparent damage
Bending test onto printed circuit board	Solder specimen LTCC components on the test printed circuit board (L: 100 x W: 40 x T: 1.6mm) in appended recommended PCB pattern. Apply the load in direction of the arrow until bending reaches 2 mm. Unit: mm	No apparent damage
Solderability	The dipped surface of the terminal shall be at least 75% covered with solder after dipped in solder bath of 240±5℃ for 3±0.5 seconds.	No apparent damage

OPERATION TEMPERATURE


-40°C~+85°C

STORAGE CONDITION

The temperature should be within $-20 \sim 35^{\circ}$ C and humidity should be less than 75% RH. The product should be used within 6 months from the time of delivery.



RECOMMENDED REFLOW SOLDERING PROFILE



Profile Feature		Sn-Pb	Pb-Free	
	t _s	60~120 seconds	60~180 seconds	
Preheat	T _{smin}	100℃	150℃	
	T _{smax}	150 ℃	200℃	
Average ramp-up rate (T _{smax} to T _P)		3°C/second max.	3°ℂ/second max.	
Time main above	Temperature (T _L)	183℃	217 ℃	
	Time (t _L)	60~150 seconds	60~150 seconds	
Peak temperature (T _P)		230 ℃	250~260 ℃	
Time within 5°ℂ of actual peak temperature (t _P)		10 seconds	10 seconds	
Ramp-down rate		6°C/sec max.	6°C/sec max.	
Time 25℃ to peak temperature		6 minutes max.	8 minutes max.	

NOTES

The contents of this data sheet are subject to change without notice. Please confirm the specifications and delivery conditions when placing your order.

