


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6465MHz

09/12/2021

CF  
6.465GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.465GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.28M	6.4248G	6.50508G	76.282M	6.426859G	6.503141G	Inf	1
82.32M	6.42396G	6.50628G	77.841M	6.426019G	6.503861G	Inf	2
81.48M	6.42408G	6.50556G	76.642M	6.426379G	6.503021G	Inf	3
82.56M	6.42372G	6.50628G	77.601M	6.426379G	6.503981G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6545MHz Straddle 6.425-6.525GHz

09/12/2021

CF  
6.545GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.545GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.52M	6.50456G	6.58508G	78.081M	6.50566G	6.583741G	Inf	1
81.96M	6.5042G	6.58616G	77.001M	6.506979G	6.583981G	Inf	2
82.2M	6.50372G	6.58592G	77.601M	6.506139G	6.583741G	Inf	3
82.2M	6.50384G	6.58604G	77.121M	6.506259G	6.583381G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6625MHz

09/12/2021

CF  
6.625GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.625GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
79.2M	6.58528G	6.66448G	75.562M	6.587339G	6.662901G	Inf	1
80.88M	6.58456G	6.66544G	75.322M	6.586619G	6.661942G	Inf	2
82.32M	6.58384G	6.66616G	77.241M	6.586379G	6.663621G	Inf	3
82.8M	6.58336G	6.66616G	77.961M	6.5859G	6.663861G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6705MHz

09/12/2021

CF  
6.705GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.705GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.04M	6.66504G	6.74508G	77.601M	6.666259G	6.743861G	Inf	1
84.12M	6.66252G	6.74664G	77.001M	6.667099G	6.7441G	Inf	2
81.36M	6.66384G	6.7452G	76.642M	6.666259G	6.742901G	Inf	3
83.28M	6.66324G	6.74652G	77.601M	6.666019G	6.743621G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6785MHz

09/12/2021

CF  
6.785GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.785GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
79.92M	6.74468G	6.8246G	76.642M	6.746019G	6.822661G	Inf	1
82.8M	6.74408G	6.82688G	77.121M	6.746739G	6.823861G	Inf	2
81.72M	6.74408G	6.8258G	76.882M	6.746379G	6.823261G	Inf	3
82.56M	6.74336G	6.82592G	77.841M	6.74566G	6.823501G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6865MHz Straddle 6.525-6.875GHz

09/12/2021

CF  
6.865GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.865GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.36M	6.82456G	6.90592G	78.081M	6.826379G	6.90446G	Inf	1
82.92M	6.82312G	6.90604G	78.081M	6.82566G	6.903741G	Inf	2
81.84M	6.8236G	6.90544G	76.282M	6.826139G	6.902421G	Inf	3
81.96M	6.82432G	6.90628G	77.001M	6.826739G	6.903741G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


6945MHz

09/12/2021

CF  
6.945GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.945GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.12M	6.90444G	6.98556G	77.721M	6.9059G	6.983621G	Inf	1
82.92M	6.90408G	6.987G	77.601M	6.906619G	6.98422G	Inf	2
81.48M	6.90432G	6.9858G	76.282M	6.906739G	6.983021G	Inf	3
81.84M	6.90396G	6.9858G	77.241M	6.906139G	6.983381G	Inf	4


802.11ax HEW80-BF\_Nss1,(MCS3)\_4TX

EBW


7025MHz

09/12/2021

CF  
7.025GHz  
Span  
240MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
7.025GHz  
Span  
240MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
79.8M	6.98468G	7.06448G	75.562M	6.986139G	7.061702G	Inf	1
82.68M	6.98276G	7.06544G	76.042M	6.98578G	7.061822G	Inf	2
81.36M	6.98444G	7.0658G	76.882M	6.986619G	7.063501G	Inf	3
82.32M	6.9836G	7.06592G	77.601M	6.986019G	7.063621G	Inf	4


802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

EBW


6025MHz

09/12/2021

CF  
6.025GHz  
Span  
480MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.025GHz  
Span  
480MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
160.56M	5.9446G	6.10516G	155.682M	5.946799G	6.102481G	Inf	1
164.64M	5.94172G	6.10636G	157.601M	5.94536G	6.102961G	Inf	2
166.08M	5.94244G	6.10852G	156.402M	5.947039G	6.103441G	Inf	3
162M	5.94412G	6.10612G	152.804M	5.948718G	6.101522G	Inf	4


802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

EBW


6185MHz

09/12/2021

CF  
6.185GHz  
Span  
480MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



CF  
6.185GHz  
Span  
480MHz  
RBW  
3MHz  
VBW  
10MHz  
Sweep Time  
100ms  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
164.64M	6.10244G	6.26708G	157.121M	6.106319G	6.263441G	Inf	1
163.92M	6.10316G	6.26708G	152.564M	6.109678G	6.262241G	Inf	2
167.04M	6.101G	6.26804G	157.601M	6.1056G	6.263201G	Inf	3
162.72M	6.10292G	6.26564G	153.523M	6.107039G	6.260562G	Inf	4

802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

EBW

6345MHz

09/12/2021




802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

EBW

6505MHz Straddle 6.425-6.525GHz

09/12/2021




802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

EBW

6665MHz

09/12/2021





802.11ax HEW160-BF\_Nss1,(MCS3)\_4TX

EBW

6825MHz Straddle 6.525-6.875GHz

09/12/2021









Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	18.62	0.07278
802.11ax HEW40_Nss1,(MCS0)_1TX	23.20	0.20893
802.11ax HEW80_Nss1,(MCS0)_1TX	24.75	0.29854
802.11ax HEW160_Nss1,(MCS0)_1TX	26.41	0.43752
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	20.36	0.10864
802.11ax HEW40_Nss1,(MCS0)_1TX	20.49	0.11194
802.11ax HEW80_Nss1,(MCS0)_1TX	24.27	0.26730
802.11ax HEW160_Nss1,(MCS0)_1TX	25.73	0.37411
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	18.15	0.06531
802.11ax HEW40_Nss1,(MCS0)_1TX	22.38	0.17298
802.11ax HEW80_Nss1,(MCS0)_1TX	24.19	0.26242
802.11ax HEW160_Nss1,(MCS0)_1TX	25.10	0.32359
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	18.18	0.06577
802.11ax HEW40_Nss1,(MCS0)_1TX	20.77	0.11940
802.11ax HEW80_Nss1,(MCS0)_1TX	24.08	0.25586
802.11ax HEW160_Nss1,(MCS0)_1TX	19.29	0.08492





Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	18.24	30.00
6175MHz	Pass	18.62	30.00
6415MHz	Pass	17.91	30.00
6435MHz	Pass	18.10	30.00
6475MHz	Pass	17.88	30.00
6515MHz	Pass	20.36	30.00
6535MHz	Pass	18.15	30.00
6695MHz	Pass	17.32	30.00
6855MHz	Pass	18.03	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	18.14	30.00
6895MHz	Pass	17.16	30.00
6995MHz	Pass	18.18	30.00
7095MHz	Pass	17.29	30.00
7115MHz	Pass	12.93	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	20.15	30.00
6165MHz	Pass	22.75	30.00
6405MHz	Pass	23.20	30.00
6445MHz	Pass	20.26	30.00
6485MHz	Pass	17.88	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	20.49	30.00
6565MHz	Pass	21.34	30.00
6685MHz	Pass	22.38	30.00
6845MHz	Pass	21.17	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	20.59	30.00
6925MHz	Pass	20.29	30.00
7005MHz	Pass	20.77	30.00
7085MHz	Pass	13.24	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	22.45	30.00
6145MHz	Pass	24.75	30.00
6385MHz	Pass	23.71	30.00
6465MHz	Pass	23.26	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	24.27	30.00
6625MHz	Pass	24.07	30.00
6705MHz	Pass	23.74	30.00
6785MHz	Pass	22.85	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	24.19	30.00
6945MHz	Pass	24.08	30.00
7025MHz	Pass	20.72	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	21.41	30.00
6185MHz	Pass	26.41	30.00
6345MHz	Pass	26.18	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	25.73	30.00
6665MHz	Pass	25.10	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	24.37	30.00
6985MHz	Pass	19.29	30.00


DG = Directional Gain  
The test result used radiated measurement.


































































Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	16.14	0.04111
802.11ax HEW40_Nss1,(MCS0)_2TX	19.05	0.08035
802.11ax HEW80_Nss1,(MCS0)_2TX	21.82	0.15205
802.11ax HEW160_Nss1,(MCS0)_2TX	24.77	0.29992
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	15.05	0.03199
802.11ax HEW40_Nss1,(MCS0)_2TX	17.79	0.06012
802.11ax HEW80_Nss1,(MCS0)_2TX	20.66	0.11641
802.11ax HEW160_Nss1,(MCS0)_2TX	23.38	0.21777
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	14.57	0.02864
802.11ax HEW40_Nss1,(MCS0)_2TX	17.70	0.05888
802.11ax HEW80_Nss1,(MCS0)_2TX	20.87	0.12218
802.11ax HEW160_Nss1,(MCS0)_2TX	23.43	0.22029
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	15.11	0.03243
802.11ax HEW40_Nss1,(MCS0)_2TX	17.65	0.05821
802.11ax HEW80_Nss1,(MCS0)_2TX	20.26	0.10617
802.11ax HEW160_Nss1,(MCS0)_2TX	22.41	0.17418





Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.14	30.00
6175MHz	Pass	15.88	30.00
6415MHz	Pass	14.88	30.00
6435MHz	Pass	14.70	30.00
6475MHz	Pass	15.05	30.00
6515MHz	Pass	14.60	30.00
6535MHz	Pass	14.21	30.00
6695MHz	Pass	14.35	30.00
6855MHz	Pass	14.05	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	14.57	30.00
6895MHz	Pass	14.48	30.00
6995MHz	Pass	15.11	30.00
7095MHz	Pass	14.08	30.00
7115MHz	Pass	12.49	30.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	19.05	30.00
6165MHz	Pass	18.65	30.00
6405MHz	Pass	17.98	30.00
6445MHz	Pass	17.53	30.00
6485MHz	Pass	17.79	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	17.54	30.00
6565MHz	Pass	17.70	30.00
6685MHz	Pass	17.34	30.00
6845MHz	Pass	17.21	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	17.01	30.00
6925MHz	Pass	17.24	30.00
7005MHz	Pass	17.65	30.00
7085MHz	Pass	15.67	30.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	21.82	30.00
6145MHz	Pass	21.40	30.00
6385MHz	Pass	20.72	30.00
6465MHz	Pass	20.31	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	20.66	30.00
6625MHz	Pass	20.87	30.00
6705MHz	Pass	20.15	30.00
6785MHz	Pass	20.05	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	20.36	30.00
6945MHz	Pass	20.26	30.00
7025MHz	Pass	20.15	30.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	24.18	30.00
6185MHz	Pass	24.77	30.00
6345MHz	Pass	24.16	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	23.38	30.00
6665MHz	Pass	23.43	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	23.19	30.00
6985MHz	Pass	22.41	30.00


DG = Directional Gain  
The test result used radiated measurement.









































































Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	17.50	0.05623
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	19.50	0.08913
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	22.87	0.19364
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	26.08	0.40551
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	17.99	0.06295
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	18.97	0.07889
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	20.90	0.12303
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	23.11	0.20464
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	18.13	0.06501
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	19.05	0.08035
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	21.43	0.13900
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	23.48	0.22284
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	15.22	0.03327
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	19.10	0.08128
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	21.27	0.13397
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	23.44	0.22080





Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-
5955MHz	Pass	17.50	30.00
6175MHz	Pass	15.93	30.00
6415MHz	Pass	16.18	30.00
6435MHz	Pass	17.35	30.00
6475MHz	Pass	17.34	30.00
6515MHz	Pass	17.99	30.00
6535MHz	Pass	18.13	30.00
6695MHz	Pass	17.47	30.00
6855MHz	Pass	17.04	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	16.93	30.00
6895MHz	Pass	15.22	30.00
6995MHz	Pass	15.18	30.00
7095MHz	Pass	14.53	30.00
7115MHz	Pass	13.08	30.00
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-
5965MHz	Pass	19.50	30.00
6165MHz	Pass	16.57	30.00
6405MHz	Pass	17.91	30.00
6445MHz	Pass	17.43	30.00
6485MHz	Pass	18.97	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	17.88	30.00
6565MHz	Pass	17.42	30.00
6685MHz	Pass	18.52	30.00
6845MHz	Pass	19.05	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	17.50	30.00
6925MHz	Pass	19.10	30.00
7005MHz	Pass	17.95	30.00
7085MHz	Pass	17.76	30.00
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-
5985MHz	Pass	22.60	30.00
6145MHz	Pass	22.87	30.00
6385MHz	Pass	20.79	30.00
6465MHz	Pass	20.90	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	20.42	30.00
6625MHz	Pass	21.43	30.00
6705MHz	Pass	21.10	30.00
6785MHz	Pass	19.40	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	20.69	30.00
6945MHz	Pass	21.27	30.00
7025MHz	Pass	21.16	30.00
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-	-	-
6025MHz	Pass	25.23	30.00
6185MHz	Pass	26.08	30.00
6345MHz	Pass	23.87	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	23.11	30.00
6665MHz	Pass	23.48	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	22.10	30.00
6985MHz	Pass	23.44	30.00


DG = Directional Gain  
The test result used radiated measurement.

















































































Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	14.29	0.02685
802.11ax HEW40_Nss1,(MCS0)_4TX	17.22	0.05272
802.11ax HEW80_Nss1,(MCS0)_4TX	19.76	0.09462
802.11ax HEW160_Nss1,(MCS0)_4TX	23.54	0.22594
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	13.65	0.02317
802.11ax HEW40_Nss1,(MCS0)_4TX	17.03	0.05047
802.11ax HEW80_Nss1,(MCS0)_4TX	19.68	0.09290
802.11ax HEW160_Nss1,(MCS0)_4TX	22.31	0.17022
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	14.03	0.02529
802.11ax HEW40_Nss1,(MCS0)_4TX	16.73	0.04710
802.11ax HEW80_Nss1,(MCS0)_4TX	20.07	0.10162
802.11ax HEW160_Nss1,(MCS0)_4TX	22.10	0.16218
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	14.96	0.03133
802.11ax HEW40_Nss1,(MCS0)_4TX	17.41	0.05508
802.11ax HEW80_Nss1,(MCS0)_4TX	19.11	0.08147
802.11ax HEW160_Nss1,(MCS0)_4TX	22.85	0.19275





Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	13.22	30.00
6175MHz	Pass	14.29	30.00
6415MHz	Pass	13.44	30.00
6435MHz	Pass	13.65	30.00
6475MHz	Pass	13.53	30.00
6515MHz	Pass	12.9	30.00
6535MHz	Pass	13.64	30.00
6695MHz	Pass	13.12	30.00
6855MHz	Pass	13.72	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	14.03	30.00
6895MHz	Pass	14.60	30.00
6995MHz	Pass	14.63	30.00
7095MHz	Pass	14.96	30.00
7115MHz	Pass	13.84	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	16.30	30.00
6165MHz	Pass	17.22	30.00
6405MHz	Pass	16.33	30.00
6445MHz	Pass	16.68	30.00
6485MHz	Pass	16.79	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	17.03	30.00
6565MHz	Pass	16.24	30.00
6685MHz	Pass	15.83	30.00
6845MHz	Pass	16.61	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	16.73	30.00
6925MHz	Pass	15.67	30.00
7005MHz	Pass	17.41	30.00
7085MHz	Pass	15.37	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	19.36	30.00
6145MHz	Pass	19.76	30.00
6385MHz	Pass	19.00	30.00
6465MHz	Pass	19.08	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	19.68	30.00
6625MHz	Pass	19.79	30.00
6705MHz	Pass	19.23	30.00
6785MHz	Pass	19.60	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	20.07	30.00
6945MHz	Pass	18.97	30.00
7025MHz	Pass	19.11	30.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	22.30	30.00
6185MHz	Pass	23.54	30.00
6345MHz	Pass	22.17	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	22.31	30.00
6665MHz	Pass	21.51	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	22.10	30.00
6985MHz	Pass	22.85	30.00

DG = Directional Gain  
The test result used radiated measurement.









































































Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	16.16	0.04130
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	19.11	0.08147
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	21.64	0.14588
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	26.46	0.44259
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	14.85	0.03055
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	18.48	0.07047
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	22.56	0.18030
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	25.34	0.34198
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	17.00	0.05012
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	19.52	0.08954
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	23.78	0.23878
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	26.20	0.41687
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	15.52	0.03565
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	19.59	0.09099
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	23.21	0.20941
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	24.63	0.29040





Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	-	-	-
5955MHz	Pass	15.96	30.00
6175MHz	Pass	16.16	30.00
6415MHz	Pass	15.21	30.00
6435MHz	Pass	14.30	30.00
6475MHz	Pass	14.85	30.00
6515MHz	Pass	14.27	30.00
6535MHz	Pass	14.64	30.00
6695MHz	Pass	15.32	30.00
6855MHz	Pass	15.58	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	17.00	30.00
6895MHz	Pass	15.52	30.00
6995MHz	Pass	15.35	30.00
7095MHz	Pass	13.64	30.00
7115MHz	Pass	13.63	30.00
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	-	-	-
5965MHz	Pass	19.06	30.00
6165MHz	Pass	18.37	30.00
6405MHz	Pass	19.11	30.00
6445MHz	Pass	18.43	30.00
6485MHz	Pass	18.48	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	18.05	30.00
6565MHz	Pass	18.68	30.00
6685MHz	Pass	19.52	30.00
6845MHz	Pass	19.17	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	18.21	30.00
6925MHz	Pass	19.59	30.00
7005MHz	Pass	18.75	30.00
7085MHz	Pass	17.79	30.00
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	-	-	-
5985MHz	Pass	21.64	30.00
6145MHz	Pass	20.99	30.00
6385MHz	Pass	21.02	30.00
6465MHz	Pass	20.51	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	22.56	30.00
6625MHz	Pass	21.29	30.00
6705MHz	Pass	22.18	30.00
6785MHz	Pass	22.26	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	23.78	30.00
6945MHz	Pass	22.62	30.00
7025MHz	Pass	23.21	30.00
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	-	-	-
6025MHz	Pass	26.16	30.00
6185MHz	Pass	26.46	30.00
6345MHz	Pass	24.56	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	25.34	30.00
6665MHz	Pass	24.37	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	26.20	30.00
6985MHz	Pass	24.63	30.00


DG = Directional Gain  
The test result used radiated measurement.











































































**Summary**


Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.91
802.11ax HEW40_Nss1,(MCS0)_1TX	4.96
802.11ax HEW80_Nss1,(MCS0)_1TX	4.79
802.11ax HEW160_Nss1,(MCS0)_1TX	4.29
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.98
802.11ax HEW40_Nss1,(MCS0)_1TX	4.87
802.11ax HEW80_Nss1,(MCS0)_1TX	4.93
802.11ax HEW160_Nss1,(MCS0)_1TX	3.83
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.99
802.11ax HEW40_Nss1,(MCS0)_1TX	4.85
802.11ax HEW80_Nss1,(MCS0)_1TX	4.90
802.11ax HEW160_Nss1,(MCS0)_1TX	3.56
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.93
802.11ax HEW40_Nss1,(MCS0)_1TX	4.96
802.11ax HEW80_Nss1,(MCS0)_1TX	4.85
802.11ax HEW160_Nss1,(MCS0)_1TX	-1.27

Result


Mode	Result	EIRP PSD (dBm/RBW)	EIRP PSD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.64	5.00
6175MHz	Pass	4.91	5.00
6415MHz	Pass	4.69	5.00
6435MHz	Pass	4.91	5.00
6475MHz	Pass	4.90	5.00
6515MHz	Pass	4.98	5.00
6535MHz	Pass	4.67	5.00
6695MHz	Pass	4.85	5.00
6855MHz	Pass	4.83	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.99	5.00
6895MHz	Pass	4.76	5.00
6995MHz	Pass	4.93	5.00
7095MHz	Pass	4.77	5.00
7115 MHz	Pass	0.77	5.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.94	5.00
6165MHz	Pass	4.96	5.00
6405MHz	Pass	4.87	5.00
6445MHz	Pass	4.59	5.00
6485MHz	Pass	4.87	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.75	5.00
6565MHz	Pass	4.63	5.00
6685MHz	Pass	4.85	5.00
6845MHz	Pass	4.72	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.73	5.00
6925MHz	Pass	4.70	5.00
7005MHz	Pass	4.96	5.00
7085MHz	Pass	-1.67	5.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	3.41	5.00
6145MHz	Pass	4.79	5.00
6385MHz	Pass	4.69	5.00
6465MHz	Pass	4.93	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.85	5.00
6625MHz	Pass	4.87	5.00
6705MHz	Pass	4.53	5.00
6785MHz	Pass	4.90	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6945MHz	Pass	4.85	5.00
7025MHz	Pass	1.89	5.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	-0.85	5.00
6185MHz	Pass	4.15	5.00
6345MHz	Pass	4.29	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	3.83	5.00
6665MHz	Pass	3.56	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	3.02	5.00
6985MHz	Pass	-1.27	5.00


The test result used radiated measurement.





































































**Summary**


Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.98
802.11ax HEW40_Nss1,(MCS0)_2TX	4.93
802.11ax HEW80_Nss1,(MCS0)_2TX	4.64
802.11ax HEW160_Nss1,(MCS0)_2TX	4.77
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.71
802.11ax HEW40_Nss1,(MCS0)_2TX	4.70
802.11ax HEW80_Nss1,(MCS0)_2TX	4.76
802.11ax HEW160_Nss1,(MCS0)_2TX	4.88
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.93
802.11ax HEW40_Nss1,(MCS0)_2TX	4.86
802.11ax HEW80_Nss1,(MCS0)_2TX	4.81
802.11ax HEW160_Nss1,(MCS0)_2TX	4.92
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	4.89
802.11ax HEW40_Nss1,(MCS0)_2TX	4.79
802.11ax HEW80_Nss1,(MCS0)_2TX	4.70
802.11ax HEW160_Nss1,(MCS0)_2TX	4.75

Result


Mode	Result	EIRP PSD (dBm/RBW)	EIRP PSD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.98	5.00
6175MHz	Pass	4.61	5.00
6415MHz	Pass	4.73	5.00
6435MHz	Pass	4.61	5.00
6475MHz	Pass	4.63	5.00
6515MHz	Pass	4.71	5.00
6535MHz	Pass	4.93	5.00
6695MHz	Pass	4.76	5.00
6855MHz	Pass	4.86	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.62	5.00
6895MHz	Pass	4.83	5.00
6995MHz	Pass	4.89	5.00
7095MHz	Pass	4.84	5.00
7115 MHz	Pass	4.55	5.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.81	5.00
6165MHz	Pass	4.93	5.00
6405MHz	Pass	4.73	5.00
6445MHz	Pass	4.70	5.00
6485MHz	Pass	4.64	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.70	5.00
6565MHz	Pass	4.61	5.00
6685MHz	Pass	4.86	5.00
6845MHz	Pass	4.65	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.62	5.00
6925MHz	Pass	4.65	5.00
7005MHz	Pass	4.74	5.00
7085MHz	Pass	4.79	5.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.64	5.00
6145MHz	Pass	4.62	5.00
6385MHz	Pass	4.61	5.00
6465MHz	Pass	4.76	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.61	5.00
6625MHz	Pass	4.73	5.00
6705MHz	Pass	4.71	5.00
6785MHz	Pass	4.67	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6945MHz	Pass	4.63	5.00
7025MHz	Pass	4.70	5.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	3.67	5.00
6185MHz	Pass	4.75	5.00
6345MHz	Pass	4.77	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.88	5.00
6665MHz	Pass	4.92	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.65	5.00
6985MHz	Pass	4.75	5.00


The test result used radiated measurement.








































































**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.48
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.63
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.87
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	4.44
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.92
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.49
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.91
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	4.48
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.41
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.89
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.79
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	4.33
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	4.51
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	4.54
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	4.43
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	4.37


Result


Mode	Result	EIRP PSD (dBm/RBW)	EIRP PSD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS3)_2TX	-	-	-
5955MHz	Pass	4.40	5.00
6175MHz	Pass	4.03	5.00
6415MHz	Pass	4.48	5.00
6435MHz	Pass	4.42	5.00
6475MHz	Pass	4.92	5.00
6515MHz	Pass	4.24	5.00
6535MHz	Pass	4.41	5.00
6695MHz	Pass	3.84	5.00
6855MHz	Pass	4.23	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.25	5.00
6895MHz	Pass	4.46	5.00
6995MHz	Pass	4.23	5.00
7095MHz	Pass	4.51	5.00
7115MHz	Pass	4.49	5.00
802.11ax HEW40-BF_Nss1,(MCS3)_2TX	-	-	-
5965MHz	Pass	4.63	5.00
6165MHz	Pass	4.23	5.00
6405MHz	Pass	3.96	5.00
6445MHz	Pass	4.33	5.00
6485MHz	Pass	4.33	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.49	5.00
6565MHz	Pass	4.86	5.00
6685MHz	Pass	4.16	5.00
6845MHz	Pass	4.89	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.65	5.00
6925MHz	Pass	4.45	5.00
7005MHz	Pass	4.54	5.00
7085MHz	Pass	4.01	5.00
802.11ax HEW80-BF_Nss1,(MCS3)_2TX	-	-	-
5985MHz	Pass	4.07	5.00
6145MHz	Pass	4.51	5.00
6385MHz	Pass	4.87	5.00
6465MHz	Pass	4.91	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.32	5.00
6625MHz	Pass	4.79	5.00
6705MHz	Pass	4.77	5.00
6785MHz	Pass	4.66	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.50	5.00
6945MHz	Pass	4.12	5.00
7025MHz	Pass	4.43	5.00
802.11ax HEW160-BF_Nss1,(MCS3)_2TX	-	-	-
6025MHz	Pass	4.11	5.00
6185MHz	Pass	4.44	5.00
6345MHz	Pass	4.17	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.48	5.00
6665MHz	Pass	4.15	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.33	5.00
6985MHz	Pass	4.37	5.00


The test result used radiated measurement.



































































**Summary**



Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.74
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	4.68
802.11ax HEW160_Nss1,(MCS0)_4TX	4.90
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.89
802.11ax HEW40_Nss1,(MCS0)_4TX	4.97
802.11ax HEW80_Nss1,(MCS0)_4TX	4.72
802.11ax HEW160_Nss1,(MCS0)_4TX	4.63
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.84
802.11ax HEW80_Nss1,(MCS0)_4TX	4.86
802.11ax HEW160_Nss1,(MCS0)_4TX	4.81
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.90
802.11ax HEW40_Nss1,(MCS0)_4TX	4.90
802.11ax HEW80_Nss1,(MCS0)_4TX	4.56
802.11ax HEW160_Nss1,(MCS0)_4TX	4.70


Result

Mode	Result	EIRP PSD (dBm/RBW)	EIRP PSD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.62	5.00
6175MHz	Pass	4.72	5.00
6415MHz	Pass	4.74	5.00
6435MHz	Pass	4.89	5.00
6475MHz	Pass	4.79	5.00
6515MHz	Pass	4.80	5.00
6535MHz	Pass	4.67	5.00
6695MHz	Pass	4.98	5.00
6855MHz	Pass	4.91	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.91	5.00
6895MHz	Pass	4.58	5.00
6995MHz	Pass	4.70	5.00
7095MHz	Pass	4.90	5.00
7115 MHz	Pass	4.60	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.68	5.00
6165MHz	Pass	4.67	5.00
6405MHz	Pass	4.95	5.00
6445MHz	Pass	4.79	5.00
6485MHz	Pass	4.88	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.97	5.00
6565MHz	Pass	4.61	5.00
6685MHz	Pass	4.78	5.00
6845MHz	Pass	4.55	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.84	5.00
6925MHz	Pass	4.64	5.00
7005MHz	Pass	4.61	5.00
7085MHz	Pass	4.90	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.68	5.00
6145MHz	Pass	4.50	5.00
6385MHz	Pass	4.67	5.00
6465MHz	Pass	4.63	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.72	5.00
6625MHz	Pass	4.81	5.00
6705MHz	Pass	4.85	5.00
6785MHz	Pass	4.86	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.68	5.00
6945MHz	Pass	4.56	5.00
7025MHz	Pass	4.54	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.68	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.77	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.63	5.00
6665MHz	Pass	4.62	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6985MHz	Pass	4.70	5.00


The test result used radiated measurement.



































































**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	4.28
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	4.72
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	4.69
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	4.98
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	4.53
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	4.85
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	4.71
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	4.39
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	4.80
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	4.89
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	4.92
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	4.43
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	4.65
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	4.91
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	4.54
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	4.21



Result

Mode	Result	EIRP PSD (dBm/RBW)	EIRP PSD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS3)_4TX	-	-	-
5955MHz	Pass	4.21	5.00
6175MHz	Pass	4.28	5.00
6415MHz	Pass	4.06	5.00
6435MHz	Pass	4.49	5.00
6475MHz	Pass	4.53	5.00
6515MHz	Pass	4.12	5.00
6535MHz	Pass	4.78	5.00
6695MHz	Pass	4.23	5.00
6855MHz	Pass	4.61	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.80	5.00
6895MHz	Pass	4.53	5.00
6995MHz	Pass	4.65	5.00
7095MHz	Pass	4.35	5.00
7115MHz	Pass	4.36	5.00
802.11ax HEW40-BF_Nss1,(MCS3)_4TX	-	-	-
5965MHz	Pass	4.72	5.00
6165MHz	Pass	4.54	5.00
6405MHz	Pass	4.30	5.00
6445MHz	Pass	4.05	5.00
6485MHz	Pass	4.14	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.85	5.00
6565MHz	Pass	4.05	5.00
6685MHz	Pass	4.71	5.00
6845MHz	Pass	4.89	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.63	5.00
6925MHz	Pass	4.32	5.00
7005MHz	Pass	4.91	5.00
7085MHz	Pass	4.41	5.00
802.11ax HEW80-BF_Nss1,(MCS3)_4TX	-	-	-
5985MHz	Pass	4.23	5.00
6145MHz	Pass	4.69	5.00
6385MHz	Pass	4.27	5.00
6465MHz	Pass	4.33	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.71	5.00
6625MHz	Pass	4.55	5.00
6705MHz	Pass	4.54	5.00
6785MHz	Pass	4.37	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.92	5.00
6945MHz	Pass	4.43	5.00
7025MHz	Pass	4.54	5.00
802.11ax HEW160-BF_Nss1,(MCS3)_4TX	-	-	-
6025MHz	Pass	4.93	5.00
6185MHz	Pass	4.98	5.00
6345MHz	Pass	4.28	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.39	5.00
6665MHz	Pass	4.39	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.43	5.00
6985MHz	Pass	4.21	5.00

The test result used radiated measurement.

