


Annex A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.678	-43.24	-13	Pass	401
823	824	0.003	RMS	823.995	-18.21	-13	Pass	401
824	824.5	0.01	RMS	824.185	23.07	35	Pass	401



1.2. GSM Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.783	23.4	35	Pass	401
849	850	0.003	RMS	849.02	-16.24	-13	Pass	401
850	855	0.1	RMS	850.05	-43.07	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge_Part22-24(NTNV)(Channel:512)

©	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.62	-13	Pass	41
1849	1850	0.003	RMS	1849.978	-20.4	-13	Pass	401
1850	1851	0.01	RMS	1850.223	20.7	35	Pass	401



2.2. GSM Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.818	20.53	35	Pass	401
1910	1911	0.003	RMS	1910.033	-19.49	-13	Pass	401
1911	1915	1	RMS	1911	-32.38	-13	Pass	41



3. EGPRS_GSM850


3.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.798	-44.04	-13	Pass	401
823	824	0.003	RMS	823.985	-26.68	-13	Pass	401
824	824.5	0.01	RMS	824.219	16.16	35	Pass	401



3.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.819	16.21	35	Pass	401
849	850	0.003	RMS	849.008	-25.81	-13	Pass	401
850	855	0.1	RMS	850	-44.09	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-33.06	-13	Pass	41
1849	1850	0.003	RMS	1849.97	-25.87	-13	Pass	401
1850	1851	0.01	RMS	1850.22	15.72	35	Pass	401



4.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.8	15.49	35	Pass	401
1910	1911	0.003	RMS	1910.053	-27.3	-13	Pass	401
1911	1915	1	RMS	1911	-32.93	-13	Pass	41



5. WCDMA_Band2


5.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-23.22	-13	Pass	41
1849	1850	0.051	RMS	1849.843	-25.59	-13	Pass	401
1850	1855	0.1	RMS	1852.363	8.85	35	Pass	401



5.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.763	8.54	35	Pass	401
1910	1911	0.051	RMS	1910.18	-25.83	-13	Pass	401
1911	1915	1	RMS	1911	-21.88	-13	Pass	41



6. WCDMA_Band4


6.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-22.92	-13	Pass	41
1709	1710	0.051	RMS	1709.84	-25.46	-13	Pass	401
1710	1715	0.1	RMS	1712.413	9.35	35	Pass	401



6.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.713	9.11	35	Pass	401
1755	1756	0.051	RMS	1755	-25.53	-13	Pass	401
1756	1760	1	RMS	1756	-24.82	-13	Pass	41



7. WCDMA_Band5


7.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.828	-35.57	-13	Pass	401
823	824	0.051	RMS	824	-28.04	-13	Pass	401
824	829	0.1	RMS	826.375	8.17	35	Pass	401



7.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	847	8.12	35	Pass	401
849	850	0.051	RMS	849	-27.68	-13	Pass	401
850	855	0.1	RMS	850.15	-37.47	-13	Pass	401



8. CDMA BC0 Low

8.1. Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.888	-33.76	-13	Pass	401
823	824	0.013	RMS	824	-17.28	-13	Pass	401
824	829	0.1	RMS	824.688	13.65	35	Pass	401



8. CDMA BC0 High

8.2. Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.3	13.42	35	Pass	401
849.006	850	0.013	RMS	849.007	-17.11	-13	Pass	78
850	855	0.1	RMS	850.125	-35.64	-13	Pass	401



9. EVDO BC0 Low

9.1. Band Edge for Lower_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.97	-31.88	-13	Pass	401
823	824	0.013	RMS	824	-16.51	-13	Pass	401
824	829	0.1	RMS	824.725	13.97	35	Pass	401



9. EVDO BC0 High

9.2. Band Edge for Upper_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.313	13.73	35	Pass	401
849.006	850	0.013	RMS	849.007	-16.71	-13	Pass	78
850	855	0.1	RMS	850	-32.98	-13	Pass	401



10. LTE_Band2


10.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.65	-13	Pass	401
1848	1849	1	RMS	1849	-31.02	-13	Pass	2
1849	1850	0.02	RMS	1850	-24.52	-13	Pass	401
1850	1852	0.1	RMS	1850.24	21.46	30	Pass	401




10.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.75	-13	Pass	401
1848	1849	1	RMS	1849	-24.19	-13	Pass	2
1849	1850	0.02	RMS	1850	-28	-13	Pass	401
1850	1852	0.1	RMS	1850.78	13.07	30	Pass	401




10.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.58	-13	Pass	401
1848	1849	1	RMS	1849	-32.04	-13	Pass	2
1849	1850	0.02	RMS	1850	-23.99	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.24	30	Pass	401



10.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.26	-13	Pass	401
1848	1849	1	RMS	1849	-24.98	-13	Pass	2
1849	1850	0.02	RMS	1850	-28.98	-13	Pass	401
1850	1852	0.1	RMS	1851.085	12.01	30	Pass	401



10.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.765	21.43	30	Pass	401
1910	1911	0.02	RMS	1910	-22.12	-13	Pass	401
1911	1912	1	RMS	1911	-26.55	-13	Pass	2
1912	1920	1	RMS	1912	-33.61	-13	Pass	401



10.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.905	12.85	30	Pass	401
1910	1911	0.02	RMS	1910	-26.15	-13	Pass	401
1911	1912	1	RMS	1911	-24.01	-13	Pass	2
1912	1920	1	RMS	1912	-31.23	-13	Pass	401



10.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	20.05	30	Pass	401
1910	1911	0.02	RMS	1910	-22.23	-13	Pass	401
1911	1912	1	RMS	1911	-28.45	-13	Pass	2
1912	1920	1	RMS	1912.02	-34.98	-13	Pass	401




10.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.685	11.48	30	Pass	401
1910	1911	0.02	RMS	1910	-27.72	-13	Pass	401
1911	1912	1	RMS	1911	-25.49	-13	Pass	2
1912	1920	1	RMS	1912	-32.97	-13	Pass	401




10.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-33.45	-13	Pass	401
1848	1849	1	RMS	1849	-32.16	-13	Pass	2
1849	1850	0.03	RMS	1850	-21.07	-13	Pass	401
1850	1853	0.1	RMS	1850.248	21.55	30	Pass	401




10.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.55	-13	Pass	401
1848	1849	1	RMS	1849	-19.86	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.15	-13	Pass	401
1850	1853	0.1	RMS	1851.695	9.4	30	Pass	401




10.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-34.9	-13	Pass	401
1848	1849	1	RMS	1849	-33.29	-13	Pass	2
1849	1850	0.03	RMS	1850	-21.43	-13	Pass	401
1850	1853	0.1	RMS	1850.225	20.33	30	Pass	401




10.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.07	-13	Pass	401
1848	1849	1	RMS	1849	-20.66	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.7	-13	Pass	401
1850	1853	0.1	RMS	1852.145	8.39	30	Pass	401




10.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	21.2	30	Pass	401
1910	1911	0.03	RMS	1910.003	-20.22	-13	Pass	401
1911	1912	1	RMS	1912	-31.09	-13	Pass	2
1912	1920	1	RMS	1912.14	-31.22	-13	Pass	401




10.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.695	8.97	30	Pass	401
1910	1911	0.03	RMS	1910	-26.07	-13	Pass	401
1911	1912	1	RMS	1911	-19.7	-13	Pass	2
1912	1920	1	RMS	1912	-25.35	-13	Pass	401



10.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	20.09	30	Pass	401
1910	1911	0.03	RMS	1910	-19.94	-13	Pass	401
1911	1912	1	RMS	1912	-32.35	-13	Pass	2
1912	1920	1	RMS	1912.1	-32.41	-13	Pass	401




10.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.968	7.92	30	Pass	401
1910	1911	0.03	RMS	1910	-27.32	-13	Pass	401
1911	1912	1	RMS	1911	-20.62	-13	Pass	2
1912	1920	1	RMS	1912	-26.01	-13	Pass	401




10.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.12	-13	Pass	401
1848	1849	1	RMS	1849	-33.1	-13	Pass	2
1849	1850	0.051	RMS	1850	-21.65	-13	Pass	401
1850	1855	0.1	RMS	1850.338	21.63	30	Pass	401




10.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.85	-13	Pass	401
1848	1849	1	RMS	1849	-21.74	-13	Pass	2
1849	1850	0.051	RMS	1850	-28.17	-13	Pass	401
1850	1855	0.1	RMS	1852.75	7.26	30	Pass	401




10.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.5	-13	Pass	401
1848	1849	1	RMS	1849	-34.42	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.38	-13	Pass	401
1850	1855	0.1	RMS	1850.325	20.22	30	Pass	401




10.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.12	-13	Pass	401
1848	1849	1	RMS	1849	-22.33	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.41	-13	Pass	401
1850	1855	0.1	RMS	1853.463	6.27	30	Pass	401




10.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.675	21.24	30	Pass	401
1910	1911	0.051	RMS	1910	-19.93	-13	Pass	401
1911	1912	1	RMS	1911	-32.25	-13	Pass	2
1912	1920	1	RMS	1912	-32.69	-13	Pass	401




10.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.763	6.9	30	Pass	401
1910	1911	0.051	RMS	1910.003	-27.65	-13	Pass	401
1911	1912	1	RMS	1911	-21.79	-13	Pass	2
1912	1920	1	RMS	1912	-24.94	-13	Pass	401




10.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	19.99	30	Pass	401
1910	1911	0.051	RMS	1910	-21.37	-13	Pass	401
1911	1912	1	RMS	1911	-33.55	-13	Pass	2
1912	1920	1	RMS	1912.02	-34.99	-13	Pass	401




10.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.65	5.74	30	Pass	401
1910	1911	0.051	RMS	1910.003	-29.43	-13	Pass	401
1911	1912	1	RMS	1911	-22.74	-13	Pass	2
1912	1920	1	RMS	1912	-25.63	-13	Pass	401




10.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.61	-13	Pass	401
1848	1849	1	RMS	1849	-33.29	-13	Pass	2
1849	1850	0.1	RMS	1850	-31.54	-13	Pass	401
1850	1860	0.1	RMS	1850.6	21.8	30	Pass	401




10.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.9	-13	Pass	401
1848	1849	1	RMS	1849	-24.98	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-31.4	-13	Pass	401
1850	1860	0.1	RMS	1855.575	4.36	30	Pass	401




10.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.88	-13	Pass	401
1848	1849	1	RMS	1849	-34.69	-13	Pass	2
1849	1850	0.1	RMS	1850	-31.52	-13	Pass	401
1850	1860	0.1	RMS	1850.575	20.34	30	Pass	401




10.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-27.88	-13	Pass	401
1848	1849	1	RMS	1849	-26.22	-13	Pass	2
1849	1850	0.1	RMS	1850	-32.72	-13	Pass	401
1850	1860	0.1	RMS	1855.425	3.32	30	Pass	401




10.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	21.29	30	Pass	401
1910	1911	0.1	RMS	1910	-30.19	-13	Pass	401
1911	1912	1	RMS	1911	-32.31	-13	Pass	2
1912	1920	1	RMS	1912	-34.67	-13	Pass	401




10.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1904.5	4.24	30	Pass	401
1910	1911	0.1	RMS	1910	-30.65	-13	Pass	401
1911	1912	1	RMS	1911	-24.36	-13	Pass	2
1912	1920	1	RMS	1912	-25.87	-13	Pass	401




10.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.01	30	Pass	401
1910	1911	0.1	RMS	1910.003	-30.44	-13	Pass	401
1911	1912	1	RMS	1911	-33.48	-13	Pass	2
1912	1920	1	RMS	1912	-35.9	-13	Pass	401




10.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1904.475	3.1	30	Pass	401
1910	1911	0.1	RMS	1910.005	-32.1	-13	Pass	401
1911	1912	1	RMS	1911	-25.75	-13	Pass	2
1912	1920	1	RMS	1912	-27	-13	Pass	401




10.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.51	-13	Pass	401
1848	1849	1	RMS	1849	-32.92	-13	Pass	2
1849	1850	0.15	RMS	1850	-28.56	-13	Pass	401
1850	1865	0.1	RMS	1850.863	21.75	30	Pass	401




10.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-28.71	-13	Pass	401
1848	1849	1	RMS	1849	-26.93	-13	Pass	2
1849	1850	0.15	RMS	1849.993	-33.33	-13	Pass	401
1850	1865	0.1	RMS	1858.85	2.77	30	Pass	401




10.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.85	-13	Pass	401
1848	1849	1	RMS	1849	-34.2	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.41	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.28	30	Pass	401




10.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-29.84	-13	Pass	401
1848	1849	1	RMS	1849	-28.46	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-34.6	-13	Pass	401
1850	1865	0.1	RMS	1859.45	1.64	30	Pass	401



10.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	21.31	30	Pass	401
1910	1911	0.15	RMS	1910	-28.61	-13	Pass	401
1911	1912	1	RMS	1911	-33.65	-13	Pass	2
1912	1920	1	RMS	1912	-35.96	-13	Pass	401




10.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1903.063	2.45	30	Pass	401
1910	1911	0.15	RMS	1910	-32.72	-13	Pass	401
1911	1912	1	RMS	1911	-26.21	-13	Pass	2
1912	1920	1	RMS	1912	-27.45	-13	Pass	401




10.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.138	19.86	30	Pass	401
1910	1911	0.15	RMS	1910	-29.41	-13	Pass	401
1911	1912	1	RMS	1911	-34.99	-13	Pass	2
1912	1920	1	RMS	1912	-37.2	-13	Pass	401




10.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1901.375	1.32	30	Pass	401
1910	1911	0.15	RMS	1910.003	-33.99	-13	Pass	401
1911	1912	1	RMS	1911	-27.69	-13	Pass	2
1912	1920	1	RMS	1912.02	-28.62	-13	Pass	401




10.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.84	-13	Pass	401
1848	1849	1	RMS	1849	-34.18	-13	Pass	2
1849	1850	0.2	RMS	1849.993	-32.22	-13	Pass	401
1850	1870	0.1	RMS	1851.1	21.62	30	Pass	401




10.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-29.5	-13	Pass	401
1848	1849	1	RMS	1849	-28.33	-13	Pass	2
1849	1850	0.2	RMS	1850	-33.95	-13	Pass	401
1850	1870	0.1	RMS	1858.75	1.48	30	Pass	401




10.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.14	-13	Pass	401
1848	1849	1	RMS	1849	-35.42	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.62	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.23	30	Pass	401




10.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.72	-13	Pass	401
1848	1849	1	RMS	1849	-30.11	-13	Pass	2
1849	1850	0.2	RMS	1850	-35.55	-13	Pass	401
1850	1870	0.1	RMS	1861.15	0.52	30	Pass	401




10.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	21.23	30	Pass	401
1910	1911	0.2	RMS	1910.003	-31.35	-13	Pass	401
1911	1912	1	RMS	1911	-33.81	-13	Pass	2
1912	1920	1	RMS	1912	-36.52	-13	Pass	401




10.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1898.75	1.27	30	Pass	401
1910	1911	0.2	RMS	1910.003	-33.15	-13	Pass	401
1911	1912	1	RMS	1911	-27.49	-13	Pass	2
1912	1920	1	RMS	1912.04	-28.46	-13	Pass	401



10.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.86	30	Pass	401
1910	1911	0.2	RMS	1910	-32.38	-13	Pass	401
1911	1912	1	RMS	1911	-35.17	-13	Pass	2
1912	1920	1	RMS	1912	-37.83	-13	Pass	401



10.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1896.5	0.2	30	Pass	401
1910	1911	0.2	RMS	1910.005	-34.7	-13	Pass	401
1911	1912	1	RMS	1911	-29.01	-13	Pass	2
1912	1920	1	RMS	1912.02	-29.67	-13	Pass	401



11. LTE_Band4


11.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.81	-13	Pass	401
1708	1709	1	RMS	1709	-27.71	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-20.3	-13	Pass	401
1710	1712	0.1	RMS	1710.25	22.65	30	Pass	401




11.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.65	-13	Pass	401
1708	1709	1	RMS	1709	-21.91	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.52	-13	Pass	401
1710	1712	0.1	RMS	1710.305	13.95	30	Pass	401




11.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.84	-13	Pass	401
1708	1709	1	RMS	1709	-29.9	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.86	-13	Pass	401
1710	1712	0.1	RMS	1710.24	21.43	30	Pass	401



11.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.42	-13	Pass	401
1708	1709	1	RMS	1709	-23.26	-13	Pass	2
1709	1710	0.02	RMS	1710	-26.89	-13	Pass	401
1710	1712	0.1	RMS	1711.075	12.92	30	Pass	401




11.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.76	21.82	30	Pass	401
1755	1756	0.02	RMS	1755	-20.49	-13	Pass	401
1756	1757	1	RMS	1756	-30.3	-13	Pass	2
1757	1765	1	RMS	1757	-35.5	-13	Pass	401




11.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.875	13.43	30	Pass	401
1755	1756	0.02	RMS	1755	-27.27	-13	Pass	401
1756	1757	1	RMS	1756	-22.84	-13	Pass	2
1757	1765	1	RMS	1757	-31.64	-13	Pass	401




11.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.735	20.61	30	Pass	401
1755	1756	0.02	RMS	1755	-21.48	-13	Pass	401
1756	1757	1	RMS	1756	-33.27	-13	Pass	2
1757	1765	1	RMS	1757.02	-36.96	-13	Pass	401




11.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.87	12	30	Pass	401
1755	1756	0.02	RMS	1755	-28.23	-13	Pass	401
1756	1757	1	RMS	1756	-25.66	-13	Pass	2
1757	1765	1	RMS	1757	-33.99	-13	Pass	401




11.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-29.74	-13	Pass	401
1708	1709	1	RMS	1708	-31.04	-13	Pass	2
1709	1710	0.03	RMS	1710	-17.81	-13	Pass	401
1710	1713	0.1	RMS	1710.255	22.75	30	Pass	401




11.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.37	-13	Pass	401
1708	1709	1	RMS	1709	-19.25	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-25.92	-13	Pass	401
1710	1713	0.1	RMS	1711.695	10.19	30	Pass	401




11.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.68	-33.67	-13	Pass	401
1708	1709	1	RMS	1708	-33.43	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.11	-13	Pass	401
1710	1713	0.1	RMS	1710.233	21.25	30	Pass	401




11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.06	-13	Pass	401
1708	1709	1	RMS	1709	-19.48	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.48	-13	Pass	401
1710	1713	0.1	RMS	1712.153	9.13	30	Pass	401




11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	21.88	30	Pass	401
1755	1756	0.03	RMS	1755.003	-18.88	-13	Pass	401
1756	1757	1	RMS	1757	-30.47	-13	Pass	2
1757	1765	1	RMS	1757.22	-30.4	-13	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.68	9.43	30	Pass	401
1755	1756	0.03	RMS	1755	-26.76	-13	Pass	401
1756	1757	1	RMS	1756	-24	-13	Pass	2
1757	1765	1	RMS	1757	-27.27	-13	Pass	401




11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.66	30	Pass	401
1755	1756	0.03	RMS	1755	-19.25	-13	Pass	401
1756	1757	1	RMS	1757	-32.73	-13	Pass	2
1757	1765	1	RMS	1757.2	-32.7	-13	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.968	8.38	30	Pass	401
1755	1756	0.03	RMS	1755	-27.73	-13	Pass	401
1756	1757	1	RMS	1756	-23.49	-13	Pass	2
1757	1765	1	RMS	1757	-27.47	-13	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.04	-31.75	-13	Pass	401
1708	1709	1	RMS	1709	-33.15	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.6	-13	Pass	401
1710	1715	0.1	RMS	1710.338	22.34	30	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.38	-13	Pass	401
1708	1709	1	RMS	1709	-21.43	-13	Pass	2
1709	1710	0.051	RMS	1710	-26.72	-13	Pass	401
1710	1715	0.1	RMS	1712.75	8.13	30	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-36.32	-13	Pass	401
1708	1709	1	RMS	1709	-34.4	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.86	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.98	30	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.99	-13	Pass	401
1708	1709	1	RMS	1709	-21.45	-13	Pass	2
1709	1710	0.051	RMS	1710	-27.75	-13	Pass	401
1710	1715	0.1	RMS	1713.475	6.91	30	Pass	401




11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	22.01	30	Pass	401
1755	1756	0.051	RMS	1755.003	-19.27	-13	Pass	401
1756	1757	1	RMS	1756	-33.6	-13	Pass	2
1757	1765	1	RMS	1758.98	-30.77	-13	Pass	401




11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.4	7.46	30	Pass	401
1755	1756	0.051	RMS	1755	-28.49	-13	Pass	401
1756	1757	1	RMS	1756	-26.3	-13	Pass	2
1757	1765	1	RMS	1757	-29.78	-13	Pass	401



11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.67	30	Pass	401
1755	1756	0.051	RMS	1755	-20.82	-13	Pass	401
1756	1757	1	RMS	1756	-34.78	-13	Pass	2
1757	1765	1	RMS	1758.96	-34.29	-13	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.813	6.51	30	Pass	401
1755	1756	0.051	RMS	1755.008	-30.02	-13	Pass	401
1756	1757	1	RMS	1756	-25.83	-13	Pass	2
1757	1765	1	RMS	1757	-28.99	-13	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.8	-32.53	-13	Pass	401
1708	1709	1	RMS	1709	-33.89	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.14	-13	Pass	401
1710	1720	0.1	RMS	1710.6	22.42	30	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.22	-13	Pass	401
1708	1709	1	RMS	1709	-25.12	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.49	-13	Pass	401
1710	1720	0.1	RMS	1715.55	5.08	30	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.76	-37.18	-13	Pass	401
1708	1709	1	RMS	1709	-35.13	-13	Pass	2
1709	1710	0.1	RMS	1710	-29.72	-13	Pass	401
1710	1720	0.1	RMS	1710.6	21.01	30	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.05	-13	Pass	401
1708	1709	1	RMS	1709	-25.42	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-31.54	-13	Pass	401
1710	1720	0.1	RMS	1716.975	3.9	30	Pass	401




11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	22.24	30	Pass	401
1755	1756	0.1	RMS	1755.003	-29.08	-13	Pass	401
1756	1757	1	RMS	1756	-34.69	-13	Pass	2
1757	1765	1	RMS	1763.28	-29.98	-13	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1749.5	4.57	30	Pass	401
1755	1756	0.1	RMS	1755	-31.98	-13	Pass	401
1756	1757	1	RMS	1756	-28.79	-13	Pass	2
1757	1765	1	RMS	1757	-31.08	-13	Pass	401




11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.61	30	Pass	401
1755	1756	0.1	RMS	1755.005	-30.84	-13	Pass	401
1756	1757	1	RMS	1756	-36.12	-13	Pass	2
1757	1765	1	RMS	1763.22	-36.22	-13	Pass	401




11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1748.275	3.52	30	Pass	401
1755	1756	0.1	RMS	1755	-33.17	-13	Pass	401
1756	1757	1	RMS	1756	-29.01	-13	Pass	2
1757	1765	1	RMS	1757	-30.73	-13	Pass	401




11.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.75	-13	Pass	401
1708	1709	1	RMS	1709	-34.4	-13	Pass	2
1709	1710	0.15	RMS	1710	-27.16	-13	Pass	401
1710	1725	0.1	RMS	1710.825	22.5	30	Pass	401




11.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.02	-13	Pass	401
1708	1709	1	RMS	1709	-27.38	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.67	-13	Pass	401
1710	1725	0.1	RMS	1718.775	3.54	30	Pass	401




11.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.19	-13	Pass	401
1708	1709	1	RMS	1709	-35.66	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-27.92	-13	Pass	401
1710	1725	0.1	RMS	1710.825	21.02	30	Pass	401




11.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-29.34	-13	Pass	401
1708	1709	1	RMS	1709	-28.13	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-33.77	-13	Pass	401
1710	1725	0.1	RMS	1719.413	2.26	30	Pass	401



11.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	22	30	Pass	401
1755	1756	0.15	RMS	1755	-27.62	-13	Pass	401
1756	1757	1	RMS	1756	-36.03	-13	Pass	2
1757	1765	1	RMS	1757	-38.43	-13	Pass	401




11.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1746.713	3.08	30	Pass	401
1755	1756	0.15	RMS	1755.005	-34.26	-13	Pass	401
1756	1757	1	RMS	1756	-29.68	-13	Pass	2
1757	1765	1	RMS	1757.04	-31.24	-13	Pass	401



11.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	20.6	30	Pass	401
1755	1756	0.15	RMS	1755	-28.6	-13	Pass	401
1756	1757	1	RMS	1756	-37.27	-13	Pass	2
1757	1765	1	RMS	1757	-39.82	-13	Pass	401




11.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1744.913	2.04	30	Pass	401
1755	1756	0.15	RMS	1755.003	-35.18	-13	Pass	401
1756	1757	1	RMS	1756	-30.2	-13	Pass	2
1757	1765	1	RMS	1757	-31.27	-13	Pass	401




11.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.59	-13	Pass	401
1708	1709	1	RMS	1709	-34.99	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.02	-13	Pass	401
1710	1730	0.1	RMS	1711.1	22.52	30	Pass	401




11.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.32	-13	Pass	401
1708	1709	1	RMS	1709	-29.21	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.93	-13	Pass	401
1710	1730	0.1	RMS	1718.75	2.05	30	Pass	401




11.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39	-13	Pass	401
1708	1709	1	RMS	1709	-36.43	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-31.4	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.96	30	Pass	401




11.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.95	-13	Pass	401
1708	1709	1	RMS	1709	-30.18	-13	Pass	2
1709	1710	0.2	RMS	1710	-35.08	-13	Pass	401
1710	1730	0.1	RMS	1721.2	1.07	30	Pass	401




11.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	21.96	30	Pass	401
1755	1756	0.2	RMS	1755.003	-30.72	-13	Pass	401
1756	1757	1	RMS	1756	-35.86	-13	Pass	2
1757	1765	1	RMS	1757	-38.71	-13	Pass	401




11.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1743.75	1.88	30	Pass	401
1755	1756	0.2	RMS	1755.003	-34.48	-13	Pass	401
1756	1757	1	RMS	1756	-29.93	-13	Pass	2
1757	1765	1	RMS	1757.06	-31.18	-13	Pass	401




11.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.52	30	Pass	401
1755	1756	0.2	RMS	1755	-31.4	-13	Pass	401
1756	1757	1	RMS	1756	-37.23	-13	Pass	2
1757	1765	1	RMS	1757.02	-40.16	-13	Pass	401



11.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1746.15	0.8	30	Pass	401
1755	1756	0.2	RMS	1755.005	-35.53	-13	Pass	401
1756	1757	1	RMS	1756	-30.55	-13	Pass	2
1757	1765	1	RMS	1757.06	-31.41	-13	Pass	401



12. LTE_Band5


12.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.33	-13	Pass	401
823	824	0.02	RMS	824	-24.69	-13	Pass	401
824	826	0.1	RMS	824.24	20.52	30	Pass	401




12.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-41.9	-13	Pass	401
823	824	0.02	RMS	824	-30.84	-13	Pass	401
824	826	0.1	RMS	824.78	12.14	30	Pass	401




12.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.15	-13	Pass	401
823	824	0.02	RMS	824	-23.86	-13	Pass	401
824	826	0.1	RMS	824.245	19.4	30	Pass	401




12.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.33	-13	Pass	401
823	824	0.02	RMS	823.998	-31.78	-13	Pass	401
824	826	0.1	RMS	825.075	11.2	30	Pass	401




12.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.83	30	Pass	401
849	850	0.02	RMS	849	-22.67	-13	Pass	401
850	860	0.1	RMS	850	-47.28	-13	Pass	401




12.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.88	12.2	30	Pass	401
849	850	0.02	RMS	849	-29.77	-13	Pass	401
850	860	0.1	RMS	850	-41.04	-13	Pass	401




12.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	19.46	30	Pass	401
849	850	0.02	RMS	849	-23.83	-13	Pass	401
850	860	0.1	RMS	850	-48.77	-13	Pass	401




12.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.675	11.13	30	Pass	401
849	850	0.02	RMS	849.003	-31.41	-13	Pass	401
850	860	0.1	RMS	850	-42.28	-13	Pass	401




12.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.16	-13	Pass	401
823	824	0.03	RMS	824	-21.51	-13	Pass	401
824	827	0.1	RMS	824.24	20.52	30	Pass	401




12.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-36.84	-13	Pass	401
823	824	0.03	RMS	824	-29.61	-13	Pass	401
824	827	0.1	RMS	825.688	8.39	30	Pass	401




12.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.38	-13	Pass	401
823	824	0.03	RMS	824	-22.05	-13	Pass	401
824	827	0.1	RMS	824.233	19.47	30	Pass	401




12.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.06	-13	Pass	401
823	824	0.03	RMS	824	-30.89	-13	Pass	401
824	827	0.1	RMS	826.153	7.22	30	Pass	401




12.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.7	30	Pass	401
849	850	0.03	RMS	849	-21.42	-13	Pass	401
850	860	0.1	RMS	850	-46.39	-13	Pass	401




12.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.68	8.41	30	Pass	401
849	850	0.03	RMS	849	-29.69	-13	Pass	401
850	860	0.1	RMS	850	-41.95	-13	Pass	401




12.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.8	30	Pass	401
849	850	0.03	RMS	849	-21.44	-13	Pass	401
850	860	0.1	RMS	850	-47.23	-13	Pass	401




12.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.153	7.31	30	Pass	401
849	850	0.03	RMS	849	-30.75	-13	Pass	401
850	860	0.1	RMS	850	-40.12	-13	Pass	401




12.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-48.86	-13	Pass	401
823	824	0.051	RMS	823.998	-22.29	-13	Pass	401
824	829	0.1	RMS	824.35	20.81	30	Pass	401




12.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.41	-13	Pass	401
823	824	0.051	RMS	824	-30.19	-13	Pass	401
824	829	0.1	RMS	826.75	6.29	30	Pass	401




12.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-49.99	-13	Pass	401
823	824	0.051	RMS	824	-22.91	-13	Pass	401
824	829	0.1	RMS	824.325	19.28	30	Pass	401




12.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39	-13	Pass	401
823	824	0.051	RMS	824	-31.55	-13	Pass	401
824	829	0.1	RMS	826.875	5.08	30	Pass	401




12.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.59	30	Pass	401
849	850	0.051	RMS	849	-21.89	-13	Pass	401
850	860	0.1	RMS	850	-48.06	-13	Pass	401




12.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.763	6.46	30	Pass	401
849	850	0.051	RMS	849	-30.02	-13	Pass	401
850	860	0.1	RMS	850	-43.74	-13	Pass	401




12.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.36	30	Pass	401
849	850	0.051	RMS	849	-23.53	-13	Pass	401
850	860	0.1	RMS	850	-49.35	-13	Pass	401




12.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.775	5.3	30	Pass	401
849	850	0.051	RMS	849.003	-31.99	-13	Pass	401
850	860	0.1	RMS	850	-42.55	-13	Pass	401




12.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.03	-13	Pass	401
823	824	0.1	RMS	824	-31.89	-13	Pass	401
824	834	0.1	RMS	824.6	20.74	30	Pass	401




12.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.16	-13	Pass	401
823	824	0.1	RMS	824	-32.08	-13	Pass	401
824	834	0.1	RMS	829.6	3.37	30	Pass	401




12.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.3	-13	Pass	401
823	824	0.1	RMS	823.998	-32.41	-13	Pass	401
824	834	0.1	RMS	824.575	19.3	30	Pass	401




12.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.17	-13	Pass	401
823	824	0.1	RMS	824	-34.12	-13	Pass	401
824	834	0.1	RMS	829.425	2.25	30	Pass	401



12.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.76	30	Pass	401
849	850	0.1	RMS	849.003	-31.22	-13	Pass	401
850	860	0.1	RMS	850.025	-48.86	-13	Pass	401




12.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	843.525	3.18	30	Pass	401
849	850	0.1	RMS	849.005	-31.07	-13	Pass	401
850	860	0.1	RMS	850.5	-41.38	-13	Pass	401



12.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.86	30	Pass	401
849	850	0.1	RMS	849.003	-31.99	-13	Pass	401
850	860	0.1	RMS	850	-49.68	-13	Pass	401



12.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.95	2.18	30	Pass	401
849	850	0.1	RMS	849	-33.64	-13	Pass	401
850	860	0.1	RMS	850	-43.38	-13	Pass	401



13. LTE_Band7


13.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.489	-48.41	-25	Pass	401
2490.5	2496	1	RMS	2495.959	-30.41	-13	Pass	401
2496	2499	1	RMS	2496	-30.5	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.85	-10	Pass	401
2500	2505	0.1	RMS	2500.325	21.34	30	Pass	401




13.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.028	-46.57	-25	Pass	401
2490.5	2496	1	RMS	2496	-28.7	-13	Pass	401
2496	2499	1	RMS	2499	-26.24	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.48	-10	Pass	401
2500	2505	0.1	RMS	2502.763	7.09	30	Pass	401




13.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.485	-48.44	-25	Pass	401
2490.5	2496	1	RMS	2496	-32.23	-13	Pass	401
2496	2499	1	RMS	2496	-32.32	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.87	-10	Pass	401
2500	2505	0.1	RMS	2500.325	20.07	30	Pass	401




13.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.486	-46.7	-25	Pass	401
2490.5	2496	1	RMS	2496	-31.28	-13	Pass	401
2496	2499	1	RMS	2499	-24.65	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.7	-10	Pass	401
2500	2505	0.1	RMS	2503.488	6.03	30	Pass	401




13.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	21.43	30	Pass	401
2570	2571	0.051	RMS	2570	-21.86	-10	Pass	401
2571	2575	1	RMS	2574	-36.87	-10	Pass	5
2575	2576	1	RMS	2575.003	-44.17	-13	Pass	401
2576	2580	1	RMS	2578.25	-45.13	-25	Pass	401




13.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.763	7.02	30	Pass	401
2570	2571	0.1	RMS	2570	-26.61	-10	Pass	401
2571	2575	1	RMS	2571	-28.5	-10	Pass	5
2575	2576	1	RMS	2575	-36.47	-13	Pass	401
2576	2580	1	RMS	2576	-40.77	-25	Pass	401




13.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	20.21	30	Pass	401
2570	2571	0.051	RMS	2570	-22.95	-10	Pass	401
2571	2575	1	RMS	2574	-36.6	-10	Pass	5
2575	2576	1	RMS	2575	-44.5	-13	Pass	401
2576	2580	1	RMS	2578.32	-45.34	-25	Pass	401




13.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.675	5.82	30	Pass	401
2570	2571	0.1	RMS	2570.003	-27.59	-10	Pass	401
2571	2575	1	RMS	2571	-25.81	-10	Pass	5
2575	2576	1	RMS	2575.013	-37.86	-13	Pass	401
2576	2580	1	RMS	2576	-41.19	-25	Pass	401




13.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2485	2490.5	1	RMS	2490.5	-46.65	-25	Pass	401
2490.5	2496	1	RMS	2491.765	-31.32	-13	Pass	401
2496	2499	1	RMS	2499	-36.37	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-35.89	-10	Pass	401
2500	2510	0.1	RMS	2500.6	21.3	30	Pass	401




13.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2485	2490.5	1	RMS	2490.473	-37.65	-25	Pass	401
2490.5	2496	1	RMS	2492.535	-31.74	-13	Pass	401
2496	2499	1	RMS	2499	-29.39	-10	Pass	4
2499	2500	0.2	RMS	2500	-28.7	-10	Pass	401
2500	2510	0.1	RMS	2505.575	4.31	30	Pass	401




13.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2485	2490.5	1	RMS	2490.5	-47.29	-25	Pass	401
2490.5	2496	1	RMS	2491.751	-33.24	-13	Pass	401
2496	2499	1	RMS	2499	-37.38	-10	Pass	4
2499	2500	0.051	RMS	2499.993	-35.9	-10	Pass	401
2500	2510	0.1	RMS	2500.575	20.13	30	Pass	401




13.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2485	2490.5	1	RMS	2490.473	-39.77	-25	Pass	401
2490.5	2496	1	RMS	2496	-32.1	-13	Pass	401
2496	2499	1	RMS	2499	-28.29	-10	Pass	4
2499	2500	0.2	RMS	2500	-29.85	-10	Pass	401
2500	2510	0.1	RMS	2505.425	3.04	30	Pass	401




13.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	21.72	30	Pass	401
2570	2571	0.051	RMS	2570	-34.76	-10	Pass	401
2571	2575	1	RMS	2571	-38.24	-10	Pass	5
2575	2580	1	RMS	2578.238	-34.84	-13	Pass	401
2580	2585	1	RMS	2582.4	-48.11	-25	Pass	401




13.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2565.6	4.14	30	Pass	401
2570	2571	0.2	RMS	2570.005	-29.41	-10	Pass	401
2571	2575	1	RMS	2571	-30.84	-10	Pass	5
2575	2580	1	RMS	2575.438	-34.03	-13	Pass	401
2580	2585	1	RMS	2580	-40.41	-25	Pass	401



13.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.21	30	Pass	401
2570	2571	0.051	RMS	2570.008	-36.15	-10	Pass	401
2571	2575	1	RMS	2571	-39.47	-10	Pass	5
2575	2580	1	RMS	2578.213	-42.35	-13	Pass	401
2580	2585	1	RMS	2580.025	-48.22	-25	Pass	401




13.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2565.45	3.17	30	Pass	401
2570	2571	0.2	RMS	2570	-29.65	-10	Pass	401
2571	2575	1	RMS	2571	-28.26	-10	Pass	5
2575	2580	1	RMS	2575	-33.27	-13	Pass	401
2580	2585	1	RMS	2580.025	-40.93	-25	Pass	401




13.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2480	2490.5	1	RMS	2487.56	-31.23	-25	Pass	401
2490.5	2496	1	RMS	2494.254	-38.05	-13	Pass	401
2496	2499	1	RMS	2499	-38.65	-10	Pass	4
2499	2500	0.051	RMS	2500	-33.76	-10	Pass	401
2500	2515	0.1	RMS	2500.825	21.58	30	Pass	401




13.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2480	2490.5	1	RMS	2488.006	-34.23	-25	Pass	401
2490.5	2496	1	RMS	2495.918	-34.21	-13	Pass	401
2496	2499	1	RMS	2499	-31.77	-10	Pass	4
2499	2500	0.3	RMS	2499.993	-30.53	-10	Pass	401
2500	2515	0.1	RMS	2506.675	2.63	30	Pass	401




13.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2480	2490.5	1	RMS	2487.56	-34.22	-25	Pass	401
2490.5	2496	1	RMS	2494.171	-40.42	-13	Pass	401
2496	2499	1	RMS	2499	-39.69	-10	Pass	4
2499	2500	0.051	RMS	2500	-34.65	-10	Pass	401
2500	2515	0.1	RMS	2500.863	20.1	30	Pass	401




13.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.448	-36.52	-25	Pass	401
2490.5	2496	1	RMS	2495.986	-32.86	-13	Pass	401
2496	2499	1	RMS	2499	-30.59	-10	Pass	4
2499	2500	0.3	RMS	2500	-31.55	-10	Pass	401
2500	2515	0.1	RMS	2504.538	1.58	30	Pass	401




13.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	21.59	30	Pass	401
2570	2571	0.051	RMS	2570	-34.18	-10	Pass	401
2571	2575	1	RMS	2571	-37.98	-10	Pass	5
2575	2585	1	RMS	2582.475	-35.56	-13	Pass	401
2585	2590	1	RMS	2585.388	-48.32	-25	Pass	401




13.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2563.813	2.39	30	Pass	401
2570	2571	0.3	RMS	2570	-31.57	-10	Pass	401
2571	2575	1	RMS	2571	-31.58	-10	Pass	5
2575	2585	1	RMS	2575	-35.13	-13	Pass	401
2585	2590	1	RMS	2585	-41.24	-25	Pass	401




13.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.138	20.18	30	Pass	401
2570	2571	0.051	RMS	2570.003	-35.24	-10	Pass	401
2571	2575	1	RMS	2571	-39.22	-10	Pass	5
2575	2585	1	RMS	2582.425	-42.28	-13	Pass	401
2585	2590	1	RMS	2585.713	-48.36	-25	Pass	401




13.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2565.688	1.4	30	Pass	401
2570	2571	0.3	RMS	2570	-31.3	-10	Pass	401
2571	2575	1	RMS	2571	-29.38	-10	Pass	5
2575	2585	1	RMS	2575	-33.3	-13	Pass	401
2585	2590	1	RMS	2585.025	-41.65	-25	Pass	401




13.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490.5	1	RMS	2483.293	-36.74	-25	Pass	401
2490.5	2496	1	RMS	2492.136	-36.09	-13	Pass	401
2496	2499	1	RMS	2499	-39.74	-10	Pass	4
2499	2500	0.051	RMS	2500	-39.52	-10	Pass	401
2500	2520	0.1	RMS	2501.1	21.59	30	Pass	401




13.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490.5	1	RMS	2486.586	-36.63	-25	Pass	401
2490.5	2496	1	RMS	2495.986	-33.97	-13	Pass	401
2496	2499	1	RMS	2499	-31.54	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-30.05	-10	Pass	401
2500	2520	0.1	RMS	2507	1.48	30	Pass	401




13.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490.5	1	RMS	2483.254	-39.75	-25	Pass	401
2490.5	2496	1	RMS	2492.26	-38.96	-13	Pass	401
2496	2499	1	RMS	2499	-40.78	-10	Pass	4
2499	2500	0.051	RMS	2500	-40.22	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.09	30	Pass	401




13.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.461	-36.41	-25	Pass	401
2490.5	2496	1	RMS	2496	-33.09	-13	Pass	401
2496	2499	1	RMS	2499	-30.92	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-30.8	-10	Pass	401
2500	2520	0.1	RMS	2506.25	0.4	30	Pass	401




13.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	21.45	30	Pass	401
2570	2571	0.051	RMS	2570	-39.54	-10	Pass	401
2571	2575	1	RMS	2571	-40.13	-10	Pass	5
2575	2590	1	RMS	2586.738	-40.35	-13	Pass	401
2590	2595	1	RMS	2590.025	-48.44	-25	Pass	401




13.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2563.45	0.85	30	Pass	401
2570	2571	0.51	RMS	2570	-30.67	-10	Pass	401
2571	2575	1	RMS	2571	-31.84	-10	Pass	5
2575	2590	1	RMS	2575	-35.11	-13	Pass	401
2590	2595	1	RMS	2590	-45.42	-25	Pass	401




13.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.98	30	Pass	401
2570	2571	0.051	RMS	2570	-39.97	-10	Pass	401
2571	2575	1	RMS	2571	-40.93	-10	Pass	5
2575	2590	1	RMS	2586.738	-42.66	-13	Pass	401
2590	2595	1	RMS	2590.9	-48.45	-25	Pass	401



13.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2561.15	-0.05	30	Pass	401
2570	2571	0.51	RMS	2570	-30.43	-10	Pass	401
2571	2575	1	RMS	2571	-29.93	-10	Pass	5
2575	2590	1	RMS	2575	-33.19	-13	Pass	401
2590	2595	1	RMS	2590	-45.55	-25	Pass	401



14. LTE_Band12


14.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.95	-13	Pass	401
698.9	699	0.03	RMS	698.999	-21.52	-13	Pass	401
699	701	0.1	RMS	699.26	20.99	30	Pass	401




14.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.3	-13	Pass	401
698.9	699	0.03	RMS	699	-27.54	-13	Pass	401
699	701	0.1	RMS	699.99	12.59	30	Pass	401




14.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.22	-13	Pass	401
698.9	699	0.03	RMS	699	-22.44	-13	Pass	401
699	701	0.1	RMS	699.24	19.84	30	Pass	401




14.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.61	-13	Pass	401
698.9	699	0.03	RMS	699	-29.1	-13	Pass	401
699	701	0.1	RMS	700.075	11.49	30	Pass	401




14.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	20.99	30	Pass	401
716	716.1	0.03	RMS	716	-21.29	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.24	-13	Pass	401




14.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.905	12.73	30	Pass	401
716	716.1	0.03	RMS	716	-27.46	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.89	-13	Pass	401




14.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	19.97	30	Pass	401
716	716.1	0.03	RMS	716.001	-21.71	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.99	-13	Pass	401




14.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.87	11.52	30	Pass	401
716	716.1	0.03	RMS	716	-28.03	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.91	-13	Pass	401




14.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.4	-13	Pass	401
698.9	699	0.03	RMS	699	-21.07	-13	Pass	401
699	702	0.1	RMS	699.248	21.13	30	Pass	401




14.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.22	-13	Pass	401
698.9	699	0.03	RMS	699	-30	-13	Pass	401
699	702	0.1	RMS	701.04	8.91	30	Pass	401




14.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.19	-13	Pass	401
698.9	699	0.03	RMS	698.998	-22.14	-13	Pass	401
699	702	0.1	RMS	699.233	19.91	30	Pass	401




14.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.69	-13	Pass	401
698.9	699	0.03	RMS	699	-30.64	-13	Pass	401
699	702	0.1	RMS	701.153	7.84	30	Pass	401




14.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	21.01	30	Pass	401
716	716.1	0.03	RMS	716	-21.54	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.49	-13	Pass	401




14.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.673	8.77	30	Pass	401
716	716.1	0.03	RMS	716	-29.27	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.91	-13	Pass	401




14.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	19.53	30	Pass	401
716	716.1	0.03	RMS	716	-22.49	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.6	-13	Pass	401




14.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.975	7.57	30	Pass	401
716	716.1	0.03	RMS	716	-30.27	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.48	-13	Pass	401




14.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.68	-13	Pass	401
698.9	699	0.03	RMS	699	-25.35	-13	Pass	401
699	704	0.1	RMS	699.338	21.08	30	Pass	401




14.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.94	-13	Pass	401
698.9	699	0.03	RMS	699	-33.05	-13	Pass	401
699	704	0.1	RMS	702.375	6.73	30	Pass	401




14.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.15	-13	Pass	401
698.9	699	0.03	RMS	699	-25.92	-13	Pass	401
699	704	0.1	RMS	699.338	19.78	30	Pass	401




14.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.08	-13	Pass	401
698.9	699	0.03	RMS	699	-34.15	-13	Pass	401
699	704	0.1	RMS	702.488	5.7	30	Pass	401



14.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	20.98	30	Pass	401
716	716.1	0.03	RMS	716	-24.55	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.74	-13	Pass	401




14.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.738	6.8	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.53	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.67	-13	Pass	401




14.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.59	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.37	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.22	-13	Pass	401




14.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.675	5.66	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.8	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.22	-13	Pass	401




14.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-39.29	-13	Pass	401
698.9	699	0.03	RMS	698.998	-40.45	-13	Pass	401
699	709	0.1	RMS	699.6	21.1	30	Pass	401




14.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.14	-13	Pass	401
698.9	699	0.03	RMS	699	-39.23	-13	Pass	401
699	709	0.1	RMS	704.575	3.82	30	Pass	401




14.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-39.72	-13	Pass	401
698.9	699	0.03	RMS	698.999	-39.76	-13	Pass	401
699	709	0.1	RMS	699.6	19.6	30	Pass	401




14.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.9	-13	Pass	401
698.9	699	0.03	RMS	698.999	-40.46	-13	Pass	401
699	709	0.1	RMS	704.425	2.84	30	Pass	401




14.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.79	30	Pass	401
716	716.1	0.03	RMS	716	-39.4	-13	Pass	401
716.1	725	0.1	RMS	716.1	-39.17	-13	Pass	401




14.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.575	3.63	30	Pass	401
716	716.1	0.03	RMS	716.002	-38.44	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.37	-13	Pass	401




14.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.5	30	Pass	401
716	716.1	0.03	RMS	716	-39.06	-13	Pass	401
716.1	725	0.1	RMS	716.122	-39.48	-13	Pass	401



14.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.425	2.61	30	Pass	401
716	716.1	0.03	RMS	716	-39.2	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.97	-13	Pass	401



15. LTE_Band13


15.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.87	-71.31	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-50.63	-13	Pass	401
775.9	776	0.03	RMS	775.999	-54.44	-13	Pass	401
776	788	0.1	RMS	777.32	20.9	30	Pass	401




15.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-59.93	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-43.54	-13	Pass	401
775.9	776	0.03	RMS	775.985	-47.86	-13	Pass	401
776	788	0.1	RMS	779.75	6.51	30	Pass	401




15.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.87	-71.62	-35	Pass	1201
775	775.9	0.1	RMS	775.893	-52.54	-13	Pass	401
775.9	776	0.03	RMS	776	-56.4	-13	Pass	401
776	788	0.1	RMS	777.32	19.43	30	Pass	401




15.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.88	-62.15	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-45.73	-13	Pass	401
775.9	776	0.03	RMS	776	-49.71	-13	Pass	401
776	788	0.1	RMS	780.47	5.37	30	Pass	401



15.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.68	20.76	30	Pass	401
788	788.1	0.03	RMS	788.009	-51.27	-13	Pass	401
788.1	793	0.1	RMS	788.847	-46.48	-13	Pass	401
793	805	0.01	RMS	795.33	-64.49	-35	Pass	1201



15.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.76	6.48	30	Pass	401
788	788.1	0.03	RMS	788.004	-45.29	-13	Pass	401
788.1	793	0.1	RMS	788.1	-41.22	-13	Pass	401
793	805	0.01	RMS	793.51	-54.89	-35	Pass	1201

