


Vertical



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Remark	Ant	Table
	MHz	dBUV/m	Limit	Line	Level	Factor	Loss	Factor		Pos	Pos Pol/Phase
			dB	dBUV/m	dBUV	dB/m	dB	dB		cm	deg
1	31.940	33.82	-6.18	40.00	45.90	18.66	0.93	31.67	Peak	400	-1 VERTICAL
2	79.470	32.81	-7.19	40.00	55.75	7.51	1.30	31.75	Peak	400	-1 VERTICAL
3 !	165.800	37.64	-5.86	43.50	56.76	10.42	2.00	31.55	Peak	400	-1 VERTICAL
4	230.790	35.22	-10.78	46.00	53.19	11.20	2.21	31.38	Peak	400	-1 VERTICAL
5	498.510	39.89	-6.11	46.00	49.67	17.87	3.28	30.94	Peak	400	-1 VERTICAL
6	563.500	39.96	-6.04	46.00	48.59	18.95	3.17	30.75	Peak	400	-1 VERTICAL


Note:

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	Normal Link / Ant. 7

Horizontal



	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1 !	141.550	38.25	-5.25	43.50	56.43	11.69	1.70	31.56	Peak	100	-1	HORIZONTAL
2 !	163.860	38.15	-5.35	43.50	57.21	10.48	2.00	31.53	Peak	100	-1	HORIZONTAL
3	230.790	39.97	-6.03	46.00	57.94	11.20	2.21	31.38	Peak	100	-1	HORIZONTAL
4 !	366.590	41.59	-4.41	46.00	54.46	15.80	2.50	31.17	Peak	100	-1	HORIZONTAL
5 ☺	499.480	42.62	-3.38	46.00	52.39	17.89	3.28	30.94	Peak	100	-1	HORIZONTAL
6	564.470	39.95	-6.05	46.00	48.57	18.96	3.17	30.75	Peak	100	-1	HORIZONTAL

Vertical



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Remark	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor		Pos	Pos Pol/Phase
			dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1 !	31.940	35.26	-4.74	40.00	47.34	18.66	0.93	31.67	Peak	400	-5 VERTICAL
2 !	79.470	35.05	-4.95	40.00	57.99	7.51	1.30	31.75	Peak	400	-5 VERTICAL
3 @	141.550	39.70	-3.80	43.50	57.88	11.69	1.70	31.56	Peak	400	-5 VERTICAL
4	230.790	37.12	-8.88	46.00	55.09	11.20	2.21	31.38	Peak	400	-5 VERTICAL
5 !	382.110	40.53	-5.47	46.00	52.86	16.18	2.60	31.10	Peak	400	-5 VERTICAL
6	498.510	39.71	-6.29	46.00	49.49	17.87	3.28	30.94	Peak	400	-5 VERTICAL

Note:


The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.

4.5.9. Results for Radiated Emissions (1GHz~10th Harmonic)


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 1 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4823.890	41.24	-12.76	54.00	36.95	33.06	6.40	35.16	AVERAGE	100	282	HORIZONTAL
2	4823.930	49.94	-24.06	74.00	45.65	33.06	6.40	35.16	PEAK	100	282	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4823.910	55.91	-18.09	74.00	51.62	33.06	6.40	35.16	PEAK	112	308	VERTICAL
2 @	4824.010	53.33	-0.67	54.00	49.05	33.06	6.40	35.16	AVERAGE	112	308	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 6 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4873.820	49.95	-24.05	74.00	45.53	33.16	6.42	35.15	PEAK	100	281	HORIZONTAL
2 @	4874.190	43.84	-10.16	54.00	39.42	33.16	6.42	35.15	AVERAGE	100	281	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4873.950	53.16	-0.84	54.00	48.74	33.16	6.42	35.15	AVERAGE	100	163	VERTICAL
2 @	4873.950	55.24	-18.76	74.00	50.81	33.16	6.42	35.15	PEAK	100	163	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 11 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4923.990	41.81	-12.19	54.00	37.25	33.26	6.44	35.14	AVERAGE	100	84	HORIZONTAL
2	4923.990	50.02	-23.98	74.00	45.46	33.26	6.44	35.14	PEAK	100	84	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4923.960	56.24	-17.76	74.00	51.68	33.26	6.44	35.14	PEAK	100	171	VERTICAL
2 @	4924.030	53.18	-0.82	54.00	48.62	33.26	6.44	35.14	AVERAGE	100	171	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 1 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4920.120	45.56	-28.44	74.00	41.00	33.26	6.44	35.14	PEAK	100	247	HORIZONTAL
2	4924.220	33.29	-20.71	54.00	28.73	33.26	6.44	35.14	AVERAGE	100	247	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4923.680	49.18	-24.82	74.00	44.62	33.26	6.44	35.14	PEAK	100	173	VERTICAL
2 @	4924.120	36.15	-17.85	54.00	31.59	33.26	6.44	35.14	AVERAGE	100	173	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 6 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4872.400	47.49	-26.51	74.00	43.07	33.16	6.42	35.15	PEAK	100	280	HORIZONTAL
2 @	4873.100	36.04	-17.96	54.00	31.62	33.16	6.42	35.15	AVERAGE	100	280	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4873.000	41.54	-12.46	54.00	37.11	33.16	6.42	35.15	AVERAGE	100	165	VERTICAL
2 @	4873.000	54.70	-19.30	74.00	50.28	33.16	6.42	35.15	PEAK	100	165	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 11 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4819.900	45.60	-28.40	74.00	41.32	33.06	6.40	35.16	PEAK	100	287	HORIZONTAL
2	4821.720	32.36	-21.64	54.00	28.07	33.06	6.40	35.16	AVERAGE	100	287	HORIZONTAL

Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4823.080	49.77	-24.23	74.00	45.48	33.06	6.40	35.16	PEAK	100	302	VERTICAL
2 @	4827.200	38.47	-15.53	54.00	34.18	33.06	6.40	35.16	AVERAGE	100	302	VERTICAL

Note:


The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11a CH 149 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 !	11494.080	58.59	-1.41	60.00	45.02	38.78	9.78	35.00	AVERAGE	140	313	HORIZONTAL
2	11494.260	70.74	-9.26	80.00	57.17	38.78	9.78	35.00	PEAK	140	313	HORIZONTAL
3	17230.080	61.84	-18.16	80.00	42.38	42.11	12.27	34.91	PEAK	100	0	HORIZONTAL
4	17231.840	48.11	-11.89	60.00	28.65	42.11	12.28	34.92	AVERAGE	100	0	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	11488.380	56.35	-3.65	60.00	42.77	38.78	9.78	34.98	AVERAGE	100	79	VERTICAL
2	11488.720	69.97	-10.03	80.00	56.40	38.78	9.78	34.98	PEAK	100	79	VERTICAL
3	17230.140	62.91	-17.09	80.00	43.44	42.11	12.27	34.91	PEAK	140	261	VERTICAL
4	17239.580	50.90	-9.10	60.00	31.44	42.11	12.28	34.92	AVERAGE	140	261	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11a CH 157 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1 !	11569.820	58.10	-1.90	60.00	44.47	38.83	9.80	35.00	AVERAGE	151	77	HORIZONTAL
2	11569.840	71.32	-8.68	80.00	57.69	38.83	9.80	35.00	PEAK	151	77	HORIZONTAL
3	17354.420	49.13	-10.87	60.00	29.02	42.76	12.31	34.96	AVERAGE	99	360	HORIZONTAL
4	17359.620	62.10	-17.90	80.00	41.99	42.76	12.31	34.97	PEAK	99	360	HORIZONTAL

Vertical




	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	11569.140	69.31	-10.69	80.00	55.69	38.83	9.79	35.00	PEAK	120	171	VERTICAL
2 !	11569.280	59.27	-0.73	60.00	45.65	38.83	9.79	35.00	AVERAGE	120	171	VERTICAL
3	17351.520	49.40	-10.60	60.00	29.29	42.76	12.31	34.96	AVERAGE	100	---	VERTICAL
4	17358.920	61.26	-18.74	80.00	41.15	42.76	12.31	34.97	PEAK	100	---	VERTICAL




Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11a CH 165 / Antenna 1

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	11652.840	56.69	-3.31	60.00	43.02	38.86	9.82	35.01	AVERAGE	124	129	HORIZONTAL
2	11652.960	70.73	-9.27	80.00	57.06	38.86	9.82	35.01	PEAK	124	129	HORIZONTAL
3	17471.280	50.12	-9.88	60.00	29.37	43.41	12.34	35.00	AVERAGE	100	360	HORIZONTAL
4	17475.980	62.79	-17.21	80.00	42.03	43.41	12.34	35.00	PEAK	100	360	HORIZONTAL

Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 !	11650.280	56.71	-3.29	60.00	43.04	38.86	9.82	35.01	AVERAGE	121	260	VERTICAL
2	11650.500	68.80	-11.20	80.00	55.14	38.86	9.82	35.01	PEAK	121	260	VERTICAL
3	17470.100	64.36	-15.64	80.00	43.61	43.41	12.34	35.00	PEAK	100	0	VERTICAL
4	17479.520	50.01	-9.99	60.00	29.25	43.41	12.34	35.00	AVERAGE	100	0	VERTICAL

Note:


The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 1 / Antenna 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4821.850	47.53	-26.47	74.00	43.24	33.06	6.40	35.16	PEAK	126	259	HORIZONTAL
2 @	4824.060	36.22	-17.78	54.00	31.93	33.06	6.40	35.16	AVERAGE	126	259	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4823.740	48.40	-25.60	74.00	44.12	33.06	6.40	35.16	PEAK	100	117	VERTICAL
2 @	4823.940	40.87	-13.13	54.00	36.58	33.06	6.40	35.16	AVERAGE	100	117	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 6 / Antenna 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4873.930	41.49	-12.51	54.00	37.07	33.16	6.42	35.15	AVERAGE	127	298	HORIZONTAL
2	4874.020	50.06	-23.94	74.00	45.64	33.16	6.42	35.15	PEAK	127	298	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4873.920	50.53	-23.47	74.00	46.11	33.16	6.42	35.15	PEAK	100	125	VERTICAL
2 @	4874.170	44.57	-9.43	54.00	40.15	33.16	6.42	35.15	AVERAGE	100	125	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 11 / Antenna 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4923.990	35.69	-18.31	54.00	31.13	33.26	6.44	35.14	AVERAGE	124	264	HORIZONTAL
2	4924.230	47.39	-26.61	74.00	42.83	33.26	6.44	35.14	PEAK	124	264	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4923.750	48.00	-26.00	74.00	43.44	33.26	6.44	35.14	PEAK	100	120	VERTICAL
2 @	4924.030	39.12	-14.88	54.00	34.57	33.26	6.44	35.14	AVERAGE	100	120	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 1 / Antenna 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4822.750	33.66	-20.34	54.00	29.37	33.06	6.40	35.16	AVERAGE	117	192	HORIZONTAL
2	4825.310	46.64	-27.36	74.00	42.35	33.06	6.40	35.16	PEAK	117	192	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4823.290	47.12	-26.88	74.00	42.83	33.06	6.40	35.16	PEAK	100	236	VERTICAL
2 @	4825.410	33.99	-20.01	54.00	29.71	33.06	6.40	35.16	AVERAGE	100	236	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 6 / Antenna 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4876.320	46.71	-27.29	74.00	42.29	33.16	6.42	35.15	PEAK	128	173	HORIZONTAL
2	4876.440	33.37	-20.63	54.00	28.95	33.16	6.42	35.15	AVERAGE	128	173	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4873.730	34.26	-19.74	54.00	29.84	33.16	6.42	35.15	AVERAGE	100	239	VERTICAL
2	4874.220	47.90	-26.10	74.00	43.47	33.16	6.42	35.15	PEAK	100	239	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 11 / Antenna 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4922.050	46.81	-27.19	74.00	42.25	33.26	6.44	35.14	PEAK	131	185	HORIZONTAL
2	4925.050	33.85	-20.15	54.00	29.29	33.26	6.44	35.14	AVERAGE	131	185	HORIZONTAL

Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4921.540	47.45	-26.55	74.00	42.89	33.26	6.44	35.14	PEAK	100	240	VERTICAL
2 @	4922.380	34.20	-19.80	54.00	29.64	33.26	6.44	35.14	AVERAGE	100	240	VERTICAL

Note:


The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 1 / Antenna 3

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4823.880	49.09	-24.91	74.00	44.80	33.06	6.40	35.16	PEAK	100	296	HORIZONTAL
2 @	4823.990	40.30	-13.70	54.00	36.02	33.06	6.40	35.16	AVERAGE	100	296	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4823.870	44.40	-9.60	54.00	40.11	33.06	6.40	35.16	AVERAGE	100	94	VERTICAL
2	4823.970	51.65	-22.35	74.00	47.37	33.06	6.40	35.16	PEAK	100	94	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 6 / Antenna 3

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4873.888	48.08	-5.92	54.00	43.65	33.16	6.42	35.15	AVERAGE	132	232	HORIZONTAL
2	4874.000	53.43	-20.57	74.00	49.01	33.16	6.42	35.15	PEAK	132	232	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4873.708	51.52	-2.48	54.00	47.10	33.16	6.42	35.15	AVERAGE	100	94	VERTICAL
2 @	4873.880	56.77	-17.23	74.00	52.35	33.16	6.42	35.15	PEAK	100	94	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 11 / Antenna 3

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4920.000	47.18	-26.82	74.00	42.62	33.26	6.44	35.14	PEAK	100	287	HORIZONTAL
2 @	4924.020	35.20	-18.80	54.00	30.64	33.26	6.44	35.14	AVERAGE	100	287	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4923.700	41.25	-12.75	54.00	36.69	33.26	6.44	35.14	AVERAGE	100	267	VERTICAL
2	4923.920	49.08	-24.92	74.00	44.52	33.26	6.44	35.14	PEAK	100	267	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 1 / Antenna 3

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4822.280	33.80	-20.20	54.00	29.51	33.06	6.40	35.16	AVERAGE	135	221	HORIZONTAL
2	4824.320	47.06	-26.94	74.00	42.77	33.06	6.40	35.16	PEAK	135	221	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4820.440	33.73	-20.27	54.00	29.45	33.06	6.40	35.16	AVERAGE	100	190	VERTICAL
2	4822.900	46.09	-27.91	74.00	41.80	33.06	6.40	35.16	PEAK	100	190	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 6 / Antenna 3

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4869.560	46.40	-27.60	74.00	41.98	33.16	6.42	35.15	PEAK	126	131	HORIZONTAL
2 @	4876.400	33.50	-20.50	54.00	29.08	33.16	6.42	35.15	AVERAGE	126	131	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4873.040	46.81	-27.19	74.00	42.39	33.16	6.42	35.15	PEAK	106	277	VERTICAL
2 @	4874.040	33.48	-20.52	54.00	29.06	33.16	6.42	35.15	AVERAGE	106	277	VERTICAL


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11g CH 11 / Antenna 3

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4919.080	46.66	-27.34	74.00	42.10	33.26	6.44	35.14	PEAK	119	150	HORIZONTAL
2 @	4925.640	33.98	-20.02	54.00	29.42	33.26	6.44	35.14	AVERAGE	119	150	HORIZONTAL

Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	4924.720	34.08	-19.92	54.00	29.52	33.26	6.44	35.14	AVERAGE	112	117	VERTICAL
2	4924.780	47.02	-26.98	74.00	42.46	33.26	6.44	35.14	PEAK	112	117	VERTICAL

Note:


The amplitude of spurious emissions that are attenuated by more than 20dB below the permissible value has no need to be reported.

Emission level (dBuV/m) = 20 log Emission level (uV/m).

Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level.


Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 1 / Antenna 4

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4823.870	52.77	-21.23	74.00	51.26	33.39	3.37	35.25 PEAK	112	358	HORIZONTAL
2	4823.990	49.57	-4.43	54.00	48.06	33.39	3.37	35.25 AVERAGE	112	358	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 !	4823.990	50.90	-3.10	54.00	49.39	33.39	3.37	35.25	AVERAGE	141	90	VERTICAL
2	4824.000	53.88	-20.12	74.00	52.37	33.39	3.37	35.25	PEAK	141	90	VERTICAL

Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 6 / Antenna 4


Horizontal



0301 HORIZONTAL 0cm 0deg

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4873.950	46.72	-7.28	54.00	45.10	33.48	3.38	35.25	AVERAGE	100	71	HORIZONTAL
2	4873.970	51.46	-22.54	74.00	49.84	33.48	3.38	35.25	PEAK	100	71	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 !	4874.090	53.10	-0.90	54.00	51.48	33.48	3.38	35.25	AVERAGE	109	92	VERTICAL
2	4874.120	54.94	-19.06	74.00	53.32	33.48	3.38	35.25	PEAK	109	92	VERTICAL

Temperature	23°C	Humidity	62%
Test Engineer	Jax Chen	Configurations	802.11b CH 11 / Antenna 4

Horizontal



	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1	4924.000	52.12	-21.88	74.00	50.39	33.58	3.40	35.24	PEAK	100	91	HORIZONTAL
2 !	4924.110	48.27	-5.73	54.00	46.54	33.58	3.40	35.24	AVERAGE	100	91	HORIZONTAL