




N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS




N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS



N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N66(ANT2)

Transmitter Conducted Output Power And EIRP, (G_T-L_C)=0.06dB

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	24.17	24.23	0.2649
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	24.25	24.31	0.2698
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.08	23.14	0.2061
66	15	5	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.09	24.15	0.2600
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	24.18	24.24	0.2655
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.03	23.09	0.2037
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	24.18	24.24	0.2655
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	24.23	24.29	0.2685
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	23.08	23.14	0.2061
66	15	10	343000	1715	DFT-s-OFDM PI/2 BPSK	1@1	24.14	24.2	0.2630
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	24.28	24.34	0.2716
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	23.16	23.22	0.2099
66	15	10	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.19	24.25	0.2661
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	24.26	24.32	0.2704
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.11	23.17	0.2075
66	15	10	355000	1775	DFT-s-OFDM PI/2 BPSK	1@1	24.15	24.21	0.2636
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	24.16	24.22	0.2642
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	23.04	23.1	0.2042
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.06	24.12	0.2582
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	24.15	24.21	0.2636
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.09	23.15	0.2065
66	15	15	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.02	24.08	0.2559
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	24.08	24.14	0.2594
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.01	23.07	0.2028
66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	24.15	24.21	0.2636
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	24.27	24.33	0.2710
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.13	23.19	0.2084
66	15	20	344000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.09	24.15	0.2600
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	24.11	24.17	0.2612
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	22.98	23.04	0.2014
66	15	20	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.09	24.15	0.2600
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	24.13	24.19	0.2624
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.03	23.09	0.2037
66	15	20	354000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.11	24.17	0.2612
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	24.22	24.28	0.2679
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	23.09	23.15	0.2065
66	15	30	345000	1725	DFT-s-OFDM PI/2 BPSK	1@1	23.65	23.71	0.2350

66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	23.58	23.64	0.2312
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	22.68	22.74	0.1879
66	15	30	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.69	23.75	0.2371
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	23.75	23.81	0.2404
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.74	22.8	0.1905
66	15	30	353000	1765	DFT-s-OFDM PI/2 BPSK	1@1	23.65	23.71	0.2350
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	23.58	23.64	0.2312
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	22.66	22.72	0.1871
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	24.11	24.17	0.2612
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	24.07	24.13	0.2588
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	24.08	24.14	0.2594
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	24.19	24.25	0.2661
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	23.96	24.02	0.2523
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	24.14	24.2	0.2630
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	23.18	23.24	0.2109
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	22.99	23.05	0.2018
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	23.17	23.23	0.2104
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	21.7	21.76	0.1500
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	21.53	21.59	0.1442
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	21.81	21.87	0.1538
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	19.59	19.65	0.0923
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	19.29	19.35	0.0861
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	19.56	19.62	0.0916
66	15	40	346000	1730	CP-OFDM QPSK	108@54	22.61	22.67	0.1849
66	15	40	346000	1730	CP-OFDM QPSK	1@1	22.59	22.65	0.1841
66	15	40	346000	1730	CP-OFDM QPSK	1@214	22.73	22.79	0.1901
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	24.19	24.25	0.2661
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.98	24.04	0.2535
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	24.02	24.08	0.2559
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	24.05	24.11	0.2576
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	23.98	24.04	0.2535
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	24.08	24.14	0.2594
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	23.15	23.21	0.2094
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.12	23.18	0.2080
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	23.21	23.27	0.2123
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	21.72	21.78	0.1507
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	21.65	21.71	0.1483
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	21.73	21.79	0.1510
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	19.71	19.77	0.0948
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	19.26	19.32	0.0855
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	19.57	19.63	0.0918
66	15	40	349000	1745	CP-OFDM QPSK	108@54	22.61	22.67	0.1849
66	15	40	349000	1745	CP-OFDM QPSK	1@1	22.54	22.6	0.1820
66	15	40	349000	1745	CP-OFDM QPSK	1@214	22.49	22.55	0.1799

66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	24.12	24.18	0.2618
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	24.21	24.27	0.2673
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	24.08	24.14	0.2594
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	24.14	24.2	0.2630
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	24.07	24.13	0.2588
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	24.13	24.19	0.2624
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	23.19	23.25	0.2113
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	23.19	23.25	0.2113
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	23.27	23.33	0.2153
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	21.71	21.77	0.1503
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	21.71	21.77	0.1503
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	21.82	21.88	0.1542
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	19.63	19.69	0.0931
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	19.42	19.48	0.0887
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	19.59	19.65	0.0923
66	15	40	352000	1760	CP-OFDM QPSK	108@54	22.62	22.68	0.1854
66	15	40	352000	1760	CP-OFDM QPSK	1@1	22.68	22.74	0.1879
66	15	40	352000	1760	CP-OFDM QPSK	1@214	22.74	22.8	0.1905

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0013	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0022	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0016	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0019	PASS	-30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0024	PASS	-20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0031	PASS	-10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0019	PASS	0°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0016	PASS	10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0024	PASS	20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0015	PASS	30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0021	PASS	40°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0028	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	40	349000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	6.89	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.99	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	216@0	7.25	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	5.93	13	PASS

N66(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N66(40M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.4718	4.973
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4823	4.945
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.4618	4.83
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4779	4.91
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2715	9.928
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.3002	9.828
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.282	9.808
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.2906	9.795
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	14.097	14.75
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.117	14.69
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.125	14.79
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.066	14.72
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.943	19.71
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.949	19.72
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.918	20.37
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	18.909	19.64
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.563	29.55
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.557	29.52
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.574	29.54
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.519	29.53
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.52	39.87
66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.543	39.94
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.508	39.83
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.534	39.81


N66(5M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(10M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N66(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(15M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(30M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N66(30M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(40M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---

66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS


N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N66(ANT1) for Other PA

LTE Band: 5, LTE BW: 10M, LTE ARFCN: Mid

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	24.02	23.12	0.2051
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	23.78	22.88	0.1941
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	24.02	23.12	0.2051
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	23.98	23.08	0.2032
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	23.92	23.02	0.2004
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	24.1	23.2	0.2089
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	23.08	22.18	0.1652
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	22.91	22.01	0.1589
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	23.06	22.16	0.1644
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	21.58	20.68	0.1169
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	21.68	20.78	0.1197
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	21.81	20.91	0.1233
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	19.53	18.63	0.0729
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	18.89	17.99	0.0630
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	19.22	18.32	0.0679
66	15	40	346000	1730	CP-OFDM QPSK	1@1	22.5	21.6	0.1445
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	23.97	23.07	0.2028
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.75	22.85	0.1928
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	23.89	22.99	0.1991
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	24.03	23.13	0.2056
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	23.93	23.03	0.2009
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	24.02	23.12	0.2051
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	23.16	22.26	0.1683
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.88	21.98	0.1578
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	22.99	22.09	0.1618
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	21.6	20.7	0.1175
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	21.61	20.71	0.1178
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	21.71	20.81	0.1205
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	19.59	18.69	0.0740
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	18.93	18.03	0.0635
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	19.09	18.19	0.0659
66	15	40	349000	1745	CP-OFDM QPSK	1@1	22.43	21.53	0.1422
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	24.09	23.19	0.2084
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	23.93	23.03	0.2009
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	24.03	23.13	0.2056
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	23.99	23.09	0.2037
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	23.97	23.07	0.2028

66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	24.11	23.21	0.2094
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	23.11	22.21	0.1663
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	22.95	22.05	0.1603
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	22.97	22.07	0.1611
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	21.65	20.75	0.1189
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	21.75	20.85	0.1216
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	21.79	20.89	0.1227
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	19.59	18.69	0.0740
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	18.89	17.99	0.0630
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	19.24	18.34	0.0682
66	15	40	352000	1760	CP-OFDM QPSK	1@1	22.6	21.7	0.1479
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	23.54	22.64	0.1837
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	23.57	22.67	0.1849
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.39	21.49	0.1409
66	15	5	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.94	23.04	0.2014
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	23.9	23	0.1995
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.88	21.98	0.1578
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	23.79	22.89	0.1945
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	23.81	22.91	0.1954
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.9	22	0.1585
66	15	20	344000	1720	DFT-s-OFDM PI/2 BPSK	1@1	23.67	22.77	0.1892
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	23.71	22.81	0.1910
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	22.8	21.9	0.1549
66	15	20	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.5	22.6	0.1820
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	23.54	22.64	0.1837
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.63	21.73	0.1489
66	15	20	354000	1770	DFT-s-OFDM PI/2 BPSK	1@1	23.61	22.71	0.1866
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	23.64	22.74	0.1879
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	22.81	21.91	0.1552
66	15	10	343000	1715	DFT-s-OFDM PI/2 BPSK	1@1	23.8	22.9	0.1950
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	23.88	22.98	0.1986
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	23.84	22.94	0.1968
66	15	10	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.84	22.94	0.1968
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	23.87	22.97	0.1982
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	23	22.1	0.1622
66	15	10	355000	1775	DFT-s-OFDM PI/2 BPSK	1@1	23.82	22.92	0.1959
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	23.87	22.97	0.1982
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	22.96	22.06	0.1607
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	23.67	22.77	0.1892
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	23.81	22.91	0.1954
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.72	21.82	0.1521
66	15	15	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.67	22.77	0.1892
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	23.74	22.84	0.1923
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.72	21.82	0.1521

66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	23.82	22.92	0.1959
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	23.9	23	0.1995
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.96	22.06	0.1607
66	15	30	345000	1725	DFT-s-OFDM PI/2 BPSK	1@1	23.66	22.76	0.1888
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	23.72	22.82	0.1914
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	22.71	21.81	0.1517
66	15	30	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.65	22.75	0.1884
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	23.7	22.8	0.1905
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.64	21.74	0.1493
66	15	30	353000	1765	DFT-s-OFDM PI/2 BPSK	1@1	23.78	22.88	0.1941
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	23.81	22.91	0.1954
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	22.82	21.92	0.1556

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPS	100@0	0.0019	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0023	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0012	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0008	PASS	-30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0013	PASS	-20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0012	PASS	-10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0024	PASS	0°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0019	PASS	10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0025	PASS	20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	-0.0012	PASS	30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0016	PASS	40°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0022	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	40	349000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	6.82	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.32	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	216@0	7.12	13	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	4.95	13	PASS


B5_N66(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B5_N66(40M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B5_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.4835	4.905
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4725	4.895
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.4795	4.961
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4721	4.946
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2757	9.83
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.2764	9.798
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.2702	9.838
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.2859	9.891
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	14.096	14.82
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.129	14.8
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.138	14.83
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.08	14.85
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.909	19.66
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.926	21.35
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.908	19.67
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	18.897	19.68
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.473	29.54
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.551	29.59
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.517	29.62
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.522	29.63
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.512	39.86
66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.446	39.85
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.527	39.9
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.44	39.88

B5_N66(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B5_N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B5_N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



B5_N66(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(10M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B5_N66(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B5_N66(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B5_N66(15M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B5_N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B5_N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B5_N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




B5_N66(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



B5_N66(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




B5_N66(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(30M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




B5_N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B5_N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B5_N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B5_N66(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B5_N66(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B5_N66(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---

66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS