



TX CH 157



Date: 16.AUG.2016 19:21:20

TX CH 165




Date: 16.AUG.2016 19:22:12

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 16.AUG.2016 20:41:17

TX CH 159




Date: 16.AUG.2016 20:42:34

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.69	17.90
CH40	5200	20.60	17.90
CH48	5240	20.65	17.90

TX CH36




Date: 16.AUG.2016 20:00:42

TX CH40



Date: 16.AUG.2016 20:02:09

TX CH48




Date: 16.AUG.2016 20:03:30

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	54.59	36.40
CH46	5230	47.80	36.40

TX CH38



Date: 16.AUG.2016 21:01:38

TX CH46




Date: 16.AUG.2016 21:02:32

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	118.79	76.00


TX CH42



Date: 16.AUG.2016 21:18:01


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149



Date: 16.AUG.2016 20:04:47

TX CH 157



Date: 16.AUG.2016 20:05:55

TX CH 165




Date: 16.AUG.2016 20:06:59

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 16.AUG.2016 21:03:22


TX CH 159



Date: 16.AUG.2016 21:04:10

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.00	76.00	>=500



Date: 16.AUG.2016 21:19:04

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.15	0.23	18.38	30.00	1.00
CH40	5200	19.51	0.23	19.74	30.00	1.00
CH48	5240	17.68	0.23	17.91	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.14	0.22	17.36	30.00	1.00
CH40	5200	16.00	0.22	16.22	30.00	1.00
CH48	5240	16.08	0.22	16.30	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.34	0.22	17.56	30.00	1.00
CH40	5200	16.17	0.22	16.39	30.00	1.00
CH48	5240	16.34	0.22	16.56	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.35	0.22	17.57	30.00	1.00
CH40	5200	15.98	0.22	16.20	30.00	1.00
CH48	5240	16.15	0.22	16.37	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.27	30.00	1.00
CH40	5200	21.04	30.00	1.00
CH48	5240	21.18	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.25	0.57	16.82	30.00	1.00
CH46	5230	17.94	0.57	18.51	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.72	0.57	17.29	30.00	1.00
CH46	5230	18.83	0.57	19.40	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.63	0.57	17.20	30.00	1.00
CH46	5230	18.61	0.57	19.18	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.88	30.00	1.00
CH46	5230	23.82	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.86	0.23	23.09	30.00	1.00
CH157	5785	24.48	0.23	24.71	30.00	1.00
CH165	5825	24.26	0.23	24.49	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.19	0.22	21.41	30.00	1.00
CH157	5785	19.34	0.22	19.56	30.00	1.00
CH165	5825	19.67	0.22	19.89	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.75	0.22	21.97	30.00	1.00
CH157	5785	19.74	0.22	19.96	30.00	1.00
CH165	5825	20.09	0.22	20.31	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.29	0.22	21.51	30.00	1.00
CH157	5785	19.56	0.22	19.78	30.00	1.00
CH165	5825	19.98	0.22	20.20	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	26.41	30.00	1.00
CH157	5785	24.54	30.00	1.00
CH165	5825	24.91	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.73	0.57	21.30	30.00	1.00
CH159	5795	21.13	0.57	21.70	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.12	0.57	22.69	30.00	1.00
CH159	5795	22.85	0.57	23.42	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.49	0.57	22.06	30.00	1.00
CH159	5795	21.63	0.57	22.20	30.00	1.00

Test Mode: UNII-3/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	26.82	30.00	1.00
CH159	5795	27.27	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.44	0.09	16.53	30.00	1.00
CH40	5200	15.14	0.09	15.23	30.00	1.00
CH48	5240	15.94	0.09	16.03	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.81	0.09	16.90	30.00	1.00
CH40	5200	15.32	0.09	15.41	30.00	1.00
CH48	5240	16.02	0.09	16.11	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.72	0.09	16.81	30.00	1.00
CH40	5200	15.13	0.09	15.22	30.00	1.00
CH48	5240	15.85	0.09	15.94	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.52	30.00	1.00
CH40	5200	20.06	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.44	0.18	15.62	30.00	1.00
CH46	5230	16.78	0.18	16.96	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.87	0.18	16.05	30.00	1.00
CH46	5230	17.23	0.18	17.41	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.04	0.18	16.22	30.00	1.00
CH46	5230	17.51	0.18	17.69	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.74	30.00	1.00
CH46	5230	22.14	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	18.46	0.57	19.03	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.11	0.57	19.68	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.33	0.57	19.90	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	24.32	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.43	0.09	22.52	30.00	1.00
CH157	5785	19.11	0.09	19.20	30.00	1.00
CH165	5825	20.44	0.09	20.53	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.16	0.09	23.25	30.00	1.00
CH157	5785	19.63	0.09	19.72	30.00	1.00
CH165	5825	21.32	0.09	21.41	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.32	0.09	22.41	30.00	1.00
CH157	5785	19.58	0.09	19.67	30.00	1.00
CH165	5825	20.96	0.09	21.05	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.51	30.00	1.00
CH157	5785	24.31	30.00	1.00
CH165	5825	25.78	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.23	0.18	21.41	30.00	1.00
CH159	5795	21.55	0.18	21.73	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.45	0.18	22.63	30.00	1.00
CH159	5795	23.07	0.18	23.25	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.53	0.18	21.71	30.00	1.00
CH159	5795	21.93	0.18	22.11	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	26.72	30.00	1.00
CH159	5795	27.19	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.48	0.57	22.05	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.89	0.57	23.46	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.39	0.57	22.96	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	27.63	30.00	1.00

ATTACHMENT G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.70	0.23	15.93	17.00
CH40	5200	16.16	0.23	16.39	17.00
CH48	5240	15.17	0.23	15.40	17.00




Date: 16.AUG.2016 18:01:45

CH40



Date: 16.AUG.2016 18:02:56


CH48



Date: 16.AUG.2016 18:04:49


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.76	0.22	10.98	17.00
CH40	5200	10.84	0.22	11.06	17.00
CH48	5240	10.91	0.22	11.13	17.00




Date: 16.AUG.2016 18:29:20

CH40



Date: 16.AUG.2016 18:30:41


CH48



Date: 16.AUG.2016 19:06:59


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.34	0.22	11.56	17.00
CH40	5200	10.71	0.22	10.93	17.00
CH48	5240	10.94	0.22	11.16	17.00




Date: 16.AUG.2016 19:49:01

CH40



Date: 16.AUG.2016 19:26:41


CH48



Date: 16.AUG.2016 19:27:51


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.47	0.22	11.69	17.00
CH40	5200	10.33	0.22	10.55	17.00
CH48	5240	10.84	0.22	11.06	17.00




Date: 16.AUG.2016 19:49:11

CH40



Date: 16.AUG.2016 19:39:43

CH48



Date: 16.AUG.2016 19:40:44


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	16.19	17.00
CH40	5200	15.62	17.00
CH48	5240	15.89	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.47	0.57	10.04	17.00
CH46	5230	7.75	0.57	8.32	17.00

CH38



Date: 16.AUG.2016 20:39:14

CH46




Date: 16.AUG.2016 20:40:02

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.08	0.57	9.65	17.00
CH46	5230	8.86	0.57	9.43	17.00

CH38



Date: 16.AUG.2016 20:54:47

CH46




Date: 16.AUG.2016 20:47:01

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	8.60	0.57	9.17	17.00
CH46	5230	7.49	0.57	8.06	17.00

CH38



Date: 16.AUG.2016 20:50:26

CH46



Date: 16.AUG.2016 20:51:37


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	14.41	17.00
CH46	5230	13.42	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	15.44	0.23	15.67	30.00
CH157	5785	14.69	0.23	14.92	30.00
CH165	5825	13.85	0.23	14.08	30.00

TX CH149




Date: 16.AUG.2016 18:05:42

TX CH157



Date: 16.AUG.2016 18:06:08

TX CH165




Date: 16.AUG.2016 18:06:28

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.23	0.22	8.45	30.00
CH157	5785	8.32	0.22	8.54	30.00
CH165	5825	8.42	0.22	8.64	30.00

TX CH149




Date: 16.AUG.2016 19:08:08

TX CH157



Date: 16.AUG.2016 19:09:56


TX CH165



Date: 16.AUG.2016 19:10:31


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.37	0.22	11.59	30.00
CH157	5785	10.06	0.22	10.28	30.00
CH165	5825	9.19	0.22	9.41	30.00




Date: 16.AUG.2016 19:28:55

TX CH157



Date: 16.AUG.2016 19:30:29


TX CH165



Date: 16.AUG.2016 19:31:41


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.54	0.22	9.76	30.00
CH157	5785	8.23	0.22	8.45	30.00
CH165	5825	7.70	0.22	7.92	30.00




Date: 16.AUG.2016 19:41:45

TX CH157



Date: 16.AUG.2016 19:43:04

TX CH165



Date: 16.AUG.2016 19:44:16


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.90	30.00
CH157	5785	13.95	30.00
CH165	5825	13.47	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.79	0.57	6.36	30.00
CH159	5795	1.92	0.57	2.49	30.00

TX CH151



Date: 16.AUG.2016 20:41:27

TX CH159




Date: 16.AUG.2016 20:42:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.55	0.57	9.12	30.00
CH159	5795	4.22	0.57	4.79	30.00

TX CH151



Date: 16.AUG.2016 20:48:19

TX CH159




Date: 16.AUG.2016 20:49:26

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.90	0.57	6.47	30.00
CH159	5795	1.88	0.57	2.45	30.00

TX CH151



Date: 16.AUG.2016 20:52:55

TX CH159




Date: 16.AUG.2016 20:54:02

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	12.29	30.00
CH159	5795	8.16	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.63	0.09	10.72	17.00
CH40	5200	10.54	0.09	10.63	17.00
CH48	5240	10.25	0.09	10.34	17.00




Date: 16.AUG.2016 19:53:35

CH40



Date: 16.AUG.2016 19:54:09


CH48



Date: 16.AUG.2016 19:54:29


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.97	0.09	11.06	17.00
CH40	5200	11.09	0.09	11.18	17.00
CH48	5240	10.79	0.09	10.88	17.00




Date: 16.AUG.2016 20:29:48

CH40



Date: 16.AUG.2016 20:30:10


CH48



Date: 16.AUG.2016 20:30:28


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.98	0.09	11.07	17.00
CH40	5200	11.29	0.09	11.38	17.00
CH48	5240	10.61	0.09	10.70	17.00




Date: 16.AUG.2016 20:31:30

CH40



Date: 16.AUG.2016 20:31:49

CH48



Date: 16.AUG.2016 20:17:17


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.72	17.00
CH40	5200	15.85	17.00
CH48	5240	15.42	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.51	0.18	10.69	17.00
CH46	5230	10.30	0.18	10.48	17.00

CH38



Date: 16.AUG.2016 20:57:04

CH46




Date: 16.AUG.2016 20:57:36

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	11.14	0.18	11.32	17.00
CH46	5230	10.98	0.18	11.16	17.00

CH38



Date: 16.AUG.2016 20:58:37

CH46




Date: 16.AUG.2016 20:58:58

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.08	0.18	10.26	17.00
CH46	5230	9.85	0.18	10.03	17.00

CH38



Date: 16.AUG.2016 20:59:21

CH46




Date: 16.AUG.2016 20:59:51

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	15.55	17.00
CH46	5230	15.35	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	8.89	0.57	9.46	17.00



Date: 16.AUG.2016 21:15:17

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	9.99	0.57	10.56	17.00



Date: 16.AUG.2016 21:15:56

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	7.97	0.57	8.54	17.00



Date: 16.AUG.2016 21:16:23


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	14.37	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.83	0.09	10.92	30.00
CH157	5785	10.22	0.09	10.31	30.00
CH165	5825	9.99	0.09	10.08	30.00

TX CH149




Date: 16.AUG.2016 19:55:09

TX CH157



Date: 16.AUG.2016 19:55:29


TX CH165



Date: 16.AUG.2016 19:55:46


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.87	0.09	12.96	30.00
CH157	5785	12.34	0.09	12.43	30.00
CH165	5825	11.94	0.09	12.03	30.00




Date: 16.AUG.2016 20:10:54

TX CH157



Date: 16.AUG.2016 20:11:55


TX CH165



Date: 16.AUG.2016 20:12:53


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.06	0.09	11.15	30.00
CH157	5785	10.60	0.09	10.69	30.00
CH165	5825	10.14	0.09	10.23	30.00




Date: 16.AUG.2016 20:22:59

TX CH157



Date: 16.AUG.2016 20:23:58

TX CH165



Date: 16.AUG.2016 20:24:49


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	16.55	30.00
CH157	5785	16.02	30.00
CH165	5825	15.65	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.77	0.18	6.95	30.00
CH159	5795	6.71	0.18	6.89	30.00

TX CH151



Date: 16.AUG.2016 21:05:54

TX CH159




Date: 16.AUG.2016 21:06:13

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.52	0.18	9.70	30.00
CH159	5795	9.14	0.18	9.32	30.00

TX CH151



Date: 16.AUG.2016 21:08:48

TX CH159




Date: 16.AUG.2016 21:09:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.00	0.18	7.18	30.00
CH159	5795	6.62	0.18	6.80	30.00

TX CH151



Date: 16.AUG.2016 21:12:39

TX CH159



Date: 16.AUG.2016 21:13:35


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	12.90	30.00
CH159	5795	12.61	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.77	0.57	4.34	30.00

TX CH155




Date: 16.AUG.2016 21:19:17

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.96	0.57	6.53	30.00

TX CH155




Date: 16.AUG.2016 21:21:56

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.57	0.57	4.14	30.00

TX CH155



Date: 16.AUG.2016 21:24:53

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	9.92	30.00

ATTACHMENT H-FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9884
120	5179.9880
108	5179.9872
Max. Deviation (MHz)	0.0128
Max. Deviation (ppm)	2.4710

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9872
5	5179.9868
15	5179.9864
25	5179.9864
35	5179.9860
40	5179.9856
Max. Deviation (MHz)	0.0144
Max. Deviation (ppm)	2.7799

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9852
120	5744.9844
108	5744.9844
Max. Deviation (MHz)	0.0156
Max. Deviation (ppm)	2.7154

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9840
5	5744.9836
15	5744.9836
25	5744.9832
35	5744.9828
40	5744.9828
Max. Deviation (MHz)	0.0176
Max. Deviation (ppm)	3.0635