


Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	44.51	37.40
CH46	5230	61.99	37.80

TX CH38



Date: 29.JUN.2018 17:46:54


TX CH46



Date: 29.JUN.2018 17:48:40


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.75	17.90	>=500
CH157	5785	17.70	17.90	>=500
CH165	5825	17.85	17.70	>=500

TX CH 149



Date: 29.JUN.2018 18:08:16

TX CH 157



Date: 29.JUN.2018 18:09:33

TX CH 165




Date: 29.JUN.2018 18:10:37

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.59	39.80	>=500
CH159	5795	36.61	38.80	>=500

TX CH 151



Date: 29.JUN.2018 17:50:26

TX CH 159




Date: 29.JUN.2018 17:51:50

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	83.80	76.00

TX CH42




Date: 29.JUN.2018 18:00:45

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.41	92.00	>=500

TX CH 155



Date: 29.JUN.2018 18:02:14

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.75	0.00	15.75	30.00	1.00
CH40	5200	16.08	0.00	16.08	30.00	1.00
CH48	5240	14.86	0.00	14.86	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.68	0.00	16.68	30.00	1.00
CH157	5785	16.51	0.00	16.51	30.00	1.00
CH165	5825	16.38	0.00	16.38	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.06	0.00	16.06	29.99	1.00
CH40	5200	15.87	0.00	15.87	29.99	1.00
CH48	5240	15.74	0.00	15.74	29.99	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.42	0.00	16.42	29.99	1.00
CH40	5200	16.05	0.00	16.05	29.99	1.00
CH48	5240	15.82	0.00	15.82	29.99	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.25	29.99	1.00
CH40	5200	18.97	29.99	1.00
CH48	5240	18.79	29.99	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.05	0.00	12.05	29.99	1.00
CH46	5230	18.22	0.00	18.22	29.99	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.32	0.00	12.32	29.99	1.00
CH46	5230	18.19	0.00	18.19	29.99	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.20	29.99	1.00
CH46	5230	21.22	29.99	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.15	0.00	16.15	28.99	0.79
CH157	5785	15.88	0.00	15.88	28.99	0.79
CH165	5825	15.67	0.00	15.67	28.99	0.79

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.73	0.00	15.73	28.99	0.79
CH157	5785	15.63	0.00	15.63	28.99	0.79
CH165	5825	15.47	0.00	15.47	28.99	0.79

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.96	28.99	0.79
CH157	5785	18.77	28.99	0.79
CH165	5825	18.58	28.99	0.79

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.63	0.00	18.63	28.99	0.79
CH159	5795	18.45	0.00	18.45	28.99	0.79

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.24	0.00	18.24	28.99	0.79
CH159	5795	18.12	0.00	18.12	28.99	0.79

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.45	28.99	0.79
CH159	5795	21.30	28.99	0.79

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.25	0.00	10.25	29.99	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.42	0.00	10.42	29.99	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.35	29.99	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.86	0.00	18.86	28.99	0.79

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.48	0.00	18.48	28.99	0.79

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.68	28.99	0.79

With Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.82	0.00	15.82	26.99	0.50
CH40	5200	15.72	0.00	15.72	26.99	0.50
CH48	5240	15.41	0.00	15.41	26.99	0.50

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.20	0.00	16.20	26.99	0.50
CH40	5200	15.86	0.00	15.86	26.99	0.50
CH48	5240	15.51	0.00	15.51	26.99	0.50

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.02	26.99	0.50
CH40	5200	18.80	26.99	0.50
CH48	5240	18.47	26.99	0.50

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.84	0.00	11.84	26.99	0.50
CH46	5230	17.98	0.00	17.98	26.99	0.50

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.16	0.00	12.16	26.99	0.50
CH46	5230	18.02	0.00	18.02	26.99	0.50

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.01	26.99	0.50
CH46	5230	21.01	26.99	0.50

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.92	0.00	15.92	25.99	0.40
CH157	5785	15.66	0.00	15.66	25.99	0.40
CH165	5825	15.41	0.00	15.41	25.99	0.40

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.45	0.00	15.45	25.99	0.40
CH157	5785	15.36	0.00	15.36	25.99	0.40
CH165	5825	15.17	0.00	15.17	25.99	0.40

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.70	25.99	0.40
CH157	5785	18.52	25.99	0.40
CH165	5825	18.30	25.99	0.40

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.54	0.00	18.54	25.99	0.40
CH159	5795	18.21	0.00	18.21	25.99	0.40

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.87	0.00	17.87	25.99	0.40
CH159	5795	17.91	0.00	17.91	25.99	0.40

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.23	25.99	0.40
CH159	5795	21.07	25.99	0.40

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.09	0.00	10.09	26.99	0.50

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.06	0.00	10.06	26.99	0.50

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.09	26.99	0.50

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.54	0.00	18.54	25.99	0.40

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.31	0.00	18.31	25.99	0.40

Test Mode: UNII-3/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.44	25.99	0.40

APPENDIX G - POWER SPECTRAL DENSITY

Non Beamforming


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.01	0.00	5.01	17.00
CH40	5200	5.38	0.00	5.38	17.00
CH48	5240	4.09	0.00	4.09	17.00




Date: 29.JUN.2018 15:11:43

CH40



Date: 29.JUN.2018 15:13:11

CH48




Date: 29.JUN.2018 15:14:30

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.59	0.00	4.59	17.00
CH157	5785	4.46	0.00	4.46	17.00
CH165	5825	4.09	0.00	4.09	17.00

TX CH149




Date: 29.JUN.2018 15:32:47

TX CH157



Date: 29.JUN.2018 15:34:51


TX CH165



Date: 29.JUN.2018 15:36:09


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.08	0.00	6.08	16.99
CH40	5200	5.52	0.00	5.52	16.99
CH48	5240	5.49	0.00	5.49	16.99




Date: 29.JUN.2018 20:45:09

CH40



Date: 29.JUN.2018 20:45:39


CH48



Date: 29.JUN.2018 20:46:22


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.09	0.00	6.09	16.99
CH40	5200	5.84	0.00	5.84	16.99
CH48	5240	5.86	0.00	5.86	16.99




Date: 29.JUN.2018 20:16:41

CH40



Date: 29.JUN.2018 20:17:25

CH48



Date: 29.JUN.2018 20:17:55


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.10	16.99
CH40	5200	8.69	16.99
CH48	5240	8.69	16.99

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.00	0.00	-1.00	16.99
CH46	5230	4.97	0.00	4.97	16.99

CH38



Date: 29.JUN.2018 20:51:55

CH46




Date: 29.JUN.2018 20:52:29

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.96	0.00	-0.96	16.99
CH46	5230	5.00	0.00	5.00	16.99

CH38



Date: 29.JUN.2018 20:31:20

CH46




Date: 29.JUN.2018 20:32:08

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.03	16.99
CH46	5230	8.00	16.99


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.49	0.00	4.49	28.99
CH157	5785	3.87	0.00	3.87	28.99
CH165	5825	3.51	0.00	3.51	28.99




Date: 29.JUN.2018 20:46:59

TX CH157



Date: 29.JUN.2018 20:47:37


TX CH165



Date: 29.JUN.2018 20:48:20


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.34	0.00	4.34	28.99
CH157	5785	3.89	0.00	3.89	28.99
CH165	5825	3.64	0.00	3.64	28.99




Date: 29.JUN.2018 20:19:11

TX CH157



Date: 29.JUN.2018 20:22:40

TX CH165



Date: 29.JUN.2018 20:23:08


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.43	28.99
CH157	5785	6.89	28.99
CH165	5825	6.59	28.99

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.89	0.00	3.89	28.99
CH159	5795	3.59	0.00	3.59	28.99

TX CH151



Date: 29.JUN.2018 20:52:57

TX CH159




Date: 29.JUN.2018 20:53:16

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.42	0.00	3.42	28.99
CH159	5795	3.14	0.00	3.14	28.99

TX CH151



Date: 29.JUN.2018 20:32:44

TX CH159




Date: 29.JUN.2018 20:33:07

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.67	28.99
CH159	5795	6.38	28.99

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.26	0.00	-4.26	16.99



Date: 29.JUN.2018 20:56:18

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.70	0.00	-3.70	16.99



Date: 29.JUN.2018 20:41:26


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.96	16.99

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.33	0.00	2.33	28.99

TX CH155




Date: 29.JUN.2018 20:56:51

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.18	0.00	2.18	28.99

TX CH155



Date: 29.JUN.2018 20:42:03


Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.27	28.99

With Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.82	0.00	5.82	13.99
CH40	5200	5.30	0.00	5.30	13.99
CH48	5240	5.33	0.00	5.33	13.99




Date: 29.JUN.2018 18:04:14

CH40



Date: 29.JUN.2018 18:05:25


CH48



Date: 29.JUN.2018 18:06:34


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.71	0.00	5.71	13.99
CH40	5200	5.17	0.00	5.17	13.99
CH48	5240	5.18	0.00	5.18	13.99




Date: 29.JUN.2018 19:15:04

CH40



Date: 29.JUN.2018 19:17:23

CH48



Date: 29.JUN.2018 19:18:35


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.78	13.99
CH40	5200	8.25	13.99
CH48	5240	8.27	13.99

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.46	0.00	-1.46	13.99
CH46	5230	4.43	0.00	4.43	13.99

CH38



Date: 29.JUN.2018 17:47:06

CH46




Date: 29.JUN.2018 17:48:52

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.67	0.00	-1.67	13.99
CH46	5230	4.27	0.00	4.27	13.99

CH38



Date: 29.JUN.2018 19:35:30

CH46



Date: 29.JUN.2018 19:36:39


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.45	13.99
CH46	5230	7.36	13.99

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.97	0.00	4.97	25.99
CH157	5785	4.46	0.00	4.46	25.99
CH165	5825	4.13	0.00	4.13	25.99

TX CH149




Date: 29.JUN.2018 18:08:25

TX CH157



Date: 29.JUN.2018 18:09:42


TX CH165



Date: 29.JUN.2018 18:10:46


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.83	0.00	4.83	25.99
CH157	5785	4.33	0.00	4.33	25.99
CH165	5825	3.97	0.00	3.97	25.99




Date: 29.JUN.2018 20:01:24

TX CH157



Date: 29.JUN.2018 20:02:24

TX CH165



Date: 29.JUN.2018 20:03:07


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.91	25.99
CH157	5785	7.41	25.99
CH165	5825	7.06	25.99

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.79	0.00	3.79	25.99
CH159	5795	3.45	0.00	3.45	25.99

TX CH151



Date: 29.JUN.2018 17:50:38

TX CH159




Date: 29.JUN.2018 17:52:02

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.00	0.00	4.00	25.99
CH159	5795	3.71	0.00	3.71	25.99

TX CH151



Date: 29.JUN.2018 20:04:39

TX CH159




Date: 29.JUN.2018 20:05:28

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.91	25.99
CH159	5795	6.59	25.99

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.93	0.00	-4.93	13.99



Date: 29.JUN.2018 18:00:57

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.62	0.00	-4.62	13.99



Date: 29.JUN.2018 19:48:33


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.76	13.99

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.33	0.00	2.33	25.99

TX CH155




Date: 29.JUN.2018 18:02:26

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.61	0.00	1.61	25.99

TX CH155



Date: 29.JUN.2018 19:50:01

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.00	25.99

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9704
120	5179.9692
108	5179.9692
Max. Deviation (MHz)	0.0308
Max. Deviation (ppm)	5.9459

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9688
5	5179.9692
15	5179.9688
25	5179.9688
35	5179.9680
40	5179.9680
Max. Deviation (MHz)	0.0320
Max. Deviation (ppm)	6.1776

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9652
120	5744.9644
108	5744.9640
Max. Deviation (MHz)	0.0360
Max. Deviation (ppm)	6.2663

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9636
5	5744.9632
15	5744.9632
25	5744.9628
35	5744.9628
40	5744.9624
Max. Deviation (MHz)	0.0376
Max. Deviation (ppm)	6.5448