

# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMMI 2022.02.07.0

EUT: AHFII Remote Radio Head	Work Order: NOKI0038
Serial Number: YK214000035	Date: 6-Apr-22
Customer: Nokia of America Corporation	Temperature: 22.6 °C
Attendees: Mitchell Hill	Humidity: 23.7% RH
Project: None	Barometric Pres.: 1026 mbar
Tested by: Mark Baytan	Power: 54 VDC
	Job Site: TX09

TEST SPECIFICATIONS		Test Method	
FCC 24E:2022		ANSI C63.26:2015	
RSS-133 Issue 6:2013+A1:2018		RSS-133 Issue 6:2013+A1:2018	

**COMMENTS**  
 All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. For Test Case 1: the carriers are operated at maximum power (~26.6W or ~44.2dBm/PCS carrier and 40W/AWS carrier) with at total port power of 120 watts (80W for PCS band carriers + 40W for AWS band carrier). For Test Case 2 and 3: the carriers are operated at maximum power (~40W/PCS carrier and 40W/AWS carrier) with at total port power of 120 watts (80W for PCS band carriers + 40W for AWS band carrier). Some measurement marker values were offset by RBW/2 from the band edge frequency as allowed by ANSI C63.26 clause 5.7.2 for some test cases. Reference "Output Power" report section for all carrier frequencies. This testing is being performed per KDB 971168 D03v01 guidance for Test Case 1.

**DEVIATIONS FROM TEST STANDARD**  
 None

Configuration #	2	Signature	
-----------------	---	-----------	--


Configuration #	Port	Test Case	Modulation	Carrier	Frequency Range	Max Value (dBm)	Limit < (dBm)	Result		
PCS Multicarrier Multiband	Port 1	Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier)	QPSK Modulation	PCS Carrier 1, 1932.5 MHz	1	-25.2	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	2	-22.0	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	3	-22.0	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	1	-24.7	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	2	-23.9	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	3	-22.9	-19	Pass		
			16-QAM Modulation	PCS Carrier 1, 1932.5 MHz	1	-26.2	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	2	-22.7	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	3	-22.4	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	1	-24.7	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	2	-23.5	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	3	-22.9	-19	Pass		
			64-QAM Modulation	PCS Carrier 1, 1932.5 MHz	1	-24.8	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	2	-22.7	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	3	-22.6	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	1	-24.1	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	2	-23.8	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	3	-22.8	-19	Pass		
			256-QAM Modulation	PCS Carrier 1, 1932.5 MHz	1	-24.6	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	2	-23.0	-19	Pass		
				PCS Carrier 1, 1932.5 MHz	3	-22.2	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	1	-24.9	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	2	-23.6	-19	Pass		
				PCS Carrier 3, 1992.5 MHz	3	-22.9	-19	Pass		
			Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier)	QPSK Modulation	PCS Carrier 1, 1945 MHz	1	-21.7	-19	Pass	
					PCS Carrier 1, 1945 MHz	2	-20.4	-19	Pass	
					PCS Carrier 1, 1945 MHz	3	-19.8	-19	Pass	
					16-QAM Modulation	PCS Carrier 1, 1945 MHz	1	-22.1	-19	Pass
						PCS Carrier 1, 1945 MHz	2	-20.4	-19	Pass
						PCS Carrier 1, 1945 MHz	3	-19.8	-19	Pass
				64-QAM Modulation	PCS Carrier 1, 1945 MHz	1	-22.1	-19	Pass	
					PCS Carrier 1, 1945 MHz	2	-20.3	-19	Pass	
					PCS Carrier 1, 1945 MHz	3	-19.8	-19	Pass	
				256-QAM Modulation	PCS Carrier 1, 1945 MHz	1	-21.8	-19	Pass	
					PCS Carrier 1, 1945 MHz	2	-19.8	-19	Pass	
					PCS Carrier 1, 1945 MHz	3	-19.6	-19	Pass	
		Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier)		QPSK Modulation	PCS Carrier 2, 1980 MHz	1	-22.6	-19	Pass	
					PCS Carrier 2, 1980 MHz	2	-20.4	-19	Pass	
					PCS Carrier 2, 1980 MHz	3	-19.6	-19	Pass	
					16-QAM Modulation	PCS Carrier 2, 1980 MHz	1	-23.3	-19	Pass
						PCS Carrier 2, 1980 MHz	2	-20.3	-19	Pass
						PCS Carrier 2, 1980 MHz	3	-19.9	-19	Pass
				64-QAM Modulation	PCS Carrier 2, 1980 MHz	1	-22.6	-19	Pass	
					PCS Carrier 2, 1980 MHz	2	-20.4	-19	Pass	
					PCS Carrier 2, 1980 MHz	3	-19.6	-19	Pass	
				256-QAM Modulation	PCS Carrier 2, 1980 MHz	1	-21.2	-19	Pass	
					PCS Carrier 2, 1980 MHz	2	-20.6	-19	Pass	
					PCS Carrier 2, 1980 MHz	3	-20.1	-19	Pass	

# BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-25.19	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.0	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.0	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.71	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-2.39E+01	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.93	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-26.15	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.7	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.42	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.72	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-23.5	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.85	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.76	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.7	-19	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.6	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.13	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-23.8	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.84	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.61	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-23.0	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.16	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.91	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-23.6	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 1: PCS Band NR5 (3 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 3, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.92	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-21.66	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.4	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.83	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-22.12	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.4	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.83	-19	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-22.06	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.3	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.84	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-21.84	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-19.81	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 2: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1945 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.62	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), QPSK Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-22.57	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), QPSK Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.4	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), QPSK Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.63	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 16-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.29	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 16-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.33	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 16-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.88	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 64-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-22.56	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 64-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.4	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 64-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-19.57	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 256-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-21.15	-19	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 256-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-20.63	-19	Pass			



PCS Multicarrier Multiband, Port 1, Test Case 3: PCS Band NR30 (2 Carriers), AWS Band NR30 (Single Carrier), 256-QAM Modulation, PCS Carrier 2, 1980 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-20.1	-19	Pass			



# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0


EUT: AHFII Remote Radio Head		Work Order: NOKI0038	
Serial Number: YK21400035		Date: 6-Apr-22	
Customer: Nokia of America Corporation		Temperature: 22.6 °C	
Attendees: Mitchell Hill		Humidity: 23.7% RH	
Project: None		Barometric Pres.: 1026 mbar	
Tested by: Mark Baytan		Job Site: TX09	
Power: 54 VDC			
<b>TEST SPECIFICATIONS</b>			
FCC 27:2022		Test Method	
RSS-139 Issue 3:2015		ANSI C63.26:2015	
RSS-170 Issue 3:2015		RSS-139 Issue 3:2015	
RSS-170 Issue 3:2015		RSS-170 Issue 3:2015	
<b>COMMENTS</b>			
All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. For Test Case 1: the carriers are operated at maximum power (~26.6W or ~44.2dBm/AWS carrier and 40W/PCS carrier) with at total port power of 120 watts (80W for AWS band carriers + 40W for PCS band carrier). For Test Case 2 and 3: the carriers are operated at maximum power (~40W/AWS carrier and 40W/PCS carrier) with at total port power of 120 watts (80W for AWS band carriers + 40W for PCS band carrier). Some measurement marker values were offset by RBW/2 from the band edge frequency as allowed by ANSI C63.26 clause 5.7.2 for some test cases. Reference "Output Power" report section for all carrier frequencies. This testing is being performed per KDB 971168 D03v01 guidance for Test Case 1.			
<b>DEVIATIONS FROM TEST STANDARD</b>			
None			
Configuration #	2	Signature	
		Frequency Range	Max Value (dBm) Limit < (dBm) Result
AWS Multicarrier Multiband			
Port 1			
Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier)			
QPSK Modulation			
		AWS Carrier 1, 2112.5 MHz	1 -24.3 -19 Pass
		AWS Carrier 1, 2112.5 MHz	2 -24.6 -19 Pass
		AWS Carrier 1, 2112.5 MHz	3 -23.1 -19 Pass
		AWS Carrier 3, 2197.5 MHz	1 -23.3 -19 Pass
		AWS Carrier 3, 2197.5 MHz	2 -25.5 -19 Pass
		AWS Carrier 3, 2197.5 MHz	3 -23.2 -19 Pass
16-QAM Modulation			
		AWS Carrier 1, 2112.5 MHz	1 -25.0 -19 Pass
		AWS Carrier 1, 2112.5 MHz	2 -24.7 -19 Pass
		AWS Carrier 1, 2112.5 MHz	3 -23.2 -19 Pass
		AWS Carrier 3, 2197.5 MHz	1 -24.2 -19 Pass
		AWS Carrier 3, 2197.5 MHz	2 -25.6 -19 Pass
		AWS Carrier 3, 2197.5 MHz	3 -23.6 -19 Pass
64-QAM Modulation			
		AWS Carrier 1, 2112.5 MHz	1 -24.8 -19 Pass
		AWS Carrier 1, 2112.5 MHz	2 -24.4 -19 Pass
		AWS Carrier 1, 2112.5 MHz	3 -22.8 -19 Pass
		AWS Carrier 3, 2197.5 MHz	1 -23.4 -19 Pass
		AWS Carrier 3, 2197.5 MHz	2 -25.4 -19 Pass
		AWS Carrier 3, 2197.5 MHz	3 -23.4 -19 Pass
256-QAM Modulation			
		AWS Carrier 1, 2112.5 MHz	1 -24.1 -19 Pass
		AWS Carrier 1, 2112.5 MHz	2 -24.7 -19 Pass
		AWS Carrier 1, 2112.5 MHz	3 -23.2 -19 Pass
		AWS Carrier 3, 2197.5 MHz	1 -23.1 -19 Pass
		AWS Carrier 3, 2197.5 MHz	2 -25.9 -19 Pass
		AWS Carrier 3, 2197.5 MHz	3 -23.8 -19 Pass
Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier)			
QPSK Modulation			
		AWS Carrier 1, 2125 MHz	1 -22.7 -19 Pass
		AWS Carrier 1, 2125 MHz	2 -21.9 -19 Pass
		AWS Carrier 1, 2125 MHz	3 -20.7 -19 Pass
16-QAM Modulation			
		AWS Carrier 1, 2125 MHz	1 -23.2 -19 Pass
		AWS Carrier 1, 2125 MHz	2 -22.4 -19 Pass
		AWS Carrier 1, 2125 MHz	3 -21.1 -19 Pass
64-QAM Modulation			
		AWS Carrier 1, 2125 MHz	1 -23.1 -19 Pass
		AWS Carrier 1, 2125 MHz	2 -22.1 -19 Pass
		AWS Carrier 1, 2125 MHz	3 -21.1 -19 Pass
256-QAM Modulation			
		AWS Carrier 1, 2125 MHz	1 -23.3 -19 Pass
		AWS Carrier 1, 2125 MHz	2 -22.3 -19 Pass
		AWS Carrier 1, 2125 MHz	3 -21.2 -19 Pass
Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier)			
QPSK Modulation			
		AWS Carrier 2, 2185 MHz	1 -23.2 -19 Pass
		AWS Carrier 2, 2185 MHz	2 -23.1 -19 Pass
		AWS Carrier 2, 2185 MHz	3 -21.7 -19 Pass
16-QAM Modulation			
		AWS Carrier 2, 2185 MHz	1 -24.1 -19 Pass
		AWS Carrier 2, 2185 MHz	2 -23.2 -19 Pass
		AWS Carrier 2, 2185 MHz	3 -21.6 -19 Pass
64-QAM Modulation			
		AWS Carrier 2, 2185 MHz	1 -23.2 -19 Pass
		AWS Carrier 2, 2185 MHz	2 -22.9 -19 Pass
		AWS Carrier 2, 2185 MHz	3 -21.4 -19 Pass
256-QAM Modulation			
		AWS Carrier 2, 2185 MHz	1 -22.8 -19 Pass
		AWS Carrier 2, 2185 MHz	2 -22.5 -19 Pass
		AWS Carrier 2, 2185 MHz	3 -21.4 -19 Pass

# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), QPSK Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.27	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), QPSK Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-24.6	-19	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), QPSK Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.09	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), QPSK Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.27	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), QPSK Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.5	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), QPSK Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.24	-19	Pass			




# BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-25.02	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-24.7	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.16	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.15	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.6	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.57	-19	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.79	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-24.4	-19	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-22.77	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.43	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.4	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.36	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.1	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-24.7	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Carrier 1, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.15	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.09	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.9	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 1: AWS Band NR5 (3 Carriers), PCS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Carrier 3, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.77	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), QPSK Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-22.68	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), QPSK Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-21.9	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), QPSK Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-20.71	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 16-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.2	-19	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 16-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.4	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 16-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.09	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 64-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.06	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 64-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.1	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 64-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.13	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 256-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.26	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 256-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.3	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 2: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 256-QAM Modulation, AWS Carrier 1, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.17	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), QPSK Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.24	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), QPSK Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-23.1	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), QPSK Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.65	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 16-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-24.08	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 16-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-23.2	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 16-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.64	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 64-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-23.17	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 64-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.9	-19	Pass			






# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMi 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 64-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.4	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 256-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-22.84	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 256-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.5	-19	Pass			



AWS Multicarrier Multiband, Port 1, Test Case 3: AWS Band NR30 (2 Carriers), PCS Band NR30 (Single Carrier), 256-QAM Modulation, AWS Carrier 2, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.37	-19	Pass			



# BAND EDGE COMPLIANCE



TotTx 2021.12.14.1 XMMi 2022.02.07.0


EUT: AHFII Remote Radio Head		Work Order: NOKI0038			
Serial Number: YK214000035		Date: 6-Apr-22			
Customer: Nokia of America Corporation		Temperature: 22.6 °C			
Attendees: Mitchell Hill		Humidity: 23.7% RH			
Project: None		Barometric Pres.: 1026 mbar			
Tested by: Mark Baytan		Power: 54 VDC			
Job Site: TX09					
TEST SPECIFICATIONS		Test Method			
FCC 24E:2022	ANSI C63.26:2015				
RSS-133 Issue 6:2013+A1:2018	RSS-133 Issue 6:2013+A1:2018				
FCC 27:2022	ANSI C63.26:2015				
RSS-139 Issue 3:2015	RSS-139 Issue 3:2015				
RSS-170 Issue 3:2015	RSS-170 Issue 3:2015				
COMMENTS					
All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. The carriers are operated at maximum power (~40W/PCS carrier and 40W/AWS carrier) with at total port power of 120 watts (40W for AWS band carrier + 80W for PCS band carriers). Some measurement marker values were offset by RBW/2 from the band edge frequency as allowed by ANSI C63.26 clause 5.7.2 for some test cases. Reference "Output Power" report section for all carrier frequencies. This testing is being performed per KDB 971168 D03v01 guidance.					
DEVIATIONS FROM TEST STANDARD					
None					
Configuration #	2	Signature			
	Frequency Range	Max Value (dBm)	Limit < (dBm)	Result	
Multicarrier Multiband					
Port 1					
Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier)					
QPSK Modulation					
	PCS Carrier 1, 1932.5 MHz	1	-25.3	-19	Pass
	PCS Carrier 1, 1932.5 MHz	2	-22.1	-19	Pass
	PCS Carrier 1, 1932.5 MHz	3	-21.6	-19	Pass
	AWS Single Carrier, 2197.5 MHz	1	-29.7	-19	Pass
	AWS Single Carrier, 2197.5 MHz	2	-25.3	-19	Pass
	AWS Single Carrier, 2197.5 MHz	3	-23.2	-19	Pass
16-QAM Modulation					
	PCS Carrier 1, 1932.5 MHz	1	-26.6	-19	Pass
	PCS Carrier 1, 1932.5 MHz	2	-22.8	-19	Pass
	PCS Carrier 1, 1932.5 MHz	3	-21.9	-19	Pass
	AWS Single Carrier, 2197.5 MHz	1	-29.5	-19	Pass
	AWS Single Carrier, 2197.5 MHz	2	-25.7	-19	Pass
	AWS Single Carrier, 2197.5 MHz	3	-23.3	-19	Pass
64-QAM Modulation					
	PCS Carrier 1, 1932.5 MHz	1	-25.4	-19	Pass
	PCS Carrier 1, 1932.5 MHz	2	-21.8	-19	Pass
	PCS Carrier 1, 1932.5 MHz	3	-21.6	-19	Pass
	AWS Single Carrier, 2197.5 MHz	1	-28.8	-19	Pass
	AWS Single Carrier, 2197.5 MHz	2	-25.2	-19	Pass
	AWS Single Carrier, 2197.5 MHz	3	-23.3	-19	Pass
256-QAM Modulation					
	PCS Carrier 1, 1932.5 MHz	1	-25.9	-19	Pass
	PCS Carrier 1, 1932.5 MHz	2	-21.6	-19	Pass
	PCS Carrier 1, 1932.5 MHz	3	-21.5	-19	Pass
	AWS Single Carrier, 2197.5 MHz	1	-29.1	-19	Pass
	AWS Single Carrier, 2197.5 MHz	2	-25.2	-19	Pass
	AWS Single Carrier, 2197.5 MHz	3	-23.3	-19	Pass

# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-25.3	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.1	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.61	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-29.73	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.3	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), QPSK Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.15	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-26.58	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-22.8	-19	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMi 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.91	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-29.45	-19	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.7	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 16-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.3	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-25.4	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-21.8	-19	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMi 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.56	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-28.79	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMit 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.2	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 64-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.28	-19	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-25.89	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-21.6	-19	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, PCS Carrier 1, 1932.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-21.53	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
1	-29.13	-19	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
2	-25.2	-19	Pass			



Multicarrier Multiband, Port 1, Test Case: PCS Band NR5 (2 Carriers), AWS Band NR5 (Single Carrier), 256-QAM Modulation, AWS Single Carrier, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit < (dBm)	Result			
3	-23.33	-19	Pass			

