


READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-20.6	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-26.93	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-28.15	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-29.99	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-32.44	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.18 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1710.5	--	-13	-23.37	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-27.66	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-29.18	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-32.23	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.69	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.99 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-23.86	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-28.73	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-30.37	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1713.5	--	-13	-32.9	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-36.36	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1712.5/342500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.77 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-24.49	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-33.28	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-34.86	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-38.45	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-42.94	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.22 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.22	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.25	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.22 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.95 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.22	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.25	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.95 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.08	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.07 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.24	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.07 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.1	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.27 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.24	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.25	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.25	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.25	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.27 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.11	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.86 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-47.46	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-47.48	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-47.48	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-47.49	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.48	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.86 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-47.38	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-47.35	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.36	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.34	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.35	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.35 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-20.72	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-29.11	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-32.05	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-32.9	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-34.19	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.95 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-21.11	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-29.01	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-29.76	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-30.01	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-32.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.20 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-23.1	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-29.07	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-30.6	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-32.4	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.08	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.23 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-23.46	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-29.69	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-31.08	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-32.97	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-36.21	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1777.5/355500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.14 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-26.08	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-32.46	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-34.5	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-37.76	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-40.8	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.67 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-25.21	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.35	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-32.65	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-30.91	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-31.59	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.34 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-23.62	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-27.71	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-29.71	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-30.51	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-30.95	dBm	PASS



FCC, ISSED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.54 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1710.5	--	-13	-25.39	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-28.67	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-30.26	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-31.13	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-32.32	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.42 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-26.14	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-29.9	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-30.78	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1713.5	--	-13	-31.82	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.16	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1715/343000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.62 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-28.24	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-33.97	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-35.36	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-36.2	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-37.49	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.76 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.22	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.22	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.23	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.76 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.1	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.08	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.08	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.22 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.19	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.2	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.23	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.24	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.22 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.08	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.08	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.09	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.08	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.91 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-47.42	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-47.44	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-47.44	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-47.46	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.47	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.91 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-47.33	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-47.33	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.33	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.33	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.34	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.26 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-47.43	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-47.45	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-47.46	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-47.47	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.47	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.26 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-47.33	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-47.34	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.34	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.34	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.34	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.69 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-47.46	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-47.47	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-47.48	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-47.48	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.48	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.69 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-47.35	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-47.36	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.35	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.35	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.35	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.80 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-31.55	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.09	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-33.02	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-31.83	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-34.93	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.35 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-28.96	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-30.85	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-32.41	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-32.83	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-33.63	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.84 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-29.52	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-30.74	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-32.17	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-33.08	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-34.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.62 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-30.66	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-31.45	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-32.77	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-33.53	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-34.84	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1775/355000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.84 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-33.33	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.24	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-35.37	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-36.54	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.18	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test at BW [MHz]: 15


Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.78 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-26.89	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.81	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-33.88	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-34.92	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.82	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.72 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-25.82	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-28.45	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-29.96	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-30.44	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-31.68	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.48 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1710.5	--	-13	-27.08	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-29.98	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-31.16	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-32.06	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.03	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.20 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-28.77	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.03	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-32.45	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1713.5	--	-13	-32.68	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.55	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1717.5/343500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.28 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-31.1	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-34.76	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-35.62	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-36.57	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-37.12	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.29 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.15	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-43.17	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-43.19	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-43.17	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.15	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.29 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-43.04	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-43.05	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-43.04	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.02	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.02	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.40 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-46.58	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-46.64	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-46.68	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-46.66	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-46.62	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.40 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-46.73	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-46.81	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-46.79	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-46.78	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-46.77	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.62 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-46.74	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-46.84	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-46.84	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-46.97	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.62 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-46.89	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-46.94	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.01	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.02	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.05	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.78 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-46.81	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-46.91	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-46.99	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-47.03	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.07	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.78 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-46.93	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-46.98	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.06	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.08	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.11	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.83 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-47.26	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-47.28	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-47.34	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-47.36	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.38	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.83 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-47.24	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-47.26	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-47.28	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.29	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-47.29	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.49 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-32.78	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.66	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-35.18	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-34.48	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-33.74	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.86 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-29.9	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-31.31	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-32.97	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-34.47	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.78	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.63 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-31.08	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-32.46	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-33.83	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-34.8	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.32	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.82 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-32.14	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-33.39	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-34.39	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-34.79	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.59	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1772.5/354500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.90 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-35.06	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-35.95	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-36.76	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-37.53	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-37.96	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test at BW [MHz]: 20


Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.52 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-28.44	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.61	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-32.49	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-34.65	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-35.7	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.29 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-26.55	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-28.41	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-29.17	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-30.17	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-31.41	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.83 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1710.5	--	-13	-28.11	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-29.57	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-30.49	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-31.56	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-32.75	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.64 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-30.14	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.47	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-32.25	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1713.5	--	-13	-33.1	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.82	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1720/344000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.33 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-33.74	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-35.33	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-35.9	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-36.43	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-37.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.03 0 40
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-41.28	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-41.32	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-42.02	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-42.44	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-42.73	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.03 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-41.46	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-42.02	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-42.48	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-42.65	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-42.74	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.63 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.67	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-44.31	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-44.77	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-44.99	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-45.11	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.63 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-44.41	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-45.04	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-45.5	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-45.79	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-45.83	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.40 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-44.36	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-45.04	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-45.35	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-45.64	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-45.84	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.40 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-45.13	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-45.58	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-45.79	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-46.08	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-46.17	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.64 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-44.85	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-45.38	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-45.6	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-45.85	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-45.92	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.64 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-45.58	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-45.83	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-46.06	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-46.27	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-46.34	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.44 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-46.24	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-46.45	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-46.36	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-46.68	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-46.61	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.44 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-46.67	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-46.68	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-46.83	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-46.81	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-46.97	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.22 0 40
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-32.88	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.76	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-35.62	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-35.65	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.35	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.92 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-29.67	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-31.13	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-32.39	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-33.44	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-34.74	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.44 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-31.05	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-32.08	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-33.33	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-34.26	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.32	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.33 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-32.82	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-33.76	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-34.64	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-35.56	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-36.01	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1770/354000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.28 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-36.19	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-36.44	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-37.26	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-38.01	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.27	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test at BW [MHz]: 30


Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.83 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-29.68	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-30.62	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-31.45	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-34.14	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.74	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.37 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-29.25	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-30.17	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-30.37	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-31.64	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-32.2	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.46 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1710.5	--	-13	-30.71	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.71	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-31.97	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-33.12	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.48	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.11 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-31.66	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-32.65	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-33	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1713.5	--	-13	-33.81	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.13	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1725/345000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.33 0 30
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-35.96	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-37.49	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-37.87	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-38.4	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-38.73	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.67 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-38.81	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-39.81	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-39.43	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-39.39	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-40.53	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.67 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-40.87	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-41.47	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-41.49	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-41.25	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-41.57	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.43 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-37.19	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-38.28	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-37.73	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-37.94	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-39.08	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.43 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-38.46	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-39.51	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-39.26	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-39.31	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-39.73	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.98 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-38.2	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-39.78	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-39.45	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-39.8	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-41.12	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.98 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-38.92	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-40.62	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-40.6	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-40.77	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-41.33	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.29 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-38.99	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-40.57	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-40.5	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-40.85	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-41.94	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.29 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-39.5	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-41.1	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-41.11	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-41.42	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-42.04	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.62 0 30
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-43.74	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-45.89	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-45.11	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-45.87	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-47.28	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.62 0 30
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-44.56	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-46.79	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-46.62	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-47.27	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-48.36	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.75 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-33.98	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.49	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-35.88	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-37.08	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.11	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.43 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-32.07	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-32.87	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-33.55	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-34.81	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.28	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.21 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-33.32	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.25	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-34.89	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-35.24	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-35.91	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.02 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-33.92	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-34.89	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-35.3	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-35.79	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-36.36	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1765/353000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.12 0 30
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-37.36	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-38.79	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-38.97	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-39.19	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-39.18	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test at BW [MHz]: 40


Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.87 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-25.82	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-32.01	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-33.65	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-33.82	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-35.37	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.36 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-25.93	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-31.48	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-32.35	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-32.47	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-33.3	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.49 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1710.5	--	-13	-27.3	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-32.49	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-33.26	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-33.29	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.1	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.23 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-27.13	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-32.55	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-33.21	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1713.5	--	-13	-33.42	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1730/346000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.15 0 30
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-30.98	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-37.71	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-37.85	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-38.77	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-39.26	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.88 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-35.94	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-35.56	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-34.49	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-34.21	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.37	dBm	PASS