



RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.45 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			161/1190

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.66 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			162/1190

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-1.06 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15					

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3510

Test at BW [MHz]: 90


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-3.15 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.99 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495

Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.83 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495

Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.58 0 15
--	----------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3495

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-3.02 0 15
Start [MHz] Stop [MHz]	1.000 401.000

READ SA SETTINGS:


RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.93 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000

READ SA SETTINGS:


Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.83 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH

READ SA SETTINGS:


Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.55 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98

Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.85 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: QPSK


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			172/1190

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99

Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-3.01 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			173/1190

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99

Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.83 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			174/1190

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99

Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.56 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			175/1190

RESULT Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3504.99

FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30

Test References

TC Start	04.11.2022 09:34:22
Ambit Temp [°C] Humidity [rel%]	25.1 38
System Version	3.3.1.5
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio TX Emissions conducted - NR Band_77_A
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_77_A
SCS [kHz]	30
Waveform	CPOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	4.81 0 20
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01


Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	5.48 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01

Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.19 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01

Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.18 0 25
--	---------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3455.01

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.91 0 25
Start [MHz] Stop [MHz]	1.000 401.000

READ SA SETTINGS:


RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	5.88 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000

READ SA SETTINGS:


Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.60 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH

READ SA SETTINGS:


Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] | RefLevelOffset [dB] | InpAtt [dB] 6.46 | 0 | 25
 Start [MHz] | Stop [MHz] 1.000 | 401.000
 RBW [MHz] | VBW [MHz] 1.000000 | 3.000000
 Detector | TraceMode POS | MAXH
 Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3499.98

Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.73 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			185/1190

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98

Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.41 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			186/1190

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98

Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.68 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			187/1190

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98

Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	6.55 0 25
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			188/1190

RESULT Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-1 SCS-30 3544.98

FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

Test References

TC Start	04.11.2022 09:20:43
Ambit Temp [°C] Humidity [rel%]	25.1 38
System Version	3.3.1.5
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio Block edge conducted - NR Band_77_A
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_77_A
SCS [kHz]	30
Waveform	CPOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.56 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	--	-13	-34.45	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-39.24	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-39.63	dBm	PASS
Frequency [MHz] 3446.5	--	-13	-40.01	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-40.65	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.41 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	---	-13	-34.33	dBm	PASS
Frequency [MHz] 3448.5	---	-13	-39.19	dBm	PASS
Frequency [MHz] 3447.5	---	-13	-39.64	dBm	PASS
Frequency [MHz] 3446.5	---	-13	-40.25	dBm	PASS
Frequency [MHz] 3445.5	---	-13	-40.68	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.52 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 3449.5	--	-13	-35	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-39.15	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-39.57	dBm	PASS
Frequency [MHz] 3446.5	--	-13	-40.05	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-40.51	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.11 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	--	-13	-35.35	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-38.97	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-39.2	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 3446.5	--	-13	-39.63	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-40.09	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.81 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3446.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-44.11	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.81 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-43.93	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.89 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3446.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-44.11	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.89 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-43.94	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-43.94	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.57 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3446.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-44.11	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.57 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-43.94	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-43.94	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-43.94	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.54 0 35
Start [MHz] Stop [MHz]	3445.000 3450.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3449.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3448.5	--	-13	-44.1	dBm	PASS
Frequency [MHz] 3447.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3446.5	--	-13	-44.11	dBm	PASS
Frequency [MHz] 3445.5	--	-13	-44.11	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.54 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-43.94	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-43.95	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-43.94	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-43.94	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.82 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-33.82	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-37.15	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-37.94	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-38.74	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-39.81	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.56 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-33.25	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-37.34	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-38.02	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-38.95	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-39.86	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.62 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-33.32	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-37.17	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-38.1	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-38.78	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-40	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.62 0 35
Start [MHz] Stop [MHz]	3550.000 3555.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 3550.5	--	-13	-34.77	dBm	PASS
Frequency [MHz] 3551.5	--	-13	-36.86	dBm	PASS
Frequency [MHz] 3552.5	--	-13	-38.08	dBm	PASS
Frequency [MHz] 3553.5	--	-13	-38.82	dBm	PASS
Frequency [MHz] 3554.5	--	-13	-39.53	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_77_A Ant-1 SCS-30

FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30

Test References

TC Start	04.11.2022 09:08:43
Ambit Temp [°C] Humidity [rel%]	25.1 38
System Version	3.3.1.5
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED Bandwidths 99PCT and 26dB - NR Band_77_A
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_77_A
SCS [kHz]	30
Waveform	CPOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.02 0 40
Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	10.25	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.02 0 40
Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.47 0 40
Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.975	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.47 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.49 0 40
Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	10.05	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.49 0 40
Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.641	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: low, UL[MHz]/CH 3455.01/630334, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.13 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	10.1	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.13 0 40
Start [MHz] Stop [MHz]	3442.510 3467.510
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.691	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.54 0 40
Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	10.125	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.54 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.641	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.85 0 40
Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	10.15	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.85 0 40
Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.641	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.52 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.975	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.52 0 40
Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.641	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.41 0 40
Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	10.025	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.41 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3487.480 3512.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.80 0 40
Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	10.15	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.80 0 40
Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.46 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	10.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.46 0 40
Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.70 0 40
Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	10.15	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.70 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3544.98/636332, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.62 0 40
Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.875	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.62 0 40
Start [MHz] Stop [MHz]	3532.480 3557.480
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.666	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30

Test References

TC Start	31.10.2022 21:41:01
Ambit Temp [°C] Humidity [rel%]	27.0 40
System Version	3.3.1.5
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio TX Emissions conducted - NR Band_77_A
Add. Information	ANT-2 MIMO

Test Parameter

Technology to test	NR
Band	Band_77_A
SCS [kHz]	30
Waveform	CPOFDM
Antenna Port used	2
Temperature	nom
Voltage	nom
Frequency low to test	False
Frequency mid to test	True
Frequency high to test	False
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 100


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-3.07 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-3.38 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: 64QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-3.71 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-6.47 0 10
--	----------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 100, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30

Test References

TC Start	31.10.2022 17:26:04
Ambit Temp [°C] Humidity [rel%]	27.2 40
System Version	3.3.1.5
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio TX Emissions conducted - NR Band_77_A
Add. Information	ANT-2 MIMO

Test Parameter

Technology to test	NR
Band	Band_77_A
SCS [kHz]	30
Waveform	CPOFDM
Antenna Port used	2
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 60


Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.25 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480


Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-0.86 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480

Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.14 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480

Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-4.56 0 15
--	----------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3480/632000, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3480

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-0.93 0 15
Start [MHz] Stop [MHz]	1.000 401.000

READ SA SETTINGS:


RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-0.73 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000

READ SA SETTINGS:


Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.21 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH

READ SA SETTINGS:


Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] | RefLevelOffset [dB] | InpAtt [dB] -4.63 | 0 | 15
 Start [MHz] | Stop [MHz] 1.000 | 401.000
 RBW [MHz] | VBW [MHz] 1.000000 | 3.000000
 Detector | TraceMode POS | MAXH
 Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-0.99 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: QPSK


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			237/1190

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99

Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-0.98 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			238/1190

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99

Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.15 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			239/1190

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99

Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-4.52 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			240/1190

RESULT Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3519.99

Test at BW [MHz]: 70


Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.28 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01


Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-1.81 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01

Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.39 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01

Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-5.55 0 10
--	----------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3485.01

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.07 0 15
Start [MHz] Stop [MHz]	1.000 401.000

READ SA SETTINGS:


RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-1.76 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000

READ SA SETTINGS:


Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.32 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH

READ SA SETTINGS:


Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-5.46 0 10
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-1.92 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			249/1190

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98

Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-1.74 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			250/1190

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98

Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.11 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			251/1190

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98

Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-5.20 0 10
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			252/1190

RESULT Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3514.98

Test at BW [MHz]: 80


Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.39 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02


Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.42 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02

Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM


READ SA SETTINGS:

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.34 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02

Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-5.78 0 10
--	----------------

READ SA SETTINGS:


Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3490.02

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.24 0 15
Start [MHz] Stop [MHz]	1.000 401.000

READ SA SETTINGS:


RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.16 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000

READ SA SETTINGS:


Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.15 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH

READ SA SETTINGS:


Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] | RefLevelOffset [dB] | InpAtt [dB] -5.56 | 0 | 10
 Start [MHz] | Stop [MHz] 1.000 | 401.000
 RBW [MHz] | VBW [MHz] 1.000000 | 3.000000
 Detector | TraceMode POS | MAXH
 Sweep: Time [ms] | Count | Points per Section | Type 1600 | 1 | 1001 | SWE

RESULT Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3499.98

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.34 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: QPSK


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			261/1190

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.12 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			262/1190

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.33 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			263/1190

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-5.60 0 10
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
2022-12-15		Document 1-3977/22-03-21_Annex_MR			264/1190

RESULT Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3510

Test at BW [MHz]: 90


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.71 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3495 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3495


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-2.51 0 15
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE

RESULT Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	---	0	0	no	PASS



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3495 MHz



FCC, ISED # TX Emissions conducted ~ NR Band_77_A Ant-2 SCS-30 3495

Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

READ SA SETTINGS: