




**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.60	37.00
CH46	5230	41.81	37.00

**TX CH38**



Date: 12.AUG.2017 17:09:03

**TX CH46**




Date: 12.AUG.2017 17:11:42

**Test Mode: UNII-1/TX AC80 Mode\_CH42**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.99	76.00

**TX CH42**




Date: 12.AUG.2017 17:32:27

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.90	>=500
CH157	5785	17.65	18.30	>=500
CH165	5825	17.70	17.90	>=500

**TX CH 149**




Date: 12.AUG.2017 16:46:44

**TX CH 157**



Date: 12.AUG.2017 16:47:47

**TX CH 165**




Date: 12.AUG.2017 16:48:47

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.41	36.40	>=500
CH159	5795	36.50	36.40	>=500

### TX CH 151



Date: 12.AUG.2017 17:17:34

### TX CH 159




Date: 12.AUG.2017 17:20:02



**Test Mode: UNII-3/ TX AC80 Mode\_CH155**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.60	76.00	>=500

**TX CH 155**


Date: 12.AUG.2017 17:33:35

## ATTACHMENT F - MAXIMUM OUTPUT POWER

## Non-Beamforming

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.35	0.22	18.57	30.00	1.00
CH40	5200	18.56	0.22	18.78	30.00	1.00
CH48	5240	21.48	0.22	21.70	30.00	1.00

**Test Mode: UNII-1/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.67	0.46	18.13	30.00	1.00
CH40	5200	18.86	0.46	19.32	30.00	1.00
CH48	5240	22.28	0.46	22.74	30.00	1.00

**Test Mode: UNII-1/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.41	0.46	17.87	30.00	1.00
CH40	5200	18.34	0.46	18.80	30.00	1.00
CH48	5240	21.84	0.46	22.30	30.00	1.00

**Test Mode: UNII-1/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.01	30.00	1.00
CH40	5200	22.08	30.00	1.00
CH48	5240	25.54	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.34	0.97	15.31	30.00	1.00
CH46	5230	19.64	0.97	20.61	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.83	0.97	15.80	30.00	1.00
CH46	5230	19.87	0.97	20.84	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode \_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.57	30.00	1.00
CH46	5230	23.74	30.00	1.00

**Test Mode: UNII-3/ TX A Mode**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.62	0.22	18.84	30.00	1.00
CH157	5785	18.76	0.22	18.98	30.00	1.00
CH165	5825	20.58	0.22	20.80	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.06	0.46	18.52	30.00	1.00
CH157	5785	18.36	0.46	18.82	30.00	1.00
CH165	5825	20.91	0.46	21.37	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.46	0.46	18.92	30.00	1.00
CH157	5785	18.48	0.46	18.94	30.00	1.00
CH165	5825	20.81	0.46	21.27	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.73	30.00	1.00
CH157	5785	21.89	30.00	1.00
CH165	5825	24.33	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.37	0.97	21.34	30.00	1.00
CH159	5795	22.14	0.97	23.11	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.02	0.97	20.99	30.00	1.00
CH159	5795	21.31	0.97	22.28	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.18	30.00	1.00
CH159	5795	25.73	30.00	1.00



**Test Mode: UNII-1/TX AC20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.95	0.22	18.17	30.00	1.00
CH40	5200	19.14	0.22	19.36	30.00	1.00
CH48	5240	22.03	0.22	22.25	30.00	1.00

**Test Mode: UNII-1/TX AC20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.27	0.22	17.49	30.00	1.00
CH40	5200	18.76	0.22	18.98	30.00	1.00
CH48	5240	21.49	0.22	21.71	30.00	1.00

**Test Mode: UNII-1/TX AC20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.85	30.00	1.00
CH40	5200	22.18	30.00	1.00
CH48	5240	25.00	30.00	1.00

**Test Mode: UNII-1/TX AC40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.34	0.52	13.86	30.00	1.00
CH46	5230	18.93	0.52	19.45	30.00	1.00

**Test Mode: UNII-1/TX AC40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.13	0.52	14.65	30.00	1.00
CH46	5230	19.22	0.52	19.74	30.00	1.00

**Test Mode: UNII-1/TX AC40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.28	30.00	1.00
CH46	5230	22.61	30.00	1.00

**Test Mode: UNII-1/TX AC80 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.43	1.05	14.48	30.00	1.00

**Test Mode: UNII-1/TX AC80 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.96	1.05	15.01	30.00	1.00

**Test Mode: UNII-1/TX AC80 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.76	30.00	1.00

**Test Mode: UNII-3/TX AC20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.04	0.22	19.26	30.00	1.00
CH157	5785	18.43	0.22	18.65	30.00	1.00
CH165	5825	20.71	0.22	20.93	30.00	1.00

**Test Mode: UNII-3/TX AC20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.66	0.22	18.88	30.00	1.00
CH157	5785	18.23	0.22	18.45	30.00	1.00
CH165	5825	20.89	0.22	21.11	30.00	1.00

**Test Mode: UNII-3/TX AC20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.08	30.00	1.00
CH157	5785	21.56	30.00	1.00
CH165	5825	24.03	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.89	0.52	21.41	30.00	1.00
CH159	5795	22.69	0.52	23.21	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.65	0.52	21.17	30.00	1.00
CH159	5795	21.95	0.52	22.47	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.30	30.00	1.00
CH159	5795	25.87	30.00	1.00

**Test Mode: UNII-3/TX AC80 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.54	1.05	22.59	30.00	1.00

**Test Mode: UNII-3/TX AC80 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.23	1.05	23.28	30.00	1.00

**Test Mode: UNII-3/TX AC80 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.96	30.00	1.00

## Beamforming

### Test Mode: UNII-1/TX N20 Mode\_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.67	0.46	18.13	30.00	1.00
CH40	5200	18.86	0.46	19.32	30.00	1.00
CH48	5240	22.28	0.46	22.74	30.00	1.00

### Test Mode: UNII-1/TX N20 Mode\_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.41	0.46	17.87	30.00	1.00
CH40	5200	18.34	0.46	18.80	30.00	1.00
CH48	5240	21.84	0.46	22.30	30.00	1.00

### Test Mode: UNII-1/TX N20 Mode\_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.01	30.00	1.00
CH40	5200	22.08	30.00	1.00
CH48	5240	25.54	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.34	1.15	15.49	30.00	1.00
CH46	5230	19.64	1.15	20.79	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.83	1.15	15.98	30.00	1.00
CH46	5230	19.87	1.15	21.02	30.00	1.00

**Test Mode: UNII-1/TX N40 Mode \_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.75	30.00	1.00
CH46	5230	23.92	30.00	1.00



**Test Mode: UNII-3/TX N20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.06	0.46	18.52	30.00	1.00
CH157	5785	18.36	0.46	18.82	30.00	1.00
CH165	5825	20.91	0.46	21.37	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.46	0.46	18.92	30.00	1.00
CH157	5785	18.48	0.46	18.94	30.00	1.00
CH165	5825	20.81	0.46	21.27	30.00	1.00

**Test Mode: UNII-3/TX N20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.73	30.00	1.00
CH157	5785	21.89	30.00	1.00
CH165	5825	24.33	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.37	1.15	21.52	30.00	1.00
CH159	5795	22.14	1.15	23.29	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.02	1.15	21.17	30.00	1.00
CH159	5795	21.31	1.15	22.46	30.00	1.00

**Test Mode: UNII-3/ TX N40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.36	30.00	1.00
CH159	5795	25.91	30.00	1.00

**Test Mode: UNII-1/TX AC20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.95	0.22	18.17	30.00	1.00
CH40	5200	19.14	0.22	19.36	30.00	1.00
CH48	5240	22.03	0.22	22.25	30.00	1.00

**Test Mode: UNII-1/TX AC20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.27	0.22	17.49	30.00	1.00
CH40	5200	18.76	0.22	18.98	30.00	1.00
CH48	5240	21.49	0.22	21.71	30.00	1.00

**Test Mode: UNII-1/TX AC20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.85	30.00	1.00
CH40	5200	22.18	30.00	1.00
CH48	5240	25.00	30.00	1.00

**Test Mode: UNII-1/TX AC40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.34	1.06	14.40	30.00	1.00
CH46	5230	18.93	1.06	19.99	30.00	1.00

**Test Mode: UNII-1/TX AC40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.13	1.06	15.19	30.00	1.00
CH46	5230	19.22	1.06	20.28	30.00	1.00

**Test Mode: UNII-1/TX AC40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.82	30.00	1.00
CH46	5230	23.15	30.00	1.00

**Test Mode: UNII-1/TX AC80 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.43	1.05	14.48	30.00	1.00

**Test Mode: UNII-1/TX AC80 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.96	1.05	15.01	30.00	1.00

**Test Mode: UNII-1/TX AC80 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.76	30.00	1.00

**Test Mode: UNII-3/TX AC20 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.04	0.22	19.26	30.00	1.00
CH157	5785	18.43	0.22	18.65	30.00	1.00
CH165	5825	20.71	0.22	20.93	30.00	1.00

**Test Mode: UNII-3/TX AC20 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.66	0.22	18.88	30.00	1.00
CH157	5785	18.23	0.22	18.45	30.00	1.00
CH165	5825	20.89	0.22	21.11	30.00	1.00

**Test Mode: UNII-3/TX AC20 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.08	30.00	1.00
CH157	5785	21.56	30.00	1.00
CH165	5825	24.03	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.89	1.06	21.95	30.00	1.00
CH159	5795	22.69	1.06	23.75	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.65	1.06	21.71	30.00	1.00
CH159	5795	21.95	1.06	23.01	30.00	1.00

**Test Mode: UNII-3/TX AC40 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.84	30.00	1.00
CH159	5795	26.41	30.00	1.00

**Test Mode: UNII-3/TX AC80 Mode\_ANT 1**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.54	1.05	22.59	30.00	1.00

**Test Mode: UNII-3/TX AC80 Mode\_ANT 2**

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.23	1.05	23.28	30.00	1.00

**Test Mode: UNII-3/TX AC80 Mode\_Total**

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.96	30.00	1.00




# ATTACHMENT H - POWER SPECTRAL DENSITY

# Non-Beamforming

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.70	0.22	5.92	17.00
CH40	5200	6.74	0.22	6.96	17.00
CH48	5240	10.42	0.22	10.64	17.00

## CH36




Date: 12.AUG.2017 13:29:32

### CH40



Date: 12.AUG.2017 13:30:39


### CH48



Date: 12.AUG.2017 13:31:30




### TX CH157



Date: 12.AUG.2017 13:33:19


### TX CH165



Date: 12.AUG.2017 13:34:08


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.45	0.46	4.91	17.00
CH40	5200	5.13	0.46	5.59	17.00
CH48	5240	10.62	0.46	11.08	17.00




Date: 12.AUG.2017 13:36:24

### CH40



Date: 12.AUG.2017 13:37:55


### CH48



Date: 12.AUG.2017 13:38:59

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.28	0.46	4.74	17.00
CH40	5200	4.82	0.46	5.28	17.00
CH48	5240	10.02	0.46	10.48	17.00

**CH36**


Date: 12.AUG.2017 13:42:58




### CH40



Date: 12.AUG.2017 13:44:07

### CH48



Date: 12.AUG.2017 13:45:08


Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.84	17.00
CH40	5200	8.45	17.00
CH48	5240	13.80	17.00

Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.80	0.97	-0.83	17.00
CH46	5230	5.01	0.97	5.98	17.00

### CH38



Date: 12.AUG.2017 14:35:30

### CH46




Date: 12.AUG.2017 14:37:06

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.38	0.97	-1.41	17.00
CH46	5230	3.95	0.97	4.92	17.00

### CH38



Date: 12.AUG.2017 14:40:50

### CH46



Date: 12.AUG.2017 14:41:56


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.90	17.00
CH46	5230	8.49	17.00






### TX CH157



Date: 12.AUG.2017 13:41:13


### TX CH165



Date: 12.AUG.2017 13:42:07


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.16	0.46	11.62	30.00
CH157	5785	12.28	0.46	12.74	30.00
CH165	5825	10.91	0.46	11.37	30.00

**TX CH149**



Date: 12.AUG.2017 13:46:11

### TX CH157



Date: 12.AUG.2017 13:47:03

### TX CH165



Date: 12.AUG.2017 13:51:15


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.25	30.00
CH157	5785	15.22	30.00
CH165	5825	14.01	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.27	0.97	8.24	30.00
CH159	5795	4.96	0.97	5.93	30.00

### TX CH151



Date: 12.AUG.2017 14:38:31

### TX CH159




Date: 12.AUG.2017 14:39:31

Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.71	0.97	7.68	30.00
CH159	5795	5.41	0.97	6.38	30.00

### TX CH151



Date: 12.AUG.2017 14:43:21

### TX CH159



Date: 12.AUG.2017 14:44:34




**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.98	30.00
CH159	5795	9.17	30.00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.07	0.22	5.29	17.00
CH40	5200	6.82	0.22	7.04	17.00
CH48	5240	10.54	0.22	10.76	17.00




Date: 12.AUG.2017 13:53:23

### CH40



Date: 12.AUG.2017 13:56:10

### CH48




Date: 12.AUG.2017 13:57:01

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.70	0.22	4.92	17.00
CH40	5200	6.33	0.22	6.55	17.00
CH48	5240	10.14	0.22	10.36	17.00

### CH36




Date: 12.AUG.2017 14:03:40

### CH40



Date: 12.AUG.2017 14:04:40

### CH48



Date: 12.AUG.2017 14:05:30


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.12	17.00
CH40	5200	9.81	17.00
CH48	5240	13.57	17.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.96	0.52	-0.44	17.00
CH46	5230	4.99	0.52	5.51	17.00

### CH38



Date: 12.AUG.2017 14:51:55

### CH46




Date: 12.AUG.2017 14:53:26



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.39	0.52	-1.87	17.00
CH46	5230	3.98	0.52	4.50	17.00

### CH38



Date: 12.AUG.2017 14:57:32

### CH46




Date: 12.AUG.2017 14:58:24

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.91	17.00
CH46	5230	8.04	17.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.99	1.05	-1.94	17.00

**CH42**


Date: 12.AUG.2017 15:04:36

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.49	1.05	-3.44	17.00

**CH42**


Date: 12.AUG.2017 15:07:24


**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.38	17.00

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.96	0.22	11.18	30.00
CH157	5785	12.28	0.22	12.50	30.00
CH165	5825	10.64	0.22	10.86	30.00

**TX CH149**




Date: 12.AUG.2017 13:59:48

### TX CH157



Date: 12.AUG.2017 14:00:39

### TX CH165




Date: 12.AUG.2017 14:02:35



**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.92	0.22	12.14	30.00
CH157	5785	13.60	0.22	13.82	30.00
CH165	5825	11.27	0.22	11.49	30.00

**TX CH149**




Date: 12.AUG.2017 14:06:19

### TX CH157



Date: 12.AUG.2017 14:07:17

### TX CH165



Date: 12.AUG.2017 14:18:42


Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.70	30.00
CH157	5785	16.22	30.00
CH165	5825	14.20	30.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.03	0.52	8.55	30.00
CH159	5795	8.23	0.52	8.75	30.00

### TX CH151



Date: 12.AUG.2017 14:55:23

### TX CH159




Date: 12.AUG.2017 14:56:28

Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.57	0.52	8.09	30.00
CH159	5795	8.02	0.52	8.54	30.00

**TX CH151**



Date: 12.AUG.2017 14:59:25

**TX CH159**



Date: 12.AUG.2017 15:00:23


**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.34	30.00
CH159	5795	11.66	30.00



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.84	1.05	3.89	30.00




Date: 12.AUG.2017 15:06:15

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.33	1.05	3.38	30.00

**TX CH155**



Date: 12.AUG.2017 15:08:20


Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.65	30.00

# Beamforming


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.16	0.46	4.62	17.00
CH40	5200	5.02	0.46	5.48	17.00
CH48	5240	10.23	0.46	10.69	17.00




Date: 12.AUG.2017 15:48:49

### CH40



Date: 12.AUG.2017 15:49:50


### CH48



Date: 12.AUG.2017 15:50:35


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.06	0.46	4.52	17.00
CH40	5200	4.60	0.46	5.06	17.00
CH48	5240	9.74	0.46	10.20	17.00

**CH36**



Date: 12.AUG.2017 15:58:22

### CH40



Date: 12.AUG.2017 15:59:13

### CH48



Date: 12.AUG.2017 16:00:05

Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.58	17.00
CH40	5200	8.29	17.00
CH48	5240	13.46	17.00



**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.28	1.15	-0.13	17.00
CH46	5230	4.96	1.15	6.11	17.00

### CH38



Date: 12.AUG.2017 16:58:14

### CH46




Date: 12.AUG.2017 16:59:32

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.40	1.15	-1.25	17.00
CH46	5230	3.75	1.15	4.90	17.00

### CH38



Date: 12.AUG.2017 17:03:50

### CH46




Date: 12.AUG.2017 17:04:49

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.36	17.00
CH46	5230	8.56	17.00


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.43	0.46	10.89	30.00
CH157	5785	11.16	0.46	11.62	30.00
CH165	5825	10.00	0.46	10.46	30.00

**TX CH149**



Date: 12.AUG.2017 15:51:54

### TX CH157



Date: 12.AUG.2017 15:52:43


### TX CH165



Date: 12.AUG.2017 15:53:32

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.93	0.46	11.39	30.00
CH157	5785	11.96	0.46	12.42	30.00
CH165	5825	10.70	0.46	11.16	30.00

**TX CH149**


Date: 12.AUG.2017 16:03:40




### TX CH157



Date: 12.AUG.2017 16:07:14

### TX CH165



Date: 12.AUG.2017 16:10:17


Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.16	30.00
CH157	5785	15.05	30.00
CH165	5825	13.83	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.04	1.15	8.19	30.00
CH159	5795	5.81	1.15	6.96	30.00

### TX CH151



Date: 12.AUG.2017 17:00:44

### TX CH159




Date: 12.AUG.2017 17:01:40

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.86	1.15	8.01	30.00
CH159	5795	7.05	1.15	8.20	30.00

### TX CH151



Date: 12.AUG.2017 17:06:16

### TX CH159




Date: 12.AUG.2017 17:07:16

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.11	30.00
CH159	5795	10.63	30.00

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.72	0.22	4.94	17.00
CH40	5200	6.55	0.22	6.77	17.00
CH48	5240	10.05	0.22	10.27	17.00



Date: 12.AUG.2017 16:39:53




### CH40



Date: 12.AUG.2017 16:44:53

### CH48




Date: 12.AUG.2017 16:45:58

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.30	0.22	4.52	17.00
CH40	5200	6.19	0.22	6.41	17.00
CH48	5240	10.10	0.22	10.32	17.00

### CH36




Date: 12.AUG.2017 16:49:47

### CH40



Date: 12.AUG.2017 16:51:15

### CH48



Date: 12.AUG.2017 16:52:10


Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.75	17.00
CH40	5200	9.60	17.00
CH48	5240	13.31	17.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.62	1.06	-1.56	17.00
CH46	5230	4.02	1.06	5.08	17.00

### CH38



Date: 12.AUG.2017 17:09:14

### CH46




Date: 12.AUG.2017 17:11:53

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.77	1.06	-2.71	17.00
CH46	5230	2.41	1.06	3.47	17.00

### CH38



Date: 12.AUG.2017 17:22:41

### CH46



Date: 12.AUG.2017 17:23:59




**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.91	17.00
CH46	5230	7.36	17.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.87	1.05	-11.82	17.00

**CH42**


Date: 12.AUG.2017 17:32:39

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.69	1.05	-3.64	17.00



Date: 12.AUG.2017 17:35:41


**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.03	17.00

Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.74	0.22	10.96	30.00
CH157	5785	12.13	0.22	12.35	30.00
CH165	5825	10.30	0.22	10.52	30.00

TX CH149




Date: 12.AUG.2017 16:46:52

### TX CH157



Date: 12.AUG.2017 16:47:56


### TX CH165



Date: 12.AUG.2017 16:48:55


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.63	0.22	11.85	30.00
CH157	5785	13.32	0.22	13.54	30.00
CH165	5825	11.34	0.22	11.56	30.00

**TX CH149**



Date: 12.AUG.2017 16:53:34

### TX CH157



Date: 12.AUG.2017 16:54:30

### TX CH165



Date: 12.AUG.2017 16:55:32




Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.44	30.00
CH157	5785	16.00	30.00
CH165	5825	14.08	30.00

Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.78	1.06	7.84	30.00
CH159	5795	6.18	1.06	7.24	30.00

### TX CH151



Date: 12.AUG.2017 17:17:46

### TX CH159




Date: 12.AUG.2017 17:20:14

Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.50	1.06	7.56	30.00
CH159	5795	6.64	1.06	7.70	30.00

### TX CH151



Date: 12.AUG.2017 17:26:55

### TX CH159




Date: 12.AUG.2017 17:28:41

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.71	30.00
CH159	5795	10.49	30.00

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.09	1.05	3.14	30.00



Date: 12.AUG.2017 17:33:46

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.28	1.05	3.33	30.00

**TX CH155**


Date: 12.AUG.2017 17:37:09



Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.25	30.00

## ATTACHMENT H - FREQUENCY STABILITY

## Non-Beamforming

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9432
120	5179.9432
108	5179.9432
Max. Deviation (MHz)	0.0568
Max. Deviation (ppm)	10.9653

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9428
5	5179.9428
15	5179.9432
25	5179.9428
35	5179.9428
45	5179.9432
50	5179.9428
Max. Deviation (MHz)	0.0572
Max. Deviation (ppm)	11.0425

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9372
120	5744.9372
108	5744.9372
Max. Deviation (MHz)	0.0628
Max. Deviation (ppm)	10.9312

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9368
5	5744.9368
15	5744.9372
25	5744.9368
35	5744.9368
45	5744.9368
50	5744.9368
Max. Deviation (MHz)	0.0632
Max. Deviation (ppm)	11.0009

# Beamforming

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

## Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9432
120	5179.9428
108	5179.9432
Max. Deviation (MHz)	0.0568
Max. Deviation (ppm)	10.9653

## Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9428
5	5179.9428
15	5179.9428
25	5179.9432
35	5179.9428
45	5179.9428
50	5179.9428
Max. Deviation (MHz)	0.0572
Max. Deviation (ppm)	11.0425

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9372
120	5744.9372
108	5744.9372
Max. Deviation (MHz)	0.0628
Max. Deviation (ppm)	10.9312

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9368
5	5744.9368
15	5744.9372
25	5744.9372
35	5744.9368
45	5744.9368
50	5744.9368
Max. Deviation (MHz)	0.0632
Max. Deviation (ppm)	11.0009