


# EXHIBIT C. Spurious Emission at Antenna Terminals

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.36	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.86	-13	Pass	2985
30	500	0.1	Peak	440.087	-41.28	-13	Pass	4700
500	1000	0.1	Peak	824.265	34.07	-13	N/A	5000
1000	10000	1	Peak	9820.98	-21.55	-13	Pass	9000




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.37	-13	Pass	601
0.15	30	0.01	Peak	0.17	-36.95	-13	Pass	2985
30	500	0.1	Peak	436.286	-41.92	-13	Pass	4700
500	1000	0.1	Peak	836.567	34.03	-13	N/A	5000
1000	10000	1	Peak	9932.993	-21.91	-13	Pass	9000



## 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-36.99	-13	Pass	601
0.15	30	0.01	Peak	0.16	-38.34	-13	Pass	2985
30	500	0.1	Peak	477.895	-42.29	-13	Pass	4700
500	1000	0.1	Peak	848.87	34.31	-13	N/A	5000
1000	10000	1	Peak	9911.99	-22.23	-13	Pass	9000



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.33	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.05	-13	Pass	2985
30	1000	0.1	Peak	796.279	-46.77	-13	Pass	9700
1000	3000	1	Peak	1850.425	30.48	-13	N/A	2000
3000	20000	1	Peak	18764.927	-16.02	-13	Pass	17000




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.61	-13	Pass	601
0.15	30	0.01	Peak	0.15	-42.33	-13	Pass	2985
30	1000	0.1	Peak	959.996	-46.51	-13	Pass	9700
1000	3000	1	Peak	1880.44	30	-13	N/A	2000
3000	20000	1	Peak	18922.937	-15.79	-13	Pass*	17000



## 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.21	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.25	-13	Pass	2985
30	1000	0.1	Peak	997.8	-46.62	-13	Pass	9700
1000	3000	1	Peak	1909.455	30.18	-13	N/A	2000
3000	20000	1	Peak	19036.943	-16.39	-13	Pass	17000



## 3. GPRS\_GSM850


### 3.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.04	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.76	-13	Pass	2985
30	500	0.1	Peak	458.291	-42.49	-13	Pass	4700
500	1000	0.1	Peak	824.065	32.95	-13	N/A	5000
1000	10000	1	Peak	9924.992	-22.33	-13	Pass	9000



## 3.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.11	-13	Pass	601
0.15	30	0.01	Peak	0.16	-38.38	-13	Pass	2985
30	500	0.1	Peak	445.588	-42.23	-13	Pass	4700
500	1000	0.1	Peak	836.667	33.87	-13	N/A	5000
1000	10000	1	Peak	9843.983	-21.59	-13	Pass	9000





### 3.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.6	-13	Pass	601
0.15	30	0.01	Peak	0.16	-37.38	-13	Pass	2985
30	500	0.1	Peak	297.857	-42.56	-13	Pass	4700
500	1000	0.1	Peak	848.77	33.92	-13	N/A	5000
1000	10000	1	Peak	9795.977	-22.35	-13	Pass	9000



## 4. GPRS\_PCS


### 4.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.72	-13	Pass	601
0.15	30	0.01	Peak	0.16	-44.54	-13	Pass	2985
30	1000	0.1	Peak	913.791	-42.13	-13	Pass	9700
1000	3000	1	Peak	1849.425	18.41	-13	N/A	2000
3000	20000	1	Peak	18836.932	-15.94	-13	Pass*	17000




## 4.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.71	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.68	-13	Pass	2985
30	1000	0.1	Peak	913.891	-45.28	-13	Pass	9700
1000	3000	1	Peak	1879.44	18.19	-13	N/A	2000
3000	20000	1	Peak	18915.936	-16.43	-13	Pass	17000



### 4.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.23	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.52	-13	Pass	2985
30	1000	0.1	Peak	845.784	-46.75	-13	Pass	9700
1000	3000	1	Peak	1909.455	20.08	-13	N/A	2000
3000	20000	1	Peak	18973.94	-15.29	-13	Pass*	17000



## 5. EGPRS\_GSM850


### 5.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.27	-13	Pass	601
0.15	30	0.01	Peak	0.15	-36.14	-13	Pass	2985
30	500	0.1	Peak	496.499	-42.22	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.62	-13	N/A	5000
1000	10000	1	Peak	9815.98	-22.13	-13	Pass	9000




## 5.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.24	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.56	-13	Pass	2985
30	500	0.1	Peak	416.182	-42.25	-13	Pass	4700
500	1000	0.1	Peak	836.667	29.9	-13	N/A	5000
1000	10000	1	Peak	9997	-22.02	-13	Pass	9000



### 5.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.85	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.34	-13	Pass	2985
30	500	0.1	Peak	494.299	-41.69	-13	Pass	4700
500	1000	0.1	Peak	848.87	27.44	-13	N/A	5000
1000	10000	1	Peak	9773.975	-21.86	-13	Pass	9000



## 6. EGPRS\_PCS

### 6.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.82	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.41	-13	Pass	2985
30	1000	0.1	Peak	976.098	-46.59	-13	Pass	9700
1000	3000	1	Peak	1850.425	22.96	-13	N/A	2000
3000	20000	1	Peak	19025.943	-15.75	-13	Pass*	17000






## 6.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.05	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.8	-13	Pass	2985
30	1000	0.1	Peak	877.587	-47.1	-13	Pass	9700
1000	3000	1	Peak	1879.44	19.55	-13	N/A	2000
3000	20000	1	Peak	19002.941	-15.36	-13	Pass*	17000



### 6.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.82	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.03	-13	Pass	2985
30	1000	0.1	Peak	913.591	-46.38	-13	Pass	9700
1000	3000	1	Peak	1910.455	20.44	-13	N/A	2000
3000	20000	1	Peak	18988.941	-15.62	-13	Pass*	17000



## 7. WCDMA\_Band2


### 7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.97	-13	Pass	601
0.15	30	0.01	Peak	0.17	-47.56	-13	Pass	2985
30	1000	0.1	Peak	910.891	-50.25	-13	Pass	9700
1000	3000	1	Peak	1851.426	21.4	-13	N/A	2000
3000	20000	1	Peak	18730.925	-20.48	-13	Pass	17000




## 7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-47.86	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.5	-13	Pass	2985
30	1000	0.1	Peak	955.495	-50.37	-13	Pass	9700
1000	3000	1	Peak	1881.441	21.53	-13	N/A	2000
3000	20000	1	Peak	18928.937	-20.38	-13	Pass	17000



### 7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-47.3	-13	Pass	601
0.15	30	0.01	Peak	0.16	-48.31	-13	Pass	2985
30	1000	0.1	Peak	931.693	-51.29	-13	Pass	9700
1000	3000	1	Peak	1906.453	21.88	-13	N/A	2000
3000	20000	1	Peak	18893.935	-19.91	-13	Pass	17000



## 8. WCDMA\_Band4


### 8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2985
30	1000	0.1	RMS	935.393	-61.88	-13	Pass	9700
1000	3000	1	RMS	1712.356	15.9	-13	N/A	2000
3000	20000	1	RMS	18926.937	-31.77	-13	Pass	17000




## 8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2985
30	1000	0.1	RMS	908.591	-62.04	-13	Pass	9700
1000	3000	1	RMS	1732.366	15.53	-13	N/A	2000
3000	20000	1	RMS	18926.937	-31.78	-13	Pass	17000



### 8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	1000	0.1	RMS	944.594	-62.09	-13	Pass	9700
1000	3000	1	RMS	1752.376	15.19	-13	N/A	2000
3000	20000	1	RMS	18921.937	-31.76	-13	Pass	17000






## 9. WCDMA\_Band5


### 9.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.63	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.05	-13	Pass	2985
30	500	0.1	Peak	472.194	-52.61	-13	Pass	4700
500	1000	0.1	Peak	827.165	17.66	-13	N/A	5000
1000	10000	1	Peak	9777.975	-32.11	-13	Pass	9000




## 9.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-47.35	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.72	-13	Pass	2985
30	500	0.1	Peak	486.497	-52.49	-13	Pass	4700
500	1000	0.1	Peak	835.167	18.03	-13	N/A	5000
1000	10000	1	Peak	9765.974	-32.53	-13	Pass	9000



### 9.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-48.48	-13	Pass	601
0.15	30	0.01	Peak	0.16	-49.16	-13	Pass	2985
30	500	0.1	Peak	495.699	-52.51	-13	Pass	4700
500	1000	0.1	Peak	847.87	18.81	-13	N/A	5000
1000	10000	1	Peak	5773.53	-32.62	-13	Pass	9000



## 10.LTE\_Band2


### 10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2985
30	1000	0.1	RMS	927.192	-62.11	-13	Pass	9700
1000	1840	1	RMS	1840	-50.96	-13	Pass	840
1840	1920	1	RMS	1850.267	20.83	60	Pass	601
1920	3000	1	RMS	2678.703	-47.7	-13	Pass	1080
3000	12000	1	RMS	11999	-41.37	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.8	-13	Pass	8000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2985
30	1000	0.1	RMS	925.692	-62.1	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.06	-13	Pass	840
1840	1920	1	RMS	1850.267	19.91	60	Pass	601
1920	3000	1	RMS	2674.699	-47.72	-13	Pass	1080
3000	12000	1	RMS	11981.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.85	-13	Pass	8000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	1000	0.1	RMS	928.093	-62.16	-13	Pass	9700
1000	1840	1	RMS	1840	-51.04	-13	Pass	840
1840	1920	1	RMS	1879.6	21.18	60	Pass	601
1920	3000	1	RMS	2678.703	-47.71	-13	Pass	1080
3000	12000	1	RMS	11987.999	-41.32	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.88	-13	Pass	8000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2985
30	1000	0.1	RMS	929.193	-62.18	-13	Pass	9700
1000	1840	1	RMS	1840	-51.13	-13	Pass	840
1840	1920	1	RMS	1879.6	20.26	60	Pass	601
1920	3000	1	RMS	2674.699	-47.74	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.31	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.86	-13	Pass	8000



**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2985
30	1000	0.1	RMS	924.292	-62.1	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.18	-13	Pass	840
1840	1920	1	RMS	1908.8	21.14	60	Pass	601
1920	3000	1	RMS	2677.702	-47.71	-13	Pass	1080
3000	12000	1	RMS	11991.999	-41.33	-13	Pass	9000
12000	20000	1	RMS	18914.864	-31.89	-13	Pass	8000






**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2985
30	1000	0.1	RMS	930.393	-62.2	-13	Pass	9700
1000	1840	1	RMS	1840	-51.09	-13	Pass	840
1840	1920	1	RMS	1908.8	20.59	60	Pass	601
1920	3000	1	RMS	2678.703	-47.67	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.26	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.79	-13	Pass	8000




## 10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2985
30	1000	0.1	RMS	943.294	-62.28	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.03	-13	Pass	840
1840	1920	1	RMS	1850.267	20.78	60	Pass	601
1920	3000	1	RMS	2668.693	-47.68	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.87	-13	Pass	8000




## 10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2985
30	1000	0.1	RMS	942.694	-62	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.04	-13	Pass	840
1840	1920	1	RMS	1850.267	20.14	60	Pass	601
1920	3000	1	RMS	2664.69	-47.63	-13	Pass	1080
3000	12000	1	RMS	11976.997	-41.31	-13	Pass	9000
12000	20000	1	RMS	18907.863	-31.87	-13	Pass	8000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2985
30	1000	0.1	RMS	994.399	-62.21	-13	Pass	9700
1000	1840	1	RMS	1840	-50.99	-13	Pass	840
1840	1920	1	RMS	1878.8	21.32	60	Pass	601
1920	3000	1	RMS	2671.696	-47.72	-13	Pass	1080
3000	12000	1	RMS	12000	-41.27	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.84	-13	Pass	8000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2985
30	1000	0.1	RMS	922.792	-62.12	-13	Pass	9700
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1920	1	RMS	1878.8	20.41	60	Pass	601
1920	3000	1	RMS	2678.703	-47.66	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.31	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.86	-13	Pass	8000




## 10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	922.792	-62.18	-13	Pass	9700
1000	1840	1	RMS	1831.99	-51.1	-13	Pass	840
1840	1920	1	RMS	1907.2	21.34	60	Pass	601
1920	3000	1	RMS	2675.7	-47.68	-13	Pass	1080
3000	12000	1	RMS	11987.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.81	-13	Pass	8000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2985
30	1000	0.1	RMS	931.693	-62.08	-13	Pass	9700
1000	1840	1	RMS	1829.988	-51.16	-13	Pass	840
1840	1920	1	RMS	1907.2	20.64	60	Pass	601
1920	3000	1	RMS	2665.69	-47.7	-13	Pass	1080
3000	12000	1	RMS	11976.997	-41.32	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.86	-13	Pass	8000



**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	1000	0.1	RMS	960.396	-62.19	-13	Pass	9700
1000	1840	1	RMS	1840	-51.03	-13	Pass	840
1840	1920	1	RMS	1850.267	20.89	60	Pass	601
1920	3000	1	RMS	2666.691	-47.68	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.82	-13	Pass	8000






## 10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.32	-13	Pass	2985
30	1000	0.1	RMS	912.891	-62.2	-13	Pass	9700
1000	1840	1	RMS	1840	-51.06	-13	Pass	840
1840	1920	1	RMS	1850.267	20.06	60	Pass	601
1920	3000	1	RMS	2676.701	-47.7	-13	Pass	1080
3000	12000	1	RMS	11996	-41.31	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.87	-13	Pass	8000




## 10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2985
30	1000	0.1	RMS	935.993	-62.02	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.98	-13	Pass	840
1840	1920	1	RMS	1877.867	21.28	60	Pass	601
1920	3000	1	RMS	2664.69	-47.72	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.3	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.85	-13	Pass	8000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2985
30	1000	0.1	RMS	913.691	-62.16	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.98	-13	Pass	840
1840	1920	1	RMS	1877.867	20.41	60	Pass	601
1920	3000	1	RMS	2670.695	-47.66	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.84	-13	Pass	8000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	909.891	-62.2	-13	Pass	9700
1000	1840	1	RMS	1834.994	-51.15	-13	Pass	840
1840	1920	1	RMS	1905.333	21.25	60	Pass	601
1920	3000	1	RMS	2681.705	-47.68	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.82	-13	Pass	8000




## 10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2985
30	1000	0.1	RMS	946.895	-62.29	-13	Pass	9700
1000	1840	1	RMS	1831.99	-51.13	-13	Pass	840
1840	1920	1	RMS	1905.333	20.82	60	Pass	601
1920	3000	1	RMS	2670.695	-47.67	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.36	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.77	-13	Pass	8000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2985
30	1000	0.1	RMS	949.995	-62	-13	Pass	9700
1000	1840	1	RMS	1840	-50.95	-13	Pass	840
1840	1920	1	RMS	1850.533	20.99	60	Pass	601
1920	3000	1	RMS	2669.694	-47.67	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.21	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.74	-13	Pass	8000




## 10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2985
30	1000	0.1	RMS	912.991	-62.04	-13	Pass	9700
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1920	1	RMS	1850.533	20.27	60	Pass	601
1920	3000	1	RMS	2664.69	-47.67	-13	Pass	1080
3000	12000	1	RMS	11978.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.76	-13	Pass	8000



**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2985
30	1000	0.1	RMS	982.998	-62.12	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.94	-13	Pass	840
1840	1920	1	RMS	1875.6	21.33	60	Pass	601
1920	3000	1	RMS	2683.707	-47.67	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.28	-13	Pass	9000
12000	20000	1	RMS	18939.867	-31.81	-13	Pass	8000






## 10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	938.394	-62.11	-13	Pass	9700
1000	1840	1	RMS	1832.992	-50.93	-13	Pass	840
1840	1920	1	RMS	1875.6	20.64	60	Pass	601
1920	3000	1	RMS	2673.698	-47.65	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.21	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.7	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2985
30	1000	0.1	RMS	911.791	-62.14	-13	Pass	9700
1000	1840	1	RMS	1840	-51.08	-13	Pass	840
1840	1920	1	RMS	1900.533	20.99	60	Pass	601
1920	3000	1	RMS	2666.691	-47.68	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.24	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.75	-13	Pass	8000




**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2985
30	1000	0.1	RMS	944.294	-62.11	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.09	-13	Pass	840
1840	1920	1	RMS	1900.533	20.22	60	Pass	601
1920	3000	1	RMS	2666.691	-47.64	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.77	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2985
30	1000	0.1	RMS	943.494	-62.17	-13	Pass	9700
1000	1840	1	RMS	1836.996	-48.87	-13	Pass	840
1840	1920	1	RMS	1850.8	20.88	60	Pass	601
1920	3000	1	RMS	2671.696	-47.68	-13	Pass	1080
3000	12000	1	RMS	11987.999	-41.31	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.82	-13	Pass	8000




## 10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2985
30	1000	0.1	RMS	926.292	-62.16	-13	Pass	9700
1000	1840	1	RMS	1837.998	-49.34	-13	Pass	840
1840	1920	1	RMS	1850.8	20.2	60	Pass	601
1920	3000	1	RMS	2675.7	-47.68	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.21	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.75	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2985
30	1000	0.1	RMS	915.391	-62.25	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.87	-13	Pass	840
1840	1920	1	RMS	1873.333	21.09	60	Pass	601
1920	3000	1	RMS	2681.705	-47.63	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.24	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.78	-13	Pass	8000




**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.32	-13	Pass	2985
30	1000	0.1	RMS	926.892	-62.19	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.88	-13	Pass	840
1840	1920	1	RMS	1873.333	20.42	60	Pass	601
1920	3000	1	RMS	2674.699	-47.63	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.78	-13	Pass	8000



**10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2985
30	1000	0.1	RMS	935.393	-62.02	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.07	-13	Pass	840
1840	1920	1	RMS	1895.867	21.25	60	Pass	601
1920	3000	1	RMS	2670.695	-47.68	-13	Pass	1080
3000	12000	1	RMS	11991.999	-41.19	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.75	-13	Pass	8000






## 10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2985
30	1000	0.1	RMS	811.181	-62.18	-13	Pass	9700
1000	1840	1	RMS	1829.988	-51.07	-13	Pass	840
1840	1920	1	RMS	1895.867	20.52	60	Pass	601
1920	3000	1	RMS	2670.695	-47.68	-13	Pass	1080
3000	12000	1	RMS	11999	-41.21	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.76	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2985
30	1000	0.1	RMS	943.494	-62.11	-13	Pass	9700
1000	1840	1	RMS	1832.992	-48.98	-13	Pass	840
1840	1920	1	RMS	1851.067	21.01	60	Pass	601
1920	3000	1	RMS	2667.692	-47.63	-13	Pass	1080
3000	12000	1	RMS	11999	-41.08	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.66	-13	Pass	8000




## 10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	1000	0.1	RMS	906.49	-62.04	-13	Pass	9700
1000	1840	1	RMS	1832.992	-49.34	-13	Pass	840
1840	1920	1	RMS	1851.067	20.23	60	Pass	601
1920	3000	1	RMS	2674.699	-47.68	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.15	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.72	-13	Pass	8000




**10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	1000	0.1	RMS	919.092	-61.9	-13	Pass	9700
1000	1840	1	RMS	1840	-50.63	-13	Pass	840
1840	1920	1	RMS	1871.067	21.17	60	Pass	601
1920	3000	1	RMS	2674.699	-47.64	-13	Pass	1080
3000	12000	1	RMS	11999	-41.15	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.78	-13	Pass	8000




## 10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2985
30	1000	0.1	RMS	980.798	-62.1	-13	Pass	9700
1000	1840	1	RMS	1840	-50.81	-13	Pass	840
1840	1920	1	RMS	1871.067	20.07	60	Pass	601
1920	3000	1	RMS	2674.699	-47.64	-13	Pass	1080
3000	12000	1	RMS	12000	-41.16	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.65	-13	Pass	8000




**10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2985
30	1000	0.1	RMS	923.592	-62.06	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.04	-13	Pass	840
1840	1920	1	RMS	1891.067	21.16	60	Pass	601
1920	3000	1	RMS	2677.702	-47.66	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.69	-13	Pass	8000



## 10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	1000	0.1	RMS	909.391	-62.07	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.09	-13	Pass	840
1840	1920	1	RMS	1891.067	20.45	60	Pass	601
1920	3000	1	RMS	2674.699	-47.56	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.19	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.7	-13	Pass	8000



## 11. LTE\_Band4

**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2985
30	1000	0.1	RMS	944.894	-62.19	-13	Pass	9700
1000	1700	1	RMS	1700	-51.36	-13	Pass	700
1700	1765	1	RMS	1710.292	21.13	60	Pass	601
1765	3000	1	RMS	2677.739	-47.84	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.45	-13	Pass	9000
12000	20000	1	RMS	18919.865	-32.04	-13	Pass	8000






## 11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	1000	0.1	RMS	947.795	-62.27	-13	Pass	9700
1000	1700	1	RMS	1700	-51.54	-13	Pass	700
1700	1765	1	RMS	1710.183	20.12	60	Pass	601
1765	3000	1	RMS	2674.737	-47.85	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.45	-13	Pass	9000
12000	20000	1	RMS	18906.863	-32.05	-13	Pass	8000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2985
30	1000	0.1	RMS	925.092	-62.17	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.63	-13	Pass	700
1700	1765	1	RMS	1732.067	20.6	60	Pass	601
1765	3000	1	RMS	2676.738	-47.84	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.38	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32	-13	Pass	8000




## 11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2985
30	1000	0.1	RMS	922.992	-62.27	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.63	-13	Pass	700
1700	1765	1	RMS	1732.067	19.67	60	Pass	601
1765	3000	1	RMS	2668.732	-47.83	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.51	-13	Pass	9000
12000	20000	1	RMS	18911.864	-32.04	-13	Pass	8000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2985
30	1000	0.1	RMS	974.997	-62.3	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.75	-13	Pass	700
1700	1765	1	RMS	1753.842	20.36	60	Pass	601
1765	3000	1	RMS	2660.725	-47.93	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.44	-13	Pass	9000
12000	20000	1	RMS	18906.863	-32.03	-13	Pass	8000




## 11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.29	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.51	-13	Pass	2985
30	1000	0.1	RMS	932.893	-62.22	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.69	-13	Pass	700
1700	1765	1	RMS	1753.842	19.2	60	Pass	601
1765	3000	1	RMS	2677.739	-47.92	-13	Pass	1235
3000	12000	1	RMS	11998	-41.51	-13	Pass	9000
12000	20000	1	RMS	18926.866	-32.03	-13	Pass	8000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2985
30	1000	0.1	RMS	945.494	-62.27	-13	Pass	9700
1000	1700	1	RMS	1700	-51.41	-13	Pass	700
1700	1765	1	RMS	1710.183	20.99	60	Pass	601
1765	3000	1	RMS	2678.74	-47.83	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.45	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.92	-13	Pass	8000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2985
30	1000	0.1	RMS	902.59	-62.19	-13	Pass	9700
1000	1700	1	RMS	1700	-51.46	-13	Pass	700
1700	1765	1	RMS	1710.183	20.04	60	Pass	601
1765	3000	1	RMS	2680.741	-47.9	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.46	-13	Pass	9000
12000	20000	1	RMS	18923.865	-32.07	-13	Pass	8000



## 11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2985
30	1000	0.1	RMS	932.593	-62.35	-13	Pass	9700
1000	1700	1	RMS	1700	-51.56	-13	Pass	700
1700	1765	1	RMS	1731.2	20.74	60	Pass	601
1765	3000	1	RMS	2676.738	-47.88	-13	Pass	1235
3000	12000	1	RMS	11997	-41.5	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.03	-13	Pass	8000






## 11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2985
30	1000	0.1	RMS	985.098	-62.33	-13	Pass	9700
1000	1700	1	RMS	1700	-51.66	-13	Pass	700
1700	1765	1	RMS	1731.2	19.88	60	Pass	601
1765	3000	1	RMS	2671.734	-47.83	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.53	-13	Pass	9000
12000	20000	1	RMS	18928.866	-32	-13	Pass	8000




## 11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2985
30	1000	0.1	RMS	898.89	-62.23	-13	Pass	9700
1000	1700	1	RMS	1631.903	-51.56	-13	Pass	700
1700	1765	1	RMS	1752.217	20.54	60	Pass	601
1765	3000	1	RMS	2681.742	-47.76	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.25	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.81	-13	Pass	8000




## 11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2985
30	1000	0.1	RMS	949.895	-62.31	-13	Pass	9700
1000	1700	1	RMS	1616.881	-51.61	-13	Pass	700
1700	1765	1	RMS	1752.217	19.27	60	Pass	601
1765	3000	1	RMS	2659.724	-47.67	-13	Pass	1235
3000	12000	1	RMS	11999	-41.35	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.84	-13	Pass	8000




## 11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2985
30	1000	0.1	RMS	931.293	-62.11	-13	Pass	9700
1000	1700	1	RMS	1700	-51.39	-13	Pass	700
1700	1765	1	RMS	1710.292	21.11	60	Pass	601
1765	3000	1	RMS	2683.744	-47.71	-13	Pass	1235
3000	12000	1	RMS	12000	-41.34	-13	Pass	9000
12000	20000	1	RMS	18902.863	-31.85	-13	Pass	8000




## 11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	1000	0.1	RMS	924.992	-62.12	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.39	-13	Pass	700
1700	1765	1	RMS	1710.292	20.3	60	Pass	601
1765	3000	1	RMS	2676.738	-47.72	-13	Pass	1235
3000	12000	1	RMS	11991.999	-41.36	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.8	-13	Pass	8000




## 11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2985
30	1000	0.1	RMS	922.792	-62.18	-13	Pass	9700
1000	1700	1	RMS	1700	-51.45	-13	Pass	700
1700	1765	1	RMS	1730.333	20.96	60	Pass	601
1765	3000	1	RMS	2678.74	-47.69	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.31	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.88	-13	Pass	8000




## 11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2985
30	1000	0.1	RMS	931.893	-62.2	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.47	-13	Pass	700
1700	1765	1	RMS	1730.333	20.16	60	Pass	601
1765	3000	1	RMS	2675.737	-47.66	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.37	-13	Pass	9000
12000	20000	1	RMS	18937.867	-31.89	-13	Pass	8000



## 11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2985
30	1000	0.1	RMS	907.49	-62.18	-13	Pass	9700
1000	1700	1	RMS	1628.898	-51.56	-13	Pass	700
1700	1765	1	RMS	1750.375	20.39	60	Pass	601
1765	3000	1	RMS	2661.726	-47.68	-13	Pass	1235
3000	12000	1	RMS	11991.999	-41.35	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.85	-13	Pass	8000






## 11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2985
30	1000	0.1	RMS	935.193	-62.24	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.57	-13	Pass	700
1700	1765	1	RMS	1750.267	20.73	60	Pass	601
1765	3000	1	RMS	2673.736	-47.66	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.36	-13	Pass	9000
12000	20000	1	RMS	18938.867	-31.85	-13	Pass	8000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	1000	0.1	RMS	855.285	-62.13	-13	Pass	9700
1000	1700	1	RMS	1700	-51.19	-13	Pass	700
1700	1765	1	RMS	1710.617	21.53	60	Pass	601
1765	3000	1	RMS	2674.737	-47.62	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.32	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.87	-13	Pass	8000




## 11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.15	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.61	-13	Pass	2985
30	1000	0.1	RMS	940.494	-62.13	-13	Pass	9700
1000	1700	1	RMS	1700	-51.26	-13	Pass	700
1700	1765	1	RMS	1710.617	20.55	60	Pass	601
1765	3000	1	RMS	2661.726	-47.62	-13	Pass	1235
3000	12000	1	RMS	11996	-41.3	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.87	-13	Pass	8000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2985
30	1000	0.1	RMS	923.392	-62.01	-13	Pass	9700
1000	1700	1	RMS	1700	-51.35	-13	Pass	700
1700	1765	1	RMS	1728.058	21.14	60	Pass	601
1765	3000	1	RMS	2670.733	-47.64	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.27	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.87	-13	Pass	8000




## 11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2985
30	1000	0.1	RMS	900.99	-62.12	-13	Pass	9700
1000	1700	1	RMS	1700	-51.41	-13	Pass	700
1700	1765	1	RMS	1728.058	20.47	60	Pass	601
1765	3000	1	RMS	2674.737	-47.66	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.82	-13	Pass	8000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.95	-13	Pass	2985
30	1000	0.1	RMS	940.194	-62.11	-13	Pass	9700
1000	1700	1	RMS	1617.883	-51.5	-13	Pass	700
1700	1765	1	RMS	1745.608	20.73	60	Pass	601
1765	3000	1	RMS	2677.739	-47.71	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.31	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.84	-13	Pass	8000




## 11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2985
30	1000	0.1	RMS	928.093	-62.16	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.54	-13	Pass	700
1700	1765	1	RMS	1745.608	19.51	60	Pass	601
1765	3000	1	RMS	2674.737	-47.68	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.34	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.79	-13	Pass	8000



**11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.83	-13	Pass	2985
30	1000	0.1	RMS	958.096	-62.19	-13	Pass	9700
1000	1700	1	RMS	1697.997	-48.26	-13	Pass	700
1700	1765	1	RMS	1710.833	21.08	60	Pass	601
1765	3000	1	RMS	2671.734	-47.6	-13	Pass	1235
3000	12000	1	RMS	11997	-41.31	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.87	-13	Pass	8000






**11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.43	-13	Pass	2985
30	1000	0.1	RMS	918.592	-62.17	-13	Pass	9700
1000	1700	1	RMS	1697.997	-48.85	-13	Pass	700
1700	1765	1	RMS	1710.833	20.28	60	Pass	601
1765	3000	1	RMS	2662.727	-47.61	-13	Pass	1235
3000	12000	1	RMS	11997	-41.26	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.82	-13	Pass	8000




**11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2985
30	1000	0.1	RMS	842.384	-62.09	-13	Pass	9700
1000	1700	1	RMS	1693.991	-51.25	-13	Pass	700
1700	1765	1	RMS	1725.783	21.11	60	Pass	601
1765	3000	1	RMS	2675.737	-47.67	-13	Pass	1235
3000	12000	1	RMS	11994.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.81	-13	Pass	8000




## 11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.53	-13	Pass	2985
30	1000	0.1	RMS	916.791	-62.21	-13	Pass	9700
1000	1700	1	RMS	1693.991	-51.23	-13	Pass	700
1700	1765	1	RMS	1725.892	20.24	60	Pass	601
1765	3000	1	RMS	2668.732	-47.64	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.23	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.87	-13	Pass	8000




**11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2985
30	1000	0.1	RMS	922.492	-62.08	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.47	-13	Pass	700
1700	1765	1	RMS	1740.842	20.69	60	Pass	601
1765	3000	1	RMS	2682.743	-47.7	-13	Pass	1235
3000	12000	1	RMS	11998	-41.34	-13	Pass	9000
12000	20000	1	RMS	18941.868	-31.85	-13	Pass	8000




**11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	928.893	-62.1	-13	Pass	9700
1000	1700	1	RMS	1619.886	-51.55	-13	Pass	700
1700	1765	1	RMS	1740.842	19.54	60	Pass	601
1765	3000	1	RMS	2673.736	-47.68	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.32	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.81	-13	Pass	8000




**11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2985
30	1000	0.1	RMS	954.395	-62.1	-13	Pass	9700
1000	1700	1	RMS	1692.99	-49.43	-13	Pass	700
1700	1765	1	RMS	1711.05	20.95	60	Pass	601
1765	3000	1	RMS	2673.736	-47.65	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.35	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.81	-13	Pass	8000




**11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2985
30	1000	0.1	RMS	947.295	-62.12	-13	Pass	9700
1000	1700	1	RMS	1692.99	-50.06	-13	Pass	700
1700	1765	1	RMS	1711.05	19.95	60	Pass	601
1765	3000	1	RMS	2676.738	-47.66	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.28	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.84	-13	Pass	8000



**11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2985
30	1000	0.1	RMS	937.794	-62.2	-13	Pass	9700
1000	1700	1	RMS	1693.991	-50.21	-13	Pass	700
1700	1765	1	RMS	1723.617	20.93	60	Pass	601
1765	3000	1	RMS	2679.741	-47.67	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.26	-13	Pass	9000
12000	20000	1	RMS	18937.867	-31.81	-13	Pass	8000






**11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2985
30	1000	0.1	RMS	938.394	-62.13	-13	Pass	9700
1000	1700	1	RMS	1693.991	-50.36	-13	Pass	700
1700	1765	1	RMS	1723.617	19.98	60	Pass	601
1765	3000	1	RMS	2676.738	-47.66	-13	Pass	1235
3000	12000	1	RMS	11996	-41.3	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.88	-13	Pass	8000




**11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	1000	0.1	RMS	929.293	-62.15	-13	Pass	9700
1000	1700	1	RMS	1700	-51.29	-13	Pass	700
1700	1765	1	RMS	1736.075	20.62	60	Pass	601
1765	3000	1	RMS	1772.006	-45.26	-13	Pass	1235
3000	12000	1	RMS	12000	-41.32	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.89	-13	Pass	8000



**11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2985
30	1000	0.1	RMS	948.195	-61.96	-13	Pass	9700
1000	1700	1	RMS	1700	-51.42	-13	Pass	700
1700	1765	1	RMS	1736.075	19.8	60	Pass	601
1765	3000	1	RMS	1772.006	-46.57	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.32	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.88	-13	Pass	8000



## 12. LTE\_Band5


**12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	814	0.1	RMS	813	-61.17	-13	Pass	7840
814	860	0.1	RMS	824.273	20.98	60	Pass	601
860	1000	0.1	RMS	926.247	-62.22	-13	Pass	1400
1000	3000	1	RMS	2666.833	-47.66	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.14	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2985
30	814	0.1	RMS	810.1	-61.56	-13	Pass	7840
814	860	0.1	RMS	824.273	19.95	60	Pass	601
860	1000	0.1	RMS	967.577	-62.38	-13	Pass	1400
1000	3000	1	RMS	2671.836	-47.68	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.22	-13	Pass	7000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	814	0.1	RMS	807.899	-61.6	-13	Pass	7840
814	860	0.1	RMS	836.08	20.76	60	Pass	601
860	1000	0.1	RMS	962.573	-62.36	-13	Pass	1400
1000	3000	1	RMS	2659.83	-47.64	-13	Pass	2000
3000	10000	1	RMS	9923.989	-44.21	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2985
30	814	0.1	RMS	810.7	-61.6	-13	Pass	7840
814	860	0.1	RMS	836.08	19.73	60	Pass	601
860	1000	0.1	RMS	949.764	-62.29	-13	Pass	1400
1000	3000	1	RMS	2674.837	-47.66	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.22	-13	Pass	7000



**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2985
30	814	0.1	RMS	814	-59.82	-13	Pass	7840
814	860	0.1	RMS	847.887	20.67	60	Pass	601
860	1000	0.1	RMS	913.838	-62.32	-13	Pass	1400
1000	3000	1	RMS	2670.835	-47.67	-13	Pass	2000
3000	10000	1	RMS	9927.99	-44.2	-13	Pass	7000






**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2985
30	814	0.1	RMS	814	-60.28	-13	Pass	7840
814	860	0.1	RMS	847.887	19.88	60	Pass	601
860	1000	0.1	RMS	923.545	-62.34	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.69	-13	Pass	2000
3000	10000	1	RMS	9816.974	-44.21	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2985
30	814	0.1	RMS	812.9	-60.88	-13	Pass	7840
814	860	0.1	RMS	824.273	20.62	60	Pass	601
860	1000	0.1	RMS	925.247	-62.35	-13	Pass	1400
1000	3000	1	RMS	2671.836	-47.65	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.18	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.9	-13	Pass	2985
30	814	0.1	RMS	813	-60.87	-13	Pass	7840
814	860	0.1	RMS	824.273	19.85	60	Pass	601
860	1000	0.1	RMS	981.587	-62.4	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.64	-13	Pass	2000
3000	10000	1	RMS	9912.988	-44.15	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2985
30	814	0.1	RMS	809.899	-61.49	-13	Pass	7840
814	860	0.1	RMS	835.237	20.98	60	Pass	601
860	1000	0.1	RMS	924.246	-62.36	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.71	-13	Pass	2000
3000	10000	1	RMS	9813.973	-44.2	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.1	-13	Pass	2985
30	814	0.1	RMS	809.899	-62.01	-13	Pass	7840
814	860	0.1	RMS	835.237	20.11	60	Pass	601
860	1000	0.1	RMS	986.39	-62.38	-13	Pass	1400
1000	3000	1	RMS	2667.834	-47.68	-13	Pass	2000
3000	10000	1	RMS	9923.989	-44.23	-13	Pass	7000




## 12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.44	-13	Pass	2985
30	814	0.1	RMS	812.4	-59.87	-13	Pass	7840
814	860	0.1	RMS	846.2	20.73	60	Pass	601
860	1000	0.1	RMS	918.442	-62.35	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.68	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.22	-13	Pass	7000




## 12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2985
30	814	0.1	RMS	812.4	-60.59	-13	Pass	7840
814	860	0.1	RMS	846.277	19.69	60	Pass	601
860	1000	0.1	RMS	903.731	-62.47	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.7	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.12	-13	Pass	7000



**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2985
30	814	0.1	RMS	813.1	-60.97	-13	Pass	7840
814	860	0.1	RMS	824.35	21	60	Pass	601
860	1000	0.1	RMS	955.568	-62.26	-13	Pass	1400
1000	3000	1	RMS	2662.831	-47.65	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.16	-13	Pass	7000






## 12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.96	-13	Pass	2985
30	814	0.1	RMS	813.1	-61	-13	Pass	7840
814	860	0.1	RMS	824.35	20.18	60	Pass	601
860	1000	0.1	RMS	982.087	-62.43	-13	Pass	1400
1000	3000	1	RMS	2680.84	-47.69	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.22	-13	Pass	7000




## 12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2985
30	814	0.1	RMS	808.999	-61.64	-13	Pass	7840
814	860	0.1	RMS	834.317	20.85	60	Pass	601
860	1000	0.1	RMS	954.968	-62.45	-13	Pass	1400
1000	3000	1	RMS	2671.836	-47.67	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.16	-13	Pass	7000




## 12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2985
30	814	0.1	RMS	811.6	-62.1	-13	Pass	7840
814	860	0.1	RMS	834.317	19.98	60	Pass	601
860	1000	0.1	RMS	965.375	-62.39	-13	Pass	1400
1000	3000	1	RMS	2679.84	-47.67	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.19	-13	Pass	7000




## 12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2985
30	814	0.1	RMS	810.5	-60.44	-13	Pass	7840
814	860	0.1	RMS	844.36	20.79	60	Pass	601
860	1000	0.1	RMS	909.435	-62.31	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.63	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.17	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2985
30	814	0.1	RMS	813.3	-60.6	-13	Pass	7840
814	860	0.1	RMS	844.36	20.41	60	Pass	601
860	1000	0.1	RMS	956.369	-62.42	-13	Pass	1400
1000	3000	1	RMS	2678.839	-47.63	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.23	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2985
30	814	0.1	RMS	810.5	-60.92	-13	Pass	7840
814	860	0.1	RMS	824.58	21.26	60	Pass	601
860	1000	0.1	RMS	905.132	-62.35	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.66	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.21	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.2	-13	Pass	7840
814	860	0.1	RMS	824.58	20.46	60	Pass	601
860	1000	0.1	RMS	946.962	-62.3	-13	Pass	1400
1000	3000	1	RMS	2660.83	-47.68	-13	Pass	2000
3000	10000	1	RMS	9815.974	-44.2	-13	Pass	7000



**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	814	0.1	RMS	812.9	-61.53	-13	Pass	7840
814	860	0.1	RMS	832.093	21.12	60	Pass	601
860	1000	0.1	RMS	879.014	-62.36	-13	Pass	1400
1000	3000	1	RMS	2666.833	-47.69	-13	Pass	2000
3000	10000	1	RMS	9805.972	-44.23	-13	Pass	7000






## 12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2985
30	814	0.1	RMS	812.9	-61.8	-13	Pass	7840
814	860	0.1	RMS	832.093	20.22	60	Pass	601
860	1000	0.1	RMS	976.083	-62.44	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.65	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.2	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2985
30	814	0.1	RMS	811.4	-60.91	-13	Pass	7840
814	860	0.1	RMS	839.607	21.31	60	Pass	601
860	1000	0.1	RMS	917.341	-62.35	-13	Pass	1400
1000	3000	1	RMS	2669.835	-47.66	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.13	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.79	-13	Pass	2985
30	814	0.1	RMS	811.4	-61.39	-13	Pass	7840
814	860	0.1	RMS	839.607	20.21	60	Pass	601
860	1000	0.1	RMS	887.52	-62.34	-13	Pass	1400
1000	3000	1	RMS	2672.836	-47.66	-13	Pass	2000
3000	10000	1	RMS	9803.972	-44.23	-13	Pass	7000



### 13. LTE\_Band7


**13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2985
30	1000	0.1	RMS	921.092	-62.23	-25	Pass	9700
1000	2490	1	RMS	2413.949	-49.11	-25	Pass	1490
2490	2580	1	RMS	2500.35	16.96	60	Pass	601
2580	3000	1	RMS	2676.6	-47.7	-25	Pass	601
3000	12000	1	RMS	11972.997	-51.55	-25	Pass	9000
12000	27000	1	RMS	24862.858	-39.43	-25	Pass	15000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-25	Pass	2985
30	1000	0.1	RMS	936.593	-62.11	-25	Pass	9700
1000	2490	1	RMS	2490	-49.12	-25	Pass	1490
2490	2580	1	RMS	2500.35	16.01	60	Pass	601
2580	3000	1	RMS	2675.9	-47.71	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.46	-25	Pass	9000
12000	27000	1	RMS	24915.861	-39.43	-25	Pass	15000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.5	-25	Pass	2985
30	1000	0.1	RMS	913.391	-62.23	-25	Pass	9700
1000	2490	1	RMS	2443.969	-49.1	-25	Pass	1490
2490	2580	1	RMS	2532.75	16.52	60	Pass	601
2580	3000	1	RMS	2656.3	-47.64	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.48	-25	Pass	9000
12000	27000	1	RMS	24867.858	-39.44	-25	Pass	15000




## 13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2985
30	1000	0.1	RMS	920.792	-62.07	-25	Pass	9700
1000	2490	1	RMS	2438.966	-49.14	-25	Pass	1490
2490	2580	1	RMS	2532.9	15.8	60	Pass	601
2580	3000	1	RMS	2654.9	-47.65	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.51	-25	Pass	9000
12000	27000	1	RMS	24889.859	-39.43	-25	Pass	15000



**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2985
30	1000	0.1	RMS	920.192	-62.08	-25	Pass	9700
1000	2490	1	RMS	2435.964	-49.18	-25	Pass	1490
2490	2580	1	RMS	2565.3	16.85	60	Pass	601
2580	3000	1	RMS	2686.4	-47.52	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.5	-25	Pass	9000
12000	27000	1	RMS	24852.857	-39.48	-25	Pass	15000






**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2985
30	1000	0.1	RMS	944.394	-62.07	-25	Pass	9700
1000	2490	1	RMS	2404.943	-49.11	-25	Pass	1490
2490	2580	1	RMS	2565.3	16.18	60	Pass	601
2580	3000	1	RMS	2687.8	-47.54	-25	Pass	601
3000	12000	1	RMS	11989.999	-51.51	-25	Pass	9000
12000	27000	1	RMS	24878.859	-39.48	-25	Pass	15000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	950.395	-62.13	-25	Pass	9700
1000	2490	1	RMS	2419.953	-49.12	-25	Pass	1490
2490	2580	1	RMS	2500.5	16.97	60	Pass	601
2580	3000	1	RMS	2671	-47.7	-25	Pass	601
3000	12000	1	RMS	11969.997	-51.52	-25	Pass	9000
12000	27000	1	RMS	24890.859	-39.51	-25	Pass	15000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-25	Pass	2985
30	1000	0.1	RMS	955.995	-62.08	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.07	-25	Pass	1490
2490	2580	1	RMS	2500.65	16.32	60	Pass	601
2580	3000	1	RMS	2668.9	-47.68	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.56	-25	Pass	9000
12000	27000	1	RMS	24911.861	-39.45	-25	Pass	15000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.77	-25	Pass	2985
30	1000	0.1	RMS	904.39	-62.11	-25	Pass	9700
1000	2490	1	RMS	2412.948	-49.12	-25	Pass	1490
2490	2580	1	RMS	2530.65	16.6	60	Pass	601
2580	3000	1	RMS	2657.7	-47.59	-25	Pass	601
3000	12000	1	RMS	11989.999	-51.53	-25	Pass	9000
12000	27000	1	RMS	24907.861	-39.41	-25	Pass	15000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.48	-25	Pass	2985
30	1000	0.1	RMS	931.293	-62.17	-25	Pass	9700
1000	2490	1	RMS	2411.948	-49.09	-25	Pass	1490
2490	2580	1	RMS	2530.65	15.66	60	Pass	601
2580	3000	1	RMS	2659.1	-47.65	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.4	-25	Pass	9000
12000	27000	1	RMS	24900.86	-39.34	-25	Pass	15000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2985
30	1000	0.1	RMS	933.393	-62.13	-25	Pass	9700
1000	2490	1	RMS	2484.997	-49.15	-25	Pass	1490
2490	2580	1	RMS	2560.65	16.94	60	Pass	601
2580	3000	1	RMS	2685	-47.47	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.54	-25	Pass	9000
12000	27000	1	RMS	24891.859	-39.41	-25	Pass	15000




## 13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-25	Pass	2985
30	1000	0.1	RMS	925.392	-62.17	-25	Pass	9700
1000	2490	1	RMS	2405.944	-49.04	-25	Pass	1490
2490	2580	1	RMS	2560.65	15.98	60	Pass	601
2580	3000	1	RMS	2685	-47.51	-25	Pass	601
3000	12000	1	RMS	11990.999	-51.5	-25	Pass	9000
12000	27000	1	RMS	24828.855	-39.46	-25	Pass	15000



**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2985
30	1000	0.1	RMS	810.08	-62.13	-25	Pass	9700
1000	2490	1	RMS	2487.999	-47.94	-25	Pass	1490
2490	2580	1	RMS	2500.8	16.82	60	Pass	601
2580	3000	1	RMS	2675.9	-47.63	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.44	-25	Pass	9000
12000	27000	1	RMS	24901.86	-39.28	-25	Pass	15000






**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-25	Pass	2985
30	1000	0.1	RMS	942.394	-62.13	-25	Pass	9700
1000	2490	1	RMS	2487.999	-48.21	-25	Pass	1490
2490	2580	1	RMS	2500.8	16.04	60	Pass	601
2580	3000	1	RMS	2678	-47.68	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.51	-25	Pass	9000
12000	27000	1	RMS	24909.861	-39.4	-25	Pass	15000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2985
30	1000	0.1	RMS	954.195	-62.18	-25	Pass	9700
1000	2490	1	RMS	2485.997	-49.14	-25	Pass	1490
2490	2580	1	RMS	2528.25	16.38	60	Pass	601
2580	3000	1	RMS	2661.2	-47.58	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.48	-25	Pass	9000
12000	27000	1	RMS	24907.861	-39.44	-25	Pass	15000




## 13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2985
30	1000	0.1	RMS	920.192	-62.15	-25	Pass	9700
1000	2490	1	RMS	2490	-49.12	-25	Pass	1490
2490	2580	1	RMS	2528.4	15.54	60	Pass	601
2580	3000	1	RMS	2660.5	-47.59	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.44	-25	Pass	9000
12000	27000	1	RMS	24915.861	-39.43	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2985
30	1000	0.1	RMS	973.897	-62.15	-25	Pass	9700
1000	2490	1	RMS	2417.952	-49.13	-25	Pass	1490
2490	2580	1	RMS	2555.85	16.52	60	Pass	601
2580	3000	1	RMS	2582.1	-47.2	-25	Pass	601
3000	12000	1	RMS	11977.998	-51.52	-25	Pass	9000
12000	27000	1	RMS	24859.857	-39.42	-25	Pass	15000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.68	-25	Pass	2985
30	1000	0.1	RMS	938.994	-62.1	-25	Pass	9700
1000	2490	1	RMS	2434.963	-49.11	-25	Pass	1490
2490	2580	1	RMS	2555.85	15.73	60	Pass	601
2580	3000	1	RMS	2677.3	-47.48	-25	Pass	601
3000	12000	1	RMS	11992.999	-51.46	-25	Pass	9000
12000	27000	1	RMS	24902.86	-39.41	-25	Pass	15000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2985
30	1000	0.1	RMS	917.792	-62.12	-25	Pass	9700
1000	2490	1	RMS	2490	-48.95	-25	Pass	1490
2490	2580	1	RMS	2501.1	16.86	60	Pass	601
2580	3000	1	RMS	2675.2	-47.64	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.5	-25	Pass	9000
12000	27000	1	RMS	24922.862	-39.37	-25	Pass	15000




## 13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-25	Pass	2985
30	1000	0.1	RMS	928.993	-62.2	-25	Pass	9700
1000	2490	1	RMS	2490	-48.83	-25	Pass	1490
2490	2580	1	RMS	2501.1	16.13	60	Pass	601
2580	3000	1	RMS	2673.8	-47.69	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.48	-25	Pass	9000
12000	27000	1	RMS	24843.856	-39.44	-25	Pass	15000



**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.24	-25	Pass	2985
30	1000	0.1	RMS	934.593	-62.21	-25	Pass	9700
1000	2490	1	RMS	2420.954	-49.13	-25	Pass	1490
2490	2580	1	RMS	2526.15	16.54	60	Pass	601
2580	3000	1	RMS	2661.9	-47.54	-25	Pass	601
3000	12000	1	RMS	11990.999	-51.56	-25	Pass	9000
12000	27000	1	RMS	24886.859	-39.37	-25	Pass	15000






## 13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.75	-25	Pass	2985
30	1000	0.1	RMS	906.39	-62.13	-25	Pass	9700
1000	2490	1	RMS	2448.972	-49.1	-25	Pass	1490
2490	2580	1	RMS	2526	15.43	60	Pass	601
2580	3000	1	RMS	2661.2	-47.59	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.54	-25	Pass	9000
12000	27000	1	RMS	24876.858	-39.42	-25	Pass	15000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2985
30	1000	0.1	RMS	966.597	-62.13	-25	Pass	9700
1000	2490	1	RMS	2416.951	-49.13	-25	Pass	1490
2490	2580	1	RMS	2551.05	16.52	60	Pass	601
2580	3000	1	RMS	2587	-46.87	-25	Pass	601
3000	12000	1	RMS	11999	-51.54	-25	Pass	9000
12000	27000	1	RMS	24823.855	-39.39	-25	Pass	15000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.09	-25	Pass	2985
30	1000	0.1	RMS	962.696	-62.17	-25	Pass	9700
1000	2490	1	RMS	2435.964	-49.15	-25	Pass	1490
2490	2580	1	RMS	2551.05	15.56	60	Pass	601
2580	3000	1	RMS	2678	-47.47	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.41	-25	Pass	9000
12000	27000	1	RMS	24863.858	-39.4	-25	Pass	15000



## 14. LTE\_Band12


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	689	0.1	RMS	507.172	-62.84	-13	Pass	6590
689	726	0.1	RMS	699.237	21.41	60	Pass	601
726	1000	0.1	RMS	889.56	-61.93	-13	Pass	2740
1000	3000	1	RMS	2796.898	-47.37	-13	Pass	2000
3000	10000	1	RMS	9805.972	-44.2	-13	Pass	7000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2985
30	689	0.1	RMS	507.172	-62.98	-13	Pass	6590
689	726	0.1	RMS	699.237	20.2	60	Pass	601
726	1000	0.1	RMS	884.458	-62.2	-13	Pass	2740
1000	3000	1	RMS	2796.898	-47.59	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.26	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2985
30	689	0.1	RMS	500.371	-62.78	-13	Pass	6590
689	726	0.1	RMS	707.068	21.18	60	Pass	601
726	1000	0.1	RMS	933.476	-62.09	-13	Pass	2740
1000	3000	1	RMS	2827.914	-47.23	-13	Pass	2000
3000	10000	1	RMS	9814.974	-44.17	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2985
30	689	0.1	RMS	504.372	-62.97	-13	Pass	6590
689	726	0.1	RMS	707.068	20.17	60	Pass	601
726	1000	0.1	RMS	911.268	-62.11	-13	Pass	2740
1000	3000	1	RMS	2827.914	-47.51	-13	Pass	2000
3000	10000	1	RMS	9926.99	-44.21	-13	Pass	7000



**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	689	0.1	RMS	516.174	-62.92	-13	Pass	6590
689	726	0.1	RMS	714.838	21.34	60	Pass	601
726	1000	0.1	RMS	916.57	-61.96	-13	Pass	2740
1000	3000	1	RMS	1429.215	-46.53	-13	Pass	2000
3000	10000	1	RMS	9805.972	-44.19	-13	Pass	7000






**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	689	0.1	RMS	526.575	-63	-13	Pass	6590
689	726	0.1	RMS	714.838	20.37	60	Pass	601
726	1000	0.1	RMS	903.965	-62.03	-13	Pass	2740
1000	3000	1	RMS	1429.215	-47.41	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.17	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2985
30	689	0.1	RMS	502.172	-62.93	-13	Pass	6590
689	726	0.1	RMS	699.237	21.35	60	Pass	601
726	1000	0.1	RMS	890.06	-61.99	-13	Pass	2740
1000	3000	1	RMS	2796.898	-47.47	-13	Pass	2000
3000	10000	1	RMS	9801.972	-44.2	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	689	0.1	RMS	500.571	-63.03	-13	Pass	6590
689	726	0.1	RMS	699.237	20.44	60	Pass	601
726	1000	0.1	RMS	906.866	-61.97	-13	Pass	2740
1000	3000	1	RMS	2796.898	-47.6	-13	Pass	2000
3000	10000	1	RMS	9802.972	-44.21	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2985
30	689	0.1	RMS	502.772	-62.94	-13	Pass	6590
689	726	0.1	RMS	706.267	21.27	60	Pass	601
726	1000	0.1	RMS	923.972	-62.02	-13	Pass	2740
1000	3000	1	RMS	2824.912	-47.15	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44.18	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2985
30	689	0.1	RMS	503.972	-62.98	-13	Pass	6590
689	726	0.1	RMS	706.267	20.32	60	Pass	601
726	1000	0.1	RMS	931.175	-62.11	-13	Pass	2740
1000	3000	1	RMS	2824.912	-47.48	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.19	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2985
30	689	0.1	RMS	514.874	-62.82	-13	Pass	6590
689	726	0.1	RMS	713.235	21.25	60	Pass	601
726	1000	0.1	RMS	940.078	-61.88	-13	Pass	2740
1000	3000	1	RMS	1426.213	-45.5	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.96	-13	Pass	7000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2985
30	689	0.1	RMS	508.573	-62.92	-13	Pass	6590
689	726	0.1	RMS	713.235	20.41	60	Pass	601
726	1000	0.1	RMS	912.968	-61.92	-13	Pass	2740
1000	3000	1	RMS	1426.213	-46.45	-13	Pass	2000
3000	10000	1	RMS	9805.972	-43.99	-13	Pass	7000



**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.25	-13	Pass	2985
30	689	0.1	RMS	505.672	-62.77	-13	Pass	6590
689	726	0.1	RMS	699.36	21.11	60	Pass	601
726	1000	0.1	RMS	912.168	-61.97	-13	Pass	2740
1000	3000	1	RMS	2796.898	-47.36	-13	Pass	2000
3000	10000	1	RMS	9816.974	-43.95	-13	Pass	7000






**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2985
30	689	0.1	RMS	499.571	-62.84	-13	Pass	6590
689	726	0.1	RMS	699.36	20.4	60	Pass	601
726	1000	0.1	RMS	916.57	-62.08	-13	Pass	2740
1000	3000	1	RMS	2678.839	-47.43	-13	Pass	2000
3000	10000	1	RMS	9815.974	-43.99	-13	Pass	7000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2985
30	689	0.1	RMS	513.673	-62.86	-13	Pass	6590
689	726	0.1	RMS	705.342	21.24	60	Pass	601
726	1000	0.1	RMS	917.47	-61.86	-13	Pass	2740
1000	3000	1	RMS	2820.91	-47.27	-13	Pass	2000
3000	10000	1	RMS	9810.973	-43.93	-13	Pass	7000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	689	0.1	RMS	501.872	-62.91	-13	Pass	6590
689	726	0.1	RMS	705.342	20.49	60	Pass	601
726	1000	0.1	RMS	921.271	-61.77	-13	Pass	2740
1000	3000	1	RMS	2668.834	-47.39	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.99	-13	Pass	7000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2985
30	689	0.1	RMS	507.472	-62.68	-13	Pass	6590
689	726	0.1	RMS	711.323	21	60	Pass	601
726	1000	0.1	RMS	928.174	-61.82	-13	Pass	2740
1000	3000	1	RMS	1422.211	-47.04	-13	Pass	2000
3000	10000	1	RMS	9802.972	-43.97	-13	Pass	7000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.91	-13	Pass	2985
30	689	0.1	RMS	506.472	-62.83	-13	Pass	6590
689	726	0.1	RMS	711.323	20.53	60	Pass	601
726	1000	0.1	RMS	911.868	-61.65	-13	Pass	2740
1000	3000	1	RMS	2678.839	-47.41	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.98	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2985
30	689	0.1	RMS	508.473	-62.71	-13	Pass	6590
689	726	0.1	RMS	699.607	21.45	60	Pass	601
726	1000	0.1	RMS	933.676	-61.92	-13	Pass	2740
1000	3000	1	RMS	2797.899	-47.38	-13	Pass	2000
3000	10000	1	RMS	9807.973	-43.95	-13	Pass	7000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2985
30	689	0.1	RMS	505.772	-62.94	-13	Pass	6590
689	726	0.1	RMS	699.607	20.6	60	Pass	601
726	1000	0.1	RMS	908.467	-61.98	-13	Pass	2740
1000	3000	1	RMS	2678.839	-47.43	-13	Pass	2000
3000	10000	1	RMS	9815.974	-43.95	-13	Pass	7000



**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2985
30	689	0.1	RMS	513.273	-62.82	-13	Pass	6590
689	726	0.1	RMS	703.06	21.39	60	Pass	601
726	1000	0.1	RMS	954.483	-61.88	-13	Pass	2740
1000	3000	1	RMS	1406.203	-46.08	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.99	-13	Pass	7000






**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	689	0.1	RMS	512.273	-62.9	-13	Pass	6590
689	726	0.1	RMS	703.06	20.38	60	Pass	601
726	1000	0.1	RMS	919.971	-62.04	-13	Pass	2740
1000	3000	1	RMS	1406.203	-47.06	-13	Pass	2000
3000	10000	1	RMS	9810.973	-43.98	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	689	0.1	RMS	505.772	-62.81	-13	Pass	6590
689	726	0.1	RMS	706.575	21.37	60	Pass	601
726	1000	0.1	RMS	956.984	-61.9	-13	Pass	2740
1000	3000	1	RMS	2825.913	-47.03	-13	Pass	2000
3000	10000	1	RMS	9803.972	-44.01	-13	Pass	7000



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2985
30	689	0.1	RMS	501.772	-62.85	-13	Pass	6590
689	726	0.1	RMS	706.575	20.63	60	Pass	601
726	1000	0.1	RMS	827.637	-61.91	-13	Pass	2740
1000	3000	1	RMS	2825.913	-47.24	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.93	-13	Pass	7000



## 15. LTE\_Band13


### 15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.75	-13	Pass	2985
30	767	0.1	RMS	766.4	-62.48	-13	Pass	7370
767	797	0.1	RMS	777.35	20.97	60	Pass	601
797	1000	0.1	RMS	958.98	-61.98	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.41	-13	Pass	2000
3000	10000	1	RMS	9803.972	-44	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	767	0.1	RMS	763.8	-62.52	-13	Pass	7370
767	797	0.1	RMS	777.35	20.44	60	Pass	601
797	1000	0.1	RMS	908.355	-62.11	-13	Pass	2030
1000	3000	1	RMS	2675.838	-47.45	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.97	-13	Pass	7000




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2985
30	767	0.1	RMS	756.599	-62.46	-13	Pass	7370
767	797	0.1	RMS	779.85	21.18	60	Pass	601
797	1000	0.1	RMS	988.794	-62.11	-13	Pass	2030
1000	3000	1	RMS	2679.84	-47.45	-13	Pass	2000
3000	10000	1	RMS	9919.989	-44.02	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	767	0.1	RMS	750.998	-62.48	-13	Pass	7370
767	797	0.1	RMS	779.85	20.4	60	Pass	601
797	1000	0.1	RMS	907.755	-62.09	-13	Pass	2030
1000	3000	1	RMS	2669.835	-47.44	-13	Pass	2000
3000	10000	1	RMS	9808.973	-43.99	-13	Pass	7000



**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2985
30	767	0.1	RMS	764.2	-62.41	-13	Pass	7370
767	797	0.1	RMS	782.35	20.94	60	Pass	601
797	1000	0.1	RMS	934.768	-61.96	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.41	-13	Pass	2000
3000	10000	1	RMS	9823.975	-44.02	-13	Pass	7000






**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	767	0.1	RMS	743.497	-62.54	-13	Pass	7370
767	797	0.1	RMS	782.35	20.46	60	Pass	601
797	1000	0.1	RMS	955.678	-62.05	-13	Pass	2030
1000	3000	1	RMS	2670.835	-47.43	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.95	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	767	0.1	RMS	764.2	-62.43	-13	Pass	7370
767	797	0.1	RMS	777.6	21.39	60	Pass	601
797	1000	0.1	RMS	974.988	-62.03	-13	Pass	2030
1000	3000	1	RMS	2677.839	-47.44	-13	Pass	2000
3000	10000	1	RMS	9818.974	-44.01	-13	Pass	7000



**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2985
30	767	0.1	RMS	765.1	-62.49	-13	Pass	7370
767	797	0.1	RMS	777.6	20.73	60	Pass	601
797	1000	0.1	RMS	963.682	-62.02	-13	Pass	2030
1000	3000	1	RMS	2674.837	-47.43	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.92	-13	Pass	7000



## 16. LTE\_Band25


**16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.11	-13	Pass	2985
30	1000	0.1	RMS	922.492	-62.13	-13	Pass	9700
1000	1840	1	RMS	1840	-50.83	-13	Pass	840
1840	1925	1	RMS	1850.2	20.92	60	Pass	601
1925	3000	1	RMS	2672.696	-47.56	-13	Pass	1075
3000	12000	1	RMS	11987.999	-41.23	-13	Pass	9000
12000	20000	1	RMS	18914.864	-31.76	-13	Pass	8000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2985
30	1000	0.1	RMS	929.593	-62.1	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.94	-13	Pass	840
1840	1925	1	RMS	1850.2	19.81	60	Pass	601
1925	3000	1	RMS	2675.698	-47.56	-13	Pass	1075
3000	12000	1	RMS	11994.999	-41.25	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.77	-13	Pass	8000




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2985
30	1000	0.1	RMS	944.094	-61.97	-13	Pass	9700
1000	1840	1	RMS	1840	-51.05	-13	Pass	840
1840	1925	1	RMS	1882.075	20.93	60	Pass	601
1925	3000	1	RMS	2670.694	-47.65	-13	Pass	1075
3000	12000	1	RMS	11998	-41.21	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.77	-13	Pass	8000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2985
30	1000	0.1	RMS	923.792	-62.07	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.07	-13	Pass	840
1840	1925	1	RMS	1882.075	19.96	60	Pass	601
1925	3000	1	RMS	2676.699	-47.63	-13	Pass	1075
3000	12000	1	RMS	11980.998	-41.19	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.78	-13	Pass	8000



**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2985
30	1000	0.1	RMS	958.396	-62.13	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.04	-13	Pass	840
1840	1925	1	RMS	1913.808	19.06	60	Pass	601
1925	3000	1	RMS	2672.696	-47.61	-13	Pass	1075
3000	12000	1	RMS	11981.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.82	-13	Pass	8000






## 16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2985
30	1000	0.1	RMS	921.892	-61.99	-13	Pass	9700
1000	1840	1	RMS	1840	-51.04	-13	Pass	840
1840	1925	1	RMS	1913.808	18.25	60	Pass	601
1925	3000	1	RMS	2657.682	-47.66	-13	Pass	1075
3000	12000	1	RMS	11983.998	-41.24	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.8	-13	Pass	8000




## 16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2985
30	1000	0.1	RMS	935.293	-62.15	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.93	-13	Pass	840
1840	1925	1	RMS	1850.2	20.82	60	Pass	601
1925	3000	1	RMS	2674.697	-47.65	-13	Pass	1075
3000	12000	1	RMS	11996	-41.27	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.77	-13	Pass	8000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2985
30	1000	0.1	RMS	933.393	-62.11	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.96	-13	Pass	840
1840	1925	1	RMS	1850.2	19.96	60	Pass	601
1925	3000	1	RMS	2674.697	-47.63	-13	Pass	1075
3000	12000	1	RMS	11986.999	-41.24	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.8	-13	Pass	8000




## 16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.49	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.01	-13	Pass	2985
30	1000	0.1	RMS	975.497	-62.02	-13	Pass	9700
1000	1840	1	RMS	1840	-51.07	-13	Pass	840
1840	1925	1	RMS	1881.225	21.03	60	Pass	601
1925	3000	1	RMS	2691.713	-47.67	-13	Pass	1075
3000	12000	1	RMS	11983.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.82	-13	Pass	8000




## 16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	1000	0.1	RMS	929.293	-62.08	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.05	-13	Pass	840
1840	1925	1	RMS	1881.225	19.96	60	Pass	601
1925	3000	1	RMS	2674.697	-47.61	-13	Pass	1075
3000	12000	1	RMS	11993.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.71	-13	Pass	8000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2985
30	1000	0.1	RMS	936.493	-62.07	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.05	-13	Pass	840
1840	1925	1	RMS	1912.25	23.35	60	Pass	601
1925	3000	1	RMS	2668.692	-47.64	-13	Pass	1075
3000	12000	1	RMS	11993.999	-41.22	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.7	-13	Pass	8000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	955.695	-62.06	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.01	-13	Pass	840
1840	1925	1	RMS	1912.25	22.51	60	Pass	601
1925	3000	1	RMS	2672.696	-47.66	-13	Pass	1075
3000	12000	1	RMS	11989.999	-41.22	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.75	-13	Pass	8000



**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2985
30	1000	0.1	RMS	967.397	-61.98	-13	Pass	9700
1000	1840	1	RMS	1840	-50.65	-13	Pass	840
1840	1925	1	RMS	1850.342	23.28	60	Pass	601
1925	3000	1	RMS	2676.699	-47.63	-13	Pass	1075
3000	12000	1	RMS	11991.999	-41.2	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.79	-13	Pass	8000






**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2985
30	1000	0.1	RMS	940.994	-62.17	-13	Pass	9700
1000	1840	1	RMS	1840	-50.81	-13	Pass	840
1840	1925	1	RMS	1850.342	22.41	60	Pass	601
1925	3000	1	RMS	2673.696	-47.65	-13	Pass	1075
3000	12000	1	RMS	11979.998	-41.14	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.73	-13	Pass	8000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2985
30	1000	0.1	RMS	915.891	-61.99	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.91	-13	Pass	840
1840	1925	1	RMS	1880.375	23.3	60	Pass	601
1925	3000	1	RMS	2672.696	-47.63	-13	Pass	1075
3000	12000	1	RMS	11997	-41.18	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.74	-13	Pass	8000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2985
30	1000	0.1	RMS	879.988	-62.13	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.86	-13	Pass	840
1840	1925	1	RMS	1880.375	22.41	60	Pass	601
1925	3000	1	RMS	2675.698	-47.62	-13	Pass	1075
3000	12000	1	RMS	11991.999	-41.22	-13	Pass	9000
12000	20000	1	RMS	19010.876	-31.77	-13	Pass	8000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2985
30	1000	0.1	RMS	928.893	-62.04	-13	Pass	9700
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1925	1	RMS	1910.267	23.42	60	Pass	601
1925	3000	1	RMS	2673.696	-47.63	-13	Pass	1075
3000	12000	1	RMS	11999	-41.23	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.83	-13	Pass	8000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2985
30	1000	0.1	RMS	921.192	-61.96	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.07	-13	Pass	840
1840	1925	1	RMS	1910.267	22.64	60	Pass	601
1925	3000	1	RMS	2675.698	-47.61	-13	Pass	1075
3000	12000	1	RMS	11967.996	-41.23	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.75	-13	Pass	8000




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2985
30	1000	0.1	RMS	956.396	-62.11	-13	Pass	9700
1000	1840	1	RMS	1840	-50.61	-13	Pass	840
1840	1925	1	RMS	1850.625	23.23	60	Pass	601
1925	3000	1	RMS	2666.69	-47.67	-13	Pass	1075
3000	12000	1	RMS	11996	-41.28	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.73	-13	Pass	8000




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2985
30	1000	0.1	RMS	983.498	-62.08	-13	Pass	9700
1000	1840	1	RMS	1840	-50.71	-13	Pass	840
1840	1925	1	RMS	1850.625	22.42	60	Pass	601
1925	3000	1	RMS	2677.7	-47.63	-13	Pass	1075
3000	12000	1	RMS	11991.999	-41.23	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.79	-13	Pass	8000



**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2985
30	1000	0.1	RMS	919.892	-62.12	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.76	-13	Pass	840
1840	1925	1	RMS	1878.108	23.26	60	Pass	601
1925	3000	1	RMS	2661.685	-47.69	-13	Pass	1075
3000	12000	1	RMS	11994.999	-41.21	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.88	-13	Pass	8000






**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2985
30	1000	0.1	RMS	900.09	-62.06	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.84	-13	Pass	840
1840	1925	1	RMS	1878.108	22.39	60	Pass	601
1925	3000	1	RMS	2680.703	-47.68	-13	Pass	1075
3000	12000	1	RMS	11982.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18937.867	-31.83	-13	Pass	8000




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2985
30	1000	0.1	RMS	936.093	-62.08	-13	Pass	9700
1000	1840	1	RMS	1840	-51.04	-13	Pass	840
1840	1925	1	RMS	1905.592	23.46	60	Pass	601
1925	3000	1	RMS	2677.7	-47.69	-13	Pass	1075
3000	12000	1	RMS	11992.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.85	-13	Pass	8000




**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2985
30	1000	0.1	RMS	981.798	-62.1	-13	Pass	9700
1000	1840	1	RMS	1831.99	-51.08	-13	Pass	840
1840	1925	1	RMS	1905.592	22.57	60	Pass	601
1925	3000	1	RMS	2674.697	-47.61	-13	Pass	1075
3000	12000	1	RMS	11989.999	-41.23	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.8	-13	Pass	8000




**16.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2985
30	1000	0.1	RMS	950.295	-61.98	-13	Pass	9700
1000	1840	1	RMS	1836.996	-47.11	-13	Pass	840
1840	1925	1	RMS	1850.767	23	60	Pass	601
1925	3000	1	RMS	2676.699	-47.7	-13	Pass	1075
3000	12000	1	RMS	11981.998	-41.26	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.81	-13	Pass	8000




**16.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2985
30	1000	0.1	RMS	906.79	-60.79	-13	Pass	9700
1000	1840	1	RMS	1836.996	-47.75	-13	Pass	840
1840	1925	1	RMS	1850.767	22.19	60	Pass	601
1925	3000	1	RMS	2675.698	-47.68	-13	Pass	1075
3000	12000	1	RMS	11991.999	-41.29	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.84	-13	Pass	8000




**16.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2985
30	1000	0.1	RMS	962.696	-62.18	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.79	-13	Pass	840
1840	1925	1	RMS	1875.842	23.04	60	Pass	601
1925	3000	1	RMS	2674.697	-47.7	-13	Pass	1075
3000	12000	1	RMS	11989.999	-41.3	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.82	-13	Pass	8000




**16.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2985
30	1000	0.1	RMS	926.192	-62.19	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.86	-13	Pass	840
1840	1925	1	RMS	1875.842	22.16	60	Pass	601
1925	3000	1	RMS	2673.696	-47.75	-13	Pass	1075
3000	12000	1	RMS	12000	-41.28	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.89	-13	Pass	8000



**16.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2985
30	1000	0.1	RMS	918.992	-62.09	-13	Pass	9700
1000	1840	1	RMS	1833.993	-51.02	-13	Pass	840
1840	1925	1	RMS	1900.775	23.19	60	Pass	601
1925	3000	1	RMS	2671.695	-47.68	-13	Pass	1075
3000	12000	1	RMS	11974.997	-41.3	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.83	-13	Pass	8000






**16.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.24	-13	Pass	2985
30	1000	0.1	RMS	919.892	-62.23	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.05	-13	Pass	840
1840	1925	1	RMS	1900.775	22.35	60	Pass	601
1925	3000	1	RMS	2678.701	-47.72	-13	Pass	1075
3000	12000	1	RMS	11983.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.91	-13	Pass	8000




**16.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.19	-13	Pass	2985
30	1000	0.1	RMS	927.893	-62.07	-13	Pass	9700
1000	1840	1	RMS	1832.992	-47.3	-13	Pass	840
1840	1925	1	RMS	1851.05	22.81	60	Pass	601
1925	3000	1	RMS	2678.701	-47.68	-13	Pass	1075
3000	12000	1	RMS	11988.999	-41.26	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.82	-13	Pass	8000




**16.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2985
30	1000	0.1	RMS	907.991	-62.03	-13	Pass	9700
1000	1840	1	RMS	1832.992	-48	-13	Pass	840
1840	1925	1	RMS	1851.05	22.07	60	Pass	601
1925	3000	1	RMS	2674.697	-47.68	-13	Pass	1075
3000	12000	1	RMS	11976.997	-41.28	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.87	-13	Pass	8000




**16.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2985
30	1000	0.1	RMS	930.993	-62.22	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.68	-13	Pass	840
1840	1925	1	RMS	1873.575	22.98	60	Pass	601
1925	3000	1	RMS	2678.701	-47.6	-13	Pass	1075
3000	12000	1	RMS	11996	-41.24	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.79	-13	Pass	8000




**16.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2985
30	1000	0.1	RMS	919.492	-62.08	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.61	-13	Pass	840
1840	1925	1	RMS	1873.575	22	60	Pass	601
1925	3000	1	RMS	2673.696	-47.62	-13	Pass	1075
3000	12000	1	RMS	11984.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.73	-13	Pass	8000




**16.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2985
30	1000	0.1	RMS	950.795	-62.05	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.88	-13	Pass	840
1840	1925	1	RMS	1896.1	23.05	60	Pass	601
1925	3000	1	RMS	2669.693	-47.6	-13	Pass	1075
3000	12000	1	RMS	11976.997	-41.25	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.76	-13	Pass	8000



**16.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.4	-13	Pass	2985
30	1000	0.1	RMS	939.294	-62.04	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.92	-13	Pass	840
1840	1925	1	RMS	1896.1	22.01	60	Pass	601
1925	3000	1	RMS	2673.696	-47.59	-13	Pass	1075
3000	12000	1	RMS	11981.998	-41.28	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.79	-13	Pass	8000



## 17. LTE\_Band38

17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.83	-25	Pass	2985
30	1000	0.1	RMS	924.192	-61.72	-25	Pass	9700
1000	2550	1	RMS	2538.993	-47.97	-25	Pass	1550
2550	2640	1	RMS	2570.25	20.08	60	Pass	601
2640	3000	1	RMS	2680.2	-47.23	-25	Pass	601
3000	12000	1	RMS	11988.999	-50.95	-25	Pass	9000
12000	26500	1	RMS	24888.889	-38.52	-25	Pass	14500






**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2985
30	1000	0.1	RMS	946.795	-61.78	-25	Pass	9700
1000	2550	1	RMS	2539.994	-47.86	-25	Pass	1550
2550	2640	1	RMS	2570.55	18.96	60	Pass	601
2640	3000	1	RMS	2668.2	-47.3	-25	Pass	601
3000	12000	1	RMS	11996	-50.97	-25	Pass	9000
12000	26500	1	RMS	24905.89	-38.6	-25	Pass	14500




## 17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.17	-56.45	-25	Pass	2985
30	1000	0.1	RMS	932.193	-61.86	-25	Pass	9700
1000	2550	1	RMS	2547.999	-48.01	-25	Pass	1550
2550	2640	1	RMS	2592.9	20.29	60	Pass	601
2640	3000	1	RMS	2669.4	-46.99	-25	Pass	601
3000	12000	1	RMS	11992.999	-50.89	-25	Pass	9000
12000	26500	1	RMS	24858.887	-38.6	-25	Pass	14500




## 17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2985
30	1000	0.1	RMS	949.595	-61.73	-25	Pass	9700
1000	2550	1	RMS	2545.997	-48.06	-25	Pass	1550
2550	2640	1	RMS	2592.6	18.93	60	Pass	601
2640	3000	1	RMS	2670	-47.18	-25	Pass	601
3000	12000	1	RMS	11976.997	-50.95	-25	Pass	9000
12000	26500	1	RMS	24909.89	-38.57	-25	Pass	14500




## 17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.77	-25	Pass	2985
30	1000	0.1	RMS	918.192	-61.83	-25	Pass	9700
1000	2550	1	RMS	2537.992	-47.97	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.19	60	Pass	601
2640	3000	1	RMS	2659.2	-47.19	-25	Pass	601
3000	12000	1	RMS	11982.998	-50.99	-25	Pass	9000
12000	26500	1	RMS	24915.891	-38.52	-25	Pass	14500




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.29	-25	Pass	2985
30	1000	0.1	RMS	926.192	-61.68	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.07	-25	Pass	1550
2550	2640	1	RMS	2615.1	19.04	60	Pass	601
2640	3000	1	RMS	2670	-47.2	-25	Pass	601
3000	12000	1	RMS	11983.998	-50.95	-25	Pass	9000
12000	26500	1	RMS	24864.887	-38.59	-25	Pass	14500




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.66	-25	Pass	2985
30	1000	0.1	RMS	925.492	-61.77	-25	Pass	9700
1000	2550	1	RMS	2539.994	-47.93	-25	Pass	1550
2550	2640	1	RMS	2570.55	20.29	60	Pass	601
2640	3000	1	RMS	2673.6	-47.28	-25	Pass	601
3000	12000	1	RMS	11982.998	-50.99	-25	Pass	9000
12000	26500	1	RMS	24911.89	-38.6	-25	Pass	14500




## 17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.5	-25	Pass	2985
30	1000	0.1	RMS	926.092	-61.88	-25	Pass	9700
1000	2550	1	RMS	2539.994	-47.92	-25	Pass	1550
2550	2640	1	RMS	2570.55	19.36	60	Pass	601
2640	3000	1	RMS	2680.8	-47.28	-25	Pass	601
3000	12000	1	RMS	11984.998	-50.99	-25	Pass	9000
12000	26500	1	RMS	24909.89	-38.59	-25	Pass	14500



**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.13	-25	Pass	2985
30	1000	0.1	RMS	939.594	-61.77	-25	Pass	9700
1000	2550	1	RMS	2550	-48.01	-25	Pass	1550
2550	2640	1	RMS	2590.8	19.78	60	Pass	601
2640	3000	1	RMS	2667.6	-47.04	-25	Pass	601
3000	12000	1	RMS	11978.998	-51	-25	Pass	9000
12000	26500	1	RMS	24909.89	-38.57	-25	Pass	14500






**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	919.192	-61.72	-25	Pass	9700
1000	2550	1	RMS	2548.999	-47.98	-25	Pass	1550
2550	2640	1	RMS	2590.5	19.28	60	Pass	601
2640	3000	1	RMS	2667.6	-47.13	-25	Pass	601
3000	12000	1	RMS	11981.998	-50.99	-25	Pass	9000
12000	26500	1	RMS	24905.89	-38.58	-25	Pass	14500




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-25	Pass	2985
30	1000	0.1	RMS	924.092	-61.75	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.1	-25	Pass	1550
2550	2640	1	RMS	2610.6	20.22	60	Pass	601
2640	3000	1	RMS	2687.4	-47.06	-25	Pass	601
3000	12000	1	RMS	11983.998	-51.02	-25	Pass	9000
12000	26500	1	RMS	24902.89	-38.56	-25	Pass	14500




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2985
30	1000	0.1	RMS	929.093	-61.74	-25	Pass	9700
1000	2550	1	RMS	2548.999	-48.06	-25	Pass	1550
2550	2640	1	RMS	2610.6	19.52	60	Pass	601
2640	3000	1	RMS	2687.4	-47.24	-25	Pass	601
3000	12000	1	RMS	11976.997	-50.96	-25	Pass	9000
12000	26500	1	RMS	24910.89	-38.64	-25	Pass	14500




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2985
30	1000	0.1	RMS	935.893	-61.8	-25	Pass	9700
1000	2550	1	RMS	2547.999	-47.42	-25	Pass	1550
2550	2640	1	RMS	2571	19.57	60	Pass	601
2640	3000	1	RMS	2677.2	-47.27	-25	Pass	601
3000	12000	1	RMS	11965.996	-51	-25	Pass	9000
12000	26500	1	RMS	24914.891	-38.56	-25	Pass	14500




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.22	-25	Pass	2985
30	1000	0.1	RMS	921.992	-61.79	-25	Pass	9700
1000	2550	1	RMS	2548.999	-46.87	-25	Pass	1550
2550	2640	1	RMS	2570.85	19.19	60	Pass	601
2640	3000	1	RMS	2673	-47.24	-25	Pass	601
3000	12000	1	RMS	11978.998	-50.97	-25	Pass	9000
12000	26500	1	RMS	24911.89	-38.48	-25	Pass	14500




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2985
30	1000	0.1	RMS	953.495	-61.75	-25	Pass	9700
1000	2550	1	RMS	2546.998	-47.79	-25	Pass	1550
2550	2640	1	RMS	2588.4	20.06	60	Pass	601
2640	3000	1	RMS	2665.2	-47	-25	Pass	601
3000	12000	1	RMS	11980.998	-51	-25	Pass	9000
12000	26500	1	RMS	24900.89	-38.54	-25	Pass	14500




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2985
30	1000	0.1	RMS	985.699	-61.74	-25	Pass	9700
1000	2550	1	RMS	2548.999	-47.96	-25	Pass	1550
2550	2640	1	RMS	2588.55	18.46	60	Pass	601
2640	3000	1	RMS	2665.2	-47.06	-25	Pass	601
3000	12000	1	RMS	11979.998	-50.98	-25	Pass	9000
12000	26500	1	RMS	24882.888	-38.6	-25	Pass	14500



**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.62	-25	Pass	2985
30	1000	0.1	RMS	934.593	-61.69	-25	Pass	9700
1000	2550	1	RMS	2547.999	-48.05	-25	Pass	1550
2550	2640	1	RMS	2605.8	19.84	60	Pass	601
2640	3000	1	RMS	2682.6	-47.09	-25	Pass	601
3000	12000	1	RMS	11978.998	-50.95	-25	Pass	9000
12000	26500	1	RMS	24904.89	-38.57	-25	Pass	14500






**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2985
30	1000	0.1	RMS	827.682	-61.73	-25	Pass	9700
1000	2550	1	RMS	2550	-47.95	-25	Pass	1550
2550	2640	1	RMS	2605.65	19.02	60	Pass	601
2640	3000	1	RMS	2682.6	-47.09	-25	Pass	601
3000	12000	1	RMS	11991.999	-50.96	-25	Pass	9000
12000	26500	1	RMS	24919.891	-38.54	-25	Pass	14500




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.97	-25	Pass	2985
30	1000	0.1	RMS	932.693	-61.74	-25	Pass	9700
1000	2550	1	RMS	2550	-47.16	-25	Pass	1550
2550	2640	1	RMS	2571.3	19.45	60	Pass	601
2640	3000	1	RMS	2676	-47.23	-25	Pass	601
3000	12000	1	RMS	11997	-50.92	-25	Pass	9000
12000	26500	1	RMS	24916.891	-38.6	-25	Pass	14500




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2985
30	1000	0.1	RMS	921.992	-61.83	-25	Pass	9700
1000	2550	1	RMS	2548.999	-46.91	-25	Pass	1550
2550	2640	1	RMS	2571	18.98	60	Pass	601
2640	3000	1	RMS	2647.8	-47.22	-25	Pass	601
3000	12000	1	RMS	11977.998	-51.08	-25	Pass	9000
12000	26500	1	RMS	24890.889	-38.6	-25	Pass	14500




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.22	-25	Pass	2985
30	1000	0.1	RMS	897.089	-61.78	-25	Pass	9700
1000	2550	1	RMS	2547.999	-47.71	-25	Pass	1550
2550	2640	1	RMS	2586.3	19.57	60	Pass	601
2640	3000	1	RMS	2662.8	-47.09	-25	Pass	601
3000	12000	1	RMS	11994.999	-51.04	-25	Pass	9000
12000	26500	1	RMS	24901.89	-38.71	-25	Pass	14500




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.17	-25	Pass	2985
30	1000	0.1	RMS	898.69	-61.77	-25	Pass	9700
1000	2550	1	RMS	2550	-47.74	-25	Pass	1550
2550	2640	1	RMS	2586	18.85	60	Pass	601
2640	3000	1	RMS	2662.8	-47.14	-25	Pass	601
3000	12000	1	RMS	11976.997	-51.04	-25	Pass	9000
12000	26500	1	RMS	24887.889	-38.63	-25	Pass	14500




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.2	-25	Pass	2985
30	1000	0.1	RMS	929.393	-61.75	-25	Pass	9700
1000	2550	1	RMS	2550	-48.04	-25	Pass	1550
2550	2640	1	RMS	2601.3	19.58	60	Pass	601
2640	3000	1	RMS	2677.8	-47.01	-25	Pass	601
3000	12000	1	RMS	11996	-51.06	-25	Pass	9000
12000	26500	1	RMS	24894.889	-38.71	-25	Pass	14500



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.96	-25	Pass	2985
30	1000	0.1	RMS	946.895	-61.89	-25	Pass	9700
1000	2550	1	RMS	2547.999	-47.99	-25	Pass	1550
2550	2640	1	RMS	2601.15	19.1	60	Pass	601
2640	3000	1	RMS	2677.8	-47.17	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.05	-25	Pass	9000
12000	26500	1	RMS	24844.886	-38.73	-25	Pass	14500



## 18. LTE\_Band41 full

### 18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-25	Pass	2985
30	1000	0.1	RMS	947.895	-62.01	-25	Pass	9700
1000	2486	1	RMS	2486	-48.5	-25	Pass	1486
2486	2700	1	RMS	2496.343	19.13	60	Pass	601
2700	3000	1	RMS	2700	-47.76	-25	Pass	601
3000	12000	1	RMS	11973.997	-71.79	-25	Pass	9000
12000	27000	1	RMS	24891.859	-59.52	-25	Pass	15000






## 18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	917.291	-61.98	-25	Pass	9700
1000	2486	1	RMS	2486	-48.66	-25	Pass	1486
2486	2700	1	RMS	2496.343	18.51	60	Pass	601
2700	3000	1	RMS	2703.5	-47.78	-25	Pass	601
3000	12000	1	RMS	11987.999	-71.84	-25	Pass	9000
12000	27000	1	RMS	24829.855	-59.56	-25	Pass	15000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-25	Pass	2985
30	1000	0.1	RMS	948.895	-61.82	-25	Pass	9700
1000	2486	1	RMS	2439.969	-48.98	-25	Pass	1486
2486	2700	1	RMS	2590.86	20.45	60	Pass	601
2700	3000	1	RMS	2700	-47.75	-25	Pass	601
3000	12000	1	RMS	11986.999	-71.77	-25	Pass	9000
12000	27000	1	RMS	24855.857	-59.55	-25	Pass	15000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.1	-25	Pass	2985
30	1000	0.1	RMS	912.591	-61.92	-25	Pass	9700
1000	2486	1	RMS	2409.949	-48.98	-25	Pass	1486
2486	2700	1	RMS	2590.86	20.68	60	Pass	601
2700	3000	1	RMS	2700	-47.71	-25	Pass	601
3000	12000	1	RMS	11984.998	-71.83	-25	Pass	9000
12000	27000	1	RMS	24834.856	-59.58	-25	Pass	15000




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2985
30	1000	0.1	RMS	899.89	-61.97	-25	Pass	9700
1000	2486	1	RMS	2452.978	-48.98	-25	Pass	1486
2486	2700	1	RMS	2685.377	21.24	60	Pass	601
2700	3000	1	RMS	2703	-47.62	-25	Pass	601
3000	12000	1	RMS	11989.999	-71.78	-25	Pass	9000
12000	27000	1	RMS	24890.859	-59.58	-25	Pass	15000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2985
30	1000	0.1	RMS	915.391	-61.99	-25	Pass	9700
1000	2486	1	RMS	2440.97	-48.98	-25	Pass	1486
2486	2700	1	RMS	2685.377	21.98	60	Pass	601
2700	3000	1	RMS	2700.5	-47.55	-25	Pass	601
3000	12000	1	RMS	11984.998	-71.69	-25	Pass	9000
12000	27000	1	RMS	24915.861	-59.56	-25	Pass	15000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.47	-25	Pass	2985
30	1000	0.1	RMS	914.391	-61.99	-25	Pass	9700
1000	2486	1	RMS	2486	-48.71	-25	Pass	1486
2486	2700	1	RMS	2496.343	18.58	60	Pass	601
2700	3000	1	RMS	2700.5	-47.75	-25	Pass	601
3000	12000	1	RMS	11983.998	-71.78	-25	Pass	9000
12000	27000	1	RMS	24926.862	-59.55	-25	Pass	15000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2985
30	1000	0.1	RMS	909.191	-62.09	-25	Pass	9700
1000	2486	1	RMS	2483.999	-48.81	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.42	60	Pass	601
2700	3000	1	RMS	2700.5	-47.74	-25	Pass	601
3000	12000	1	RMS	11980.998	-71.77	-25	Pass	9000
12000	27000	1	RMS	24907.861	-59.52	-25	Pass	15000



**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	937.694	-61.91	-25	Pass	9700
1000	2486	1	RMS	2417.954	-48.98	-25	Pass	1486
2486	2700	1	RMS	2588.363	19.74	60	Pass	601
2700	3000	1	RMS	2700.5	-47.71	-25	Pass	601
3000	12000	1	RMS	11984.998	-71.75	-25	Pass	9000
12000	27000	1	RMS	24916.861	-59.59	-25	Pass	15000






**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2985
30	1000	0.1	RMS	896.389	-62.03	-25	Pass	9700
1000	2486	1	RMS	2452.978	-49.02	-25	Pass	1486
2486	2700	1	RMS	2588.72	20.18	60	Pass	601
2700	3000	1	RMS	2700	-47.76	-25	Pass	601
3000	12000	1	RMS	11988.999	-71.84	-25	Pass	9000
12000	27000	1	RMS	24894.86	-59.62	-25	Pass	15000




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2985
30	1000	0.1	RMS	984.098	-61.92	-25	Pass	9700
1000	2486	1	RMS	2468.989	-49.03	-25	Pass	1486
2486	2700	1	RMS	2680.383	21.31	60	Pass	601
2700	3000	1	RMS	2700.5	-47.63	-25	Pass	601
3000	12000	1	RMS	11985.998	-71.78	-25	Pass	9000
12000	27000	1	RMS	24883.859	-59.56	-25	Pass	15000




## 18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-25	Pass	2985
30	1000	0.1	RMS	936.493	-62.03	-25	Pass	9700
1000	2486	1	RMS	2433.965	-48.97	-25	Pass	1486
2486	2700	1	RMS	2680.383	21.53	60	Pass	601
2700	3000	1	RMS	2700	-47.62	-25	Pass	601
3000	12000	1	RMS	11982.998	-71.77	-25	Pass	9000
12000	27000	1	RMS	24913.861	-59.54	-25	Pass	15000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-25	Pass	2985
30	1000	0.1	RMS	852.985	-62.01	-25	Pass	9700
1000	2486	1	RMS	2483.999	-46.36	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.19	60	Pass	601
2700	3000	1	RMS	2700	-47.74	-25	Pass	601
3000	12000	1	RMS	11985.998	-71.83	-25	Pass	9000
12000	27000	1	RMS	24908.861	-59.56	-25	Pass	15000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.83	-25	Pass	2985
30	1000	0.1	RMS	929.693	-62.12	-25	Pass	9700
1000	2486	1	RMS	2484.999	-44.96	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.91	60	Pass	601
2700	3000	1	RMS	2703	-47.73	-25	Pass	601
3000	12000	1	RMS	11981.998	-71.87	-25	Pass	9000
12000	27000	1	RMS	24876.858	-59.59	-25	Pass	15000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2985
30	1000	0.1	RMS	906.09	-62.08	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.04	-25	Pass	1486
2486	2700	1	RMS	2586.223	18.92	60	Pass	601
2700	3000	1	RMS	2702	-47.72	-25	Pass	601
3000	12000	1	RMS	11982.998	-71.86	-25	Pass	9000
12000	27000	1	RMS	24911.861	-59.54	-25	Pass	15000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.31	-25	Pass	2985
30	1000	0.1	RMS	922.992	-62.12	-25	Pass	9700
1000	2486	1	RMS	2417.954	-48.95	-25	Pass	1486
2486	2700	1	RMS	2586.58	19.54	60	Pass	601
2700	3000	1	RMS	2702.5	-47.75	-25	Pass	601
3000	12000	1	RMS	11981.998	-71.77	-25	Pass	9000
12000	27000	1	RMS	24905.86	-59.52	-25	Pass	15000



**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.65	-25	Pass	2985
30	1000	0.1	RMS	931.393	-61.94	-25	Pass	9700
1000	2486	1	RMS	2416.954	-48.99	-25	Pass	1486
2486	2700	1	RMS	2675.747	21.24	60	Pass	601
2700	3000	1	RMS	2702	-46.57	-25	Pass	601
3000	12000	1	RMS	11980.998	-71.81	-25	Pass	9000
12000	27000	1	RMS	24911.861	-59.49	-25	Pass	15000






**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.26	-25	Pass	2985
30	1000	0.1	RMS	931.893	-62.16	-25	Pass	9700
1000	2486	1	RMS	2414.952	-49.04	-25	Pass	1486
2486	2700	1	RMS	2676.103	20.75	60	Pass	601
2700	3000	1	RMS	2702	-46.43	-25	Pass	601
3000	12000	1	RMS	11980.998	-71.81	-25	Pass	9000
12000	27000	1	RMS	24895.86	-59.54	-25	Pass	15000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.19	-25	Pass	2985
30	1000	0.1	RMS	913.891	-61.97	-25	Pass	9700
1000	2486	1	RMS	2484.999	-46.16	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.71	60	Pass	601
2700	3000	1	RMS	2701	-47.75	-25	Pass	601
3000	12000	1	RMS	11963.996	-71.87	-25	Pass	9000
12000	27000	1	RMS	24859.857	-59.52	-25	Pass	15000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.14	-25	Pass	2985
30	1000	0.1	RMS	933.693	-61.91	-25	Pass	9700
1000	2486	1	RMS	2483.999	-46.26	-25	Pass	1486
2486	2700	1	RMS	2497.413	18.28	60	Pass	601
2700	3000	1	RMS	2700	-47.73	-25	Pass	601
3000	12000	1	RMS	11978.998	-71.81	-25	Pass	9000
12000	27000	1	RMS	24880.859	-59.5	-25	Pass	15000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-25	Pass	2985
30	1000	0.1	RMS	913.791	-61.97	-25	Pass	9700
1000	2486	1	RMS	2454.979	-49.03	-25	Pass	1486
2486	2700	1	RMS	2584.083	19.41	60	Pass	601
2700	3000	1	RMS	2701	-47.7	-25	Pass	601
3000	12000	1	RMS	11996	-71.85	-25	Pass	9000
12000	27000	1	RMS	24846.856	-59.56	-25	Pass	15000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.58	-25	Pass	2985
30	1000	0.1	RMS	928.793	-62	-25	Pass	9700
1000	2486	1	RMS	2432.964	-49	-25	Pass	1486
2486	2700	1	RMS	2584.083	19.45	60	Pass	601
2700	3000	1	RMS	2701.5	-47.73	-25	Pass	601
3000	12000	1	RMS	11993.999	-71.83	-25	Pass	9000
12000	27000	1	RMS	24910.861	-59.55	-25	Pass	15000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-25	Pass	601
0.15	30	0.01	RMS	0.17	-56.05	-25	Pass	2985
30	1000	0.1	RMS	919.092	-61.91	-25	Pass	9700
1000	2486	1	RMS	2413.952	-48.99	-25	Pass	1486
2486	2700	1	RMS	2671.11	21.28	60	Pass	601
2700	3000	1	RMS	2707	-45.34	-25	Pass	601
3000	12000	1	RMS	11993.999	-71.79	-25	Pass	9000
12000	27000	1	RMS	24908.861	-59.53	-25	Pass	15000



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2985
30	1000	0.1	RMS	934.093	-61.85	-25	Pass	9700
1000	2486	1	RMS	2440.97	-48.98	-25	Pass	1486
2486	2700	1	RMS	2671.11	21.46	60	Pass	601
2700	3000	1	RMS	2707	-46.03	-25	Pass	601
3000	12000	1	RMS	11998	-71.84	-25	Pass	9000
12000	27000	1	RMS	24851.857	-59.47	-25	Pass	15000



## 19. LTE\_Band66

**19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	1000	0.1	RMS	905.09	-61.68	-13	Pass	9700
1000	1700	1	RMS	1700	-51.08	-13	Pass	700
1700	1790	1	RMS	1710.2	22.8	60	Pass	601
1790	3000	1	RMS	2670.728	-47.55	-13	Pass	1210
3000	12000	1	RMS	11980.998	-41.22	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.79	-13	Pass	8000






**19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2985
30	1000	0.1	RMS	933.893	-62.13	-13	Pass	9700
1000	1700	1	RMS	1700	-51.22	-13	Pass	700
1700	1790	1	RMS	1710.2	21.77	60	Pass	601
1790	3000	1	RMS	2670.728	-47.6	-13	Pass	1210
3000	12000	1	RMS	12000	-41.25	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.69	-13	Pass	8000




**19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	1000	0.1	RMS	935.893	-61.97	-13	Pass	9700
1000	1700	1	RMS	1700	-51.35	-13	Pass	700
1700	1790	1	RMS	1744.55	22.71	60	Pass	601
1790	3000	1	RMS	2674.731	-47.59	-13	Pass	1210
3000	12000	1	RMS	11990.999	-41.18	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.72	-13	Pass	8000




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	1000	0.1	RMS	879.688	-62.13	-13	Pass	9700
1000	1700	1	RMS	1700	-51.37	-13	Pass	700
1700	1790	1	RMS	1744.55	21.68	60	Pass	601
1790	3000	1	RMS	2667.725	-47.54	-13	Pass	1210
3000	12000	1	RMS	11983.998	-41.14	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.7	-13	Pass	8000




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2985
30	1000	0.1	RMS	904.99	-61.89	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.34	-13	Pass	700
1700	1790	1	RMS	1778.9	22.59	60	Pass	601
1790	3000	1	RMS	2670.728	-47.54	-13	Pass	1210
3000	12000	1	RMS	11992.999	-41.19	-13	Pass	9000
12000	20000	1	RMS	18905.863	-31.72	-13	Pass	8000




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2985
30	1000	0.1	RMS	909.591	-61.89	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.41	-13	Pass	700
1700	1790	1	RMS	1778.9	21.72	60	Pass	601
1790	3000	1	RMS	2676.733	-47.56	-13	Pass	1210
3000	12000	1	RMS	11981.998	-41.16	-13	Pass	9000
12000	20000	1	RMS	18910.864	-31.77	-13	Pass	8000




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.93	-13	Pass	2985
30	1000	0.1	RMS	987.399	-62	-13	Pass	9700
1000	1700	1	RMS	1700	-51	-13	Pass	700
1700	1790	1	RMS	1710.2	22.84	60	Pass	601
1790	3000	1	RMS	2678.734	-47.49	-13	Pass	1210
3000	12000	1	RMS	11983.998	-41.14	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.73	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.39	-13	Pass	2985
30	1000	0.1	RMS	892.089	-61.87	-13	Pass	9700
1000	1700	1	RMS	1700	-51.07	-13	Pass	700
1700	1790	1	RMS	1710.2	21.97	60	Pass	601
1790	3000	1	RMS	2668.726	-47.55	-13	Pass	1210
3000	12000	1	RMS	11977.998	-41.14	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.65	-13	Pass	8000



**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	1000	0.1	RMS	955.395	-61.96	-13	Pass	9700
1000	1700	1	RMS	1700	-51.35	-13	Pass	700
1700	1790	1	RMS	1743.8	22.73	60	Pass	601
1790	3000	1	RMS	2677.734	-47.48	-13	Pass	1210
3000	12000	1	RMS	11978.998	-41.13	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.69	-13	Pass	8000






**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2985
30	1000	0.1	RMS	933.693	-61.92	-13	Pass	9700
1000	1700	1	RMS	1693.991	-51.38	-13	Pass	700
1700	1790	1	RMS	1743.8	21.64	60	Pass	601
1790	3000	1	RMS	2666.725	-47.59	-13	Pass	1210
3000	12000	1	RMS	11977.998	-41.08	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.74	-13	Pass	8000




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.4	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.16	-13	Pass	2985
30	1000	0.1	RMS	913.991	-61.99	-13	Pass	9700
1000	1700	1	RMS	1626.896	-51.36	-13	Pass	700
1700	1790	1	RMS	1777.25	22.69	60	Pass	601
1790	3000	1	RMS	2665.724	-47.54	-13	Pass	1210
3000	12000	1	RMS	11993.999	-41.05	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.58	-13	Pass	8000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2985
30	1000	0.1	RMS	906.19	-59.69	-13	Pass	9700
1000	1700	1	RMS	1700	-51.33	-13	Pass	700
1700	1790	1	RMS	1777.25	21.89	60	Pass	601
1790	3000	1	RMS	2672.73	-47.49	-13	Pass	1210
3000	12000	1	RMS	11997	-41.08	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.67	-13	Pass	8000




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2985
30	1000	0.1	RMS	926.992	-61.87	-13	Pass	9700
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1790	1	RMS	1710.35	22.9	60	Pass	601
1790	3000	1	RMS	2678.734	-47.45	-13	Pass	1210
3000	12000	1	RMS	11979.998	-41.01	-13	Pass	9000
12000	20000	1	RMS	18939.867	-31.65	-13	Pass	8000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2985
30	1000	0.1	RMS	922.692	-61.96	-13	Pass	9700
1000	1700	1	RMS	1700	-51.13	-13	Pass	700
1700	1790	1	RMS	1710.35	22.01	60	Pass	601
1790	3000	1	RMS	2683.739	-47.44	-13	Pass	1210
3000	12000	1	RMS	11985.998	-41	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.61	-13	Pass	8000




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2985
30	1000	0.1	RMS	936.994	-61.95	-13	Pass	9700
1000	1700	1	RMS	1623.891	-51.33	-13	Pass	700
1700	1790	1	RMS	1742.9	22.71	60	Pass	601
1790	3000	1	RMS	2674.731	-47.5	-13	Pass	1210
3000	12000	1	RMS	11993.999	-41.04	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.56	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	1000	0.1	RMS	913.191	-61.84	-13	Pass	9700
1000	1700	1	RMS	1700	-51.34	-13	Pass	700
1700	1790	1	RMS	1742.9	22.07	60	Pass	601
1790	3000	1	RMS	2675.732	-47.48	-13	Pass	1210
3000	12000	1	RMS	11997	-41.03	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.61	-13	Pass	8000



**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2985
30	1000	0.1	RMS	951.395	-61.96	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.31	-13	Pass	700
1700	1790	1	RMS	1775.3	22.71	60	Pass	601
1790	3000	1	RMS	2677.734	-47.51	-13	Pass	1210
3000	12000	1	RMS	11978.998	-41	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.64	-13	Pass	8000






**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2985
30	1000	0.1	RMS	936.493	-61.97	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.35	-13	Pass	700
1700	1790	1	RMS	1775.3	22	60	Pass	601
1790	3000	1	RMS	2662.721	-47.48	-13	Pass	1210
3000	12000	1	RMS	11974.997	-41.08	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.66	-13	Pass	8000




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2985
30	1000	0.1	RMS	932.693	-61.83	-13	Pass	9700
1000	1700	1	RMS	1700	-50.83	-13	Pass	700
1700	1790	1	RMS	1710.65	22.87	60	Pass	601
1790	3000	1	RMS	2674.731	-47.45	-13	Pass	1210
3000	12000	1	RMS	11994.999	-41.02	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.65	-13	Pass	8000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2985
30	1000	0.1	RMS	921.392	-61.92	-13	Pass	9700
1000	1700	1	RMS	1700	-50.96	-13	Pass	700
1700	1790	1	RMS	1710.65	22.43	60	Pass	601
1790	3000	1	RMS	2684.739	-47.49	-13	Pass	1210
3000	12000	1	RMS	11980.998	-41.03	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.57	-13	Pass	8000




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.11	-13	Pass	2985
30	1000	0.1	RMS	905.19	-61.44	-13	Pass	9700
1000	1700	1	RMS	1694.993	-51.3	-13	Pass	700
1700	1790	1	RMS	1740.5	23.08	60	Pass	601
1790	3000	1	RMS	2673.73	-47.47	-13	Pass	1210
3000	12000	1	RMS	11985.998	-41.02	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.57	-13	Pass	8000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.64	-13	Pass	2985
30	1000	0.1	RMS	909.491	-61.9	-13	Pass	9700
1000	1700	1	RMS	1700	-51.29	-13	Pass	700
1700	1790	1	RMS	1740.65	22.09	60	Pass	601
1790	3000	1	RMS	2674.731	-47.53	-13	Pass	1210
3000	12000	1	RMS	11996	-40.98	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.61	-13	Pass	8000




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2985
30	1000	0.1	RMS	905.09	-60.91	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.3	-13	Pass	700
1700	1790	1	RMS	1770.65	22.88	60	Pass	601
1790	3000	1	RMS	2671.729	-47.5	-13	Pass	1210
3000	12000	1	RMS	11977.998	-41.07	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.63	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2985
30	1000	0.1	RMS	909.191	-61.93	-13	Pass	9700
1000	1700	1	RMS	1626.896	-51.31	-13	Pass	700
1700	1790	1	RMS	1770.65	22.17	60	Pass	601
1790	3000	1	RMS	2671.729	-47.42	-13	Pass	1210
3000	12000	1	RMS	11994.999	-41	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.6	-13	Pass	8000



**19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2985
30	1000	0.1	RMS	960.196	-62	-13	Pass	9700
1000	1700	1	RMS	1697.997	-47.25	-13	Pass	700
1700	1790	1	RMS	1710.8	22.64	60	Pass	601
1790	3000	1	RMS	2672.73	-47.41	-13	Pass	1210
3000	12000	1	RMS	11991.999	-41.04	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.66	-13	Pass	8000






**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2985
30	1000	0.1	RMS	933.693	-62	-13	Pass	9700
1000	1700	1	RMS	1697.997	-48.25	-13	Pass	700
1700	1790	1	RMS	1710.8	21.5	60	Pass	601
1790	3000	1	RMS	2669.727	-47.45	-13	Pass	1210
3000	12000	1	RMS	11986.999	-41.06	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.65	-13	Pass	8000




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2985
30	1000	0.1	RMS	930.093	-62	-13	Pass	9700
1000	1700	1	RMS	1700	-51.21	-13	Pass	700
1700	1790	1	RMS	1738.4	22.18	60	Pass	601
1790	3000	1	RMS	2663.722	-47.39	-13	Pass	1210
3000	12000	1	RMS	11991.999	-41.09	-13	Pass	9000
12000	20000	1	RMS	18939.867	-31.64	-13	Pass	8000




**19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2985
30	1000	0.1	RMS	913.891	-61.76	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.26	-13	Pass	700
1700	1790	1	RMS	1738.4	21.21	60	Pass	601
1790	3000	1	RMS	2673.73	-47.43	-13	Pass	1210
3000	12000	1	RMS	11996	-41.05	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.58	-13	Pass	8000




**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	1000	0.1	RMS	913.891	-61.64	-13	Pass	9700
1000	1700	1	RMS	1694.993	-51.31	-13	Pass	700
1700	1790	1	RMS	1765.85	22.06	60	Pass	601
1790	3000	1	RMS	1792.002	-46.51	-13	Pass	1210
3000	12000	1	RMS	11992.999	-41.05	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.59	-13	Pass	8000




**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2985
30	1000	0.1	RMS	913.891	-58.89	-13	Pass	9700
1000	1700	1	RMS	1625.894	-51.32	-13	Pass	700
1700	1790	1	RMS	1765.7	21.26	60	Pass	601
1790	3000	1	RMS	1792.002	-47.01	-13	Pass	1210
3000	12000	1	RMS	11994.999	-40.99	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.61	-13	Pass	8000




**19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,  
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2985
30	1000	0.1	RMS	921.592	-61.82	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.26	-13	Pass	700
1700	1790	1	RMS	1711.1	23.24	60	Pass	601
1790	3000	1	RMS	2662.721	-47.42	-13	Pass	1210
3000	12000	1	RMS	11988.999	-41.04	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.63	-13	Pass	8000




**19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,  
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2985
30	1000	0.1	RMS	911.691	-61.95	-13	Pass	9700
1000	1700	1	RMS	1692.99	-48.13	-13	Pass	700
1700	1790	1	RMS	1711.1	22.58	60	Pass	601
1790	3000	1	RMS	2668.726	-47.46	-13	Pass	1210
3000	12000	1	RMS	11999	-41.04	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.63	-13	Pass	8000



**19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2985
30	1000	0.1	RMS	905.19	-58.7	-13	Pass	9700
1000	1700	1	RMS	1700	-50.99	-13	Pass	700
1700	1790	1	RMS	1736	23.02	60	Pass	601
1790	3000	1	RMS	2666.725	-47.41	-13	Pass	1210
3000	12000	1	RMS	11992.999	-40.97	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.59	-13	Pass	8000






**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,  
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2985
30	1000	0.1	RMS	914.391	-61.92	-13	Pass	9700
1000	1700	1	RMS	1700	-51.04	-13	Pass	700
1700	1790	1	RMS	1736	22.12	60	Pass	601
1790	3000	1	RMS	2673.73	-47.41	-13	Pass	1210
3000	12000	1	RMS	11997	-41.09	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.62	-13	Pass	8000



**19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.69	-13	Pass	2985
30	1000	0.1	RMS	928.693	-61.93	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.27	-13	Pass	700
1700	1790	1	RMS	1761.05	22.85	60	Pass	601
1790	3000	1	RMS	1797.006	-45.05	-13	Pass	1210
3000	12000	1	RMS	11979.998	-41.07	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.62	-13	Pass	8000



**19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,  
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2985
30	1000	0.1	RMS	920.592	-61.86	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.28	-13	Pass	700
1700	1790	1	RMS	1761.05	21.65	60	Pass	601
1790	3000	1	RMS	1797.006	-47.15	-13	Pass	1210
3000	12000	1	RMS	11982.998	-41.06	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.62	-13	Pass	8000

