


Band 4 LTE_20MHz_Nss1,16QAMCS_1TX [IM 2.5M]
1732.5MHz_16QAM_RB 100,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	19.998k	-70.93	-13.00	-57.93	-	-
150k	30M	10k	30k	RMS	8.299M	-49.13	-13.00	-36.13	-	-
30M	1.5G	1M	3M	RMS	967.86M	-62.71	-13.00	-49.71	-	-
1.5G	1.67G	1M	3M	RMS	1.66405G	-62.78	-13.00	-49.78	-	-
1.67G	1.709G	200k	1M	RMS	1.7085G	-39.04	-13.00	-26.04	MBW1M	-
1.709G	1.71G	200k	1M	RMS	1.71G	-44.58	-13.00	-31.58	-	-
1.71G	1.756G	200k	1M	RMS	1.755G	-44.39	-13.00	-31.39	-	-
1.756G	1.795G	200k	1M	RMS	1.7565G	-38.57	-13.00	-25.57	MBW1M	-
1.795G	5G	1M	3M	RMS	4.32695G	-59.75	-13.00	-46.75	-	-
5G	17.55G	1M	3M	RMS	15.5922G	-37.84	-13.00	-44.84	-	-

Band 4 LTE_20MHz_Nss1,16QAMCS_1TX [IM 2.5M]
1732.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	61.734k	-48.72	-13.00	-35.72	-	-
150k	30M	10k	30k	RMS	150k	-50.80	-13.00	-37.80	-	-
30M	1.5G	1M	3M	RMS	1.00608G	-62.66	-13.00	-49.66	-	-
1.5G	1.67G	1M	3M	RMS	1.64603G	-62.74	-13.00	-49.74	-	-
1.67G	1.709G	200k	1M	RMS	1.7055G	-27.80	-13.00	-14.80	MBW1M	-
1.709G	1.71G	200k	1M	RMS	1.709G	-47.93	-13.00	-34.93	-	-
1.71G	1.756G	200k	1M	RMS	1.75599G	-66.76	-13.00	-53.76	-	-
1.756G	1.795G	200k	1M	RMS	1.7595G	-55.11	-13.00	-42.11	MBW1M	-
1.795G	5G	1M	3M	RMS	4.32375G	-59.96	-13.00	-46.96	-	-
5G	17.55G	1M	3M	RMS	5.81575G	-57.40	-13.00	-44.40	-	-

Band 4 LTE_20MHz_Nss1,16QAMCS_1TX [IM 2.5M]
1745MHz_16QAM_RB 100,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.564k	-70.79	-13.00	-57.79	-	-
150k	30M	10k	30k	RMS	7.045M	-54.28	-13.00	-41.28	-	-
30M	1.5G	1M	3M	RMS	1.00902G	-62.73	-13.00	-49.73	-	-
1.5G	1.67G	1M	3M	RMS	1.59911G	-62.80	-13.00	-49.80	-	-
1.67G	1.709G	200k	1M	RMS	1.7085G	-44.70	-13.00	-31.70	MBW1M	-
1.709G	1.71G	200k	1M	RMS	1.70919G	-50.33	-13.00	-37.33	-	-
1.755G	1.756G	200k	1M	RMS	1.755G	-35.94	-13.00	-22.94	-	-
1.756G	1.795G	200k	1M	RMS	1.7565G	-31.42	-13.00	-18.42	MBW1M	-
1.795G	5G	1M	3M	RMS	4.40067G	-60.15	-13.00	-47.15	-	-
5G	17.55G	1M	3M	RMS	16.4456G	-37.80	-13.00	-44.80	-	-

Band 4 LTE_20MHz_Nss1,16QAMCS_1TX [IM 2.5M]
1745MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

02/04/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	75.27k	-49.25	-13.00	-36.25	-	-
150k	30M	10k	30k	RMS	150k	-49.96	-13.00	-36.96	-	-
30M	1.5G	1M	3M	RMS	934.05M	-62.71	-13.00	-49.71	-	-
1.5G	1.67G	1M	3M	RMS	1.64875G	-62.74	-13.00	-49.74	-	-
1.67G	1.709G	200k	1M	RMS	1.6895G	-60.36	-13.00	-47.36	MBW1M	-
1.709G	1.71G	200k	1M	RMS	1.70919G	-67.24	-13.00	-54.24	-	-
1.755G	1.756G	200k	1M	RMS	1.75518G	-19.59	-13.00	-6.59	-	-
1.756G	1.795G	200k	1M	RMS	1.7555G	-30.04	-13.00	-17.04	MBW1M	-
1.795G	5G	1M	3M	RMS	4.37823G	-60.10	-13.00	-47.10	-	-
5G	17.55G	1M	3M	RMS	15.7679G	-57.76	-13.00	-44.76	-	-



Test Mode: Mode 5 (LTE Band 5)

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
Band 5	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	849.1M	851.8M	20k	50k	RMS	849.15M	-28.64	-13.00	-15.64	MBW 100k
LTE_1.4MHz_Nss1,16QAMCS_1TX	Pass	849.1M	851.8M	20k	50k	RMS	849.15M	-27.90	-13.00	-14.90	MBW 100k
LTE_3MHz_Nss1,QPSK_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-19.73	-13.00	-6.73	-
LTE_3MHz_Nss1,16QAMCS_1TX	Pass	849M	849.1M	30k	100k	RMS	849M	-18.72	-13.00	-5.72	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	823.9M	824M	50k	200k	RMS	824M	-22.90	-13.00	-9.90	-
LTE_5MHz_Nss1,16QAMCS_1TX	Pass	823.9M	824M	50k	200k	RMS	824M	-23.64	-13.00	-10.64	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	849M	849.1M	100k	300k	RMS	849M	-28.25	-13.00	-15.25	-
LTE_10MHz_Nss1,16QAMCS_1TX	Pass	849M	849.1M	100k	300k	RMS	849M	-29.89	-13.00	-16.89	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
824.7MHz_RB 6,#RB 0	Pass	849.1M	851.8M	20k	50k	RMS	849.55M	-62.73	-13.00	-49.73	MBW 100k
824.7MHz_RB 6,#RB 0	Pass	851.8M	1G	100k	300k	RMS	938.35M	-60.70	-13.00	-47.70	-
824.7MHz_RB 6,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.89003G	-45.80	-13.00	-32.80	-
824.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.734k	-59.24	-13.00	-46.24	-
824.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.06	-13.00	-49.06	-
824.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	458.17M	-61.93	-13.00	-48.93	-
824.7MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	820.24M	-59.80	-13.00	-46.80	-
824.7MHz_RB 1,#RB L	Pass	821.2M	823.9M	20k	50k	RMS	823.85M	-31.42	-13.00	-18.42	MBW 100k
824.7MHz_RB 1,#RB L	Pass	823.9M	824M	20k	50k	RMS	824M	-33.52	-13.00	-20.52	-
824.7MHz_RB 1,#RB L	Pass	849M	849.1M	20k	50k	RMS	849M	-69.52	-13.00	-56.52	-
824.7MHz_RB 1,#RB L	Pass	849.1M	851.8M	20k	50k	RMS	851.45M	-62.62	-13.00	-49.62	MBW 100k
824.7MHz_RB 1,#RB L	Pass	851.8M	1G	100k	300k	RMS	993.03M	-60.91	-13.00	-47.91	-
824.7MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	1.64789G	-45.87	-13.00	-32.87	-
836.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	13.794k	-66.43	-13.00	-53.43	-
836.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	209.7k	-63.97	-13.00	-50.97	-
836.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	387.2M	-62.12	-13.00	-49.12	-
836.5MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	794.54M	-61.24	-13.00	-48.24	-
836.5MHz_RB 6,#RB 0	Pass	821.2M	823.9M	20k	50k	RMS	823.25M	-62.31	-13.00	-49.31	MBW 100k
836.5MHz_RB 6,#RB 0	Pass	823.9M	824M	20k	50k	RMS	823.9M	-69.25	-13.00	-56.25	-
836.5MHz_RB 6,#RB 0	Pass	849M	849.1M	20k	50k	RMS	849.06M	-69.17	-13.00	-56.17	-
836.5MHz_RB 6,#RB 0	Pass	849.1M	851.8M	20k	50k	RMS	851.25M	-62.59	-13.00	-49.59	MBW 100k
836.5MHz_RB 6,#RB 0	Pass	851.8M	1G	100k	300k	RMS	898.63M	-60.42	-13.00	-47.42	-
836.5MHz_RB 6,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.74585G	-45.99	-13.00	-32.99	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	61.734k	-59.01	-13.00	-46.01	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.02	-13.00	-51.02	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	427.62M	-61.95	-13.00	-48.95	-
836.5MHz_RB 1,#RB L	Pass	500M	821.2M	100k	300k	RMS	806.75M	-61.26	-13.00	-48.26	-
836.5MHz_RB 1,#RB L	Pass	821.2M	823.9M	20k	50k	RMS	823.35M	-62.18	-13.00	-49.18	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	20k	50k	RMS	823.98M	-68.95	-13.00	-55.95	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	20k	50k	RMS	849.08M	-68.97	-13.00	-55.97	-
836.5MHz_RB 1,#RB L	Pass	849.1M	851.8M	20k	50k	RMS	851.05M	-62.37	-13.00	-49.37	MBW 100k
836.5MHz_RB 1,#RB L	Pass	851.8M	1G	100k	300k	RMS	991.7M	-60.33	-13.00	-47.33	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	5.89946G	-45.71	-13.00	-32.71	-
848.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	21.126k	-66.41	-13.00	-53.41	-
848.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	478.35k	-64.48	-13.00	-51.48	-
848.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	476.03M	-62.04	-13.00	-49.04	-
848.3MHz_RB 6,#RB 0	Pass	500M	821.2M	100k	300k	RMS	820.88M	-61.07	-13.00	-48.07	-
848.3MHz_RB 6,#RB 0	Pass	821.2M	823.9M	20k	50k	RMS	821.45M	-62.83	-13.00	-49.83	MBW 100k
848.3MHz_RB 6,#RB 0	Pass	823.9M	824M	20k	50k	RMS	823.94M	-69.43	-13.00	-56.43	-
848.3MHz_RB 6,#RB 0	Pass	849M	849.1M	20k	50k	RMS	849.05M	-33.93	-13.00	-20.93	-
848.3MHz_RB 6,#RB 0	Pass	849.1M	851.8M	20k	50k	RMS	849.15M	-27.90	-13.00	-14.90	MBW 100k
848.3MHz_RB 6,#RB 0	Pass	851.8M	1G	100k	300k	RMS	851.95M	-54.67	-13.00	-41.67	-
848.3MHz_RB 6,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.81411G	-46.25	-13.00	-33.25	-
848.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	37.623k	-61.86	-13.00	-48.86	-
848.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.47	-13.00	-48.47	-
848.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	189.8M	-61.82	-13.00	-48.82	-
848.3MHz_RB 1,#RB H	Pass	500M	821.2M	100k	300k	RMS	819.59M	-61.14	-13.00	-48.14	-
848.3MHz_RB 1,#RB H	Pass	821.2M	823.9M	20k	50k	RMS	822.95M	-62.78	-13.00	-49.78	MBW 100k
848.3MHz_RB 1,#RB H	Pass	823.9M	824M	20k	50k	RMS	823.92M	-69.91	-13.00	-56.91	-
848.3MHz_RB 1,#RB H	Pass	849M	849.1M	20k	50k	RMS	849M	-28.36	-13.00	-15.36	-
848.3MHz_RB 1,#RB H	Pass	849.1M	851.8M	20k	50k	RMS	849.15M	-29.14	-13.00	-16.14	MBW 100k
848.3MHz_RB 1,#RB H	Pass	851.8M	1G	100k	300k	RMS	851.95M	-58.54	-13.00	-45.54	-
848.3MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	6.99575G	-46.29	-13.00	-33.29	-
Band 5_LTE_3MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	97.548k	-69.93	-13.00	-56.93	-
825.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-65.57	-13.00	-52.57	-
825.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	457.7M	-62.03	-13.00	-49.03	-
825.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	817.68M	-51.86	-13.00	-38.86	-
825.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-28.52	-13.00	-15.52	MBW 100k
825.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-26.88	-13.00	-13.88	-
825.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.06M	-67.23	-13.00	-54.23	-
825.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.95M	-62.59	-13.00	-49.59	MBW 100k
825.5MHz_RB 15,#RB 0	Pass	855M	1G	100k	300k	RMS	908.51M	-60.62	-13.00	-47.62	-
825.5MHz_RB 15,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.85539G	-46.09	-13.00	-33.09	-
825.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.511k	-59.40	-13.00	-46.40	-
825.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.01	-13.00	-51.01	-
825.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	488.72M	-61.73	-13.00	-48.73	-
825.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	815.77M	-60.64	-13.00	-47.64	-
825.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-28.81	-13.00	-15.81	MBW 100k
825.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-19.75	-13.00	-6.75	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
825.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.02M	-67.91	-13.00	-54.91	-
825.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	849.15M	-62.43	-13.00	-49.43	MBW 100k
825.5MHz_RB 1,#RB L	Pass	855M	1G	100k	300k	RMS	964.48M	-60.24	-13.00	-47.24	-
825.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	5.83948G	-45.87	-13.00	-32.87	-
836.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.935k	-68.94	-13.00	-55.94	-
836.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-66.12	-13.00	-53.12	-
836.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	497.18M	-61.92	-13.00	-48.92	-
836.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	649.46M	-61.51	-13.00	-48.51	-
836.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.55M	-61.57	-13.00	-48.57	MBW 100k
836.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.98M	-66.25	-13.00	-53.25	-
836.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849.07M	-66.72	-13.00	-53.72	-
836.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-61.67	-13.00	-48.67	MBW 100k
836.5MHz_RB 15,#RB 0	Pass	855M	1G	100k	300k	RMS	886.9M	-60.67	-13.00	-47.67	-
836.5MHz_RB 15,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.97702G	-46.06	-13.00	-33.06	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.652k	-59.48	-13.00	-46.48	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.12	-13.00	-53.12	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	412.58M	-61.85	-13.00	-48.85	-
836.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	777.61M	-61.18	-13.00	-48.18	-
836.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	818.75M	-62.23	-13.00	-49.23	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.94M	-66.95	-13.00	-53.95	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.08M	-67.67	-13.00	-54.67	-
836.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	849.15M	-62.25	-13.00	-49.25	MBW 100k
836.5MHz_RB 1,#RB L	Pass	855M	1G	100k	300k	RMS	890.82M	-60.60	-13.00	-47.60	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	1.67036G	-46.33	-13.00	-33.33	-
847.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	14.217k	-67.88	-13.00	-54.88	-
847.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.12M	-67.19	-13.00	-54.19	-
847.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	466.16M	-62.06	-13.00	-49.06	-
847.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	805.92M	-61.18	-13.00	-48.18	-
847.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	818.25M	-62.67	-13.00	-49.67	MBW 100k
847.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.97M	-67.45	-13.00	-54.45	-
847.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-27.82	-13.00	-14.82	-
847.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-27.36	-13.00	-14.36	MBW 100k
847.5MHz_RB 15,#RB 0	Pass	855M	1G	100k	300k	RMS	897.2M	-60.93	-13.00	-47.93	-
847.5MHz_RB 15,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.82824G	-45.99	-13.00	-32.99	-
847.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	140.13k	-63.25	-13.00	-50.25	-
847.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	239.55k	-65.54	-13.00	-52.54	-
847.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	205.78M	-62.16	-13.00	-49.16	-
847.5MHz_RB 1,#RB H	Pass	500M	818M	100k	300k	RMS	752.17M	-61.39	-13.00	-48.39	-
847.5MHz_RB 1,#RB H	Pass	818M	823.9M	30k	100k	RMS	818.95M	-62.68	-13.00	-49.68	MBW 100k
847.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	823.98M	-67.83	-13.00	-54.83	-
847.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-19.73	-13.00	-6.73	-
847.5MHz_RB 1,#RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-29.70	-13.00	-16.70	MBW 100k
847.5MHz_RB 1,#RB H	Pass	855M	1G	100k	300k	RMS	860.95M	-59.02	-13.00	-46.02	-
847.5MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	5.83948G	-46.06	-13.00	-33.06	-
Band 5_LTE_3MHz_Nss1,16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
825.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	10.974k	-66.68	-13.00	-53.68	-
825.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	985.8k	-66.21	-13.00	-53.21	-
825.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	178.99M	-61.95	-13.00	-48.95	-
825.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	817.36M	-55.41	-13.00	-42.41	-
825.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.85M	-30.06	-13.00	-17.06	MBW 100k
825.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-28.57	-13.00	-15.57	-
825.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-67.58	-13.00	-54.58	-
825.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	850.65M	-62.57	-13.00	-49.57	MBW 100k
825.5MHz_RB 15,#RB 0	Pass	855M	1G	100k	300k	RMS	890.24M	-60.63	-13.00	-47.63	-
825.5MHz_RB 15,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.84509G	-45.88	-13.00	-32.88	-
825.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.411k	-60.37	-13.00	-47.37	-
825.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.72	-13.00	-46.72	-
825.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	493.89M	-61.64	-13.00	-48.64	-
825.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	817.05M	-61.02	-13.00	-48.02	-
825.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	823.85M	-30.72	-13.00	-17.72	MBW 100k
825.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	824M	-21.34	-13.00	-8.34	-
825.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.07M	-67.92	-13.00	-54.92	-
825.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	849.45M	-62.27	-13.00	-49.27	MBW 100k
825.5MHz_RB 1,#RB L	Pass	855M	1G	100k	300k	RMS	941.71M	-60.19	-13.00	-47.19	-
825.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	1.64789G	-44.46	-13.00	-31.46	-
836.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	111.93k	-68.76	-13.00	-55.76	-
836.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.075M	-64.95	-13.00	-51.95	-
836.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	478.85M	-62.05	-13.00	-49.05	-
836.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	814.82M	-61.22	-13.00	-48.22	-
836.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	823.55M	-62.00	-13.00	-49.00	MBW 100k

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
836.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	823.96M	-66.21	-13.00	-53.21	-
836.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-66.53	-13.00	-53.53	-
836.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-61.82	-13.00	-48.82	MBW 100k
836.5MHz_RB 15,#RB 0	Pass	855M	1G	100k	300k	RMS	949.25M	-61.09	-13.00	-48.09	-
836.5MHz_RB 15,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.74109G	-46.02	-13.00	-33.02	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	33.534k	-59.21	-13.00	-46.21	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.97	-13.00	-49.97	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	453M	-62.00	-13.00	-49.00	-
836.5MHz_RB 1,#RB L	Pass	500M	818M	100k	300k	RMS	762.03M	-60.94	-13.00	-47.94	-
836.5MHz_RB 1,#RB L	Pass	818M	823.9M	30k	100k	RMS	818.45M	-62.39	-13.00	-49.39	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	30k	100k	RMS	823.93M	-67.09	-13.00	-54.09	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	30k	100k	RMS	849.09M	-67.65	-13.00	-54.65	-
836.5MHz_RB 1,#RB L	Pass	849.1M	855M	30k	100k	RMS	850.55M	-61.95	-13.00	-48.95	MBW 100k
836.5MHz_RB 1,#RB L	Pass	855M	1G	100k	300k	RMS	939.25M	-60.90	-13.00	-47.90	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	6.87591G	-45.63	-13.00	-32.63	-
847.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	15.345k	-68.02	-13.00	-55.02	-
847.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.105M	-61.54	-13.00	-48.54	-
847.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	432.79M	-62.19	-13.00	-49.19	-
847.5MHz_RB 15,#RB 0	Pass	500M	818M	100k	300k	RMS	703.2M	-61.65	-13.00	-48.65	-
847.5MHz_RB 15,#RB 0	Pass	818M	823.9M	30k	100k	RMS	818.15M	-62.76	-13.00	-49.76	MBW 100k
847.5MHz_RB 15,#RB 0	Pass	823.9M	824M	30k	100k	RMS	824M	-67.55	-13.00	-54.55	-
847.5MHz_RB 15,#RB 0	Pass	849M	849.1M	30k	100k	RMS	849M	-28.47	-13.00	-15.47	-
847.5MHz_RB 15,#RB 0	Pass	849.1M	855M	30k	100k	RMS	849.15M	-29.39	-13.00	-16.39	MBW 100k
847.5MHz_RB 15,#RB 0	Pass	855M	1G	100k	300k	RMS	986.23M	-60.70	-13.00	-47.70	-
847.5MHz_RB 15,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.99387G	-45.69	-13.00	-32.69	-
847.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	37.059k	-62.94	-13.00	-49.94	-
847.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	209.7k	-67.85	-13.00	-54.85	-
847.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	485.9M	-62.26	-13.00	-49.26	-
847.5MHz_RB 1,#RB H	Pass	500M	818M	100k	300k	RMS	788.11M	-61.01	-13.00	-48.01	-
847.5MHz_RB 1,#RB H	Pass	818M	823.9M	30k	100k	RMS	818.65M	-62.67	-13.00	-49.67	MBW 100k
847.5MHz_RB 1,#RB H	Pass	823.9M	824M	30k	100k	RMS	824M	-67.64	-13.00	-54.64	-
847.5MHz_RB 1,#RB H	Pass	849M	849.1M	30k	100k	RMS	849M	-18.72	-13.00	-5.72	-
847.5MHz_RB 1,#RB H	Pass	849.1M	855M	30k	100k	RMS	849.15M	-28.12	-13.00	-15.12	MBW 100k
847.5MHz_RB 1,#RB H	Pass	855M	1G	100k	300k	RMS	860.8M	-60.19	-13.00	-47.19	-
847.5MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	5.88442G	-46.30	-13.00	-33.30	-
Band 5_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.371k	-64.17	-13.00	-51.17	-
826.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.344M	-58.37	-13.00	-45.37	-
826.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	348.66M	-62.06	-13.00	-49.06	-
826.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	814M	-48.57	-13.00	-35.57	-
826.5MHz_RB 25,#RB 0	Pass	814M	823.9M	50k	200k	RMS	823.85M	-31.18	-13.00	-18.18	MBW 100k
826.5MHz_RB 25,#RB 0	Pass	823.9M	824M	50k	200k	RMS	824M	-28.59	-13.00	-15.59	-
826.5MHz_RB 25,#RB 0	Pass	849M	849.1M	50k	200k	RMS	849.09M	-65.53	-13.00	-52.53	-
826.5MHz_RB 25,#RB 0	Pass	849.1M	859M	50k	200k	RMS	849.25M	-61.84	-13.00	-48.84	MBW 100k
826.5MHz_RB 25,#RB 0	Pass	859M	1G	100k	300k	RMS	886.35M	-60.64	-13.00	-47.64	-
826.5MHz_RB 25,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.98919G	-45.68	-13.00	-32.68	-
826.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	107.841k	-57.67	-13.00	-44.67	-
826.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	418.65k	-67.82	-13.00	-54.82	-
826.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	251.37M	-61.84	-13.00	-48.84	-
826.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	768.47M	-61.43	-13.00	-48.43	-
826.5MHz_RB 1,#RB L	Pass	814M	823.9M	50k	200k	RMS	823.85M	-34.41	-13.00	-21.41	MBW 100k
826.5MHz_RB 1,#RB L	Pass	823.9M	824M	50k	200k	RMS	824M	-22.90	-13.00	-9.90	-
826.5MHz_RB 1,#RB L	Pass	849M	849.1M	50k	200k	RMS	849.07M	-65.74	-13.00	-52.74	-
826.5MHz_RB 1,#RB L	Pass	849.1M	859M	50k	200k	RMS	849.65M	-61.94	-13.00	-48.94	MBW 100k
826.5MHz_RB 1,#RB L	Pass	859M	1G	100k	300k	RMS	938.67M	-60.48	-13.00	-47.48	-
826.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	5.8685G	-45.87	-13.00	-32.87	-
836.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.564k	-68.48	-13.00	-55.48	-
836.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.851M	-66.47	-13.00	-53.47	-
836.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	482.61M	-62.09	-13.00	-49.09	-
836.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	726.08M	-61.25	-13.00	-48.25	-
836.5MHz_RB 25,#RB 0	Pass	814M	823.9M	50k	200k	RMS	822.65M	-53.78	-13.00	-40.78	MBW 100k
836.5MHz_RB 25,#RB 0	Pass	823.9M	824M	50k	200k	RMS	823.9M	-57.72	-13.00	-44.72	-
836.5MHz_RB 25,#RB 0	Pass	849M	849.1M	50k	200k	RMS	849.1M	-52.23	-13.00	-39.23	-
836.5MHz_RB 25,#RB 0	Pass	849.1M	859M	50k	200k	RMS	849.25M	-49.07	-13.00	-36.07	MBW 100k
836.5MHz_RB 25,#RB 0	Pass	859M	1G	100k	300k	RMS	887.48M	-60.43	-13.00	-47.43	-
836.5MHz_RB 25,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.87037G	-45.84	-13.00	-32.84	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	106.431k	-59.32	-13.00	-46.32	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.16	-13.00	-48.16	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	387.2M	-62.10	-13.00	-49.10	-
836.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	805.52M	-60.83	-13.00	-47.83	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
836.5MHz_RB 1,#RB L	Pass	814M	823.9M	50k	200k	RMS	814.15M	-61.85	-13.00	-48.85	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	50k	200k	RMS	823.93M	-65.10	-13.00	-52.10	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	50k	200k	RMS	849.02M	-65.34	-13.00	-52.34	-
836.5MHz_RB 1,#RB L	Pass	849.1M	859M	50k	200k	RMS	849.35M	-61.55	-13.00	-48.55	MBW 100k
836.5MHz_RB 1,#RB L	Pass	859M	1G	100k	300k	RMS	861.68M	-60.46	-13.00	-47.46	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	6.78883G	-46.23	-13.00	-33.23	-
846.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.833k	-67.65	-13.00	-54.65	-
846.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.016M	-60.48	-13.00	-47.48	-
846.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	349.13M	-62.04	-13.00	-49.04	-
846.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	802.7M	-61.20	-13.00	-48.20	-
846.5MHz_RB 25,#RB 0	Pass	814M	823.9M	50k	200k	RMS	814.05M	-62.02	-13.00	-49.02	MBW 100k
846.5MHz_RB 25,#RB 0	Pass	823.9M	824M	50k	200k	RMS	824M	-64.58	-13.00	-51.58	-
846.5MHz_RB 25,#RB 0	Pass	849M	849.1M	50k	200k	RMS	849M	-30.96	-13.00	-17.96	-
846.5MHz_RB 25,#RB 0	Pass	849.1M	859M	50k	200k	RMS	849.25M	-32.96	-13.00	-19.96	MBW 100k
846.5MHz_RB 25,#RB 0	Pass	859M	1G	100k	300k	RMS	860.83M	-60.38	-13.00	-47.38	-
846.5MHz_RB 25,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.81982G	-46.00	-13.00	-33.00	-
846.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	89.652k	-62.27	-13.00	-49.27	-
846.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	179.85k	-68.19	-13.00	-55.19	-
846.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	382.03M	-61.73	-13.00	-48.73	-
846.5MHz_RB 1,#RB H	Pass	500M	814M	100k	300k	RMS	765.33M	-61.22	-13.00	-48.22	-
846.5MHz_RB 1,#RB H	Pass	814M	823.9M	50k	200k	RMS	814.15M	-62.24	-13.00	-49.24	MBW 100k
846.5MHz_RB 1,#RB H	Pass	823.9M	824M	50k	200k	RMS	823.96M	-65.73	-13.00	-52.73	-
846.5MHz_RB 1,#RB H	Pass	849M	849.1M	50k	200k	RMS	849M	-24.42	-13.00	-11.42	-
846.5MHz_RB 1,#RB H	Pass	849.1M	859M	50k	200k	RMS	849.15M	-34.89	-13.00	-21.89	MBW 100k
846.5MHz_RB 1,#RB H	Pass	859M	1G	100k	300k	RMS	861.26M	-60.85	-13.00	-47.85	-
846.5MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	5.79454G	-45.54	-13.00	-32.54	-
Band 5_LTE_5MHz_Nss1,16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
826.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-68.69	-13.00	-55.69	-
826.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.807M	-62.98	-13.00	-49.98	-
826.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	463.81M	-62.06	-13.00	-49.06	-
826.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	813.06M	-53.09	-13.00	-40.09	-
826.5MHz_RB 25,#RB 0	Pass	814M	823.9M	50k	200k	RMS	823.75M	-31.20	-13.00	-18.20	MBW 100k
826.5MHz_RB 25,#RB 0	Pass	823.9M	824M	50k	200k	RMS	824M	-30.39	-13.00	-17.39	-
826.5MHz_RB 25,#RB 0	Pass	849M	849.1M	50k	200k	RMS	849.1M	-65.40	-13.00	-52.40	-
826.5MHz_RB 25,#RB 0	Pass	849.1M	859M	50k	200k	RMS	849.65M	-61.75	-13.00	-48.75	MBW 100k
826.5MHz_RB 25,#RB 0	Pass	859M	1G	100k	300k	RMS	917.94M	-60.91	-13.00	-47.91	-
826.5MHz_RB 25,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.85914G	-45.87	-13.00	-32.87	-
826.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	44.25k	-60.24	-13.00	-47.24	-
826.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.99	-13.00	-52.99	-
826.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	411.64M	-61.64	-13.00	-48.64	-
826.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	792.02M	-61.09	-13.00	-48.09	-
826.5MHz_RB 1,#RB L	Pass	814M	823.9M	50k	200k	RMS	823.85M	-35.29	-13.00	-22.29	MBW 100k
826.5MHz_RB 1,#RB L	Pass	823.9M	824M	50k	200k	RMS	824M	-23.64	-13.00	-10.64	-
826.5MHz_RB 1,#RB L	Pass	849M	849.1M	50k	200k	RMS	849M	-65.24	-13.00	-52.24	-
826.5MHz_RB 1,#RB L	Pass	849.1M	859M	50k	200k	RMS	849.15M	-61.85	-13.00	-48.85	MBW 100k
826.5MHz_RB 1,#RB L	Pass	859M	1G	100k	300k	RMS	956.01M	-60.04	-13.00	-47.04	-
826.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	5.8891G	-46.35	-13.00	-33.35	-
836.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.82k	-69.02	-13.00	-56.02	-
836.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	478.35k	-64.91	-13.00	-51.91	-
836.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	202.96M	-62.11	-13.00	-49.11	-
836.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	742.72M	-61.10	-13.00	-48.10	-
836.5MHz_RB 25,#RB 0	Pass	814M	823.9M	50k	200k	RMS	823.75M	-56.01	-13.00	-43.01	MBW 100k
836.5MHz_RB 25,#RB 0	Pass	823.9M	824M	50k	200k	RMS	823.9M	-58.86	-13.00	-45.86	-
836.5MHz_RB 25,#RB 0	Pass	849M	849.1M	50k	200k	RMS	849.04M	-53.68	-13.00	-40.68	-
836.5MHz_RB 25,#RB 0	Pass	849.1M	859M	50k	200k	RMS	849.15M	-51.04	-13.00	-38.04	MBW 100k
836.5MHz_RB 25,#RB 0	Pass	859M	1G	100k	300k	RMS	881.56M	-61.02	-13.00	-48.02	-
836.5MHz_RB 25,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.82637G	-46.32	-13.00	-33.32	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.975k	-61.39	-13.00	-48.39	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.14	-13.00	-54.14	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	422.92M	-61.92	-13.00	-48.92	-
836.5MHz_RB 1,#RB L	Pass	500M	814M	100k	300k	RMS	784.48M	-61.12	-13.00	-48.12	-
836.5MHz_RB 1,#RB L	Pass	814M	823.9M	50k	200k	RMS	814.35M	-62.01	-13.00	-49.01	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	50k	200k	RMS	823.97M	-65.00	-13.00	-52.00	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	50k	200k	RMS	849.03M	-65.04	-13.00	-52.04	-
836.5MHz_RB 1,#RB L	Pass	849.1M	859M	50k	200k	RMS	849.15M	-61.74	-13.00	-48.74	MBW 100k
836.5MHz_RB 1,#RB L	Pass	859M	1G	100k	300k	RMS	996.62M	-61.01	-13.00	-48.01	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	5.86756G	-46.07	-13.00	-33.07	-
846.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.282k	-66.81	-13.00	-53.81	-
846.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	269.4k	-64.26	-13.00	-51.26	-
846.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	477.91M	-61.71	-13.00	-48.71	-


Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
846.5MHz_RB 25,#RB 0	Pass	500M	814M	100k	300k	RMS	774.75M	-60.99	-13.00	-47.99	-
846.5MHz_RB 25,#RB 0	Pass	814M	823.9M	50k	200k	RMS	814.05M	-62.06	-13.00	-49.06	MBW 100k
846.5MHz_RB 25,#RB 0	Pass	823.9M	824M	50k	200k	RMS	823.95M	-65.33	-13.00	-52.33	-
846.5MHz_RB 25,#RB 0	Pass	849M	849.1M	50k	200k	RMS	849M	-32.77	-13.00	-19.77	-
846.5MHz_RB 25,#RB 0	Pass	849.1M	859M	50k	200k	RMS	849.25M	-34.09	-13.00	-21.09	MBW 100k
846.5MHz_RB 25,#RB 0	Pass	859M	1G	100k	300k	RMS	925.69M	-60.93	-13.00	-47.93	-
846.5MHz_RB 25,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.87786G	-45.86	-13.00	-32.86	-
846.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	38.328k	-61.57	-13.00	-48.57	-
846.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.30	-13.00	-52.30	-
846.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	407.41M	-61.83	-13.00	-48.83	-
846.5MHz_RB 1,#RB H	Pass	500M	814M	100k	300k	RMS	770.67M	-61.25	-13.00	-48.25	-
846.5MHz_RB 1,#RB H	Pass	814M	823.9M	50k	200k	RMS	814.25M	-62.14	-13.00	-49.14	MBW 100k
846.5MHz_RB 1,#RB H	Pass	823.9M	824M	50k	200k	RMS	823.98M	-65.85	-13.00	-52.85	-
846.5MHz_RB 1,#RB H	Pass	849M	849.1M	50k	200k	RMS	849M	-24.20	-13.00	-11.20	-
846.5MHz_RB 1,#RB H	Pass	849.1M	859M	50k	200k	RMS	849.15M	-30.39	-13.00	-17.39	MBW 100k
846.5MHz_RB 1,#RB H	Pass	859M	1G	100k	300k	RMS	859.99M	-60.74	-13.00	-47.74	-
846.5MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	5.88348G	-45.99	-13.00	-32.99	-
Band 5_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.974k	-70.46	-13.00	-57.46	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	179.85k	-67.10	-13.00	-54.10	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	484.49M	-61.97	-13.00	-48.97	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	731.95M	-61.02	-13.00	-48.02	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	100k	300k	RMS	823.85M	-33.07	-13.00	-20.07	MBW 100k
829MHz_RB 50,#RB 0	Pass	823.9M	824M	100k	300k	RMS	824M	-30.40	-13.00	-17.40	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	100k	300k	RMS	849.01M	-50.68	-13.00	-37.68	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	100k	300k	RMS	849.15M	-51.14	-13.00	-38.14	MBW 100k
829MHz_RB 50,#RB 0	Pass	869M	1G	100k	300k	RMS	953.5M	-60.53	-13.00	-47.53	-
829MHz_RB 50,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.98451G	-46.11	-13.00	-33.11	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	87.396k	-60.19	-13.00	-47.19	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.39	-13.00	-53.39	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	479.32M	-61.58	-13.00	-48.58	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	721.01M	-61.67	-13.00	-48.67	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	100k	300k	RMS	823.85M	-42.49	-13.00	-29.49	MBW 100k
829MHz_RB 1,#RB L	Pass	823.9M	824M	100k	300k	RMS	824M	-32.23	-13.00	-19.23	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	100k	300k	RMS	849.02M	-62.84	-13.00	-49.84	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	100k	300k	RMS	849.55M	-61.87	-13.00	-48.87	MBW 100k
829MHz_RB 1,#RB L	Pass	869M	1G	100k	300k	RMS	871.49M	-60.63	-13.00	-47.63	-
829MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	5.86288G	-45.56	-13.00	-32.56	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	20.844k	-69.33	-13.00	-56.33	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.404M	-61.73	-13.00	-48.73	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	475.09M	-61.91	-13.00	-48.91	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	796.7M	-61.14	-13.00	-48.14	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	100k	300k	RMS	823.75M	-35.35	-13.00	-22.35	MBW 100k
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	100k	300k	RMS	824M	-35.12	-13.00	-22.12	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	100k	300k	RMS	849M	-42.61	-13.00	-29.61	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	100k	300k	RMS	849.15M	-42.79	-13.00	-29.79	MBW 100k
836.5MHz_RB 50,#RB 0	Pass	869M	1G	100k	300k	RMS	894.02M	-60.80	-13.00	-47.80	-
836.5MHz_RB 50,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.80288G	-45.91	-13.00	-32.91	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	38.751k	-61.48	-13.00	-48.48	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.39	-13.00	-49.39	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	482.14M	-62.11	-13.00	-49.11	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	627.98M	-61.61	-13.00	-48.61	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	100k	300k	RMS	823.15M	-57.74	-13.00	-44.74	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	100k	300k	RMS	823.91M	-61.58	-13.00	-48.58	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	100k	300k	RMS	849.1M	-62.84	-13.00	-49.84	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	100k	300k	RMS	849.45M	-61.96	-13.00	-48.96	MBW 100k
836.5MHz_RB 1,#RB L	Pass	869M	1G	100k	300k	RMS	968.95M	-60.69	-13.00	-47.69	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	6.78509G	-45.82	-13.00	-32.82	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.666k	-67.81	-13.00	-54.81	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.284M	-64.15	-13.00	-51.15	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	496.71M	-61.99	-13.00	-48.99	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	800.96M	-61.51	-13.00	-48.51	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	100k	300k	RMS	823.75M	-47.23	-13.00	-34.23	MBW 100k
844MHz_RB 50,#RB 0	Pass	823.9M	824M	100k	300k	RMS	823.93M	-47.30	-13.00	-34.30	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	100k	300k	RMS	849M	-28.25	-13.00	-15.25	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	100k	300k	RMS	849.15M	-30.10	-13.00	-17.10	MBW 100k
844MHz_RB 50,#RB 0	Pass	869M	1G	100k	300k	RMS	908.82M	-60.60	-13.00	-47.60	-
844MHz_RB 50,#RB 0	Pass	1G	8.49G	1M	3M	RMS	5.79922G	-45.81	-13.00	-32.81	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	81.333k	-62.59	-13.00	-49.59	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.85	-13.00	-48.85	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	460.99M	-62.18	-13.00	-49.18	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	779.07M	-61.06	-13.00	-48.06	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	100k	300k	RMS	804.15M	-61.76	-13.00	-48.76	MBW 100k
844MHz_RB 1,#RB H	Pass	823.9M	824M	100k	300k	RMS	823.99M	-62.73	-13.00	-49.73	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	100k	300k	RMS	849M	-32.35	-13.00	-19.35	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	100k	300k	RMS	849.15M	-40.72	-13.00	-27.72	MBW 100k
844MHz_RB 1,#RB H	Pass	869M	1G	100k	300k	RMS	872.67M	-60.65	-13.00	-47.65	-
844MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	6.97421G	-45.87	-13.00	-32.87	-
Band 5_LTE_10MHz_Nss1,16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.666k	-68.87	-13.00	-55.87	-
829MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.762M	-63.90	-13.00	-50.90	-
829MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	183.22M	-62.10	-13.00	-49.10	-
829MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	801.57M	-61.44	-13.00	-48.44	-
829MHz_RB 50,#RB 0	Pass	804M	823.9M	100k	300k	RMS	823.85M	-33.12	-13.00	-20.12	MBW 100k
829MHz_RB 50,#RB 0	Pass	823.9M	824M	100k	300k	RMS	824M	-31.52	-13.00	-18.52	-
829MHz_RB 50,#RB 0	Pass	849M	849.1M	100k	300k	RMS	849.01M	-53.61	-13.00	-40.61	-
829MHz_RB 50,#RB 0	Pass	849.1M	869M	100k	300k	RMS	849.25M	-53.69	-13.00	-40.69	MBW 100k
829MHz_RB 50,#RB 0	Pass	869M	1G	100k	300k	RMS	936.33M	-60.47	-13.00	-47.47	-
829MHz_RB 50,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.9274G	-45.61	-13.00	-32.61	-
829MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	56.235k	-58.91	-13.00	-45.91	-
829MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	179.85k	-65.71	-13.00	-52.71	-
829MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	433.73M	-61.62	-13.00	-48.62	-
829MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	639.54M	-61.17	-13.00	-48.17	-
829MHz_RB 1,#RB L	Pass	804M	823.9M	100k	300k	RMS	823.85M	-42.53	-13.00	-29.53	MBW 100k
829MHz_RB 1,#RB L	Pass	823.9M	824M	100k	300k	RMS	824M	-32.49	-13.00	-19.49	-
829MHz_RB 1,#RB L	Pass	849M	849.1M	100k	300k	RMS	849M	-62.71	-13.00	-49.71	-
829MHz_RB 1,#RB L	Pass	849.1M	869M	100k	300k	RMS	860.35M	-61.74	-13.00	-48.74	MBW 100k
829MHz_RB 1,#RB L	Pass	869M	1G	100k	300k	RMS	937.38M	-60.81	-13.00	-47.81	-
829MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	1.64882G	-45.75	-13.00	-32.75	-
836.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	130.824k	-70.03	-13.00	-57.03	-
836.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	1.105M	-67.66	-13.00	-54.66	-
836.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	487.78M	-62.43	-13.00	-49.43	-
836.5MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	753.84M	-61.53	-13.00	-48.53	-
836.5MHz_RB 50,#RB 0	Pass	804M	823.9M	100k	300k	RMS	823.65M	-38.85	-13.00	-25.85	MBW 100k
836.5MHz_RB 50,#RB 0	Pass	823.9M	824M	100k	300k	RMS	823.93M	-38.03	-13.00	-25.03	-
836.5MHz_RB 50,#RB 0	Pass	849M	849.1M	100k	300k	RMS	849M	-42.28	-13.00	-29.28	-
836.5MHz_RB 50,#RB 0	Pass	849.1M	869M	100k	300k	RMS	849.15M	-43.14	-13.00	-30.14	MBW 100k
836.5MHz_RB 50,#RB 0	Pass	869M	1G	100k	300k	RMS	929.52M	-60.47	-13.00	-47.47	-
836.5MHz_RB 50,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.98451G	-46.20	-13.00	-33.20	-
836.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	37.341k	-60.38	-13.00	-47.38	-
836.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.36	-13.00	-47.36	-
836.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	437.96M	-61.89	-13.00	-48.89	-
836.5MHz_RB 1,#RB L	Pass	500M	804M	100k	300k	RMS	786.67M	-60.92	-13.00	-47.92	-
836.5MHz_RB 1,#RB L	Pass	804M	823.9M	100k	300k	RMS	823.15M	-51.23	-13.00	-38.23	MBW 100k
836.5MHz_RB 1,#RB L	Pass	823.9M	824M	100k	300k	RMS	823.9M	-60.98	-13.00	-47.98	-
836.5MHz_RB 1,#RB L	Pass	849M	849.1M	100k	300k	RMS	849.08M	-62.69	-13.00	-49.69	-
836.5MHz_RB 1,#RB L	Pass	849.1M	869M	100k	300k	RMS	849.15M	-61.92	-13.00	-48.92	MBW 100k
836.5MHz_RB 1,#RB L	Pass	869M	1G	100k	300k	RMS	971.84M	-61.00	-13.00	-48.00	-
836.5MHz_RB 1,#RB L	Pass	1G	8.49G	1M	3M	RMS	6.80475G	-46.07	-13.00	-33.07	-
844MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	42.276k	-68.90	-13.00	-55.90	-
844MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	179.85k	-68.26	-13.00	-55.26	-
844MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	124M	-61.74	-13.00	-48.74	-
844MHz_RB 50,#RB 0	Pass	500M	804M	100k	300k	RMS	752.32M	-61.06	-13.00	-48.06	-
844MHz_RB 50,#RB 0	Pass	804M	823.9M	100k	300k	RMS	823.65M	-48.48	-13.00	-35.48	MBW 100k
844MHz_RB 50,#RB 0	Pass	823.9M	824M	100k	300k	RMS	824M	-48.84	-13.00	-35.84	-
844MHz_RB 50,#RB 0	Pass	849M	849.1M	100k	300k	RMS	849M	-29.89	-13.00	-16.89	-
844MHz_RB 50,#RB 0	Pass	849.1M	869M	100k	300k	RMS	849.15M	-30.15	-13.00	-17.15	MBW 100k
844MHz_RB 50,#RB 0	Pass	869M	1G	100k	300k	RMS	874.9M	-60.73	-13.00	-47.73	-
844MHz_RB 50,#RB 0	Pass	1G	8.49G	1M	3M	RMS	6.95361G	-46.12	-13.00	-33.12	-
844MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	35.79k	-62.51	-13.00	-49.51	-
844MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.57	-13.00	-51.57	-
844MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	387.2M	-62.04	-13.00	-49.04	-
844MHz_RB 1,#RB H	Pass	500M	804M	100k	300k	RMS	641.66M	-61.43	-13.00	-48.43	-
844MHz_RB 1,#RB H	Pass	804M	823.9M	100k	300k	RMS	804.85M	-62.01	-13.00	-49.01	MBW 100k
844MHz_RB 1,#RB H	Pass	823.9M	824M	100k	300k	RMS	824M	-63.02	-13.00	-50.02	-
844MHz_RB 1,#RB H	Pass	849M	849.1M	100k	300k	RMS	849M	-31.49	-13.00	-18.49	-
844MHz_RB 1,#RB H	Pass	849.1M	869M	100k	300k	RMS	849.15M	-37.73	-13.00	-24.73	MBW 100k
844MHz_RB 1,#RB H	Pass	869M	1G	100k	300k	RMS	875.55M	-60.75	-13.00	-47.75	-
844MHz_RB 1,#RB H	Pass	1G	8.49G	1M	3M	RMS	6.80101G	-45.77	-13.00	-32.77	-


Band 5 LTE 1.4MHz_Nss1,QPSK_1TX
824.7MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.846k	-67.94	-13.00	-54.94	-	-
150k	30M	10k	30k	RMS	717.15k	-64.18	-13.00	-51.18	-	-
30M	500M	100k	300k	RMS	155.02M	-62.14	-13.00	-49.14	-	-
500M	821.2M	100k	300k	RMS	821.2M	-54.44	-13.00	-41.44	-	-
821.2M	823.9M	20k	50k	RMS	823.85M	-29.76	-13.00	-16.76	MBW100k	-
823.9M	824M	20k	50k	RMS	824M	-34.24	-13.00	-21.24	-	-
849M	849.1M	20k	50k	RMS	849.09M	-69.21	-13.00	-56.21	-	-
849.1M	851.8M	20k	50k	RMS	850.65M	-62.56	-13.00	-49.56	MBW100k	-
851.8M	1G	100k	300k	RMS	995.7M	-61.06	-13.00	-48.06	-	-
1G	8.49G	1M	3M	RMS	6.79352G	-46.17	-13.00	-33.17	-	-


Band 5 LTE 1.4MHz_Nss1,QPSK_1TX
824.7MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	78.513k	-60.65	-13.00	-47.65	-	-
150k	30M	10k	30k	RMS	150k	-60.61	-13.00	-47.61	-	-
30M	500M	100k	300k	RMS	444.07M	-61.56	-13.00	-48.56	-	-
500M	821.2M	100k	300k	RMS	820.88M	-59.13	-13.00	-46.13	-	-
821.2M	823.9M	20k	50k	RMS	823.85M	-30.24	-13.00	-17.24	MBW100k	-
823.9M	824M	20k	50k	RMS	824M	-34.28	-13.00	-21.28	-	-
849M	849.1M	20k	50k	RMS	849.09M	-69.46	-13.00	-56.46	-	-
849.1M	851.8M	20k	50k	RMS	851.75M	-62.59	-13.00	-49.59	MBW100k	-
851.8M	1G	100k	300k	RMS	960.28M	-60.57	-13.00	-47.57	-	-
1G	8.49G	1M	3M	RMS	6.7982G	-45.82	-13.00	-32.82	-	-

Band 5 LTE_1.4MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

02/04/2022




Limit
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	98.112k	-67.47	-13.00	-54.47	-	-
150k	30M	10k	30k	RMS	538.05k	-65.01	-13.00	-52.01	-	-
30M	500M	100k	300k	RMS	218.94M	-62.09	-13.00	-49.09	-	-
500M	821.2M	100k	300k	RMS	777.52M	-61.28	-13.00	-48.28	-	-
821.2M	823.9M	20k	50k	RMS	822.85M	-62.48	-13.00	-49.48	MBW100k	-
823.9M	824M	20k	50k	RMS	823.97M	-69.13	-13.00	-56.13	-	-
849M	849.1M	20k	50k	RMS	849.07M	-68.79	-13.00	-55.79	-	-
849.1M	851.8M	20k	50k	RMS	850.95M	-62.61	-13.00	-49.61	MBW100k	-
851.8M	1G	100k	300k	RMS	942.2M	-60.21	-13.00	-47.21	-	-
1G	8.49G	1M	3M	RMS	5.84684G	-46.25	-13.00	-33.25	-	-

Band 5 LTE_1.4MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




Limit
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	78.372k	-60.05	-13.00	-47.05	-	-
150k	30M	10k	30k	RMS	150k	-63.60	-13.00	-50.60	-	-
30M	500M	100k	300k	RMS	138.57M	-61.96	-13.00	-48.96	-	-
500M	821.2M	100k	300k	RMS	805.14M	-61.34	-13.00	-48.34	-	-
821.2M	823.9M	20k	50k	RMS	823.35M	-62.42	-13.00	-49.42	MBW100k	-
823.9M	824M	20k	50k	RMS	823.98M	-68.70	-13.00	-55.70	-	-
849M	849.1M	20k	50k	RMS	849.03M	-68.74	-13.00	-55.74	-	-
849.1M	851.8M	20k	50k	RMS	850.85M	-63.68	-13.00	-49.68	MBW100k	-
851.8M	1G	100k	300k	RMS	957.17M	-60.66	-13.00	-47.66	-	-
1G	8.49G	1M	3M	RMS	6.96298G	-46.06	-13.00	-33.06	-	-

Band 5 LTE_1.4MHz_Nss1,QPSK_1TX
848.3MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	39.033k	-68.72	-13.00	-55.72	-	-
150k	30M	10k	30k	RMS	329.1k	-59.76	-13.00	-46.76	-	-
30M	500M	100k	300k	RMS	489.19M	-61.85	-13.00	-48.85	-	-
500M	821.2M	100k	300k	RMS	764.35M	-61.16	-13.00	-48.16	-	-
821.2M	823.9M	20k	50k	RMS	823.25M	-62.78	-13.00	-49.78	MBW100k	-
823.9M	824M	20k	50k	RMS	823.9M	-69.62	-13.00	-56.62	-	-
849M	849.1M	20k	50k	RMS	849.05M	-31.34	-13.00	-18.34	-	-
849.1M	851.8M	20k	50k	RMS	849.15M	-28.64	-13.00	-15.64	MBW100k	-
851.8M	1G	100k	300k	RMS	851.95M	-49.09	-13.00	-36.09	-	-
1G	8.49G	1M	3M	RMS	6.99762G	-46.19	-13.00	-33.19	-	-

Band 5 LTE_1.4MHz_Nss1,QPSK_1TX
848.3MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	106.29k	-61.71	-13.00	-48.71	-	-
150k	30M	10k	30k	RMS	150k	-62.17	-13.00	-49.17	-	-
30M	500M	100k	300k	RMS	126.35M	-61.63	-13.00	-48.63	-	-
500M	821.2M	100k	300k	RMS	796.47M	-61.38	-13.00	-48.38	-	-
821.2M	823.9M	20k	50k	RMS	822.95M	-62.83	-13.00	-49.83	MBW100k	-
823.9M	824M	20k	50k	RMS	823.9M	-69.53	-13.00	-56.53	-	-
849M	849.1M	20k	50k	RMS	849M	-33.80	-13.00	-20.80	-	-
849.1M	851.8M	20k	50k	RMS	849.15M	-31.19	-13.00	-18.19	MBW100k	-
851.8M	1G	100k	300k	RMS	931.24M	-60.67	-13.00	-47.67	-	-
1G	8.49G	1M	3M	RMS	5.89659G	-45.73	-13.00	-32.73	-	-

Band 5 LTE_1.4MHz_Nss1,16QAMCS_1TX
824.7MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	89.511k	-66.80	-13.00	-53.80	-	-
150k	30M	10k	30k	RMS	627.6k	-62.77	-13.00	-49.77	-	-
30M	500M	100k	300k	RMS	485.9M	-61.77	-13.00	-48.77	-	-
500M	821.2M	100k	300k	RMS	821.2M	-55.42	-13.00	-42.42	-	-
821.2M	823.9M	20k	50k	RMS	823.85M	-29.47	-13.00	-16.47	MBW100k	-
823.9M	824M	20k	50k	RMS	824M	-34.62	-13.00	-21.62	-	-
849M	849.1M	20k	50k	RMS	849.02M	-69.44	-13.00	-56.44	-	-
849.1M	851.8M	20k	50k	RMS	849.55M	-62.73	-13.00	-49.73	MBW100k	-
851.8M	1G	100k	300k	RMS	938.35M	-60.70	-13.00	-47.70	-	-
1G	8.49G	1M	3M	RMS	5.89009G	-45.80	-13.00	-32.80	-	-

Band 5 LTE_1.4MHz_Nss1,16QAMCS_1TX
824.7MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	61.734k	-59.24	-13.00	-46.24	-	-
150k	30M	10k	30k	RMS	150k	-62.06	-13.00	-49.06	-	-
30M	500M	100k	300k	RMS	458.17M	-61.93	-13.00	-48.93	-	-
500M	821.2M	100k	300k	RMS	820.24M	-59.80	-13.00	-46.80	-	-
821.2M	823.9M	20k	50k	RMS	823.85M	-31.42	-13.00	-18.42	MBW100k	-
823.9M	824M	20k	50k	RMS	824M	-33.52	-13.00	-20.52	-	-
849M	849.1M	20k	50k	RMS	849M	-69.52	-13.00	-56.52	-	-
849.1M	851.8M	20k	50k	RMS	851.45M	-62.62	-13.00	-49.62	MBW100k	-
851.8M	1G	100k	300k	RMS	993.03M	-60.91	-13.00	-47.91	-	-
1G	8.49G	1M	3M	RMS	1.64789G	-45.87	-13.00	-32.87	-	-


Band 5 LTE_1.4MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.794k	-66.43	-13.00	-53.43	-	-
150k	30M	10k	30k	RMS	209.7k	-63.97	-13.00	-50.97	-	-
30M	500M	100k	300k	RMS	387.2M	-62.12	-13.00	-49.12	-	-
500M	821.2M	100k	300k	RMS	794.54M	-61.24	-13.00	-48.24	-	-
821.2M	823.9M	20k	50k	RMS	823.25M	-62.31	-13.00	-49.31	MBW100k	-
823.9M	824M	20k	50k	RMS	823.9M	-69.25	-13.00	-56.25	-	-
849M	849.1M	20k	50k	RMS	849.06M	-69.17	-13.00	-56.17	-	-
849.1M	851.8M	20k	50k	RMS	851.25M	-62.59	-13.00	-49.59	MBW100k	-
851.8M	1G	100k	300k	RMS	898.63M	-60.42	-13.00	-47.42	-	-
1G	8.49G	1M	3M	RMS	5.74585G	-45.99	-13.00	-32.99	-	-


Band 5 LTE_1.4MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	61.734k	-99.01	-13.00	-46.01	-	-
150k	30M	10k	30k	RMS	150k	-64.02	-13.00	-51.02	-	-
30M	500M	100k	300k	RMS	427.62M	-61.95	-13.00	-48.95	-	-
500M	821.2M	100k	300k	RMS	806.75M	-61.26	-13.00	-48.26	-	-
821.2M	823.9M	20k	50k	RMS	823.35M	-62.18	-13.00	-49.18	MBW100k	-
823.9M	824M	20k	50k	RMS	823.98M	-68.95	-13.00	-55.95	-	-
849M	849.1M	20k	50k	RMS	849.08M	-68.97	-13.00	-55.97	-	-
849.1M	851.8M	20k	50k	RMS	851.05M	-63.37	-13.00	-49.37	MBW100k	-
851.8M	1G	100k	300k	RMS	991.7M	-60.33	-13.00	-47.33	-	-
1G	8.49G	1M	3M	RMS	5.89846G	-45.71	-13.00	-32.71	-	-


Band 5 LTE_1.4MHz_Nss1,16QAMCS_1TX
848.3MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	21.126k	-66.41	-13.00	-53.41	-	-
150k	30M	10k	30k	RMS	478.35k	-64.48	-13.00	-51.48	-	-
30M	500M	100k	300k	RMS	476.03M	-62.04	-13.00	-49.04	-	-
500M	821.2M	100k	300k	RMS	820.88M	-61.07	-13.00	-48.07	-	-
821.2M	823.9M	20k	50k	RMS	821.45M	-62.83	-13.00	-49.83	MBW100k	-
823.9M	824M	20k	50k	RMS	823.94M	-69.43	-13.00	-56.43	-	-
849M	849.1M	20k	50k	RMS	849.05M	-33.93	-13.00	-20.93	-	-
849.1M	851.8M	20k	50k	RMS	849.15M	-27.90	-13.00	-14.90	MBW100k	-
851.8M	1G	100k	300k	RMS	851.95M	-54.67	-13.00	-41.67	-	-
1G	8.49G	1M	3M	RMS	6.81411G	-46.25	-13.00	-33.25	-	-


Band 5 LTE_1.4MHz_Nss1,16QAMCS_1TX
848.3MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	37.623k	-61.86	-13.00	-48.86	-	-
150k	30M	10k	30k	RMS	150k	-61.47	-13.00	-48.47	-	-
30M	500M	100k	300k	RMS	189.8M	-61.82	-13.00	-48.82	-	-
500M	821.2M	100k	300k	RMS	819.59M	-61.14	-13.00	-48.14	-	-
821.2M	823.9M	20k	50k	RMS	822.95M	-62.78	-13.00	-49.78	MBW100k	-
823.9M	824M	20k	50k	RMS	823.92M	-69.91	-13.00	-56.91	-	-
849M	849.1M	20k	50k	RMS	849M	-28.36	-13.00	-15.36	-	-
849.1M	851.8M	20k	50k	RMS	849.15M	-29.14	-13.00	-16.14	MBW100k	-
851.8M	1G	100k	300k	RMS	851.95M	-58.54	-13.00	-45.54	-	-
1G	8.49G	1M	3M	RMS	6.99575G	-46.29	-13.00	-33.29	-	-

Band 5 LTE_3MHz_Nss1,QPSK_1TX
825.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	97.548k	-69.93	-13.00	-56.93	-	-
150k	30M	10k	30k	RMS	299.25k	-65.57	-13.00	-52.57	-	-
30M	500M	100k	300k	RMS	457.7M	-62.03	-13.00	-49.03	-	-
500M	818M	100k	300k	RMS	817.68M	-51.86	-13.00	-38.86	-	-
818M	823.9M	30k	100k	RMS	823.85M	-28.52	-13.00	-15.52	MBW100k	-
823.9M	824M	30k	100k	RMS	824M	-26.88	-13.00	-13.88	-	-
849M	849.1M	30k	100k	RMS	849.06M	-67.23	-13.00	-54.23	-	-
849.1M	855M	30k	100k	RMS	849.95M	-62.59	-13.00	-49.59	MBW100k	-
855M	1G	100k	300k	RMS	908.51M	-60.62	-13.00	-47.62	-	-
1G	8.49G	1M	3M	RMS	5.85539G	-46.09	-13.00	-33.09	-	-

Band 5 LTE_3MHz_Nss1,QPSK_1TX
825.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	89.511k	-59.40	-13.00	-46.40	-	-
150k	30M	10k	30k	RMS	150k	-64.01	-13.00	-51.01	-	-
30M	500M	100k	300k	RMS	488.72M	-61.73	-13.00	-48.73	-	-
500M	818M	100k	300k	RMS	815.77M	-60.64	-13.00	-47.64	-	-
818M	823.9M	30k	100k	RMS	823.85M	-28.81	-13.00	-15.81	MBW100k	-
823.9M	824M	30k	100k	RMS	824M	-19.75	-13.00	-6.75	-	-
849M	849.1M	30k	100k	RMS	849.02M	-67.91	-13.00	-54.91	-	-
849.1M	855M	30k	100k	RMS	849.15M	-62.43	-13.00	-49.43	MBW100k	-
855M	1G	100k	300k	RMS	964.48M	-60.24	-13.00	-47.24	-	-
1G	8.49G	1M	3M	RMS	5.83948G	-45.87	-13.00	-32.87	-	-

Band 5 LTE_3MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.935k	-69.94	-13.00	-55.94	-	-
150k	30M	10k	30k	RMS	687.3k	-66.12	-13.00	-53.12	-	-
30M	500M	100k	300k	RMS	497.18M	-61.92	-13.00	-48.92	-	-
500M	818M	100k	300k	RMS	649.46M	-61.51	-13.00	-48.51	-	-
818M	823.9M	30k	100k	RMS	823.55M	-61.57	-13.00	-48.57	MBW100k	-
823.9M	824M	30k	100k	RMS	823.98M	-66.25	-13.00	-53.25	-	-
849M	849.1M	30k	100k	RMS	849.07M	-66.72	-13.00	-53.72	-	-
849.1M	855M	30k	100k	RMS	849.15M	-61.67	-13.00	-48.67	MBW100k	-
855M	1G	100k	300k	RMS	886.9M	-60.67	-13.00	-47.67	-	-
1G	8.49G	1M	3M	RMS	6.97702G	-46.06	-13.00	-33.06	-	-

Band 5 LTE_3MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	89.652k	-59.48	-13.00	-46.48	-	-
150k	30M	10k	30k	RMS	150k	-66.12	-13.00	-53.12	-	-
30M	500M	100k	300k	RMS	412.58M	-61.85	-13.00	-48.85	-	-
500M	818M	100k	300k	RMS	777.61M	-61.18	-13.00	-48.18	-	-
818M	823.9M	30k	100k	RMS	818.75M	-62.23	-13.00	-49.23	MBW100k	-
823.9M	824M	30k	100k	RMS	823.94M	-66.95	-13.00	-53.95	-	-
849M	849.1M	30k	100k	RMS	849.08M	-67.67	-13.00	-54.67	-	-
849.1M	855M	30k	100k	RMS	849.15M	-62.25	-13.00	-49.25	MBW100k	-
855M	1G	100k	300k	RMS	890.82M	-60.60	-13.00	-47.60	-	-
1G	8.49G	1M	3M	RMS	1.67036G	-46.33	-13.00	-33.33	-	-


Band 5 LTE_3MHz_Nss1,QPSK_1TX
847.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	14.217k	-67.88	-13.00	-54.88	-	-
150k	30M	10k	30k	RMS	2.12M	-67.19	-13.00	-54.19	-	-
30M	500M	100k	300k	RMS	466.16M	-62.06	-13.00	-49.06	-	-
500M	818M	100k	300k	RMS	805.92M	-61.18	-13.00	-48.18	-	-
818M	823.9M	30k	100k	RMS	818.25M	-62.67	-13.00	-49.67	MBW100k	-
823.9M	824M	30k	100k	RMS	823.97M	-67.45	-13.00	-54.45	-	-
849M	849.1M	30k	100k	RMS	849M	-27.82	-13.00	-14.82	-	-
849.1M	855M	30k	100k	RMS	849.15M	-27.36	-13.00	-14.36	MBW100k	-
855M	1G	100k	300k	RMS	897.2M	-60.93	-13.00	-47.93	-	-
1G	8.49G	1M	3M	RMS	5.82824G	-45.99	-13.00	-32.99	-	-


Band 5 LTE_3MHz_Nss1,QPSK_1TX
847.5MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	140.13k	-63.25	-13.00	-50.25	-	-
150k	30M	10k	30k	RMS	239.55k	-65.54	-13.00	-52.54	-	-
30M	500M	100k	300k	RMS	205.78M	-62.16	-13.00	-49.16	-	-
500M	818M	100k	300k	RMS	752.17M	-61.39	-13.00	-48.39	-	-
818M	823.9M	30k	100k	RMS	818.95M	-62.68	-13.00	-49.68	MBW100k	-
823.9M	824M	30k	100k	RMS	823.98M	-67.83	-13.00	-54.83	-	-
849M	849.1M	30k	100k	RMS	849M	-19.73	-13.00	-6.73	-	-
849.1M	855M	30k	100k	RMS	849.15M	-20.70	-13.00	-16.70	MBW100k	-
855M	1G	100k	300k	RMS	860.95M	-59.02	-13.00	-46.02	-	-
1G	8.49G	1M	3M	RMS	5.83948G	-46.06	-13.00	-33.06	-	-

Band 5 LTE_3MHz_Nss1,16QAMCS_1TX
825.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	10.974k	-66.68	-13.00	-53.68	-	-
150k	30M	10k	30k	RMS	985.8k	-66.21	-13.00	-53.21	-	-
30M	500M	100k	300k	RMS	178.99M	-61.95	-13.00	-48.95	-	-
500M	818M	100k	300k	RMS	817.36M	-55.41	-13.00	-42.41	-	-
818M	823.9M	30k	100k	RMS	823.85M	-30.06	-13.00	-17.06	MBW100k	-
823.9M	824M	30k	100k	RMS	824M	-28.57	-13.00	-15.57	-	-
849M	849.1M	30k	100k	RMS	849M	-67.58	-13.00	-54.58	-	-
849.1M	855M	30k	100k	RMS	850.65M	-62.57	-13.00	-49.57	MBW100k	-
855M	1G	100k	300k	RMS	890.24M	-60.63	-13.00	-47.63	-	-
1G	8.49G	1M	3M	RMS	5.84509G	-45.88	-13.00	-32.88	-	-

Band 5 LTE_3MHz_Nss1,16QAMCS_1TX
825.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	75.411k	-60.37	-13.00	-47.37	-	-
150k	30M	10k	30k	RMS	150k	-59.72	-13.00	-46.72	-	-
30M	500M	100k	300k	RMS	493.89M	-61.64	-13.00	-48.64	-	-
500M	818M	100k	300k	RMS	817.05M	-61.02	-13.00	-48.02	-	-
818M	823.9M	30k	100k	RMS	823.85M	-30.72	-13.00	-17.72	MBW100k	-
823.9M	824M	30k	100k	RMS	824M	-21.34	-13.00	-8.34	-	-
849M	849.1M	30k	100k	RMS	849.07M	-67.92	-13.00	-54.92	-	-
849.1M	855M	30k	100k	RMS	849.45M	-62.27	-13.00	-49.27	MBW100k	-
855M	1G	100k	300k	RMS	941.71M	-60.19	-13.00	-47.19	-	-
1G	8.49G	1M	3M	RMS	1.64789G	-44.46	-13.00	-31.46	-	-


Band 5 LTE_3MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	111.93k	-68.76	-13.00	-55.76	-	-
150k	30M	10k	30k	RMS	1.075M	-64.95	-13.00	-51.95	-	-
30M	500M	100k	300k	RMS	478.85M	-62.05	-13.00	-49.05	-	-
500M	818M	100k	300k	RMS	814.82M	-61.22	-13.00	-48.22	-	-
818M	823.9M	30k	100k	RMS	823.55M	-62.00	-13.00	-49.00	MBW100k	-
823.9M	824M	30k	100k	RMS	823.96M	-66.21	-13.00	-53.21	-	-
849M	849.1M	30k	100k	RMS	849M	-66.53	-13.00	-53.53	-	-
849.1M	855M	30k	100k	RMS	849.15M	-61.82	-13.00	-48.82	MBW100k	-
855M	1G	100k	300k	RMS	949.25M	-61.09	-13.00	-48.09	-	-
1G	8.49G	1M	3M	RMS	6.74109G	-46.02	-13.00	-33.02	-	-


Band 5 LTE_3MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	33.534k	-99.21	-13.00	-46.21	-	-
150k	30M	10k	30k	RMS	150k	-62.97	-13.00	-49.97	-	-
30M	500M	100k	300k	RMS	453M	-62.00	-13.00	-49.00	-	-
500M	818M	100k	300k	RMS	762.03M	-60.94	-13.00	-47.94	-	-
818M	823.9M	30k	100k	RMS	818.45M	-62.39	-13.00	-49.39	MBW100k	-
823.9M	824M	30k	100k	RMS	823.95M	-67.09	-13.00	-54.09	-	-
849M	849.1M	30k	100k	RMS	849.09M	-67.65	-13.00	-54.65	-	-
849.1M	855M	30k	100k	RMS	850.55M	-61.95	-13.00	-48.95	MBW100k	-
855M	1G	100k	300k	RMS	939.25M	-60.90	-13.00	-47.90	-	-
1G	8.49G	1M	3M	RMS	6.87591G	-45.63	-13.00	-32.63	-	-

Band 5 LTE_3MHz_Nss1,16QAMCS_1TX
847.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	15.345k	-68.02	-13.00	-55.02	-	-
150k	30M	10k	30k	RMS	1.105M	-61.54	-13.00	-48.54	-	-
30M	500M	100k	300k	RMS	432.79M	-62.19	-13.00	-49.19	-	-
500M	818M	100k	300k	RMS	703.2M	-61.65	-13.00	-48.65	-	-
818M	823.9M	30k	100k	RMS	818.15M	-62.76	-13.00	-49.76	MBW100k	-
823.9M	824M	30k	100k	RMS	824M	-67.55	-13.00	-54.55	-	-
849M	849.1M	30k	100k	RMS	849M	-28.47	-13.00	-15.47	-	-
849.1M	855M	30k	100k	RMS	849.15M	-29.39	-13.00	-16.39	MBW100k	-
855M	1G	100k	300k	RMS	986.23M	-60.70	-13.00	-47.70	-	-
1G	8.49G	1M	3M	RMS	6.99387G	-45.69	-13.00	-32.69	-	-

Band 5 LTE_3MHz_Nss1,16QAMCS_1TX
847.5MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	37.059k	-62.94	-13.00	-49.94	-	-
150k	30M	10k	30k	RMS	209.7k	-67.85	-13.00	-54.85	-	-
30M	500M	100k	300k	RMS	485.9M	-62.26	-13.00	-49.26	-	-
500M	818M	100k	300k	RMS	788.11M	-61.01	-13.00	-48.01	-	-
818M	823.9M	30k	100k	RMS	818.65M	-62.67	-13.00	-49.67	MBW100k	-
823.9M	824M	30k	100k	RMS	824M	-67.64	-13.00	-54.64	-	-
849M	849.1M	30k	100k	RMS	849M	-18.72	-13.00	-5.72	-	-
849.1M	855M	30k	100k	RMS	849.15M	-28.12	-13.00	-15.12	MBW100k	-
855M	1G	100k	300k	RMS	860.8M	-60.19	-13.00	-47.19	-	-
1G	8.49G	1M	3M	RMS	5.88442G	-46.30	-13.00	-33.30	-	-

Band 5 LTE_5MHz_Nss1,QPSK_1TX
826.5MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.371k	-64.17	-13.00	-51.17	-	-
150k	30M	10k	30k	RMS	1.344M	-58.37	-13.00	-45.37	-	-
30M	500M	100k	300k	RMS	348.66M	-62.06	-13.00	-49.06	-	-
500M	814M	100k	300k	RMS	814M	-48.57	-13.00	-35.57	-	-
814M	823.9M	50k	200k	RMS	823.85M	-31.18	-13.00	-18.18	MBW100k	-
823.9M	824M	50k	200k	RMS	824M	-28.59	-13.00	-15.59	-	-
849M	849.1M	50k	200k	RMS	849.09M	-65.53	-13.00	-52.53	-	-
849.1M	859M	50k	200k	RMS	849.25M	-61.84	-13.00	-48.84	MBW100k	-
859M	1G	100k	300k	RMS	886.35M	-60.64	-13.00	-47.64	-	-
1G	8.49G	1M	3M	RMS	6.98919G	-45.68	-13.00	-32.68	-	-

Band 5 LTE_5MHz_Nss1,QPSK_1TX
826.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	107.841k	-57.67	-13.00	-44.67	-	-
150k	30M	10k	30k	RMS	418.65k	-67.82	-13.00	-54.82	-	-
30M	500M	100k	300k	RMS	251.37M	-61.84	-13.00	-48.84	-	-
500M	814M	100k	300k	RMS	768.47M	-61.43	-13.00	-48.43	-	-
814M	823.9M	50k	200k	RMS	823.85M	-34.41	-13.00	-21.41	MBW100k	-
823.9M	824M	50k	200k	RMS	824M	-22.90	-13.00	-9.90	-	-
849M	849.1M	50k	200k	RMS	849.07M	-65.74	-13.00	-52.74	-	-
849.1M	859M	50k	200k	RMS	849.65M	-61.94	-13.00	-48.94	MBW100k	-
859M	1G	100k	300k	RMS	938.67M	-60.48	-13.00	-47.48	-	-
1G	8.49G	1M	3M	RMS	5.8685G	-45.87	-13.00	-32.87	-	-

Band 5 LTE_5MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.564k	-68.48	-13.00	-55.48	-	-
150k	30M	10k	30k	RMS	3.851M	-66.47	-13.00	-53.47	-	-
30M	500M	100k	300k	RMS	482.61M	-62.09	-13.00	-49.09	-	-
500M	814M	100k	300k	RMS	726.08M	-61.25	-13.00	-48.25	-	-
814M	823.9M	50k	200k	RMS	822.65M	-53.78	-13.00	-40.78	MBW100k	-
823.9M	824M	50k	200k	RMS	823.9M	-57.72	-13.00	-44.72	-	-
849M	849.1M	50k	200k	RMS	849.1M	-52.23	-13.00	-39.23	-	-
849.1M	859M	50k	200k	RMS	849.25M	-49.07	-13.00	-36.07	MBW100k	-
859M	1G	100k	300k	RMS	887.48M	-60.43	-13.00	-47.43	-	-
1G	8.49G	1M	3M	RMS	5.87037G	-45.84	-13.00	-32.84	-	-

Band 5 LTE_5MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	106.431k	-59.32	-13.00	-46.32	-	-
150k	30M	10k	30k	RMS	150k	-61.16	-13.00	-48.16	-	-
30M	500M	100k	300k	RMS	387.2M	-62.10	-13.00	-49.10	-	-
500M	814M	100k	300k	RMS	805.52M	-60.83	-13.00	-47.83	-	-
814M	823.9M	50k	200k	RMS	814.15M	-61.85	-13.00	-48.85	MBW100k	-
823.9M	824M	50k	200k	RMS	823.95M	-65.10	-13.00	-52.10	-	-
849M	849.1M	50k	200k	RMS	849.02M	-65.34	-13.00	-52.34	-	-
849.1M	859M	50k	200k	RMS	849.35M	-61.55	-13.00	-48.55	MBW100k	-
859M	1G	100k	300k	RMS	861.68M	-60.46	-13.00	-47.46	-	-
1G	8.49G	1M	3M	RMS	6.78883G	-46.23	-13.00	-33.23	-	-

Band 5 LTE_5MHz_Nss1,QPSK_1TX
846.5MHz_QPSK_RB 25,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	10.833k	-67.65	-13.00	-54.65	-	-
150k	30M	10k	30k	RMS	3.016M	-60.48	-13.00	-47.48	-	-
30M	500M	100k	300k	RMS	349.13M	-62.04	-13.00	-49.04	-	-
500M	814M	100k	300k	RMS	802.7M	-61.20	-13.00	-48.20	-	-
814M	823.9M	50k	200k	RMS	814.05M	-62.02	-13.00	-49.02	MBW100k	-
823.9M	824M	50k	200k	RMS	824M	-64.58	-13.00	-51.58	-	-
849M	849.1M	50k	200k	RMS	849M	-30.96	-13.00	-17.96	-	-
849.1M	859M	50k	200k	RMS	849.25M	-32.96	-13.00	-19.96	MBW100k	-
859M	1G	100k	300k	RMS	860.83M	-60.38	-13.00	-47.38	-	-
1G	8.49G	1M	3M	RMS	5.81982G	-46.00	-13.00	-33.00	-	-

Band 5 LTE_5MHz_Nss1,QPSK_1TX
846.5MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	89.652k	-62.27	-13.00	-49.27	-	-
150k	30M	10k	30k	RMS	179.85k	-68.19	-13.00	-55.19	-	-
30M	500M	100k	300k	RMS	382.03M	-61.73	-13.00	-48.73	-	-
500M	814M	100k	300k	RMS	765.33M	-61.22	-13.00	-48.22	-	-
814M	823.9M	50k	200k	RMS	814.15M	-62.24	-13.00	-49.24	MBW100k	-
823.9M	824M	50k	200k	RMS	823.96M	-65.73	-13.00	-52.73	-	-
849M	849.1M	50k	200k	RMS	849M	-24.42	-13.00	-11.42	-	-
849.1M	859M	50k	200k	RMS	849.15M	-34.89	-13.00	-21.89	MBW100k	-
859M	1G	100k	300k	RMS	861.26M	-60.85	-13.00	-47.85	-	-
1G	8.49G	1M	3M	RMS	5.79454G	-45.54	-13.00	-32.54	-	-

Band 5 LTE_5MHz_Nss1,16QAMCS_1TX
826.5MHz_16QAM_RB 25,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	11.256k	-68.69	-13.00	-55.69	-	-
150k	30M	10k	30k	RMS	2.807M	-62.98	-13.00	-49.98	-	-
30M	500M	100k	300k	RMS	463.81M	-62.06	-13.00	-49.06	-	-
500M	814M	100k	300k	RMS	813.06M	-53.09	-13.00	-40.09	-	-
814M	823.9M	50k	200k	RMS	823.75M	-31.20	-13.00	-18.20	MBW100k	-
823.9M	824M	50k	200k	RMS	824M	-30.39	-13.00	-17.39	-	-
849M	849.1M	50k	200k	RMS	849.1M	-65.40	-13.00	-52.40	-	-
849.1M	859M	50k	200k	RMS	849.65M	-61.75	-13.00	-48.75	MBW100k	-
859M	1G	100k	300k	RMS	917.94M	-60.91	-13.00	-47.91	-	-
1G	8.49G	1M	3M	RMS	5.85914G	-45.87	-13.00	-32.87	-	-

Band 5 LTE_5MHz_Nss1,16QAMCS_1TX
826.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	44.25k	-60.24	-13.00	-47.24	-	-
150k	30M	10k	30k	RMS	150k	-65.99	-13.00	-52.99	-	-
30M	500M	100k	300k	RMS	411.64M	-61.64	-13.00	-48.64	-	-
500M	814M	100k	300k	RMS	792.02M	-61.09	-13.00	-48.09	-	-
814M	823.9M	50k	200k	RMS	823.85M	-35.29	-13.00	-22.29	MBW100k	-
823.9M	824M	50k	200k	RMS	824M	-23.64	-13.00	-10.64	-	-
849M	849.1M	50k	200k	RMS	849M	-65.24	-13.00	-52.24	-	-
849.1M	859M	50k	200k	RMS	849.15M	-61.85	-13.00	-48.85	MBW100k	-
859M	1G	100k	300k	RMS	956.01M	-60.04	-13.00	-47.04	-	-
1G	8.49G	1M	3M	RMS	5.8891G	-46.35	-13.00	-33.35	-	-

Band 5 LTE_5MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 25,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	11.82k	-69.02	-13.00	-56.02	-	-
150k	30M	10k	30k	RMS	478.35k	-64.91	-13.00	-51.91	-	-
30M	500M	100k	300k	RMS	202.96M	-62.11	-13.00	-49.11	-	-
500M	814M	100k	300k	RMS	742.72M	-61.10	-13.00	-48.10	-	-
814M	823.9M	50k	200k	RMS	823.75M	-56.01	-13.00	-43.01	MBW100k	-
823.9M	824M	50k	200k	RMS	823.9M	-58.86	-13.00	-45.86	-	-
849M	849.1M	50k	200k	RMS	849.04M	-53.68	-13.00	-40.68	-	-
849.1M	859M	50k	200k	RMS	849.15M	-51.04	-13.00	-38.04	MBW100k	-
859M	1G	100k	300k	RMS	881.56M	-61.02	-13.00	-48.02	-	-
1G	8.49G	1M	3M	RMS	5.82637G	-46.32	-13.00	-33.32	-	-

Band 5 LTE_5MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	75.975k	-61.39	-13.00	-48.39	-	-
150k	30M	10k	30k	RMS	150k	-67.14	-13.00	-54.14	-	-
30M	500M	100k	300k	RMS	422.92M	-61.92	-13.00	-48.92	-	-
500M	814M	100k	300k	RMS	784.48M	-61.12	-13.00	-48.12	-	-
814M	823.9M	50k	200k	RMS	814.35M	-62.01	-13.00	-49.01	MBW100k	-
823.9M	824M	50k	200k	RMS	823.97M	-65.00	-13.00	-52.00	-	-
849M	849.1M	50k	200k	RMS	849.03M	-65.04	-13.00	-52.04	-	-
849.1M	859M	50k	200k	RMS	849.15M	-61.74	-13.00	-48.74	MBW100k	-
859M	1G	100k	300k	RMS	996.62M	-61.01	-13.00	-48.01	-	-
1G	8.49G	1M	3M	RMS	5.86756G	-46.07	-13.00	-33.07	-	-

Band 5 LTE_5MHz_Nss1,16QAMCS_1TX
846.5MHz_16QAM_RB 25,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.282k	-66.81	-13.00	-53.81	-	-
150k	30M	10k	30k	RMS	269.4k	-64.26	-13.00	-51.26	-	-
30M	500M	100k	300k	RMS	477.91M	-61.71	-13.00	-48.71	-	-
500M	814M	100k	300k	RMS	774.75M	-60.99	-13.00	-47.99	-	-
814M	823.9M	50k	200k	RMS	814.05M	-62.06	-13.00	-49.06	MBW100k	-
823.9M	824M	50k	200k	RMS	823.95M	-65.33	-13.00	-52.33	-	-
849M	849.1M	50k	200k	RMS	849M	-32.77	-13.00	-19.77	-	-
849.1M	859M	50k	200k	RMS	849.25M	-34.09	-13.00	-21.09	MBW100k	-
859M	1G	100k	300k	RMS	925.69M	-60.93	-13.00	-47.93	-	-
1G	8.49G	1M	3M	RMS	5.87786G	-45.86	-13.00	-32.86	-	-

Band 5 LTE_5MHz_Nss1,16QAMCS_1TX
846.5MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	38.328k	-61.57	-13.00	-48.57	-	-
150k	30M	10k	30k	RMS	150k	-65.30	-13.00	-52.30	-	-
30M	500M	100k	300k	RMS	407.41M	-61.83	-13.00	-48.83	-	-
500M	814M	100k	300k	RMS	770.67M	-61.25	-13.00	-48.25	-	-
814M	823.9M	50k	200k	RMS	814.25M	-62.14	-13.00	-49.14	MBW100k	-
823.9M	824M	50k	200k	RMS	823.98M	-65.85	-13.00	-52.85	-	-
849M	849.1M	50k	200k	RMS	849M	-24.20	-13.00	-11.20	-	-
849.1M	859M	50k	200k	RMS	849.15M	-30.39	-13.00	-17.39	MBW100k	-
859M	1G	100k	300k	RMS	859.99M	-60.74	-13.00	-47.74	-	-
1G	8.49G	1M	3M	RMS	5.88348G	-45.99	-13.00	-32.99	-	-

Band 5_LTE_10MHz_Nss1,QPSK_1TX
829MHz_QPSK_RB 50,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	10.974k	-70.46	-13.00	-57.46	-	-
150k	30M	10k	30k	RMS	179.85k	-67.10	-13.00	-54.10	-	-
30M	500M	100k	300k	RMS	484.49M	-61.97	-13.00	-48.97	-	-
500M	804M	100k	300k	RMS	731.95M	-61.02	-13.00	-48.02	-	-
804M	823.9M	100k	300k	RMS	823.85M	-33.07	-13.00	-20.07	MBW100k	-
823.9M	824M	100k	300k	RMS	824M	-30.40	-13.00	-17.40	-	-
849M	849.1M	100k	300k	RMS	849.01M	-50.68	-13.00	-37.68	-	-
849.1M	869M	100k	300k	RMS	849.15M	-51.14	-13.00	-38.14	MBW100k	-
869M	1G	100k	300k	RMS	953.5M	-60.53	-13.00	-47.53	-	-
1G	8.49G	1M	3M	RMS	6.98451G	-46.11	-13.00	-33.11	-	-

Band 5_LTE_10MHz_Nss1,QPSK_1TX
829MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	87.396k	-60.19	-13.00	-47.19	-	-
150k	30M	10k	30k	RMS	150k	-66.39	-13.00	-53.39	-	-
30M	500M	100k	300k	RMS	479.32M	-61.58	-13.00	-48.58	-	-
500M	804M	100k	300k	RMS	721.01M	-61.67	-13.00	-48.67	-	-
804M	823.9M	100k	300k	RMS	823.85M	-42.49	-13.00	-29.49	MBW100k	-
823.9M	824M	100k	300k	RMS	824M	-32.23	-13.00	-19.23	-	-
849M	849.1M	100k	300k	RMS	849.02M	-62.84	-13.00	-49.84	-	-
849.1M	869M	100k	300k	RMS	849.55M	-61.87	-13.00	-48.87	MBW100k	-
869M	1G	100k	300k	RMS	871.49M	-60.63	-13.00	-47.63	-	-
1G	8.49G	1M	3M	RMS	5.86288G	-45.56	-13.00	-32.56	-	-


Band 5 LTE_10MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 50,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	20.844k	-69.33	-13.00	-56.33	-	-
150k	30M	10k	30k	RMS	3.404M	-61.73	-13.00	-48.73	-	-
30M	500M	100k	300k	RMS	475.09M	-61.91	-13.00	-48.91	-	-
500M	804M	100k	300k	RMS	796.7M	-61.14	-13.00	-48.14	-	-
804M	823.9M	100k	300k	RMS	823.75M	-35.35	-13.00	-22.35	MBW 100k	-
823.9M	824M	100k	300k	RMS	824M	-35.12	-13.00	-22.12	-	-
849M	849.1M	100k	300k	RMS	849M	-42.61	-13.00	-29.61	-	-
849.1M	869M	100k	300k	RMS	849.15M	-42.79	-13.00	-29.79	MBW 100k	-
869M	1G	100k	300k	RMS	894.02M	-60.80	-13.00	-47.80	-	-
1G	8.49G	1M	3M	RMS	6.80286G	-45.91	-13.00	-32.91	-	-


Band 5 LTE_10MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	38.751k	-61.48	-13.00	-48.48	-	-
150k	30M	10k	30k	RMS	150k	-62.39	-13.00	-49.39	-	-
30M	500M	100k	300k	RMS	482.14M	-62.11	-13.00	-49.11	-	-
500M	804M	100k	300k	RMS	627.98M	-61.61	-13.00	-48.61	-	-
804M	823.9M	100k	300k	RMS	823.15M	-57.74	-13.00	-44.74	MBW 100k	-
823.9M	824M	100k	300k	RMS	823.91M	-61.58	-13.00	-48.58	-	-
849M	849.1M	100k	300k	RMS	849.1M	-62.84	-13.00	-49.84	-	-
849.1M	869M	100k	300k	RMS	849.45M	-61.06	-13.00	-48.06	MBW 100k	-
869M	1G	100k	300k	RMS	968.95M	-60.69	-13.00	-47.69	-	-
1G	8.49G	1M	3M	RMS	6.78509G	-45.82	-13.00	-32.82	-	-

Band 5_LTE_10MHz_Nss1,QPSK_1TX
844MHz_QPSK_RB 50,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	12.666k	-67.81	-13.00	-54.81	-	-
150k	30M	10k	30k	RMS	5.284M	-64.15	-13.00	-51.15	-	-
30M	500M	100k	300k	RMS	496.71M	-61.99	-13.00	-48.99	-	-
500M	804M	100k	300k	RMS	800.96M	-61.51	-13.00	-48.51	-	-
804M	823.9M	100k	300k	RMS	823.75M	-47.23	-13.00	-34.23	MBW 100k	-
823.9M	824M	100k	300k	RMS	823.93M	-47.30	-13.00	-34.30	-	-
849M	849.1M	100k	300k	RMS	849M	-28.25	-13.00	-15.25	-	-
849.1M	869M	100k	300k	RMS	849.15M	-30.10	-13.00	-17.10	MBW 100k	-
869M	1G	100k	300k	RMS	908.82M	-60.60	-13.00	-47.60	-	-
1G	8.49G	1M	3M	RMS	5.79922G	-45.81	-13.00	-32.81	-	-

Band 5_LTE_10MHz_Nss1,QPSK_1TX
844MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	81.333k	-62.59	-13.00	-49.59	-	-
150k	30M	10k	30k	RMS	150k	-61.85	-13.00	-48.85	-	-
30M	500M	100k	300k	RMS	460.99M	-62.18	-13.00	-49.18	-	-
500M	804M	100k	300k	RMS	779.07M	-61.06	-13.00	-48.06	-	-
804M	823.9M	100k	300k	RMS	804.15M	-61.76	-13.00	-48.76	MBW 100k	-
823.9M	824M	100k	300k	RMS	823.99M	-62.73	-13.00	-49.73	-	-
849M	849.1M	100k	300k	RMS	849M	-32.35	-13.00	-19.35	-	-
849.1M	869M	100k	300k	RMS	849.15M	-40.72	-13.00	-27.72	MBW 100k	-
869M	1G	100k	300k	RMS	872.67M	-60.65	-13.00	-47.65	-	-
1G	8.49G	1M	3M	RMS	6.97421G	-45.87	-13.00	-32.87	-	-

Band 5 LTE_10MHz_Nss1,16QAMCS_1TX
829MHz_16QAM_RB 50,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	12.666k	-68.87	-13.00	-55.87	-	-
150k	30M	10k	30k	RMS	5.762M	-63.90	-13.00	-50.90	-	-
30M	500M	100k	300k	RMS	183.22M	-62.10	-13.00	-49.10	-	-
500M	804M	100k	300k	RMS	801.57M	-61.44	-13.00	-48.44	-	-
804M	823.9M	100k	300k	RMS	823.85M	-33.12	-13.00	-20.12	MBW100k	-
823.9M	824M	100k	300k	RMS	824M	-31.52	-13.00	-18.52	-	-
849M	849.1M	100k	300k	RMS	849.01M	-53.61	-13.00	-40.61	-	-
849.1M	869M	100k	300k	RMS	849.25M	-53.69	-13.00	-40.69	MBW100k	-
869M	1G	100k	300k	RMS	936.33M	-60.47	-13.00	-47.47	-	-
1G	8.49G	1M	3M	RMS	6.9274G	-45.61	-13.00	-32.61	-	-

Band 5 LTE_10MHz_Nss1,16QAMCS_1TX
829MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	56.235k	-58.91	-13.00	-45.91	-	-
150k	30M	10k	30k	RMS	179.85k	-65.71	-13.00	-52.71	-	-
30M	500M	100k	300k	RMS	433.73M	-61.62	-13.00	-48.62	-	-
500M	804M	100k	300k	RMS	639.54M	-61.17	-13.00	-48.17	-	-
804M	823.9M	100k	300k	RMS	823.85M	-42.53	-13.00	-29.53	MBW100k	-
823.9M	824M	100k	300k	RMS	824M	-32.49	-13.00	-19.49	-	-
849M	849.1M	100k	300k	RMS	849M	-62.71	-13.00	-49.71	-	-
849.1M	869M	100k	300k	RMS	860.35M	-61.74	-13.00	-48.74	MBW100k	-
869M	1G	100k	300k	RMS	937.38M	-60.81	-13.00	-47.81	-	-
1G	8.49G	1M	3M	RMS	1.64882G	-45.75	-13.00	-32.75	-	-

Band 5 LTE_10MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 50,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	130.824k	-70.03	-13.00	-57.03	-	-
150k	30M	10k	30k	RMS	1.105M	-67.66	-13.00	-54.66	-	-
30M	500M	100k	300k	RMS	487.78M	-62.43	-13.00	-49.43	-	-
500M	804M	100k	300k	RMS	753.84M	-61.53	-13.00	-48.53	-	-
804M	823.9M	100k	300k	RMS	823.65M	-38.85	-13.00	-25.85	MBW100k	-
823.9M	824M	100k	300k	RMS	823.93M	-38.03	-13.00	-25.03	-	-
849M	849.1M	100k	300k	RMS	849M	-42.28	-13.00	-29.28	-	-
849.1M	869M	100k	300k	RMS	849.15M	-43.14	-13.00	-30.14	MBW100k	-
869M	1G	100k	300k	RMS	929.52M	-60.47	-13.00	-47.47	-	-
1G	8.49G	1M	3M	RMS	6.98451G	-46.20	-13.00	-33.20	-	-

Band 5 LTE_10MHz_Nss1,16QAMCS_1TX
836.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	37.341k	-60.38	-13.00	-47.38	-	-
150k	30M	10k	30k	RMS	150k	-60.36	-13.00	-47.36	-	-
30M	500M	100k	300k	RMS	437.96M	-61.89	-13.00	-48.89	-	-
500M	804M	100k	300k	RMS	786.67M	-60.92	-13.00	-47.92	-	-
804M	823.9M	100k	300k	RMS	823.15M	-51.23	-13.00	-38.23	MBW100k	-
823.9M	824M	100k	300k	RMS	823.9M	-60.98	-13.00	-47.98	-	-
849M	849.1M	100k	300k	RMS	849.08M	-62.69	-13.00	-49.69	-	-
849.1M	869M	100k	300k	RMS	849.15M	-61.92	-13.00	-48.92	MBW100k	-
869M	1G	100k	300k	RMS	971.84M	-61.00	-13.00	-48.00	-	-
1G	8.49G	1M	3M	RMS	6.80475G	-46.07	-13.00	-33.07	-	-

Band 5 LTE_10MHz_Nss1,16QAMCS_1TX
844MHz_16QAM_RB 50,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	42.276k	-68.90	-13.00	-55.90	-	-
150k	30M	10k	30k	RMS	179.85k	-68.26	-13.00	-55.26	-	-
30M	500M	100k	300k	RMS	124M	-61.74	-13.00	-48.74	-	-
500M	804M	100k	300k	RMS	752.32M	-61.06	-13.00	-48.06	-	-
804M	823.9M	100k	300k	RMS	823.65M	-48.48	-13.00	-35.48	MBW100k	-
823.9M	824M	100k	300k	RMS	824M	-48.84	-13.00	-35.84	-	-
849M	849.1M	100k	300k	RMS	849M	-29.89	-13.00	-16.89	-	-
849.1M	869M	100k	300k	RMS	849.15M	-30.15	-13.00	-17.15	MBW100k	-
869M	1G	100k	300k	RMS	874.9M	-60.73	-13.00	-47.73	-	-
1G	8.49G	1M	3M	RMS	6.95361G	-46.12	-13.00	-33.12	-	-

Band 5 LTE_10MHz_Nss1,16QAMCS_1TX
844MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

02/04/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	35.79k	-62.51	-13.00	-49.51	-	-
150k	30M	10k	30k	RMS	150k	-64.57	-13.00	-51.57	-	-
30M	500M	100k	300k	RMS	387.2M	-62.04	-13.00	-49.04	-	-
500M	804M	100k	300k	RMS	641.66M	-61.43	-13.00	-48.43	-	-
804M	823.9M	100k	300k	RMS	804.85M	-62.01	-13.00	-49.01	MBW100k	-
823.9M	824M	100k	300k	RMS	824M	-63.02	-13.00	-50.02	-	-
849M	849.1M	100k	300k	RMS	849M	-31.49	-13.00	-18.49	-	-
849.1M	869M	100k	300k	RMS	849.15M	-37.73	-13.00	-24.73	MBW100k	-
869M	1G	100k	300k	RMS	875.55M	-60.75	-13.00	-47.75	-	-
1G	8.49G	1M	3M	RMS	6.80101G	-45.77	-13.00	-32.77	-	-



Test Mode: Mode 6 (LTE Band 12)

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
Band 12	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	716.1M	718.8M	20k	50k	RMS	716.15M	-33.27	-13.00	-20.27	MBW 100k
LTE_1.4MHz_Nss1,16QAMCS_1TX	Pass	716.1M	718.8M	20k	50k	RMS	716.15M	-32.43	-13.00	-19.43	MBW 100k
LTE_3MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-19.45	-13.00	-6.45	-
LTE_3MHz_Nss1,16QAMCS_1TX	Pass	716M	716.1M	30k	100k	RMS	716M	-21.09	-13.00	-8.09	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	50k	200k	RMS	716M	-23.58	-13.00	-10.58	-
LTE_5MHz_Nss1,16QAMCS_1TX	Pass	716M	716.1M	50k	200k	RMS	716M	-22.50	-13.00	-9.50	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	716M	716.1M	100k	300k	RMS	716M	-31.66	-13.00	-18.66	-
LTE_10MHz_Nss1,16QAMCS_1TX	Pass	716M	716.1M	100k	300k	RMS	716M	-33.03	-13.00	-20.03	-

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
Band 12_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	14.076k	-67.16	-13.00	-54.16	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	538.05k	-59.25	-13.00	-46.25	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	483.08M	-62.39	-13.00	-49.39	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	695.2M	-56.04	-13.00	-43.04	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	20k	50k	RMS	697.75M	-40.17	-13.00	-27.17	MBW 100k
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	20k	50k	RMS	697.91M	-46.94	-13.00	-33.94	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	20k	50k	RMS	716.1M	-69.75	-13.00	-56.75	-
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	20k	50k	RMS	718.05M	-62.85	-13.00	-49.85	MBW 100k
699.7MHz_RB 6,#RB 0	Pass	718.8M	1G	100k	300k	RMS	974.97M	-60.37	-13.00	-47.37	-
699.7MHz_RB 6,#RB 0	Pass	1G	7.16G	1M	3M	RMS	6.45314G	-46.23	-13.00	-33.23	-
699.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.129k	-58.05	-13.00	-45.05	-
699.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.04	-13.00	-52.04	-
699.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	464.75M	-61.14	-13.00	-48.14	-
699.7MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	695M	-60.25	-13.00	-47.25	-
699.7MHz_RB 1,#RB L	Pass	695.2M	697.9M	20k	50k	RMS	697.45M	-56.41	-13.00	-43.41	MBW 100k
699.7MHz_RB 1,#RB L	Pass	697.9M	698M	20k	50k	RMS	697.93M	-62.18	-13.00	-49.18	-
699.7MHz_RB 1,#RB L	Pass	716M	716.1M	20k	50k	RMS	716.08M	-70.01	-13.00	-57.01	-
699.7MHz_RB 1,#RB L	Pass	716.1M	718.8M	20k	50k	RMS	717.05M	-62.94	-13.00	-49.94	MBW 100k
699.7MHz_RB 1,#RB L	Pass	718.8M	1G	100k	300k	RMS	949.95M	-60.58	-13.00	-47.58	-
699.7MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.83868G	-46.09	-13.00	-33.09	-
707.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	84.012k	-67.05	-13.00	-54.05	-
707.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	567.9k	-63.30	-13.00	-50.30	-
707.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	487.78M	-61.64	-13.00	-48.64	-
707.5MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	622.98M	-61.86	-13.00	-48.86	-
707.5MHz_RB 6,#RB 0	Pass	695.2M	697.9M	20k	50k	RMS	697.65M	-62.77	-13.00	-49.77	MBW 100k
707.5MHz_RB 6,#RB 0	Pass	697.9M	698M	20k	50k	RMS	697.95M	-69.51	-13.00	-56.51	-
707.5MHz_RB 6,#RB 0	Pass	716M	716.1M	20k	50k	RMS	716.06M	-68.66	-13.00	-55.66	-
707.5MHz_RB 6,#RB 0	Pass	716.1M	718.8M	20k	50k	RMS	716.35M	-62.42	-13.00	-49.42	MBW 100k
707.5MHz_RB 6,#RB 0	Pass	718.8M	1G	100k	300k	RMS	913.39M	-60.45	-13.00	-47.45	-
707.5MHz_RB 6,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.90028G	-45.72	-13.00	-32.72	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	92.049k	-61.88	-13.00	-48.88	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.08	-13.00	-54.08	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	161.13M	-62.13	-13.00	-49.13	-
707.5MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	678.02M	-61.82	-13.00	-48.82	-
707.5MHz_RB 1,#RB L	Pass	695.2M	697.9M	20k	50k	RMS	697.35M	-62.93	-13.00	-49.93	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	20k	50k	RMS	697.96M	-69.33	-13.00	-56.33	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	20k	50k	RMS	716.01M	-69.26	-13.00	-56.26	-
707.5MHz_RB 1,#RB L	Pass	716.1M	718.8M	20k	50k	RMS	717.25M	-62.68	-13.00	-49.68	MBW 100k
707.5MHz_RB 1,#RB L	Pass	718.8M	1G	100k	300k	RMS	888.08M	-61.08	-13.00	-48.08	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	6.98444G	-45.34	-13.00	-32.34	-
715.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	24.933k	-67.35	-13.00	-54.35	-
715.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	567.9k	-65.31	-13.00	-52.31	-
715.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	497.65M	-62.30	-13.00	-49.30	-
715.3MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	608.73M	-61.60	-13.00	-48.60	-
715.3MHz_RB 6,#RB 0	Pass	695.2M	697.9M	20k	50k	RMS	697.15M	-63.27	-13.00	-50.27	MBW 100k
715.3MHz_RB 6,#RB 0	Pass	697.9M	698M	20k	50k	RMS	697.97M	-69.84	-13.00	-56.84	-
715.3MHz_RB 6,#RB 0	Pass	716M	716.1M	20k	50k	RMS	716.06M	-40.71	-13.00	-27.71	-
715.3MHz_RB 6,#RB 0	Pass	716.1M	718.8M	20k	50k	RMS	716.15M	-35.86	-13.00	-22.86	MBW 100k
715.3MHz_RB 6,#RB 0	Pass	718.8M	1G	100k	300k	RMS	718.8M	-50.85	-13.00	-37.85	-
715.3MHz_RB 6,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.85562G	-45.93	-13.00	-32.93	-
715.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	87.396k	-62.23	-13.00	-49.23	-
715.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-59.46	-13.00	-46.46	-
715.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	352.42M	-62.33	-13.00	-49.33	-
715.3MHz_RB 1,#RB H	Pass	500M	695.2M	100k	300k	RMS	694.03M	-61.49	-13.00	-48.49	-
715.3MHz_RB 1,#RB H	Pass	695.2M	697.9M	20k	50k	RMS	696.45M	-63.19	-13.00	-50.19	MBW 100k
715.3MHz_RB 1,#RB H	Pass	697.9M	698M	20k	50k	RMS	697.98M	-69.73	-13.00	-56.73	-
715.3MHz_RB 1,#RB H	Pass	716M	716.1M	20k	50k	RMS	716.01M	-35.10	-13.00	-22.10	-
715.3MHz_RB 1,#RB H	Pass	716.1M	718.8M	20k	50k	RMS	716.15M	-33.27	-13.00	-20.27	MBW 100k
715.3MHz_RB 1,#RB H	Pass	718.8M	1G	100k	300k	RMS	719.64M	-59.81	-13.00	-46.81	-
715.3MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	6.98829G	-45.99	-13.00	-32.99	-
Band 12_LTE_1.4MHz_Nss1,16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-65.43	-13.00	-52.43	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	358.95k	-65.40	-13.00	-52.40	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	409.29M	-61.91	-13.00	-48.91	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	695.2M	-58.42	-13.00	-45.42	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	20k	50k	RMS	697.85M	-39.35	-13.00	-26.35	MBW 100k
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	20k	50k	RMS	698M	-44.57	-13.00	-31.57	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	20k	50k	RMS	716.09M	-69.91	-13.00	-56.91	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	20k	50k	RMS	716.75M	-62.99	-13.00	-49.99	MBW 100k
699.7MHz_RB 6,#RB 0	Pass	718.8M	1G	100k	300k	RMS	809.35M	-60.87	-13.00	-47.87	-
699.7MHz_RB 6,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.84484G	-45.52	-13.00	-32.52	-
699.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	84.153k	-60.58	-13.00	-47.58	-
699.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.02	-13.00	-51.02	-
699.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	466.16M	-61.88	-13.00	-48.88	-
699.7MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	694.22M	-59.84	-13.00	-46.84	-
699.7MHz_RB 1,#RB L	Pass	695.2M	697.9M	20k	50k	RMS	697.45M	-56.75	-13.00	-43.75	MBW 100k
699.7MHz_RB 1,#RB L	Pass	697.9M	698M	20k	50k	RMS	697.95M	-62.83	-13.00	-49.83	-
699.7MHz_RB 1,#RB L	Pass	716M	716.1M	20k	50k	RMS	716.09M	-69.44	-13.00	-56.44	-
699.7MHz_RB 1,#RB L	Pass	716.1M	718.8M	20k	50k	RMS	716.25M	-63.20	-13.00	-50.20	MBW 100k
699.7MHz_RB 1,#RB L	Pass	718.8M	1G	100k	300k	RMS	814.69M	-60.96	-13.00	-47.96	-
699.7MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.89104G	-45.92	-13.00	-32.92	-
707.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	12.948k	-66.57	-13.00	-53.57	-
707.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	717.15k	-63.76	-13.00	-50.76	-
707.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	467.1M	-62.27	-13.00	-49.27	-
707.5MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	504.1M	-62.02	-13.00	-49.02	-
707.5MHz_RB 6,#RB 0	Pass	695.2M	697.9M	20k	50k	RMS	696.75M	-62.93	-13.00	-49.93	MBW 100k
707.5MHz_RB 6,#RB 0	Pass	697.9M	698M	20k	50k	RMS	697.99M	-69.67	-13.00	-56.67	-
707.5MHz_RB 6,#RB 0	Pass	716M	716.1M	20k	50k	RMS	716.04M	-69.06	-13.00	-56.06	-
707.5MHz_RB 6,#RB 0	Pass	716.1M	718.8M	20k	50k	RMS	716.35M	-62.77	-13.00	-49.77	MBW 100k
707.5MHz_RB 6,#RB 0	Pass	718.8M	1G	100k	300k	RMS	969.63M	-60.08	-13.00	-47.08	-
707.5MHz_RB 6,#RB 0	Pass	1G	7.16G	1M	3M	RMS	6.77115G	-46.17	-13.00	-33.17	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	73.014k	-60.32	-13.00	-47.32	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.11	-13.00	-47.11	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	481.67M	-61.87	-13.00	-48.87	-
707.5MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	691.3M	-61.65	-13.00	-48.65	-
707.5MHz_RB 1,#RB L	Pass	695.2M	697.9M	20k	50k	RMS	697.45M	-62.76	-13.00	-49.76	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	20k	50k	RMS	698M	-69.52	-13.00	-56.52	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	20k	50k	RMS	716.03M	-68.95	-13.00	-55.95	-
707.5MHz_RB 1,#RB L	Pass	716.1M	718.8M	20k	50k	RMS	716.75M	-62.65	-13.00	-49.65	MBW 100k
707.5MHz_RB 1,#RB L	Pass	718.8M	1G	100k	300k	RMS	719.08M	-60.34	-13.00	-47.34	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.8202G	-46.10	-13.00	-33.10	-
715.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.128k	-65.57	-13.00	-52.57	-
715.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	209.7k	-65.13	-13.00	-52.13	-
715.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	223.64M	-62.16	-13.00	-49.16	-
715.3MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	692.47M	-61.76	-13.00	-48.76	-
715.3MHz_RB 6,#RB 0	Pass	695.2M	697.9M	20k	50k	RMS	696.35M	-63.31	-13.00	-50.31	MBW 100k
715.3MHz_RB 6,#RB 0	Pass	697.9M	698M	20k	50k	RMS	697.93M	-69.82	-13.00	-56.82	-
715.3MHz_RB 6,#RB 0	Pass	716M	716.1M	20k	50k	RMS	716.08M	-38.54	-13.00	-25.54	-
715.3MHz_RB 6,#RB 0	Pass	716.1M	718.8M	20k	50k	RMS	716.15M	-33.29	-13.00	-20.29	MBW 100k
715.3MHz_RB 6,#RB 0	Pass	718.8M	1G	100k	300k	RMS	718.8M	-52.44	-13.00	-39.44	-
715.3MHz_RB 6,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.90336G	-45.73	-13.00	-32.73	-
715.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	54.966k	-60.15	-13.00	-47.15	-
715.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.71	-13.00	-52.71	-
715.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	468.04M	-62.05	-13.00	-49.05	-
715.3MHz_RB 1,#RB H	Pass	500M	695.2M	100k	300k	RMS	533.18M	-62.06	-13.00	-49.06	-
715.3MHz_RB 1,#RB H	Pass	695.2M	697.9M	20k	50k	RMS	696.55M	-63.15	-13.00	-50.15	MBW 100k
715.3MHz_RB 1,#RB H	Pass	697.9M	698M	20k	50k	RMS	697.95M	-69.78	-13.00	-56.78	-
715.3MHz_RB 1,#RB H	Pass	716M	716.1M	20k	50k	RMS	716M	-33.16	-13.00	-20.16	-
715.3MHz_RB 1,#RB H	Pass	716.1M	718.8M	20k	50k	RMS	716.15M	-32.43	-13.00	-19.43	MBW 100k
715.3MHz_RB 1,#RB H	Pass	718.8M	1G	100k	300k	RMS	866.71M	-60.73	-13.00	-47.73	-
715.3MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	5.87025G	-45.85	-13.00	-32.85	-
Band 12_LTE_3MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	23.946k	-70.06	-13.00	-57.06	-
700.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.12M	-64.66	-13.00	-51.66	-
700.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	408.35M	-62.04	-13.00	-49.04	-
700.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	692M	-52.46	-13.00	-39.46	-
700.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.75M	-36.34	-13.00	-23.34	MBW 100k
700.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-41.84	-13.00	-28.84	-
700.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.04M	-67.74	-13.00	-54.74	-
700.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.45M	-62.71	-13.00	-49.71	MBW 100k
700.5MHz_RB 15,#RB 0	Pass	722M	1G	100k	300k	RMS	822.64M	-60.64	-13.00	-47.64	-
700.5MHz_RB 15,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.91568G	-46.12	-13.00	-33.12	-
700.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.062k	-59.68	-13.00	-46.68	-
700.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.38	-13.00	-54.38	-
700.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	474.62M	-62.18	-13.00	-49.18	-
700.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	692M	-61.72	-13.00	-48.72	-
700.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	696.75M	-53.40	-13.00	-40.40	MBW 100k
700.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-54.79	-13.00	-41.79	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
700.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.08M	-67.76	-13.00	-54.76	-
700.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.45M	-62.67	-13.00	-49.67	MBW 100k
700.5MHz_RB 1,#RB L	Pass	722M	1G	100k	300k	RMS	991.94M	-60.92	-13.00	-47.92	-
700.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.83714G	-46.06	-13.00	-33.06	-
707.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	14.64k	-67.95	-13.00	-54.95	-
707.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.792M	-66.07	-13.00	-53.07	-
707.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	194.97M	-62.28	-13.00	-49.28	-
707.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	680.67M	-61.58	-13.00	-48.58	-
707.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-58.12	-13.00	-45.12	MBW 100k
707.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.95M	-62.56	-13.00	-49.56	-
707.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-60.79	-13.00	-47.79	-
707.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-56.18	-13.00	-43.18	MBW 100k
707.5MHz_RB 15,#RB 0	Pass	722M	1G	100k	300k	RMS	939.67M	-60.94	-13.00	-47.94	-
707.5MHz_RB 15,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.89797G	-46.00	-13.00	-33.00	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	122.646k	-61.91	-13.00	-48.91	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.62	-13.00	-52.62	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	447.83M	-62.25	-13.00	-49.25	-
707.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	639.97M	-61.33	-13.00	-48.33	-
707.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	692.15M	-62.56	-13.00	-49.56	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-67.64	-13.00	-54.64	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.09M	-67.36	-13.00	-54.36	-
707.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.45M	-62.33	-13.00	-49.33	MBW 100k
707.5MHz_RB 1,#RB L	Pass	722M	1G	100k	300k	RMS	982.76M	-60.79	-13.00	-47.79	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	1.41195G	-45.64	-13.00	-32.64	-
714.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-68.81	-13.00	-55.81	-
714.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-67.07	-13.00	-54.07	-
714.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	467.57M	-62.05	-13.00	-49.05	-
714.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	629.79M	-61.80	-13.00	-48.80	-
714.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	692.35M	-62.81	-13.00	-49.81	MBW 100k
714.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-68.11	-13.00	-55.11	-
714.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-28.01	-13.00	-15.01	-
714.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-31.64	-13.00	-18.64	MBW 100k
714.5MHz_RB 15,#RB 0	Pass	722M	1G	100k	300k	RMS	722M	-54.42	-13.00	-41.42	-
714.5MHz_RB 15,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.83868G	-45.69	-13.00	-32.69	-
714.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	59.196k	-62.20	-13.00	-49.20	-
714.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	179.85k	-65.65	-13.00	-52.65	-
714.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	201.08M	-61.97	-13.00	-48.97	-
714.5MHz_RB 1,#RB H	Pass	500M	692M	100k	300k	RMS	625.76M	-61.92	-13.00	-48.92	-
714.5MHz_RB 1,#RB H	Pass	692M	697.9M	30k	100k	RMS	692.35M	-62.85	-13.00	-49.85	MBW 100k
714.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.95M	-68.13	-13.00	-55.13	-
714.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-19.45	-13.00	-6.45	-
714.5MHz_RB 1,#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-31.24	-13.00	-18.24	MBW 100k
714.5MHz_RB 1,#RB H	Pass	722M	1G	100k	300k	RMS	727.84M	-60.25	-13.00	-47.25	-
714.5MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	5.85639G	-45.67	-13.00	-32.67	-
Band 12_LTE_3MHz_Nss1,16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	15.909k	-66.62	-13.00	-53.62	-
700.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.35	-13.00	-53.35	-
700.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	475.09M	-61.23	-13.00	-48.23	-
700.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	692M	-55.25	-13.00	-42.25	-
700.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.75M	-36.83	-13.00	-23.83	MBW 100k
700.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-41.60	-13.00	-28.60	-
700.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-67.51	-13.00	-54.51	-
700.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.25M	-62.67	-13.00	-49.67	MBW 100k
700.5MHz_RB 15,#RB 0	Pass	722M	1G	100k	300k	RMS	732.84M	-60.94	-13.00	-47.94	-
700.5MHz_RB 15,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.91722G	-45.72	-13.00	-32.72	-
700.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	83.73k	-61.07	-13.00	-48.07	-
700.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	209.7k	-67.91	-13.00	-54.91	-
700.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	173.82M	-62.06	-13.00	-49.06	-
700.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	674.14M	-61.64	-13.00	-48.64	-
700.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.85M	-54.67	-13.00	-41.67	MBW 100k
700.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-56.02	-13.00	-43.02	-
700.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-67.92	-13.00	-54.92	-
700.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.15M	-62.79	-13.00	-49.79	MBW 100k
700.5MHz_RB 1,#RB L	Pass	722M	1G	100k	300k	RMS	975.26M	-60.96	-13.00	-47.96	-
700.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	2.463G	-34.91	-13.00	-21.91	-
707.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	13.935k	-66.69	-13.00	-53.69	-
707.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	508.2k	-65.69	-13.00	-52.69	-
707.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	452.53M	-61.60	-13.00	-48.60	-
707.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	676.45M	-61.89	-13.00	-48.89	-
707.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.65M	-58.60	-13.00	-45.60	MBW 100k

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
707.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.98M	-62.24	-13.00	-49.24	-
707.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.1M	-63.39	-13.00	-50.39	-
707.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-58.64	-13.00	-45.64	MBW 100k
707.5MHz_RB 15,#RB 0	Pass	722M	1G	100k	300k	RMS	901.87M	-60.88	-13.00	-47.88	-
707.5MHz_RB 15,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.90952G	-45.78	-13.00	-32.78	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	86.832k	-59.58	-13.00	-46.58	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.03	-13.00	-52.03	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	458.64M	-61.70	-13.00	-48.70	-
707.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	674.14M	-62.00	-13.00	-49.00	-
707.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	692.45M	-62.68	-13.00	-49.68	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-67.79	-13.00	-54.79	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-67.92	-13.00	-54.92	-
707.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.15M	-62.51	-13.00	-49.51	MBW 100k
707.5MHz_RB 1,#RB L	Pass	722M	1G	100k	300k	RMS	924.94M	-60.84	-13.00	-47.84	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.86871G	-46.25	-13.00	-33.25	-
714.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	27.048k	-68.23	-13.00	-55.23	-
714.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	179.85k	-66.02	-13.00	-53.02	-
714.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	490.6M	-61.14	-13.00	-48.14	-
714.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	690.27M	-61.68	-13.00	-48.68	-
714.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	692.25M	-62.91	-13.00	-49.91	MBW 100k
714.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.97M	-68.31	-13.00	-55.31	-
714.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-29.48	-13.00	-16.48	-
714.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-32.17	-13.00	-19.17	MBW 100k
714.5MHz_RB 15,#RB 0	Pass	722M	1G	100k	300k	RMS	722M	-56.30	-13.00	-43.30	-
714.5MHz_RB 15,#RB 0	Pass	1G	7.16G	1M	3M	RMS	6.9675G	-45.98	-13.00	-32.98	-
714.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	90.357k	-61.52	-13.00	-48.52	-
714.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-66.41	-13.00	-53.41	-
714.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	372.16M	-61.86	-13.00	-48.86	-
714.5MHz_RB 1,#RB H	Pass	500M	692M	100k	300k	RMS	690.08M	-62.04	-13.00	-49.04	-
714.5MHz_RB 1,#RB H	Pass	692M	697.9M	30k	100k	RMS	692.95M	-62.77	-13.00	-49.77	MBW 100k
714.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	698M	-68.26	-13.00	-55.26	-
714.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-21.09	-13.00	-8.09	-
714.5MHz_RB 1,#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-30.49	-13.00	-17.49	MBW 100k
714.5MHz_RB 1,#RB H	Pass	722M	1G	100k	300k	RMS	727.84M	-60.48	-13.00	-47.48	-
714.5MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	2.46069G	-34.43	-13.00	-21.43	-
Band 12_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	12.528k	-69.62	-13.00	-56.62	-
701.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.9411M	-67.76	-13.00	-54.76	-
701.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	430.91M	-62.26	-13.00	-49.26	-
701.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	687.62M	-58.72	-13.00	-45.72	-
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	50k	200k	RMS	697.85M	-36.80	-13.00	-23.80	MBW 100k
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	50k	200k	RMS	698M	-39.01	-13.00	-26.01	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	50k	200k	RMS	716.01M	-53.76	-13.00	-40.76	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	50k	200k	RMS	716.15M	-51.10	-13.00	-38.10	MBW 100k
701.5MHz_RB 25,#RB 0	Pass	726M	1G	100k	300k	RMS	757.78M	-60.98	-13.00	-47.98	-
701.5MHz_RB 25,#RB 0	Pass	1G	7.16G	1M	3M	RMS	6.99907G	-46.19	-13.00	-33.19	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.652k	-61.19	-13.00	-48.19	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.10	-13.00	-47.10	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	485.9M	-61.93	-13.00	-48.93	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	640.25M	-62.10	-13.00	-49.10	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	50k	200k	RMS	695.05M	-54.65	-13.00	-41.65	MBW 100k
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	50k	200k	RMS	698M	-58.71	-13.00	-45.71	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	50k	200k	RMS	716.07M	-65.90	-13.00	-52.90	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	50k	200k	RMS	716.25M	-62.36	-13.00	-49.36	MBW 100k
701.5MHz_RB 1,#RB L	Pass	726M	1G	100k	300k	RMS	868.75M	-60.84	-13.00	-47.84	-
701.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	6.88819G	-45.73	-13.00	-32.73	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.256k	-66.49	-13.00	-53.49	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	776.85k	-68.20	-13.00	-55.20	-
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	490.13M	-61.74	-13.00	-48.74	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	672.02M	-61.55	-13.00	-48.55	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	50k	200k	RMS	697.55M	-46.32	-13.00	-33.32	MBW 100k
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	50k	200k	RMS	697.97M	-48.75	-13.00	-35.75	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	50k	200k	RMS	716.03M	-49.47	-13.00	-36.47	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	50k	200k	RMS	716.45M	-46.29	-13.00	-33.29	MBW 100k
707.5MHz_RB 25,#RB 0	Pass	726M	1G	100k	300k	RMS	890.4M	-60.60	-13.00	-47.60	-
707.5MHz_RB 25,#RB 0	Pass	1G	7.16G	1M	3M	RMS	6.81273G	-46.01	-13.00	-33.01	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	57.786k	-60.68	-13.00	-47.68	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.23	-13.00	-50.23	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	499.53M	-61.76	-13.00	-48.76	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	616.56M	-61.33	-13.00	-48.33	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	50k	200k	RMS	696.75M	-59.14	-13.00	-46.14	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	50k	200k	RMS	698M	-65.27	-13.00	-52.27	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	50k	200k	RMS	716.1M	-65.51	-13.00	-52.51	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	50k	200k	RMS	716.15M	-62.03	-13.00	-49.03	MBW 100k
707.5MHz_RB 1,#RB L	Pass	726M	1G	100k	300k	RMS	986.57M	-60.97	-13.00	-47.97	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	6.80965G	-45.89	-13.00	-32.89	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.23k	-67.72	-13.00	-54.72	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-67.29	-13.00	-54.29	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	458.64M	-61.48	-13.00	-48.48	-
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	670.89M	-61.64	-13.00	-48.64	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	50k	200k	RMS	695.85M	-59.54	-13.00	-46.54	MBW 100k
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	50k	200k	RMS	697.96M	-62.34	-13.00	-49.34	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	50k	200k	RMS	716M	-31.83	-13.00	-18.83	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	50k	200k	RMS	716.15M	-35.54	-13.00	-22.54	MBW 100k
713.5MHz_RB 25,#RB 0	Pass	726M	1G	100k	300k	RMS	955.89M	-60.79	-13.00	-47.79	-
713.5MHz_RB 25,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.81635G	-45.78	-13.00	-32.78	-
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	57.081k	-60.47	-13.00	-47.47	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.41	-13.00	-50.41	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	167.71M	-61.69	-13.00	-48.69	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	675.97M	-61.72	-13.00	-48.72	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	50k	200k	RMS	691.15M	-62.37	-13.00	-49.37	MBW 100k
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	50k	200k	RMS	697.95M	-66.02	-13.00	-53.02	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	50k	200k	RMS	716M	-23.58	-13.00	-10.58	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	50k	200k	RMS	716.15M	-34.61	-13.00	-21.61	MBW 100k
713.5MHz_RB 1,#RB H	Pass	726M	1G	100k	300k	RMS	942.46M	-60.55	-13.00	-47.55	-
713.5MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	5.84407G	-45.95	-13.00	-32.95	-
Band 12_LTE_5MHz_Nss1,16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	15.627k	-68.13	-13.00	-55.13	-
701.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-67.17	-13.00	-54.17	-
701.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	462.4M	-61.90	-13.00	-48.90	-
701.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	688M	-58.94	-13.00	-45.94	-
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	50k	200k	RMS	697.75M	-37.02	-13.00	-24.02	MBW 100k
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	50k	200k	RMS	697.99M	-38.93	-13.00	-25.93	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	50k	200k	RMS	716.03M	-56.16	-13.00	-43.16	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	50k	200k	RMS	716.15M	-54.08	-13.00	-41.08	MBW 100k
701.5MHz_RB 25,#RB 0	Pass	726M	1G	100k	300k	RMS	826.83M	-60.90	-13.00	-47.90	-
701.5MHz_RB 25,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.91722G	-46.02	-13.00	-33.02	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	80.064k	-61.38	-13.00	-48.38	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.24	-13.00	-52.24	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	206.72M	-62.20	-13.00	-49.20	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	656.79M	-61.61	-13.00	-48.61	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	50k	200k	RMS	697.15M	-54.76	-13.00	-41.76	MBW 100k
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	50k	200k	RMS	698M	-60.37	-13.00	-47.37	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	50k	200k	RMS	716.02M	-65.96	-13.00	-52.96	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	50k	200k	RMS	716.45M	-62.35	-13.00	-49.35	MBW 100k
701.5MHz_RB 1,#RB L	Pass	726M	1G	100k	300k	RMS	967.67M	-60.86	-13.00	-47.86	-
701.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.88642G	-46.06	-13.00	-33.06	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	17.319k	-68.13	-13.00	-55.13	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.344M	-63.69	-13.00	-50.69	-
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	461.93M	-61.73	-13.00	-48.73	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	627.84M	-61.74	-13.00	-48.74	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	50k	200k	RMS	697.85M	-48.53	-13.00	-35.53	MBW 100k
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	50k	200k	RMS	697.99M	-51.05	-13.00	-38.05	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	50k	200k	RMS	716.03M	-50.07	-13.00	-37.07	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	50k	200k	RMS	716.25M	-47.20	-13.00	-34.20	MBW 100k
707.5MHz_RB 25,#RB 0	Pass	726M	1G	100k	300k	RMS	815.87M	-60.92	-13.00	-47.92	-
707.5MHz_RB 25,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.90567G	-45.85	-13.00	-32.85	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.485k	-60.70	-13.00	-47.70	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.61	-13.00	-50.61	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	194.03M	-62.29	-13.00	-49.29	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	647.58M	-61.31	-13.00	-48.31	-
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	50k	200k	RMS	696.75M	-59.45	-13.00	-46.45	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	50k	200k	RMS	697.98M	-65.67	-13.00	-52.67	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	50k	200k	RMS	716M	-65.45	-13.00	-52.45	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	50k	200k	RMS	716.15M	-61.91	-13.00	-48.91	MBW 100k
707.5MHz_RB 1,#RB L	Pass	726M	1G	100k	300k	RMS	980M	-61.11	-13.00	-48.11	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	1.41041G	-45.31	-13.00	-32.31	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9.846k	-69.25	-13.00	-56.25	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.105M	-65.32	-13.00	-52.32	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	450.18M	-61.85	-13.00	-48.85	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	678.98M	-61.47	-13.00	-48.47	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	50k	200k	RMS	697.65M	-59.90	-13.00	-46.90	MBW 100k
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	50k	200k	RMS	697.94M	-62.09	-13.00	-49.09	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	50k	200k	RMS	716M	-32.87	-13.00	-19.87	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	50k	200k	RMS	716.15M	-35.70	-13.00	-22.70	MBW 100k
713.5MHz_RB 25,#RB 0	Pass	726M	1G	100k	300k	RMS	995.07M	-60.77	-13.00	-47.77	-
713.5MHz_RB 25,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.86717G	-46.15	-13.00	-33.15	-
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	90.921k	-61.09	-13.00	-48.09	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.36	-13.00	-48.36	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	406.47M	-61.91	-13.00	-48.91	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	661.68M	-61.37	-13.00	-48.37	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	50k	200k	RMS	691.15M	-62.37	-13.00	-49.37	MBW 100k
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	50k	200k	RMS	698M	-66.37	-13.00	-53.37	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	50k	200k	RMS	716M	-22.50	-13.00	-9.50	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	50k	200k	RMS	716.15M	-34.61	-13.00	-21.61	MBW 100k
713.5MHz_RB 1,#RB H	Pass	726M	1G	100k	300k	RMS	748.19M	-60.98	-13.00	-47.98	-
713.5MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	5.90028G	-45.77	-13.00	-32.77	-
Band 12_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-67.28	-13.00	-54.28	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	388.8k	-68.00	-13.00	-55.00	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	445.95M	-62.09	-13.00	-49.09	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	673.55M	-61.72	-13.00	-48.72	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	100k	300k	RMS	697.85M	-34.04	-13.00	-21.04	MBW 100k
704MHz_RB 50,#RB 0	Pass	697.9M	698M	100k	300k	RMS	697.93M	-33.78	-13.00	-20.78	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	100k	300k	RMS	716.01M	-41.62	-13.00	-28.62	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	100k	300k	RMS	716.15M	-42.16	-13.00	-29.16	MBW 100k
704MHz_RB 50,#RB 0	Pass	736M	1G	100k	300k	RMS	840.28M	-60.98	-13.00	-47.98	-
704MHz_RB 50,#RB 0	Pass	1G	7.16G	1M	3M	RMS	6.98906G	-46.08	-13.00	-33.08	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.78k	-60.13	-13.00	-47.13	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.72	-13.00	-50.72	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	495.77M	-61.80	-13.00	-48.80	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	667.5M	-62.01	-13.00	-49.01	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	100k	300k	RMS	697.85M	-56.36	-13.00	-43.36	MBW 100k
704MHz_RB 1,#RB L	Pass	697.9M	698M	100k	300k	RMS	698M	-55.20	-13.00	-42.20	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	100k	300k	RMS	716M	-63.12	-13.00	-50.12	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	100k	300k	RMS	716.35M	-62.16	-13.00	-49.16	MBW 100k
704MHz_RB 1,#RB L	Pass	736M	1G	100k	300k	RMS	802M	-60.87	-13.00	-47.87	-
704MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	1.39886G	-45.81	-13.00	-32.81	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	17.319k	-67.29	-13.00	-54.29	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	299.25k	-66.69	-13.00	-53.69	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	493.89M	-61.69	-13.00	-48.69	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	508.9M	-62.13	-13.00	-49.13	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	100k	300k	RMS	697.85M	-43.22	-13.00	-30.22	MBW 100k
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	100k	300k	RMS	698M	-42.50	-13.00	-29.50	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	100k	300k	RMS	716.1M	-40.96	-13.00	-27.96	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	100k	300k	RMS	716.85M	-40.45	-13.00	-27.45	MBW 100k
707.5MHz_RB 50,#RB 0	Pass	736M	1G	100k	300k	RMS	909.45M	-60.84	-13.00	-47.84	-
707.5MHz_RB 50,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.87718G	-46.04	-13.00	-33.04	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.344k	-61.55	-13.00	-48.55	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.98	-13.00	-53.98	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	486.37M	-62.13	-13.00	-49.13	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	668.39M	-61.80	-13.00	-48.80	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	100k	300k	RMS	694.05M	-58.48	-13.00	-45.48	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	100k	300k	RMS	697.92M	-60.50	-13.00	-47.50	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	100k	300k	RMS	716M	-62.79	-13.00	-49.79	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	100k	300k	RMS	716.25M	-62.21	-13.00	-49.21	MBW 100k
707.5MHz_RB 1,#RB L	Pass	736M	1G	100k	300k	RMS	965.15M	-60.56	-13.00	-47.56	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.80557G	-46.12	-13.00	-33.12	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.781k	-67.05	-13.00	-54.05	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	358.95k	-67.63	-13.00	-54.63	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	485.43M	-62.17	-13.00	-49.17	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	645.78M	-61.73	-13.00	-48.73	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	100k	300k	RMS	697.85M	-42.10	-13.00	-29.10	MBW 100k
711MHz_RB 50,#RB 0	Pass	697.9M	698M	100k	300k	RMS	698M	-41.50	-13.00	-28.50	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	100k	300k	RMS	716M	-31.66	-13.00	-18.66	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	100k	300k	RMS	716.15M	-33.05	-13.00	-20.05	MBW 100k
711MHz_RB 50,#RB 0	Pass	736M	1G	100k	300k	RMS	953.8M	-60.77	-13.00	-47.77	-
711MHz_RB 50,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.83945G	-46.09	-13.00	-33.09	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	91.908k	-61.82	-13.00	-48.82	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-59.98	-13.00	-46.98	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	467.1M	-62.03	-13.00	-49.03	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	632.08M	-61.94	-13.00	-48.94	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	100k	300k	RMS	688.85M	-62.53	-13.00	-49.53	MBW 100k
711MHz_RB 1,#RB H	Pass	697.9M	698M	100k	300k	RMS	697.91M	-63.18	-13.00	-50.18	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	100k	300k	RMS	716M	-31.96	-13.00	-18.96	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	100k	300k	RMS	716.15M	-41.07	-13.00	-28.07	MBW 100k
711MHz_RB 1,#RB H	Pass	736M	1G	100k	300k	RMS	899.15M	-60.90	-13.00	-47.90	-
711MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	5.928G	-45.93	-13.00	-32.93	-
Band 12_LTE_10MHz_Nss1.16QAMCS_1TX	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.564k	-68.36	-13.00	-55.36	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.254M	-64.96	-13.00	-51.96	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	446.42M	-62.07	-13.00	-49.07	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	630.47M	-61.49	-13.00	-48.49	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	100k	300k	RMS	697.75M	-36.26	-13.00	-23.26	MBW 100k
704MHz_RB 50,#RB 0	Pass	697.9M	698M	100k	300k	RMS	697.9M	-36.02	-13.00	-23.02	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	100k	300k	RMS	716.02M	-41.82	-13.00	-28.82	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	100k	300k	RMS	716.15M	-42.51	-13.00	-29.51	MBW 100k
704MHz_RB 50,#RB 0	Pass	736M	1G	100k	300k	RMS	952.48M	-60.87	-13.00	-47.87	-
704MHz_RB 50,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.235G	-40.89	-13.00	-27.89	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	15.345k	-60.91	-13.00	-47.91	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.98	-13.00	-51.98	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	132.93M	-61.74	-13.00	-48.74	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	674.08M	-61.96	-13.00	-48.96	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	100k	300k	RMS	697.85M	-57.25	-13.00	-44.25	MBW 100k
704MHz_RB 1,#RB L	Pass	697.9M	698M	100k	300k	RMS	698M	-56.50	-13.00	-43.50	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	100k	300k	RMS	716.02M	-63.24	-13.00	-50.24	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	100k	300k	RMS	716.75M	-62.11	-13.00	-49.11	MBW 100k
704MHz_RB 1,#RB L	Pass	736M	1G	100k	300k	RMS	798.57M	-60.81	-13.00	-47.81	-
704MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.86178G	-45.95	-13.00	-32.95	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.961k	-69.71	-13.00	-56.71	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	478.35k	-66.87	-13.00	-53.87	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	495.77M	-61.81	-13.00	-48.81	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	646.32M	-61.95	-13.00	-48.95	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	100k	300k	RMS	697.75M	-44.06	-13.00	-31.06	MBW 100k
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	100k	300k	RMS	697.96M	-42.87	-13.00	-29.87	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	100k	300k	RMS	716.03M	-40.88	-13.00	-27.88	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	100k	300k	RMS	716.85M	-40.43	-13.00	-27.43	MBW 100k
707.5MHz_RB 50,#RB 0	Pass	736M	1G	100k	300k	RMS	923.7M	-60.92	-13.00	-47.92	-
707.5MHz_RB 50,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.89566G	-45.82	-13.00	-32.82	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	86.832k	-60.50	-13.00	-47.50	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	329.1k	-67.25	-13.00	-54.25	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	482.14M	-61.47	-13.00	-48.47	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	624.07M	-62.02	-13.00	-49.02	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	100k	300k	RMS	694.05M	-60.02	-13.00	-47.02	MBW 100k
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	100k	300k	RMS	698M	-60.79	-13.00	-47.79	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	100k	300k	RMS	716.1M	-62.87	-13.00	-49.87	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	100k	300k	RMS	716.15M	-62.10	-13.00	-49.10	MBW 100k
707.5MHz_RB 1,#RB L	Pass	736M	1G	100k	300k	RMS	868M	-60.87	-13.00	-47.87	-
707.5MHz_RB 1,#RB L	Pass	1G	7.16G	1M	3M	RMS	5.85716G	-45.49	-13.00	-32.49	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	22.395k	-67.84	-13.00	-54.84	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	896.25k	-67.13	-13.00	-54.13	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	463.81M	-62.05	-13.00	-49.05	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	587.75M	-61.51	-13.00	-48.51	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	100k	300k	RMS	697.85M	-46.23	-13.00	-33.23	MBW 100k
711MHz_RB 50,#RB 0	Pass	697.9M	698M	100k	300k	RMS	698M	-46.00	-13.00	-33.00	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	100k	300k	RMS	716M	-33.03	-13.00	-20.03	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	100k	300k	RMS	716.15M	-34.53	-13.00	-21.53	MBW 100k
711MHz_RB 50,#RB 0	Pass	736M	1G	100k	300k	RMS	982.84M	-60.61	-13.00	-47.61	-
711MHz_RB 50,#RB 0	Pass	1G	7.16G	1M	3M	RMS	5.86794G	-45.84	-13.00	-32.84	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	11.115k	-61.16	-13.00	-48.16	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	239.55k	-65.87	-13.00	-52.87	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	489.19M	-62.32	-13.00	-49.32	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	652.55M	-61.79	-13.00	-48.79	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	100k	300k	RMS	689.05M	-62.60	-13.00	-49.60	MBW 100k
711MHz_RB 1,#RB H	Pass	697.9M	698M	100k	300k	RMS	698M	-63.45	-13.00	-50.45	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	100k	300k	RMS	716M	-33.30	-13.00	-20.30	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	100k	300k	RMS	716.15M	-42.82	-13.00	-29.82	MBW 100k
711MHz_RB 1,#RB H	Pass	736M	1G	100k	300k	RMS	955.12M	-60.94	-13.00	-47.94	-
711MHz_RB 1,#RB H	Pass	1G	7.16G	1M	3M	RMS	1.43043G	-45.60	-13.00	-32.60	-

Band 12_LTE_1.4MHz_Nss1,QPSK_1TX
699.7MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

02/04/2022





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	14.076k	-67.16	-13.00	-54.16	-	-
150k	30M	10k	30k	RMS	538.05k	-59.25	-13.00	-46.25	-	-
30M	500M	100k	300k	RMS	483.08M	-62.39	-13.00	-49.39	-	-
500M	695.2M	100k	300k	RMS	695.2M	-56.04	-13.00	-43.04	-	-
695.2M	697.9M	20k	50k	RMS	697.75M	-40.17	-13.00	-27.17	MBW100k	-
697.9M	698M	20k	50k	RMS	697.91M	-46.94	-13.00	-33.94	-	-
716M	716.1M	20k	50k	RMS	716.1M	-69.75	-13.00	-56.75	-	-
716.1M	718.8M	20k	50k	RMS	718.05M	-62.85	-13.00	-49.85	MBW100k	-
718.8M	1G	100k	300k	RMS	974.97M	-60.37	-13.00	-47.37	-	-
1G	7.16G	1M	3M	RMS	6.45314G	-46.23	-13.00	-33.23	-	-

Band 12_LTE_1.4MHz_Nss1,QPSK_1TX
699.7MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	75.129k	-58.05	-13.00	-45.05	-	-
150k	30M	10k	30k	RMS	150k	-65.04	-13.00	-52.04	-	-
30M	500M	100k	300k	RMS	464.75M	-61.14	-13.00	-48.14	-	-
500M	695.2M	100k	300k	RMS	695M	-60.25	-13.00	-47.25	-	-
695.2M	697.9M	20k	50k	RMS	697.45M	-56.41	-13.00	-43.41	MBW100k	-
697.9M	698M	20k	50k	RMS	697.93M	-62.18	-13.00	-49.18	-	-
716M	716.1M	20k	50k	RMS	716.08M	-70.01	-13.00	-57.01	-	-
716.1M	718.8M	20k	50k	RMS	717.05M	-62.94	-13.00	-49.94	MBW100k	-
718.8M	1G	100k	300k	RMS	949.95M	-60.58	-13.00	-47.58	-	-
1G	7.16G	1M	3M	RMS	5.83868G	-46.09	-13.00	-33.09	-	-


Band 12_LTE_1.4MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	84.012k	-67.05	-13.00	-54.05	-	-
150k	30M	10k	30k	RMS	567.9k	-63.30	-13.00	-50.30	-	-
30M	500M	100k	300k	RMS	487.78M	-61.64	-13.00	-48.64	-	-
500M	695.2M	100k	300k	RMS	622.98M	-61.86	-13.00	-48.86	-	-
695.2M	697.9M	20k	50k	RMS	697.65M	-62.77	-13.00	-49.77	MBW100k	-
697.9M	698M	20k	50k	RMS	697.95M	-69.51	-13.00	-56.51	-	-
716M	716.1M	20k	50k	RMS	716.06M	-68.66	-13.00	-55.66	-	-
716.1M	718.8M	20k	50k	RMS	716.35M	-62.42	-13.00	-49.42	MBW100k	-
718.8M	1G	100k	300k	RMS	913.39M	-60.45	-13.00	-47.45	-	-
1G	7.16G	1M	3M	RMS	5.90028G	-45.72	-13.00	-32.72	-	-


Band 12_LTE_1.4MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	92.049k	-61.88	-13.00	-48.88	-	-
150k	30M	10k	30k	RMS	150k	-67.08	-13.00	-54.08	-	-
30M	500M	100k	300k	RMS	161.13M	-62.13	-13.00	-49.13	-	-
500M	695.2M	100k	300k	RMS	678.02M	-61.82	-13.00	-48.82	-	-
695.2M	697.9M	20k	50k	RMS	697.35M	-62.93	-13.00	-49.93	MBW100k	-
697.9M	698M	20k	50k	RMS	697.96M	-69.33	-13.00	-56.33	-	-
716M	716.1M	20k	50k	RMS	716.01M	-69.26	-13.00	-56.26	-	-
716.1M	718.8M	20k	50k	RMS	717.25M	-62.68	-13.00	-49.68	MBW100k	-
718.8M	1G	100k	300k	RMS	888.08M	-61.08	-13.00	-48.08	-	-
1G	7.16G	1M	3M	RMS	6.98444G	-45.34	-13.00	-32.34	-	-


Band 12_LTE_1.4MHz_Nss1,QPSK_1TX
715.3MHz_QPSK_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	24.933k	-67.35	-13.00	-54.35	-	-
150k	30M	10k	30k	RMS	567.9k	-65.31	-13.00	-52.31	-	-
30M	500M	100k	300k	RMS	497.65M	-62.30	-13.00	-49.30	-	-
500M	695.2M	100k	300k	RMS	608.73M	-61.60	-13.00	-48.60	-	-
695.2M	697.9M	20k	50k	RMS	697.15M	-63.27	-13.00	-50.27	MBW 100k	-
697.9M	698M	20k	50k	RMS	697.97M	-69.84	-13.00	-56.84	-	-
716M	716.1M	20k	50k	RMS	716.06M	-40.71	-13.00	-27.71	-	-
716.1M	718.8M	20k	50k	RMS	716.15M	-35.86	-13.00	-22.86	MBW 100k	-
718.8M	1G	100k	300k	RMS	718.8M	-50.85	-13.00	-37.85	-	-
1G	7.16G	1M	3M	RMS	5.85562G	-45.93	-13.00	-32.93	-	-


Band 12_LTE_1.4MHz_Nss1,QPSK_1TX
715.3MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	87.396k	-62.23	-13.00	-49.23	-	-
150k	30M	10k	30k	RMS	150k	-59.46	-13.00	-46.46	-	-
30M	500M	100k	300k	RMS	352.42M	-62.33	-13.00	-49.33	-	-
500M	695.2M	100k	300k	RMS	694.03M	-61.49	-13.00	-48.49	-	-
695.2M	697.9M	20k	50k	RMS	696.45M	-63.19	-13.00	-50.19	MBW 100k	-
697.9M	698M	20k	50k	RMS	697.98M	-69.73	-13.00	-56.73	-	-
716M	716.1M	20k	50k	RMS	716.01M	-35.10	-13.00	-22.10	-	-
716.1M	718.8M	20k	50k	RMS	716.15M	-33.27	-13.00	-20.27	MBW 100k	-
718.8M	1G	100k	300k	RMS	719.64M	-59.81	-13.00	-46.81	-	-
1G	7.16G	1M	3M	RMS	6.98829G	-45.99	-13.00	-32.99	-	-

Band 12_LTE_1.4MHz_Nss1,16QAMCS_1TX
699.7MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.987k	-65.43	-13.00	-52.43	-	-
150k	30M	10k	30k	RMS	358.95k	-65.40	-13.00	-52.40	-	-
30M	500M	100k	300k	RMS	409.29M	-61.91	-13.00	-48.91	-	-
500M	695.2M	100k	300k	RMS	695.2M	-58.42	-13.00	-45.42	-	-
695.2M	697.9M	20k	50k	RMS	697.85M	-39.35	-13.00	-26.35	MBW100k	-
697.9M	698M	20k	50k	RMS	698M	-44.57	-13.00	-31.57	-	-
716M	716.1M	20k	50k	RMS	716.09M	-69.91	-13.00	-56.91	-	-
716.1M	718.8M	20k	50k	RMS	716.75M	-62.99	-13.00	-49.99	MBW100k	-
718.8M	1G	100k	300k	RMS	809.35M	-60.87	-13.00	-47.87	-	-
1G	7.16G	1M	3M	RMS	5.84484G	-45.52	-13.00	-32.52	-	-

Band 12_LTE_1.4MHz_Nss1,16QAMCS_1TX
699.7MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	84.153k	-60.58	-13.00	-47.58	-	-
150k	30M	10k	30k	RMS	150k	-64.02	-13.00	-51.02	-	-
30M	500M	100k	300k	RMS	466.16M	-61.88	-13.00	-48.88	-	-
500M	695.2M	100k	300k	RMS	694.22M	-59.84	-13.00	-46.84	-	-
695.2M	697.9M	20k	50k	RMS	697.45M	-56.75	-13.00	-43.75	MBW100k	-
697.9M	698M	20k	50k	RMS	697.95M	-62.83	-13.00	-49.83	-	-
716M	716.1M	20k	50k	RMS	716.09M	-69.44	-13.00	-56.44	-	-
716.1M	718.8M	20k	50k	RMS	716.25M	-63.20	-13.00	-50.20	MBW100k	-
718.8M	1G	100k	300k	RMS	814.69M	-60.96	-13.00	-47.96	-	-
1G	7.16G	1M	3M	RMS	5.89104G	-45.92	-13.00	-32.92	-	-


Band 12_LTE_1.4MHz_Nss1,16QAMCS_1TX
707.5MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	12.948k	-66.57	-13.00	-53.57	-	-
150k	30M	10k	30k	RMS	717.15k	-63.76	-13.00	-50.76	-	-
30M	500M	100k	300k	RMS	467.1M	-62.27	-13.00	-49.27	-	-
500M	695.2M	100k	300k	RMS	504.1M	-62.02	-13.00	-49.02	-	-
695.2M	697.9M	20k	50k	RMS	696.75M	-62.93	-13.00	-49.93	MBW100k	-
697.9M	698M	20k	50k	RMS	697.99M	-69.67	-13.00	-56.67	-	-
716M	716.1M	20k	50k	RMS	716.04M	-69.06	-13.00	-56.06	-	-
716.1M	718.8M	20k	50k	RMS	716.35M	-62.77	-13.00	-49.77	MBW100k	-
718.8M	1G	100k	300k	RMS	969.63M	-60.08	-13.00	-47.08	-	-
1G	7.16G	1M	3M	RMS	6.77115G	-46.17	-13.00	-33.17	-	-


Band 12_LTE_1.4MHz_Nss1,16QAMCS_1TX
707.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	73.014k	-60.32	-13.00	-47.32	-	-
150k	30M	10k	30k	RMS	150k	-60.11	-13.00	-47.11	-	-
30M	500M	100k	300k	RMS	481.67M	-61.87	-13.00	-48.87	-	-
500M	695.2M	100k	300k	RMS	691.3M	-61.65	-13.00	-48.65	-	-
695.2M	697.9M	20k	50k	RMS	697.45M	-62.76	-13.00	-49.76	MBW100k	-
697.9M	698M	20k	50k	RMS	698M	-69.52	-13.00	-56.52	-	-
716M	716.1M	20k	50k	RMS	716.03M	-69.95	-13.00	-56.95	-	-
716.1M	718.8M	20k	50k	RMS	716.73M	-62.65	-13.00	-49.65	MBW100k	-
718.8M	1G	100k	300k	RMS	719.08M	-60.34	-13.00	-47.34	-	-
1G	7.16G	1M	3M	RMS	5.8202G	-46.10	-13.00	-33.10	-	-


Band 12 LTE 1.4MHz Nss1,16QAMCS_1TX
715.3MHz_16QAM_RB 6,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	10.128k	-65.57	-13.00	-52.57	-	-
150k	30M	10k	30k	RMS	209.7k	-65.13	-13.00	-52.13	-	-
30M	500M	100k	300k	RMS	223.64M	-62.16	-13.00	-49.16	-	-
500M	695.2M	100k	300k	RMS	692.47M	-61.76	-13.00	-48.76	-	-
695.2M	697.9M	20k	50k	RMS	696.35M	-63.31	-13.00	-50.31	MBW100k	-
697.9M	698M	20k	50k	RMS	697.93M	-69.82	-13.00	-56.82	-	-
716M	716.1M	20k	50k	RMS	716.08M	-38.54	-13.00	-25.54	-	-
716.1M	718.8M	20k	50k	RMS	716.15M	-33.29	-13.00	-20.29	MBW100k	-
718.8M	1G	100k	300k	RMS	718.8M	-32.44	-13.00	-39.44	-	-
1G	7.16G	1M	3M	RMS	5.90336G	-45.73	-13.00	-32.73	-	-


Band 12 LTE 1.4MHz Nss1,16QAMCS_1TX
715.3MHz_16QAM_RB 1,#RB H

CSE-TX-Sum

02/04/2022



Limit
Port 1



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	54.966k	-60.15	-13.00	-47.15	-	-
150k	30M	10k	30k	RMS	150k	-65.71	-13.00	-52.71	-	-
30M	500M	100k	300k	RMS	468.04M	-62.05	-13.00	-49.05	-	-
500M	695.2M	100k	300k	RMS	533.18M	-62.06	-13.00	-49.06	-	-
695.2M	697.9M	20k	50k	RMS	696.55M	-63.15	-13.00	-50.15	MBW100k	-
697.9M	698M	20k	50k	RMS	697.95M	-69.78	-13.00	-56.78	-	-
716M	716.1M	20k	50k	RMS	716M	-33.16	-13.00	-20.16	-	-
716.1M	718.8M	20k	50k	RMS	716.15M	-32.43	-13.00	-19.43	MBW100k	-
718.8M	1G	100k	300k	RMS	866.71M	-60.73	-13.00	-47.73	-	-
1G	7.16G	1M	3M	RMS	5.87025G	-45.85	-13.00	-32.85	-	-

Band 12_LTE_3MHz_Nss1,QPSK_1TX
700.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	23.946k	-70.06	-13.00	-57.06	-	-
150k	30M	10k	30k	RMS	2.12M	-64.66	-13.00	-51.66	-	-
30M	500M	100k	300k	RMS	408.35M	-62.04	-13.00	-49.04	-	-
500M	692M	100k	300k	RMS	692M	-52.46	-13.00	-39.46	-	-
692M	697.9M	30k	100k	RMS	697.75M	-36.34	-13.00	-23.34	MBW100k	-
697.9M	698M	30k	100k	RMS	697.98M	-41.84	-13.00	-28.84	-	-
716M	716.1M	30k	100k	RMS	716.04M	-67.74	-13.00	-54.74	-	-
716.1M	722M	30k	100k	RMS	716.45M	-62.71	-13.00	-49.71	MBW100k	-
722M	1G	100k	300k	RMS	822.64M	-60.64	-13.00	-47.64	-	-
1G	7.16G	1M	3M	RMS	5.91568G	-46.12	-13.00	-33.12	-	-

Band 12_LTE_3MHz_Nss1,QPSK_1TX
700.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	91.062k	-59.68	-13.00	-46.68	-	-
150k	30M	10k	30k	RMS	150k	-67.38	-13.00	-54.38	-	-
30M	500M	100k	300k	RMS	474.62M	-62.18	-13.00	-49.18	-	-
500M	692M	100k	300k	RMS	692M	-61.72	-13.00	-48.72	-	-
692M	697.9M	30k	100k	RMS	696.75M	-53.40	-13.00	-40.40	MBW100k	-
697.9M	698M	30k	100k	RMS	697.99M	-54.79	-13.00	-41.79	-	-
716M	716.1M	30k	100k	RMS	716.08M	-67.36	-13.00	-54.36	-	-
716.1M	722M	30k	100k	RMS	716.45M	-63.67	-13.00	-50.67	MBW100k	-
722M	1G	100k	300k	RMS	991.94M	-69.92	-13.00	-56.92	-	-
1G	7.16G	1M	3M	RMS	5.83714G	-46.06	-13.00	-33.06	-	-

Band 12_LTE_3MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	14.64k	-67.95	-13.00	-54.95	-	-
150k	30M	10k	30k	RMS	1.792M	-66.07	-13.00	-53.07	-	-
30M	500M	100k	300k	RMS	194.97M	-62.28	-13.00	-49.28	-	-
500M	692M	100k	300k	RMS	680.67M	-61.58	-13.00	-48.58	-	-
692M	697.9M	30k	100k	RMS	697.85M	-58.12	-13.00	-45.12	MBW100k	-
697.9M	698M	30k	100k	RMS	697.95M	-62.56	-13.00	-49.56	-	-
716M	716.1M	30k	100k	RMS	716M	-60.79	-13.00	-47.79	-	-
716.1M	722M	30k	100k	RMS	716.15M	-56.18	-13.00	-43.18	MBW100k	-
722M	1G	100k	300k	RMS	939.67M	-60.94	-13.00	-47.94	-	-
1G	7.16G	1M	3M	RMS	5.89797G	-46.00	-13.00	-33.00	-	-

Band 12_LTE_3MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 1,#RB L

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	122.646k	-61.91	-13.00	-48.91	-	-
150k	30M	10k	30k	RMS	150k	-65.62	-13.00	-52.62	-	-
30M	500M	100k	300k	RMS	447.83M	-62.25	-13.00	-49.25	-	-
500M	692M	100k	300k	RMS	639.97M	-61.33	-13.00	-48.33	-	-
692M	697.9M	30k	100k	RMS	692.15M	-62.56	-13.00	-49.56	MBW100k	-
697.9M	698M	30k	100k	RMS	697.9M	-67.64	-13.00	-54.64	-	-
716M	716.1M	30k	100k	RMS	716.09M	-67.36	-13.00	-54.36	-	-
716.1M	722M	30k	100k	RMS	716.45M	-63.33	-13.00	-49.33	MBW100k	-
722M	1G	100k	300k	RMS	982.76M	-60.79	-13.00	-47.79	-	-
1G	7.16G	1M	3M	RMS	1.41195G	-45.64	-13.00	-32.64	-	-

Band 12_LTE_3MHz_Nss1,QPSK_1TX
714.5MHz_QPSK_RB 15,#RB 0

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	9.846k	-68.81	-13.00	-55.81	-	-
150k	30M	10k	30k	RMS	687.3k	-67.07	-13.00	-54.07	-	-
30M	500M	100k	300k	RMS	467.57M	-62.05	-13.00	-49.05	-	-
500M	692M	100k	300k	RMS	629.79M	-61.80	-13.00	-48.80	-	-
692M	697.9M	30k	100k	RMS	692.35M	-62.81	-13.00	-49.81	MBW 100k	-
697.9M	698M	30k	100k	RMS	697.98M	-68.11	-13.00	-55.11	-	-
716M	716.1M	30k	100k	RMS	716M	-28.01	-13.00	-15.01	-	-
716.1M	722M	30k	100k	RMS	716.15M	-31.64	-13.00	-18.64	MBW 100k	-
722M	1G	100k	300k	RMS	722M	-54.42	-13.00	-41.42	-	-
1G	7.16G	1M	3M	RMS	5.83668G	-45.69	-13.00	-32.69	-	-

Band 12_LTE_3MHz_Nss1,QPSK_1TX
714.5MHz_QPSK_RB 1,#RB H

CSE-TX-Sum

02/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	59.196k	-62.20	-13.00	-49.20	-	-
150k	30M	10k	30k	RMS	179.85k	-65.65	-13.00	-52.65	-	-
30M	500M	100k	300k	RMS	201.08M	-61.97	-13.00	-48.97	-	-
500M	692M	100k	300k	RMS	625.76M	-61.92	-13.00	-48.92	-	-
692M	697.9M	30k	100k	RMS	692.35M	-62.85	-13.00	-49.85	MBW 100k	-
697.9M	698M	30k	100k	RMS	697.95M	-68.13	-13.00	-55.13	-	-
716M	716.1M	30k	100k	RMS	716M	-19.45	-13.00	-6.45	-	-
716.1M	722M	30k	100k	RMS	716.15M	-31.24	-13.00	-18.24	MBW 100k	-
722M	1G	100k	300k	RMS	727.84M	-60.25	-13.00	-47.25	-	-
1G	7.16G	1M	3M	RMS	5.85639G	-45.67	-13.00	-32.67	-	-


Band 12_LTE_3MHz_Nss1,16QAMCS_1TX
700.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	15.909k	-66.62	-13.00	-53.62	-	-
150k	30M	10k	30k	RMS	299.25k	-66.35	-13.00	-53.35	-	-
30M	500M	100k	300k	RMS	475.09M	-61.23	-13.00	-48.23	-	-
500M	692M	100k	300k	RMS	692M	-55.25	-13.00	-42.25	-	-
692M	697.9M	30k	100k	RMS	697.75M	-36.83	-13.00	-23.83	MBW100k	-
697.9M	698M	30k	100k	RMS	698M	-41.60	-13.00	-28.60	-	-
716M	716.1M	30k	100k	RMS	716.01M	-67.51	-13.00	-54.51	-	-
716.1M	722M	30k	100k	RMS	716.25M	-62.67	-13.00	-49.67	MBW100k	-
722M	1G	100k	300k	RMS	732.84M	-60.94	-13.00	-47.94	-	-
1G	7.16G	1M	3M	RMS	5.91722G	-45.72	-13.00	-32.72	-	-


Band 12_LTE_3MHz_Nss1,16QAMCS_1TX
700.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	83.73k	-61.07	-13.00	-48.07	-	-
150k	30M	10k	30k	RMS	209.7k	-67.91	-13.00	-54.91	-	-
30M	500M	100k	300k	RMS	173.82M	-62.06	-13.00	-49.06	-	-
500M	692M	100k	300k	RMS	674.14M	-61.64	-13.00	-48.64	-	-
692M	697.9M	30k	100k	RMS	697.85M	-54.67	-13.00	-41.67	MBW100k	-
697.9M	698M	30k	100k	RMS	697.98M	-56.02	-13.00	-43.02	-	-
716M	716.1M	30k	100k	RMS	716.1M	-67.92	-13.00	-54.92	-	-
716.1M	722M	30k	100k	RMS	716.15M	-63.79	-13.00	-49.79	MBW100k	-
722M	1G	100k	300k	RMS	975.26M	-60.96	-13.00	-47.96	-	-
1G	7.16G	1M	3M	RMS	2.463G	-34.91	-13.00	-21.91	-	-


Band 12_LTE_3MHz_Nss1,16QAMCS_1TX
707.5MHz_16QAM_RB 15,#RB 0

CSE-TX-Sum

02/04/2022



Limit
Port 1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	13.935k	-66.69	-13.00	-53.69	-	-
150k	30M	10k	30k	RMS	508.2k	-65.69	-13.00	-52.69	-	-
30M	500M	100k	300k	RMS	452.53M	-61.60	-13.00	-48.60	-	-
500M	692M	100k	300k	RMS	676.45M	-61.89	-13.00	-48.89	-	-
692M	697.9M	30k	100k	RMS	697.65M	-58.60	-13.00	-45.60	MBW100k	-
697.9M	698M	30k	100k	RMS	697.98M	-62.24	-13.00	-49.24	-	-
716M	716.1M	30k	100k	RMS	716.1M	-63.39	-13.00	-50.39	-	-
716.1M	722M	30k	100k	RMS	716.15M	-58.64	-13.00	-45.64	MBW100k	-
722M	1G	100k	300k	RMS	901.87M	-60.88	-13.00	-47.88	-	-
1G	7.16G	1M	3M	RMS	5.90952G	-45.78	-13.00	-32.78	-	-


Band 12_LTE_3MHz_Nss1,16QAMCS_1TX
707.5MHz_16QAM_RB 1,#RB L

CSE-TX-Sum

02/04/2022



Limit
Port 1



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	1k	3k	RMS	86.832k	-59.58	-13.00	-46.58	-	-
150k	30M	10k	30k	RMS	150k	-65.03	-13.00	-52.03	-	-
30M	500M	100k	300k	RMS	458.64M	-61.70	-13.00	-48.70	-	-
500M	692M	100k	300k	RMS	674.14M	-62.00	-13.00	-49.00	-	-
692M	697.9M	30k	100k	RMS	692.45M	-62.68	-13.00	-49.68	MBW100k	-
697.9M	698M	30k	100k	RMS	697.98M	-67.79	-13.00	-54.79	-	-
716M	716.1M	30k	100k	RMS	716.04M	-67.92	-13.00	-54.92	-	-
716.1M	722M	30k	100k	RMS	716.15M	-63.51	-13.00	-49.51	MBW100k	-
722M	1G	100k	300k	RMS	924.94M	-60.84	-13.00	-47.84	-	-
1G	7.16G	1M	3M	RMS	5.86871G	-46.25	-13.00	-33.25	-	-