

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band48


1.1 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-40	32.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-40	32.53	Pass	2986
30	1000	0.1	RMS	928.152	-64.98	-40	24.98	Pass	9701
1000	3000	1	RMS	2991	-50.46	-40	10.46	Pass	2001
3000	3500	1	RMS	3243	-52.9	-40	12.9	Pass	501
3500	3750	1	RMS	3550	21.27	60	38.73	Pass	401
3750	6500	1	RMS	6491	-53.35	-40	13.35	Pass	2751
6500	26500	1	RMS	25496	-42.75	-40	2.75	Pass*	20003




1.2 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-40	32.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-40	31.91	Pass	2986
30	1000	0.1	RMS	834.2	-64.95	-40	24.95	Pass	9701
1000	3000	1	RMS	2988	-50.47	-40	10.47	Pass	2001
3000	3500	1	RMS	3251	-47.19	-40	7.19	Pass	501
3500	3750	1	RMS	3550	20.3	60	39.7	Pass	401
3750	6500	1	RMS	6160	-53.34	-40	13.34	Pass	2751
6500	26500	1	RMS	25486	-42.75	-40	2.75	Pass*	20003




1.3 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-40	32.57	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-40	31.62	Pass	2986
30	1000	0.1	RMS	855.104	-64.91	-40	24.91	Pass	9701
1000	3000	1	RMS	2995	-50.43	-40	10.43	Pass	2001
3000	3500	1	RMS	3258	-47.21	-40	7.21	Pass	501
3500	3750	1	RMS	3622.5	20.87	60	39.13	Pass	401
3750	6500	1	RMS	6500	-53.36	-40	13.36	Pass	2751
6500	26500	1	RMS	25497	-42.85	-40	2.85	Pass*	20003




1.4 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-40	32.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-40	31.94	Pass	2986
30	1000	0.1	RMS	994.196	-64.74	-40	24.74	Pass	9701
1000	3000	1	RMS	2998	-50.42	-40	10.42	Pass	2001
3000	3500	1	RMS	3257	-47.21	-40	7.21	Pass	501
3500	3750	1	RMS	3622.5	20	60	40	Pass	401
3750	6500	1	RMS	6159	-53.28	-40	13.28	Pass	2751
6500	26500	1	RMS	25508	-42.68	-40	2.68	Pass*	20003




**1.5 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5,
Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-40	31.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-40	32.01	Pass	2986
30	1000	0.1	RMS	984.99	-64.77	-40	24.77	Pass	9701
1000	3000	1	RMS	2992	-50.42	-40	10.42	Pass	2001
3000	3500	1	RMS	3258	-47.19	-40	7.19	Pass	501
3500	3750	1	RMS	3695	21.15	60	38.85	Pass	401
3750	6500	1	RMS	6500	-53.3	-40	13.3	Pass	2751
6500	26500	1	RMS	25496	-42.84	-40	2.84	Pass*	20003




1.6 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.25	-40	31.25	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-40	31.74	Pass	2986
30	1000	0.1	RMS	993.896	-64.82	-40	24.82	Pass	9701
1000	3000	1	RMS	2998	-50.36	-40	10.36	Pass	2001
3000	3500	1	RMS	3256	-47.2	-40	7.2	Pass	501
3500	3750	1	RMS	3695	20.48	60	39.52	Pass	401
3750	6500	1	RMS	6494	-53.27	-40	13.27	Pass	2751
6500	26500	1	RMS	25503	-42.72	-40	2.72	Pass*	20003




**1.7 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-40	31.09	Pass	401
0.15	30	0.01	RMS	0.24	-72.39	-40	32.39	Pass	2986
30	1000	0.1	RMS	854.404	-64.82	-40	24.82	Pass	9701
1000	3000	1	RMS	2993	-50.42	-40	10.42	Pass	2001
3000	3500	1	RMS	3243	-47.18	-40	7.18	Pass	501
3500	3750	1	RMS	3550	21	60	39	Pass	401
3750	6500	1	RMS	6498	-53.33	-40	13.33	Pass	2751
6500	26500	1	RMS	25501	-42.81	-40	2.81	Pass*	20003




1.8 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-40	31.87	Pass	401
0.15	30	0.01	RMS	0.31	-72.34	-40	32.34	Pass	2986
30	1000	0.1	RMS	942.162	-64.8	-40	24.8	Pass	9701
1000	3000	1	RMS	2992	-50.42	-40	10.42	Pass	2001
3000	3500	1	RMS	3243	-47.17	-40	7.17	Pass	501
3500	3750	1	RMS	3550	20.29	60	39.71	Pass	401
3750	6500	1	RMS	6159	-53.35	-40	13.35	Pass	2751
6500	26500	1	RMS	25511	-42.79	-40	2.79	Pass*	20003




**1.9 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9,
Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-40	31.76	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-40	32.39	Pass	2986
30	1000	0.1	RMS	928.353	-64.86	-40	24.86	Pass	9701
1000	3000	1	RMS	2990	-50.46	-40	10.46	Pass	2001
3000	3500	1	RMS	3260	-47.24	-40	7.24	Pass	501
3500	3750	1	RMS	3620	20.58	60	39.42	Pass	401
3750	6500	1	RMS	6160	-53.27	-40	13.27	Pass	2751
6500	26500	1	RMS	25502	-42.76	-40	2.76	Pass*	20003




1.10 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-40	32.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-40	31.9	Pass	2986
30	1000	0.1	RMS	923.549	-64.85	-40	24.85	Pass	9701
1000	3000	1	RMS	2992	-50.39	-40	10.39	Pass	2001
3000	3500	1	RMS	3263	-53.28	-40	13.28	Pass	501
3500	3750	1	RMS	3620	19.52	60	40.48	Pass	401
3750	6500	1	RMS	6162	-53.3	-40	13.3	Pass	2751
6500	26500	1	RMS	25501	-42.72	-40	2.72	Pass*	20003




1.11 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-40	31.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-40	31.72	Pass	2986
30	1000	0.1	RMS	887.225	-64.91	-40	24.91	Pass	9701
1000	3000	1	RMS	2994	-50.43	-40	10.43	Pass	2001
3000	3500	1	RMS	3262	-47.24	-40	7.24	Pass	501
3500	3750	1	RMS	3690	20.73	60	39.27	Pass	401
3750	6500	1	RMS	6500	-53.28	-40	13.28	Pass	2751
6500	26500	1	RMS	25494	-42.87	-40	2.87	Pass*	20003




1.12 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-40	31.97	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-40	31.81	Pass	2986
30	1000	0.1	RMS	971.081	-64.85	-40	24.85	Pass	9701
1000	3000	1	RMS	3000	-50.47	-40	10.47	Pass	2001
3000	3500	1	RMS	3253	-47.25	-40	7.25	Pass	501
3500	3750	1	RMS	3690	19.83	60	40.17	Pass	401
3750	6500	1	RMS	6160	-53.33	-40	13.33	Pass	2751
6500	26500	1	RMS	25506	-42.9	-40	2.9	Pass*	20003




1.13 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-40	32.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-40	31.91	Pass	2986
30	1000	0.1	RMS	998.099	-64.52	-40	24.52	Pass	9701
1000	3000	1	RMS	2992	-50.48	-40	10.48	Pass	2001
3000	3500	1	RMS	3243	-47.19	-40	7.19	Pass	501
3500	3750	1	RMS	3550.625	21.03	60	38.97	Pass	401
3750	6500	1	RMS	6499	-53.32	-40	13.32	Pass	2751
6500	26500	1	RMS	25503	-42.76	-40	2.76	Pass*	20003




1.14 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.45	-40	32.45	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-40	32.36	Pass	2986
30	1000	0.1	RMS	905.838	-64.89	-40	24.89	Pass	9701
1000	3000	1	RMS	2984	-50.5	-40	10.5	Pass	2001
3000	3500	1	RMS	3243	-47.21	-40	7.21	Pass	501
3500	3750	1	RMS	3550.625	20.42	60	39.58	Pass	401
3750	6500	1	RMS	6155	-53.35	-40	13.35	Pass	2751
6500	26500	1	RMS	25501	-42.79	-40	2.79	Pass*	20003




1.15 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-40	32	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-40	31.87	Pass	2986
30	1000	0.1	RMS	977.685	-64.87	-40	24.87	Pass	9701
1000	3000	1	RMS	2999	-50.45	-40	10.45	Pass	2001
3000	3500	1	RMS	3258	-53.31	-40	13.31	Pass	501
3500	3750	1	RMS	3618.125	20.55	60	39.45	Pass	401
3750	6500	1	RMS	6159	-53.34	-40	13.34	Pass	2751
6500	26500	1	RMS	25490	-42.8	-40	2.8	Pass*	20003




1.16 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.32	-40	32.32	Pass	401
0.15	30	0.01	RMS	0.19	-71.37	-40	31.37	Pass	2986
30	1000	0.1	RMS	967.078	-64.9	-40	24.9	Pass	9701
1000	3000	1	RMS	2989	-50.46	-40	10.46	Pass	2001
3000	3500	1	RMS	3258	-47.25	-40	7.25	Pass	501
3500	3750	1	RMS	3618.125	19.91	60	40.09	Pass	401
3750	6500	1	RMS	6498	-53.29	-40	13.29	Pass	2751
6500	26500	1	RMS	25505	-42.8	-40	2.8	Pass*	20003




**1.17 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-40	31.96	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-40	31.86	Pass	2986
30	1000	0.1	RMS	940.961	-64.74	-40	24.74	Pass	9701
1000	3000	1	RMS	2995	-50.43	-40	10.43	Pass	2001
3000	3500	1	RMS	3256	-47.25	-40	7.25	Pass	501
3500	3750	1	RMS	3685.625	20.65	60	39.35	Pass	401
3750	6500	1	RMS	6161	-53.3	-40	13.3	Pass	2751
6500	26500	1	RMS	25521	-42.89	-40	2.89	Pass*	20003




1.18 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-40	31.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-40	32.17	Pass	2986
30	1000	0.1	RMS	930.254	-64.79	-40	24.79	Pass	9701
1000	3000	1	RMS	2987	-50.48	-40	10.48	Pass	2001
3000	3500	1	RMS	3252	-47.29	-40	7.29	Pass	501
3500	3750	1	RMS	3685.625	19.62	60	40.38	Pass	401
3750	6500	1	RMS	6160	-53.32	-40	13.32	Pass	2751
6500	26500	1	RMS	25498	-42.86	-40	2.86	Pass*	20003




1.19 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.5	-40	31.5	Pass	401
0.15	30	0.01	RMS	0.24	-72.37	-40	32.37	Pass	2986
30	1000	0.1	RMS	973.182	-64.7	-40	24.7	Pass	9701
1000	3000	1	RMS	2995	-50.49	-40	10.49	Pass	2001
3000	3500	1	RMS	3243	-47.24	-40	7.24	Pass	501
3500	3750	1	RMS	3550.625	21.39	60	38.61	Pass	401
3750	6500	1	RMS	6499	-53.33	-40	13.33	Pass	2751
6500	26500	1	RMS	25522	-42.84	-40	2.84	Pass*	20003




1.20 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-40	32.26	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-40	31.97	Pass	2986
30	1000	0.1	RMS	919.747	-64.91	-40	24.91	Pass	9701
1000	3000	1	RMS	2993	-50.45	-40	10.45	Pass	2001
3000	3500	1	RMS	3257	-47.26	-40	7.26	Pass	501
3500	3750	1	RMS	3550.625	20.32	60	39.68	Pass	401
3750	6500	1	RMS	6157	-53.37	-40	13.37	Pass	2751
6500	26500	1	RMS	25508	-42.86	-40	2.86	Pass*	20003




1.21 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-40	32.83	Pass	401
0.15	30	0.01	RMS	0.2	-72.9	-40	32.9	Pass	2986
30	1000	0.1	RMS	872.415	-64.65	-40	24.65	Pass	9701
1000	3000	1	RMS	2991	-50.45	-40	10.45	Pass	2001
3000	3500	1	RMS	3261	-47.26	-40	7.26	Pass	501
3500	3750	1	RMS	3615.625	20.88	60	39.12	Pass	401
3750	6500	1	RMS	6160	-53.29	-40	13.29	Pass	2751
6500	26500	1	RMS	25496	-42.89	-40	2.89	Pass*	20003




1.22 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-40	32.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-40	31.97	Pass	2986
30	1000	0.1	RMS	992.295	-64.94	-40	24.94	Pass	9701
1000	3000	1	RMS	2984	-50.47	-40	10.47	Pass	2001
3000	3500	1	RMS	3261	-47.25	-40	7.25	Pass	501
3500	3750	1	RMS	3615.625	19.92	60	40.08	Pass	401
3750	6500	1	RMS	6160	-53.36	-40	13.36	Pass	2751
6500	26500	1	RMS	25513	-42.88	-40	2.88	Pass*	20003




1.23 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-40	32.73	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-40	31.96	Pass	2986
30	1000	0.1	RMS	984.79	-64.87	-40	24.87	Pass	9701
1000	3000	1	RMS	2993	-50.41	-40	10.41	Pass	2001
3000	3500	1	RMS	3263	-47.25	-40	7.25	Pass	501
3500	3750	1	RMS	3680.625	20.84	60	39.16	Pass	401
3750	6500	1	RMS	6159	-53.3	-40	13.3	Pass	2751
6500	26500	1	RMS	25511	-42.79	-40	2.79	Pass*	20003



1.24 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-40	31.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-40	32.36	Pass	2986
30	1000	0.1	RMS	979.887	-64.85	-40	24.85	Pass	9701
1000	3000	1	RMS	2991	-50.45	-40	10.45	Pass	2001
3000	3500	1	RMS	3259	-47.27	-40	7.27	Pass	501
3500	3750	1	RMS	3680.62 5	20.26	60	39.74	Pass	401
3750	6500	1	RMS	6160	-53.32	-40	13.32	Pass	2751
6500	26500	1	RMS	25502	-42.84	-40	2.84	Pass*	20003



2. n48 30kHz


2.1 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-40	33.89	Pass	401
0.15	30	0.01	RMS	0.16	-75.23	-40	35.23	Pass	2986
30	1000	0.1	RMS	714.9	-66.56	-40	26.56	Pass	9701
1000	3000	1	RMS	2977	-53.71	-40	13.71	Pass	2001
3000	3500	1	RMS	3012	-50.41	-40	10.41	Pass	501
3500	3750	1	RMS	3555	11	60	49	Pass	401
3750	7000	1	RMS	3866	-68.6	-40	28.6	Pass	3251
7000	26500	1	RMS	25910	-59.8	-40	19.8	Pass	19503




2.2 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.98	-40	36.98	Pass	401
0.15	30	0.01	RMS	0.39	-74.48	-40	34.48	Pass	2986
30	1000	0.1	RMS	865.011	-65.48	-40	25.48	Pass	9701
1000	3000	1	RMS	2976	-53.64	-40	13.64	Pass	2001
3000	3500	1	RMS	3000	-50.39	-40	10.39	Pass	501
3500	3750	1	RMS	3551.25	18.55	60	41.45	Pass	401
3750	7000	1	RMS	3858	-65.31	-40	25.31	Pass	3251
7000	26500	1	RMS	25513	-60.08	-40	20.08	Pass	19503




2.3 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.81	-40	34.81	Pass	401
0.15	30	0.01	RMS	1.08	-74.52	-40	34.52	Pass	2986
30	1000	0.1	RMS	929.854	-66.26	-40	26.26	Pass	9701
1000	3000	1	RMS	2934	-53.72	-40	13.72	Pass	2001
3000	3500	1	RMS	3013	-50.44	-40	10.44	Pass	501
3500	3750	1	RMS	3559.375	19.34	60	40.66	Pass	401
3750	7000	1	RMS	3866	-63.4	-40	23.4	Pass	3251
7000	26500	1	RMS	25545	-59.83	-40	19.83	Pass	19503




2.4 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-40	33.83	Pass	401
0.15	30	0.01	RMS	0.21	-74.03	-40	34.03	Pass	2986
30	1000	0.1	RMS	885.824	-65.88	-40	25.88	Pass	9701
1000	3000	1	RMS	2956	-53.77	-40	13.77	Pass	2001
3000	3500	1	RMS	3006	-50.43	-40	10.43	Pass	501
3500	3750	1	RMS	3623.75	10.95	60	49.05	Pass	401
3750	7000	1	RMS	3936	-67.45	-40	27.45	Pass	3251
7000	26500	1	RMS	25570	-59.99	-40	19.99	Pass	19503




2.5 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.28	-40	35.28	Pass	401
0.15	30	0.01	RMS	0.73	-75.32	-40	35.32	Pass	2986
30	1000	0.1	RMS	982.388	-66.49	-40	26.49	Pass	9701
1000	3000	1	RMS	2981	-53.68	-40	13.68	Pass	2001
3000	3500	1	RMS	3004	-50.4	-40	10.4	Pass	501
3500	3750	1	RMS	3621.25	18.75	60	41.25	Pass	401
3750	7000	1	RMS	3928	-65.08	-40	25.08	Pass	3251
7000	26500	1	RMS	25526	-59.66	-40	19.66	Pass	19503




2.6 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.27	-40	36.27	Pass	401
0.15	30	0.01	RMS	0.15	-74.33	-40	34.33	Pass	2986
30	1000	0.1	RMS	967.378	-66.12	-40	26.12	Pass	9701
1000	3000	1	RMS	2975	-53.72	-40	13.72	Pass	2001
3000	3500	1	RMS	3011	-50.38	-40	10.38	Pass	501
3500	3750	1	RMS	3629.375	19.3	60	40.7	Pass	401
3750	7000	1	RMS	3937	-62.95	-40	22.95	Pass	3251
7000	26500	1	RMS	25494	-60	-40	20	Pass	19503




2.7 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.08	-40	36.08	Pass	401
0.15	30	0.01	RMS	0.21	-74.53	-40	34.53	Pass	2986
30	1000	0.1	RMS	999.099	-66.13	-40	26.13	Pass	9701
1000	3000	1	RMS	2974	-53.68	-40	13.68	Pass	2001
3000	3500	1	RMS	3014	-50.39	-40	10.39	Pass	501
3500	3750	1	RMS	3692.5	11.04	60	48.96	Pass	401
3750	7000	1	RMS	4005	-66.84	-40	26.84	Pass	3251
7000	26500	1	RMS	25491	-59.76	-40	19.76	Pass	19503




2.8 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.5	-40	36.5	Pass	401
0.15	30	0.01	RMS	0.54	-73.85	-40	33.85	Pass	2986
30	1000	0.1	RMS	977.285	-65.95	-40	25.95	Pass	9701
1000	3000	1	RMS	2972	-53.62	-40	13.62	Pass	2001
3000	3500	1	RMS	3018	-50.44	-40	10.44	Pass	501
3500	3750	1	RMS	3691.25	18.67	60	41.33	Pass	401
3750	7000	1	RMS	3998	-59.91	-40	19.91	Pass	3251
7000	26500	1	RMS	25561	-59.46	-40	19.46	Pass	19503




2.9 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.63	-40	34.63	Pass	401
0.15	30	0.01	RMS	0.41	-74.01	-40	34.01	Pass	2986
30	1000	0.1	RMS	981.188	-66.14	-40	26.14	Pass	9701
1000	3000	1	RMS	2965	-53.67	-40	13.67	Pass	2001
3000	3500	1	RMS	3016	-50.3	-40	10.3	Pass	501
3500	3750	1	RMS	3699.375	19.35	60	40.65	Pass	401
3750	7000	1	RMS	4006	-65.6	-40	25.6	Pass	3251
7000	26500	1	RMS	25534	-60.06	-40	20.06	Pass	19503




2.10 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.2	-40	35.2	Pass	401
0.15	30	0.01	RMS	0.46	-73.52	-40	33.52	Pass	2986
30	1000	0.1	RMS	952.869	-66.39	-40	26.39	Pass	9701
1000	3000	1	RMS	2975	-53.69	-40	13.69	Pass	2001
3000	3500	1	RMS	3001	-50.34	-40	10.34	Pass	501
3500	3750	1	RMS	3553.125	7.49	60	52.51	Pass	401
3750	7000	1	RMS	3859	-66.62	-40	26.62	Pass	3251
7000	26500	1	RMS	25488	-59.88	-40	19.88	Pass	19503




2.11 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.89	-40	33.89	Pass	401
0.15	30	0.01	RMS	2.19	-75.12	-40	35.12	Pass	2986
30	1000	0.1	RMS	866.111	-66.09	-40	26.09	Pass	9701
1000	3000	1	RMS	2897	-53.77	-40	13.77	Pass	2001
3000	3500	1	RMS	3014	-50.33	-40	10.33	Pass	501
3500	3750	1	RMS	3551.25	19.11	60	40.89	Pass	401
3750	7000	1	RMS	3859	-60.58	-40	20.58	Pass	3251
7000	26500	1	RMS	25896	-60.09	-40	20.09	Pass	19503




2.12 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-40	34.35	Pass	401
0.15	30	0.01	RMS	0.52	-75.35	-40	35.35	Pass	2986
30	1000	0.1	RMS	904.537	-65.81	-40	25.81	Pass	9701
1000	3000	1	RMS	2981	-53.74	-40	13.74	Pass	2001
3000	3500	1	RMS	3004	-50.39	-40	10.39	Pass	501
3500	3750	1	RMS	3569.375	18.71	60	41.29	Pass	401
3750	7000	1	RMS	3876	-61.75	-40	21.75	Pass	3251
7000	26500	1	RMS	25507	-59.85	-40	19.85	Pass	19503




2.13 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-40	33.83	Pass	401
0.15	30	0.01	RMS	1.92	-73.23	-40	33.23	Pass	2986
30	1000	0.1	RMS	995.697	-65.98	-40	25.98	Pass	9701
1000	3000	1	RMS	2981	-53.79	-40	13.79	Pass	2001
3000	3500	1	RMS	3017	-50.39	-40	10.39	Pass	501
3500	3750	1	RMS	3618.125	7.7	60	52.3	Pass	401
3750	7000	1	RMS	3924	-66.6	-40	26.6	Pass	3251
7000	26500	1	RMS	25475	-59.82	-40	19.82	Pass	19503




2.14 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.17	-40	35.17	Pass	401
0.15	30	0.01	RMS	0.16	-74.24	-40	34.24	Pass	2986
30	1000	0.1	RMS	858.006	-66.5	-40	26.5	Pass	9701
1000	3000	1	RMS	2946	-53.73	-40	13.73	Pass	2001
3000	3500	1	RMS	3019	-50.41	-40	10.41	Pass	501
3500	3750	1	RMS	3616.25	19.29	60	40.71	Pass	401
3750	7000	1	RMS	3923	-56.53	-40	16.53	Pass	3251
7000	26500	1	RMS	25492	-59.91	-40	19.91	Pass	19503




2.15 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.53	-40	35.53	Pass	401
0.15	30	0.01	RMS	0.15	-74.15	-40	34.15	Pass	2986
30	1000	0.1	RMS	932.255	-66.04	-40	26.04	Pass	9701
1000	3000	1	RMS	2997	-53.72	-40	13.72	Pass	2001
3000	3500	1	RMS	3013	-50.34	-40	10.34	Pass	501
3500	3750	1	RMS	3634.375	18.68	60	41.32	Pass	401
3750	7000	1	RMS	3941	-61.05	-40	21.05	Pass	3251
7000	26500	1	RMS	25524	-59.92	-40	19.92	Pass	19503




2.16 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.64	-40	34.64	Pass	401
0.15	30	0.01	RMS	0.63	-74.25	-40	34.25	Pass	2986
30	1000	0.1	RMS	857.806	-66.1	-40	26.1	Pass	9701
1000	3000	1	RMS	2838	-53.77	-40	13.77	Pass	2001
3000	3500	1	RMS	3005	-50.33	-40	10.33	Pass	501
3500	3750	1	RMS	3683.75	7.71	60	52.29	Pass	401
3750	7000	1	RMS	3992	-67.21	-40	27.21	Pass	3251
7000	26500	1	RMS	25892	-59.67	-40	19.67	Pass	19503




2.17 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.89	-40	34.89	Pass	401
0.15	30	0.01	RMS	0.31	-73.87	-40	33.87	Pass	2986
30	1000	0.1	RMS	725	-65.92	-40	25.92	Pass	9701
1000	3000	1	RMS	2966	-53.68	-40	13.68	Pass	2001
3000	3500	1	RMS	3374	-50.39	-40	10.39	Pass	501
3500	3750	1	RMS	3681.25	19.13	60	40.87	Pass	401
3750	7000	1	RMS	3988	-62.21	-40	22.21	Pass	3251
7000	26500	1	RMS	25874	-59.91	-40	19.91	Pass	19503




2.18 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.06	-40	36.06	Pass	401
0.15	30	0.01	RMS	0.56	-74.42	-40	34.42	Pass	2986
30	1000	0.1	RMS	883.123	-65.7	-40	25.7	Pass	9701
1000	3000	1	RMS	3000	-53.69	-40	13.69	Pass	2001
3000	3500	1	RMS	3013	-50.29	-40	10.29	Pass	501
3500	3750	1	RMS	3699.375	18.63	60	41.37	Pass	401
3750	7000	1	RMS	4006	-60.41	-40	20.41	Pass	3251
7000	26500	1	RMS	25892	-59	-40	19	Pass	19503




2.19 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.79	-40	34.79	Pass	401
0.15	30	0.01	RMS	0.43	-73.59	-40	33.59	Pass	2986
30	1000	0.1	RMS	846.7	-66.18	-40	26.18	Pass	9701
1000	3000	1	RMS	2991	-53.68	-40	13.68	Pass	2001
3000	3500	1	RMS	3499	-48.66	-40	8.66	Pass	501
3500	3750	1	RMS	3552.5	4.61	60	55.39	Pass	401
3750	7000	1	RMS	4076	-70.23	-40	30.23	Pass	3251
7000	26500	1	RMS	25503	-59.99	-40	19.99	Pass	19503




2.20 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.49	-40	34.49	Pass	401
0.15	30	0.01	RMS	0.17	-74.85	-40	34.85	Pass	2986
30	1000	0.1	RMS	817.4	-66.53	-40	26.53	Pass	9701
1000	3000	1	RMS	2985	-53.66	-40	13.66	Pass	2001
3000	3500	1	RMS	3003	-50.34	-40	10.34	Pass	501
3500	3750	1	RMS	3551.25	19.43	60	40.57	Pass	401
3750	7000	1	RMS	4166	-63.46	-40	23.46	Pass	3251
7000	26500	1	RMS	25518	-59.98	-40	19.98	Pass	19503




2.21 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.89	-40	34.89	Pass	401
0.15	30	0.01	RMS	0.18	-73.17	-40	33.17	Pass	2986
30	1000	0.1	RMS	944.263	-66.51	-40	26.51	Pass	9701
1000	3000	1	RMS	2974	-53.78	-40	13.78	Pass	2001
3000	3500	1	RMS	3009	-50.38	-40	10.38	Pass	501
3500	3750	1	RMS	3588.75	18.91	60	41.09	Pass	401
3750	7000	1	RMS	3896	-63.59	-40	23.59	Pass	3251
7000	26500	1	RMS	25552	-59.97	-40	19.97	Pass	19503




2.22 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.95	-40	34.95	Pass	401
0.15	30	0.01	RMS	0.15	-73.6	-40	33.6	Pass	2986
30	1000	0.1	RMS	851.502	-66.2	-40	26.2	Pass	9701
1000	3000	1	RMS	2982	-53.65	-40	13.65	Pass	2001
3000	3500	1	RMS	3008	-50.4	-40	10.4	Pass	501
3500	3750	1	RMS	3610	4.77	60	55.23	Pass	401
3750	7000	1	RMS	3750	-68.79	-40	28.79	Pass	3251
7000	26500	1	RMS	25533	-60.14	-40	20.14	Pass	19503




2.23 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.78	-40	33.78	Pass	401
0.15	30	0.01	RMS	0.26	-73.95	-40	33.95	Pass	2986
30	1000	0.1	RMS	909.54	-66.65	-40	26.65	Pass	9701
1000	3000	1	RMS	2838	-53.73	-40	13.73	Pass	2001
3000	3500	1	RMS	3012	-50.34	-40	10.34	Pass	501
3500	3750	1	RMS	3606.25	19.51	60	40.49	Pass	401
3750	7000	1	RMS	3913	-63.4	-40	23.4	Pass	3251
7000	26500	1	RMS	25499	-59.7	-40	19.7	Pass	19503




2.24 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.53	-40	35.53	Pass	401
0.15	30	0.01	RMS	0.33	-73.73	-40	33.73	Pass	2986
30	1000	0.1	RMS	847.3	-65.51	-40	25.51	Pass	9701
1000	3000	1	RMS	2932	-53.77	-40	13.77	Pass	2001
3000	3500	1	RMS	3010	-50.3	-40	10.3	Pass	501
3500	3750	1	RMS	3643.75	18.9	60	41.1	Pass	401
3750	7000	1	RMS	3951	-63	-40	23	Pass	3251
7000	26500	1	RMS	25889	-59.74	-40	19.74	Pass	19503




2.25 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.62	-40	34.62	Pass	401
0.15	30	0.01	RMS	0.79	-74.21	-40	34.21	Pass	2986
30	1000	0.1	RMS	793.4	-65.92	-40	25.92	Pass	9701
1000	3000	1	RMS	2966	-53.79	-40	13.79	Pass	2001
3000	3500	1	RMS	3012	-50.32	-40	10.32	Pass	501
3500	3750	1	RMS	3663.75	4.73	60	55.27	Pass	401
3750	7000	1	RMS	3750	-54.59	-40	14.59	Pass	3251
7000	26500	1	RMS	25491	-59.62	-40	19.62	Pass	19503




2.26 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.21	-40	35.21	Pass	401
0.15	30	0.01	RMS	0.3	-74.77	-40	34.77	Pass	2986
30	1000	0.1	RMS	758.3	-66.09	-40	26.09	Pass	9701
1000	3000	1	RMS	2971	-53.61	-40	13.61	Pass	2001
3000	3500	1	RMS	3010	-50.36	-40	10.36	Pass	501
3500	3750	1	RMS	3661.25	19.39	60	40.61	Pass	401
3750	7000	1	RMS	3968	-63.12	-40	23.12	Pass	3251
7000	26500	1	RMS	26483	-59.79	-40	19.79	Pass	19503



2.27 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.69	-40	35.69	Pass	401
0.15	30	0.01	RMS	1.32	-75.06	-40	35.06	Pass	2986
30	1000	0.1	RMS	983.589	-66.27	-40	26.27	Pass	9701
1000	3000	1	RMS	2993	-53.54	-40	13.54	Pass	2001
3000	3500	1	RMS	3018	-50.27	-40	10.27	Pass	501
3500	3750	1	RMS	3698.75	18.91	60	41.09	Pass	401
3750	7000	1	RMS	4006	-62.62	-40	22.62	Pass	3251
7000	26500	1	RMS	25880	-60.09	-40	20.09	Pass	19503



--BLANK BELOW--