



11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.18	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	963.776	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1839	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1913.738	22.74	60	37.26	Pass	401
1925	3000	1	RMS	2993	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	12000	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.67	-13	26.67	Pass	8001




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.18	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	839.4	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1840	-52.53	-13	39.53	Pass	841
1840	1925	1	RMS	1850.2	23.41	60	36.59	Pass	401
1925	3000	1	RMS	2982	-51.25	-13	38.25	Pass	1076
3000	12000	1	RMS	11997	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.56	-13	26.56	Pass	8001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	959.573	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1840	-52.67	-13	39.67	Pass	841
1840	1925	1	RMS	1850.2	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2985	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11998	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.6	-13	26.6	Pass	8001



11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	981.788	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1881.225	23.28	60	36.72	Pass	401
1925	3000	1	RMS	2993	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11999	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13602	-39.63	-13	26.63	Pass	8001



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	970.38	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1839	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1881.225	22.53	60	37.47	Pass	401
1925	3000	1	RMS	2976	-51.23	-13	38.23	Pass	1076
3000	12000	1	RMS	11996	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13602	-39.58	-13	26.58	Pass	8001



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	839.7	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1839	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1912.25	23.46	60	36.54	Pass	401
1925	3000	1	RMS	2981	-51.28	-13	38.28	Pass	1076
3000	12000	1	RMS	11995	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	844.5	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1839	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1912.25	22.89	60	37.11	Pass	401
1925	3000	1	RMS	2939	-51.23	-13	38.23	Pass	1076
3000	12000	1	RMS	11999	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13597	-39.61	-13	26.61	Pass	8001



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	854.604	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-52.52	-13	39.52	Pass	841
1840	1925	1	RMS	1850.2	23.39	60	36.61	Pass	401
1925	3000	1	RMS	2995	-51.2	-13	38.2	Pass	1076
3000	12000	1	RMS	11995	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13599	-39.56	-13	26.56	Pass	8001



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	871.615	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1840	-52.69	-13	39.69	Pass	841
1840	1925	1	RMS	1850.2	22.56	60	37.44	Pass	401
1925	3000	1	RMS	2998	-51.21	-13	38.21	Pass	1076
3000	12000	1	RMS	11994	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13599	-39.55	-13	26.55	Pass	8001



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	840.4	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1880.375	23.29	60	36.71	Pass	401
1925	3000	1	RMS	2988	-51.24	-13	38.24	Pass	1076
3000	12000	1	RMS	11990	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-39.57	-13	26.57	Pass	8001



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	843.8	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1838	-53.61	-13	40.61	Pass	841
1840	1925	1	RMS	1880.375	22.21	60	37.79	Pass	401
1925	3000	1	RMS	2961	-51.25	-13	38.25	Pass	1076
3000	12000	1	RMS	12000	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13606	-39.64	-13	26.64	Pass	8001



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	862.709	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1838	-53.6	-13	40.6	Pass	841
1840	1925	1	RMS	1910.338	23.64	60	36.36	Pass	401
1925	3000	1	RMS	2982	-51.21	-13	38.21	Pass	1076
3000	12000	1	RMS	11992	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13598	-39.6	-13	26.6	Pass	8001



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	843.6	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1839	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1910.338	22.8	60	37.2	Pass	401
1925	3000	1	RMS	2996	-51.25	-13	38.25	Pass	1076
3000	12000	1	RMS	11999	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13601	-39.47	-13	26.47	Pass	8001



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.24	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	854.604	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1840	-52.79	-13	39.79	Pass	841
1840	1925	1	RMS	1850.625	23.29	60	36.71	Pass	401
1925	3000	1	RMS	2980	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11991	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	847.1	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1838	-52.85	-13	39.85	Pass	841
1840	1925	1	RMS	1850.625	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2998	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	12000	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13602	-39.7	-13	26.7	Pass	8001



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	966.978	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1837	-53.71	-13	40.71	Pass	841
1840	1925	1	RMS	1878.038	23.26	60	36.74	Pass	401
1925	3000	1	RMS	2995	-51.28	-13	38.28	Pass	1076
3000	12000	1	RMS	12000	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13602	-39.63	-13	26.63	Pass	8001



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	825.1	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1878.038	22.57	60	37.43	Pass	401
1925	3000	1	RMS	2987	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11993	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	986.891	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.71	-13	40.71	Pass	841
1840	1925	1	RMS	1905.663	13.48	60	46.52	Pass	401
1925	3000	1	RMS	2989	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11994	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13600	-39.57	-13	26.57	Pass	8001



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	973.582	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1905.663	22.57	60	37.43	Pass	401
1925	3000	1	RMS	2982	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11998	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	837.8	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1838	-47.1	-13	34.1	Pass	841
1840	1925	1	RMS	1850.838	23.6	60	36.4	Pass	401
1925	3000	1	RMS	2984	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11993	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13606	-39.71	-13	26.71	Pass	8001



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	936.358	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1838	-49.67	-13	36.67	Pass	841
1840	1925	1	RMS	1850.838	22.45	60	37.55	Pass	401
1925	3000	1	RMS	2932	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	11995	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	847.7	-65.04	-13	52.04	Pass	9701
1000	1840	1	RMS	1840	-53.66	-13	40.66	Pass	841
1840	1925	1	RMS	1875.7	23.17	60	36.83	Pass	401
1925	3000	1	RMS	2992	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11997	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001



11.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	853.703	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1835	-53.68	-13	40.68	Pass	841
1840	1925	1	RMS	1875.7	22.6	60	37.4	Pass	401
1925	3000	1	RMS	2989	-51.28	-13	38.28	Pass	1076
3000	12000	1	RMS	11999	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001



11.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	977.285	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1839	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1900.775	23.35	60	36.65	Pass	401
1925	3000	1	RMS	2994	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	11999	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13603	-39.57	-13	26.57	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	855.004	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1834	-53.7	-13	40.7	Pass	841
1840	1925	1	RMS	1900.775	22.56	60	37.44	Pass	401
1925	3000	1	RMS	2982	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	11999	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.67	-13	26.67	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	953.869	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-53.53	-13	40.53	Pass	841
1840	1925	1	RMS	1851.05	13.57	60	46.43	Pass	401
1925	3000	1	RMS	2964	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	11998	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13599	-39.7	-13	26.7	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	999.9	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-52.55	-13	39.55	Pass	841
1840	1925	1	RMS	1851.05	22.64	60	37.36	Pass	401
1925	3000	1	RMS	2990	-51.25	-13	38.25	Pass	1076
3000	12000	1	RMS	11999	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13605	-39.69	-13	26.69	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.2	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	981.788	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1840	-53.55	-13	40.55	Pass	841
1840	1925	1	RMS	1873.575	23.37	60	36.63	Pass	401
1925	3000	1	RMS	2984	-51.27	-13	38.27	Pass	1076
3000	12000	1	RMS	11995	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.56	-13	26.56	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	899.133	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1839	-53.54	-13	40.54	Pass	841
1840	1925	1	RMS	1873.575	22.53	60	37.47	Pass	401
1925	3000	1	RMS	2990	-51.21	-13	38.21	Pass	1076
3000	12000	1	RMS	11999	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13600	-39.57	-13	26.57	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	980.187	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1839	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1896.1	23.58	60	36.42	Pass	401
1925	3000	1	RMS	2996	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	11990	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	964.677	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-53.64	-13	40.64	Pass	841
1840	1925	1	RMS	1896.1	22.51	60	37.49	Pass	401
1925	3000	1	RMS	2988	-51.22	-13	38.22	Pass	1076
3000	12000	1	RMS	11997	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13600	-39.69	-13	26.69	Pass	8001



12. LTE_Band26(part22)


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	814	0.1	RMS	813.6	-64.63	-13	51.63	Pass	7841
814	860	0.1	RMS	824.3	20.69	60	39.31	Pass	461
860	1000	0.1	RMS	950.6	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1648	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	6801	-45.93	-13	32.93	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-73.06	-13	60.06	Pass	2986
30	814	0.1	RMS	813.6	-64.56	-13	51.56	Pass	7841
814	860	0.1	RMS	824.3	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	978.7	-65.73	-13	52.73	Pass	1401
1000	3000	1	RMS	1648	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6800	-45.94	-13	32.94	Pass	7001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.38	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	811.9	-65.78	-13	52.78	Pass	7841
814	860	0.1	RMS	836.1	20.72	60	39.28	Pass	461
860	1000	0.1	RMS	992.5	-65.74	-13	52.74	Pass	1401
1000	3000	1	RMS	1672	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6801	-45.95	-13	32.95	Pass	7001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	811.3	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	836.1	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	960.3	-65.72	-13	52.72	Pass	1401
1000	3000	1	RMS	1672	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6799	-45.9	-13	32.9	Pass	7001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	812.2	-65.85	-13	52.85	Pass	7841
814	860	0.1	RMS	847.9	20.75	60	39.25	Pass	461
860	1000	0.1	RMS	923.4	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1695	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	6799	-45.88	-13	32.88	Pass	7001




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	812.5	-65.76	-13	52.76	Pass	7841
814	860	0.1	RMS	847.9	19.57	60	40.43	Pass	461
860	1000	0.1	RMS	990.4	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1695	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6800	-45.95	-13	32.95	Pass	7001




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.22	-72.9	-13	59.9	Pass	2986
30	814	0.1	RMS	813.6	-64.47	-13	51.47	Pass	7841
814	860	0.1	RMS	824.3	20.67	60	39.33	Pass	461
860	1000	0.1	RMS	999.8	-65.69	-13	52.69	Pass	1401
1000	3000	1	RMS	1648	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	6800	-45.86	-13	32.86	Pass	7001




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.19	-73.11	-13	60.11	Pass	2986
30	814	0.1	RMS	813.6	-64.61	-13	51.61	Pass	7841
814	860	0.1	RMS	824.3	19.82	60	40.18	Pass	461
860	1000	0.1	RMS	869.8	-65.74	-13	52.74	Pass	1401
1000	3000	1	RMS	1648	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6801	-45.98	-13	32.98	Pass	7001



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	813.5	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	835.3	20.58	60	39.42	Pass	461
860	1000	0.1	RMS	972.5	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1670	-46.41	-13	33.41	Pass	2001
3000	10000	1	RMS	6801	-46	-13	33	Pass	7001



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	59.71	Pass	2986
30	814	0.1	RMS	812.7	-65.83	-13	52.83	Pass	7841
814	860	0.1	RMS	835.3	20.15	60	39.85	Pass	461
860	1000	0.1	RMS	868.1	-65.73	-13	52.73	Pass	1401
1000	3000	1	RMS	1670	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6800	-45.89	-13	32.89	Pass	7001



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.76	-13	60.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	814	-65.87	-13	52.87	Pass	7841
814	860	0.1	RMS	846.3	20.55	60	39.45	Pass	461
860	1000	0.1	RMS	963.9	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1692	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	6801	-45.95	-13	32.95	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	813.4	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	846.3	19.58	60	40.42	Pass	461
860	1000	0.1	RMS	866.6	-65.72	-13	52.72	Pass	1401
1000	3000	1	RMS	1692	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6801	-45.9	-13	32.9	Pass	7001



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.18	-72.93	-13	59.93	Pass	2986
30	814	0.1	RMS	813.7	-64.69	-13	51.69	Pass	7841
814	860	0.1	RMS	824.4	20.84	60	39.16	Pass	461
860	1000	0.1	RMS	870.6	-65.56	-13	52.56	Pass	1401
1000	3000	1	RMS	1648	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	6800	-45.99	-13	32.99	Pass	7001



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	814	0.1	RMS	813.7	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	824.4	19.65	60	40.35	Pass	461
860	1000	0.1	RMS	924.4	-65.76	-13	52.76	Pass	1401
1000	3000	1	RMS	1648	-48.08	-13	35.08	Pass	2001
3000	10000	1	RMS	6802	-45.93	-13	32.93	Pass	7001



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-13	60.16	Pass	2986
30	814	0.1	RMS	812.8	-65.76	-13	52.76	Pass	7841
814	860	0.1	RMS	834.4	20.61	60	39.39	Pass	461
860	1000	0.1	RMS	963.3	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1668	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	6800	-45.95	-13	32.95	Pass	7001



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	811.9	-65.73	-13	52.73	Pass	7841
814	860	0.1	RMS	834.4	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	879.5	-65.79	-13	52.79	Pass	1401
1000	3000	1	RMS	1668	-48.15	-13	35.15	Pass	2001
3000	10000	1	RMS	6798	-45.99	-13	32.99	Pass	7001



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.18	-73.33	-13	60.33	Pass	2986
30	814	0.1	RMS	813.4	-65.96	-13	52.96	Pass	7841
814	860	0.1	RMS	844.4	20.64	60	39.36	Pass	461
860	1000	0.1	RMS	948.4	-65.76	-13	52.76	Pass	1401
1000	3000	1	RMS	1688	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	6800	-45.97	-13	32.97	Pass	7001



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	812.2	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	844.4	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	872.4	-65.81	-13	52.81	Pass	1401
1000	3000	1	RMS	1688	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6803	-46.02	-13	33.02	Pass	7001



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	811.9	-64.46	-13	51.46	Pass	7841
814	860	0.1	RMS	824.6	20.58	60	39.42	Pass	461
860	1000	0.1	RMS	870.9	-65.64	-13	52.64	Pass	1401
1000	3000	1	RMS	1649	-47.71	-13	34.71	Pass	2001
3000	10000	1	RMS	6798	-45.96	-13	32.96	Pass	7001



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	813.9	-64.56	-13	51.56	Pass	7841
814	860	0.1	RMS	824.6	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	936.4	-65.73	-13	52.73	Pass	1401
1000	3000	1	RMS	1649	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	6801	-45.95	-13	32.95	Pass	7001



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	812.8	-65.86	-13	52.86	Pass	7841
814	860	0.1	RMS	832.1	20.69	60	39.31	Pass	461
860	1000	0.1	RMS	980.1	-65.76	-13	52.76	Pass	1401
1000	3000	1	RMS	1664	-47.25	-13	34.25	Pass	2001
3000	10000	1	RMS	6801	-45.95	-13	32.95	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	814	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	832.1	19.65	60	40.35	Pass	461
860	1000	0.1	RMS	992.4	-65.78	-13	52.78	Pass	1401
1000	3000	1	RMS	1664	-47.52	-13	34.52	Pass	2001
3000	10000	1	RMS	6800	-45.93	-13	32.93	Pass	7001



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	813.8	-65.77	-13	52.77	Pass	7841
814	860	0.1	RMS	839.6	20.85	60	39.15	Pass	461
860	1000	0.1	RMS	897.8	-65.76	-13	52.76	Pass	1401
1000	3000	1	RMS	1679	-47.2	-13	34.2	Pass	2001
3000	10000	1	RMS	6800	-45.97	-13	32.97	Pass	7001



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.17	-72.98	-13	59.98	Pass	2986
30	814	0.1	RMS	812.7	-65.86	-13	52.86	Pass	7841
814	860	0.1	RMS	839.6	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	959.4	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1679	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6802	-45.95	-13	32.95	Pass	7001



12.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	814	0.1	RMS	813.5	-64.46	-13	51.46	Pass	7841
814	860	0.1	RMS	824.9	20.39	60	39.61	Pass	461
860	1000	0.1	RMS	927.7	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1649	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6801	-46.01	-13	33.01	Pass	7001



12.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	813.9	-64.76	-13	51.76	Pass	7841
814	860	0.1	RMS	824.9	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	986.7	-65.7	-13	52.7	Pass	1401
1000	3000	1	RMS	1649	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	6800	-45.85	-13	32.85	Pass	7001



12.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	814	0.1	RMS	813.7	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	829.9	20.59	60	39.41	Pass	461
860	1000	0.1	RMS	980.9	-65.55	-13	52.55	Pass	1401
1000	3000	1	RMS	1659	-47.25	-13	34.25	Pass	2001
3000	10000	1	RMS	6800	-45.99	-13	32.99	Pass	7001



12.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	814	-65	-13	52	Pass	7841
814	860	0.1	RMS	829.9	19.14	60	40.86	Pass	461
860	1000	0.1	RMS	959.2	-65.61	-13	52.61	Pass	1401
1000	3000	1	RMS	1659	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6802	-45.99	-13	32.99	Pass	7001



12.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	813.7	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	834.9	20.48	60	39.52	Pass	461
860	1000	0.1	RMS	977.2	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1669	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	6801	-45.97	-13	32.97	Pass	7001



12.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.19	-72.82	-13	59.82	Pass	2986
30	814	0.1	RMS	811.7	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	834.9	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	979	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1669	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6800	-45.91	-13	32.91	Pass	7001



13. LTE_Band26(part90)


13.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.86	-13	53.86	Pass	401
0.15	30	0.01	Peak	0.15	-64.75	-13	51.75	Pass	2986
30	809	0.1	Peak	799.3	-54.18	-13	41.18	Pass	7791
809	829	0.1	Peak	814.35	25.3	60	34.7	Pass	401
829	1000	0.1	Peak	995.9	-54.14	-13	41.14	Pass	1711
1000	3000	1	Peak	2831	-38.68	-13	25.68	Pass	2001
3000	10000	1	Peak	7309	-31.73	-13	18.73	Pass	7001




13.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.25	-13	53.25	Pass	401
0.15	30	0.01	Peak	1.61	-65.39	-13	52.39	Pass	2986
30	809	0.1	Peak	482.8	-54.72	-13	41.72	Pass	7791
809	829	0.1	Peak	814.3	25.54	60	34.46	Pass	401
829	1000	0.1	Peak	829.7	-52.98	-13	39.98	Pass	1711
1000	3000	1	Peak	1629	-38.89	-13	25.89	Pass	2001
3000	10000	1	Peak	8794	-32.2	-13	19.2	Pass	7001




13.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.52	-13	51.52	Pass	401
0.15	30	0.01	Peak	0.15	-62.53	-13	49.53	Pass	2986
30	809	0.1	Peak	411.9	-54.13	-13	41.13	Pass	7791
809	829	0.1	Peak	818.65	25.51	60	34.49	Pass	401
829	1000	0.1	Peak	831	-53.3	-13	40.3	Pass	1711
1000	3000	1	Peak	1637	-38.79	-13	25.79	Pass	2001
3000	10000	1	Peak	6983	-31.89	-13	18.89	Pass	7001




13.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.94	-13	51.94	Pass	401
0.15	30	0.01	Peak	0.29	-64.81	-13	51.81	Pass	2986
30	809	0.1	Peak	750.7	-54.3	-13	41.3	Pass	7791
809	829	0.1	Peak	818.55	25.89	60	34.11	Pass	401
829	1000	0.1	Peak	830.6	-49.31	-13	36.31	Pass	1711
1000	3000	1	Peak	1637	-38.84	-13	25.84	Pass	2001
3000	10000	1	Peak	8746	-32.02	-13	19.02	Pass	7001




13.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.08	-13	53.08	Pass	401
0.15	30	0.01	Peak	0.15	-65	-13	52	Pass	2986
30	809	0.1	Peak	745.5	-54.18	-13	41.18	Pass	7791
809	829	0.1	Peak	822.8	25.37	60	34.63	Pass	401
829	1000	0.1	Peak	829.9	-53.04	-13	40.04	Pass	1711
1000	3000	1	Peak	1645	-38.69	-13	25.69	Pass	2001
3000	10000	1	Peak	8740	-32.03	-13	19.03	Pass	7001




13.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.28	-13	51.28	Pass	401
0.15	30	0.01	Peak	0.47	-64.77	-13	51.77	Pass	2986
30	809	0.1	Peak	723.5	-54.48	-13	41.48	Pass	7791
809	829	0.1	Peak	822.95	25.57	60	34.43	Pass	401
829	1000	0.1	Peak	841.2	-52.54	-13	39.54	Pass	1711
1000	3000	1	Peak	1646	-38.42	-13	25.42	Pass	2001
3000	10000	1	Peak	7308	-30.85	-13	17.85	Pass	7001




13.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-67.36	-13	54.36	Pass	401
0.15	30	0.01	Peak	0.26	-65.27	-13	52.27	Pass	2986
30	809	0.1	Peak	809	-42.42	-13	29.42	Pass	7791
809	829	0.1	Peak	814.25	25.27	60	34.73	Pass	401
829	1000	0.1	Peak	849.6	-54.15	-13	41.15	Pass	1711
1000	3000	1	Peak	1629	-39.01	-13	26.01	Pass	2001
3000	10000	1	Peak	7696	-32.34	-13	19.34	Pass	7001




13.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.98	-13	51.98	Pass	401
0.15	30	0.01	Peak	0.24	-65.4	-13	52.4	Pass	2986
30	809	0.1	Peak	809	-30.84	-13	17.84	Pass	7791
809	829	0.1	Peak	814.3	25.48	60	34.52	Pass	401
829	1000	0.1	Peak	833.8	-50.82	-13	37.82	Pass	1711
1000	3000	1	Peak	2895	-38.13	-13	25.13	Pass	2001
3000	10000	1	Peak	7486	-32.11	-13	19.11	Pass	7001




13.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.13	-13	52.13	Pass	401
0.15	30	0.01	Peak	0.18	-64.55	-13	51.55	Pass	2986
30	809	0.1	Peak	725.6	-54.25	-13	41.25	Pass	7791
809	829	0.1	Peak	817.8	25.52	60	34.48	Pass	401
829	1000	0.1	Peak	985.5	-54.24	-13	41.24	Pass	1711
1000	3000	1	Peak	1635	-38.78	-13	25.78	Pass	2001
3000	10000	1	Peak	8461	-32.57	-13	19.57	Pass	7001




13.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.75	-13	52.75	Pass	401
0.15	30	0.01	Peak	0.15	-64.76	-13	51.76	Pass	2986
30	809	0.1	Peak	698.3	-54.58	-13	41.58	Pass	7791
809	829	0.1	Peak	817.7	25.97	60	34.03	Pass	401
829	1000	0.1	Peak	843.9	-54.45	-13	41.45	Pass	1711
1000	3000	1	Peak	1636	-38.41	-13	25.41	Pass	2001
3000	10000	1	Peak	7273	-31.68	-13	18.68	Pass	7001




13.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.37	-13	53.37	Pass	401
0.15	30	0.01	Peak	0.18	-64.34	-13	51.34	Pass	2986
30	809	0.1	Peak	728.1	-54.27	-13	41.27	Pass	7791
809	829	0.1	Peak	821.25	25.43	60	34.57	Pass	401
829	1000	0.1	Peak	830.5	-52.31	-13	39.31	Pass	1711
1000	3000	1	Peak	1642	-38.54	-13	25.54	Pass	2001
3000	10000	1	Peak	7998	-32.66	-13	19.66	Pass	7001




13.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.64	-13	52.64	Pass	401
0.15	30	0.01	Peak	0.25	-65.33	-13	52.33	Pass	2986
30	809	0.1	Peak	588.4	-55.07	-13	42.07	Pass	7791
809	829	0.1	Peak	821.25	25.74	60	34.26	Pass	401
829	1000	0.1	Peak	831.2	-50.35	-13	37.35	Pass	1711
1000	3000	1	Peak	1643	-39.34	-13	26.34	Pass	2001
3000	10000	1	Peak	8719	-32.43	-13	19.43	Pass	7001




13.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.21	-13	53.21	Pass	401
0.15	30	0.01	Peak	0.16	-64.46	-13	51.46	Pass	2986
30	809	0.1	Peak	653	-54.62	-13	41.62	Pass	7791
809	829	0.1	Peak	814.4	25.57	60	34.43	Pass	401
829	1000	0.1	Peak	832.8	-53.12	-13	40.12	Pass	1711
1000	3000	1	Peak	1629	-38.61	-13	25.61	Pass	2001
3000	10000	1	Peak	7306	-32.23	-13	19.23	Pass	7001




13.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.9	-13	53.9	Pass	401
0.15	30	0.01	Peak	0.18	-62.98	-13	49.98	Pass	2986
30	809	0.1	Peak	801.8	-54.78	-13	41.78	Pass	7791
809	829	0.1	Peak	814.4	25.76	60	34.24	Pass	401
829	1000	0.1	Peak	829.6	-50.2	-13	37.2	Pass	1711
1000	3000	1	Peak	1629	-39	-13	26	Pass	2001
3000	10000	1	Peak	7311	-32.26	-13	19.26	Pass	7001




13.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.1	-13	53.1	Pass	401
0.15	30	0.01	Peak	0.21	-62.92	-13	49.92	Pass	2986
30	809	0.1	Peak	787.7	-54.48	-13	41.48	Pass	7791
809	829	0.1	Peak	816.9	25.42	60	34.58	Pass	401
829	1000	0.1	Peak	840.2	-53.53	-13	40.53	Pass	1711
1000	3000	1	Peak	1634	-38.62	-13	25.62	Pass	2001
3000	10000	1	Peak	7502	-31.96	-13	18.96	Pass	7001




13.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.81	-13	53.81	Pass	401
0.15	30	0.01	Peak	0.18	-64.61	-13	51.61	Pass	2986
30	809	0.1	Peak	626.5	-53.86	-13	40.86	Pass	7791
809	829	0.1	Peak	816.8	25.73	60	34.27	Pass	401
829	1000	0.1	Peak	835.7	-53.93	-13	40.93	Pass	1711
1000	3000	1	Peak	1634	-38.97	-13	25.97	Pass	2001
3000	10000	1	Peak	7635	-32.19	-13	19.19	Pass	7001




13.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.72	-13	52.72	Pass	401
0.15	30	0.01	Peak	0.19	-64.71	-13	51.71	Pass	2986
30	809	0.1	Peak	347.2	-54.24	-13	41.24	Pass	7791
809	829	0.1	Peak	819.4	25.75	60	34.25	Pass	401
829	1000	0.1	Peak	881.8	-54.35	-13	41.35	Pass	1711
1000	3000	1	Peak	1639	-37.9	-13	24.9	Pass	2001
3000	10000	1	Peak	8737	-31.87	-13	18.87	Pass	7001




13.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.58	-13	52.58	Pass	401
0.15	30	0.01	Peak	0.2	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	629.1	-54.57	-13	41.57	Pass	7791
809	829	0.1	Peak	819.45	25.97	60	34.03	Pass	401
829	1000	0.1	Peak	945.4	-54.46	-13	41.46	Pass	1711
1000	3000	1	Peak	1639	-38.34	-13	25.34	Pass	2001
3000	10000	1	Peak	8637	-32.69	-13	19.69	Pass	7001




13.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.2	-13	53.2	Pass	401
0.15	30	0.01	Peak	0.22	-63.25	-13	50.25	Pass	2986
30	809	0.1	Peak	796.6	-54.38	-13	41.38	Pass	7791
809	829	0.1	Peak	814.7	25.37	60	34.63	Pass	401
829	1000	0.1	Peak	829.5	-52.9	-13	39.9	Pass	1711
1000	3000	1	Peak	1629	-38.19	-13	25.19	Pass	2001
3000	10000	1	Peak	7468	-32.32	-13	19.32	Pass	7001



13.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.24	-13	53.24	Pass	401
0.15	30	0.01	Peak	0.25	-64.76	-13	51.76	Pass	2986
30	809	0.1	Peak	803.9	-48.18	-13	35.18	Pass	7791
809	829	0.1	Peak	814.6	25.61	60	34.39	Pass	401
829	1000	0.1	Peak	841.8	-51.74	-13	38.74	Pass	1711
1000	3000	1	Peak	1629	-39.14	-13	26.14	Pass	2001
3000	10000	1	Peak	7310	-31.47	-13	18.47	Pass	7001



14. LTE_Band30


14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-40	32.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-40	32.07	Pass	2986
30	1000	0.1	RMS	344.7	-56.84	-40	16.84	Pass	9701
1000	2295	1	RMS	2295	-52.74	-40	12.74	Pass	1296
2295	2325	1	RMS	2305.275	23.52	60	36.48	Pass	401
2325	3000	1	RMS	2996	-51.29	-40	11.29	Pass	676
3000	12000	1	RMS	11978	-62.04	-40	22.04	Pass	9002
12000	24000	1	RMS	17802	-56.06	-40	16.06	Pass	12002




14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:27685, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-40	31.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-40	32.82	Pass	2986
30	1000	0.1	RMS	344.7	-58.77	-40	18.77	Pass	9701
1000	2295	1	RMS	2295	-52.58	-40	12.58	Pass	1296
2295	2325	1	RMS	2305.5	22.82	60	37.18	Pass	401
2325	3000	1	RMS	2993	-51.3	-40	11.3	Pass	676
3000	12000	1	RMS	11974	-62.04	-40	22.04	Pass	9002
12000	24000	1	RMS	17802	-56.19	-40	16.19	Pass	12002




14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-40	32	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-40	31.95	Pass	2986
30	1000	0.1	RMS	347.2	-57.96	-40	17.96	Pass	9701
1000	2295	1	RMS	2295	-52.45	-40	12.45	Pass	1296
2295	2325	1	RMS	2307.825	23.54	60	36.46	Pass	401
2325	3000	1	RMS	2989	-51.32	-40	11.32	Pass	676
3000	12000	1	RMS	11979	-61.98	-40	21.98	Pass	9002
12000	24000	1	RMS	17801	-56.2	-40	16.2	Pass	12002




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:27710, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.07	-40	33.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-40	32.02	Pass	2986
30	1000	0.1	RMS	347.2	-59.43	-40	19.43	Pass	9701
1000	2295	1	RMS	2295	-52.91	-40	12.91	Pass	1296
2295	2325	1	RMS	2307.825	22.39	60	37.61	Pass	401
2325	3000	1	RMS	2997	-51.29	-40	11.29	Pass	676
3000	12000	1	RMS	11983	-62.02	-40	22.02	Pass	9002
12000	24000	1	RMS	17799	-56.12	-40	16.12	Pass	12002




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-40	32.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-40	32.41	Pass	2986
30	1000	0.1	RMS	349.7	-58.3	-40	18.3	Pass	9701
1000	2295	1	RMS	2295	-52.98	-40	12.98	Pass	1296
2295	2325	1	RMS	2310.3	23.35	60	36.65	Pass	401
2325	3000	1	RMS	2985	-51.29	-40	11.29	Pass	676
3000	12000	1	RMS	11974	-61.98	-40	21.98	Pass	9002
12000	24000	1	RMS	17808	-56.11	-40	16.11	Pass	12002




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27735, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-40	32.59	Pass	401
0.15	30	0.01	RMS	0.2	-72.76	-40	32.76	Pass	2986
30	1000	0.1	RMS	349.7	-59.26	-40	19.26	Pass	9701
1000	2295	1	RMS	2294	-53.03	-40	13.03	Pass	1296
2295	2325	1	RMS	2310.3	22.73	60	37.27	Pass	401
2325	3000	1	RMS	2998	-51.29	-40	11.29	Pass	676
3000	12000	1	RMS	11982	-61.99	-40	21.99	Pass	9002
12000	24000	1	RMS	17804	-56.13	-40	16.13	Pass	12002




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-40	32	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-40	31.77	Pass	2986
30	1000	0.1	RMS	345	-59.54	-40	19.54	Pass	9701
1000	2295	1	RMS	2295	-52.28	-40	12.28	Pass	1296
2295	2325	1	RMS	2305.65	23.28	60	36.72	Pass	401
2325	3000	1	RMS	2992	-51.28	-40	11.28	Pass	676
3000	12000	1	RMS	11975	-61.94	-40	21.94	Pass	9002
12000	24000	1	RMS	17801	-56.07	-40	16.07	Pass	12002



14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-40	31.86	Pass	401
0.15	30	0.01	RMS	0.26	-72.7	-40	32.7	Pass	2986
30	1000	0.1	RMS	345	-59.91	-40	19.91	Pass	9701
1000	2295	1	RMS	2295	-52.48	-40	12.48	Pass	1296
2295	2325	1	RMS	2305.5	22.57	60	37.43	Pass	401
2325	3000	1	RMS	2994	-51.26	-40	11.26	Pass	676
3000	12000	1	RMS	11972	-61.96	-40	21.96	Pass	9002
12000	24000	1	RMS	17802	-56.1	-40	16.1	Pass	12002



15. LTE_Band38


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.94	-25	42.94	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	983.389	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2559	-42.52	-25	17.52	Pass	1561
2560	2630	1	RMS	2570.15	24.33	60	35.67	Pass	401
2630	3000	1	RMS	2989.825	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11992	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25494	-42.94	-25	17.94	Pass	14502




15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	860.508	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2556	-43.91	-25	18.91	Pass	1561
2560	2630	1	RMS	2570.325	23.67	60	36.33	Pass	401
2630	3000	1	RMS	2987.05	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11992	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25502	-42.83	-25	17.83	Pass	14502




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.27	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	978.786	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2559	-47.65	-25	22.65	Pass	1561
2560	2630	1	RMS	2592.725	24.55	60	35.45	Pass	401
2630	3000	1	RMS	2988.9	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	12000	-47.79	-25	22.79	Pass	9002
12000	26500	1	RMS	25510	-42.9	-25	17.9	Pass	14502




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.2	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	974.783	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2556	-47.6	-25	22.6	Pass	1561
2560	2630	1	RMS	2592.725	23.75	60	36.25	Pass	401
2630	3000	1	RMS	2989.825	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11987	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25497	-42.86	-25	17.86	Pass	14502




15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.32	-68.63	-25	43.63	Pass	2986
30	1000	0.1	RMS	969.28	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2518	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2615.3	23.98	60	36.02	Pass	401
2630	3000	1	RMS	2630	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11999	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25500	-42.86	-25	17.86	Pass	14502




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.52	-25	42.52	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	952.268	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2549	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2615.3	23.46	60	36.54	Pass	401
2630	3000	1	RMS	2988.9	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11981	-47.82	-25	22.82	Pass	9002
12000	26500	1	RMS	25510	-42.88	-25	17.88	Pass	14502




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	979.386	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2560	-43.13	-25	18.13	Pass	1561
2560	2630	1	RMS	2570.675	24.7	60	35.3	Pass	401
2630	3000	1	RMS	2996.3	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11979	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25500	-42.92	-25	17.92	Pass	14502




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.24	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	982.288	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	2557	-43.23	-25	18.23	Pass	1561
2560	2630	1	RMS	2570.675	24.1	60	35.9	Pass	401
2630	3000	1	RMS	2995.375	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11998	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25504	-42.9	-25	17.9	Pass	14502



15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68	-25	43	Pass	401
0.15	30	0.01	RMS	0.19	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	881.221	-61.03	-25	36.03	Pass	9701
1000	2560	1	RMS	2552	-47.64	-25	22.64	Pass	1561
2560	2630	1	RMS	2590.45	24.37	60	35.63	Pass	401
2630	3000	1	RMS	2987.975	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11977	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25500	-42.88	-25	17.88	Pass	14502



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.18	-67.73	-25	42.73	Pass	2986
30	1000	0.1	RMS	850.801	-61.12	-25	36.12	Pass	9701
1000	2560	1	RMS	2553	-47.61	-25	22.61	Pass	1561
2560	2630	1	RMS	2590.45	23.36	60	36.64	Pass	401
2630	3000	1	RMS	2992.6	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11994	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25504	-42.76	-25	17.76	Pass	14502



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	0.18	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	975.284	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2552	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2610.75	24.05	60	35.95	Pass	401
2630	3000	1	RMS	2999.075	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11999	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25496	-42.9	-25	17.9	Pass	14502



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.54	-25	42.54	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	901.235	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2524	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2610.575	23.43	60	36.57	Pass	401
2630	3000	1	RMS	2994.45	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11993	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25501	-42.93	-25	17.93	Pass	14502



15.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-67.92	-25	42.92	Pass	2986
30	1000	0.1	RMS	610.2	-60.63	-25	35.63	Pass	9701
1000	2560	1	RMS	2559	-43.47	-25	18.47	Pass	1561
2560	2630	1	RMS	2570.85	24.81	60	35.19	Pass	401
2630	3000	1	RMS	2993.525	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11993	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25505	-42.89	-25	17.89	Pass	14502



15.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	996.298	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2559	-42.55	-25	17.55	Pass	1561
2560	2630	1	RMS	2570.675	23.77	60	36.23	Pass	401
2630	3000	1	RMS	2987.975	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11996	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25502	-42.87	-25	17.87	Pass	14502



15.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.18	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	925.651	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2557	-47.51	-25	22.51	Pass	1561
2560	2630	1	RMS	2588.35	23.87	60	36.13	Pass	401
2630	3000	1	RMS	2987.05	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11986	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25493	-42.93	-25	17.93	Pass	14502



15.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	0.19	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	875.417	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2559	-47.41	-25	22.41	Pass	1561
2560	2630	1	RMS	2588.525	23.6	60	36.4	Pass	401
2630	3000	1	RMS	2990.75	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11991	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25493	-42.92	-25	17.92	Pass	14502



15.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	895.331	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2537	-47.68	-25	22.68	Pass	1561
2560	2630	1	RMS	2605.675	24.29	60	35.71	Pass	401
2630	3000	1	RMS	2988.9	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11997	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25510	-42.85	-25	17.85	Pass	14502



15.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	921.848	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2519	-47.75	-25	22.75	Pass	1561
2560	2630	1	RMS	2606.025	23.47	60	36.53	Pass	401
2630	3000	1	RMS	2993.525	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11996	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25499	-42.87	-25	17.87	Pass	14502



15.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	978.085	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2559	-42.62	-25	17.62	Pass	1561
2560	2630	1	RMS	2571.025	25.38	60	34.62	Pass	401
2630	3000	1	RMS	2993.525	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11993	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25500	-42.89	-25	17.89	Pass	14502



15.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.18	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	861.008	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2559	-43.86	-25	18.86	Pass	1561
2560	2630	1	RMS	2571.2	23.41	60	36.59	Pass	401
2630	3000	1	RMS	2994.45	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11997	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25509	-42.81	-25	17.81	Pass	14502



15.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	923.649	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2560	-47.17	-25	22.17	Pass	1561
2560	2630	1	RMS	2586.075	24.08	60	35.92	Pass	401
2630	3000	1	RMS	2993.525	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11988	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25500	-42.93	-25	17.93	Pass	14502



15.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.35	-25	44.35	Pass	401
0.15	30	0.01	RMS	0.18	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	966.278	-60.95	-25	35.95	Pass	9701
1000	2560	1	RMS	2558	-47.08	-25	22.08	Pass	1561
2560	2630	1	RMS	2586.075	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2988.9	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11997	-47.68	-25	22.68	Pass	9002
12000	26500	1	RMS	25508	-42.9	-25	17.9	Pass	14502



15.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.05	-25	44.05	Pass	401
0.15	30	0.01	RMS	0.22	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	859.307	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2558	-47.66	-25	22.66	Pass	1561
2560	2630	1	RMS	2601.125	24	60	36	Pass	401
2630	3000	1	RMS	2992.6	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11999	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25501	-42.87	-25	17.87	Pass	14502



15.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	862.409	-61.06	-25	36.06	Pass	9701
1000	2560	1	RMS	2499	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2601.125	23.44	60	36.56	Pass	401
2630	3000	1	RMS	2988.9	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	12000	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25500	-42.88	-25	17.88	Pass	14502



16. LTE_Band40(2305-2320)_Part27


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.16	-40	27.16	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-40	28.29	Pass	2986
30	1000	0.1	RMS	853.303	-60.89	-40	20.89	Pass	9701
1000	2200	1	RMS	2194	-48.51	-40	8.51	Pass	1201
2200	2395	1	RMS	2304.813	16.13	60	43.87	Pass	401
2395	3000	1	RMS	2988	-46.47	-40	6.47	Pass	606
3000	12000	1	RMS	11987	-57.81	-40	17.81	Pass	9002
12000	26500	1	RMS	25491	-42.76	-40	2.76	Pass*	14502




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.25	-40	27.25	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-40	28.4	Pass	2986
30	1000	0.1	RMS	846.7	-61	-40	21	Pass	9701
1000	2200	1	RMS	2185	-48.54	-40	8.54	Pass	1201
2200	2395	1	RMS	2304.813	15.65	60	44.35	Pass	401
2395	3000	1	RMS	2990	-46.49	-40	6.49	Pass	606
3000	12000	1	RMS	3498	-50.68	-40	10.68	Pass	9002
12000	26500	1	RMS	25502	-42.76	-40	2.76	Pass*	14502




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.27	-40	28.27	Pass	401
0.15	30	0.01	RMS	0.21	-68.37	-40	28.37	Pass	2986
30	1000	0.1	RMS	872.716	-60.96	-40	20.96	Pass	9701
1000	2200	1	RMS	2174	-48.45	-40	8.45	Pass	1201
2200	2395	1	RMS	2310.175	17.48	60	42.52	Pass	401
2395	3000	1	RMS	2988	-46.45	-40	6.45	Pass	606
3000	12000	1	RMS	11995	-57.85	-40	17.85	Pass	9002
12000	26500	1	RMS	25511	-52.87	-40	12.87	Pass	14502




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.53	-40	28.53	Pass	401
0.15	30	0.01	RMS	0.22	-68.33	-40	28.33	Pass	2986
30	1000	0.1	RMS	938.059	-60.95	-40	20.95	Pass	9701
1000	2200	1	RMS	2180	-48.49	-40	8.49	Pass	1201
2200	2395	1	RMS	2310.175	15.4	60	44.6	Pass	401
2395	3000	1	RMS	2990	-46.46	-40	6.46	Pass	606
3000	12000	1	RMS	11998	-57.83	-40	17.83	Pass	9002
12000	26500	1	RMS	25515	-52.82	-40	12.82	Pass	14502




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.81	-40	27.81	Pass	401
0.15	30	0.01	RMS	0.16	-67.64	-40	27.64	Pass	2986
30	1000	0.1	RMS	979.586	-61.02	-40	21.02	Pass	9701
1000	2200	1	RMS	2162	-48.48	-40	8.48	Pass	1201
2200	2395	1	RMS	2315.05	15.86	60	44.14	Pass	401
2395	3000	1	RMS	2989	-46.49	-40	6.49	Pass	606
3000	12000	1	RMS	11997	-57.84	-40	17.84	Pass	9002
12000	26500	1	RMS	25496	-42.82	-40	2.82	Pass*	14502




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.56	-40	28.56	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-40	28.69	Pass	2986
30	1000	0.1	RMS	868.713	-60.96	-40	20.96	Pass	9701
1000	2200	1	RMS	2180	-48.48	-40	8.48	Pass	1201
2200	2395	1	RMS	2315.05	16.45	60	43.55	Pass	401
2395	3000	1	RMS	2987	-46.45	-40	6.45	Pass	606
3000	12000	1	RMS	11996	-57.84	-40	17.84	Pass	9002
12000	26500	1	RMS	25508	-42.81	-40	2.81	Pass*	14502




16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:38775, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.28	-40	28.28	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-40	28.25	Pass	2986
30	1000	0.1	RMS	872.015	-60.95	-40	20.95	Pass	9701
1000	2200	1	RMS	2195	-48.45	-40	8.45	Pass	1201
2200	2395	1	RMS	2308.225	15.9	60	44.1	Pass	401
2395	3000	1	RMS	2997	-46.39	-40	6.39	Pass	606
3000	12000	1	RMS	12000	-57.73	-40	17.73	Pass	9002
12000	26500	1	RMS	25503	-42.78	-40	2.78	Pass*	14502



16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:38775, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.42	-40	28.42	Pass	401
0.15	30	0.01	RMS	0.18	-67.47	-40	27.47	Pass	2986
30	1000	0.1	RMS	841.7	-60.95	-40	20.95	Pass	9701
1000	2200	1	RMS	2193	-48.48	-40	8.48	Pass	1201
2200	2395	1	RMS	2308.225	15.14	60	44.86	Pass	401
2395	3000	1	RMS	2998	-46.49	-40	6.49	Pass	606
3000	12000	1	RMS	11997	-57.79	-40	17.79	Pass	9002
12000	26500	1	RMS	25504	-42.81	-40	2.81	Pass*	14502



17. LTE_Band40(2345-2360)_Part27


17.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.51	-40	28.51	Pass	401
0.15	30	0.01	RMS	0.18	-68.3	-40	28.3	Pass	2986
30	1000	0.1	RMS	976.685	-60.98	-40	20.98	Pass	9701
1000	2200	1	RMS	2182	-48.48	-40	8.48	Pass	1201
2200	2395	1	RMS	2345.275	17.16	60	42.84	Pass	401
2395	3000	1	RMS	2460	-45.52	-40	5.52	Pass*	606
3000	12000	1	RMS	11998	-57.78	-40	17.78	Pass	9002
12000	26500	1	RMS	25498	-42.76	-40	2.76	Pass*	14502




17.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-40	28.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-40	27.76	Pass	2986
30	1000	0.1	RMS	930.354	-60.99	-40	20.99	Pass	9701
1000	2200	1	RMS	2162	-48.52	-40	8.52	Pass	1201
2200	2395	1	RMS	2345.275	15.29	60	44.71	Pass	401
2395	3000	1	RMS	2998	-46.48	-40	6.48	Pass	606
3000	12000	1	RMS	11986	-57.84	-40	17.84	Pass	9002
12000	26500	1	RMS	25501	-42.78	-40	2.78	Pass*	14502




17.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-40	28.29	Pass	401
0.15	30	0.01	RMS	0.22	-68.08	-40	28.08	Pass	2986
30	1000	0.1	RMS	988.192	-60.93	-40	20.93	Pass	9701
1000	2200	1	RMS	2179	-48.47	-40	8.47	Pass	1201
2200	2395	1	RMS	2350.15	16.61	60	43.39	Pass	401
2395	3000	1	RMS	2987	-46.49	-40	6.49	Pass	606
3000	12000	1	RMS	11998	-57.81	-40	17.81	Pass	9002
12000	26500	1	RMS	25505	-52.82	-40	12.82	Pass	14502




17.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69	-40	29	Pass	401
0.15	30	0.01	RMS	0.19	-67.81	-40	27.81	Pass	2986
30	1000	0.1	RMS	835.2	-61.11	-40	21.11	Pass	9701
1000	2200	1	RMS	2164	-48.49	-40	8.49	Pass	1201
2200	2395	1	RMS	2350.15	15.46	60	44.54	Pass	401
2395	3000	1	RMS	2991	-46.5	-40	6.5	Pass	606
3000	12000	1	RMS	11967	-57.83	-40	17.83	Pass	9002
12000	26500	1	RMS	25479	-52.86	-40	12.86	Pass	14502




17.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.86	-40	28.86	Pass	401
0.15	30	0.01	RMS	0.2	-68.08	-40	28.08	Pass	2986
30	1000	0.1	RMS	971.581	-60.92	-40	20.92	Pass	9701
1000	2200	1	RMS	2194	-48.47	-40	8.47	Pass	1201
2200	2395	1	RMS	2355.025	17.42	60	42.58	Pass	401
2395	3000	1	RMS	2462	-46.13	-40	6.13	Pass	606
3000	12000	1	RMS	11998	-57.78	-40	17.78	Pass	9002
12000	26500	1	RMS	25505	-42.69	-40	2.69	Pass*	14502




17.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.12	-40	27.12	Pass	401
0.15	30	0.01	RMS	0.15	-67.99	-40	27.99	Pass	2986
30	1000	0.1	RMS	966.078	-60.94	-40	20.94	Pass	9701
1000	2200	1	RMS	2181	-48.49	-40	8.49	Pass	1201
2200	2395	1	RMS	2355.025	15.89	60	44.11	Pass	401
2395	3000	1	RMS	2984	-46.51	-40	6.51	Pass	606
3000	12000	1	RMS	11993	-57.86	-40	17.86	Pass	9002
12000	26500	1	RMS	25503	-42.69	-40	2.69	Pass*	14502




17.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.33	-40	28.33	Pass	401
0.15	30	0.01	RMS	0.18	-68.41	-40	28.41	Pass	2986
30	1000	0.1	RMS	899.533	-60.96	-40	20.96	Pass	9701
1000	2200	1	RMS	2191	-48.46	-40	8.46	Pass	1201
2200	2395	1	RMS	2347.713	16.85	60	43.15	Pass	401
2395	3000	1	RMS	2458	-46.41	-40	6.41	Pass	606
3000	12000	1	RMS	11995	-57.8	-40	17.8	Pass	9002
12000	26500	1	RMS	25505	-42.83	-40	2.83	Pass*	14502



17.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.58	-40	27.58	Pass	401
0.15	30	0.01	RMS	0.17	-67.72	-40	27.72	Pass	2986
30	1000	0.1	RMS	859.507	-60.89	-40	20.89	Pass	9701
1000	2200	1	RMS	2177	-48.48	-40	8.48	Pass	1201
2200	2395	1	RMS	2348.2	15.43	60	44.57	Pass	401
2395	3000	1	RMS	2995	-46.5	-40	6.5	Pass	606
3000	12000	1	RMS	11991	-57.84	-40	17.84	Pass	9002
12000	26500	1	RMS	25514	-42.75	-40	2.75	Pass*	14502



18. LTE_Band41 full


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.41	-25	42.41	Pass	401
0.15	30	0.01	RMS	0.18	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	535.7	-59.49	-25	34.49	Pass	9701
1000	2486	1	RMS	2486	-42.52	-25	17.52	Pass	1487
2486	2700	1	RMS	2496.165	23.12	60	36.88	Pass	401
2700	3000	1	RMS	2987.25	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11993	-57.87	-25	32.87	Pass	9002
12000	26500	1	RMS	25512	-48.16	-25	23.16	Pass	14502




18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.15	-66.94	-25	41.94	Pass	2986
30	1000	0.1	RMS	535.8	-60.25	-25	35.25	Pass	9701
1000	2486	1	RMS	2485	-40.75	-25	15.75	Pass	1487
2486	2700	1	RMS	2496.165	23.64	60	36.36	Pass	401
2700	3000	1	RMS	2993.25	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11977	-57.87	-25	32.87	Pass	9002
12000	26500	1	RMS	25505	-48.11	-25	23.11	Pass	14502




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.6	-25	42.6	Pass	401
0.15	30	0.01	RMS	0.15	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	975.484	-61.12	-25	36.12	Pass	9701
1000	2486	1	RMS	2484	-47.85	-25	22.85	Pass	1487
2486	2700	1	RMS	2590.86	23.63	60	36.37	Pass	401
2700	3000	1	RMS	2989.5	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	12000	-57.88	-25	32.88	Pass	9002
12000	26500	1	RMS	25493	-48.2	-25	23.2	Pass	14502




18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	982.088	-61.03	-25	36.03	Pass	9701
1000	2486	1	RMS	2485	-47.85	-25	22.85	Pass	1487
2486	2700	1	RMS	2590.86	23.79	60	36.21	Pass	401
2700	3000	1	RMS	2996.25	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11996	-57.88	-25	32.88	Pass	9002
12000	26500	1	RMS	25496	-48.11	-25	23.11	Pass	14502




18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	0.21	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	724.7	-59.16	-25	34.16	Pass	9701
1000	2486	1	RMS	2485	-47.82	-25	22.82	Pass	1487
2486	2700	1	RMS	2685.02	23.56	60	36.44	Pass	401
2700	3000	1	RMS	2700.75	-45.45	-25	20.45	Pass	401
3000	12000	1	RMS	11991	-57.86	-25	32.86	Pass	9002
12000	26500	1	RMS	25503	-48.19	-25	23.19	Pass	14502




18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.93	-25	41.93	Pass	401
0.15	30	0.01	RMS	0.25	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	724.8	-58.89	-25	33.89	Pass	9701
1000	2486	1	RMS	2486	-47.79	-25	22.79	Pass	1487
2486	2700	1	RMS	2685.02	23.93	60	36.07	Pass	401
2700	3000	1	RMS	2700.75	-45.28	-25	20.28	Pass	401
3000	12000	1	RMS	11988	-57.89	-25	32.89	Pass	9002
12000	26500	1	RMS	25491	-48.21	-25	23.21	Pass	14502




18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.89	-25	41.89	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	536	-60.54	-25	35.54	Pass	9701
1000	2486	1	RMS	2485	-43.03	-25	18.03	Pass	1487
2486	2700	1	RMS	2496.165	23.26	60	36.74	Pass	401
2700	3000	1	RMS	2991	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11996	-57.91	-25	32.91	Pass	9002
12000	26500	1	RMS	25506	-48.23	-25	23.23	Pass	14502




18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	0.18	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	535.9	-60.65	-25	35.65	Pass	9701
1000	2486	1	RMS	2483	-44.55	-25	19.55	Pass	1487
2486	2700	1	RMS	2496.7	22.67	60	37.33	Pass	401
2700	3000	1	RMS	2988.75	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11983	-57.82	-25	32.82	Pass	9002
12000	26500	1	RMS	25499	-48.17	-25	23.17	Pass	14502



18.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.91	-25	42.91	Pass	401
0.15	30	0.01	RMS	0.16	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	822.4	-61.2	-25	36.2	Pass	9701
1000	2486	1	RMS	2484	-47.82	-25	22.82	Pass	1487
2486	2700	1	RMS	2588.185	23.33	60	36.67	Pass	401
2700	3000	1	RMS	2999.25	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11987	-57.86	-25	32.86	Pass	9002
12000	26500	1	RMS	25502	-48.16	-25	23.16	Pass	14502



18.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.67	-25	42.67	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	956.671	-61.08	-25	36.08	Pass	9701
1000	2486	1	RMS	2486	-47.89	-25	22.89	Pass	1487
2486	2700	1	RMS	2588.72	23.02	60	36.98	Pass	401
2700	3000	1	RMS	2987.25	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11994	-57.89	-25	32.89	Pass	9002
12000	26500	1	RMS	25497	-48.17	-25	23.17	Pass	14502



18.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.33	-25	42.33	Pass	401
0.15	30	0.01	RMS	0.15	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	720	-58.56	-25	33.56	Pass	9701
1000	2486	1	RMS	2483	-47.87	-25	22.87	Pass	1487
2486	2700	1	RMS	2680.205	22.94	60	37.06	Pass	401
2700	3000	1	RMS	2989.5	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11989	-57.87	-25	32.87	Pass	9002
12000	26500	1	RMS	25523	-48.2	-25	23.2	Pass	14502



18.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.29	-25	42.29	Pass	401
0.15	30	0.01	RMS	0.17	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	720	-58.17	-25	33.17	Pass	9701
1000	2486	1	RMS	2486	-47.8	-25	22.8	Pass	1487
2486	2700	1	RMS	2680.74	23.19	60	36.81	Pass	401
2700	3000	1	RMS	2990.25	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11997	-57.9	-25	32.9	Pass	9002
12000	26500	1	RMS	25487	-48.16	-25	23.16	Pass	14502



18.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	536.2	-60.08	-25	35.08	Pass	9701
1000	2486	1	RMS	2486	-42.73	-25	17.73	Pass	1487
2486	2700	1	RMS	2496.7	23.74	60	36.26	Pass	401
2700	3000	1	RMS	2998.5	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11859	-57.96	-25	32.96	Pass	9002
12000	26500	1	RMS	25508	-48.18	-25	23.18	Pass	14502



18.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.04	-25	42.04	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	976.284	-61.12	-25	36.12	Pass	9701
1000	2486	1	RMS	2484	-42.07	-25	17.07	Pass	1487
2486	2700	1	RMS	2496.7	23.97	60	36.03	Pass	401
2700	3000	1	RMS	2987.25	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11992	-57.9	-25	32.9	Pass	9002
12000	26500	1	RMS	25495	-48.24	-25	23.24	Pass	14502



18.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.45	-25	42.45	Pass	401
0.15	30	0.01	RMS	0.18	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	993.095	-60.93	-25	35.93	Pass	9701
1000	2486	1	RMS	2481	-47.87	-25	22.87	Pass	1487
2486	2700	1	RMS	2586.045	22.87	60	37.13	Pass	401
2700	3000	1	RMS	2993.25	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11987	-57.94	-25	32.94	Pass	9002
12000	26500	1	RMS	25510	-48.17	-25	23.17	Pass	14502



18.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.29	-25	42.29	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	875.217	-61.19	-25	36.19	Pass	9701
1000	2486	1	RMS	2482	-47.84	-25	22.84	Pass	1487
2486	2700	1	RMS	2586.045	23.22	60	36.78	Pass	401
2700	3000	1	RMS	2991	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11996	-57.83	-25	32.83	Pass	9002
12000	26500	1	RMS	25501	-48.18	-25	23.18	Pass	14502



18.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.86	-25	42.86	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-25	42.47	Pass	2986
30	1000	0.1	RMS	715.3	-59.74	-25	34.74	Pass	9701
1000	2486	1	RMS	2486	-47.91	-25	22.91	Pass	1487
2486	2700	1	RMS	2675.925	23.37	60	36.63	Pass	401
2700	3000	1	RMS	2997.75	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11975	-57.95	-25	32.95	Pass	9002
12000	26500	1	RMS	25501	-48.09	-25	23.09	Pass	14502



18.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.67	-25	42.67	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	715.2	-59.57	-25	34.57	Pass	9701
1000	2486	1	RMS	2485	-47.86	-25	22.86	Pass	1487
2486	2700	1	RMS	2675.39	23.25	60	36.75	Pass	401
2700	3000	1	RMS	2994	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11997	-57.91	-25	32.91	Pass	9002
12000	26500	1	RMS	25494	-48.16	-25	23.16	Pass	14502



18.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	536.5	-59.79	-25	34.79	Pass	9701
1000	2486	1	RMS	2485	-42.76	-25	17.76	Pass	1487
2486	2700	1	RMS	2496.7	22.63	60	37.37	Pass	401
2700	3000	1	RMS	2994	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11990	-57.79	-25	32.79	Pass	9002
12000	26500	1	RMS	25508	-48.12	-25	23.12	Pass	14502



18.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.82	-25	41.82	Pass	401
0.15	30	0.01	RMS	0.15	-67.24	-25	42.24	Pass	2986
30	1000	0.1	RMS	536.5	-59.06	-25	34.06	Pass	9701
1000	2486	1	RMS	2485	-42.51	-25	17.51	Pass	1487
2486	2700	1	RMS	2496.7	23.41	60	36.59	Pass	401
2700	3000	1	RMS	2996.25	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11997	-57.86	-25	32.86	Pass	9002
12000	26500	1	RMS	25499	-48.17	-25	23.17	Pass	14502



18.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.78	-25	42.78	Pass	401
0.15	30	0.01	RMS	0.25	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	936.258	-61.04	-25	36.04	Pass	9701
1000	2486	1	RMS	2485	-47.79	-25	22.79	Pass	1487
2486	2700	1	RMS	2583.905	23.84	60	36.16	Pass	401
2700	3000	1	RMS	2990.25	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	11988	-57.9	-25	32.9	Pass	9002
12000	26500	1	RMS	25522	-48.15	-25	23.15	Pass	14502



18.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.83	-25	42.83	Pass	401
0.15	30	0.01	RMS	0.15	-67.21	-25	42.21	Pass	2986
30	1000	0.1	RMS	973.983	-61.06	-25	36.06	Pass	9701
1000	2486	1	RMS	2482	-47.77	-25	22.77	Pass	1487
2486	2700	1	RMS	2583.905	24.38	60	35.62	Pass	401
2700	3000	1	RMS	2997.75	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11989	-57.74	-25	32.74	Pass	9002
12000	26500	1	RMS	25504	-48.2	-25	23.2	Pass	14502



18.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.45	-25	42.45	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-25	42.91	Pass	2986
30	1000	0.1	RMS	710.5	-60.1	-25	35.1	Pass	9701
1000	2486	1	RMS	2482	-47.86	-25	22.86	Pass	1487
2486	2700	1	RMS	2671.11	23.25	60	36.75	Pass	401
2700	3000	1	RMS	2995.5	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11994	-57.82	-25	32.82	Pass	9002
12000	26500	1	RMS	25505	-48.03	-25	23.03	Pass	14502



18.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.96	-25	41.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	710.5	-60.2	-25	35.2	Pass	9701
1000	2486	1	RMS	2484	-47.81	-25	22.81	Pass	1487
2486	2700	1	RMS	2671.11	24.09	60	35.91	Pass	401
2700	3000	1	RMS	2994	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	11999	-57.91	-25	32.91	Pass	9002
12000	26500	1	RMS	25519	-48.19	-25	23.19	Pass	14502



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	982.388	-65.13	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1710.125	22.49	60	Pass	401
1790	3000	1	RMS	2999	-50.53	-13	Pass	1211
3000	12000	1	RMS	11975	-41.88	-13	Pass	9002
12000	20000	1	RMS	19318	-35.12	-13	Pass	8001




19.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2986
30	1000	0.1	RMS	960.274	-65.09	-13	Pass	9701
1000	1700	1	RMS	1700	-52.1	-13	Pass	701
1700	1790	1	RMS	1710.125	22.82	60	Pass	401
1790	3000	1	RMS	3000	-50.57	-13	Pass	1211
3000	12000	1	RMS	11982	-41.92	-13	Pass	9002
12000	20000	1	RMS	19450	-35.15	-13	Pass	8001




19.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	841.3	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1679	-53.64	-13	40.64	Pass	701
1700	1790	1	RMS	1744.55	23.45	60	36.55	Pass	401
1790	3000	1	RMS	2993	-51.1	-13	38.1	Pass	1211
3000	12000	1	RMS	12000	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13600	-39.56	-13	26.56	Pass	8001




19.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	978.686	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1676	-53.66	-13	40.66	Pass	701
1700	1790	1	RMS	1744.55	22.6	60	37.4	Pass	401
1790	3000	1	RMS	2998	-51.13	-13	38.13	Pass	1211
3000	12000	1	RMS	11994	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13602	-39.59	-13	26.59	Pass	8001




19.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	970.981	-64.97	-13	51.97	Pass	9701
1000	1700	1	RMS	1681	-53.64	-13	40.64	Pass	701
1700	1790	1	RMS	1778.75	23.92	60	36.08	Pass	401
1790	3000	1	RMS	2986	-51.14	-13	38.14	Pass	1211
3000	12000	1	RMS	11991	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13604	-39.6	-13	26.6	Pass	8001




19.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	833.4	-64.83	-13	51.83	Pass	9701
1000	1700	1	RMS	1679	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1778.75	23.04	60	36.96	Pass	401
1790	3000	1	RMS	2985	-51.12	-13	38.12	Pass	1211
3000	12000	1	RMS	12000	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13602	-39.59	-13	26.59	Pass	8001




19.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	981.788	-64.84	-13	51.84	Pass	9701
1000	1700	1	RMS	1700	-52.94	-13	39.94	Pass	701
1700	1790	1	RMS	1710.125	23.49	60	36.51	Pass	401
1790	3000	1	RMS	2982	-51.1	-13	38.1	Pass	1211
3000	12000	1	RMS	11998	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13605	-39.59	-13	26.59	Pass	8001




19.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	844.3	-64.92	-13	51.92	Pass	9701
1000	1700	1	RMS	1700	-52.94	-13	39.94	Pass	701
1700	1790	1	RMS	1710.125	22.79	60	37.21	Pass	401
1790	3000	1	RMS	2992	-51.08	-13	38.08	Pass	1211
3000	12000	1	RMS	12000	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13606	-39.61	-13	26.61	Pass	8001



19.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	854.103	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1680	-53.66	-13	40.66	Pass	701
1700	1790	1	RMS	1743.65	23.56	60	36.44	Pass	401
1790	3000	1	RMS	2992	-51.1	-13	38.1	Pass	1211
3000	12000	1	RMS	11997	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13603	-39.54	-13	26.54	Pass	8001



19.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	832.6	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1680	-53.65	-13	40.65	Pass	701
1700	1790	1	RMS	1743.65	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2991	-51.09	-13	38.09	Pass	1211
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13605	-39.56	-13	26.56	Pass	8001



19.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	845.3	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1680	-53.65	-13	40.65	Pass	701
1700	1790	1	RMS	1777.175	23.83	60	36.17	Pass	401
1790	3000	1	RMS	2986	-51.12	-13	38.12	Pass	1211
3000	12000	1	RMS	11990	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13604	-39.59	-13	26.59	Pass	8001



19.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	866.411	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1676	-53.68	-13	40.68	Pass	701
1700	1790	1	RMS	1777.175	22.79	60	37.21	Pass	401
1790	3000	1	RMS	2998	-51.07	-13	38.07	Pass	1211
3000	12000	1	RMS	11998	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13599	-39.55	-13	26.55	Pass	8001



19.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.21	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	866.612	-64.88	-13	51.88	Pass	9701
1000	1700	1	RMS	1700	-52.91	-13	39.91	Pass	701
1700	1790	1	RMS	1710.35	23.36	60	36.64	Pass	401
1790	3000	1	RMS	2925	-51.15	-13	38.15	Pass	1211
3000	12000	1	RMS	11995	-44	-13	31	Pass	9002
12000	20000	1	RMS	13600	-39.52	-13	26.52	Pass	8001



19.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	963.076	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1700	-53.01	-13	40.01	Pass	701
1700	1790	1	RMS	1710.35	22.69	60	37.31	Pass	401
1790	3000	1	RMS	2976	-51.15	-13	38.15	Pass	1211
3000	12000	1	RMS	11992	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13599	-39.58	-13	26.58	Pass	8001



19.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	853.803	-64.93	-13	51.93	Pass	9701
1000	1700	1	RMS	1680	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1742.75	23.51	60	36.49	Pass	401
1790	3000	1	RMS	2993	-51.19	-13	38.19	Pass	1211
3000	12000	1	RMS	11995	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13604	-39.64	-13	26.64	Pass	8001



19.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	827.2	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1681	-53.64	-13	40.64	Pass	701
1700	1790	1	RMS	1742.75	22.59	60	37.41	Pass	401
1790	3000	1	RMS	2986	-51.12	-13	38.12	Pass	1211
3000	12000	1	RMS	11999	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13608	-39.62	-13	26.62	Pass	8001



19.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.17	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	868.713	-64.97	-13	51.97	Pass	9701
1000	1700	1	RMS	1680	-53.65	-13	40.65	Pass	701
1700	1790	1	RMS	1775.375	23.72	60	36.28	Pass	401
1790	3000	1	RMS	2997	-51.13	-13	38.13	Pass	1211
3000	12000	1	RMS	12000	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13596	-39.64	-13	26.64	Pass	8001



19.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	837.2	-64.8	-13	51.8	Pass	9701
1000	1700	1	RMS	1681	-53.68	-13	40.68	Pass	701
1700	1790	1	RMS	1775.375	23.04	60	36.96	Pass	401
1790	3000	1	RMS	2995	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	11999	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13599	-39.58	-13	26.58	Pass	8001



19.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.3	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	990.594	-64.93	-13	51.93	Pass	9701
1000	1700	1	RMS	1700	-52.63	-13	39.63	Pass	701
1700	1790	1	RMS	1710.575	23.34	60	36.66	Pass	401
1790	3000	1	RMS	2982	-51.14	-13	38.14	Pass	1211
3000	12000	1	RMS	11999	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13599	-39.6	-13	26.6	Pass	8001



19.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	837.6	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1700	-52.43	-13	39.43	Pass	701
1700	1790	1	RMS	1710.575	22.64	60	37.36	Pass	401
1790	3000	1	RMS	2997	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11993	-44	-13	31	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001



19.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.18	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	850.501	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1677	-53.71	-13	40.71	Pass	701
1700	1790	1	RMS	1740.5	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2982	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11990	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001



19.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	948.566	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1682	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1740.5	22.82	60	37.18	Pass	401
1790	3000	1	RMS	2999	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	11999	-43.93	-13	30.93	Pass	9002
12000	20000	1	RMS	13603	-39.59	-13	26.59	Pass	8001



19.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	911.141	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1680	-53.68	-13	40.68	Pass	701
1700	1790	1	RMS	1770.65	23.53	60	36.47	Pass	401
1790	3000	1	RMS	2937	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11997	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13608	-39.65	-13	26.65	Pass	8001

