


19.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	850.201	-64.9	-13	51.9	Pass	9701
1000	1700	1	RMS	1676	-53.63	-13	40.63	Pass	701
1700	1790	1	RMS	1770.425	23.11	60	36.89	Pass	401
1790	3000	1	RMS	2995	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	11995	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13598	-39.54	-13	26.54	Pass	8001



19.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	978.786	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1698	-46.22	-13	33.22	Pass	701
1700	1790	1	RMS	1710.8	23.46	60	36.54	Pass	401
1790	3000	1	RMS	2995	-51.15	-13	38.15	Pass	1211
3000	12000	1	RMS	11995	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13600	-39.54	-13	26.54	Pass	8001



19.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.23	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	836.6	-64.95	-13	51.95	Pass	9701
1000	1700	1	RMS	1698	-47.12	-13	34.12	Pass	701
1700	1790	1	RMS	1710.8	22.75	60	37.25	Pass	401
1790	3000	1	RMS	2979	-51.16	-13	38.16	Pass	1211
3000	12000	1	RMS	11995	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13603	-39.58	-13	26.58	Pass	8001



19.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	826.2	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1679	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1738.25	23.3	60	36.7	Pass	401
1790	3000	1	RMS	2987	-51.15	-13	38.15	Pass	1211
3000	12000	1	RMS	12000	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13600	-39.61	-13	26.61	Pass	8001



19.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	948.766	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1684	-53.66	-13	40.66	Pass	701
1700	1790	1	RMS	1738.25	22.43	60	37.57	Pass	401
1790	3000	1	RMS	2993	-51.14	-13	38.14	Pass	1211
3000	12000	1	RMS	11997	-43.95	-13	30.95	Pass	9002
12000	20000	1	RMS	13601	-39.49	-13	26.49	Pass	8001



19.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	840.3	-64.93	-13	51.93	Pass	9701
1000	1700	1	RMS	1678	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1765.7	23.64	60	36.36	Pass	401
1790	3000	1	RMS	2989	-51.15	-13	38.15	Pass	1211
3000	12000	1	RMS	11996	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13600	-39.58	-13	26.58	Pass	8001



19.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	949.767	-65	-13	52	Pass	9701
1000	1700	1	RMS	1680	-53.69	-13	40.69	Pass	701
1700	1790	1	RMS	1765.7	22.92	60	37.08	Pass	401
1790	3000	1	RMS	2992	-51.14	-13	38.14	Pass	1211
3000	12000	1	RMS	11992	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13603	-39.6	-13	26.6	Pass	8001



19.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	833.4	-64.97	-13	51.97	Pass	9701
1000	1700	1	RMS	1693	-47.54	-13	34.54	Pass	701
1700	1790	1	RMS	1711.025	23.49	60	36.51	Pass	401
1790	3000	1	RMS	2995	-51.11	-13	38.11	Pass	1211
3000	12000	1	RMS	11997	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001



19.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	926.751	-65	-13	52	Pass	9701
1000	1700	1	RMS	1693	-48.19	-13	35.19	Pass	701
1700	1790	1	RMS	1711.025	22.47	60	37.53	Pass	401
1790	3000	1	RMS	2989	-51.18	-13	38.18	Pass	1211
3000	12000	1	RMS	11995	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13605	-39.6	-13	26.6	Pass	8001



19.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	848.3	-64.95	-13	51.95	Pass	9701
1000	1700	1	RMS	1678	-53.68	-13	40.68	Pass	701
1700	1790	1	RMS	1736	23.59	60	36.41	Pass	401
1790	3000	1	RMS	2980	-51.1	-13	38.1	Pass	1211
3000	12000	1	RMS	11994	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13603	-39.59	-13	26.59	Pass	8001



19.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	971.081	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1680	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1736	22.72	60	37.28	Pass	401
1790	3000	1	RMS	2981	-51.15	-13	38.15	Pass	1211
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13599	-39.54	-13	26.54	Pass	8001



19.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	833.2	-64.97	-13	51.97	Pass	9701
1000	1700	1	RMS	1676	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1760.975	23.45	60	36.55	Pass	401
1790	3000	1	RMS	2947	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	12000	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13602	-39.66	-13	26.66	Pass	8001



19.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	964.476	-64.83	-13	51.83	Pass	9701
1000	1700	1	RMS	1672	-53.66	-13	40.66	Pass	701
1700	1790	1	RMS	1760.975	22.95	60	37.05	Pass	401
1790	3000	1	RMS	2983	-51.19	-13	38.19	Pass	1211
3000	12000	1	RMS	11999	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001



20. LTE_Band71


20.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.18	-72.84	-13	59.84	Pass	2986
30	653	0.1	RMS	652.7	-64.6	-13	51.6	Pass	6231
653	709	0.1	RMS	663.4	20.28	60	38.72	Pass	561
709	1000	0.1	RMS	834.9	-64.88	-13	51.88	Pass	2911
1000	3000	1	RMS	1326	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6800	-45.35	-13	32.35	Pass	7001




20.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.29	-72.4	-13	59.4	Pass	2986
30	653	0.1	RMS	652.7	-65.07	-13	52.07	Pass	6231
653	709	0.1	RMS	663.4	20.4	60	39.6	Pass	561
709	1000	0.1	RMS	830.8	-64.77	-13	51.77	Pass	2911
1000	3000	1	RMS	1326	-48.32	-13	35.32	Pass	2001
3000	10000	1	RMS	6801	-45.33	-13	32.33	Pass	7001




20.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.22	-71.99	-13	58.99	Pass	2986
30	653	0.1	RMS	494.9	-65.75	-13	52.75	Pass	6231
653	709	0.1	RMS	678.4	20.31	60	38.69	Pass	561
709	1000	0.1	RMS	854.6	-64.87	-13	51.87	Pass	2911
1000	3000	1	RMS	1356	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	6800	-45.32	-13	32.32	Pass	7001




20.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	653	0.1	RMS	494.6	-65.71	-13	52.71	Pass	6231
653	709	0.1	RMS	678.4	20.6	60	39.4	Pass	561
709	1000	0.1	RMS	880.2	-64.81	-13	51.81	Pass	2911
1000	3000	1	RMS	1356	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6800	-45.36	-13	32.36	Pass	7001




20.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.35	-72.39	-13	59.39	Pass	2986
30	653	0.1	RMS	502.2	-65.67	-13	52.67	Pass	6231
653	709	0.1	RMS	693.4	20.35	60	38.65	Pass	561
709	1000	0.1	RMS	710.5	-64.56	-13	51.56	Pass	2911
1000	3000	1	RMS	1386	-46.57	-13	33.57	Pass	2001
3000	10000	1	RMS	6801	-45.36	-13	32.36	Pass	7001




20.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	653	0.1	RMS	508.4	-65.76	-13	52.76	Pass	6231
653	709	0.1	RMS	693.4	20.46	60	39.54	Pass	561
709	1000	0.1	RMS	860	-64.59	-13	51.59	Pass	2911
1000	3000	1	RMS	1386	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6805	-45.39	-13	32.39	Pass	7001




20.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	59.3	Pass	2986
30	653	0.1	RMS	652.9	-64.71	-13	51.71	Pass	6231
653	709	0.1	RMS	663.6	20.59	60	38.41	Pass	561
709	1000	0.1	RMS	833.9	-64.82	-13	51.82	Pass	2911
1000	3000	1	RMS	1327	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	6801	-45.36	-13	32.36	Pass	7001




20.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	58.04	Pass	2986
30	653	0.1	RMS	652.9	-64.77	-13	51.77	Pass	6231
653	709	0.1	RMS	663.6	20.84	60	39.16	Pass	561
709	1000	0.1	RMS	838.6	-64.8	-13	51.8	Pass	2911
1000	3000	1	RMS	1327	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6802	-45.3	-13	32.3	Pass	7001



20.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	653	0.1	RMS	484.5	-65.79	-13	52.79	Pass	6231
653	709	0.1	RMS	676.1	20.54	60	38.46	Pass	561
709	1000	0.1	RMS	894.2	-64.76	-13	51.76	Pass	2911
1000	3000	1	RMS	1352	-47.75	-13	34.75	Pass	2001
3000	10000	1	RMS	6800	-45.24	-13	32.24	Pass	7001



20.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	653	0.1	RMS	493.9	-65.77	-13	52.77	Pass	6231
653	709	0.1	RMS	676.1	20.76	60	39.24	Pass	561
709	1000	0.1	RMS	983.1	-64.79	-13	51.79	Pass	2911
1000	3000	1	RMS	1352	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6801	-45.35	-13	32.35	Pass	7001



20.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	653	0.1	RMS	613.3	-65.68	-13	52.68	Pass	6231
653	709	0.1	RMS	688.6	20.19	60	38.81	Pass	561
709	1000	0.1	RMS	852.5	-64.8	-13	51.8	Pass	2911
1000	3000	1	RMS	1377	-47.24	-13	34.24	Pass	2001
3000	10000	1	RMS	6798	-45.39	-13	32.39	Pass	7001



20.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	653	0.1	RMS	485.6	-65.7	-13	52.7	Pass	6231
653	709	0.1	RMS	688.6	20.52	60	39.48	Pass	561
709	1000	0.1	RMS	851.6	-64.74	-13	51.74	Pass	2911
1000	3000	1	RMS	1377	-47.84	-13	34.84	Pass	2001
3000	10000	1	RMS	6803	-45.42	-13	32.42	Pass	7001



20.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	653	0.1	RMS	502	-65.68	-13	52.68	Pass	6231
653	709	0.1	RMS	663.9	20.83	60	39.17	Pass	561
709	1000	0.1	RMS	826.9	-64.84	-13	51.84	Pass	2911
1000	3000	1	RMS	1327	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6801	-45.4	-13	32.4	Pass	7001



20.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	59.27	Pass	2986
30	653	0.1	RMS	620.2	-65.73	-13	52.73	Pass	6231
653	709	0.1	RMS	663.9	20.15	60	39.85	Pass	561
709	1000	0.1	RMS	848.4	-64.74	-13	51.74	Pass	2911
1000	3000	1	RMS	1327	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6802	-45.37	-13	32.37	Pass	7001



20.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	653	0.1	RMS	479.6	-65.67	-13	52.67	Pass	6231
653	709	0.1	RMS	673.9	20.02	60	38.98	Pass	561
709	1000	0.1	RMS	954.5	-64.6	-13	51.6	Pass	2911
1000	3000	1	RMS	1347	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	6800	-45.41	-13	32.41	Pass	7001



20.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.22	-72	-13	59	Pass	2986
30	653	0.1	RMS	615.1	-65.73	-13	52.73	Pass	6231
653	709	0.1	RMS	673.9	20.2	60	39.8	Pass	561
709	1000	0.1	RMS	907.2	-64.59	-13	51.59	Pass	2911
1000	3000	1	RMS	1347	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6802	-45.4	-13	32.4	Pass	7001



20.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	653	0.1	RMS	486.6	-65.75	-13	52.75	Pass	6231
653	709	0.1	RMS	683.9	20.07	60	38.93	Pass	561
709	1000	0.1	RMS	840	-64.78	-13	51.78	Pass	2911
1000	3000	1	RMS	1367	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	6799	-45.28	-13	32.28	Pass	7001



20.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	653	0.1	RMS	491.8	-65.79	-13	52.79	Pass	6231
653	709	0.1	RMS	683.9	20.26	60	39.74	Pass	561
709	1000	0.1	RMS	709.7	-60.91	-13	47.91	Pass	2911
1000	3000	1	RMS	1367	-47.96	-13	34.96	Pass	2001
3000	10000	1	RMS	6802	-45.42	-13	32.42	Pass	7001



20.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	653	0.1	RMS	474	-65.73	-13	52.73	Pass	6231
653	709	0.1	RMS	664.1	20.61	60	38.39	Pass	561
709	1000	0.1	RMS	849.4	-64.77	-13	51.77	Pass	2911
1000	3000	1	RMS	1328	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6800	-45.33	-13	32.33	Pass	7001



20.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	653	0.1	RMS	478.6	-65.72	-13	52.72	Pass	6231
653	709	0.1	RMS	664.1	20.7	60	39.3	Pass	561
709	1000	0.1	RMS	980.7	-64.54	-13	51.54	Pass	2911
1000	3000	1	RMS	1328	-48.99	-13	35.99	Pass	2001
3000	10000	1	RMS	6800	-45.41	-13	32.41	Pass	7001



20.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	653	0.1	RMS	608.8	-65.71	-13	52.71	Pass	6231
653	709	0.1	RMS	674.1	20.5	60	38.5	Pass	561
709	1000	0.1	RMS	844	-64.78	-13	51.78	Pass	2911
1000	3000	1	RMS	1348	-47.84	-13	34.84	Pass	2001
3000	10000	1	RMS	6800	-45.33	-13	32.33	Pass	7001



20.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	58.66	Pass	2986
30	653	0.1	RMS	503.7	-65.76	-13	52.76	Pass	6231
653	709	0.1	RMS	674.1	20.65	60	39.35	Pass	561
709	1000	0.1	RMS	831.5	-64.78	-13	51.78	Pass	2911
1000	3000	1	RMS	1348	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6800	-45.36	-13	32.36	Pass	7001



20.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	59.47	Pass	2986
30	653	0.1	RMS	501	-65.59	-13	52.59	Pass	6231
653	709	0.1	RMS	679.1	20.58	60	38.42	Pass	561
709	1000	0.1	RMS	866.3	-64.73	-13	51.73	Pass	2911
1000	3000	1	RMS	1358	-47.51	-13	34.51	Pass	2001
3000	10000	1	RMS	6803	-45.35	-13	32.35	Pass	7001



20.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.19	-71.41	-13	58.41	Pass	2986
30	653	0.1	RMS	504	-65.72	-13	52.72	Pass	6231
653	709	0.1	RMS	679.1	20.72	60	39.28	Pass	561
709	1000	0.1	RMS	856.5	-64.75	-13	51.75	Pass	2911
1000	3000	1	RMS	1358	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	6799	-45.41	-13	32.41	Pass	7001




21. CA_5B

21.1 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	810.9	-42.46	-13	29.46	Pass	7841
814	859	0.1	RMS	824.6	9.19	60	50.81	Pass	451
859	1000	0.1	RMS	977.5	-65.56	-13	52.56	Pass	1411
1000	3000	1	RMS	3000	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	7320	-63.81	-13	50.81	Pass	7001



21.2 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.9	-33.06	-13	20.06	Pass	7841
814	859	0.1	RMS	835.4	3.79	60	56.21	Pass	451
859	1000	0.1	RMS	975.2	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	2998	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	7320	-63.82	-13	50.82	Pass	7001



21.3 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	810.8	-42.97	-13	29.97	Pass	7841
814	859	0.1	RMS	824.6	9.15	60	50.85	Pass	451
859	1000	0.1	RMS	979.6	-65.47	-13	52.47	Pass	1411
1000	3000	1	RMS	2980	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	7319	-63.84	-13	50.84	Pass	7001



21.4 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	814	-36.6	-13	23.6	Pass	7841
814	859	0.1	RMS	834.3	2.8	60	57.2	Pass	451
859	1000	0.1	RMS	984.3	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	3000	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	7320	-63.8	-13	50.8	Pass	7001



21.5 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	802.1	-62.91	-13	49.91	Pass	7841
814	859	0.1	RMS	829.6	9.19	60	50.81	Pass	451
859	1000	0.1	RMS	986	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2995	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	7320	-63.83	-13	50.83	Pass	7001



21.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.19	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	813.9	-41.88	-13	28.88	Pass	7841
814	859	0.1	RMS	841.9	3.73	60	56.27	Pass	451
859	1000	0.1	RMS	962.4	-65.51	-13	52.51	Pass	1411
1000	3000	1	RMS	2997	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	7320	-63.8	-13	50.8	Pass	7001



21.7 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.21	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	802.1	-62.59	-13	49.59	Pass	7841
814	859	0.1	RMS	829.6	9.13	60	50.87	Pass	451
859	1000	0.1	RMS	993.9	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2996	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	7319	-63.79	-13	50.79	Pass	7001



21.8 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.19	-73.05	-13	60.05	Pass	2986
30	814	0.1	RMS	813.7	-44.45	-13	31.45	Pass	7841
814	859	0.1	RMS	842.3	2.74	60	57.26	Pass	451
859	1000	0.1	RMS	962.1	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2831	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	7318	-63.82	-13	50.82	Pass	7001



21.9 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	807	-65.05	-13	52.05	Pass	7841
814	859	0.1	RMS	834.6	9.14	60	50.86	Pass	451
859	1000	0.1	RMS	984.8	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	2989	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	7321	-63.79	-13	50.79	Pass	7001



21.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	813.8	-46.43	-13	33.43	Pass	7841
814	859	0.1	RMS	845.3	3.83	60	56.17	Pass	451
859	1000	0.1	RMS	983.3	-65.45	-13	52.45	Pass	1411
1000	3000	1	RMS	2999	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	7320	-63.74	-13	50.74	Pass	7001



21.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	807.1	-64.91	-13	51.91	Pass	7841
814	859	0.1	RMS	834.6	9.2	60	50.8	Pass	451
859	1000	0.1	RMS	955.2	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	3000	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	7319	-63.85	-13	50.85	Pass	7001



21.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.16	-72.97	-13	59.97	Pass	2986
30	814	0.1	RMS	814	-48.98	-13	35.98	Pass	7841
814	859	0.1	RMS	844.3	2.96	60	57.04	Pass	451
859	1000	0.1	RMS	979.5	-65.39	-13	52.39	Pass	1411
1000	3000	1	RMS	2999	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	7317	-63.8	-13	50.8	Pass	7001



21.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	805.9	-60.33	-13	47.33	Pass	7841
814	859	0.1	RMS	824.6	8.64	60	51.36	Pass	451
859	1000	0.1	RMS	982	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	2983	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	7319	-63.83	-13	50.83	Pass	7001



21.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.2	-29.66	-13	16.66	Pass	7841
814	859	0.1	RMS	827.4	0.96	60	59.04	Pass	451
859	1000	0.1	RMS	992.8	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	3000	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	7314	-63.86	-13	50.86	Pass	7001



21.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.24	-72.74	-13	59.74	Pass	2986
30	814	0.1	RMS	805.9	-60.19	-13	47.19	Pass	7841
814	859	0.1	RMS	824.6	8.64	60	51.36	Pass	451
859	1000	0.1	RMS	957.5	-65.54	-13	52.54	Pass	1411
1000	3000	1	RMS	2981	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	7317	-63.82	-13	50.82	Pass	7001



21.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	813.9	-33	-13	20	Pass	7841
814	859	0.1	RMS	825	0.09	60	59.91	Pass	451
859	1000	0.1	RMS	870.8	-65.46	-13	52.46	Pass	1411
1000	3000	1	RMS	2998	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	7319	-63.81	-13	50.81	Pass	7001



21.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	808.5	-60.1	-13	47.1	Pass	7841
814	859	0.1	RMS	827.2	8.63	60	51.37	Pass	451
859	1000	0.1	RMS	980.2	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2999	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	7316	-63.81	-13	50.81	Pass	7001



21.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	814	-30.88	-13	17.88	Pass	7841
814	859	0.1	RMS	827.5	1.09	60	58.91	Pass	451
859	1000	0.1	RMS	859.4	-65.47	-13	52.47	Pass	1411
1000	3000	1	RMS	2999	-49.82	-13	36.82	Pass	2001
3000	10000	1	RMS	7316	-63.83	-13	50.83	Pass	7001



21.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	808.5	-60.62	-13	47.62	Pass	7841
814	859	0.1	RMS	827.2	8.68	60	51.32	Pass	451
859	1000	0.1	RMS	980.5	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	2833	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	7319	-63.73	-13	50.73	Pass	7001



21.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	814	-33.68	-13	20.68	Pass	7841
814	859	0.1	RMS	827.3	0.14	60	59.86	Pass	451
859	1000	0.1	RMS	986.7	-65.42	-13	52.42	Pass	1411
1000	3000	1	RMS	2998	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	7314	-63.83	-13	50.83	Pass	7001



21.21 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.2	-72.51	-13	59.51	Pass	2986
30	814	0.1	RMS	811	-42.49	-13	29.49	Pass	7841
814	859	0.1	RMS	829.7	8.6	60	51.4	Pass	451
859	1000	0.1	RMS	974.2	-65.44	-13	52.44	Pass	1411
1000	3000	1	RMS	2958	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	7310	-63.84	-13	50.84	Pass	7001



21.22 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	814	-34.52	-13	21.52	Pass	7841
814	859	0.1	RMS	830.1	1.06	60	58.94	Pass	451
859	1000	0.1	RMS	971.8	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2839	-49.88	-13	36.88	Pass	2001
3000	10000	1	RMS	7321	-63.81	-13	50.81	Pass	7001



21.23 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	811	-43.52	-13	30.52	Pass	7841
814	859	0.1	RMS	829.7	8.59	60	51.41	Pass	451
859	1000	0.1	RMS	978.1	-65.46	-13	52.46	Pass	1411
1000	3000	1	RMS	2833	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	7318	-63.74	-13	50.74	Pass	7001



21.24 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.19	-72.94	-13	59.94	Pass	2986
30	814	0.1	RMS	814	-37.78	-13	24.78	Pass	7841
814	859	0.1	RMS	829.9	0.13	60	59.87	Pass	451
859	1000	0.1	RMS	974.6	-65.41	-13	52.41	Pass	1411
1000	3000	1	RMS	2837	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	7319	-63.71	-13	50.71	Pass	7001




22. CA_41C_full

22.1 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.25	-25	29.25	Pass	401
0.15	30	0.01	RMS	0.15	-65.65	-25	40.65	Pass	2986
30	1000	0.1	RMS	909	-64.09	-25	39.09	Pass	9701
1000	2475	1	RMS	2475	-33.72	-25	8.72	Pass	1476
2475	2735	1	RMS	2497.1	10.04	60	49.96	Pass	401
2735	3000	1	RMS	2998.675	-49.65	-25	24.65	Pass	401
3000	12000	1	RMS	11861	-50.68	-25	25.68	Pass	9001
12000	27000	1	RMS	26265	-35.09	-25	10.09	Pass	15001



22.2 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.11	-25	29.11	Pass	401
0.15	30	0.01	RMS	0.15	-66.09	-25	41.09	Pass	2986
30	1000	0.1	RMS	883.5	-63.99	-25	38.99	Pass	9701
1000	2475	1	RMS	2474	-44.95	-25	19.95	Pass	1476
2475	2735	1	RMS	2517.9	10.7	60	49.3	Pass	401
2735	3000	1	RMS	2998.675	-49.63	-25	24.63	Pass	401
3000	12000	1	RMS	11484	-50.74	-25	25.74	Pass	9001
12000	27000	1	RMS	26278	-35.12	-25	10.12	Pass	15001



22.3 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.29	-25	29.29	Pass	401
0.15	30	0.01	RMS	0.15	-65	-25	40	Pass	2986
30	1000	0.1	RMS	901.7	-64.06	-25	39.06	Pass	9701
1000	2475	1	RMS	2474	-34.78	-25	9.78	Pass	1476
2475	2735	1	RMS	2519.85	9.85	60	50.15	Pass	401
2735	3000	1	RMS	3000	-49.68	-25	24.68	Pass	401
3000	12000	1	RMS	11849	-50.73	-25	25.73	Pass	9001
12000	27000	1	RMS	26290	-35.11	-25	10.11	Pass	15001



22.4 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.3	-25	29.3	Pass	401
0.15	30	0.01	RMS	0.15	-65.62	-25	40.62	Pass	2986
30	1000	0.1	RMS	887.6	-64.04	-25	39.04	Pass	9701
1000	2475	1	RMS	2475	-44.84	-25	19.84	Pass	1476
2475	2735	1	RMS	2517.9	10.01	60	49.99	Pass	401
2735	3000	1	RMS	2998.675	-49.62	-25	24.62	Pass	401
3000	12000	1	RMS	11502	-50.69	-25	25.69	Pass	9001
12000	27000	1	RMS	26272	-35.01	-25	10.01	Pass	15001



22.5 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.56	-25	28.56	Pass	401
0.15	30	0.01	RMS	0.15	-65.78	-25	40.78	Pass	2986
30	1000	0.1	RMS	907.8	-64.13	-25	39.13	Pass	9701
1000	2475	1	RMS	2468	-48.98	-25	22.98	Pass	1476
2475	2735	1	RMS	2604.35	10.05	60	49.95	Pass	401
2735	3000	1	RMS	2999.338	-49.65	-25	24.65	Pass	401
3000	12000	1	RMS	11856	-50.75	-25	25.75	Pass	9001
12000	27000	1	RMS	26295	-35.09	-25	10.09	Pass	15001



22.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-25	29.69	Pass	401
0.15	30	0.01	RMS	0.15	-65.93	-25	40.93	Pass	2986
30	1000	0.1	RMS	885.1	-64.05	-25	39.05	Pass	9701
1000	2475	1	RMS	2473	-48.99	-25	22.99	Pass	1476
2475	2735	1	RMS	2602.4	10.51	60	49.49	Pass	401
2735	3000	1	RMS	2997.35	-49.62	-25	24.62	Pass	401
3000	12000	1	RMS	11851	-50.76	-25	25.76	Pass	9001
12000	27000	1	RMS	26299	-34.98	-25	9.98	Pass	15001



22.7 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-25	28.92	Pass	401
0.15	30	0.01	RMS	0.15	-66.15	-25	41.15	Pass	2986
30	1000	0.1	RMS	892.6	-64.02	-25	39.02	Pass	9701
1000	2475	1	RMS	2467	-49.04	-25	24.04	Pass	1476
2475	2735	1	RMS	2581.6	10.46	60	49.54	Pass	401
2735	3000	1	RMS	2997.35	-49.65	-25	24.65	Pass	401
3000	12000	1	RMS	11849	-50.64	-25	25.64	Pass	9001
12000	27000	1	RMS	26305	-35.19	-25	10.19	Pass	15001



22.8 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-25	28.4	Pass	401
0.15	30	0.01	RMS	0.15	-65.29	-25	40.29	Pass	2986
30	1000	0.1	RMS	893.9	-63.9	-25	38.9	Pass	9701
1000	2475	1	RMS	2469	-48.94	-25	22.94	Pass	1476
2475	2735	1	RMS	2603.05	10.19	60	49.81	Pass	401
2735	3000	1	RMS	2999.338	-49.55	-25	24.55	Pass	401
3000	12000	1	RMS	11861	-50.82	-25	25.82	Pass	9001
12000	27000	1	RMS	26288	-35.1	-25	10.1	Pass	15001



22.9 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.07	-25	29.07	Pass	401
0.15	30	0.01	RMS	0.15	-65.98	-25	40.98	Pass	2986
30	1000	0.1	RMS	909.1	-64.12	-25	39.12	Pass	9701
1000	2475	1	RMS	2461	-48.97	-25	22.97	Pass	1476
2475	2735	1	RMS	2666.1	9.83	60	50.17	Pass	401
2735	3000	1	RMS	2999.338	-49.55	-25	24.55	Pass	401
3000	12000	1	RMS	11849	-50.86	-25	25.86	Pass	9001
12000	27000	1	RMS	26304	-35.19	-25	10.19	Pass	15001



22.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.23	-25	28.23	Pass	401
0.15	30	0.01	RMS	0.15	-65.32	-25	40.32	Pass	2986
30	1000	0.1	RMS	900.9	-63.87	-25	38.87	Pass	9701
1000	2475	1	RMS	2468	-48.87	-25	22.87	Pass	1476
2475	2735	1	RMS	2686.9	10.37	60	49.63	Pass	401
2735	3000	1	RMS	2998.675	-49.52	-25	24.52	Pass	401
3000	12000	1	RMS	11497	-50.85	-25	25.85	Pass	9001
12000	27000	1	RMS	26294	-35.14	-25	10.14	Pass	15001



22.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.72	-25	28.72	Pass	401
0.15	30	0.01	RMS	0.15	-66.15	-25	41.15	Pass	2986
30	1000	0.1	RMS	893.8	-64.09	-25	39.09	Pass	9701
1000	2475	1	RMS	2458	-48.91	-25	22.91	Pass	1476
2475	2735	1	RMS	2688.85	10.11	60	49.89	Pass	401
2735	3000	1	RMS	2998.675	-49.58	-25	24.58	Pass	401
3000	12000	1	RMS	11854	-50.82	-25	25.82	Pass	9001
12000	27000	1	RMS	26321	-35.21	-25	10.21	Pass	15001



22.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.41	-25	28.41	Pass	401
0.15	30	0.01	RMS	0.15	-64.95	-25	39.95	Pass	2986
30	1000	0.1	RMS	922.1	-63.96	-25	38.96	Pass	9701
1000	2475	1	RMS	2471	-48.94	-25	22.94	Pass	1476
2475	2735	1	RMS	2685.6	9.84	60	50.16	Pass	401
2735	3000	1	RMS	3000	-49.52	-25	24.52	Pass	401
3000	12000	1	RMS	11858	-50.84	-25	25.84	Pass	9001
12000	27000	1	RMS	26279	-35.11	-25	10.11	Pass	15001



22.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.25	-25	29.25	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-25	40.73	Pass	2986
30	1000	0.1	RMS	893.3	-64.14	-25	39.14	Pass	9701
1000	2475	1	RMS	2459	-48.91	-25	22.91	Pass	1476
2475	2735	1	RMS	2534.8	8.68	60	51.32	Pass	401
2735	3000	1	RMS	2999.338	-49.72	-25	24.72	Pass	401
3000	12000	1	RMS	11854	-50.81	-25	25.81	Pass	9001
12000	27000	1	RMS	26293	-35.16	-25	10.16	Pass	15001



22.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.39	-25	28.39	Pass	401
0.15	30	0.01	RMS	0.15	-66.4	-25	41.4	Pass	2986
30	1000	0.1	RMS	891.3	-64.04	-25	39.04	Pass	9701
1000	2475	1	RMS	2475	-34.97	-25	9.97	Pass	1476
2475	2735	1	RMS	2513.35	5.42	60	54.58	Pass	401
2735	3000	1	RMS	2997.35	-49.72	-25	24.72	Pass	401
3000	12000	1	RMS	11847	-50.9	-25	25.9	Pass	9001
12000	27000	1	RMS	26286	-35.24	-25	10.24	Pass	15001



22.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.16	-25	29.16	Pass	401
0.15	30	0.01	RMS	0.15	-66.06	-25	41.06	Pass	2986
30	1000	0.1	RMS	902.8	-64.13	-25	39.13	Pass	9701
1000	2475	1	RMS	2459	-48.7	-25	22.7	Pass	1476
2475	2735	1	RMS	2534.8	9.31	60	50.69	Pass	401
2735	3000	1	RMS	2999.338	-49.75	-25	24.75	Pass	401
3000	12000	1	RMS	11853	-50.9	-25	25.9	Pass	9001
12000	27000	1	RMS	26310	-35.21	-25	10.21	Pass	15001



22.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.16	-25	30.16	Pass	401
0.15	30	0.01	RMS	0.17	-65.54	-25	40.54	Pass	2986
30	1000	0.1	RMS	884.9	-64.11	-25	39.11	Pass	9701
1000	2475	1	RMS	2474	-38.84	-25	13.84	Pass	1476
2475	2735	1	RMS	2513.35	4.58	60	55.42	Pass	401
2735	3000	1	RMS	3000	-49.76	-25	24.76	Pass	401
3000	12000	1	RMS	11858	-50.9	-25	25.9	Pass	9001
12000	27000	1	RMS	26290	-35.22	-25	10.22	Pass	15001



22.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-25	28.75	Pass	401
0.15	30	0.01	RMS	0.15	-66.31	-25	41.31	Pass	2986
30	1000	0.1	RMS	919	-64.11	-25	39.11	Pass	9701
1000	2475	1	RMS	2470	-49.02	-25	24.02	Pass	1476
2475	2735	1	RMS	2574.45	8.86	60	51.14	Pass	401
2735	3000	1	RMS	2998.675	-49.81	-25	24.81	Pass	401
3000	12000	1	RMS	11868	-50.89	-25	25.89	Pass	9001
12000	27000	1	RMS	26322	-35.23	-25	10.23	Pass	15001



22.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-25	27.71	Pass	401
0.15	30	0.01	RMS	0.15	-65.16	-25	40.16	Pass	2986
30	1000	0.1	RMS	901	-64.2	-25	39.2	Pass	9701
1000	2475	1	RMS	2473	-48.78	-25	22.78	Pass	1476
2475	2735	1	RMS	2585.5	4.45	60	55.55	Pass	401
2735	3000	1	RMS	2999.338	-49.74	-25	24.74	Pass	401
3000	12000	1	RMS	11490	-50.9	-25	25.9	Pass	9001
12000	27000	1	RMS	26256	-35.29	-25	10.29	Pass	15001



22.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-25	29.1	Pass	401
0.15	30	0.01	RMS	0.15	-65.45	-25	40.45	Pass	2986
30	1000	0.1	RMS	989.8	-64.21	-25	39.21	Pass	9701
1000	2475	1	RMS	2458	-49.07	-25	24.07	Pass	1476
2475	2735	1	RMS	2574.45	9.1	60	50.9	Pass	401
2735	3000	1	RMS	3000	-49.81	-25	24.81	Pass	401
3000	12000	1	RMS	11852	-50.88	-25	25.88	Pass	9001
12000	27000	1	RMS	26300	-35.27	-25	10.27	Pass	15001



22.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-25	29.02	Pass	401
0.15	30	0.01	RMS	0.15	-65.87	-25	40.87	Pass	2986
30	1000	0.1	RMS	879.7	-64.14	-25	39.14	Pass	9701
1000	2475	1	RMS	2475	-48.86	-25	22.86	Pass	1476
2475	2735	1	RMS	2588.1	3.8	60	56.2	Pass	401
2735	3000	1	RMS	2997.35	-49.78	-25	24.78	Pass	401
3000	12000	1	RMS	11492	-50.81	-25	25.81	Pass	9001
12000	27000	1	RMS	26293	-35.17	-25	10.17	Pass	15001



22.21 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.57	-25	29.57	Pass	401
0.15	30	0.01	RMS	0.16	-66.64	-25	41.64	Pass	2986
30	1000	0.1	RMS	904.4	-64.16	-25	39.16	Pass	9701
1000	2475	1	RMS	2467	-49.14	-25	24.14	Pass	1476
2475	2735	1	RMS	2688.85	8.56	60	51.44	Pass	401
2735	3000	1	RMS	2999.338	-49.79	-25	24.79	Pass	401
3000	12000	1	RMS	11857	-50.93	-25	25.93	Pass	9001
12000	27000	1	RMS	26277	-35.27	-25	10.27	Pass	15001



22.22 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-25	29.69	Pass	401
0.15	30	0.01	RMS	0.15	-65.1	-25	40.1	Pass	2986
30	1000	0.1	RMS	995.9	-64.18	-25	39.18	Pass	9701
1000	2475	1	RMS	2474	-49.11	-25	24.11	Pass	1476
2475	2735	1	RMS	2682.35	4.29	60	55.71	Pass	401
2735	3000	1	RMS	2998.675	-49.8	-25	24.8	Pass	401
3000	12000	1	RMS	11853	-50.88	-25	25.88	Pass	9001
12000	27000	1	RMS	26275	-35.24	-25	10.24	Pass	15001



22.23 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-25	29.83	Pass	401
0.15	30	0.01	RMS	0.15	-65.49	-25	40.49	Pass	2986
30	1000	0.1	RMS	888.6	-64.16	-25	39.16	Pass	9701
1000	2475	1	RMS	2468	-49.11	-25	24.11	Pass	1476
2475	2735	1	RMS	2688.85	8.76	60	51.24	Pass	401
2735	3000	1	RMS	3000	-49.8	-25	24.8	Pass	401
3000	12000	1	RMS	11880	-50.9	-25	25.9	Pass	9001
12000	27000	1	RMS	26288	-35.26	-25	10.26	Pass	15001



22.24 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.76	-25	29.76	Pass	401
0.15	30	0.01	RMS	0.16	-65.45	-25	40.45	Pass	2986
30	1000	0.1	RMS	920.8	-64.16	-25	39.16	Pass	9701
1000	2475	1	RMS	2475	-49.06	-25	24.06	Pass	1476
2475	2735	1	RMS	2683	3.85	60	56.15	Pass	401
2735	3000	1	RMS	3000	-49.74	-25	24.74	Pass	401
3000	12000	1	RMS	11880	-50.84	-25	25.84	Pass	9001
12000	27000	1	RMS	26304	-35.25	-25	10.25	Pass	15001




23. CA_66C

23.1 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	847.3	-64.83	-13	51.83	Pass	9701
1000	1670	1	RMS	1668	-53.57	-13	40.57	Pass	671
1670	1820	1	RMS	1710.875	11.72	60	48.28	Pass	401
1820	3000	1	RMS	2985	-50.35	-13	37.35	Pass	1181
3000	20000	1	RMS	19560	-21.53	-13	8.53	Pass	17003



23.2 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	844.2	-64.67	-13	51.67	Pass	9701
1000	1670	1	RMS	1669	-53.5	-13	40.5	Pass	671
1670	1820	1	RMS	1733	12.53	60	47.47	Pass	401
1820	3000	1	RMS	2998	-50.31	-13	37.31	Pass	1181
3000	20000	1	RMS	19560	-21.57	-13	8.57	Pass	17003



23.3 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	870.714	-64.84	-13	51.84	Pass	9701
1000	1670	1	RMS	1666	-53.58	-13	40.58	Pass	671
1670	1820	1	RMS	1710.875	11.66	60	48.34	Pass	401
1820	3000	1	RMS	2999	-50.29	-13	37.29	Pass	1181
3000	20000	1	RMS	19560	-21.45	-13	8.45	Pass	17003



23.4 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	963.476	-64.91	-13	51.91	Pass	9701
1000	1670	1	RMS	1670	-53.52	-13	40.52	Pass	671
1670	1820	1	RMS	1731.875	11.1	60	48.9	Pass	401
1820	3000	1	RMS	3000	-50.29	-13	37.29	Pass	1181
3000	20000	1	RMS	19561	-21.57	-13	8.57	Pass	17003



23.5 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	992.095	-64.86	-13	51.86	Pass	9701
1000	1670	1	RMS	1669	-53.53	-13	40.53	Pass	671
1670	1820	1	RMS	1766.375	11.72	60	48.28	Pass	401
1820	3000	1	RMS	3000	-50.31	-13	37.31	Pass	1181
3000	20000	1	RMS	19560	-21.55	-13	8.55	Pass	17003



23.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.26	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	992.295	-64.94	-13	51.94	Pass	9701
1000	1670	1	RMS	1669	-53.58	-13	40.58	Pass	671
1670	1820	1	RMS	1764.875	12.38	60	47.62	Pass	401
1820	3000	1	RMS	2997	-50.35	-13	37.35	Pass	1181
3000	20000	1	RMS	19560	-21.51	-13	8.51	Pass	17003



23.7 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	986.391	-64.78	-13	51.78	Pass	9701
1000	1670	1	RMS	1667	-53.58	-13	40.58	Pass	671
1670	1820	1	RMS	1743.5	11.69	60	48.31	Pass	401
1820	3000	1	RMS	3000	-50.27	-13	37.27	Pass	1181
3000	20000	1	RMS	19560	-21.63	-13	8.63	Pass	17003



23.8 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	857.205	-64.75	-13	51.75	Pass	9701
1000	1670	1	RMS	1669	-53.5	-13	40.5	Pass	671
1670	1820	1	RMS	1764.5	11.3	60	48.7	Pass	401
1820	3000	1	RMS	2991	-50.24	-13	37.24	Pass	1181
3000	20000	1	RMS	19560	-21.51	-13	8.51	Pass	17003



23.9 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	943.663	-64.72	-13	51.72	Pass	9701
1000	1670	1	RMS	1669	-53.56	-13	40.56	Pass	671
1670	1820	1	RMS	1778.75	12	60	48	Pass	401
1820	3000	1	RMS	2997	-50.29	-13	37.29	Pass	1181
3000	20000	1	RMS	19560	-21.54	-13	8.54	Pass	17003



23.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	854.604	-64.86	-13	51.86	Pass	9701
1000	1670	1	RMS	1669	-53.55	-13	40.55	Pass	671
1670	1820	1	RMS	1777.25	12.45	60	47.55	Pass	401
1820	3000	1	RMS	2996	-50.26	-13	37.26	Pass	1181
3000	20000	1	RMS	19560	-21.48	-13	8.48	Pass	17003



23.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	937.559	-64.84	-13	51.84	Pass	9701
1000	1670	1	RMS	1669	-53.53	-13	40.53	Pass	671
1670	1820	1	RMS	1778.75	11.95	60	48.05	Pass	401
1820	3000	1	RMS	2997	-50.29	-13	37.29	Pass	1181
3000	20000	1	RMS	19560	-21.54	-13	8.54	Pass	17003



23.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.21	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	978.186	-64.74	-13	51.74	Pass	9701
1000	1670	1	RMS	1670	-53.56	-13	40.56	Pass	671
1670	1820	1	RMS	1777.625	11.48	60	48.52	Pass	401
1820	3000	1	RMS	2997	-50.24	-13	37.24	Pass	1181
3000	20000	1	RMS	19560	-21.5	-13	8.5	Pass	17003



23.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132270,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	933.056	-64.85	-13	51.85	Pass	9701
1000	1670	1	RMS	1669	-53.55	-13	40.55	Pass	671
1670	1820	1	RMS	1710.875	11.75	60	48.25	Pass	401
1820	3000	1	RMS	2999	-50.29	-13	37.29	Pass	1181
3000	20000	1	RMS	19560	-21.43	-13	8.43	Pass	17003




23.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132270,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.25	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	858.106	-64.91	-13	51.91	Pass	9701
1000	1670	1	RMS	1670	-53.43	-13	40.43	Pass	671
1670	1820	1	RMS	1746.125	6.3	60	53.7	Pass	401
1820	3000	1	RMS	3000	-50.27	-13	37.27	Pass	1181
3000	20000	1	RMS	19561	-21.6	-13	8.6	Pass	17003




23.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	951.068	-64.98	-13	51.98	Pass	9701
1000	1670	1	RMS	1669	-53.62	-13	40.62	Pass	671
1670	1820	1	RMS	1710.875	11.55	60	48.45	Pass	401
1820	3000	1	RMS	2991	-50.3	-13	37.3	Pass	1181
3000	20000	1	RMS	19560	-21.46	-13	8.46	Pass	17003




23.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	990.294	-64.93	-13	51.93	Pass	9701
1000	1670	1	RMS	1670	-53.53	-13	40.53	Pass	671
1670	1820	1	RMS	1742	5.34	60	54.66	Pass	401
1820	3000	1	RMS	3000	-50.31	-13	37.31	Pass	1181
3000	20000	1	RMS	19560	-21.5	-13	8.5	Pass	17003



23.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132323|132521,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.21	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	999.6	-64.83	-13	51.83	Pass	9701
1000	1670	1	RMS	1668	-53.6	-13	40.6	Pass	671
1670	1820	1	RMS	1736	11.58	60	48.42	Pass	401
1820	3000	1	RMS	2995	-50.37	-13	37.37	Pass	1181
3000	20000	1	RMS	19560	-21.54	-13	8.54	Pass	17003




23.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132323|132521,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	858.206	-64.56	-13	51.56	Pass	9701
1000	1670	1	RMS	1669	-53.56	-13	40.56	Pass	671
1670	1820	1	RMS	1772.75	6.39	60	53.61	Pass	401
1820	3000	1	RMS	2973	-50.31	-13	37.31	Pass	1181
3000	20000	1	RMS	19560	-21.57	-13	8.57	Pass	17003



23.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132323|132521,
Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	958.472	-64.91	-13	51.91	Pass	9701
1000	1670	1	RMS	1670	-53.56	-13	40.56	Pass	671
1670	1820	1	RMS	1736	11.7	60	48.3	Pass	401
1820	3000	1	RMS	2997	-50.33	-13	37.33	Pass	1181
3000	20000	1	RMS	19560	-21.56	-13	8.56	Pass	17003




23.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132323|132521,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	981.488	-64.95	-13	51.95	Pass	9701
1000	1670	1	RMS	1670	-53.53	-13	40.53	Pass	671
1670	1820	1	RMS	1768.625	5.45	60	54.55	Pass	401
1820	3000	1	RMS	2841	-50.34	-13	37.34	Pass	1181
3000	20000	1	RMS	19560	-21.4	-13	8.4	Pass	17003



23.21 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132374|132572,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.18	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	996.298	-64.96	-13	51.96	Pass	9701
1000	1670	1	RMS	1670	-53.57	-13	40.57	Pass	671
1670	1820	1	RMS	1778.75	11.84	60	48.16	Pass	401
1820	3000	1	RMS	2976	-50.35	-13	37.35	Pass	1181
3000	20000	1	RMS	19560	-21.62	-13	8.62	Pass	17003




23.22 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132374|132572,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	963.576	-64.85	-13	51.85	Pass	9701
1000	1670	1	RMS	1670	-53.57	-13	40.57	Pass	671
1670	1820	1	RMS	1773.5	6.48	60	53.52	Pass	401
1820	3000	1	RMS	3000	-50.27	-13	37.27	Pass	1181
3000	20000	1	RMS	19559	-21.47	-13	8.47	Pass	17003




23.23 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	979.186	-64.85	-13	51.85	Pass	9701
1000	1670	1	RMS	1670	-53.59	-13	40.59	Pass	671
1670	1820	1	RMS	1778.75	12.04	60	47.96	Pass	401
1820	3000	1	RMS	2983	-50.36	-13	37.36	Pass	1181
3000	20000	1	RMS	19560	-21.55	-13	8.55	Pass	17003




23.24 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	951.768	-64.82	-13	51.82	Pass	9701
1000	1670	1	RMS	1670	-53.61	-13	40.61	Pass	671
1670	1820	1	RMS	1773.5	5.58	60	54.42	Pass	401
1820	3000	1	RMS	2961	-50.28	-13	37.28	Pass	1181
3000	20000	1	RMS	19560	-21.5	-13	8.5	Pass	17003




24. n2 15kHz

24.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	917.045	-64.86	-13	51.86	Pass	9701
1000	1840	1	RMS	1840	-48.3	-13	35.3	Pass	841
1840	1920	1	RMS	1851.4	15.92	60	44.08	Pass	401
1920	3000	1	RMS	2972	-50.01	-13	37.01	Pass	1081
3000	7000	1	RMS	6979	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19898	-20.85	-13	7.85	Pass	13002




24.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.07	-13	56.07	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	956.871	-64.94	-13	51.94	Pass	9701
1000	1840	1	RMS	1840	-52.39	-13	39.39	Pass	841
1840	1920	1	RMS	1850.2	21.75	60	38.25	Pass	401
1920	3000	1	RMS	2991	-50.05	-13	37.05	Pass	1081
3000	7000	1	RMS	6982	-63.44	-13	50.44	Pass	4001
7000	20000	1	RMS	19900	-20.85	-13	7.85	Pass	13002




24.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	996.298	-64.91	-13	51.91	Pass	9701
1000	1840	1	RMS	1840	-52.82	-13	39.82	Pass	841
1840	1920	1	RMS	1854.6	21.63	60	38.37	Pass	401
1920	3000	1	RMS	2995	-50.08	-13	37.08	Pass	1081
3000	7000	1	RMS	6978	-63.4	-13	50.4	Pass	4001
7000	20000	1	RMS	19900	-20.83	-13	7.83	Pass	13002




**24.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.24	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	935.457	-64.93	-13	51.93	Pass	9701
1000	1840	1	RMS	1840	-53.05	-13	40.05	Pass	841
1840	1920	1	RMS	1879	16.17	60	43.83	Pass	401
1920	3000	1	RMS	2969	-50.08	-13	37.08	Pass	1081
3000	7000	1	RMS	6978	-63.43	-13	50.43	Pass	4001
7000	20000	1	RMS	19904	-20.92	-13	7.92	Pass	13002




**24.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.64	-13	55.64	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	962.375	-64.94	-13	51.94	Pass	9701
1000	1840	1	RMS	1840	-53.06	-13	40.06	Pass	841
1840	1920	1	RMS	1877.8	22	60	38	Pass	401
1920	3000	1	RMS	2999	-50.04	-13	37.04	Pass	1081
3000	7000	1	RMS	6981	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19897	-20.86	-13	7.86	Pass	13002




**24.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	991.294	-64.88	-13	51.88	Pass	9701
1000	1840	1	RMS	1839	-53.04	-13	40.04	Pass	841
1840	1920	1	RMS	1882.2	21.86	60	38.14	Pass	401
1920	3000	1	RMS	2998	-50.02	-13	37.02	Pass	1081
3000	7000	1	RMS	6979	-63.43	-13	50.43	Pass	4001
7000	20000	1	RMS	19905	-20.9	-13	7.9	Pass	13002




**24.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	964.777	-64.89	-13	51.89	Pass	9701
1000	1840	1	RMS	1839	-53.06	-13	40.06	Pass	841
1840	1920	1	RMS	1906.4	15.71	60	44.29	Pass	401
1920	3000	1	RMS	1920	-48.53	-13	35.53	Pass	1081
3000	7000	1	RMS	6980	-63.36	-13	50.36	Pass	4001
7000	20000	1	RMS	19902	-20.79	-13	7.79	Pass	13002




**24.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	974.583	-64.93	-13	51.93	Pass	9701
1000	1840	1	RMS	1840	-53.08	-13	40.08	Pass	841
1840	1920	1	RMS	1905.4	21.65	60	38.35	Pass	401
1920	3000	1	RMS	2985	-50.08	-13	37.08	Pass	1081
3000	7000	1	RMS	6979	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19895	-20.9	-13	7.9	Pass	13002




**24.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	977.385	-64.83	-13	51.83	Pass	9701
1000	1840	1	RMS	1840	-53.07	-13	40.07	Pass	841
1840	1920	1	RMS	1909.6	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2969	-50.01	-13	37.01	Pass	1081
3000	7000	1	RMS	6980	-63.4	-13	50.4	Pass	4001
7000	20000	1	RMS	19902	-20.86	-13	7.86	Pass	13002




**24.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	982.188	-64.92	-13	51.92	Pass	9701
1000	1840	1	RMS	1840	-27.83	-13	14.83	Pass	841
1840	1920	1	RMS	1868.4	10.28	60	49.72	Pass	401
1920	3000	1	RMS	2959	-50.04	-13	37.04	Pass	1081
3000	7000	1	RMS	6979	-63.5	-13	50.5	Pass	4001
7000	20000	1	RMS	19897	-20.87	-13	7.87	Pass	13002




**24.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	840.3	-64.88	-13	51.88	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	37.23	Pass	841
1840	1920	1	RMS	1850.6	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2964	-50.03	-13	37.03	Pass	1081
3000	7000	1	RMS	6978	-63.46	-13	50.46	Pass	4001
7000	20000	1	RMS	19900	-20.83	-13	7.83	Pass	13002




**24.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	948.766	-64.81	-13	51.81	Pass	9701
1000	1840	1	RMS	1840	-52.95	-13	39.95	Pass	841
1840	1920	1	RMS	1869.4	21.96	60	38.04	Pass	401
1920	3000	1	RMS	3000	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6980	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19898	-20.85	-13	7.85	Pass	13002




**24.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	989.993	-64.79	-13	51.79	Pass	9701
1000	1840	1	RMS	1840	-43.61	-13	30.61	Pass	841
1840	1920	1	RMS	1871.8	10.25	60	49.75	Pass	401
1920	3000	1	RMS	1920	-47.15	-13	34.15	Pass	1081
3000	7000	1	RMS	6978	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19897	-20.94	-13	7.94	Pass	13002




**24.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	972.182	-64.82	-13	51.82	Pass	9701
1000	1840	1	RMS	1840	-52.87	-13	39.87	Pass	841
1840	1920	1	RMS	1870.6	21.82	60	38.18	Pass	401
1920	3000	1	RMS	3000	-50.08	-13	37.08	Pass	1081
3000	7000	1	RMS	6982	-63.51	-13	50.51	Pass	4001
7000	20000	1	RMS	19898	-20.95	-13	7.95	Pass	13002




**24.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	835.8	-64.99	-13	51.99	Pass	9701
1000	1840	1	RMS	1838	-53.03	-13	40.03	Pass	841
1840	1920	1	RMS	1889.4	21.91	60	38.09	Pass	401
1920	3000	1	RMS	2996	-50.05	-13	37.05	Pass	1081
3000	7000	1	RMS	6980	-63.5	-13	50.5	Pass	4001
7000	20000	1	RMS	19904	-20.97	-13	7.97	Pass	13002




**24.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	993.396	-64.86	-13	51.86	Pass	9701
1000	1840	1	RMS	1840	-52.31	-13	39.31	Pass	841
1840	1920	1	RMS	1893.6	9.77	60	50.23	Pass	401
1920	3000	1	RMS	1920	-28.27	-13	15.27	Pass	1081
3000	7000	1	RMS	6979	-63.49	-13	50.49	Pass	4001
7000	20000	1	RMS	19896	-20.89	-13	7.89	Pass	13002




**24.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	850.001	-64.86	-13	51.86	Pass	9701
1000	1840	1	RMS	1839	-53.02	-13	40.02	Pass	841
1840	1920	1	RMS	1890.6	21.68	60	38.32	Pass	401
1920	3000	1	RMS	2999	-50.08	-13	37.08	Pass	1081
3000	7000	1	RMS	6977	-63.38	-13	50.38	Pass	4001
7000	20000	1	RMS	19903	-20.88	-13	7.88	Pass	13002




**24.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	968.879	-64.8	-13	51.8	Pass	9701
1000	1840	1	RMS	1840	-53.06	-13	40.06	Pass	841
1840	1920	1	RMS	1909.4	21.71	60	38.29	Pass	401
1920	3000	1	RMS	2969	-50.04	-13	37.04	Pass	1081
3000	7000	1	RMS	6980	-63.43	-13	50.43	Pass	4001
7000	20000	1	RMS	19900	-20.92	-13	7.92	Pass	13002




**24.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	934.957	-64.91	-13	51.91	Pass	9701
1000	1840	1	RMS	1840	-45.77	-13	32.77	Pass	841
1840	1920	1	RMS	1875	1.32	60	58.68	Pass	401
1920	3000	1	RMS	2997	-50.03	-13	37.03	Pass	1081
3000	7000	1	RMS	6980	-63.5	-13	50.5	Pass	4001
7000	20000	1	RMS	19900	-20.8	-13	7.8	Pass	13002




**24.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	973.382	-64.9	-13	51.9	Pass	9701
1000	1840	1	RMS	1840	-52.73	-13	39.73	Pass	841
1840	1920	1	RMS	1850.6	15.79	60	44.21	Pass	401
1920	3000	1	RMS	2966	-50.07	-13	37.07	Pass	1081
3000	7000	1	RMS	6976	-63.46	-13	50.46	Pass	4001
7000	20000	1	RMS	19900	-20.98	-13	7.98	Pass	13002




**24.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:374000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	978.186	-64.95	-13	51.95	Pass	9701
1000	1840	1	RMS	1840	-53.05	-13	40.05	Pass	841
1840	1920	1	RMS	1889.4	15.84	60	44.16	Pass	401
1920	3000	1	RMS	2977	-50.1	-13	37.1	Pass	1081
3000	7000	1	RMS	6980	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19901	-20.84	-13	7.84	Pass	13002




**24.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	966.078	-64.84	-13	51.84	Pass	9701
1000	1840	1	RMS	1840	-48.96	-13	35.96	Pass	841
1840	1920	1	RMS	1871.4	1.24	60	58.76	Pass	401
1920	3000	1	RMS	1920	-49.94	-13	36.94	Pass	1081
3000	7000	1	RMS	6979	-63.5	-13	50.5	Pass	4001
7000	20000	1	RMS	19898	-20.9	-13	7.9	Pass	13002




**24.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	998.099	-64.89	-13	51.89	Pass	9701
1000	1840	1	RMS	1840	-53.01	-13	40.01	Pass	841
1840	1920	1	RMS	1860.6	15.95	60	44.05	Pass	401
1920	3000	1	RMS	3000	-50.07	-13	37.07	Pass	1081
3000	7000	1	RMS	6980	-63.43	-13	50.43	Pass	4001
7000	20000	1	RMS	19902	-20.88	-13	7.88	Pass	13002




**24.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	967.178	-64.95	-13	51.95	Pass	9701
1000	1840	1	RMS	1838	-53.09	-13	40.09	Pass	841
1840	1920	1	RMS	1899.4	16	60	44	Pass	401
1920	3000	1	RMS	2976	-50.09	-13	37.09	Pass	1081
3000	7000	1	RMS	6976	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19902	-20.92	-13	7.92	Pass	13002




**24.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:378000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	982.288	-64.97	-13	51.97	Pass	9701
1000	1840	1	RMS	1840	-50.18	-13	37.18	Pass	841
1840	1920	1	RMS	1871.6	1.43	60	58.57	Pass	401
1920	3000	1	RMS	1920	-47.24	-13	34.24	Pass	1081
3000	7000	1	RMS	6979	-63.42	-13	50.42	Pass	4001
7000	20000	1	RMS	19903	-20.9	-13	7.9	Pass	13002




**24.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:378000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.22	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	963.476	-64.91	-13	51.91	Pass	9701
1000	1840	1	RMS	1840	-53.01	-13	40.01	Pass	841
1840	1920	1	RMS	1870.6	15.87	60	44.13	Pass	401
1920	3000	1	RMS	3000	-50.1	-13	37.1	Pass	1081
3000	7000	1	RMS	6978	-63.51	-13	50.51	Pass	4001
7000	20000	1	RMS	19901	-20.91	-13	7.91	Pass	13002



**24.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:378000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.22	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	856.605	-64.87	-13	51.87	Pass	9701
1000	1840	1	RMS	1839	-53.08	-13	40.08	Pass	841
1840	1920	1	RMS	1909.4	16.02	60	43.98	Pass	401
1920	3000	1	RMS	2972	-50.04	-13	37.04	Pass	1081
3000	7000	1	RMS	6978	-63.54	-13	50.54	Pass	4001
7000	20000	1	RMS	19894	-20.92	-13	7.92	Pass	13002



25. n5


25.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	814	-59.52	-13	46.52	Pass	7841
814	859	0.1	RMS	825.1	3.14	60	56.86	Pass	451
859	1000	0.1	RMS	941.3	-64.84	-13	51.84	Pass	1411
1000	3000	1	RMS	2479	-46.43	-13	33.43	Pass	2001
3000	10000	1	RMS	8745	-63.22	-13	50.22	Pass	7001




**25.2 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	814	-64.95	-13	51.95	Pass	7841
814	859	0.1	RMS	824.4	15.77	60	44.23	Pass	451
859	1000	0.1	RMS	972	-64.72	-13	51.72	Pass	1411
1000	3000	1	RMS	2473	-43.23	-13	30.23	Pass	2001
3000	10000	1	RMS	8744	-63.18	-13	50.18	Pass	7001




25.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.2	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	811.8	-65.01	-13	52.01	Pass	7841
814	859	0.1	RMS	828.7	16.04	60	43.96	Pass	451
859	1000	0.1	RMS	986.6	-64.85	-13	51.85	Pass	1411
1000	3000	1	RMS	2486	-45.36	-13	32.36	Pass	2001
3000	10000	1	RMS	8739	-63.2	-13	50.2	Pass	7001




**25.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	813	-65.02	-13	52.02	Pass	7841
814	859	0.1	RMS	835.3	2.86	60	57.14	Pass	451
859	1000	0.1	RMS	971.5	-64.89	-13	51.89	Pass	1411
1000	3000	1	RMS	2509	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	8743	-63.26	-13	50.26	Pass	7001




**25.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	812.9	-64.67	-13	51.67	Pass	7841
814	859	0.1	RMS	834.4	15.62	60	44.38	Pass	451
859	1000	0.1	RMS	970.1	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2503	-41.64	-13	28.64	Pass	2001
3000	10000	1	RMS	8742	-63.27	-13	50.27	Pass	7001




**25.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	812.9	-64.99	-13	51.99	Pass	7841
814	859	0.1	RMS	838.7	15.93	60	44.07	Pass	451
859	1000	0.1	RMS	924.6	-64.83	-13	51.83	Pass	1411
1000	3000	1	RMS	2516	-41.55	-13	28.55	Pass	2001
3000	10000	1	RMS	8746	-63.25	-13	50.25	Pass	7001




**25.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.32	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	812.6	-65.14	-13	52.14	Pass	7841
814	859	0.1	RMS	845.1	3.71	60	56.29	Pass	451
859	1000	0.1	RMS	929	-64.93	-13	51.93	Pass	1411
1000	3000	1	RMS	2999	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8744	-63.27	-13	50.27	Pass	7001




**25.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	814	-65.16	-13	52.16	Pass	7841
814	859	0.1	RMS	844.4	16.33	60	43.67	Pass	451
859	1000	0.1	RMS	862.4	-64.9	-13	51.9	Pass	1411
1000	3000	1	RMS	2976	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8739	-63.26	-13	50.26	Pass	7001




**25.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.6	-65.23	-13	52.23	Pass	7841
814	859	0.1	RMS	848.7	16.54	60	43.46	Pass	451
859	1000	0.1	RMS	950.5	-64.9	-13	51.9	Pass	1411
1000	3000	1	RMS	3000	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8750	-63.26	-13	50.26	Pass	7001




**25.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	814	-48.97	-13	35.97	Pass	7841
814	859	0.1	RMS	825.4	0.76	60	59.24	Pass	451
859	1000	0.1	RMS	928.9	-64.83	-13	51.83	Pass	1411
1000	3000	1	RMS	2998	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8746	-63.24	-13	50.24	Pass	7001




**25.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:165800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.22	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	813.1	-62.2	-13	49.2	Pass	7841
814	859	0.1	RMS	824.4	17.04	60	42.96	Pass	451
859	1000	0.1	RMS	981	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2999	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8746	-63.28	-13	50.28	Pass	7001




**25.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:165800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	813.6	-64.81	-13	51.81	Pass	7841
814	859	0.1	RMS	833.6	17.05	60	42.95	Pass	451
859	1000	0.1	RMS	969	-64.96	-13	51.96	Pass	1411
1000	3000	1	RMS	2997	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8742	-63.23	-13	50.23	Pass	7001




**25.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	813.3	-58.75	-13	45.75	Pass	7841
814	859	0.1	RMS	832.4	0.76	60	59.24	Pass	451
859	1000	0.1	RMS	976.2	-64.8	-13	51.8	Pass	1411
1000	3000	1	RMS	2998	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8749	-63.21	-13	50.21	Pass	7001




**25.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	811.9	-64.79	-13	51.79	Pass	7841
814	859	0.1	RMS	831.9	16.89	60	43.11	Pass	451
859	1000	0.1	RMS	993.1	-64.9	-13	51.9	Pass	1411
1000	3000	1	RMS	2998	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8745	-63.25	-13	50.25	Pass	7001




**25.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.8	-64.79	-13	51.79	Pass	7841
814	859	0.1	RMS	841.1	17.07	60	42.93	Pass	451
859	1000	0.1	RMS	994.1	-64.91	-13	51.91	Pass	1411
1000	3000	1	RMS	2976	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8755	-63.3	-13	50.3	Pass	7001




**25.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.8	-63.32	-13	50.32	Pass	7841
814	859	0.1	RMS	842.7	0.7	60	59.3	Pass	451
859	1000	0.1	RMS	936.6	-64.95	-13	51.95	Pass	1411
1000	3000	1	RMS	2968	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8743	-63.25	-13	50.25	Pass	7001




**25.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	812.9	-64.73	-13	51.73	Pass	7841
814	859	0.1	RMS	839.4	16.88	60	43.12	Pass	451
859	1000	0.1	RMS	942.1	-64.88	-13	51.88	Pass	1411
1000	3000	1	RMS	1782	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	8741	-63.22	-13	50.22	Pass	7001




**25.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.8	-64.98	-13	51.98	Pass	7841
814	859	0.1	RMS	848.6	17	60	43	Pass	451
859	1000	0.1	RMS	988.4	-64.92	-13	51.92	Pass	1411
1000	3000	1	RMS	2998	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8746	-63.32	-13	50.32	Pass	7001




**25.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.18	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	814	-43.62	-13	30.62	Pass	7841
814	859	0.1	RMS	825.3	-0.74	60	60.74	Pass	451
859	1000	0.1	RMS	995	-64.78	-13	51.78	Pass	1411
1000	3000	1	RMS	2962	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8745	-63.26	-13	50.26	Pass	7001




**25.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.23	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	813.6	-63.48	-13	50.48	Pass	7841
814	859	0.1	RMS	824.5	17.24	60	42.76	Pass	451
859	1000	0.1	RMS	959.8	-64.73	-13	51.73	Pass	1411
1000	3000	1	RMS	2999	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8741	-63.22	-13	50.22	Pass	7001




**25.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	812.5	-64.98	-13	51.98	Pass	7841
814	859	0.1	RMS	838.5	16.59	60	43.41	Pass	451
859	1000	0.1	RMS	990.1	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2998	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8736	-63.27	-13	50.27	Pass	7001




**25.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.8	-49.95	-13	36.95	Pass	7841
814	859	0.1	RMS	829.7	-0.9	60	60.9	Pass	451
859	1000	0.1	RMS	968.7	-64.87	-13	51.87	Pass	1411
1000	3000	1	RMS	2998	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8746	-63.19	-13	50.19	Pass	7001




**25.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	814	-64.5	-13	51.5	Pass	7841
814	859	0.1	RMS	829.5	17.14	60	42.86	Pass	451
859	1000	0.1	RMS	943.5	-64.79	-13	51.79	Pass	1411
1000	3000	1	RMS	2999	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8745	-63.27	-13	50.27	Pass	7001




**25.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	812.3	-65.02	-13	52.02	Pass	7841
814	859	0.1	RMS	843.5	16.54	60	43.46	Pass	451
859	1000	0.1	RMS	967.7	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2966	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8742	-63.23	-13	50.23	Pass	7001




**25.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	813.8	-54.85	-13	41.85	Pass	7841
814	859	0.1	RMS	835.4	-1.04	60	61.04	Pass	451
859	1000	0.1	RMS	982.6	-64.89	-13	51.89	Pass	1411
1000	3000	1	RMS	2998	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8735	-63.26	-13	50.26	Pass	7001




**25.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	812.6	-64.77	-13	51.77	Pass	7841
814	859	0.1	RMS	834.5	17.14	60	42.86	Pass	451
859	1000	0.1	RMS	977.1	-64.84	-13	51.84	Pass	1411
1000	3000	1	RMS	3000	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8727	-63.31	-13	50.31	Pass	7001




**25.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813	-64.72	-13	51.72	Pass	7841
814	859	0.1	RMS	848.5	16.58	60	43.42	Pass	451
859	1000	0.1	RMS	964.8	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2997	-50	-13	37	Pass	2001
3000	10000	1	RMS	8751	-63.26	-13	50.26	Pass	7001




**25.28 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.4	-42.44	-13	29.44	Pass	7841
814	859	0.1	RMS	825.2	-1.96	60	61.96	Pass	451
859	1000	0.1	RMS	981.9	-64.85	-13	51.85	Pass	1411
1000	3000	1	RMS	2971	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8745	-63.23	-13	50.23	Pass	7001




**25.29 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	813.3	-62.21	-13	49.21	Pass	7841
814	859	0.1	RMS	824.6	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	996.8	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2964	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8740	-63.21	-13	50.21	Pass	7001




**25.30 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	811.8	-64.77	-13	51.77	Pass	7841
814	859	0.1	RMS	843.5	16.71	60	43.29	Pass	451
859	1000	0.1	RMS	944.5	-64.84	-13	51.84	Pass	1411
1000	3000	1	RMS	2982	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8726	-63.28	-13	50.28	Pass	7001




**25.31 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813.9	-43.56	-13	30.56	Pass	7841
814	859	0.1	RMS	827.6	-1.84	60	61.84	Pass	451
859	1000	0.1	RMS	960.6	-64.69	-13	51.69	Pass	1411
1000	3000	1	RMS	2999	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8726	-63.26	-13	50.26	Pass	7001




**25.32 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813.1	-63.44	-13	50.44	Pass	7841
814	859	0.1	RMS	827.1	16.9	60	43.1	Pass	451
859	1000	0.1	RMS	964.3	-64.88	-13	51.88	Pass	1411
1000	3000	1	RMS	2977	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8742	-63.21	-13	50.21	Pass	7001




**25.33 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	812.1	-64.8	-13	51.8	Pass	7841
814	859	0.1	RMS	846	16.76	60	43.24	Pass	451
859	1000	0.1	RMS	971.8	-64.83	-13	51.83	Pass	1411
1000	3000	1	RMS	2971	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8735	-63.24	-13	50.24	Pass	7001




**25.34 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.21	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	813.9	-47.22	-13	34.22	Pass	7841
814	859	0.1	RMS	829.6	-1.99	60	61.99	Pass	451
859	1000	0.1	RMS	859.1	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2971	-50	-13	37	Pass	2001
3000	10000	1	RMS	8746	-63.1	-13	50.1	Pass	7001




**25.35 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.18	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813.5	-63.97	-13	50.97	Pass	7841
814	859	0.1	RMS	829.6	17.02	60	42.98	Pass	451
859	1000	0.1	RMS	888.9	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	3000	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	8738	-63.19	-13	50.19	Pass	7001



**25.36 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	812.7	-64.82	-13	51.82	Pass	7841
814	859	0.1	RMS	848.5	16.74	60	43.26	Pass	451
859	1000	0.1	RMS	973.8	-64.8	-13	51.8	Pass	1411
1000	3000	1	RMS	2988	-50	-13	37	Pass	2001
3000	10000	1	RMS	8735	-63.26	-13	50.26	Pass	7001




26. n14 15kHz

26.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	778	0.1	RMS	778	-56.54	-13	43.54	Pass	7481
778	808	0.1	RMS	791.95	4.42	60	55.58	Pass	401
808	1000	0.1	RMS	808.1	-63.4	-13	50.4	Pass	1921
1000	3000	1	RMS	2962	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8743	-63.27	-13	50.27	Pass	7001




**26.2 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	778	0.1	RMS	777	-63.24	-13	50.24	Pass	7481
778	808	0.1	RMS	788.35	17.52	60	42.48	Pass	401
808	1000	0.1	RMS	862.7	-64.87	-13	51.87	Pass	1921
1000	3000	1	RMS	2999	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8744	-63.21	-13	50.21	Pass	7001




**26.3 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.19	-71.22	-13	58.22	Pass	2986
30	778	0.1	RMS	760.3	-65.21	-13	52.21	Pass	7481
778	808	0.1	RMS	792.7	17.43	60	42.57	Pass	401
808	1000	0.1	RMS	992.8	-64.69	-13	51.69	Pass	1921
1000	3000	1	RMS	3000	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8747	-63.21	-13	50.21	Pass	7001




**26.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	778	0.1	RMS	778	-61.58	-13	48.58	Pass	7481
778	808	0.1	RMS	794.35	4.36	60	55.64	Pass	401
808	1000	0.1	RMS	808	-61.7	-13	48.7	Pass	1921
1000	3000	1	RMS	3000	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8743	-63.26	-13	50.26	Pass	7001




**26.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	59.17	Pass	2986
30	778	0.1	RMS	777.2	-60.21	-13	47.21	Pass	7481
778	808	0.1	RMS	790.825	17.22	60	42.78	Pass	401
808	1000	0.1	RMS	993.1	-64.8	-13	51.8	Pass	1921
1000	3000	1	RMS	2971	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8744	-63.25	-13	50.25	Pass	7001




**26.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	778	0.1	RMS	749.2	-65.25	-13	52.25	Pass	7481
778	808	0.1	RMS	795.175	17.51	60	42.49	Pass	401
808	1000	0.1	RMS	992.1	-64.77	-13	51.77	Pass	1921
1000	3000	1	RMS	2976	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8738	-63.21	-13	50.21	Pass	7001




**26.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:159100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	778	0.1	RMS	777.9	-64.59	-13	51.59	Pass	7481
778	808	0.1	RMS	794.125	4.18	60	55.82	Pass	401
808	1000	0.1	RMS	808.2	-56.94	-13	43.94	Pass	1921
1000	3000	1	RMS	2966	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8747	-63.24	-13	50.24	Pass	7001



**26.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:159100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	58.77	Pass	2986
30	778	0.1	RMS	777.1	-65.31	-13	52.31	Pass	7481
778	808	0.1	RMS	793.375	17.52	60	42.48	Pass	401
808	1000	0.1	RMS	962.5	-64.66	-13	51.66	Pass	1921
1000	3000	1	RMS	2999	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8746	-63.26	-13	50.26	Pass	7001



**26.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	57.41	Pass	2986
30	778	0.1	RMS	742	-65.04	-13	52.04	Pass	7481
778	808	0.1	RMS	797.65	17.47	60	42.53	Pass	401
808	1000	0.1	RMS	808.5	-64.73	-13	51.73	Pass	1921
1000	3000	1	RMS	2973	-50	-13	37	Pass	2001
3000	10000	1	RMS	8748	-63.2	-13	50.2	Pass	7001

