

Annex A.6 Band Edge

LTE

1. LTE_Band2


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-38.58	-13	Pass	401
1848	1849	1	RMS	1849	-26.16	-13	Pass	2
1849	1850	0.02	RMS	1850	-20.09	-13	Pass	401
1850	1852	0.1	RMS	1850.265	20.05	30	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.82	-13	Pass	401
1848	1849	1	RMS	1849	-22.69	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.3	-13	Pass	401
1850	1852	0.1	RMS	1850.845	11.6	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.32	-13	Pass	401
1848	1849	1	RMS	1849	-27.27	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-21.3	-13	Pass	401
1850	1852	0.1	RMS	1850.26	19.14	30	Pass	401



1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.74	-13	Pass	401
1848	1849	1	RMS	1849	-24.75	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-25.75	-13	Pass	401
1850	1852	0.1	RMS	1851.015	10.7	30	Pass	401



**1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.74	20.18	30	Pass	401
1910	1911	0.02	RMS	1910	-18.95	-13	Pass	401
1911	1912	1	RMS	1911	-24.64	-13	Pass	2
1912	1920	1	RMS	1912	-37.65	-13	Pass	401



**1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.325	11.75	30	Pass	401
1910	1911	0.02	RMS	1910.003	-24.47	-13	Pass	401
1911	1912	1	RMS	1911	-22.2	-13	Pass	2
1912	1920	1	RMS	1912	-34	-13	Pass	401



1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.765	19.36	30	Pass	401
1910	1911	0.02	RMS	1910	-19.87	-13	Pass	401
1911	1912	1	RMS	1911	-25.79	-13	Pass	2
1912	1920	1	RMS	1912	-38.5	-13	Pass	401




**1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.715	10.78	30	Pass	401
1910	1911	0.02	RMS	1910.003	-25.45	-13	Pass	401
1911	1912	1	RMS	1911	-24.12	-13	Pass	2
1912	1920	1	RMS	1912	-36.84	-13	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.42	-13	Pass	401
1848	1849	1	RMS	1849	-25.97	-13	Pass	2
1849	1850	0.03	RMS	1850	-21.63	-13	Pass	401
1850	1853	0.1	RMS	1850.233	19.93	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.17	-13	Pass	401
1848	1849	1	RMS	1849	-22.31	-13	Pass	2
1849	1850	0.03	RMS	1850	-25.87	-13	Pass	401
1850	1853	0.1	RMS	1852.588	7.83	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.92	-13	Pass	401
1848	1849	1	RMS	1849	-26.58	-13	Pass	2
1849	1850	0.002	RMS	1849.996	-34.78	-13	Pass	501
1850	1853	0.1	RMS	1850.248	19.1	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.2	-13	Pass	401
1848	1849	1	RMS	1849	-22.05	-13	Pass	2
1849	1850	0.03	RMS	1850	-26.36	-13	Pass	401
1850	1853	0.1	RMS	1852.4	6.97	30	Pass	401



1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	20.17	30	Pass	401
1910	1911	0.03	RMS	1910.003	-21.07	-13	Pass	401
1911	1912	1	RMS	1911	-24.58	-13	Pass	2
1912	1920	1	RMS	1912	-37.51	-13	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.593	7.95	30	Pass	401
1910	1911	0.03	RMS	1910	-24.95	-13	Pass	401
1911	1912	1	RMS	1911	-22.74	-13	Pass	2
1912	1920	1	RMS	1912	-25.03	-13	Pass	401



1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	19.39	30	Pass	401
1910	1911	0.03	RMS	1910	-21.22	-13	Pass	401
1911	1912	1	RMS	1911	-25.31	-13	Pass	2
1912	1920	1	RMS	1912	-37.79	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.398	6.98	30	Pass	401
1910	1911	0.03	RMS	1910.003	-26.13	-13	Pass	401
1911	1912	1	RMS	1911	-22.25	-13	Pass	2
1912	1920	1	RMS	1912.02	-26.07	-13	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.44	-13	Pass	401
1848	1849	1	RMS	1849	-26.8	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.35	-13	Pass	401
1850	1855	0.1	RMS	1850.363	19.93	30	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.87	-13	Pass	401
1848	1849	1	RMS	1849	-23.08	-13	Pass	2
1849	1850	0.051	RMS	1850	-26.9	-13	Pass	401
1850	1855	0.1	RMS	1854.625	5.89	30	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.71	-13	Pass	401
1848	1849	1	RMS	1849	-28.12	-13	Pass	2
1849	1850	0.051	RMS	1849.995	-23.63	-13	Pass	401
1850	1855	0.1	RMS	1850.35	19.03	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.67	-13	Pass	401
1848	1849	1	RMS	1849	-23.12	-13	Pass	2
1849	1850	0.051	RMS	1850	-27.6	-13	Pass	401
1850	1855	0.1	RMS	1854.15	4.81	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.3	30	Pass	401
1910	1911	0.051	RMS	1910.003	-20.62	-13	Pass	401
1911	1912	1	RMS	1911	-25.77	-13	Pass	2
1912	1920	1	RMS	1912	-37.84	-13	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.1	5.89	30	Pass	401
1910	1911	0.051	RMS	1910	-26.23	-13	Pass	401
1911	1912	1	RMS	1911	-23.52	-13	Pass	2
1912	1920	1	RMS	1912.02	-25.32	-13	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	19.36	30	Pass	401
1910	1911	0.051	RMS	1910	-21.5	-13	Pass	401
1911	1912	1	RMS	1911	-26.97	-13	Pass	2
1912	1920	1	RMS	1912	-39.54	-13	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.825	4.78	30	Pass	401
1910	1911	0.051	RMS	1910	-26.88	-13	Pass	401
1911	1912	1	RMS	1911	-23.31	-13	Pass	2
1912	1920	1	RMS	1912.04	-24.88	-13	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-40.34	-13	Pass	401
1848	1849	1	RMS	1849	-32.39	-13	Pass	2
1849	1850	0.1	RMS	1850	-28.34	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.95	30	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.63	-13	Pass	401
1848	1849	1	RMS	1849	-25.39	-13	Pass	2
1849	1850	0.1	RMS	1849.993	-30.76	-13	Pass	401
1850	1860	0.1	RMS	1858.6	2.98	30	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-40.96	-13	Pass	401
1848	1849	1	RMS	1849	-32.76	-13	Pass	2
1849	1850	0.1	RMS	1850	-29.04	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.24	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.48	-13	Pass	401
1848	1849	1	RMS	1849	-25.56	-13	Pass	2
1849	1850	0.1	RMS	1850	-31.5	-13	Pass	401
1850	1860	0.1	RMS	1858.675	1.94	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.1	30	Pass	401
1910	1911	0.1	RMS	1910.008	-27.62	-13	Pass	401
1911	1912	1	RMS	1911	-31.13	-13	Pass	2
1912	1920	1	RMS	1912.06	-39.47	-13	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901.125	2.99	30	Pass	401
1910	1911	0.1	RMS	1910.005	-30.64	-13	Pass	401
1911	1912	1	RMS	1911	-25.95	-13	Pass	2
1912	1920	1	RMS	1912.04	-27.2	-13	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	19.38	30	Pass	401
1910	1911	0.1	RMS	1910.005	-27.96	-13	Pass	401
1911	1912	1	RMS	1911	-32.06	-13	Pass	2
1912	1920	1	RMS	1912.02	-40.89	-13	Pass	401




1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1900.6	1.92	30	Pass	401
1910	1911	0.1	RMS	1910.015	-31.52	-13	Pass	401
1911	1912	1	RMS	1911	-25.89	-13	Pass	2
1912	1920	1	RMS	1912	-26.74	-13	Pass	401




1.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.94	-13	Pass	401
1848	1849	1	RMS	1849	-34.04	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-25.3	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.05	30	Pass	401




1.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.36	-13	Pass	401
1848	1849	1	RMS	1848	-26.3	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-32.41	-13	Pass	401
1850	1865	0.1	RMS	1863.313	1.49	30	Pass	401




1.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.54	-42.18	-13	Pass	401
1848	1849	1	RMS	1849	-34.84	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-25.97	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.18	30	Pass	401




1.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-26.74	-13	Pass	401
1848	1849	1	RMS	1849	-26.82	-13	Pass	2
1849	1850	0.15	RMS	1849.988	-33	-13	Pass	401
1850	1865	0.1	RMS	1863.725	0.46	30	Pass	401



1.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.138	20.14	30	Pass	401
1910	1911	0.15	RMS	1910.01	-24.71	-13	Pass	401
1911	1912	1	RMS	1911	-33.71	-13	Pass	2
1912	1920	1	RMS	1912	-41.37	-13	Pass	401




1.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.088	1.27	30	Pass	401
1910	1911	0.15	RMS	1910.013	-32.53	-13	Pass	401
1911	1912	1	RMS	1912	-26.43	-13	Pass	2
1912	1920	1	RMS	1912.04	-26.49	-13	Pass	401



1.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.58	30	Pass	401
1910	1911	0.15	RMS	1910.003	-25.09	-13	Pass	401
1911	1912	1	RMS	1911	-34.46	-13	Pass	2
1912	1920	1	RMS	1912	-42.22	-13	Pass	401




1.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.388	0.19	30	Pass	401
1910	1911	0.15	RMS	1910.01	-33.01	-13	Pass	401
1911	1912	1	RMS	1912	-27.15	-13	Pass	2
1912	1920	1	RMS	1912.08	-27.03	-13	Pass	401




1.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.63	-13	Pass	401
1848	1849	1	RMS	1849	-35.06	-13	Pass	2
1849	1850	0.2	RMS	1850	-27.11	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.86	30	Pass	401




1.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-28.89	-13	Pass	401
1848	1849	1	RMS	1849	-27.94	-13	Pass	2
1849	1850	0.2	RMS	1849.988	-32.78	-13	Pass	401
1850	1870	0.1	RMS	1866.9	0	30	Pass	401




1.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-43.15	-13	Pass	401
1848	1849	1	RMS	1849	-35.72	-13	Pass	2
1849	1850	0.2	RMS	1850	-27.7	-13	Pass	401
1850	1870	0.1	RMS	1851.1	18.96	30	Pass	401




1.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-28.96	-13	Pass	401
1848	1849	1	RMS	1849	-28.22	-13	Pass	2
1849	1850	0.2	RMS	1849.983	-33.43	-13	Pass	401
1850	1870	0.1	RMS	1867.3	-0.92	30	Pass	401




1.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.27	30	Pass	401
1910	1911	0.2	RMS	1910	-25.84	-13	Pass	401
1911	1912	1	RMS	1911	-34.67	-13	Pass	2
1912	1920	1	RMS	1912	-42.13	-13	Pass	401




1.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1895.95	0	30	Pass	401
1910	1911	0.2	RMS	1910.013	-33.01	-13	Pass	401
1911	1912	1	RMS	1911	-28.2	-13	Pass	2
1912	1920	1	RMS	1912.08	-29.14	-13	Pass	401




1.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.02	30	Pass	401
1910	1911	0.2	RMS	1910	-26.79	-13	Pass	401
1911	1912	1	RMS	1911	-35.29	-13	Pass	2
1912	1920	1	RMS	1912	-42.45	-13	Pass	401



1.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1893.3	-0.94	30	Pass	401
1910	1911	0.2	RMS	1910	-33.45	-13	Pass	401
1911	1912	1	RMS	1911	-28.35	-13	Pass	2
1912	1920	1	RMS	1912.02	-29.05	-13	Pass	401



2. LTE_Band4


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.02	-13	Pass	401
1708	1709	1	RMS	1709	-29.13	-13	Pass	2
1709	1710	0.02	RMS	1710	-19.16	-13	Pass	401
1710	1712	0.1	RMS	1710.24	20.1	30	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-34.3	-13	Pass	401
1708	1709	1	RMS	1709	-22.65	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.05	-13	Pass	401
1710	1712	0.1	RMS	1710.83	11.64	30	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.03	-13	Pass	401
1708	1709	1	RMS	1709	-30.08	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-19.87	-13	Pass	401
1710	1712	0.1	RMS	1710.24	19.56	30	Pass	401



2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.34	-13	Pass	401
1708	1709	1	RMS	1709	-24.69	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.63	-13	Pass	401
1710	1712	0.1	RMS	1711.04	10.67	30	Pass	401




2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	20.18	30	Pass	401
1755	1756	0.002	RMS	1755.004	-27.32	-13	Pass	501
1756	1757	1	RMS	1756	-28.23	-13	Pass	2
1757	1765	1	RMS	1757	-39.88	-13	Pass	401



2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.5	11.82	30	Pass	401
1755	1756	0.02	RMS	1755.003	-24.73	-13	Pass	401
1756.5	1757	1	RMS	1756.5	-29.17	-13	Pass	2
1757	1765	1	RMS	1757	-34.07	-13	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.765	19.33	30	Pass	401
1755	1756	0.02	RMS	1755	-20.07	-13	Pass	401
1756	1757	1	RMS	1756	-29.27	-13	Pass	2
1757	1765	1	RMS	1757	-40.44	-13	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.285	10.77	30	Pass	401
1755	1756	0.02	RMS	1755.003	-25.44	-13	Pass	401
1756	1757	1	RMS	1756	-24.32	-13	Pass	2
1757	1765	1	RMS	1757	-37.35	-13	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.48	-13	Pass	401
1708	1709	1	RMS	1709	-29.17	-13	Pass	2
1709	1710	0.03	RMS	1710	-20.68	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.93	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.46	-13	Pass	401
1708	1708.5	1	RMS	1708.5	-24.32	-13	Pass	2
1709	1710	0.03	RMS	1710	-25.06	-13	Pass	401
1710	1713	0.1	RMS	1712.363	7.89	30	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.69	-13	Pass	401
1708	1709	1	RMS	1709	-29.65	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.9	-13	Pass	401
1710	1713	0.1	RMS	1710.233	19.19	30	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.24	-13	Pass	401
1708	1709	1	RMS	1709	-22.61	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-25.69	-13	Pass	401
1710	1713	0.1	RMS	1712.265	6.99	30	Pass	401



2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	20.18	30	Pass	401
1755	1756	0.03	RMS	1755	-20.89	-13	Pass	401
1756	1757	1	RMS	1756	-28.44	-13	Pass	2
1757	1765	1	RMS	1757.04	-39.69	-13	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.483	7.8	30	Pass	401
1755	1756	0.03	RMS	1755.003	-25.51	-13	Pass	401
1756.5	1757	1	RMS	1756.5	-24.69	-13	Pass	2
1757	1765	1	RMS	1757	-24.99	-13	Pass	401



2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	19.31	30	Pass	401
1755	1756	0.03	RMS	1755	-21.33	-13	Pass	401
1756	1757	1	RMS	1756	-28.62	-13	Pass	2
1757	1765	1	RMS	1757.04	-39.97	-13	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.61	6.91	30	Pass	401
1755	1756	0.03	RMS	1755.003	-26.46	-13	Pass	401
1756.5	1757	1	RMS	1756.5	-24.4	-13	Pass	2
1757	1765	1	RMS	1757.02	-26.08	-13	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.34	-13	Pass	401
1708	1709	1	RMS	1709	-30.17	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-20.98	-13	Pass	401
1710	1715	0.1	RMS	1710.35	20.03	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.84	-13	Pass	401
1708	1708.5	1	RMS	1708.5	-25.24	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-26.86	-13	Pass	401
1710	1715	0.1	RMS	1714.45	5.81	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.29	-13	Pass	401
1708	1709	1	RMS	1709	-31.62	-13	Pass	2
1709	1710	0.051	RMS	1709.99	-22.26	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.17	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.39	-13	Pass	401
1708	1709	1	RMS	1709	-23.75	-13	Pass	2
1709	1710	0.051	RMS	1710	-27.3	-13	Pass	401
1710	1715	0.1	RMS	1713.7	4.93	30	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.22	30	Pass	401
1755	1756	0.051	RMS	1755	-20.97	-13	Pass	401
1756	1757	1	RMS	1756	-29.58	-13	Pass	2
1757	1765	1	RMS	1757	-39.84	-13	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1750.563	5.74	30	Pass	401
1755	1756	0.051	RMS	1755	-26.61	-13	Pass	401
1756.5	1757	1	RMS	1756.5	-25.46	-13	Pass	2
1757.5	1765	1	RMS	1757.575	-26.46	-13	Pass	401




2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.675	19.25	30	Pass	401
1755	1756	0.051	RMS	1755.003	-21.97	-13	Pass	401
1756	1757	1	RMS	1756	-30.67	-13	Pass	2
1757	1765	1	RMS	1757	-40.86	-13	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1750.363	4.82	30	Pass	401
1755	1756	0.051	RMS	1755	-26.97	-13	Pass	401
1756.5	1757	1	RMS	1756.5	-24.75	-13	Pass	2
1757	1765	1	RMS	1757.02	-25.36	-13	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-41.71	-13	Pass	401
1708	1709	1	RMS	1709	-34.91	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-28.71	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.01	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.99	-13	Pass	401
1708	1709	1	RMS	1709	-26.77	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.26	-13	Pass	401
1710	1720	0.1	RMS	1718.725	3.03	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-43.07	-13	Pass	401
1708	1709	1	RMS	1709	-35.54	-13	Pass	2
1709	1710	0.1	RMS	1710	-28.93	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.18	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.34	-13	Pass	401
1708	1709	1	RMS	1709	-26.35	-13	Pass	2
1709	1710	0.1	RMS	1710	-31.3	-13	Pass	401
1710	1720	0.1	RMS	1718.625	2.02	30	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20	30	Pass	401
1755	1756	0.1	RMS	1755	-28	-13	Pass	401
1756	1757	1	RMS	1756	-34.17	-13	Pass	2
1757	1765	1	RMS	1757	-41.12	-13	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1751.825	2.83	30	Pass	401
1755	1756	0.1	RMS	1755.008	-31.12	-13	Pass	401
1756	1757	1	RMS	1756	-26.56	-13	Pass	2
1757	1765	1	RMS	1757	-27.72	-13	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	19.39	30	Pass	401
1755	1756	0.1	RMS	1755	-28.05	-13	Pass	401
1756	1757	1	RMS	1756	-35.02	-13	Pass	2
1757	1765	1	RMS	1757.1	-42.06	-13	Pass	401




2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1753.85	1.76	30	Pass	401
1755	1756	0.1	RMS	1755.008	-31.59	-13	Pass	401
1756	1757	1	RMS	1756	-26.3	-13	Pass	2
1757	1765	1	RMS	1757	-27.22	-13	Pass	401




2.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.33	-13	Pass	401
1708	1709	1	RMS	1709	-35.47	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-26.59	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.02	30	Pass	401




2.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.37	-13	Pass	401
1708	1709	1	RMS	1708	-27.25	-13	Pass	2
1709	1710	0.15	RMS	1709.988	-33.28	-13	Pass	401
1710	1725	0.1	RMS	1723.838	1.4	30	Pass	401




2.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.7	-13	Pass	401
1708	1709	1	RMS	1709	-36.26	-13	Pass	2
1709	1710	0.15	RMS	1710	-27.04	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.14	30	Pass	401




2.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.76	-13	Pass	401
1708	1709	1	RMS	1709	-27.67	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-33.49	-13	Pass	401
1710	1725	0.1	RMS	1723.988	0.44	30	Pass	401



2.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	20.08	30	Pass	401
1755	1756	0.15	RMS	1755.003	-25.78	-13	Pass	401
1756	1757	1	RMS	1756	-35.36	-13	Pass	2
1757	1765	1	RMS	1757	-42.76	-13	Pass	401




2.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1751.55	1.04	30	Pass	401
1755	1756	0.15	RMS	1755.003	-32.92	-13	Pass	401
1756	1757	1	RMS	1757	-26.91	-13	Pass	2
1757	1765	1	RMS	1757.04	-26.97	-13	Pass	401



2.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.25	30	Pass	401
1755	1756	0.15	RMS	1755.003	-26.57	-13	Pass	401
1756	1757	1	RMS	1756	-36.09	-13	Pass	2
1757	1765	1	RMS	1757	-43.29	-13	Pass	401




2.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1751.663	0.12	30	Pass	401
1755	1756	0.15	RMS	1755.003	-33.14	-13	Pass	401
1756	1757	1	RMS	1757	-27.73	-13	Pass	2
1757	1765	1	RMS	1757.1	-27.59	-13	Pass	401




2.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.1	-13	Pass	401
1708	1709	1	RMS	1709	-36.19	-13	Pass	2
1709	1710	0.2	RMS	1710	-27.35	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.07	30	Pass	401




2.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-30.05	-13	Pass	401
1708	1709	1	RMS	1709	-28.92	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.5	-13	Pass	401
1710	1730	0.1	RMS	1724.1	0	30	Pass	401




2.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-44.48	-13	Pass	401
1708	1709	1	RMS	1709	-36.8	-13	Pass	2
1709	1710	0.2	RMS	1710	-27.96	-13	Pass	401
1710	1730	0.1	RMS	1711.1	18.88	30	Pass	401




2.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.73	-13	Pass	401
1708	1709	1	RMS	1709	-28.76	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-33.76	-13	Pass	401
1710	1730	0.1	RMS	1724.95	-0.98	30	Pass	401




2.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.95	19.85	30	Pass	401
1755	1756	0.2	RMS	1755.003	-27.08	-13	Pass	401
1756	1757	1	RMS	1756	-35.65	-13	Pass	2
1757	1765	1	RMS	1758.7	-41.11	-13	Pass	401




2.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1748	-0.07	30	Pass	401
1755	1756	0.2	RMS	1755.008	-33.26	-13	Pass	401
1756	1757	1	RMS	1756	-28.74	-13	Pass	2
1757	1765	1	RMS	1757.02	-29.51	-13	Pass	401




2.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.12	30	Pass	401
1755	1756	0.2	RMS	1755.013	-27.74	-13	Pass	401
1756	1757	1	RMS	1756	-36.41	-13	Pass	2
1757	1765	1	RMS	1758.74	-41.98	-13	Pass	401



2.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1750.05	-0.97	30	Pass	401
1755	1756	0.2	RMS	1755	-33.59	-13	Pass	401
1756	1757	1	RMS	1756	-28.62	-13	Pass	2
1757	1765	1	RMS	1757	-29.24	-13	Pass	401



3. LTE_Band5


3.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.53	-13	Pass	401
823	824	0.02	RMS	824	-19.6	-13	Pass	401
824	826	0.1	RMS	824.26	20.52	30	Pass	401




3.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.2	-13	Pass	401
823	824	0.02	RMS	823.998	-25.15	-13	Pass	401
824	826	0.1	RMS	824.53	12.11	30	Pass	401




3.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-48.73	-13	Pass	401
823	824	0.02	RMS	823.998	-20.46	-13	Pass	401
824	826	0.1	RMS	824.265	19.59	30	Pass	401




3.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.96	-13	Pass	401
823	824	0.02	RMS	823.995	-25.91	-13	Pass	401
824	826	0.1	RMS	824.355	11.07	30	Pass	401




3.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.44	30	Pass	401
849	850	0.02	RMS	849.003	-20.08	-13	Pass	401
850	860	0.1	RMS	850	-47.76	-13	Pass	401




3.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.185	12.15	30	Pass	401
849	850	0.02	RMS	849.005	-25.7	-13	Pass	401
850	860	0.1	RMS	850	-34.78	-13	Pass	401



3.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	19.67	30	Pass	401
849	850	0.02	RMS	849	-20.81	-13	Pass	401
850	860	0.1	RMS	850.025	-48.81	-13	Pass	401




3.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.285	11.07	30	Pass	401
849	850	0.02	RMS	849	-27.22	-13	Pass	401
850	860	0.1	RMS	850	-37.29	-13	Pass	401




3.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.65	-13	Pass	401
823	824	0.03	RMS	823.998	-22.17	-13	Pass	401
824	827	0.1	RMS	824.233	20.52	30	Pass	401




3.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.04	-13	Pass	401
823	824	0.03	RMS	824	-25.21	-13	Pass	401
824	827	0.1	RMS	824.278	8.3	30	Pass	401




3.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-46.22	-13	Pass	401
823	824	0.03	RMS	823.998	-22.71	-13	Pass	401
824	827	0.1	RMS	824.233	19.67	30	Pass	401




3.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.48	-13	Pass	401
823	824	0.03	RMS	824	-26.15	-13	Pass	401
824	827	0.1	RMS	824.285	7.34	30	Pass	401



3.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.5	30	Pass	401
849	850	0.03	RMS	849	-22.47	-13	Pass	401
850	860	0.1	RMS	850.1	-47.87	-13	Pass	401




3.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.503	8.16	30	Pass	401
849	850	0.03	RMS	849.008	-26.82	-13	Pass	401
850	860	0.1	RMS	850	-35.5	-13	Pass	401



3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.56	30	Pass	401
849	850	0.03	RMS	849.003	-23.12	-13	Pass	401
850	860	0.1	RMS	850	-46.66	-13	Pass	401




3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.428	7.17	30	Pass	401
849	850	0.03	RMS	849	-27.34	-13	Pass	401
850	860	0.1	RMS	850.05	-34.96	-13	Pass	401




3.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.79	-13	Pass	401
823	824	0.051	RMS	824	-21.72	-13	Pass	401
824	829	0.1	RMS	824.338	20.42	30	Pass	401




3.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.11	-13	Pass	401
823	824	0.051	RMS	823.993	-26.31	-13	Pass	401
824	829	0.1	RMS	824.738	6.1	30	Pass	401




3.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-48.93	-13	Pass	401
823	824	0.051	RMS	823.998	-23.26	-13	Pass	401
824	829	0.1	RMS	824.338	19.58	30	Pass	401




3.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-36.42	-13	Pass	401
823	824	0.051	RMS	824	-27.23	-13	Pass	401
824	829	0.1	RMS	824.375	5.19	30	Pass	401



3.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.47	30	Pass	401
849	850	0.051	RMS	849.003	-21.65	-13	Pass	401
850	860	0.1	RMS	850.025	-46.38	-13	Pass	401




3.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.1	5.98	30	Pass	401
849	850	0.051	RMS	849.003	-27.2	-13	Pass	401
850	860	0.1	RMS	850	-35.83	-13	Pass	401



3.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.68	30	Pass	401
849	850	0.051	RMS	849.005	-23.97	-13	Pass	401
850	860	0.1	RMS	850.025	-48.88	-13	Pass	401




3.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.738	5.01	30	Pass	401
849	850	0.051	RMS	849	-27.8	-13	Pass	401
850	860	0.1	RMS	850.05	-36.26	-13	Pass	401




3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.46	-13	Pass	401
823	824	0.1	RMS	824	-30.51	-13	Pass	401
824	834	0.1	RMS	824.575	20.26	30	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-38.51	-13	Pass	401
823	824	0.1	RMS	823.998	-31.49	-13	Pass	401
824	834	0.1	RMS	833	3.14	30	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-50.73	-13	Pass	401
823	824	0.1	RMS	823.998	-30.8	-13	Pass	401
824	834	0.1	RMS	824.6	19.51	30	Pass	401




3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-38.52	-13	Pass	401
823	824	0.1	RMS	824	-31.81	-13	Pass	401
824	834	0.1	RMS	830.35	2.08	30	Pass	401



3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.41	30	Pass	401
849	850	0.1	RMS	849	-30.03	-13	Pass	401
850	860	0.1	RMS	850	-49.31	-13	Pass	401




3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.45	3.23	30	Pass	401
849	850	0.1	RMS	849.008	-32.21	-13	Pass	401
850	860	0.1	RMS	850.1	-38.18	-13	Pass	401




3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.61	30	Pass	401
849	850	0.1	RMS	849	-30.93	-13	Pass	401
850	860	0.1	RMS	850	-50.72	-13	Pass	401



3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.675	2.29	30	Pass	401
849	850	0.1	RMS	849.005	-33.37	-13	Pass	401
850	860	0.1	RMS	850	-38.53	-13	Pass	401



4. LTE_Band12


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.01	-13	Pass	401
698.9	699	0.03	RMS	698.999	-17.67	-13	Pass	401
699	701	0.1	RMS	699.25	20.74	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.14	-13	Pass	401
698.9	699	0.03	RMS	698.999	-23.62	-13	Pass	401
699	701	0.1	RMS	699.82	12.14	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.97	-13	Pass	401
698.9	699	0.03	RMS	699	-18.68	-13	Pass	401
699	701	0.1	RMS	699.26	19.55	30	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.73	-13	Pass	401
698.9	699	0.03	RMS	698.999	-24.52	-13	Pass	401
699	701	0.1	RMS	699.985	11.25	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.74	20.5	30	Pass	401
716	716.1	0.03	RMS	716	-18.66	-13	Pass	5
716.1	725	0.1	RMS	716.1	-21.97	-13	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.9	12.09	30	Pass	401
716	716.1	0.03	RMS	716	-23.57	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.93	-13	Pass	401



4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	19.69	30	Pass	401
716	716.1	0.03	RMS	716.003	-18.66	-13	Pass	401
716.1	725	0.1	RMS	716.1	-23.97	-13	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.3	11.17	30	Pass	401
716	716.1	0.03	RMS	716	-25	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.6	-13	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.46	-13	Pass	401
698.9	699	0.03	RMS	698.998	-22.46	-13	Pass	401
699	702	0.1	RMS	699.24	20.45	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.05	-13	Pass	401
698.9	699	0.03	RMS	698.999	-25.75	-13	Pass	401
699	702	0.1	RMS	700.538	8.19	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.71	-13	Pass	401
698.9	699	0.03	RMS	698.998	-22.97	-13	Pass	401
699	702	0.1	RMS	699.24	19.67	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.34	-13	Pass	401
698.9	699	0.03	RMS	699	-26.68	-13	Pass	401
699	702	0.1	RMS	701.025	7.22	30	Pass	401



4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	20.5	30	Pass	401
716	716.1	0.03	RMS	716.002	-21.88	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.37	-13	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.84	8.29	30	Pass	401
716	716.1	0.03	RMS	716.002	-26.31	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.93	-13	Pass	401



4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	19.62	30	Pass	401
716	716.1	0.03	RMS	716.001	-22.52	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.87	-13	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.57	7.45	30	Pass	401
716	716.1	0.03	RMS	716.003	-27.42	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.58	-13	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.08	-13	Pass	401
698.9	699	0.03	RMS	699	-24.68	-13	Pass	401
699	704	0.1	RMS	699.35	20.43	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.11	-13	Pass	401
698.9	699	0.03	RMS	699	-29.35	-13	Pass	401
699	704	0.1	RMS	700.55	5.94	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.05	-13	Pass	401
698.9	699	0.03	RMS	698.999	-25.51	-13	Pass	401
699	704	0.1	RMS	699.35	19.54	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.86	-13	Pass	401
698.9	699	0.03	RMS	699	-30.02	-13	Pass	401
699	704	0.1	RMS	701.4	5.06	30	Pass	401



4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.32	30	Pass	401
716	716.1	0.03	RMS	716.003	-24.46	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.68	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.663	5.94	30	Pass	401
716	716.1	0.03	RMS	716	-29.78	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.07	-13	Pass	401



4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.4	30	Pass	401
716	716.1	0.03	RMS	716.003	-25.87	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.17	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.175	4.97	30	Pass	401
716	716.1	0.03	RMS	716.001	-29.82	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.02	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.833	-35.82	-13	Pass	401
698.9	699	0.03	RMS	698.999	-37.36	-13	Pass	401
699	709	0.1	RMS	699.6	20.43	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.1	-13	Pass	401
698.9	699	0.03	RMS	698.995	-37.61	-13	Pass	401
699	709	0.1	RMS	705.925	3.17	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.89	-13	Pass	401
698.9	699	0.03	RMS	698.999	-37.27	-13	Pass	401
699	709	0.1	RMS	699.6	19.43	30	Pass	401




**4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.36	-13	Pass	401
698.9	699	0.03	RMS	698.999	-37.95	-13	Pass	401
699	709	0.1	RMS	705.3	2.24	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.42	30	Pass	401
716	716.1	0.03	RMS	716	-36.74	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.23	-13	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.825	3.02	30	Pass	401
716	716.1	0.03	RMS	716.001	-37.49	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.52	-13	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.39	30	Pass	401
716	716.1	0.03	RMS	716	-36.75	-13	Pass	401
716.1	725	0.1	RMS	716.122	-36.49	-13	Pass	401



4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.2	2.02	30	Pass	401
716	716.1	0.03	RMS	716.004	-38.95	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.73	-13	Pass	401



5. LTE_Band14


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	769.825	-74.72	-35	Pass	968
775	787.9	0.1	RMS	787.9	-28.17	-13	Pass	401
787.9	788	0.03	RMS	787.997	-24.79	-13	Pass	401
788	798	0.1	RMS	788.35	20.24	30	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.554	-74.53	-35	Pass	968
775	787.9	0.1	RMS	787.9	-27.98	-13	Pass	401
787.9	788	0.03	RMS	787.997	-29.19	-13	Pass	401
788	798	0.1	RMS	792.325	6.12	30	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.145	-74.69	-35	Pass	968
775	787.9	0.1	RMS	787.9	-29.03	-13	Pass	401
787.9	788	0.03	RMS	788	-25.45	-13	Pass	401
788	798	0.1	RMS	788.35	19.37	30	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	770.855	-74.52	-35	Pass	968
775	787.9	0.1	RMS	787.9	-29.33	-13	Pass	401
787.9	788	0.03	RMS	787.998	-30.06	-13	Pass	401
788	798	0.1	RMS	792.55	5.16	30	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	20.38	30	Pass	401
798	798.1	0.03	RMS	798.001	-24.94	-13	Pass	401
798.1	799	0.1	RMS	798.1	-27.89	-13	Pass	401
799	806	0.0062	RMS	799.031	-57.38	-35	Pass	1130
806	810	0.1	RMS	806.36	-57.25	-13	Pass	401




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	794.325	6.08	30	Pass	401
798	798.1	0.03	RMS	798.001	-29.82	-13	Pass	401
798.1	799	0.1	RMS	798.109	-28.11	-13	Pass	401
799	806	0.0062	RMS	799.019	-48.45	-35	Pass	1130
806	810	0.1	RMS	806.02	-52.77	-13	Pass	401




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.675	19.44	30	Pass	401
798	798.1	0.03	RMS	798.001	-26.09	-13	Pass	401
798.1	799	0.1	RMS	798.1	-28.74	-13	Pass	401
799	806	0.0062	RMS	799.025	-61.74	-35	Pass	1130
806	810	0.1	RMS	806.12	-59.14	-13	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	794.875	5.03	30	Pass	401
798	798.1	0.03	RMS	798.007	-30.27	-13	Pass	401
798.1	799	0.1	RMS	798.1	-28.68	-13	Pass	401
799	806	0.0062	RMS	799.223	-50.75	-35	Pass	1130
806	810	0.1	RMS	806.01	-55.43	-13	Pass	401




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	770.396	-74.36	-35	Pass	968
775	787.9	0.1	RMS	787.9	-35.6	-13	Pass	401
787.9	788	0.03	RMS	787.999	-36.9	-13	Pass	401
788	798	0.1	RMS	788.6	20.34	30	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	770.142	-74.55	-35	Pass	968
775	787.9	0.1	RMS	787.9	-35.24	-13	Pass	401
787.9	788	0.03	RMS	787.999	-37.66	-13	Pass	401
788	798	0.1	RMS	794.95	3.39	30	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	769.807	-74.52	-35	Pass	968
775	787.9	0.1	RMS	787.9	-36.05	-13	Pass	401
787.9	788	0.03	RMS	787.998	-36.66	-13	Pass	401
788	798	0.1	RMS	788.6	19.38	30	Pass	401




5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.778	-74.74	-35	Pass	968
775	787.9	0.1	RMS	787.9	-36.32	-13	Pass	401
787.9	788	0.03	RMS	787.998	-38.71	-13	Pass	401
788	798	0.1	RMS	794.15	2.32	30	Pass	401




5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	20.32	30	Pass	401
798	798.1	0.03	RMS	798.004	-36.52	-13	Pass	401
798.1	799	0.1	RMS	798.107	-35.24	-13	Pass	401
799	806	0.0062	RMS	799.081	-61.33	-35	Pass	1130
806	810	0.1	RMS	806.39	-61.59	-13	Pass	401




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	794.8	3.33	30	Pass	401
798	798.1	0.03	RMS	798.002	-37.91	-13	Pass	401
798.1	799	0.1	RMS	798.102	-34.79	-13	Pass	401
799	806	0.0062	RMS	799.012	-51.26	-35	Pass	1130
806	810	0.1	RMS	806.14	-46.61	-13	Pass	401




5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	19.43	30	Pass	401
798	798.1	0.03	RMS	798.002	-36.79	-13	Pass	401
798.1	799	0.1	RMS	798.109	-35.91	-13	Pass	401
799	806	0.0062	RMS	799	-62.89	-35	Pass	1130
806	810	0.1	RMS	806.39	-61.44	-13	Pass	401



5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	794.35	2.46	30	Pass	401
798	798.1	0.03	RMS	798.006	-38.78	-13	Pass	401
798.1	799	0.1	RMS	798.105	-35.52	-13	Pass	401
799	806	0.0062	RMS	799.112	-53.09	-35	Pass	1130
806	810	0.1	RMS	806.03	-49.1	-13	Pass	401



6. LTE_Band25


6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.93	-13	Pass	401
1848	1849	1	RMS	1849	-25.35	-13	Pass	2
1849	1850	0.02	RMS	1850	-20.25	-13	Pass	401
1850	1852	0.1	RMS	1850.27	20.2	30	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.17	-13	Pass	401
1848	1849	1	RMS	1849	-22.72	-13	Pass	2
1849	1850	0.02	RMS	1850	-25	-13	Pass	401
1850	1852	0.1	RMS	1850.9	11.65	30	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.87	-13	Pass	401
1848	1849	1	RMS	1849	-26.64	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-21.29	-13	Pass	401
1850	1852	0.1	RMS	1850.245	19.19	30	Pass	401



6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.18	-13	Pass	401
1848	1849	1	RMS	1849	-24.77	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.86	-13	Pass	401
1850	1852	0.1	RMS	1851.025	10.67	30	Pass	401



6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.77	20.19	30	Pass	401
1915	1916	0.02	RMS	1915	-20	-13	Pass	401
1916	1917	1	RMS	1916	-24.67	-13	Pass	2
1917	1925	1	RMS	1917	-37.93	-13	Pass	401




6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.105	11.81	30	Pass	401
1915	1916	0.02	RMS	1915	-25.48	-13	Pass	401
1916	1917	1	RMS	1916	-21.52	-13	Pass	2
1917	1925	1	RMS	1917.02	-34.62	-13	Pass	401



6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	19.35	30	Pass	401
1915	1916	0.02	RMS	1915	-20.9	-13	Pass	401
1916	1917	1	RMS	1916	-25.61	-13	Pass	2
1917	1925	1	RMS	1917	-38.63	-13	Pass	401




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.4	10.86	30	Pass	401
1915	1916	0.02	RMS	1915.005	-26.58	-13	Pass	401
1916	1917	1	RMS	1916	-24.07	-13	Pass	2
1917	1925	1	RMS	1917	-36.71	-13	Pass	401




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.29	-13	Pass	401
1848	1849	1	RMS	1849	-25.83	-13	Pass	2
1849	1850	0.002	RMS	1849.994	-33.5	-13	Pass	501
1850	1853	0.1	RMS	1850.225	20.08	30	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-25.31	-13	Pass	401
1848	1849	1	RMS	1849	-22.25	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-25.77	-13	Pass	401
1850	1853	0.1	RMS	1852.693	7.9	30	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-38.84	-13	Pass	401
1848	1849	1	RMS	1849	-26.61	-13	Pass	2
1849	1850	0.002	RMS	1849.998	-33.28	-13	Pass	501
1850	1853	0.1	RMS	1850.24	19.19	30	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.3	-13	Pass	401
1848	1849	1	RMS	1849	-22.13	-13	Pass	2
1849	1850	0.03	RMS	1849.995	-26.54	-13	Pass	401
1850	1853	0.1	RMS	1852.385	6.88	30	Pass	401



6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.745	20.21	30	Pass	401
1915	1916	0.002	RMS	1915.028	-32.85	-13	Pass	501
1916	1917	1	RMS	1916	-24.84	-13	Pass	2
1917	1925	1	RMS	1917	-37.85	-13	Pass	401




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.263	8	30	Pass	401
1915	1916	0.03	RMS	1915.003	-26.82	-13	Pass	401
1916	1917	1	RMS	1916	-23.51	-13	Pass	2
1917	1925	1	RMS	1917.02	-25.38	-13	Pass	401



6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.775	19.27	30	Pass	401
1915	1916	0.002	RMS	1915.004	-34.57	-13	Pass	501
1916	1917	1	RMS	1916	-25.76	-13	Pass	2
1917	1925	1	RMS	1917	-38.74	-13	Pass	401




6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.54	7	30	Pass	401
1915	1916	0.03	RMS	1915	-27.38	-13	Pass	401
1916	1917	1	RMS	1916	-22.84	-13	Pass	2
1917	1925	1	RMS	1917.02	-26.2	-13	Pass	401




6.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.34	-13	Pass	401
1848	1849	1	RMS	1849	-27.12	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-22.83	-13	Pass	401
1850	1855	0.1	RMS	1850.325	20.04	30	Pass	401




6.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.1	-13	Pass	401
1848	1849	1	RMS	1849	-23.26	-13	Pass	2
1849	1850	0.051	RMS	1850	-27.18	-13	Pass	401
1850	1855	0.1	RMS	1854.6	5.74	30	Pass	401




6.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.97	-13	Pass	401
1848	1849	1	RMS	1849	-28.51	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.48	-13	Pass	401
1850	1855	0.1	RMS	1850.338	19.22	30	Pass	401




6.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-25	-13	Pass	401
1848	1849	1	RMS	1849	-23.34	-13	Pass	2
1849	1850	0.051	RMS	1849.99	-27.69	-13	Pass	401
1850	1855	0.1	RMS	1854.5	4.62	30	Pass	401



6.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	20.19	30	Pass	401
1915	1916	0.051	RMS	1915	-22.51	-13	Pass	401
1916	1917	1	RMS	1916	-26.27	-13	Pass	2
1917	1925	1	RMS	1917	-38.59	-13	Pass	401




6.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.413	5.88	30	Pass	401
1915	1916	0.051	RMS	1915	-27.34	-13	Pass	401
1916	1917	1	RMS	1916	-24.38	-13	Pass	2
1917	1925	1	RMS	1917	-26.24	-13	Pass	401




6.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	19.2	30	Pass	401
1915	1916	0.051	RMS	1915.005	-23.3	-13	Pass	401
1916	1917	1	RMS	1916	-27.34	-13	Pass	2
1917	1925	1	RMS	1917	-39.76	-13	Pass	401




6.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.4	4.87	30	Pass	401
1915	1916	0.051	RMS	1915.008	-27.89	-13	Pass	401
1916	1917	1	RMS	1916	-23.99	-13	Pass	2
1917	1925	1	RMS	1917	-25.64	-13	Pass	401




6.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-40.27	-13	Pass	401
1848	1849	1	RMS	1849	-31.76	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-28.08	-13	Pass	401
1850	1860	0.1	RMS	1850.575	19.95	30	Pass	401




6.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.8	-13	Pass	401
1848	1849	1	RMS	1849	-25.57	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-30.78	-13	Pass	401
1850	1860	0.1	RMS	1858.825	3.02	30	Pass	401




6.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.82	-41.05	-13	Pass	401
1848	1849	1	RMS	1849	-32.68	-13	Pass	2
1849	1850	0.1	RMS	1850	-29.05	-13	Pass	401
1850	1860	0.1	RMS	1850.575	19.03	30	Pass	401




6.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.61	-13	Pass	401
1848	1849	1	RMS	1849	-25.69	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-31.16	-13	Pass	401
1850	1860	0.1	RMS	1859.2	1.92	30	Pass	401




6.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	20.07	30	Pass	401
1915	1916	0.1	RMS	1915.005	-27.99	-13	Pass	401
1916	1917	1	RMS	1916	-31.02	-13	Pass	2
1917	1925	1	RMS	1917	-40.34	-13	Pass	401




6.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1906.075	2.9	30	Pass	401
1915	1916	0.1	RMS	1915.008	-31.22	-13	Pass	401
1916	1917	1	RMS	1916	-26.38	-13	Pass	2
1917	1925	1	RMS	1917.04	-27.85	-13	Pass	401




6.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.09	30	Pass	401
1915	1916	0.1	RMS	1915.005	-28.49	-13	Pass	401
1916	1917	1	RMS	1916	-32	-13	Pass	2
1917	1925	1	RMS	1917	-41.31	-13	Pass	401




6.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.85	1.97	30	Pass	401
1915	1916	0.1	RMS	1915.005	-31.79	-13	Pass	401
1916	1917	1	RMS	1916	-26.32	-13	Pass	2
1917	1925	1	RMS	1917	-27.4	-13	Pass	401




6.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.93	-13	Pass	401
1848	1849	1	RMS	1849	-34.18	-13	Pass	2
1849	1850	0.15	RMS	1850	-25.63	-13	Pass	401
1850	1865	0.1	RMS	1850.863	19.73	30	Pass	401




6.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.63	-13	Pass	401
1848	1849	1	RMS	1848	-26.59	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-32.66	-13	Pass	401
1850	1865	0.1	RMS	1863.2	1.32	30	Pass	401




6.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.45	-13	Pass	401
1848	1849	1	RMS	1849	-35.03	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-26.3	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.11	30	Pass	401




6.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.76	-27.17	-13	Pass	401
1848	1849	1	RMS	1849	-27.17	-13	Pass	2
1849	1850	0.15	RMS	1850	-33.25	-13	Pass	401
1850	1865	0.1	RMS	1862.75	0.33	30	Pass	401




6.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.05	30	Pass	401
1915	1916	0.15	RMS	1915	-24.9	-13	Pass	401
1916	1917	1	RMS	1916	-33.96	-13	Pass	2
1917	1925	1	RMS	1917	-42.15	-13	Pass	401




6.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.575	1.33	30	Pass	401
1915	1916	0.15	RMS	1915.025	-33.11	-13	Pass	401
1916	1917	1	RMS	1917	-27	-13	Pass	2
1917	1925	1	RMS	1917	-27.11	-13	Pass	401




6.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	19.12	30	Pass	401
1915	1916	0.15	RMS	1915.005	-25.56	-13	Pass	401
1916	1917	1	RMS	1916	-34.8	-13	Pass	2
1917	1925	1	RMS	1917	-42.95	-13	Pass	401




6.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1900.9	0.26	30	Pass	401
1915	1916	0.15	RMS	1915.003	-33.32	-13	Pass	401
1916	1917	1	RMS	1917	-27.69	-13	Pass	2
1917	1925	1	RMS	1917.18	-27.63	-13	Pass	401




6.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.96	-13	Pass	401
1848	1849	1	RMS	1849	-35.25	-13	Pass	2
1849	1850	0.2	RMS	1850	-27.4	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.02	30	Pass	401




6.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.2	-13	Pass	401
1848	1849	1	RMS	1849	-28.32	-13	Pass	2
1849	1850	0.2	RMS	1850	-33.11	-13	Pass	401
1850	1870	0.1	RMS	1868.4	-0.08	30	Pass	401




6.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.1	-13	Pass	401
1848	1849	1	RMS	1849	-35.96	-13	Pass	2
1849	1850	0.2	RMS	1850	-27.61	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.06	30	Pass	401




6.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-29.32	-13	Pass	401
1848	1849	1	RMS	1849	-28.63	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-33.81	-13	Pass	401
1850	1870	0.1	RMS	1865.95	-1.05	30	Pass	401




6.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	20.08	30	Pass	401
1915	1916	0.2	RMS	1915.003	-26.68	-13	Pass	401
1916	1917	1	RMS	1916	-34.97	-13	Pass	2
1917	1925	1	RMS	1917	-42.9	-13	Pass	401




6.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.5	0.02	30	Pass	401
1915	1916	0.2	RMS	1915.008	-33.46	-13	Pass	401
1916	1917	1	RMS	1916	-28.77	-13	Pass	2
1917	1925	1	RMS	1917.04	-29.82	-13	Pass	401




6.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.31	30	Pass	401
1915	1916	0.2	RMS	1915.003	-27.37	-13	Pass	401
1916	1917	1	RMS	1916	-35.81	-13	Pass	2
1917	1925	1	RMS	1917	-43.27	-13	Pass	401



6.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.45	-1.02	30	Pass	401
1915	1916	0.2	RMS	1915.003	-33.75	-13	Pass	401
1916	1917	1	RMS	1916	-28.8	-13	Pass	2
1917	1925	1	RMS	1917.04	-29.72	-13	Pass	401



1. LTE_Band41 full


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-40.45	-25	Pass	401
2490	2495	1	RMS	2495	-25.96	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-21.97	-13	Pass	401
2496	2501	0.1	RMS	2496.338	20.71	30	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.68	-25	Pass	16
2490	2495	1	RMS	2495	-22.61	-13	Pass	6
2495	2496	0.051	RMS	2495.983	-25.89	-13	Pass	401
2496	2501	0.1	RMS	2500.638	6.42	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-40.58	-25	Pass	401
2490	2495	1	RMS	2495	-26.6	-13	Pass	6
2495	2496	0.051	RMS	2495.993	-21.76	-13	Pass	401
2496	2501	0.1	RMS	2496.375	19.69	30	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.67	-25	Pass	401
2490	2495	1	RMS	2495	-22.36	-13	Pass	6
2495	2496	0.051	RMS	2495.988	-27.32	-13	Pass	401
2496	2501	0.1	RMS	2500.538	5.07	30	Pass	401




1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	20.83	30	Pass	401
2690	2691	0.051	RMS	2690	-20.21	-10	Pass	401
2691	2695	1	RMS	2691	-23.85	-10	Pass	5
2695	2696	1	RMS	2695.035	-38.63	-13	Pass	401
2696	2715	1	RMS	2696.19	-40.47	-25	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.7	6.15	30	Pass	401
2690	2691	0.1	RMS	2690	-22.38	-10	Pass	401
2691	2695	1	RMS	2691	-22.41	-10	Pass	5
2695	2696	1	RMS	2695.003	-33.13	-13	Pass	401
2696	2715	1	RMS	2696	-36.14	-25	Pass	401




1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	19.84	30	Pass	401
2690	2691	0.051	RMS	2690	-20.06	-10	Pass	401
2691	2695	1	RMS	2691	-25.09	-10	Pass	5
2695	2696	1	RMS	2695.203	-39.2	-13	Pass	401
2696	2715	1	RMS	2696.238	-40.84	-25	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.363	5.22	30	Pass	401
2690	2691	0.1	RMS	2690.013	-23.48	-10	Pass	401
2691	2695	1	RMS	2691	-21.89	-10	Pass	5
2695	2696	1	RMS	2695.005	-33.92	-13	Pass	401
2696	2715	1	RMS	2696.048	-37.12	-25	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.06	-25	Pass	401
2490	2495	1	RMS	2495	-27.53	-13	Pass	6
2495	2495.95	0.1	RMS	2495.95	-27.92	-13	Pass	11
2496	2506	0.1	RMS	2496.6	20.56	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.06	-25	Pass	16
2490	2495	1	RMS	2495	-24.66	-13	Pass	6
2495	2496	0.1	RMS	2495.985	-30.49	-13	Pass	401
2496	2506	0.1	RMS	2504.625	3.22	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.363	-40.1	-25	Pass	401
2490	2495	1	RMS	2495	-28.63	-13	Pass	6
2495	2496	0.1	RMS	2495.985	-25.93	-13	Pass	401
2496	2506	0.1	RMS	2496.575	19.17	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.45	-25	Pass	16
2490	2495	1	RMS	2495	-24.64	-13	Pass	6
2495	2496	0.1	RMS	2495.988	-30.85	-13	Pass	401
2496	2506	0.1	RMS	2504.85	2.11	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	20.14	30	Pass	401
2690	2691	0.2	RMS	2690.008	-20.63	-10	Pass	401
2691	2695	1	RMS	2691	-26.6	-10	Pass	5
2695	2700	1	RMS	2695.2	-37.98	-13	Pass	401
2700	2715	1	RMS	2700.188	-42.19	-25	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2680.7	3.16	30	Pass	401
2690	2691	0.2	RMS	2690	-26.5	-10	Pass	401
2691	2695	1	RMS	2691	-24.78	-10	Pass	5
2695	2700	1	RMS	2695.05	-27.68	-13	Pass	401
2700	2715	1	RMS	2700.113	-35.4	-25	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	19.28	30	Pass	401
2690	2691	0.2	RMS	2690.02	-21.21	-10	Pass	401
2691	2695	1	RMS	2691	-27.9	-10	Pass	5
2695	2700	1	RMS	2695.325	-38.48	-13	Pass	401
2700	2715	1	RMS	2700.413	-42.72	-25	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.15	2.67	30	Pass	401
2690	2691	0.2	RMS	2690.01	-26.72	-10	Pass	401
2691	2695	1	RMS	2691	-24.56	-10	Pass	5
2695	2700	1	RMS	2695.013	-28.12	-13	Pass	401
2700	2715	1	RMS	2700.113	-37.43	-25	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.36	-25	Pass	401
2490	2495	1	RMS	2495	-28.59	-13	Pass	6
2495	2496	0.15	RMS	2495.975	-24.2	-13	Pass	401
2496	2511	0.1	RMS	2496.825	20.46	30	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-28.86	-25	Pass	401
2490	2495	1	RMS	2495	-26.26	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-31.96	-13	Pass	401
2496	2511	0.1	RMS	2509.688	1.73	30	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-39.42	-25	Pass	401
2490	2495	1	RMS	2495	-29.71	-13	Pass	6
2495	2496	0.15	RMS	2495.988	-23.96	-13	Pass	401
2496	2511	0.1	RMS	2496.863	19.53	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.37	-25	Pass	16
2490	2495	1	RMS	2495	-25.74	-13	Pass	6
2495	2496	0.15	RMS	2495.97	-31.7	-13	Pass	401
2496	2511	0.1	RMS	2509.35	1.15	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.64	30	Pass	401
2690	2691	0.3	RMS	2690.015	-19.59	-10	Pass	401
2691	2695	1	RMS	2691	-27.97	-10	Pass	5
2695	2705	1	RMS	2695.525	-37.8	-13	Pass	401
2705	2715	1	RMS	2706.025	-43.5	-25	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2677.025	1.7	30	Pass	401
2690	2691	0.3	RMS	2690.005	-28.52	-10	Pass	401
2691	2695	1	RMS	2691	-26.07	-10	Pass	5
2695	2705	1	RMS	2695.675	-29.04	-13	Pass	401
2705	2715	1	RMS	2705	-36.21	-25	Pass	401



1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	19.57	30	Pass	401
2690	2691	0.3	RMS	2690.008	-19.17	-10	Pass	401
2691	2695	1	RMS	2691	-29.3	-10	Pass	5
2695	2705	1	RMS	2695.1	-38.25	-13	Pass	401
2705	2715	1	RMS	2705.175	-43.38	-25	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.363	1.04	30	Pass	401
2690	2691	0.3	RMS	2690.008	-27.99	-10	Pass	401
2691	2695	1	RMS	2691	-25.62	-10	Pass	5
2695	2705	1	RMS	2695.85	-27.77	-13	Pass	401
2705	2715	1	RMS	2705	-38.53	-25	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.32	-25	Pass	401
2490	2495	1	RMS	2495	-29.25	-13	Pass	6
2495	2496	0.2	RMS	2495.993	-26.16	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.07	30	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.29	-25	Pass	16
2490	2495	1	RMS	2495	-27.65	-13	Pass	6
2495	2496	0.2	RMS	2496	-31.49	-13	Pass	401
2496	2516	0.1	RMS	2514.3	0.06	30	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-39.17	-25	Pass	401
2490	2495	1	RMS	2495	-30.53	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-25.95	-13	Pass	401
2496	2516	0.1	RMS	2497.1	19.84	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.63	-25	Pass	16
2490	2495	1	RMS	2494.988	-26.58	-13	Pass	401
2495	2496	0.2	RMS	2496	-31.85	-13	Pass	401
2496	2516	0.1	RMS	2512.35	-0.31	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.29	30	Pass	401
2690	2691	0.51	RMS	2690.01	-18.06	-10	Pass	401
2691	2695	1	RMS	2691	-29.4	-10	Pass	5
2695	2710	1	RMS	2695.188	-37.61	-13	Pass	401
2710	2715	1	RMS	2710.213	-44.14	-25	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2675.15	0.32	30	Pass	401
2690	2691	0.51	RMS	2690.003	-26.77	-10	Pass	401
2691	2695	1	RMS	2691	-27.28	-10	Pass	5
2695	2710	1	RMS	2695.038	-29.78	-13	Pass	401
2710	2715	1	RMS	2710.063	-38.83	-25	Pass	401



1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	19.58	30	Pass	401
2690	2691	0.51	RMS	2690.005	-19.35	-10	Pass	401
2691	2695	1	RMS	2691	-30.21	-10	Pass	5
2695	2710	1	RMS	2695.938	-38.83	-13	Pass	401
2710	2715	1	RMS	2710.4	-44.77	-25	Pass	401



1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2673.15	-0.98	30	Pass	401
2690	2691	0.51	RMS	2690.013	-27.26	-10	Pass	401
2691	2695	1	RMS	2691	-27.21	-10	Pass	5
2695	2710	1	RMS	2695	-29.06	-13	Pass	401
2710	2715	1	RMS	2710.013	-40.35	-25	Pass	401

