



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2	-	-	-	-	-	-	-	-	-	-	-	-
WCDMA_5MHz_Nss1_1TX	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-24.09	-13.00	-11.09	MBW 1M	-




Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2_WCDMA_5MHz_Nss1_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.4MHz	Pass	9k	150k	200	1k	RMS	9.67k	-84.05	-13.00	-71.05	-	-
1852.4MHz	Pass	150k	30M	10k	30k	RMS	3.836M	-65.31	-13.00	-52.31	-	-
1852.4MHz	Pass	30M	1.5G	1M	3M	RMS	958.31M	-53.12	-13.00	-40.12	-	-
1852.4MHz	Pass	1.5G	1.84G	1M	3M	RMS	1.83941G	-48.06	-13.00	-35.06	-	-
1852.4MHz	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-24.09	-13.00	-11.09	MBW 1M	-
1852.4MHz	Pass	1.849G	1.85G	50k	200k	RMS	1.84986G	-28.49	-13.00	-15.49	-	-
1852.4MHz	Pass	1.91G	1.911G	50k	200k	RMS	1.91003G	-68.20	-13.00	-55.20	-	-
1852.4MHz	Pass	1.911G	1.92G	50k	200k	RMS	1.9125G	-56.41	-13.00	-43.41	MBW 1M	-
1852.4MHz	Pass	1.92G	5G	1M	3M	RMS	3.7064G	-50.39	-13.00	-37.39	-	-
1852.4MHz	Pass	5G	20G	1M	3M	RMS	19.64G	-41.92	-13.00	-28.92	-	-
1880MHz	Pass	9k	150k	200	1k	RMS	13.124k	-83.67	-13.00	-70.67	-	-
1880MHz	Pass	150k	30M	10k	30k	RMS	3.836M	-63.39	-13.00	-50.39	-	-
1880MHz	Pass	30M	1.5G	1M	3M	RMS	1.44543G	-53.76	-13.00	-40.76	-	-
1880MHz	Pass	1.5G	1.84G	1M	3M	RMS	1.80936G	-52.92	-13.00	-39.92	-	-
1880MHz	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-55.86	-13.00	-42.86	MBW 1M	-
1880MHz	Pass	1.849G	1.85G	50k	200k	RMS	1.84956G	-67.89	-13.00	-54.89	-	-
1880MHz	Pass	1.91G	1.911G	50k	200k	RMS	1.91033G	-68.08	-13.00	-55.08	-	-
1880MHz	Pass	1.911G	1.92G	50k	200k	RMS	1.9125G	-56.06	-13.00	-43.06	MBW 1M	-
1880MHz	Pass	1.92G	5G	1M	3M	RMS	4.96574G	-50.81	-13.00	-37.81	-	-
1880MHz	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.14	-13.00	-29.14	-	-
1907.6MHz	Pass	9k	150k	200	1k	RMS	11.115k	-84.10	-13.00	-71.10	-	-
1907.6MHz	Pass	150k	30M	10k	30k	RMS	3.836M	-62.76	-13.00	-49.76	-	-
1907.6MHz	Pass	30M	1.5G	1M	3M	RMS	1.15786G	-53.89	-13.00	-40.89	-	-
1907.6MHz	Pass	1.5G	1.84G	1M	3M	RMS	1.62389G	-52.96	-13.00	-39.96	-	-
1907.6MHz	Pass	1.84G	1.849G	50k	200k	RMS	1.8415G	-56.25	-13.00	-43.25	MBW 1M	-
1907.6MHz	Pass	1.849G	1.85G	50k	200k	RMS	1.84969G	-68.29	-13.00	-55.29	-	-
1907.6MHz	Pass	1.91G	1.911G	50k	200k	RMS	1.91017G	-26.48	-13.00	-13.48	-	-
1907.6MHz	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-25.65	-13.00	-12.65	MBW 1M	-
1907.6MHz	Pass	1.92G	5G	1M	3M	RMS	4.98768G	-50.94	-13.00	-37.94	-	-
1907.6MHz	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.07	-13.00	-29.07	-	-

Band 2\_WCDMA\_5MHz\_Nss1\_1TX  
1852.4MHz


CSE-TX-Sum

17/08/2020



Limit

Port1




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	9.87k	-84.05	-13.00	-71.05	-	-
150k	30M	10k	30k	RMS	3.826M	-45.31	-13.00	-52.31	-	-
30M	1.5G	1M	3M	RMS	958.31M	-53.12	-13.00	-40.12	-	-
1.5G	1.84G	1M	3M	RMS	1.83941G	-48.06	-13.00	-35.06	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-24.00	-13.00	-11.00	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84986G	-28.49	-13.00	-15.49	-	-
1.91G	1.911G	50k	200k	RMS	1.91003G	-68.20	-13.00	-55.20	-	-
1.911G	1.92G	50k	200k	RMS	1.9125G	-56.41	-13.00	-43.41	MBW 1M	-
1.92G	9G	1M	3M	RMS	3.7064G	-50.39	-13.00	-37.39	-	-
9G	20G	1M	3M	RMS	19.64G	-41.92	-13.00	-28.92	-	-

Band 2\_WCDMA\_5MHz\_Nss1\_1TX  
1880MHz


CSE-TX-Sum

17/08/2020



Limit

Port1




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	13.12k	-83.67	-13.00	-70.67	-	-
150k	30M	10k	30k	RMS	3.836M	-43.39	-13.00	-50.39	-	-
30M	1.5G	1M	3M	RMS	1.44543G	-52.76	-13.00	-40.76	-	-
1.5G	1.84G	1M	3M	RMS	1.80936G	-52.92	-13.00	-39.92	-	-
1.84G	1.849G	50k	200k	RMS	1.8485G	-55.86	-13.00	-42.86	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84956G	-47.89	-13.00	-34.89	-	-
1.91G	1.911G	50k	200k	RMS	1.91033G	-68.00	-13.00	-55.00	-	-
1.911G	1.92G	50k	200k	RMS	1.9125G	-56.06	-13.00	-43.06	MBW 1M	-
1.92G	9G	1M	3M	RMS	4.96574G	-50.81	-13.00	-37.81	-	-
9G	20G	1M	3M	RMS	19.64188G	-42.14	-13.00	-29.14	-	-


Band 2\_WCDMA\_5MHz\_Nss1\_1TX  
1907.6MHz

CSE-TX-Sum

17/08/2020



Limit   
Port1



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	11.115k	-84.10	-13.00	-71.10	-	-
150k	30M	10k	30k	RMS	3.836M	-62.76	-13.00	-49.76	-	-
30M	1.5G	1M	3M	RMS	1.15786G	-57.89	-13.00	-40.89	-	-
1.5G	1.84G	1M	3M	RMS	1.62389G	-52.96	-13.00	-39.96	-	-
1.84G	1.849G	50k	200k	RMS	1.8415G	-56.25	-13.00	-43.25	MBW 1M	-
1.849G	1.85G	50k	200k	RMS	1.84969G	-68.29	-13.00	-55.29	-	-
1.91G	1.911G	50k	200k	RMS	1.91017G	-26.48	-13.00	-13.48	-	-
1.911G	1.92G	50k	200k	RMS	1.9115G	-25.65	-13.00	-12.65	MBW 1M	-
1.92G	5G	1M	3M	RMS	4.98768G	-50.94	-13.00	-37.94	-	-
5G	20G	1M	3M	RMS	19.64563G	-42.07	-13.00	-29.07	-	-



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-24.13	-13.00	-11.13	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-22.52	-13.00	-9.52	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.91G	1.911G	50k	200k	RMS	1.91001G	-23.04	-13.00	-10.04	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-22.77	-13.00	-9.77	MBW 1M	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-23.14	-13.00	-10.14	MBW 1M	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-23.79	-13.00	-10.79	MBW 1M	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-24.86	-13.00	-11.86	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-23.08	-13.00	-10.08	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-24.45	-13.00	-11.45	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-29.89	-13.00	-16.89	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	1.849G	1.85G	200k	500k	RMS	1.84997G	-26.39	-13.00	-13.39	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	1.91G	1.911G	200k	1M	RMS	1.91G	-32.55	-13.00	-19.55	-	-
Band 4	-	-	-	-	-	-	-	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-24.81	-13.00	-11.81	-	-
LTE_3MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-22.51	-13.00	-9.51	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-23.02	-13.00	-10.02	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-29.71	-13.00	-16.71	MBW 1M	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-26.89	-13.00	-13.89	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-24.67	-13.00	-11.67	MBW 1M	-
LTE_1.4MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	20k	50k	RMS	1.75502G	-21.88	-13.00	-8.88	-	-
LTE_3MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-20.25	-13.00	-7.25	-	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-22.98	-13.00	-9.98	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	100k	300k	RMS	1.75503G	-29.79	-13.00	-16.79	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-27.18	-13.00	-14.18	-	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-32.46	-13.00	-19.46	-	-
Band 7	-	-	-	-	-	-	-	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	Pass	2.5315G	2.5325G	50k	200k	RMS	2.5325G	-23.28	-10.00	-13.28	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	2.541G	2.56G	100k	300k	RMS	2.5415G	-23.17	-10.00	-13.17	MBW 1M	-
LTE_15MHz_Nss1,QPSK_1TX	Pass	2.5435G	2.5725G	200k	500k	RMS	2.544G	-25.08	-25.00	-0.08	MBW 1M	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	2.46G	2.499G	200k	1M	RMS	2.4985G	-25.08	-25.00	-0.08	MBW 1M	-
LTE_5MHz_Nss1,16QAM_1TX	Pass	2.5315G	2.5325G	50k	200k	RMS	2.5325G	-23.20	-10.00	-13.20	-	-
LTE_10MHz_Nss1,16QAM_1TX	Pass	6G	27G	1M	3M	RMS	26.5485G	-41.50	-25.00	-16.50	-	-
LTE_15MHz_Nss1,16QAM_1TX	Pass	2.47G	2.499G	200k	500k	RMS	2.4875G	-33.38	-25.00	-8.38	MBW 1M	-
LTE_20MHz_Nss1,16QAM_1TX	Pass	2.46G	2.499G	200k	1M	RMS	2.4835G	-34.37	-25.00	-9.37	MBW 1M	-



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
Band 2_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	27.964k	-77.68	-13.00	-64.68	-	-
1850.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	761.925k	-65.10	-13.00	-52.10	-	-
1850.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.19387G	-53.36	-13.00	-40.36	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84703G	-37.47	-13.00	-24.47	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-32.95	-13.00	-19.95	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-28.41	-13.00	-15.41	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91026G	-72.13	-13.00	-59.13	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.74	-13.00	-43.74	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	3.70145G	-48.14	-13.00	-35.14	-	-
1850.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.23	-13.00	-29.23	-	-
1850.7MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.947k	-71.26	-13.00	-58.26	-	-
1850.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.16	-13.00	-51.16	-	-
1850.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.4842G	-53.20	-13.00	-40.20	-	-
1850.7MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84707G	-37.45	-13.00	-24.45	-	-
1850.7MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-35.41	-13.00	-22.41	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-25.24	-13.00	-12.24	-	-
1850.7MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91013G	-72.01	-13.00	-59.01	-	-
1850.7MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.81	-13.00	-43.81	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.70067G	-45.71	-13.00	-32.71	-	-
1850.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-42.23	-13.00	-29.23	-	-
1880MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-76.83	-13.00	-63.83	-	-
1880MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	672.375k	-62.62	-13.00	-49.62	-	-
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	967.86M	-53.05	-13.00	-40.05	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.65737G	-52.17	-13.00	-39.17	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.52	-13.00	-43.52	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84935G	-71.47	-13.00	-58.47	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91035G	-71.81	-13.00	-58.81	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.66	-13.00	-43.66	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.98186G	-50.81	-13.00	-37.81	-	-
1880MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65688G	-42.39	-13.00	-29.39	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-71.40	-13.00	-58.40	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.32	-13.00	-50.32	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	933.68M	-52.63	-13.00	-39.63	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84512G	-51.93	-13.00	-38.93	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.22	-13.00	-43.22	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.84992G	-68.21	-13.00	-55.21	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91027G	-69.18	-13.00	-56.18	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.42	-13.00	-43.42	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	4.96488G	-50.93	-13.00	-37.93	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-42.25	-13.00	-29.25	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-76.81	-13.00	-63.81	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	403.725k	-62.47	-13.00	-49.47	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04559G	-53.26	-13.00	-40.26	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.81508G	-51.89	-13.00	-38.89	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.69	-13.00	-43.69	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84936G	-71.88	-13.00	-58.88	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-30.26	-13.00	-17.26	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-31.36	-13.00	-18.36	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-38.61	-13.00	-25.61	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.22	-13.00	-29.22	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	75.834k	-71.58	-13.00	-58.58	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.96	-13.00	-49.96	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.25414G	-53.44	-13.00	-40.44	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.55803G	-52.22	-13.00	-39.22	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.61	-13.00	-43.61	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	20k	50k	RMS	1.84976G	-72.03	-13.00	-59.03	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-24.13	-13.00	-11.13	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-35.20	-13.00	-22.20	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-39.81	-13.00	-26.81	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.32	-13.00	-29.32	-	-
Band 2_LTE_3MHz_Nss1,OPSK_TTX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	69.982k	-80.77	-13.00	-67.77	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.075M	-65.45	-13.00	-52.45	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00884G	-52.33	-13.00	-39.33	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.84374G	-37.93	-13.00	-24.93	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-23.57	-13.00	-10.57	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-28.69	-13.00	-15.69	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.9104G	-70.53	-13.00	-57.53	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.73	-13.00	-43.73	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	3.70279G	-49.87	-13.00	-36.87	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.37	-13.00	-29.37	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	70.018k	-71.97	-13.00	-58.97	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.92	-13.00	-47.92	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.07076G	-53.00	-13.00	-40.00	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84387G	-50.49	-13.00	-37.49	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-35.90	-13.00	-22.90	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-22.88	-13.00	-9.88	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91012G	-70.65	-13.00	-57.65	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.74	-13.00	-43.74	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.70048G	-45.60	-13.00	-32.60	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.12	-13.00	-29.12	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	41.994k	-79.43	-13.00	-66.43	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.053M	-66.56	-13.00	-53.56	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.49945G	-53.18	-13.00	-40.18	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.77683G	-51.70	-13.00	-38.70	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.51	-13.00	-43.51	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84963G	-70.11	-13.00	-57.11	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91026G	-70.34	-13.00	-57.34	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.64	-13.00	-43.64	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.97571G	-50.95	-13.00	-37.95	-	-
1880MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.45	-13.00	-29.45	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-71.43	-13.00	-58.43	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-61.34	-13.00	-48.34	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.31276G	-53.09	-13.00	-40.09	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84301G	-52.23	-13.00	-39.23	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.49	-13.00	-43.49	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84949G	-70.27	-13.00	-57.27	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91025G	-70.41	-13.00	-57.41	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-56.62	-13.00	-43.62	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.98497G	-50.76	-13.00	-37.76	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.29	-13.00	-29.29	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	41.959k	-79.73	-13.00	-66.73	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.217M	-67.05	-13.00	-54.05	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04504G	-53.55	-13.00	-40.55	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.82297G	-52.15	-13.00	-39.15	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8445G	-56.64	-13.00	-43.64	MBW 1M	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84935G	-70.48	-13.00	-57.48	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91001G	-29.54	-13.00	-16.54	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-26.15	-13.00	-13.15	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	1.916G	-44.25	-13.00	-31.25	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.89	-13.00	-28.89	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	69.982k	-70.25	-13.00	-57.25	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-63.11	-13.00	-50.11	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.36182G	-52.20	-13.00	-39.20	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.80986G	-51.28	-13.00	-38.28	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8455G	-56.62	-13.00	-43.62	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84913G	-70.18	-13.00	-57.18	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-22.52	-13.00	-9.52	-	-
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9125G	-33.03	-13.00	-20.03	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	3.8196G	-50.01	-13.00	-37.01	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64375G	-42.15	-13.00	-29.15	-	-
Band 2_LTE_5MHz_Nss1,OPSK_TTX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	11.08k	-82.18	-13.00	-69.18	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.441M	-63.57	-13.00	-50.57	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.25304G	-52.88	-13.00	-39.88	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83911G	-41.20	-13.00	-28.20	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-23.85	-13.00	-10.85	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-29.60	-13.00	-16.60	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.9106G	-68.73	-13.00	-55.73	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9145G	-56.72	-13.00	-43.72	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	3.70525G	-50.78	-13.00	-37.78	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.32	-13.00	-29.32	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-69.62	-13.00	-56.62	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.87	-13.00	-51.87	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48898G	-53.31	-13.00	-40.31	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.77995G	-51.76	-13.00	-38.76	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-36.05	-13.00	-23.05	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-24.12	-13.00	-11.12	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91036G	-68.73	-13.00	-55.73	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9175G	-56.72	-13.00	-43.72	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.70063G	-45.65	-13.00	-32.65	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.12	-13.00	-29.12	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	9.317k	-83.13	-13.00	-70.13	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.21M	-66.33	-13.00	-53.33	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.35704G	-53.25	-13.00	-40.25	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.63426G	-52.06	-13.00	-39.06	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8475G	-56.33	-13.00	-43.33	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84912G	-65.19	-13.00	-52.19	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.9105G	-66.47	-13.00	-53.47	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-56.55	-13.00	-43.55	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.94649G	-50.92	-13.00	-37.92	-	-
1880MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.3925G	-42.27	-13.00	-29.27	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	107.524k	-71.83	-13.00	-58.83	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.94	-13.00	-51.94	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.3598G	-53.27	-13.00	-40.27	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.61734G	-52.26	-13.00	-39.26	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8455G	-56.49	-13.00	-43.49	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.8493G	-68.34	-13.00	-55.34	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91057G	-68.46	-13.00	-55.46	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9125G	-56.62	-13.00	-43.62	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.93648G	-51.03	-13.00	-38.03	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64G	-42.12	-13.00	-29.12	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	9.952k	-82.05	-13.00	-69.05	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.941M	-64.59	-13.00	-51.59	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.32875G	-53.46	-13.00	-40.46	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.81459G	-52.05	-13.00	-39.05	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8455G	-56.65	-13.00	-43.65	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84955G	-68.50	-13.00	-55.50	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-30.93	-13.00	-17.93	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-28.56	-13.00	-15.56	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.97844G	-50.65	-13.00	-37.65	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.36	-13.00	-29.36	-	-
1907.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	69.982k	-70.35	-13.00	-57.35	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.43	-13.00	-50.43	-	-
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.3067G	-53.20	-13.00	-40.20	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.6139G	-51.65	-13.00	-38.65	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8465G	-56.54	-13.00	-43.54	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84979G	-68.53	-13.00	-55.53	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91001G	-23.04	-13.00	-10.04	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-34.76	-13.00	-21.76	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	3.81959G	-50.31	-13.00	-37.31	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.28	-13.00	-29.28	-	-
Band 2_LTE_10MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-82.35	-13.00	-69.35	-	-
1855MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.277M	-63.19	-13.00	-50.19	-	-
1855MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.05771G	-52.27	-13.00	-39.27	-	-
1855MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.82971G	-46.60	-13.00	-33.60	-	-
1855MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-22.77	-13.00	-9.77	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84998G	-29.26	-13.00	-16.26	-	-
1855MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91006G	-65.74	-13.00	-52.74	-	-
1855MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9135G	-56.65	-13.00	-43.65	MBW 1M	-
1855MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.94321G	-50.75	-13.00	-37.75	-	-
1855MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63063G	-42.19	-13.00	-29.19	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	87.96k	-69.26	-13.00	-56.26	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.26	-13.00	-47.26	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.39251G	-53.52	-13.00	-40.52	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.63031G	-51.76	-13.00	-38.76	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8465G	-33.60	-13.00	-20.60	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-31.33	-13.00	-18.33	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91079G	-65.76	-13.00	-52.76	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9295G	-56.62	-13.00	-43.62	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.70139G	-44.94	-13.00	-31.94	-	-
1855MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.12	-13.00	-29.12	-	-
1880MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	13.935k	-82.65	-13.00	-69.65	-	-
1880MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	4.254M	-64.89	-13.00	-51.89	-	-
1880MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.1121G	-53.42	-13.00	-40.42	-	-
1880MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.78487G	-51.77	-13.00	-38.77	-	-
1880MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-49.50	-13.00	-36.50	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-56.59	-13.00	-43.59	-	-
1880MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91003G	-58.78	-13.00	-45.78	-	-
1880MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-51.12	-13.00	-38.12	MBW 1M	-
1880MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.99233G	-50.96	-13.00	-37.96	-	-
1880MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.3925G	-42.36	-13.00	-29.36	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	87.008k	-68.55	-13.00	-55.55	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.84	-13.00	-50.84	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.47281G	-53.03	-13.00	-40.03	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.61348G	-52.30	-13.00	-39.30	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-56.22	-13.00	-43.22	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84913G	-65.30	-13.00	-52.30	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91078G	-64.07	-13.00	-51.07	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-56.32	-13.00	-43.32	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.75128G	-50.12	-13.00	-37.12	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.18	-13.00	-29.18	-	-
1905MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	14.499k	-83.12	-13.00	-70.12	-	-
1905MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	7.411M	-67.66	-13.00	-54.66	-	-
1905MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.41584G	-52.78	-13.00	-39.78	-	-
1905MHz_RB 50,#RB 0	Pass	1.5G	1.83G	1M	3M	RMS	1.80657G	-52.19	-13.00	-39.19	-	-
1905MHz_RB 50,#RB 0	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-56.31	-13.00	-43.31	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.849G	1.85G	100k	300k	RMS	1.84999G	-65.21	-13.00	-52.21	-	-
1905MHz_RB 50,#RB 0	Pass	1.91G	1.911G	100k	300k	RMS	1.91002G	-34.18	-13.00	-21.18	-	-
1905MHz_RB 50,#RB 0	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-31.50	-13.00	-18.50	MBW 1M	-
1905MHz_RB 50,#RB 0	Pass	1.93G	5G	1M	3M	RMS	4.98005G	-50.92	-13.00	-37.92	-	-
1905MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.27	-13.00	-29.27	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	86.973k	-68.70	-13.00	-55.70	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.37	-13.00	-52.37	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.09649G	-53.53	-13.00	-40.53	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.76474G	-52.25	-13.00	-39.25	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8335G	-56.58	-13.00	-43.58	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84955G	-65.61	-13.00	-52.61	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-31.76	-13.00	-18.76	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-35.24	-13.00	-22.24	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	3.81882G	-49.26	-13.00	-36.26	-	-
1905MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.06	-13.00	-29.06	-	-
Band 2_LTE_15MHz_Nss1.OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	9.776k	-82.66	-13.00	-69.66	-	-
1857.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	1.598M	-70.91	-13.00	-57.91	-	-
1857.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.16925G	-52.58	-13.00	-39.58	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.8188G	-52.24	-13.00	-39.24	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-23.14	-13.00	-10.14	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84999G	-28.39	-13.00	-15.39	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91091G	-61.39	-13.00	-48.39	-	-
1857.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-55.40	-13.00	-42.40	MBW 1M	-
1857.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.96634G	-51.02	-13.00	-38.02	-	-
1857.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-42.20	-13.00	-29.20	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	87.008k	-69.70	-13.00	-56.70	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.31	-13.00	-51.31	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.29089G	-53.10	-13.00	-40.10	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.80604G	-51.92	-13.00	-38.92	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-36.29	-13.00	-23.29	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.85G	-26.54	-13.00	-13.54	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91047G	-62.93	-13.00	-49.93	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9395G	-56.50	-13.00	-43.50	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.7018G	-45.13	-13.00	-32.13	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-42.37	-13.00	-29.37	-	-
1880MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	9.282k	-81.52	-13.00	-68.52	-	-
1880MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	8.515M	-62.96	-13.00	-49.96	-	-
1880MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.00626G	-52.38	-13.00	-39.38	-	-
1880MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.62956G	-51.92	-13.00	-38.92	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-45.10	-13.00	-32.10	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84946G	-50.31	-13.00	-37.31	-	-
1880MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91064G	-51.87	-13.00	-38.87	-	-
1880MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9125G	-46.21	-13.00	-33.21	MBW 1M	-
1880MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.96711G	-50.80	-13.00	-37.80	-	-
1880MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.23	-13.00	-29.23	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	87.008k	-68.75	-13.00	-55.75	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	172.388k	-68.53	-13.00	-55.53	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	994.32M	-53.64	-13.00	-40.64	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.80056G	-52.25	-13.00	-39.25	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-45.50	-13.00	-32.50	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84925G	-62.33	-13.00	-49.33	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91074G	-62.77	-13.00	-49.77	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-56.51	-13.00	-43.51	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.74693G	-50.03	-13.00	-37.03	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65125G	-42.30	-13.00	-29.30	-	-
1902.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	11.15k	-82.48	-13.00	-69.48	-	-
1902.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	11.015M	-70.07	-13.00	-57.07	-	-
1902.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.3541G	-52.03	-13.00	-39.03	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.5G	1.82G	1M	3M	RMS	1.68996G	-52.58	-13.00	-39.58	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-52.00	-13.00	-39.00	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.849G	1.85G	200k	500k	RMS	1.84995G	-57.85	-13.00	-44.85	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.91G	1.911G	200k	500k	RMS	1.91G	-35.31	-13.00	-22.31	-	-
1902.5MHz_RB 75,#RB 0	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-33.31	-13.00	-20.31	MBW 1M	-
1902.5MHz_RB 75,#RB 0	Pass	1.94G	5G	1M	3M	RMS	4.75023G	-50.91	-13.00	-37.91	-	-
1902.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63063G	-42.33	-13.00	-29.33	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	87.008k	-68.52	-13.00	-55.52	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.71	-13.00	-48.71	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.28961G	-53.27	-13.00	-40.27	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.78132G	-51.82	-13.00	-38.82	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-56.50	-13.00	-43.50	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84942G	-62.78	-13.00	-49.78	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-26.79	-13.00	-13.79	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-36.62	-13.00	-23.62	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	3.81846G	-49.85	-13.00	-36.85	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.36	-13.00	-29.36	-	-
Band 2_LTE_20MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	9.881k	-83.84	-13.00	-70.84	-	-
1860MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	11.762M	-71.89	-13.00	-58.89	-	-
1860MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.15878G	-53.10	-13.00	-40.10	-	-
1860MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.80244G	-51.94	-13.00	-38.94	-	-
1860MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-23.79	-13.00	-10.79	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84997G	-29.22	-13.00	-16.22	-	-
1860MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91082G	-58.14	-13.00	-45.14	-	-
1860MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-52.72	-13.00	-39.72	MBW 1M	-
1860MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.72817G	-50.96	-13.00	-37.96	-	-
1860MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.22	-13.00	-29.22	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	131.494k	-70.94	-13.00	-57.94	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.97	-13.00	-48.97	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.42705G	-53.30	-13.00	-40.30	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.57719G	-51.48	-13.00	-38.48	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8425G	-35.70	-13.00	-22.70	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.85G	-32.01	-13.00	-19.01	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91007G	-62.91	-13.00	-49.91	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9475G	-56.35	-13.00	-43.35	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.70223G	-45.08	-13.00	-32.08	-	-
1860MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-42.04	-13.00	-29.04	-	-
1880MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	12.172k	-83.49	-13.00	-70.49	-	-
1880MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	12.478M	-63.58	-13.00	-50.58	-	-
1880MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.15731G	-52.68	-13.00	-39.68	-	-
1880MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.79861G	-51.57	-13.00	-38.57	-	-
1880MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-40.63	-13.00	-27.63	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84925G	-45.36	-13.00	-32.36	-	-
1880MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91047G	-46.76	-13.00	-33.76	-	-
1880MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-41.60	-13.00	-28.60	MBW 1M	-
1880MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.94624G	-51.07	-13.00	-38.07	-	-
1880MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.26	-13.00	-29.26	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	97.971k	-70.55	-13.00	-57.55	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.80	-13.00	-52.80	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.32029G	-53.31	-13.00	-40.31	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.6395G	-52.18	-13.00	-39.18	-	-
1880MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8355G	-48.87	-13.00	-35.87	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.8498G	-62.05	-13.00	-49.05	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91075G	-62.64	-13.00	-49.64	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9155G	-55.94	-13.00	-42.94	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.74226G	-48.78	-13.00	-35.78	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.15	-13.00	-29.15	-	-
1900MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	10.551k	-83.45	-13.00	-70.45	-	-
1900MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	4.59M	-65.46	-13.00	-52.46	-	-
1900MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.07664G	-53.29	-13.00	-40.29	-	-
1900MHz_RB 100,#RB 0	Pass	1.5G	1.81G	1M	3M	RMS	1.57266G	-52.24	-13.00	-39.24	-	-
1900MHz_RB 100,#RB 0	Pass	1.81G	1.849G	200k	1M	RMS	1.8465G	-48.79	-13.00	-35.79	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.849G	1.85G	200k	1M	RMS	1.84974G	-54.90	-13.00	-41.90	-	-
1900MHz_RB 100,#RB 0	Pass	1.91G	1.911G	200k	1M	RMS	1.91001G	-35.73	-13.00	-22.73	-	-
1900MHz_RB 100,#RB 0	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-30.70	-13.00	-17.70	MBW 1M	-
1900MHz_RB 100,#RB 0	Pass	1.95G	5G	1M	3M	RMS	4.75448G	-50.95	-13.00	-37.95	-	-
1900MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.33	-13.00	-29.33	-	-
1900MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	71.886k	-70.51	-13.00	-57.51	-	-
1900MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.75	-13.00	-47.75	-	-
1900MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.439G	-52.89	-13.00	-39.89	-	-
1900MHz_RB 1,#RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.77733G	-51.77	-13.00	-38.77	-	-
1900MHz_RB 1,#RB H	Pass	1.81G	1.849G	200k	1M	RMS	1.8375G	-56.09	-13.00	-43.09	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	1M	RMS	1.84944G	-62.61	-13.00	-49.61	-	-
1900MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	1M	RMS	1.91G	-32.39	-13.00	-19.39	-	-
1900MHz_RB 1,#RB H	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-36.86	-13.00	-23.86	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.95G	5G	1M	3M	RMS	3.81774G	-49.60	-13.00	-36.60	-	-
1900MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.25	-13.00	-29.25	-	-
Band 2_LTE_1.4MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1850.7MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	140.024k	-78.82	-13.00	-65.82	-	-
1850.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	194.775k	-67.38	-13.00	-54.38	-	-
1850.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	833.17M	-53.43	-13.00	-40.43	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.84716G	-36.36	-13.00	-23.36	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-32.89	-13.00	-19.89	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84999G	-30.07	-13.00	-17.07	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.9103G	-72.07	-13.00	-59.07	-	-
1850.7MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.79	-13.00	-43.79	MBW 1M	-
1850.7MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	3.70106G	-48.58	-13.00	-35.58	-	-
1850.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-42.28	-13.00	-29.28	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1850.7MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-71.10	-13.00	-58.10	-	-
1850.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-69.83	-13.00	-56.83	-	-
1850.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.34473G	-52.62	-13.00	-39.62	-	-
1850.7MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.84672G	-38.85	-13.00	-25.85	-	-
1850.7MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-36.51	-13.00	-23.51	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-24.86	-13.00	-11.86	-	-
1850.7MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91007G	-71.73	-13.00	-58.73	-	-
1850.7MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.78	-13.00	-43.78	MBW 1M	-
1850.7MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	3.70067G	-46.66	-13.00	-33.66	-	-
1850.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.29	-13.00	-29.29	-	-
1880MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	98.006k	-77.54	-13.00	-64.54	-	-
1880MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	672.375k	-65.11	-13.00	-52.11	-	-
1880MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.31092G	-52.97	-13.00	-39.97	-	-
1880MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.78388G	-52.19	-13.00	-39.19	-	-
1880MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.55	-13.00	-43.55	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84964G	-71.70	-13.00	-58.70	-	-
1880MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91081G	-71.63	-13.00	-58.63	-	-
1880MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-56.69	-13.00	-43.69	MBW 1M	-
1880MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	4.98688G	-50.96	-13.00	-37.96	-	-
1880MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.655G	-42.12	-13.00	-29.12	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-69.03	-13.00	-56.03	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.46	-13.00	-54.46	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.38479G	-53.38	-13.00	-40.38	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.8472G	1M	3M	RMS	1.61332G	-52.18	-13.00	-39.18	-	-
1880MHz_RB 1,#RB L	Pass	1.8472G	1.849G	20k	50k	RMS	1.8485G	-56.52	-13.00	-43.52	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	20k	50k	RMS	1.84978G	-71.77	-13.00	-58.77	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	20k	50k	RMS	1.91074G	-71.92	-13.00	-58.92	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.9128G	20k	50k	RMS	1.9123G	-56.70	-13.00	-43.70	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.9128G	5G	1M	3M	RMS	4.9425G	-51.00	-13.00	-38.00	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.25	-13.00	-29.25	-	-
1909.3MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	83.977k	-78.88	-13.00	-65.88	-	-
1909.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	649.988k	-63.53	-13.00	-50.53	-	-
1909.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.491G	-52.95	-13.00	-39.95	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.5G	1.8472G	1M	3M	RMS	1.67755G	-51.92	-13.00	-38.92	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.67	-13.00	-43.67	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.849G	1.85G	20k	50k	RMS	1.84931G	-72.18	-13.00	-59.18	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-31.97	-13.00	-18.97	-	-
1909.3MHz_RB 6,#RB 0	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-32.10	-13.00	-19.10	MBW 1M	-
1909.3MHz_RB 6,#RB 0	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-39.88	-13.00	-26.88	-	-
1909.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.33	-13.00	-29.33	-	-
1909.3MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.935k	-70.10	-13.00	-57.10	-	-
1909.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.24	-13.00	-49.24	-	-
1909.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.24349G	-53.26	-13.00	-40.26	-	-
1909.3MHz_RB 1,#RB H	Pass	1.5G	1.8472G	1M	3M	RMS	1.76487G	-52.43	-13.00	-39.43	-	-
1909.3MHz_RB 1,#RB H	Pass	1.8472G	1.849G	20k	50k	RMS	1.8477G	-56.63	-13.00	-43.63	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.849G	1.85G	20k	50k	RMS	1.85G	-72.02	-13.00	-59.02	-	-
1909.3MHz_RB 1,#RB H	Pass	1.91G	1.911G	20k	50k	RMS	1.91G	-26.81	-13.00	-13.81	-	-
1909.3MHz_RB 1,#RB H	Pass	1.911G	1.9128G	20k	50k	RMS	1.9115G	-36.28	-13.00	-23.28	MBW 1M	-
1909.3MHz_RB 1,#RB H	Pass	1.9128G	5G	1M	3M	RMS	1.9128G	-40.58	-13.00	-27.58	-	-
1909.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64375G	-42.22	-13.00	-29.22	-	-
Band 2_LTE_3MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1851.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	139.989k	-81.67	-13.00	-68.67	-	-
1851.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.605M	-65.02	-13.00	-52.02	-	-
1851.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48861G	-52.72	-13.00	-39.72	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1851.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.84366G	-40.84	-13.00	-27.84	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-25.00	-13.00	-12.00	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-30.31	-13.00	-17.31	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91006G	-70.60	-13.00	-57.60	-	-
1851.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9135G	-56.74	-13.00	-43.74	MBW 1M	-
1851.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	3.70356G	-50.57	-13.00	-37.57	-	-
1851.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6325G	-42.36	-13.00	-29.36	-	-
1851.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.947k	-71.07	-13.00	-58.07	-	-
1851.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.87	-13.00	-48.87	-	-
1851.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	921.74M	-53.52	-13.00	-40.52	-	-
1851.5MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.84297G	-51.43	-13.00	-38.43	-	-
1851.5MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-36.76	-13.00	-23.76	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.85G	-23.08	-13.00	-10.08	-	-
1851.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.91024G	-70.69	-13.00	-57.69	-	-
1851.5MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9125G	-56.77	-13.00	-43.77	MBW 1M	-
1851.5MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	3.70048G	-46.48	-13.00	-33.48	-	-
1851.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.29	-13.00	-29.29	-	-
1880MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	97.971k	-81.35	-13.00	-68.35	-	-
1880MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	687.3k	-68.18	-13.00	-55.18	-	-
1880MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.34106G	-53.10	-13.00	-40.10	-	-
1880MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.63403G	-52.08	-13.00	-39.08	-	-
1880MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-56.53	-13.00	-43.53	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84959G	-70.41	-13.00	-57.41	-	-
1880MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91086G	-70.22	-13.00	-57.22	-	-
1880MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9125G	-56.66	-13.00	-43.66	MBW 1M	-
1880MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	4.95991G	-50.91	-13.00	-37.91	-	-
1880MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.19	-13.00	-29.19	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	83.977k	-72.28	-13.00	-59.28	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.21	-13.00	-50.21	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.46582G	-53.10	-13.00	-40.10	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.844G	1M	3M	RMS	1.51002G	-51.38	-13.00	-38.38	-	-
1880MHz_RB 1,#RB L	Pass	1.844G	1.849G	30k	100k	RMS	1.8465G	-56.53	-13.00	-43.53	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	30k	100k	RMS	1.84992G	-70.34	-13.00	-57.34	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	30k	100k	RMS	1.9109G	-70.30	-13.00	-57.30	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.916G	30k	100k	RMS	1.9145G	-56.63	-13.00	-43.63	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.916G	5G	1M	3M	RMS	4.98265G	-51.01	-13.00	-38.01	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.34	-13.00	-29.34	-	-
1908.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	13.688k	-80.42	-13.00	-67.42	-	-
1908.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.098M	-68.29	-13.00	-55.29	-	-
1908.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.06231G	-53.76	-13.00	-40.76	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.5G	1.844G	1M	3M	RMS	1.82426G	-51.46	-13.00	-38.46	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.844G	1.849G	30k	100k	RMS	1.8485G	-56.65	-13.00	-43.65	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.849G	1.85G	30k	100k	RMS	1.84939G	-70.38	-13.00	-57.38	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-30.48	-13.00	-17.48	-	-
1908.5MHz_RB 15,#RB 0	Pass	1.911G	1.916G	30k	100k	RMS	1.9115G	-28.28	-13.00	-15.28	MBW 1M	-
1908.5MHz_RB 15,#RB 0	Pass	1.916G	5G	1M	3M	RMS	1.916G	-44.52	-13.00	-31.52	-	-
1908.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.04	-13.00	-29.04	-	-
1908.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-70.48	-13.00	-57.48	-	-
1908.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.69	-13.00	-47.69	-	-
1908.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	989.36M	-53.23	-13.00	-40.23	-	-
1908.5MHz_RB 1,#RB H	Pass	1.5G	1.844G	1M	3M	RMS	1.63433G	-52.01	-13.00	-39.01	-	-
1908.5MHz_RB 1,#RB H	Pass	1.844G	1.849G	30k	100k	RMS	1.8455G	-56.60	-13.00	-43.60	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	30k	100k	RMS	1.84927G	-70.38	-13.00	-57.38	-	-
1908.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	30k	100k	RMS	1.91G	-24.30	-13.00	-11.30	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1908.5MHz_RB 1,#RB H	Pass	1.911G	1.916G	30k	100k	RMS	1.9125G	-35.63	-13.00	-22.63	MBW 1M	-
1908.5MHz_RB 1,#RB H	Pass	1.916G	5G	1M	3M	RMS	3.8196G	-50.21	-13.00	-37.21	-	-
1908.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64G	-42.26	-13.00	-29.26	-	-
Band 2_LTE_5MHz_Nss1,16OAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1852.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	13.018k	-81.50	-13.00	-68.50	-	-
1852.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.426M	-63.81	-13.00	-50.81	-	-
1852.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.31846G	-52.39	-13.00	-39.39	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.83975G	-45.29	-13.00	-32.29	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-24.71	-13.00	-11.71	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.85G	-30.46	-13.00	-17.46	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91051G	-68.59	-13.00	-55.59	-	-
1852.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9175G	-56.74	-13.00	-43.74	MBW 1M	-
1852.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.95072G	-50.81	-13.00	-37.81	-	-
1852.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.18	-13.00	-29.18	-	-
1852.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-73.33	-13.00	-60.33	-	-
1852.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.90	-13.00	-49.90	-	-
1852.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.43459G	-53.20	-13.00	-40.20	-	-
1852.5MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.78892G	-52.23	-13.00	-39.23	-	-
1852.5MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-36.95	-13.00	-23.95	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84999G	-24.85	-13.00	-11.85	-	-
1852.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91096G	-68.59	-13.00	-55.59	-	-
1852.5MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9155G	-56.74	-13.00	-43.74	MBW 1M	-
1852.5MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	3.70063G	-47.06	-13.00	-34.06	-	-
1852.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.36	-13.00	-29.36	-	-
1880MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	10.093k	-82.08	-13.00	-69.08	-	-
1880MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.314M	-69.28	-13.00	-56.28	-	-
1880MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.30743G	-53.09	-13.00	-40.09	-	-
1880MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.79793G	-52.35	-13.00	-39.35	-	-
1880MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8485G	-56.45	-13.00	-43.45	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84938G	-68.30	-13.00	-55.30	-	-
1880MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91026G	-68.48	-13.00	-55.48	-	-
1880MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9135G	-56.57	-13.00	-43.57	MBW 1M	-
1880MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.95804G	-50.76	-13.00	-37.76	-	-
1880MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.23	-13.00	-29.23	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-70.23	-13.00	-57.23	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-66.63	-13.00	-53.63	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.14757G	-52.63	-13.00	-39.63	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.84G	1M	3M	RMS	1.58649G	-51.36	-13.00	-38.36	-	-
1880MHz_RB 1,#RB L	Pass	1.84G	1.849G	50k	200k	RMS	1.8465G	-56.49	-13.00	-43.49	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	50k	200k	RMS	1.84963G	-67.05	-13.00	-54.05	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	50k	200k	RMS	1.91041G	-66.01	-13.00	-53.01	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.92G	50k	200k	RMS	1.9135G	-56.65	-13.00	-43.65	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.92G	5G	1M	3M	RMS	4.99846G	-50.96	-13.00	-37.96	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.16	-13.00	-29.16	-	-
1907.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	11.961k	-81.81	-13.00	-68.81	-	-
1907.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.359M	-67.32	-13.00	-54.32	-	-
1907.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.05808G	-53.16	-13.00	-40.16	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.5G	1.84G	1M	3M	RMS	1.79465G	-52.06	-13.00	-39.06	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.84G	1.849G	50k	200k	RMS	1.8435G	-56.63	-13.00	-43.63	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.849G	1.85G	50k	200k	RMS	1.84944G	-68.61	-13.00	-55.61	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-31.96	-13.00	-18.96	-	-
1907.5MHz_RB 25,#RB 0	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-30.32	-13.00	-17.32	MBW 1M	-
1907.5MHz_RB 25,#RB 0	Pass	1.92G	5G	1M	3M	RMS	4.9796G	-50.79	-13.00	-37.79	-	-
1907.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-42.12	-13.00	-29.12	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1907.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.935k	-70.24	-13.00	-57.24	-	-
1907.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-68.29	-13.00	-55.29	-	-
1907.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.27619G	-53.41	-13.00	-40.41	-	-
1907.5MHz_RB 1,#RB H	Pass	1.5G	1.84G	1M	3M	RMS	1.70987G	-52.12	-13.00	-39.12	-	-
1907.5MHz_RB 1,#RB H	Pass	1.84G	1.849G	50k	200k	RMS	1.8405G	-56.61	-13.00	-43.61	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	50k	200k	RMS	1.84943G	-68.44	-13.00	-55.44	-	-
1907.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	50k	200k	RMS	1.91G	-24.45	-13.00	-11.45	-	-
1907.5MHz_RB 1,#RB H	Pass	1.911G	1.92G	50k	200k	RMS	1.9115G	-36.13	-13.00	-23.13	MBW 1M	-
1907.5MHz_RB 1,#RB H	Pass	1.92G	5G	1M	3M	RMS	3.81959G	-50.65	-13.00	-37.65	-	-
1907.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64G	-42.21	-13.00	-29.21	-	-
Band 2_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1855MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-69.23	-13.00	-56.23	-	-
1855MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.04	-13.00	-54.04	-	-
1855MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.32305G	-51.26	-13.00	-38.26	-	-
1855MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.62227G	-50.32	-13.00	-37.32	-	-
1855MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-37.08	-13.00	-24.08	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.85G	-30.79	-13.00	-17.79	-	-
1855MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91022G	-64.86	-13.00	-51.86	-	-
1855MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9175G	-56.07	-13.00	-43.07	MBW 1M	-
1855MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	3.70139G	-47.58	-13.00	-34.58	-	-
1855MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-41.51	-13.00	-28.51	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	21.02k	-70.61	-13.00	-57.61	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.06	-13.00	-50.06	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.11854G	-51.43	-13.00	-38.43	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.83G	1M	3M	RMS	1.81952G	-49.96	-13.00	-36.96	-	-
1880MHz_RB 1,#RB L	Pass	1.83G	1.849G	100k	300k	RMS	1.8485G	-55.74	-13.00	-42.74	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	100k	300k	RMS	1.84913G	-64.39	-13.00	-51.39	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	100k	300k	RMS	1.91083G	-64.34	-13.00	-51.34	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.93G	100k	300k	RMS	1.9135G	-55.90	-13.00	-42.90	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.93G	5G	1M	3M	RMS	4.94743G	-50.09	-13.00	-37.09	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.62875G	-41.63	-13.00	-28.63	-	-
1905MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-70.30	-13.00	-57.30	-	-
1905MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-62.08	-13.00	-49.08	-	-
1905MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.22603G	-51.80	-13.00	-38.80	-	-
1905MHz_RB 1,#RB H	Pass	1.5G	1.83G	1M	3M	RMS	1.80216G	-50.02	-13.00	-37.02	-	-
1905MHz_RB 1,#RB H	Pass	1.83G	1.849G	100k	300k	RMS	1.8425G	-55.93	-13.00	-42.93	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.849G	1.85G	100k	300k	RMS	1.84966G	-64.92	-13.00	-51.92	-	-
1905MHz_RB 1,#RB H	Pass	1.91G	1.911G	100k	300k	RMS	1.91001G	-29.89	-13.00	-16.89	-	-
1905MHz_RB 1,#RB H	Pass	1.911G	1.93G	100k	300k	RMS	1.9115G	-36.90	-13.00	-23.90	MBW 1M	-
1905MHz_RB 1,#RB H	Pass	1.93G	5G	1M	3M	RMS	3.81882G	-47.71	-13.00	-34.71	-	-
1905MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.72	-13.00	-28.72	-	-
Band 2_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1857.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-70.47	-13.00	-57.47	-	-
1857.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-63.85	-13.00	-50.85	-	-
1857.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.20141G	-51.44	-13.00	-38.44	-	-
1857.5MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.58512G	-50.99	-13.00	-37.99	-	-
1857.5MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8485G	-37.09	-13.00	-24.09	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84997G	-26.39	-13.00	-13.39	-	-
1857.5MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91049G	-62.20	-13.00	-49.20	-	-
1857.5MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9365G	-55.89	-13.00	-42.89	MBW 1M	-
1857.5MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	3.70141G	-46.89	-13.00	-33.89	-	-
1857.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6325G	-41.60	-13.00	-28.60	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	58.949k	-70.22	-13.00	-57.22	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-68.14	-13.00	-55.14	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.30155G	-50.89	-13.00	-37.89	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.82G	1M	3M	RMS	1.5926G	-50.79	-13.00	-37.79	-	-
1880MHz_RB 1,#RB L	Pass	1.82G	1.849G	200k	500k	RMS	1.8465G	-48.23	-13.00	-35.23	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	500k	RMS	1.84907G	-61.70	-13.00	-48.70	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	500k	RMS	1.91029G	-61.96	-13.00	-48.96	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.94G	200k	500k	RMS	1.9135G	-55.32	-13.00	-42.32	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.94G	5G	1M	3M	RMS	4.76017G	-50.09	-13.00	-37.09	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.60	-13.00	-28.60	-	-
1902.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-68.70	-13.00	-55.70	-	-
1902.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.48	-13.00	-51.48	-	-
1902.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	958.67M	-51.01	-13.00	-38.01	-	-
1902.5MHz_RB 1,#RB H	Pass	1.5G	1.82G	1M	3M	RMS	1.806G	-50.08	-13.00	-37.08	-	-
1902.5MHz_RB 1,#RB H	Pass	1.82G	1.849G	200k	500k	RMS	1.8475G	-55.85	-13.00	-42.85	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	500k	RMS	1.84923G	-61.95	-13.00	-48.95	-	-
1902.5MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	500k	RMS	1.91001G	-28.53	-13.00	-15.53	-	-
1902.5MHz_RB 1,#RB H	Pass	1.911G	1.94G	200k	500k	RMS	1.9115G	-37.48	-13.00	-24.48	MBW 1M	-
1902.5MHz_RB 1,#RB H	Pass	1.94G	5G	1M	3M	RMS	3.81808G	-48.87	-13.00	-35.87	-	-
1902.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.49	-13.00	-28.49	-	-
Band 2_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1860MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-70.49	-13.00	-57.49	-	-
1860MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.44	-13.00	-50.44	-	-
1860MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.4853G	-51.81	-13.00	-38.81	-	-
1860MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.8G	-50.73	-13.00	-37.73	-	-
1860MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8485G	-38.03	-13.00	-25.03	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.85G	-32.78	-13.00	-19.78	-	-
1860MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91039G	-62.40	-13.00	-49.40	-	-
1860MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9475G	-55.68	-13.00	-42.68	MBW 1M	-
1860MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	3.70184G	-47.79	-13.00	-34.79	-	-
1860MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.51	-13.00	-28.51	-	-
1880MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-69.97	-13.00	-56.97	-	-
1880MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-63.54	-13.00	-50.54	-	-
1880MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.03328G	-52.59	-13.00	-39.59	-	-
1880MHz_RB 1,#RB L	Pass	1.5G	1.81G	1M	3M	RMS	1.53329G	-51.68	-13.00	-38.68	-	-
1880MHz_RB 1,#RB L	Pass	1.81G	1.849G	200k	1M	RMS	1.8355G	-50.23	-13.00	-37.23	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.849G	1.85G	200k	1M	RMS	1.85G	-61.57	-13.00	-48.57	-	-
1880MHz_RB 1,#RB L	Pass	1.91G	1.911G	200k	1M	RMS	1.91065G	-62.02	-13.00	-49.02	-	-
1880MHz_RB 1,#RB L	Pass	1.911G	1.95G	200k	1M	RMS	1.9155G	-55.62	-13.00	-42.62	MBW 1M	-
1880MHz_RB 1,#RB L	Pass	1.95G	5G	1M	3M	RMS	4.98551G	-50.25	-13.00	-37.25	-	-
1880MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63063G	-41.58	-13.00	-28.58	-	-
1900MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-70.90	-13.00	-57.90	-	-
1900MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.74	-13.00	-52.74	-	-
1900MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.32691G	-52.21	-13.00	-39.21	-	-
1900MHz_RB 1,#RB H	Pass	1.5G	1.81G	1M	3M	RMS	1.78222G	-50.80	-13.00	-37.80	-	-
1900MHz_RB 1,#RB H	Pass	1.81G	1.849G	200k	1M	RMS	1.8375G	-55.79	-13.00	-42.79	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.849G	1.85G	200k	1M	RMS	1.84954G	-62.07	-13.00	-49.07	-	-
1900MHz_RB 1,#RB H	Pass	1.91G	1.911G	200k	1M	RMS	1.91G	-32.55	-13.00	-19.55	-	-
1900MHz_RB 1,#RB H	Pass	1.911G	1.95G	200k	1M	RMS	1.9115G	-37.70	-13.00	-24.70	MBW 1M	-
1900MHz_RB 1,#RB H	Pass	1.95G	5G	1M	3M	RMS	3.81774G	-48.20	-13.00	-35.20	-	-
1900MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63063G	-41.79	-13.00	-28.79	-	-
Band 4_LTE_1.4MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	69.982k	-75.87	-13.00	-62.87	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-60.39	-13.00	-47.39	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.45608G	-52.77	-13.00	-39.77	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-34.91	-13.00	-21.91	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-33.43	-13.00	-20.43	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70999G	-30.72	-13.00	-17.72	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.7554G	-72.23	-13.00	-59.23	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.75	-13.00	-43.75	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42145G	-46.35	-13.00	-33.35	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.38125G	-42.30	-13.00	-29.30	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-68.37	-13.00	-55.37	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.72	-13.00	-49.72	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48199G	-52.80	-13.00	-39.80	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70717G	-38.20	-13.00	-25.20	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-36.90	-13.00	-23.90	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-24.81	-13.00	-11.81	-	-
1710.7MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75502G	-72.13	-13.00	-59.13	-	-
1710.7MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7573G	-56.73	-13.00	-43.73	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42064G	-43.21	-13.00	-30.21	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6325G	-42.10	-13.00	-29.10	-	-
1732.5MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-74.49	-13.00	-61.49	-	-
1732.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	344.025k	-63.04	-13.00	-50.04	-	-
1732.5MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	928.91M	-52.82	-13.00	-39.82	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.64509G	-52.64	-13.00	-39.64	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.73	-13.00	-43.73	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70941G	-71.87	-13.00	-58.87	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75554G	-71.91	-13.00	-58.91	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.56	-13.00	-43.56	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.46482G	-46.39	-13.00	-33.39	-	-
1732.5MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.16	-13.00	-29.16	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	87.079k	-66.99	-13.00	-53.99	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-62.57	-13.00	-49.57	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.49596G	-53.30	-13.00	-40.30	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.65009G	-52.42	-13.00	-39.42	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.71	-13.00	-43.71	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70919G	-71.56	-13.00	-58.56	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75505G	-71.79	-13.00	-58.79	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.58	-13.00	-43.58	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.46401G	-42.90	-13.00	-29.90	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.26	-13.00	-29.26	-	-
1754.3MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	69.982k	-75.61	-13.00	-62.61	-	-
1754.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	754.462k	-64.97	-13.00	-51.97	-	-
1754.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.08601G	-53.09	-13.00	-40.09	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.66706G	-52.44	-13.00	-39.44	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-56.92	-13.00	-43.92	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70957G	-72.24	-13.00	-59.24	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75501G	-31.79	-13.00	-18.79	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-32.25	-13.00	-19.25	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-40.83	-13.00	-27.83	-	-
1754.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.13	-13.00	-29.13	-	-
1754.3MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	55.953k	-68.31	-13.00	-55.31	-	-
1754.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.21	-13.00	-47.21	-	-
1754.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.42246G	-53.17	-13.00	-40.17	-	-
1754.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.59671G	-51.75	-13.00	-38.75	-	-
1754.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.86	-13.00	-43.86	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	20k	50k	RMS	1.70962G	-72.35	-13.00	-59.35	-	-
1754.3MHz_RB 1,#RB H	Pass	1.755G	1.756G	20k	50k	RMS	1.755G	-25.05	-13.00	-12.05	-	-
1754.3MHz_RB 1,#RB H	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-37.00	-13.00	-24.00	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1754.3MHz_RB 1,#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-41.92	-13.00	-28.92	-	-
1754.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.35	-13.00	-29.35	-	-
Band 4_LTE_3MHz_Nss1.OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-76.19	-13.00	-63.19	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.232M	-64.72	-13.00	-51.72	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.27123G	-53.11	-13.00	-40.11	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70349G	-39.74	-13.00	-26.74	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-30.11	-13.00	-17.11	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-29.70	-13.00	-16.70	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75508G	-70.67	-13.00	-57.67	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-56.75	-13.00	-43.75	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42301G	-47.99	-13.00	-34.99	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65875G	-42.16	-13.00	-29.16	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-68.32	-13.00	-55.32	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.56	-13.00	-49.56	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.43661G	-52.60	-13.00	-39.60	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.70311G	-24.05	-13.00	-11.05	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-36.46	-13.00	-23.46	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-22.51	-13.00	-9.51	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.7555G	-69.47	-13.00	-56.47	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-56.66	-13.00	-43.66	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.42058G	-42.14	-13.00	-29.14	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.32	-13.00	-29.32	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-77.82	-13.00	-64.82	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.046M	-64.12	-13.00	-51.12	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.14959G	-53.19	-13.00	-40.19	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.62306G	-52.47	-13.00	-39.47	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.68	-13.00	-43.68	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70968G	-70.52	-13.00	-57.52	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75568G	-70.26	-13.00	-57.26	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-56.55	-13.00	-43.55	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.46512G	-48.20	-13.00	-35.20	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.16	-13.00	-29.16	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-67.39	-13.00	-54.39	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-58.50	-13.00	-45.50	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	944.52M	-52.92	-13.00	-39.92	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.58004G	-52.25	-13.00	-39.25	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.47	-13.00	-43.47	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70964G	-68.88	-13.00	-55.88	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75543G	-69.84	-13.00	-56.84	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-56.43	-13.00	-43.43	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.46228G	-42.81	-13.00	-29.81	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.98	-13.00	-28.98	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	27.964k	-77.51	-13.00	-64.51	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.225M	-67.63	-13.00	-54.63	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.46509G	-53.50	-13.00	-40.50	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.65869G	-52.40	-13.00	-39.40	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7065G	-56.76	-13.00	-43.76	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70921G	-69.30	-13.00	-56.30	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-29.37	-13.00	-16.37	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-30.31	-13.00	-17.31	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	1.761G	-44.87	-13.00	-31.87	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.26	-13.00	-29.26	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	87.008k	-67.96	-13.00	-54.96	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1753.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.21	-13.00	-50.21	-	-
1753.5MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.04448G	-52.63	-13.00	-39.63	-	-
1753.5MHz_RB_1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.64466G	-52.47	-13.00	-39.47	-	-
1753.5MHz_RB_1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-56.83	-13.00	-43.83	MBW 1M	-
1753.5MHz_RB_1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70974G	-70.59	-13.00	-57.59	-	-
1753.5MHz_RB_1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-23.01	-13.00	-10.01	-	-
1753.5MHz_RB_1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-36.79	-13.00	-23.79	MBW 1M	-
1753.5MHz_RB_1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.50966G	-45.44	-13.00	-32.44	-	-
1753.5MHz_RB_1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-42.25	-13.00	-29.25	-	-
Band 4_LTE_5MHz_Nss1,OPSK_TTX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB_25,#RB 0	Pass	9k	150k	200	1k	RMS	13.935k	-80.84	-13.00	-67.84	-	-
1712.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	2.799M	-64.49	-13.00	-51.49	-	-
1712.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48751G	-53.11	-13.00	-40.11	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.69998G	-40.61	-13.00	-27.61	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-30.76	-13.00	-17.76	MBW 1M	-
1712.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70999G	-30.35	-13.00	-17.35	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75503G	-68.08	-13.00	-55.08	-	-
1712.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7635G	-56.68	-13.00	-43.68	MBW 1M	-
1712.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42536G	-49.59	-13.00	-36.59	-	-
1712.5MHz_RB_25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-42.20	-13.00	-29.20	-	-
1712.5MHz_RB_1,#RB L	Pass	9k	150k	200	1k	RMS	87.044k	-67.82	-13.00	-54.82	-	-
1712.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.71	-13.00	-47.71	-	-
1712.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.13397G	-52.89	-13.00	-39.89	-	-
1712.5MHz_RB_1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.62238G	-52.24	-13.00	-39.24	-	-
1712.5MHz_RB_1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-36.88	-13.00	-23.88	MBW 1M	-
1712.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-23.02	-13.00	-10.02	-	-
1712.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75518G	-68.58	-13.00	-55.58	-	-
1712.5MHz_RB_1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-56.68	-13.00	-43.68	MBW 1M	-
1712.5MHz_RB_1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42051G	-43.32	-13.00	-30.32	-	-
1712.5MHz_RB_1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.14	-13.00	-29.14	-	-
1732.5MHz_RB_25,#RB 0	Pass	9k	150k	200	1k	RMS	13.97k	-80.80	-13.00	-67.80	-	-
1732.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	806.7k	-67.83	-13.00	-54.83	-	-
1732.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.34032G	-53.03	-13.00	-40.03	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.64268G	-52.24	-13.00	-39.24	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7075G	-56.20	-13.00	-43.20	MBW 1M	-
1732.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70993G	-67.13	-13.00	-54.13	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-67.59	-13.00	-54.59	-	-
1732.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-56.18	-13.00	-43.18	MBW 1M	-
1732.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.46418G	-49.53	-13.00	-36.53	-	-
1732.5MHz_RB_25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64938G	-42.18	-13.00	-29.18	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	200	1k	RMS	86.973k	-68.62	-13.00	-55.62	-	-
1732.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.91	-13.00	-50.91	-	-
1732.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.32176G	-52.96	-13.00	-39.96	-	-
1732.5MHz_RB_1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.51055G	-52.70	-13.00	-39.70	-	-
1732.5MHz_RB_1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-56.56	-13.00	-43.56	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70967G	-68.37	-13.00	-55.37	-	-
1732.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75556G	-68.37	-13.00	-55.37	-	-
1732.5MHz_RB_1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7625G	-56.56	-13.00	-43.56	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.46054G	-42.82	-13.00	-29.82	-	-
1732.5MHz_RB_1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.24	-13.00	-29.24	-	-
1752.5MHz_RB_25,#RB 0	Pass	9k	150k	200	1k	RMS	9.458k	-82.59	-13.00	-69.59	-	-
1752.5MHz_RB_25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.993M	-68.33	-13.00	-55.33	-	-
1752.5MHz_RB_25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	863.86M	-52.98	-13.00	-39.98	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.51638G	-52.11	-13.00	-39.11	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1752.5MHz_RB_25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-56.87	-13.00	-43.87	MBW 1M	-
1752.5MHz_RB_25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70949G	-68.70	-13.00	-55.70	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-31.29	-13.00	-18.29	-	-
1752.5MHz_RB_25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-29.77	-13.00	-16.77	MBW 1M	-
1752.5MHz_RB_25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	1.765G	-48.23	-13.00	-35.23	-	-
1752.5MHz_RB_25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.20	-13.00	-29.20	-	-
1752.5MHz_RB_1,#RB H	Pass	9k	150k	200	1k	RMS	69.982k	-69.29	-13.00	-56.29	-	-
1752.5MHz_RB_1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.61	-13.00	-48.61	-	-
1752.5MHz_RB_1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.21703G	-53.36	-13.00	-40.36	-	-
1752.5MHz_RB_1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.51883G	-51.88	-13.00	-38.88	-	-
1752.5MHz_RB_1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7035G	-56.81	-13.00	-43.81	MBW 1M	-
1752.5MHz_RB_1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70937G	-68.69	-13.00	-55.69	-	-
1752.5MHz_RB_1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-23.16	-13.00	-10.16	-	-
1752.5MHz_RB_1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-36.66	-13.00	-23.66	MBW 1M	-
1752.5MHz_RB_1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50947G	-44.97	-13.00	-31.97	-	-
1752.5MHz_RB_1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63438G	-42.18	-13.00	-29.18	-	-
Band 4_LTE_10MHz_Nss1,OPSK_TTX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB_50,#RB 0	Pass	9k	150k	200	1k	RMS	13.935k	-82.52	-13.00	-69.52	-	-
1715MHz_RB_50,#RB 0	Pass	150k	30M	10k	30k	RMS	3.702M	-61.40	-13.00	-48.40	-	-
1715MHz_RB_50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.30578G	-53.09	-13.00	-40.09	-	-
1715MHz_RB_50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.68979G	-48.29	-13.00	-35.29	-	-
1715MHz_RB_50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-29.82	-13.00	-16.82	MBW 1M	-
1715MHz_RB_50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70998G	-32.78	-13.00	-19.78	-	-
1715MHz_RB_50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75533G	-63.47	-13.00	-50.47	-	-
1715MHz_RB_50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-55.47	-13.00	-42.47	MBW 1M	-
1715MHz_RB_50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	3.42983G	-50.72	-13.00	-37.72	-	-
1715MHz_RB_50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.99	-13.00	-28.99	-	-
1715MHz_RB_1,#RB L	Pass	9k	150k	200	1k	RMS	87.008k	-68.99	-13.00	-55.99	-	-
1715MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-62.77	-13.00	-49.77	-	-
1715MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.46674G	-52.19	-13.00	-39.19	-	-
1715MHz_RB_1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.58733G	-52.69	-13.00	-39.69	-	-
1715MHz_RB_1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-37.41	-13.00	-24.41	MBW 1M	-
1715MHz_RB_1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.71G	-32.95	-13.00	-19.95	-	-
1715MHz_RB_1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75557G	-65.68	-13.00	-52.68	-	-
1715MHz_RB_1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7735G	-56.60	-13.00	-43.60	MBW 1M	-
1715MHz_RB_1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.42136G	-43.24	-13.00	-30.24	-	-
1715MHz_RB_1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.22	-13.00	-29.22	-	-
1732.5MHz_RB_50,#RB 0	Pass	9k	150k	200	1k	RMS	27.929k	-82.97	-13.00	-69.97	-	-
1732.5MHz_RB_50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.277M	-61.58	-13.00	-48.58	-	-
1732.5MHz_RB_50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43863G	-53.05	-13.00	-40.05	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.66452G	-52.45	-13.00	-39.45	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-47.25	-13.00	-34.25	MBW 1M	-
1732.5MHz_RB_50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70968G	-54.73	-13.00	-41.73	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.75598G	-58.88	-13.00	-45.88	-	-
1732.5MHz_RB_50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-50.91	-13.00	-37.91	MBW 1M	-
1732.5MHz_RB_50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	3.46248G	-50.95	-13.00	-37.95	-	-
1732.5MHz_RB_50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65875G	-42.17	-13.00	-29.17	-	-
1732.5MHz_RB_1,#RB L	Pass	9k	150k	200	1k	RMS	131.494k	-69.34	-13.00	-56.34	-	-
1732.5MHz_RB_1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-63.73	-13.00	-50.73	-	-
1732.5MHz_RB_1,#RB L	Pass	30M	1.5G	1M	3M	RMS	919.53M	-53.03	-13.00	-40.03	-	-
1732.5MHz_RB_1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.65685G	-51.96	-13.00	-38.96	-	-
1732.5MHz_RB_1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-56.33	-13.00	-43.33	MBW 1M	-
1732.5MHz_RB_1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70997G	-65.25	-13.00	-52.25	-	-
1732.5MHz_RB_1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75545G	-65.53	-13.00	-52.53	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-56.47	-13.00	-43.47	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.45643G	-42.84	-13.00	-29.84	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.655G	-42.24	-13.00	-29.24	-	-
1750MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	9.916k	-81.01	-13.00	-68.01	-	-
1750MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	5.277M	-63.14	-13.00	-50.14	-	-
1750MHz_RB 50,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.45829G	-52.11	-13.00	-39.11	-	-
1750MHz_RB 50,#RB 0	Pass	1.5G	1.69G	1M	3M	RMS	1.53375G	-51.92	-13.00	-38.92	-	-
1750MHz_RB 50,#RB 0	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-55.20	-13.00	-42.20	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.709G	1.71G	100k	300k	RMS	1.70983G	-64.09	-13.00	-51.09	-	-
1750MHz_RB 50,#RB 0	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-33.02	-13.00	-20.02	-	-
1750MHz_RB 50,#RB 0	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-29.71	-13.00	-16.71	MBW 1M	-
1750MHz_RB 50,#RB 0	Pass	1.775G	5G	1M	3M	RMS	1.775G	-50.18	-13.00	-37.18	-	-
1750MHz_RB 50,#RB 0	Pass	5G	20G	1M	3M	RMS	19.66063G	-42.19	-13.00	-29.19	-	-
1750MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	87.995k	-68.35	-13.00	-55.35	-	-
1750MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-58.72	-13.00	-45.72	-	-
1750MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.0737G	-52.84	-13.00	-39.84	-	-
1750MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.63775G	-52.06	-13.00	-39.06	-	-
1750MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.6995G	-56.78	-13.00	-43.78	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70987G	-65.79	-13.00	-52.79	-	-
1750MHz_RB 1,#RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.755G	-31.62	-13.00	-18.62	-	-
1750MHz_RB 1,#RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-37.82	-13.00	-24.82	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.775G	5G	1M	3M	RMS	3.50884G	-44.92	-13.00	-31.92	-	-
1750MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.63625G	-42.27	-13.00	-29.27	-	-
Band 4_LTE_15MHz_Nss1_OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	9.811k	-82.68	-13.00	-69.68	-	-
1717.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	4.583M	-61.88	-13.00	-48.88	-	-
1717.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.12056G	-53.13	-13.00	-40.13	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.67809G	-49.60	-13.00	-36.60	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-29.27	-13.00	-16.27	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70999G	-30.78	-13.00	-17.78	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75509G	-55.51	-13.00	-42.51	-	-
1717.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7575G	-49.58	-13.00	-36.58	MBW 1M	-
1717.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.98151G	-50.82	-13.00	-37.82	-	-
1717.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.30	-13.00	-29.30	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	86.973k	-69.34	-13.00	-56.34	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.51	-13.00	-49.51	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	970.62M	-53.44	-13.00	-40.44	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.64389G	-52.41	-13.00	-39.41	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-38.19	-13.00	-25.19	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-26.89	-13.00	-13.89	-	-
1717.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75514G	-62.91	-13.00	-49.91	-	-
1717.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7805G	-56.57	-13.00	-43.57	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.42144G	-43.16	-13.00	-30.16	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-42.16	-13.00	-29.16	-	-
1732.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	9.458k	-82.17	-13.00	-69.17	-	-
1732.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	5.501M	-61.87	-13.00	-48.87	-	-
1732.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48567G	-53.17	-13.00	-40.17	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.62503G	-52.14	-13.00	-39.14	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-42.52	-13.00	-29.52	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70961G	-47.43	-13.00	-34.43	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75502G	-49.07	-13.00	-36.07	-	-
1732.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-44.55	-13.00	-31.55	MBW 1M	-
1732.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.78701G	-50.87	-13.00	-37.87	-	-
1732.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.27	-13.00	-29.27	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	86.973k	-68.31	-13.00	-55.31	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.24	-13.00	-46.24	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.41015G	-53.16	-13.00	-40.16	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.57972G	-51.81	-13.00	-38.81	-	-
1732.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-52.24	-13.00	-39.24	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70922G	-62.60	-13.00	-49.60	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75571G	-62.61	-13.00	-49.61	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7595G	-56.35	-13.00	-43.35	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.45158G	-42.64	-13.00	-29.64	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63813G	-42.34	-13.00	-29.34	-	-
1747.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	10.798k	-84.85	-13.00	-71.85	-	-
1747.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	6.098M	-61.88	-13.00	-48.88	-	-
1747.5MHz_RB 75,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.10972G	-52.86	-13.00	-39.86	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.5G	1.68G	1M	3M	RMS	1.65901G	-52.22	-13.00	-39.22	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.68G	1.709G	200k	500k	RMS	1.7075G	-47.60	-13.00	-34.60	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.709G	1.71G	200k	500k	RMS	1.70923G	-53.33	-13.00	-40.33	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.755G	1.756G	200k	500k	RMS	1.75501G	-34.56	-13.00	-21.56	-	-
1747.5MHz_RB 75,#RB 0	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-30.96	-13.00	-17.96	MBW 1M	-
1747.5MHz_RB 75,#RB 0	Pass	1.785G	5G	1M	3M	RMS	4.96664G	-50.78	-13.00	-37.78	-	-
1747.5MHz_RB 75,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65313G	-42.16	-13.00	-29.16	-	-
1747.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	60.007k	-69.91	-13.00	-56.91	-	-
1747.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-61.85	-13.00	-48.85	-	-
1747.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.47115G	-52.31	-13.00	-39.31	-	-
1747.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.54331G	-52.48	-13.00	-39.48	-	-
1747.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7005G	-56.24	-13.00	-43.24	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70991G	-62.84	-13.00	-49.84	-	-
1747.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-27.48	-13.00	-14.48	-	-
1747.5MHz_RB 1,#RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-39.28	-13.00	-26.28	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.785G	5G	1M	3M	RMS	3.50824G	-45.06	-13.00	-32.06	-	-
1747.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-42.33	-13.00	-29.33	-	-
Band 4_LTE_20MHz_Nss1_OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	9k	-81.42	-13.00	-68.42	-	-
1720MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	13.814M	-64.50	-13.00	-51.50	-	-
1720MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48585G	-49.88	-13.00	-36.88	-	-
1720MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.60075G	-50.75	-13.00	-37.75	-	-
1720MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-24.67	-13.00	-11.67	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70992G	-30.28	-13.00	-17.28	-	-
1720MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75545G	-49.99	-13.00	-36.99	-	-
1720MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-44.94	-13.00	-31.94	MBW 1M	-
1720MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.95513G	-50.27	-13.00	-37.27	-	-
1720MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.75	-13.00	-28.75	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	86.973k	-68.01	-13.00	-55.01	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.83	-13.00	-50.83	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.14996G	-52.68	-13.00	-39.68	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.62837G	-51.61	-13.00	-38.61	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-39.02	-13.00	-26.02	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70999G	-32.78	-13.00	-19.78	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75567G	-61.45	-13.00	-48.45	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-56.50	-13.00	-43.50	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42234G	-43.23	-13.00	-30.23	-	-
1720MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-42.19	-13.00	-29.19	-	-
1732.5MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	11.115k	-82.79	-13.00	-69.79	-	-
1732.5MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	13.814M	-65.17	-13.00	-52.17	-	-
1732.5MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48144G	-53.05	-13.00	-40.05	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.65755G	-51.85	-13.00	-38.85	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-35.57	-13.00	-22.57	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70992G	-39.85	-13.00	-26.85	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75513G	-42.38	-13.00	-29.38	-	-
1732.5MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-38.03	-13.00	-25.03	MBW 1M	-
1732.5MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.99639G	-51.05	-13.00	-38.05	-	-
1732.5MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.18	-13.00	-29.18	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	86.973k	-67.60	-13.00	-54.60	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-65.22	-13.00	-52.22	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.21886G	-53.30	-13.00	-40.30	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.64841G	-52.04	-13.00	-39.04	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7055G	-40.22	-13.00	-27.22	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.70929G	-56.39	-13.00	-43.39	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75501G	-59.52	-13.00	-46.52	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7595G	-38.65	-13.00	-25.65	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.44718G	-41.44	-13.00	-28.44	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.13	-13.00	-29.13	-	-
1745MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	10.128k	-81.84	-13.00	-68.84	-	-
1745MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	13.814M	-65.44	-13.00	-52.44	-	-
1745MHz_RB 100,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.20784G	-53.40	-13.00	-40.40	-	-
1745MHz_RB 100,#RB 0	Pass	1.5G	1.67G	1M	3M	RMS	1.65377G	-52.19	-13.00	-39.19	-	-
1745MHz_RB 100,#RB 0	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-44.30	-13.00	-31.30	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.709G	1.71G	200k	1M	RMS	1.70906G	-49.28	-13.00	-36.28	-	-
1745MHz_RB 100,#RB 0	Pass	1.755G	1.756G	200k	1M	RMS	1.75501G	-35.88	-13.00	-22.88	-	-
1745MHz_RB 100,#RB 0	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-31.03	-13.00	-18.03	MBW 1M	-
1745MHz_RB 100,#RB 0	Pass	1.795G	5G	1M	3M	RMS	4.99639G	-50.99	-13.00	-37.99	-	-
1745MHz_RB 100,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-42.15	-13.00	-29.15	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	87.044k	-68.78	-13.00	-55.78	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-64.93	-13.00	-51.93	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.01876G	-52.79	-13.00	-39.79	-	-
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.61173G	-52.16	-13.00	-39.16	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	1M	RMS	1.7005G	-56.12	-13.00	-43.12	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	1M	RMS	1.70931G	-61.47	-13.00	-48.47	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	1M	RMS	1.755G	-32.71	-13.00	-19.71	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	1M	RMS	1.7715G	-37.03	-13.00	-24.03	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50767G	-45.04	-13.00	-32.04	-	-
1745MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64188G	-42.08	-13.00	-29.08	-	-
Band 4_LTE_1.4MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	147.92k	-75.97	-13.00	-62.97	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	388.8k	-64.59	-13.00	-51.59	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.02207G	-52.42	-13.00	-39.42	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.7072G	-37.84	-13.00	-24.84	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-33.19	-13.00	-20.19	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-28.77	-13.00	-15.77	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75586G	-71.50	-13.00	-58.50	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.17	-13.00	-43.17	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.42145G	-46.24	-13.00	-33.24	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.66625G	-41.69	-13.00	-28.69	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-67.19	-13.00	-54.19	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.16	-13.00	-48.16	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.49228G	-52.60	-13.00	-39.60	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70704G	-39.83	-13.00	-26.83	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-37.02	-13.00	-24.02	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-23.53	-13.00	-10.53	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1710.7MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75578G	-71.31	-13.00	-58.31	-	-
1710.7MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7573G	-56.18	-13.00	-43.18	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.42064G	-43.35	-13.00	-30.35	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.61	-13.00	-28.61	-	-
1732.5MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	147.885k	-75.64	-13.00	-62.64	-	-
1732.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	672.375k	-62.86	-13.00	-49.86	-	-
1732.5MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.09005G	-52.17	-13.00	-39.17	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.65084G	-51.53	-13.00	-38.53	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.16	-13.00	-43.16	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70919G	-71.27	-13.00	-58.27	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75538G	-70.88	-13.00	-57.88	-	-
1732.5MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.03	-13.00	-43.03	MBW 1M	-
1732.5MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	3.46482G	-47.02	-13.00	-34.02	-	-
1732.5MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.63438G	-41.78	-13.00	-28.78	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	67.55k	-68.21	-13.00	-55.21	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.69	-13.00	-47.69	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.38755G	-52.74	-13.00	-39.74	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.59101G	-51.24	-13.00	-38.24	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.10	-13.00	-43.10	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70998G	-71.17	-13.00	-58.17	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	20k	50k	RMS	1.75508G	-70.96	-13.00	-57.96	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-56.05	-13.00	-43.05	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.7578G	5G	1M	3M	RMS	3.46401G	-43.12	-13.00	-30.12	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.78	-13.00	-28.78	-	-
1754.3MHz_RB 6,#RB 0	Pass	9k	150k	200	1k	RMS	97.971k	-76.72	-13.00	-63.72	-	-
1754.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	217.162k	-63.53	-13.00	-50.53	-	-
1754.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48953G	-52.03	-13.00	-39.03	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.70236G	-51.90	-13.00	-38.90	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.25	-13.00	-43.25	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70904G	-71.62	-13.00	-58.62	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.755G	1.756G	20k	50k	RMS	1.75501G	-28.58	-13.00	-15.58	-	-
1754.3MHz_RB 6,#RB 0	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-29.65	-13.00	-16.65	MBW 1M	-
1754.3MHz_RB 6,#RB 0	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-39.37	-13.00	-26.37	-	-
1754.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.57	-13.00	-28.57	-	-
1754.3MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-68.09	-13.00	-55.09	-	-
1754.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.10	-13.00	-50.10	-	-
1754.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.04963G	-52.50	-13.00	-39.50	-	-
1754.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.66814G	-51.51	-13.00	-38.51	-	-
1754.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-56.29	-13.00	-43.29	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	20k	50k	RMS	1.70951G	-71.55	-13.00	-58.55	-	-
1754.3MHz_RB 1,#RB H	Pass	1.755G	1.756G	20k	50k	RMS	1.75502G	-21.88	-13.00	-8.88	-	-
1754.3MHz_RB 1,#RB H	Pass	1.756G	1.7578G	20k	50k	RMS	1.7565G	-37.34	-13.00	-24.34	MBW 1M	-
1754.3MHz_RB 1,#RB H	Pass	1.7578G	5G	1M	3M	RMS	1.7578G	-40.73	-13.00	-27.73	-	-
1754.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.68	-13.00	-28.68	-	-
Band 4_LTE_3MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	97.971k	-78.58	-13.00	-65.58	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.993M	-64.91	-13.00	-51.91	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.32525G	-52.28	-13.00	-39.28	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70387G	-40.58	-13.00	-27.58	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-24.71	-13.00	-11.71	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-29.11	-13.00	-16.11	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75547G	-69.47	-13.00	-56.47	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7605G	-56.15	-13.00	-43.15	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.42261G	-48.17	-13.00	-35.17	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1711.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.65	-13.00	-28.65	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-68.38	-13.00	-55.38	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-58.92	-13.00	-45.92	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.33058G	-52.15	-13.00	-39.15	-	-
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.7039G	-50.50	-13.00	-37.50	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-36.70	-13.00	-23.70	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-21.27	-13.00	-8.27	-	-
1711.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75524G	-69.25	-13.00	-56.25	-	-
1711.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-56.08	-13.00	-43.08	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.42058G	-42.56	-13.00	-29.56	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.63625G	-41.70	-13.00	-28.70	-	-
1732.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	139.989k	-77.89	-13.00	-64.89	-	-
1732.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.217M	-64.03	-13.00	-51.03	-	-
1732.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.45719G	-52.48	-13.00	-39.48	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.63757G	-51.77	-13.00	-38.77	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.12	-13.00	-43.12	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70915G	-69.98	-13.00	-56.98	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.75534G	-69.85	-13.00	-56.85	-	-
1732.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7585G	-55.99	-13.00	-42.99	MBW 1M	-
1732.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	3.46471G	-49.29	-13.00	-36.29	-	-
1732.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.85	-13.00	-28.85	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-67.23	-13.00	-54.23	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.30	-13.00	-51.30	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	852.83M	-52.52	-13.00	-39.52	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.59779G	-51.37	-13.00	-38.37	-	-
1732.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.04	-13.00	-43.04	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70967G	-69.85	-13.00	-56.85	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	30k	100k	RMS	1.75591G	-69.66	-13.00	-56.66	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-55.98	-13.00	-42.98	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.761G	5G	1M	3M	RMS	3.46228G	-44.40	-13.00	-31.40	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.78	-13.00	-28.78	-	-
1753.5MHz_RB 15,#RB 0	Pass	9k	150k	200	1k	RMS	97.971k	-79.07	-13.00	-66.07	-	-
1753.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.105M	-62.97	-13.00	-49.97	-	-
1753.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.04614G	-51.67	-13.00	-38.67	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.68936G	-51.84	-13.00	-38.84	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7045G	-56.23	-13.00	-43.23	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70938G	-70.11	-13.00	-57.11	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-29.29	-13.00	-16.29	-	-
1753.5MHz_RB 15,#RB 0	Pass	1.756G	1.761G	30k	100k	RMS	1.7565G	-24.38	-13.00	-11.38	MBW 1M	-
1753.5MHz_RB 15,#RB 0	Pass	1.761G	5G	1M	3M	RMS	1.761G	-42.00	-13.00	-29.00	-	-
1753.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.66	-13.00	-28.66	-	-
1753.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.935k	-68.70	-13.00	-55.70	-	-
1753.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-61.45	-13.00	-48.45	-	-
1753.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.448G	-52.24	-13.00	-39.24	-	-
1753.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.69485G	-51.35	-13.00	-38.35	-	-
1753.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-56.22	-13.00	-43.22	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70918G	-69.85	-13.00	-56.85	-	-
1753.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	30k	100k	RMS	1.755G	-20.25	-13.00	-7.25	-	-
1753.5MHz_RB 1,#RB H	Pass	1.756G	1.761G	30k	100k	RMS	1.7575G	-36.58	-13.00	-23.58	MBW 1M	-
1753.5MHz_RB 1,#RB H	Pass	1.761G	5G	1M	3M	RMS	3.50966G	-45.79	-13.00	-32.79	-	-
1753.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.87	-13.00	-28.87	-	-
Band 4_LTE_5MHz_Nss1_16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	9k	-80.71	-13.00	-67.71	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.075M	-67.34	-13.00	-54.34	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.20435G	-52.80	-13.00	-39.80	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.69913G	-43.11	-13.00	-30.11	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-24.44	-13.00	-11.44	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-29.81	-13.00	-16.81	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75566G	-68.15	-13.00	-55.15	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7605G	-56.09	-13.00	-43.09	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.42456G	-48.91	-13.00	-35.91	-	-
1712.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.65688G	-41.81	-13.00	-28.81	-	-
1712.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-67.96	-13.00	-54.96	-	-
1712.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-59.55	-13.00	-46.55	-	-
1712.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.45921G	-51.95	-13.00	-38.95	-	-
1712.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.68925G	-51.93	-13.00	-38.93	-	-
1712.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-37.88	-13.00	-24.88	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-22.98	-13.00	-9.98	-	-
1712.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75514G	-68.00	-13.00	-55.00	-	-
1712.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7625G	-56.11	-13.00	-43.11	MBW 1M	-
1712.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.42092G	-43.76	-13.00	-30.76	-	-
1712.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64938G	-41.77	-13.00	-28.77	-	-
1732.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	42.064k	-79.96	-13.00	-66.96	-	-
1732.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.172M	-62.82	-13.00	-49.82	-	-
1732.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.353G	-52.55	-13.00	-39.55	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.64155G	-51.60	-13.00	-38.60	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-55.77	-13.00	-42.77	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70937G	-67.09	-13.00	-54.09	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75558G	-67.53	-13.00	-54.53	-	-
1732.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-55.86	-13.00	-42.86	MBW 1M	-
1732.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	3.46661G	-50.07	-13.00	-37.07	-	-
1732.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.70	-13.00	-28.70	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-68.62	-13.00	-55.62	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-64.79	-13.00	-51.79	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48273G	-52.41	-13.00	-39.41	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.7G	1M	3M	RMS	1.5471G	-51.22	-13.00	-38.22	-	-
1732.5MHz_RB 1,#RB L	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-56.02	-13.00	-43.02	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	50k	200k	RMS	1.70964G	-67.87	-13.00	-54.87	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	50k	200k	RMS	1.75552G	-67.87	-13.00	-54.87	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.765G	50k	200k	RMS	1.7635G	-55.98	-13.00	-42.98	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.765G	5G	1M	3M	RMS	3.46095G	-44.54	-13.00	-31.54	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.6475G	-41.84	-13.00	-28.84	-	-
1752.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	14.428k	-81.75	-13.00	-68.75	-	-
1752.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.21M	-63.73	-13.00	-50.73	-	-
1752.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.43808G	-52.31	-13.00	-39.31	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.50278G	-51.50	-13.00	-38.50	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7035G	-56.20	-13.00	-43.20	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.70989G	-68.02	-13.00	-55.02	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.755G	1.756G	50k	200k	RMS	1.75501G	-30.21	-13.00	-17.21	-	-
1752.5MHz_RB 25,#RB 0	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-23.80	-13.00	-10.80	MBW 1M	-
1752.5MHz_RB 25,#RB 0	Pass	1.765G	5G	1M	3M	RMS	1.765G	-45.27	-13.00	-32.27	-	-
1752.5MHz_RB 25,#RB 0	Pass	5G	20G	1M	3M	RMS	19.64G	-41.62	-13.00	-28.62	-	-
1752.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.935k	-67.23	-13.00	-54.23	-	-
1752.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.75	-13.00	-50.75	-	-
1752.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.37229G	-52.85	-13.00	-39.85	-	-
1752.5MHz_RB 1,#RB H	Pass	1.5G	1.7G	1M	3M	RMS	1.6037G	-51.64	-13.00	-38.64	-	-
1752.5MHz_RB 1,#RB H	Pass	1.7G	1.709G	50k	200k	RMS	1.7025G	-56.20	-13.00	-43.20	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	50k	200k	RMS	1.70991G	-68.01	-13.00	-55.01	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1752.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	50k	200k	RMS	1.755G	-23.75	-13.00	-10.75	-	-
1752.5MHz_RB 1,#RB H	Pass	1.756G	1.765G	50k	200k	RMS	1.7565G	-37.93	-13.00	-24.93	MBW 1M	-
1752.5MHz_RB 1,#RB H	Pass	1.765G	5G	1M	3M	RMS	3.50947G	-47.84	-13.00	-34.84	-	-
1752.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.70	-13.00	-28.70	-	-
Band 4_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1715MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	62.968k	-67.53	-13.00	-54.53	-	-
1715MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.16	-13.00	-52.16	-	-
1715MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.41676G	-52.10	-13.00	-39.10	-	-
1715MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.63397G	-51.79	-13.00	-38.79	-	-
1715MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-38.68	-13.00	-25.68	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-30.02	-13.00	-17.02	-	-
1715MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75521G	-65.25	-13.00	-52.25	-	-
1715MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7715G	-56.05	-13.00	-43.05	MBW 1M	-
1715MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.42096G	-44.45	-13.00	-31.45	-	-
1715MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.76	-13.00	-28.76	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	62.968k	-67.51	-13.00	-54.51	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.38	-13.00	-48.38	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.28299G	-51.39	-13.00	-38.39	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.69G	1M	3M	RMS	1.65198G	-51.18	-13.00	-38.18	-	-
1732.5MHz_RB 1,#RB L	Pass	1.69G	1.709G	100k	300k	RMS	1.7085G	-55.83	-13.00	-42.83	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	100k	300k	RMS	1.70999G	-64.81	-13.00	-51.81	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	100k	300k	RMS	1.75508G	-65.12	-13.00	-52.12	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.775G	100k	300k	RMS	1.7635G	-55.72	-13.00	-42.72	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.775G	5G	1M	3M	RMS	3.45643G	-44.19	-13.00	-31.19	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.57	-13.00	-28.57	-	-
1750MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	62.968k	-67.64	-13.00	-54.64	-	-
1750MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-60.44	-13.00	-47.44	-	-
1750MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.36476G	-52.09	-13.00	-39.09	-	-
1750MHz_RB 1,#RB H	Pass	1.5G	1.69G	1M	3M	RMS	1.56975G	-51.09	-13.00	-38.09	-	-
1750MHz_RB 1,#RB H	Pass	1.69G	1.709G	100k	300k	RMS	1.7065G	-56.16	-13.00	-43.16	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.709G	1.71G	100k	300k	RMS	1.70928G	-65.32	-13.00	-52.32	-	-
1750MHz_RB 1,#RB H	Pass	1.755G	1.756G	100k	300k	RMS	1.75503G	-29.79	-13.00	-16.79	-	-
1750MHz_RB 1,#RB H	Pass	1.756G	1.775G	100k	300k	RMS	1.7565G	-39.02	-13.00	-26.02	MBW 1M	-
1750MHz_RB 1,#RB H	Pass	1.775G	5G	1M	3M	RMS	3.50884G	-46.99	-13.00	-33.99	-	-
1750MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.65125G	-41.58	-13.00	-28.58	-	-
Band 4_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1717.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-68.52	-13.00	-55.52	-	-
1717.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-64.03	-13.00	-51.03	-	-
1717.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.48806G	-52.43	-13.00	-39.43	-	-
1717.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.66196G	-51.51	-13.00	-38.51	-	-
1717.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.7085G	-39.04	-13.00	-26.04	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.71G	-27.18	-13.00	-14.18	-	-
1717.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.7559G	-62.40	-13.00	-49.40	-	-
1717.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7845G	-56.00	-13.00	-43.00	MBW 1M	-
1717.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.42184G	-43.81	-13.00	-30.81	-	-
1717.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.65313G	-41.67	-13.00	-28.67	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-68.44	-13.00	-55.44	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-64.03	-13.00	-51.03	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	955.92M	-51.78	-13.00	-38.78	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.68G	1M	3M	RMS	1.51667G	-51.18	-13.00	-38.18	-	-
1732.5MHz_RB 1,#RB L	Pass	1.68G	1.709G	200k	500k	RMS	1.6995G	-49.09	-13.00	-36.09	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	500k	RMS	1.70921G	-61.89	-13.00	-48.89	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	500k	RMS	1.75542G	-62.19	-13.00	-49.19	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.785G	200k	500k	RMS	1.7655G	-55.25	-13.00	-42.25	MBW 1M	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1732.5MHz_RB 1,#RB L	Pass	1.785G	5G	1M	3M	RMS	3.45198G	-44.04	-13.00	-31.04	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.73	-13.00	-28.73	-	-
1747.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-67.57	-13.00	-54.57	-	-
1747.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-59.69	-13.00	-46.69	-	-
1747.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	865.7M	-52.69	-13.00	-39.69	-	-
1747.5MHz_RB 1,#RB H	Pass	1.5G	1.68G	1M	3M	RMS	1.59736G	-51.69	-13.00	-38.69	-	-
1747.5MHz_RB 1,#RB H	Pass	1.68G	1.709G	200k	500k	RMS	1.7005G	-55.94	-13.00	-42.94	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	500k	RMS	1.70953G	-62.40	-13.00	-49.40	-	-
1747.5MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	500k	RMS	1.755G	-28.08	-13.00	-15.08	-	-
1747.5MHz_RB 1,#RB H	Pass	1.756G	1.785G	200k	500k	RMS	1.7565G	-39.99	-13.00	-26.99	MBW 1M	-
1747.5MHz_RB 1,#RB H	Pass	1.785G	5G	1M	3M	RMS	3.50864G	-47.61	-13.00	-34.61	-	-
1747.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64188G	-41.62	-13.00	-28.62	-	-
Band 4_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1720MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-68.46	-13.00	-55.46	-	-
1720MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-62.43	-13.00	-49.43	-	-
1720MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.49192G	-52.50	-13.00	-39.50	-	-
1720MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.62516G	-51.03	-13.00	-38.03	-	-
1720MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7085G	-39.87	-13.00	-26.87	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.71G	-32.98	-13.00	-19.98	-	-
1720MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75559G	-61.91	-13.00	-48.91	-	-
1720MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7565G	-55.93	-13.00	-42.93	MBW 1M	-
1720MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.42194G	-44.59	-13.00	-31.59	-	-
1720MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64375G	-41.68	-13.00	-28.68	-	-
1732.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	63.003k	-67.79	-13.00	-54.79	-	-
1732.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.58	-13.00	-47.58	-	-
1732.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.47078G	-52.61	-13.00	-39.61	-	-
1732.5MHz_RB 1,#RB L	Pass	1.5G	1.67G	1M	3M	RMS	1.52967G	-51.72	-13.00	-38.72	-	-
1732.5MHz_RB 1,#RB L	Pass	1.67G	1.709G	200k	1M	RMS	1.7055G	-35.59	-13.00	-22.59	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	200k	1M	RMS	1.7094G	-60.03	-13.00	-47.03	-	-
1732.5MHz_RB 1,#RB L	Pass	1.755G	1.756G	200k	1M	RMS	1.75513G	-61.39	-13.00	-48.39	-	-
1732.5MHz_RB 1,#RB L	Pass	1.756G	1.795G	200k	1M	RMS	1.7595G	-32.78	-13.00	-19.78	MBW 1M	-
1732.5MHz_RB 1,#RB L	Pass	1.795G	5G	1M	3M	RMS	3.44718G	-43.74	-13.00	-30.74	-	-
1732.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.64563G	-41.75	-13.00	-28.75	-	-
1745MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	62.968k	-68.59	-13.00	-55.59	-	-
1745MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-62.54	-13.00	-49.54	-	-
1745MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.16319G	-52.39	-13.00	-39.39	-	-
1745MHz_RB 1,#RB H	Pass	1.5G	1.67G	1M	3M	RMS	1.54093G	-51.61	-13.00	-38.61	-	-
1745MHz_RB 1,#RB H	Pass	1.67G	1.709G	200k	1M	RMS	1.7005G	-55.33	-13.00	-42.33	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.709G	1.71G	200k	1M	RMS	1.70935G	-60.95	-13.00	-47.95	-	-
1745MHz_RB 1,#RB H	Pass	1.755G	1.756G	200k	1M	RMS	1.75502G	-32.46	-13.00	-19.46	-	-
1745MHz_RB 1,#RB H	Pass	1.756G	1.795G	200k	1M	RMS	1.7715G	-39.70	-13.00	-26.70	MBW 1M	-
1745MHz_RB 1,#RB H	Pass	1.795G	5G	1M	3M	RMS	3.50807G	-46.67	-13.00	-33.67	-	-
1745MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.64G	-41.64	-13.00	-28.64	-	-
Band 7_LTE_5MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2502.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	9.564k	-82.30	-25.00	-57.30	-	-
2502.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.948M	-69.62	-25.00	-44.62	-	-
2502.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.25006G	-50.20	-25.00	-25.20	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.3G	2.49G	1M	3M	RMS	2.48995G	-44.57	-25.00	-19.57	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.49G	2.499G	50k	200k	RMS	2.4985G	-24.94	-10.00	-14.94	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.499G	2.5G	50k	200k	RMS	2.49999G	-29.59	-10.00	-19.59	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.505G	2.506G	50k	200k	RMS	2.505G	-29.55	-10.00	-19.55	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.506G	2.515G	50k	200k	RMS	2.5065G	-24.08	-10.00	-14.08	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.515G	6G	1M	3M	RMS	2.515G	-43.99	-25.00	-18.99	-	-
2502.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.496G	-41.52	-25.00	-16.52	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2502.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-78.97	-25.00	-53.97	-	-
2502.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-69.53	-25.00	-44.53	-	-
2502.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.28071G	-50.21	-25.00	-25.21	-	-
2502.5MHz_RB 1,#RB L	Pass	2.3G	2.49G	1M	3M	RMS	2.43229G	-49.75	-25.00	-24.75	-	-
2502.5MHz_RB 1,#RB L	Pass	2.49G	2.499G	50k	200k	RMS	2.4965G	-31.95	-10.00	-21.95	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	50k	200k	RMS	2.5G	-23.81	-10.00	-13.81	-	-
2502.5MHz_RB 1,#RB L	Pass	2.505G	2.506G	50k	200k	RMS	2.505G	-51.89	-10.00	-41.89	-	-
2502.5MHz_RB 1,#RB L	Pass	2.506G	2.515G	50k	200k	RMS	2.5085G	-31.60	-10.00	-21.60	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.515G	6G	1M	3M	RMS	5.00068G	-46.22	-25.00	-21.22	-	-
2502.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.3985G	-41.45	-25.00	-16.45	-	-
2535MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	14.71k	-82.85	-25.00	-57.85	-	-
2535MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	19.239M	-71.40	-25.00	-46.40	-	-
2535MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.29603G	-49.41	-25.00	-24.41	-	-
2535MHz_RB 25,#RB 0	Pass	2.3G	2.5225G	1M	3M	RMS	2.52155G	-41.44	-25.00	-16.44	-	-
2535MHz_RB 25,#RB 0	Pass	2.5225G	2.5315G	50k	200k	RMS	2.531G	-25.11	-10.00	-15.11	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5315G	2.5325G	50k	200k	RMS	2.53249G	-29.18	-10.00	-19.18	-	-
2535MHz_RB 25,#RB 0	Pass	2.5375G	2.5385G	50k	200k	RMS	2.5375G	-29.45	-10.00	-19.45	-	-
2535MHz_RB 25,#RB 0	Pass	2.5385G	2.5475G	50k	200k	RMS	2.539G	-23.65	-10.00	-13.65	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5475G	6G	1M	3M	RMS	2.5475G	-45.74	-25.00	-20.74	-	-
2535MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	23.40375G	-41.55	-25.00	-16.55	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	9.388k	-79.94	-25.00	-54.94	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	172.388k	-70.98	-25.00	-45.98	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.23729G	-49.09	-25.00	-24.09	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.5225G	1M	3M	RMS	2.52133G	-49.01	-25.00	-24.01	-	-
2535MHz_RB 1,#RB L	Pass	2.5225G	2.5315G	50k	200k	RMS	2.529G	-32.07	-10.00	-22.07	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5315G	2.5325G	50k	200k	RMS	2.5325G	-23.28	-10.00	-13.28	-	-
2535MHz_RB 1,#RB L	Pass	2.5375G	2.5385G	50k	200k	RMS	2.5375G	-52.44	-10.00	-42.44	-	-
2535MHz_RB 1,#RB L	Pass	2.5385G	2.5475G	50k	200k	RMS	2.541G	-34.04	-10.00	-24.04	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5475G	6G	1M	3M	RMS	5.0661G	-45.25	-25.00	-20.25	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.53275G	-41.55	-25.00	-16.55	-	-
2567.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	9.07k	-81.28	-25.00	-56.28	-	-
2567.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	21.209M	-72.14	-25.00	-47.14	-	-
2567.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.28496G	-50.70	-25.00	-25.70	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.3G	2.555G	1M	3M	RMS	2.55443G	-40.36	-25.00	-15.36	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.555G	2.564G	50k	200k	RMS	2.5635G	-25.69	-10.00	-15.69	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.564G	2.565G	50k	200k	RMS	2.565G	-29.95	-10.00	-19.95	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.57G	2.571G	50k	200k	RMS	2.57G	-30.80	-10.00	-20.80	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.571G	2.58G	50k	200k	RMS	2.5715G	-25.91	-10.00	-15.91	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.58G	6G	1M	3M	RMS	2.58G	-46.09	-25.00	-21.09	-	-
2567.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	23.3985G	-41.65	-25.00	-16.65	-	-
2567.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	41.395k	-80.60	-25.00	-55.60	-	-
2567.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	18.105M	-71.89	-25.00	-46.89	-	-
2567.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	1.97482G	-50.22	-25.00	-25.22	-	-
2567.5MHz_RB 1,#RB H	Pass	2.3G	2.555G	1M	3M	RMS	2.51554G	-48.82	-25.00	-23.82	-	-
2567.5MHz_RB 1,#RB H	Pass	2.555G	2.564G	50k	200k	RMS	2.5615G	-33.54	-10.00	-23.54	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.564G	2.565G	50k	200k	RMS	2.565G	-51.69	-10.00	-41.69	-	-
2567.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	50k	200k	RMS	2.57G	-24.09	-10.00	-14.09	-	-
2567.5MHz_RB 1,#RB H	Pass	2.571G	2.58G	50k	200k	RMS	2.5735G	-35.25	-10.00	-25.25	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.58G	6G	1M	3M	RMS	5.13987G	-46.01	-25.00	-21.01	-	-
2567.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	20.133G	-41.35	-25.00	-16.35	-	-
Band 7_LTE_10MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2505MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	12.913k	-81.44	-25.00	-56.44	-	-
2505MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	791.775k	-72.42	-25.00	-47.42	-	-
2505MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.27418G	-51.26	-25.00	-26.26	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2505MHz_RB 50,#RB 0	Pass	2.3G	2.48G	1M	3M	RMS	2.47933G	-49.44	-25.00	-24.44	-	-
2505MHz_RB 50,#RB 0	Pass	2.48G	2.499G	100k	300k	RMS	2.4985G	-24.69	-10.00	-14.69	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-30.06	-10.00	-20.06	-	-
2505MHz_RB 50,#RB 0	Pass	2.51G	2.511G	100k	300k	RMS	2.51001G	-29.79	-10.00	-19.79	-	-
2505MHz_RB 50,#RB 0	Pass	2.511G	2.53G	100k	300k	RMS	2.5115G	-23.72	-10.00	-13.72	MBW 1M	-
2505MHz_RB 50,#RB 0	Pass	2.53G	6G	1M	3M	RMS	2.53G	-42.75	-25.00	-17.75	-	-
2505MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	20.14875G	-41.49	-25.00	-16.49	-	-
2505MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	37.13k	-80.26	-25.00	-55.26	-	-
2505MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.83	-25.00	-42.83	-	-
2505MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.03867G	-50.07	-25.00	-25.07	-	-
2505MHz_RB 1,#RB L	Pass	2.3G	2.48G	1M	3M	RMS	2.30414G	-49.96	-25.00	-24.96	-	-
2505MHz_RB 1,#RB L	Pass	2.48G	2.499G	100k	300k	RMS	2.4915G	-28.39	-13.00	-15.39	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-30.98	-10.00	-20.98	-	-
2505MHz_RB 1,#RB L	Pass	2.51G	2.511G	100k	300k	RMS	2.51G	-55.17	-10.00	-45.17	-	-
2505MHz_RB 1,#RB L	Pass	2.511G	2.53G	100k	300k	RMS	2.5185G	-35.13	-13.00	-22.13	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.53G	6G	1M	3M	RMS	5.00151G	-44.38	-25.00	-19.38	-	-
2505MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.46713G	-41.68	-25.00	-16.68	-	-
2535MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	9.07k	-81.98	-25.00	-56.98	-	-
2535MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-72.03	-25.00	-47.03	-	-
2535MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.99724G	-49.95	-25.00	-24.95	-	-
2535MHz_RB 50,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.5099G	-45.44	-25.00	-20.44	-	-
2535MHz_RB 50,#RB 0	Pass	2.51G	2.529G	100k	300k	RMS	2.5285G	-26.93	-10.00	-16.93	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.529G	2.53G	100k	300k	RMS	2.52999G	-30.39	-10.00	-20.39	-	-
2535MHz_RB 50,#RB 0	Pass	2.54G	2.541G	100k	300k	RMS	2.54001G	-29.32	-10.00	-19.32	-	-
2535MHz_RB 50,#RB 0	Pass	2.541G	2.56G	100k	300k	RMS	2.5415G	-23.17	-10.00	-13.17	MBW 1M	-
2535MHz_RB 50,#RB 0	Pass	2.56G	6G	1M	3M	RMS	2.56G	-46.94	-25.00	-21.94	-	-
2535MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.56425G	-41.45	-25.00	-16.45	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	69.982k	-79.35	-25.00	-54.35	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-71.19	-25.00	-46.19	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.27985G	-50.10	-25.00	-25.10	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.51G	1M	3M	RMS	2.42653G	-49.58	-25.00	-24.58	-	-
2535MHz_RB 1,#RB L	Pass	2.51G	2.529G	100k	300k	RMS	2.5215G	-29.00	-13.00	-16.00	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.529G	2.53G	100k	300k	RMS	2.53G	-30.94	-10.00	-20.94	-	-
2535MHz_RB 1,#RB L	Pass	2.54G	2.541G	100k	300k	RMS	2.54G	-55.83	-10.00	-45.83	-	-
2535MHz_RB 1,#RB L	Pass	2.541G	2.56G	100k	300k	RMS	2.5485G	-40.08	-13.00	-27.08	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.06174G	-43.75	-25.00	-18.75	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.39588G	-41.47	-25.00	-16.47	-	-
2565MHz_RB 50,#RB 0	Pass	9k	150k	200	1k	RMS	9.247k	-81.54	-25.00	-56.54	-	-
2565MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	17.217M	-72.80	-25.00	-47.80	-	-
2565MHz_RB 50,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.21261G	-49.65	-25.00	-24.65	-	-
2565MHz_RB 50,#RB 0	Pass	2.3G	2.54G	1M	3M	RMS	2.53868G	-40.73	-25.00	-15.73	-	-
2565MHz_RB 50,#RB 0	Pass	2.54G	2.559G	100k	300k	RMS	2.5585G	-26.08	-10.00	-16.08	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.559G	2.56G	100k	300k	RMS	2.56G	-31.76	-10.00	-21.76	-	-
2565MHz_RB 50,#RB 0	Pass	2.57G	2.571G	100k	300k	RMS	2.57003G	-31.58	-10.00	-21.58	-	-
2565MHz_RB 50,#RB 0	Pass	2.571G	2.59G	100k	300k	RMS	2.5715G	-25.94	-10.00	-15.94	MBW 1M	-
2565MHz_RB 50,#RB 0	Pass	2.59G	6G	1M	3M	RMS	5.69054G	-49.36	-25.00	-24.36	-	-
2565MHz_RB 50,#RB 0	Pass	6G	27G	1M	3M	RMS	26.53275G	-41.48	-25.00	-16.48	-	-
2565MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	17.143k	-83.71	-25.00	-58.71	-	-
2565MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	172.388k	-72.91	-25.00	-47.91	-	-
2565MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.14053G	-51.73	-25.00	-26.73	-	-
2565MHz_RB 1,#RB H	Pass	2.3G	2.54G	1M	3M	RMS	2.49764G	-50.33	-25.00	-25.33	-	-
2565MHz_RB 1,#RB H	Pass	2.54G	2.559G	100k	300k	RMS	2.5515G	-32.25	-13.00	-19.25	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.559G	2.56G	100k	300k	RMS	2.55999G	-52.39	-10.00	-42.39	-	-
2565MHz_RB 1,#RB H	Pass	2.57G	2.571G	100k	300k	RMS	2.57G	-31.11	-10.00	-21.11	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2565MHz_RB 1,#RB H	Pass	2.571G	2.59G	100k	300k	RMS	2.5785G	-35.26	-13.00	-22.26	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.59G	6G	1M	3M	RMS	5.13898G	-43.18	-25.00	-18.18	-	-
2565MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	23.40113G	-41.61	-25.00	-16.61	-	-
Band 7_LTE_15MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2507.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	9.247k	-82.19	-25.00	-57.19	-	-
2507.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	560.438k	-73.78	-25.00	-48.78	-	-
2507.5MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.12918G	-51.02	-25.00	-26.02	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.3G	2.47G	1M	3M	RMS	2.45045G	-50.92	-25.00	-25.92	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.47G	2.499G	200k	500k	RMS	2.4985G	-25.78	-25.00	-0.78	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.499G	2.5G	200k	500k	RMS	2.5G	-29.56	-10.00	-19.56	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.515G	2.516G	200k	500k	RMS	2.51502G	-31.33	-10.00	-21.33	-	-
2507.5MHz_RB 75,#RB 0	Pass	2.516G	2.545G	200k	500k	RMS	2.5165G	-27.87	-25.00	-2.87	MBW 1M	-
2507.5MHz_RB 75,#RB 0	Pass	2.545G	6G	1M	3M	RMS	2.54673G	-48.64	-25.00	-23.64	-	-
2507.5MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	26.51175G	-41.63	-25.00	-16.63	-	-
2507.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	54.931k	-79.30	-25.00	-54.30	-	-
2507.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-69.91	-25.00	-44.91	-	-
2507.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.00972G	-51.23	-25.00	-26.23	-	-
2507.5MHz_RB 1,#RB L	Pass	2.3G	2.47G	1M	3M	RMS	2.44246G	-50.46	-25.00	-25.46	-	-
2507.5MHz_RB 1,#RB L	Pass	2.47G	2.499G	200k	500k	RMS	2.4875G	-30.41	-25.00	-5.41	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	500k	RMS	2.49999G	-26.56	-10.00	-16.56	-	-
2507.5MHz_RB 1,#RB L	Pass	2.515G	2.516G	200k	500k	RMS	2.51503G	-50.60	-10.00	-40.60	-	-
2507.5MHz_RB 1,#RB L	Pass	2.516G	2.545G	200k	500k	RMS	2.5275G	-34.49	-13.00	-21.49	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.545G	6G	1M	3M	RMS	5.00151G	-45.04	-25.00	-20.04	-	-
2507.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.51963G	-41.65	-25.00	-16.65	-	-
2535MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	11.432k	-82.85	-25.00	-57.85	-	-
2535MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	16.217M	-73.42	-25.00	-48.42	-	-
2535MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	879.55M	-51.46	-25.00	-26.46	-	-
2535MHz_RB 75,#RB 0	Pass	2.3G	2.4975G	1M	3M	RMS	2.49641G	-46.98	-25.00	-21.98	-	-
2535MHz_RB 75,#RB 0	Pass	2.4975G	2.5265G	200k	500k	RMS	2.525G	-30.39	-25.00	-5.39	MBW 1M	-
2535MHz_RB 75,#RB 0	Pass	2.5265G	2.5275G	200k	500k	RMS	2.5275G	-31.20	-10.00	-21.20	-	-
2535MHz_RB 75,#RB 0	Pass	2.5425G	2.5435G	200k	500k	RMS	2.5425G	-29.61	-10.00	-19.61	-	-
2535MHz_RB 75,#RB 0	Pass	2.5435G	2.5725G	200k	500k	RMS	2.544G	-25.08	-25.00	-0.08	MBW 1M	-
2535MHz_RB 75,#RB 0	Pass	2.5725G	6G	1M	3M	RMS	2.5725G	-48.92	-25.00	-23.92	-	-
2535MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	19.63425G	-41.64	-25.00	-16.64	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	9.141k	-79.43	-25.00	-54.43	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	172.388k	-72.76	-25.00	-47.76	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.09911G	-51.83	-25.00	-26.83	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.4975G	1M	3M	RMS	2.48412G	-50.31	-25.00	-25.31	-	-
2535MHz_RB 1,#RB L	Pass	2.4975G	2.5265G	200k	500k	RMS	2.515G	-32.52	-13.00	-19.52	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5265G	2.5275G	200k	500k	RMS	2.5275G	-26.51	-10.00	-16.51	-	-
2535MHz_RB 1,#RB L	Pass	2.5425G	2.5435G	200k	500k	RMS	2.5425G	-51.18	-10.00	-41.18	-	-
2535MHz_RB 1,#RB L	Pass	2.5435G	2.5725G	200k	500k	RMS	2.555G	-35.96	-13.00	-22.96	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5725G	6G	1M	3M	RMS	5.05658G	-43.80	-25.00	-18.80	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.39588G	-41.57	-25.00	-16.57	-	-
2562.5MHz_RB 75,#RB 0	Pass	9k	150k	200	1k	RMS	10.762k	-81.05	-25.00	-56.05	-	-
2562.5MHz_RB 75,#RB 0	Pass	150k	30M	10k	30k	RMS	25.821M	-73.17	-25.00	-48.17	-	-
2562.5MHz_RB 75,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.25545G	-51.87	-25.00	-26.87	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.3G	2.525G	1M	3M	RMS	2.52134G	-42.65	-25.00	-17.65	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.525G	2.554G	200k	500k	RMS	2.5535G	-26.11	-25.00	-1.11	MBW 1M	-
2562.5MHz_RB 75,#RB 0	Pass	2.554G	2.555G	200k	500k	RMS	2.55499G	-30.95	-10.00	-20.95	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.57G	2.571G	200k	500k	RMS	2.57G	-31.30	-10.00	-21.30	-	-
2562.5MHz_RB 75,#RB 0	Pass	2.571G	2.6G	200k	500k	RMS	2.5715G	-27.31	-25.00	-2.31	MBW 1M	-
2562.5MHz_RB 75,#RB 0	Pass	2.6G	6G	1M	3M	RMS	5.6889G	-49.76	-25.00	-24.76	-	-
2562.5MHz_RB 75,#RB 0	Pass	6G	27G	1M	3M	RMS	26.496G	-41.70	-25.00	-16.70	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2562.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	10.022k	-83.04	-25.00	-58.04	-	-
2562.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	217.162k	-72.18	-25.00	-47.18	-	-
2562.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.29603G	-51.17	-25.00	-26.17	-	-
2562.5MHz_RB 1,#RB H	Pass	2.3G	2.525G	1M	3M	RMS	2.43551G	-50.42	-25.00	-25.42	-	-
2562.5MHz_RB 1,#RB H	Pass	2.525G	2.554G	200k	500k	RMS	2.5425G	-31.59	-13.00	-18.59	MBW 1M	-
2562.5MHz_RB 1,#RB H	Pass	2.554G	2.555G	200k	500k	RMS	2.555G	-53.50	-10.00	-43.50	-	-
2562.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	200k	500k	RMS	2.57G	-28.03	-10.00	-18.03	-	-
2562.5MHz_RB 1,#RB H	Pass	2.571G	2.6G	200k	500k	RMS	2.5825G	-34.47	-13.00	-21.47	MBW 1M	-
2562.5MHz_RB 1,#RB H	Pass	2.6G	6G	1M	3M	RMS	5.13895G	-44.97	-25.00	-19.97	-	-
2562.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.53538G	-41.53	-25.00	-16.53	-	-
Band 7_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2510MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	9.529k	-81.13	-25.00	-56.13	-	-
2510MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	11.262M	-73.71	-25.00	-48.71	-	-
2510MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.28837G	-51.53	-25.00	-26.53	-	-
2510MHz_RB 100,#RB 0	Pass	2.3G	2.46G	1M	3M	RMS	2.30216G	-50.47	-25.00	-25.47	-	-
2510MHz_RB 100,#RB 0	Pass	2.46G	2.499G	200k	1M	RMS	2.4985G	-25.08	-25.00	-0.08	MBW 1M	-
2510MHz_RB 100,#RB 0	Pass	2.499G	2.5G	200k	1M	RMS	2.49991G	-30.38	-10.00	-20.38	-	-
2510MHz_RB 100,#RB 0	Pass	2.52G	2.521G	200k	1M	RMS	2.52002G	-32.46	-10.00	-22.46	-	-
2510MHz_RB 100,#RB 0	Pass	2.521G	2.56G	200k	1M	RMS	2.5215G	-27.61	-25.00	-2.61	MBW 1M	-
2510MHz_RB 100,#RB 0	Pass	2.56G	6G	1M	3M	RMS	2.56086G	-48.88	-25.00	-23.88	-	-
2510MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	19.6395G	-41.47	-25.00	-16.47	-	-
2510MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	102.554k	-80.17	-25.00	-55.17	-	-
2510MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.86	-25.00	-45.86	-	-
2510MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.12436G	-51.10	-25.00	-26.10	-	-
2510MHz_RB 1,#RB L	Pass	2.3G	2.46G	1M	3M	RMS	2.4366G	-50.31	-25.00	-25.31	-	-
2510MHz_RB 1,#RB L	Pass	2.46G	2.499G	200k	1M	RMS	2.4835G	-30.16	-25.00	-5.16	MBW 1M	-
2510MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	1M	RMS	2.5G	-31.50	-10.00	-21.50	-	-
2510MHz_RB 1,#RB L	Pass	2.52G	2.521G	200k	1M	RMS	2.52002G	-55.69	-10.00	-45.69	-	-
2510MHz_RB 1,#RB L	Pass	2.521G	2.56G	200k	1M	RMS	2.5365G	-29.56	-13.00	-16.56	MBW 1M	-
2510MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.0024G	-44.28	-25.00	-19.28	-	-
2510MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.409G	-41.71	-25.00	-16.71	-	-
2535MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	12.208k	-82.54	-25.00	-57.54	-	-
2535MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	209.7k	-73.37	-25.00	-48.37	-	-
2535MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.02987G	-51.45	-25.00	-26.45	-	-
2535MHz_RB 100,#RB 0	Pass	2.3G	2.485G	1M	3M	RMS	2.48273G	-50.20	-25.00	-25.20	-	-
2535MHz_RB 100,#RB 0	Pass	2.485G	2.524G	200k	1M	RMS	2.5225G	-31.56	-25.00	-6.56	MBW 1M	-
2535MHz_RB 100,#RB 0	Pass	2.524G	2.525G	200k	1M	RMS	2.52499G	-34.04	-10.00	-24.04	-	-
2535MHz_RB 100,#RB 0	Pass	2.545G	2.546G	200k	1M	RMS	2.54502G	-30.91	-10.00	-20.91	-	-
2535MHz_RB 100,#RB 0	Pass	2.546G	2.585G	200k	1M	RMS	2.5465G	-25.68	-25.00	-0.68	MBW 1M	-
2535MHz_RB 100,#RB 0	Pass	2.585G	6G	1M	3M	RMS	5.59191G	-49.62	-25.00	-24.62	-	-
2535MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	26.538G	-41.64	-25.00	-16.64	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	9.599k	-80.54	-25.00	-55.54	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-69.81	-25.00	-44.81	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.27872G	-51.61	-25.00	-26.61	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.485G	1M	3M	RMS	2.46701G	-50.33	-25.00	-25.33	-	-
2535MHz_RB 1,#RB L	Pass	2.485G	2.524G	200k	1M	RMS	2.5085G	-32.93	-13.00	-19.93	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.524G	2.525G	200k	1M	RMS	2.525G	-32.40	-10.00	-22.40	-	-
2535MHz_RB 1,#RB L	Pass	2.545G	2.546G	200k	1M	RMS	2.54501G	-57.54	-10.00	-47.54	-	-
2535MHz_RB 1,#RB L	Pass	2.546G	2.585G	200k	1M	RMS	2.5615G	-32.33	-13.00	-19.33	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.585G	6G	1M	3M	RMS	5.05234G	-42.63	-25.00	-17.63	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	19.63163G	-41.50	-25.00	-16.50	-	-
2560MHz_RB 100,#RB 0	Pass	9k	150k	200	1k	RMS	9.106k	-82.51	-25.00	-57.51	-	-
2560MHz_RB 100,#RB 0	Pass	150k	30M	10k	30k	RMS	209.7k	-73.18	-25.00	-48.18	-	-
2560MHz_RB 100,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.19842G	-51.43	-25.00	-26.43	-	-



Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2560MHz_RB 100,#RB 0	Pass	2.3G	2.51G	1M	3M	RMS	2.50528G	-43.64	-25.00	-18.64	-	-
2560MHz_RB 100,#RB 0	Pass	2.51G	2.549G	200k	1M	RMS	2.5485G	-25.93	-25.00	-0.93	MBW 1M	-
2560MHz_RB 100,#RB 0	Pass	2.549G	2.55G	200k	1M	RMS	2.54997G	-31.53	-10.00	-21.53	-	-
2560MHz_RB 100,#RB 0	Pass	2.57G	2.571G	200k	1M	RMS	2.57003G	-33.16	-10.00	-23.16	-	-
2560MHz_RB 100,#RB 0	Pass	2.571G	2.61G	200k	1M	RMS	2.5715G	-28.72	-25.00	-3.72	MBW 1M	-
2560MHz_RB 100,#RB 0	Pass	2.61G	6G	1M	3M	RMS	5.61185G	-49.59	-25.00	-24.59	-	-
2560MHz_RB 100,#RB 0	Pass	6G	27G	1M	3M	RMS	19.63425G	-41.70	-25.00	-16.70	-	-
2560MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	9.035k	-82.49	-25.00	-57.49	-	-
2560MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	20.045M	-73.83	-25.00	-48.83	-	-
2560MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.01086G	-51.44	-25.00	-26.44	-	-
2560MHz_RB 1,#RB H	Pass	2.3G	2.51G	1M	3M	RMS	2.49619G	-50.75	-25.00	-25.75	-	-
2560MHz_RB 1,#RB H	Pass	2.51G	2.549G	200k	1M	RMS	2.5335G	-33.18	-13.00	-20.18	MBW 1M	-
2560MHz_RB 1,#RB H	Pass	2.549G	2.55G	200k	1M	RMS	2.54999G	-57.72	-10.00	-47.72	-	-
2560MHz_RB 1,#RB H	Pass	2.57G	2.571G	200k	1M	RMS	2.57G	-32.78	-10.00	-22.78	-	-
2560MHz_RB 1,#RB H	Pass	2.571G	2.61G	200k	1M	RMS	2.5865G	-39.88	-13.00	-26.88	MBW 1M	-
2560MHz_RB 1,#RB H	Pass	2.61G	6G	1M	3M	RMS	5.13809G	-43.81	-25.00	-18.81	-	-
2560MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	23.41425G	-41.68	-25.00	-16.68	-	-
Band 7_LTE_5MHz_Nsst,16QAM_TTX	-	-	-	-	-	-	-	-	-	-	-	-
2502.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	11.044k	-80.88	-25.00	-55.88	-	-
2502.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	16.881M	-71.84	-25.00	-46.84	-	-
2502.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.10733G	-50.63	-25.00	-25.63	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.3G	2.49G	1M	3M	RMS	2.48938G	-45.11	-25.00	-20.11	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.49G	2.499G	50k	200k	RMS	2.4985G	-25.32	-10.00	-15.32	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.499G	2.5G	50k	200k	RMS	2.5G	-30.65	-10.00	-20.65	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.505G	2.506G	50k	200k	RMS	2.50502G	-30.65	-10.00	-20.65	-	-
2502.5MHz_RB 25,#RB 0	Pass	2.506G	2.515G	50k	200k	RMS	2.5065G	-24.41	-10.00	-14.41	MBW 1M	-
2502.5MHz_RB 25,#RB 0	Pass	2.515G	6G	1M	3M	RMS	2.515G	-46.53	-25.00	-21.53	-	-
2502.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.54588G	-41.66	-25.00	-16.66	-	-
2502.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-76.47	-25.00	-51.47	-	-
2502.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	20.5M	-72.26	-25.00	-47.26	-	-
2502.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.20012G	-50.54	-25.00	-25.54	-	-
2502.5MHz_RB 1,#RB L	Pass	2.3G	2.49G	1M	3M	RMS	2.30223G	-49.82	-25.00	-24.82	-	-
2502.5MHz_RB 1,#RB L	Pass	2.49G	2.499G	50k	200k	RMS	2.4965G	-33.86	-10.00	-23.86	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	50k	200k	RMS	2.5G	-23.51	-10.00	-13.51	-	-
2502.5MHz_RB 1,#RB L	Pass	2.505G	2.506G	50k	200k	RMS	2.505G	-52.12	-10.00	-42.12	-	-
2502.5MHz_RB 1,#RB L	Pass	2.506G	2.515G	50k	200k	RMS	2.5085G	-33.95	-10.00	-23.95	MBW 1M	-
2502.5MHz_RB 1,#RB L	Pass	2.515G	6G	1M	3M	RMS	5.00068G	-47.02	-25.00	-22.02	-	-
2502.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.47763G	-41.56	-25.00	-16.56	-	-
2535MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	12.736k	-82.12	-25.00	-57.12	-	-
2535MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	19.53M	-71.81	-25.00	-46.81	-	-
2535MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	2.13003G	-49.63	-25.00	-24.63	-	-
2535MHz_RB 25,#RB 0	Pass	2.3G	2.5225G	1M	3M	RMS	2.52244G	-40.60	-25.00	-15.60	-	-
2535MHz_RB 25,#RB 0	Pass	2.5225G	2.5315G	50k	200k	RMS	2.531G	-26.61	-10.00	-16.61	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5315G	2.5325G	50k	200k	RMS	2.5325G	-30.20	-10.00	-20.20	-	-
2535MHz_RB 25,#RB 0	Pass	2.5375G	2.5385G	50k	200k	RMS	2.53751G	-30.80	-10.00	-20.80	-	-
2535MHz_RB 25,#RB 0	Pass	2.5385G	2.5475G	50k	200k	RMS	2.539G	-24.48	-10.00	-14.48	MBW 1M	-
2535MHz_RB 25,#RB 0	Pass	2.5475G	6G	1M	3M	RMS	2.5475G	-47.37	-25.00	-22.37	-	-
2535MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	26.47238G	-41.51	-25.00	-16.51	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-79.25	-25.00	-54.25	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-70.31	-25.00	-45.31	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	1.70498G	-50.31	-25.00	-25.31	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.5225G	1M	3M	RMS	2.52133G	-49.34	-25.00	-24.34	-	-
2535MHz_RB 1,#RB L	Pass	2.5225G	2.5315G	50k	200k	RMS	2.529G	-34.14	-10.00	-24.14	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5315G	2.5325G	50k	200k	RMS	2.5325G	-23.20	-10.00	-13.20	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2535MHz_RB 1,#RB L	Pass	2.5375G	2.5385G	50k	200k	RMS	2.5375G	-52.68	-10.00	-42.68	-	-
2535MHz_RB 1,#RB L	Pass	2.5385G	2.5475G	50k	200k	RMS	2.541G	-33.84	-10.00	-23.84	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5475G	6G	1M	3M	RMS	5.0661G	-46.16	-25.00	-21.16	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.517G	-41.73	-25.00	-16.73	-	-
2567.5MHz_RB 25,#RB 0	Pass	9k	150k	200	1k	RMS	9k	-81.07	-25.00	-56.07	-	-
2567.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	150k	-71.60	-25.00	-46.60	-	-
2567.5MHz_RB 25,#RB 0	Pass	30M	2.3G	1M	3M	RMS	1.50862G	-50.61	-25.00	-25.61	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.3G	2.555G	1M	3M	RMS	2.55379G	-42.13	-25.00	-17.13	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.555G	2.564G	50k	200k	RMS	2.5635G	-25.07	-10.00	-15.07	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.564G	2.565G	50k	200k	RMS	2.565G	-30.17	-10.00	-20.17	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.57G	2.571G	50k	200k	RMS	2.57001G	-31.64	-10.00	-21.64	-	-
2567.5MHz_RB 25,#RB 0	Pass	2.571G	2.58G	50k	200k	RMS	2.5715G	-25.17	-10.00	-15.17	MBW 1M	-
2567.5MHz_RB 25,#RB 0	Pass	2.58G	6G	1M	3M	RMS	2.58G	-48.12	-25.00	-23.12	-	-
2567.5MHz_RB 25,#RB 0	Pass	6G	27G	1M	3M	RMS	23.39325G	-41.45	-25.00	-16.45	-	-
2567.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	30.115k	-82.24	-25.00	-57.24	-	-
2567.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	373.875k	-71.72	-25.00	-46.72	-	-
2567.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.24978G	-50.18	-25.00	-25.18	-	-
2567.5MHz_RB 1,#RB H	Pass	2.3G	2.555G	1M	3M	RMS	2.53275G	-49.69	-25.00	-24.69	-	-
2567.5MHz_RB 1,#RB H	Pass	2.555G	2.564G	50k	200k	RMS	2.5615G	-36.94	-10.00	-26.94	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.564G	2.565G	50k	200k	RMS	2.565G	-52.44	-10.00	-42.44	-	-
2567.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	50k	200k	RMS	2.57G	-23.30	-10.00	-13.30	-	-
2567.5MHz_RB 1,#RB H	Pass	2.571G	2.58G	50k	200k	RMS	2.5735G	-37.61	-10.00	-27.61	MBW 1M	-
2567.5MHz_RB 1,#RB H	Pass	2.58G	6G	1M	3M	RMS	5.13987G	-47.20	-25.00	-22.20	-	-
2567.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	26.40675G	-41.52	-25.00	-16.52	-	-
Band 7_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2505MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.935k	-76.57	-25.00	-51.57	-	-
2505MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-69.79	-25.00	-44.79	-	-
2505MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.10052G	-50.47	-25.00	-25.47	-	-
2505MHz_RB 1,#RB L	Pass	2.3G	2.48G	1M	3M	RMS	2.47766G	-48.43	-25.00	-23.43	-	-
2505MHz_RB 1,#RB L	Pass	2.48G	2.499G	100k	300k	RMS	2.4915G	-33.07	-13.00	-20.07	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.499G	2.5G	100k	300k	RMS	2.5G	-31.73	-10.00	-21.73	-	-
2505MHz_RB 1,#RB L	Pass	2.51G	2.511G	100k	300k	RMS	2.51004G	-55.34	-10.00	-45.34	-	-
2505MHz_RB 1,#RB L	Pass	2.511G	2.53G	100k	300k	RMS	2.5185G	-38.27	-13.00	-25.27	MBW 1M	-
2505MHz_RB 1,#RB L	Pass	2.53G	6G	1M	3M	RMS	5.00151G	-47.11	-25.00	-22.11	-	-
2505MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.5485G	-41.50	-25.00	-16.50	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	14.006k	-77.71	-25.00	-52.71	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-70.81	-25.00	-45.81	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.14706G	-50.40	-25.00	-25.40	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.51G	1M	3M	RMS	2.49814G	-49.59	-25.00	-24.59	-	-
2535MHz_RB 1,#RB L	Pass	2.51G	2.529G	100k	300k	RMS	2.5215G	-33.19	-13.00	-20.19	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.529G	2.53G	100k	300k	RMS	2.52998G	-31.27	-10.00	-21.27	-	-
2535MHz_RB 1,#RB L	Pass	2.54G	2.541G	100k	300k	RMS	2.54001G	-55.19	-10.00	-45.19	-	-
2535MHz_RB 1,#RB L	Pass	2.541G	2.56G	100k	300k	RMS	2.5485G	-39.36	-13.00	-26.36	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.06174G	-45.16	-25.00	-20.16	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	23.42475G	-41.57	-25.00	-16.57	-	-
2565MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	13.97k	-80.64	-25.00	-55.64	-	-
2565MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-73.25	-25.00	-48.25	-	-
2565MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.22821G	-51.22	-25.00	-26.22	-	-
2565MHz_RB 1,#RB H	Pass	2.3G	2.54G	1M	3M	RMS	2.4995G	-50.26	-25.00	-25.26	-	-
2565MHz_RB 1,#RB H	Pass	2.54G	2.559G	100k	300k	RMS	2.5515G	-31.71	-13.00	-18.71	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.559G	2.56G	100k	300k	RMS	2.55999G	-53.50	-10.00	-43.50	-	-
2565MHz_RB 1,#RB H	Pass	2.57G	2.571G	100k	300k	RMS	2.57001G	-31.62	-10.00	-21.62	-	-
2565MHz_RB 1,#RB H	Pass	2.571G	2.59G	100k	300k	RMS	2.5785G	-36.09	-13.00	-23.09	MBW 1M	-
2565MHz_RB 1,#RB H	Pass	2.59G	6G	1M	3M	RMS	5.13898G	-46.43	-25.00	-21.43	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2565MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	19.629G	-41.76	-25.00	-16.76	-	-
Band 7_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2507.5MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	14.006k	-78.48	-25.00	-53.48	-	-
2507.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	179.85k	-71.96	-25.00	-46.96	-	-
2507.5MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	1.98788G	-51.66	-25.00	-26.66	-	-
2507.5MHz_RB 1,#RB L	Pass	2.3G	2.47G	1M	3M	RMS	2.46809G	-50.85	-25.00	-25.85	-	-
2507.5MHz_RB 1,#RB L	Pass	2.47G	2.499G	200k	500k	RMS	2.4875G	-33.38	-25.00	-8.38	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	500k	RMS	2.5G	-27.27	-10.00	-17.27	-	-
2507.5MHz_RB 1,#RB L	Pass	2.515G	2.516G	200k	500k	RMS	2.51505G	-50.12	-10.00	-40.12	-	-
2507.5MHz_RB 1,#RB L	Pass	2.516G	2.545G	200k	500k	RMS	2.5275G	-35.00	-13.00	-22.00	MBW 1M	-
2507.5MHz_RB 1,#RB L	Pass	2.545G	6G	1M	3M	RMS	5.00151G	-46.54	-25.00	-21.54	-	-
2507.5MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	19.65525G	-41.67	-25.00	-16.67	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	20.95k	-79.62	-25.00	-54.62	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-73.11	-25.00	-48.11	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.29064G	-50.38	-25.00	-25.38	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.4975G	1M	3M	RMS	2.37154G	-50.46	-25.00	-25.46	-	-
2535MHz_RB 1,#RB L	Pass	2.4975G	2.5265G	200k	500k	RMS	2.515G	-35.90	-13.00	-22.90	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5265G	2.5275G	200k	500k	RMS	2.5275G	-27.51	-10.00	-17.51	-	-
2535MHz_RB 1,#RB L	Pass	2.5425G	2.5435G	200k	500k	RMS	2.54257G	-50.78	-10.00	-40.78	-	-
2535MHz_RB 1,#RB L	Pass	2.5435G	2.5725G	200k	500k	RMS	2.555G	-37.91	-13.00	-24.91	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.5725G	6G	1M	3M	RMS	5.05658G	-45.93	-25.00	-20.93	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.44613G	-41.69	-25.00	-16.69	-	-
2562.5MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	9.529k	-81.54	-25.00	-56.54	-	-
2562.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	21.082M	-72.63	-25.00	-47.63	-	-
2562.5MHz_RB 1,#RB H	Pass	30M	2.3G	1M	3M	RMS	2.29035G	-51.24	-25.00	-26.24	-	-
2562.5MHz_RB 1,#RB H	Pass	2.3G	2.525G	1M	3M	RMS	2.37093G	-50.40	-25.00	-25.40	-	-
2562.5MHz_RB 1,#RB H	Pass	2.525G	2.554G	200k	500k	RMS	2.5425G	-33.80	-13.00	-20.80	MBW 1M	-
2562.5MHz_RB 1,#RB H	Pass	2.554G	2.555G	200k	500k	RMS	2.5547G	-53.11	-10.00	-43.11	-	-
2562.5MHz_RB 1,#RB H	Pass	2.57G	2.571G	200k	500k	RMS	2.57G	-29.27	-10.00	-19.27	-	-
2562.5MHz_RB 1,#RB H	Pass	2.571G	2.6G	200k	500k	RMS	2.5825G	-37.77	-13.00	-24.77	MBW 1M	-
2562.5MHz_RB 1,#RB H	Pass	2.6G	6G	1M	3M	RMS	5.1381G	-47.01	-25.00	-22.01	-	-
2562.5MHz_RB 1,#RB H	Pass	6G	27G	1M	3M	RMS	23.39588G	-41.67	-25.00	-16.67	-	-
Band 7_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2510MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-79.34	-25.00	-54.34	-	-
2510MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	16.194M	-73.06	-25.00	-48.06	-	-
2510MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	1.9839G	-51.21	-25.00	-26.21	-	-
2510MHz_RB 1,#RB L	Pass	2.3G	2.46G	1M	3M	RMS	2.31144G	-50.35	-25.00	-25.35	-	-
2510MHz_RB 1,#RB L	Pass	2.46G	2.499G	200k	1M	RMS	2.4835G	-34.37	-25.00	-9.37	MBW 1M	-
2510MHz_RB 1,#RB L	Pass	2.499G	2.5G	200k	1M	RMS	2.5G	-32.80	-10.00	-22.80	-	-
2510MHz_RB 1,#RB L	Pass	2.52G	2.521G	200k	1M	RMS	2.52002G	-56.73	-10.00	-46.73	-	-
2510MHz_RB 1,#RB L	Pass	2.521G	2.56G	200k	1M	RMS	2.5365G	-32.36	-13.00	-19.36	MBW 1M	-
2510MHz_RB 1,#RB L	Pass	2.56G	6G	1M	3M	RMS	5.0024G	-46.81	-25.00	-21.81	-	-
2510MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	20.12775G	-41.64	-25.00	-16.64	-	-
2535MHz_RB 1,#RB L	Pass	9k	150k	200	1k	RMS	13.97k	-79.57	-25.00	-54.57	-	-
2535MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	172.388k	-72.32	-25.00	-47.32	-	-
2535MHz_RB 1,#RB L	Pass	30M	2.3G	1M	3M	RMS	2.12436G	-51.49	-25.00	-26.49	-	-
2535MHz_RB 1,#RB L	Pass	2.3G	2.485G	1M	3M	RMS	2.45008G	-50.36	-25.00	-25.36	-	-
2535MHz_RB 1,#RB L	Pass	2.485G	2.524G	200k	1M	RMS	2.5085G	-37.49	-13.00	-24.49	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.524G	2.525G	200k	1M	RMS	2.52499G	-33.08	-10.00	-23.08	-	-
2535MHz_RB 1,#RB L	Pass	2.545G	2.546G	200k	1M	RMS	2.54502G	-58.06	-10.00	-48.06	-	-
2535MHz_RB 1,#RB L	Pass	2.546G	2.585G	200k	1M	RMS	2.5615G	-32.73	-13.00	-19.73	MBW 1M	-
2535MHz_RB 1,#RB L	Pass	2.585G	6G	1M	3M	RMS	5.05234G	-45.01	-25.00	-20.01	-	-
2535MHz_RB 1,#RB L	Pass	6G	27G	1M	3M	RMS	26.45925G	-41.64	-25.00	-16.64	-	-
2560MHz_RB 1,#RB H	Pass	9k	150k	200	1k	RMS	11.08k	-82.41	-25.00	-57.41	-	-





Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
2560MHz_RB 1,#RFB H	Pass	150k	30M	10k	30k	RMS	150k	-73.00	-25.00	-48.00	-	-
2560MHz_RB 1,#RFB H	Pass	30M	2.3G	1M	3M	RMS	1.90303G	-51.71	-25.00	-26.71	-	-
2560MHz_RB 1,#RFB H	Pass	2.3G	2.51G	1M	3M	RMS	2.48674G	-50.67	-25.00	-25.67	-	-
2560MHz_RB 1,#RFB H	Pass	2.51G	2.549G	200k	1M	RMS	2.5335G	-35.46	-13.00	-22.46	MBW 1M	-
2560MHz_RB 1,#RFB H	Pass	2.549G	2.55G	200k	1M	RMS	2.54999G	-57.66	-10.00	-47.66	-	-
2560MHz_RB 1,#RFB H	Pass	2.57G	2.571G	200k	1M	RMS	2.57G	-33.41	-10.00	-23.41	-	-
2560MHz_RB 1,#RFB H	Pass	2.571G	2.61G	200k	1M	RMS	2.5865G	-41.43	-13.00	-28.43	MBW 1M	-
2560MHz_RB 1,#RFB H	Pass	2.61G	6G	1M	3M	RMS	5.13809G	-46.29	-25.00	-21.29	-	-
2560MHz_RB 1,#RFB H	Pass	6G	27G	1M	3M	RMS	23.40638G	-41.56	-25.00	-16.56	-	-










Band 2\_LTE\_3MHz\_Nss1,QPSK\_1TX  
1851.5MHz QPSK RB 15,#RB 0


CSE-TX-Sum

21.08.2020



Limit

Port1




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	69.982k	-80.77	-13.00	-67.77	-	-
150k	30M	10k	30k	RMS	1.075M	-65.45	-13.00	-52.45	-	-
30M	1.5G	1M	3M	RMS	1.00884G	-52.33	-13.00	-39.33	-	-
1.5G	1.844G	1M	3M	RMS	1.84374G	-37.93	-13.00	-24.93	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-23.57	-13.00	-10.57	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-28.69	-13.00	-15.69	-	-
1.91G	1.911G	30k	100k	RMS	1.9104G	-70.53	-13.00	-57.53	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-56.73	-13.00	-43.73	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.70279G	-49.87	-13.00	-36.87	-	-
5G	20G	1M	3M	RMS	19.6475G	-42.37	-13.00	-29.37	-	-

Band 2\_LTE\_3MHz\_Nss1,QPSK\_1TX  
1851.5MHz QPSK RB 1,#RB L


CSE-TX-Sum

21.08.2020







Limit



Port1







F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	70.018k	-71.97	-13.00	-58.97	-	-
150k	30M	10k	30k	RMS	150k	-60.92	-13.00	-47.92	-	-
30M	1.5G	1M	3M	RMS	1.07076G	-53.00	-13.00	-40.00	-	-
1.5G	1.844G	1M	3M	RMS	1.84387G	-50.49	-13.00	-37.49	-	-
1.844G	1.849G	30k	100k	RMS	1.8485G	-35.90	-13.00	-22.90	MBW 1M	-
1.849G	1.85G	30k	100k	RMS	1.85G	-22.88	-13.00	-9.88	-	-
1.91G	1.911G	30k	100k	RMS	1.91012G	-70.65	-13.00	-57.65	-	-
1.911G	1.916G	30k	100k	RMS	1.9135G	-56.74	-13.00	-43.74	MBW 1M	-
1.916G	5G	1M	3M	RMS	3.70048G	-45.60	-13.00	-32.60	-	-
5G	20G	1M	3M	RMS	19.6475G	-42.12	-13.00	-29.12	-	-














Band 2\_LTE\_10MHz\_Nss1,QPSK\_1TX  
1855MHz QPSK\_RB 50,#RB 0


CSE-TX-Sum

21.08.2020



Limit

Port1




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	13.97k	-82.35	-13.00	-69.35	-	-
150k	30M	10k	30k	RMS	5.277M	-63.19	-13.00	-50.19	-	-
30M	1.5G	1M	3M	RMS	1.05771G	-52.27	-13.00	-39.27	-	-
1.5G	1.83G	1M	3M	RMS	1.82971G	-46.60	-13.00	-33.60	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-22.77	-13.00	-9.77	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84998G	-29.26	-13.00	-16.26	-	-
1.91G	1.911G	100k	300k	RMS	1.91006G	-65.74	-13.00	-52.74	-	-
1.911G	1.93G	100k	300k	RMS	1.9135G	-56.65	-13.00	-43.65	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.94323G	-50.75	-13.00	-37.75	-	-
5G	20G	1M	3M	RMS	19.63063G	-42.19	-13.00	-29.19	-	-

Band 2\_LTE\_10MHz\_Nss1,QPSK\_1TX  
1855MHz QPSK\_RB 1,#RB L


CSE-TX-Sum

21.08.2020





Limit

Port1



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	87.96k	-69.26	-13.00	-56.26	-	-
150k	30M	10k	30k	RMS	150k	-60.26	-13.00	-47.26	-	-
30M	1.5G	1M	3M	RMS	1.39251G	-52.52	-13.00	-40.52	-	-
1.5G	1.83G	1M	3M	RMS	1.63031G	-51.76	-13.00	-38.76	-	-
1.83G	1.849G	100k	300k	RMS	1.8465G	-33.60	-13.00	-20.60	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84999G	-31.33	-13.00	-18.33	-	-
1.91G	1.911G	100k	300k	RMS	1.91079G	-45.76	-13.00	-32.76	-	-
1.911G	1.93G	100k	300k	RMS	1.9295G	-56.62	-13.00	-43.62	MBW 1M	-
1.93G	5G	1M	3M	RMS	3.70139G	-44.94	-13.00	-31.94	-	-
5G	20G	1M	3M	RMS	19.64188G	-42.12	-13.00	-29.12	-	-







**Band 2\_LTE\_10MHz\_Nss1,QPSK\_1TX**  
**1905MHz QPSK\_RB 50,#RB 0**

CSE-TX-Sum

21.08.2020





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	14.499k	-83.12	-13.00	-70.12	-	-
150k	30M	10k	30k	RMS	7.411M	-67.66	-13.00	-54.66	-	-
30M	1.5G	1M	3M	RMS	1.41584G	-52.78	-13.00	-39.78	-	-
1.5G	1.83G	1M	3M	RMS	1.80657G	-52.19	-13.00	-39.19	-	-
1.83G	1.849G	100k	300k	RMS	1.8485G	-56.31	-13.00	-43.31	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84999G	-65.21	-13.00	-52.21	-	-
1.91G	1.911G	100k	300k	RMS	1.91002G	-34.18	-13.00	-21.18	-	-
1.911G	1.93G	100k	300k	RMS	1.9115G	-31.50	-13.00	-18.50	MBW 1M	-
1.93G	5G	1M	3M	RMS	4.98005G	-50.92	-13.00	-37.92	-	-
5G	20G	1M	3M	RMS	19.63625G	-42.27	-13.00	-29.27	-	-

**Band 2\_LTE\_10MHz\_Nss1,QPSK\_1TX**  
**1905MHz QPSK\_RB 1,#RB H**

CSE-TX-Sum

21.08.2020




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	86.973k	-68.70	-13.00	-55.70	-	-
150k	30M	10k	30k	RMS	150k	-65.37	-13.00	-52.37	-	-
30M	1.5G	1M	3M	RMS	1.09649G	-52.53	-13.00	-40.53	-	-
1.5G	1.83G	1M	3M	RMS	1.76474G	-52.25	-13.00	-39.25	-	-
1.83G	1.849G	100k	300k	RMS	1.8335G	-56.58	-13.00	-43.58	MBW 1M	-
1.849G	1.85G	100k	300k	RMS	1.84955G	-65.61	-13.00	-52.61	-	-
1.91G	1.911G	100k	300k	RMS	1.91001G	-31.76	-13.00	-18.76	-	-
1.911G	1.93G	100k	300k	RMS	1.9115G	-35.24	-13.00	-22.24	MBW 1M	-
1.93G	5G	1M	3M	RMS	3.81882G	-49.26	-13.00	-36.26	-	-
5G	20G	1M	3M	RMS	19.63813G	-42.06	-13.00	-29.06	-	-

Band 2\_LTE\_15MHz\_Nss1,QPSK\_1TX  
1857.5MHz QPSK RB 75,#RB 0


CSE-TX-Sum

21.08.2020



Limit

Port1




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	9.776k	-82.66	-13.00	-69.66	-	-
150k	30M	10k	30k	RMS	1.598M	-70.91	-13.00	-57.91	-	-
30M	1.5G	1M	3M	RMS	1.16925G	-52.58	-13.00	-39.58	-	-
1.5G	1.82G	1M	3M	RMS	1.8188G	-52.24	-13.00	-39.24	-	-
1.82G	1.849G	200k	500k	RMS	1.8485G	-23.14	-13.00	-10.14	MBW 1M	-
1.849G	1.85G	200k	500k	RMS	1.84999G	-28.39	-13.00	-15.39	-	-
1.91G	1.911G	200k	500k	RMS	1.91091G	-61.39	-13.00	-48.39	-	-
1.911G	1.94G	200k	500k	RMS	1.9115G	-55.40	-13.00	-42.40	MBW 1M	-
1.94G	5G	1M	3M	RMS	4.98634G	-51.02	-13.00	-38.02	-	-
5G	20G	1M	3M	RMS	19.655G	-42.20	-13.00	-29.20	-	-

Band 2\_LTE\_15MHz\_Nss1,QPSK\_1TX  
1857.5MHz QPSK RB 1,#RB L


CSE-TX-Sum

21.08.2020



Limit

Port1





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	87.008k	-69.70	-13.00	-56.70	-	-
150k	30M	10k	30k	RMS	150k	-64.31	-13.00	-51.31	-	-
30M	1.5G	1M	3M	RMS	1.29089G	-53.10	-13.00	-40.10	-	-
1.5G	1.82G	1M	3M	RMS	1.80604G	-51.92	-13.00	-38.92	-	-
1.82G	1.849G	200k	500k	RMS	1.8485G	-36.29	-13.00	-23.29	MBW 1M	-
1.849G	1.85G	200k	500k	RMS	1.85G	-26.54	-13.00	-13.54	-	-
1.91G	1.911G	200k	500k	RMS	1.91047G	-42.93	-13.00	-29.93	-	-
1.911G	1.94G	200k	500k	RMS	1.9395G	-56.50	-13.00	-43.50	MBW 1M	-
1.94G	5G	1M	3M	RMS	3.7016G	-45.13	-13.00	-32.13	-	-
5G	20G	1M	3M	RMS	19.64375G	-42.37	-13.00	-29.37	-	-

Band 2\_LTE\_15MHz\_Nss1,QPSK\_1TX  
1880MHz QPSK\_RB 75,#RB 0

CSE-TX-Sum

21.08.2020





F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	9.282k	-81.52	-13.00	-68.52	-	-
150k	30M	10k	30k	RMS	8.515M	-62.96	-13.00	-49.96	-	-
30M	1.5G	1M	3M	RMS	1.00626G	-52.38	-13.00	-39.38	-	-
1.5G	1.82G	1M	3M	RMS	1.62956G	-51.92	-13.00	-38.92	-	-
1.82G	1.849G	200k	500k	RMS	1.8485G	-45.10	-13.00	-32.10	MBW 1M	-
1.849G	1.85G	200k	500k	RMS	1.84946G	-50.31	-13.00	-37.31	-	-
1.91G	1.911G	200k	500k	RMS	1.91064G	-51.87	-13.00	-38.87	-	-
1.911G	1.94G	200k	500k	RMS	1.9125G	-46.21	-13.00	-33.21	MBW 1M	-
1.94G	5G	1M	3M	RMS	4.96711G	-50.80	-13.00	-37.80	-	-
5G	20G	1M	3M	RMS	19.63625G	-42.23	-13.00	-29.23	-	-

Band 2\_LTE\_15MHz\_Nss1,QPSK\_1TX  
1880MHz QPSK\_RB 1,#RB L

CSE-TX-Sum

21.08.2020



F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	VBW(Hz)	Detector	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Remark	Ref.Limit(dB)
9k	150k	200	1k	RMS	87.008k	-68.75	-13.00	-55.75	-	-
150k	30M	10k	30k	RMS	172.388k	-68.53	-13.00	-55.53	-	-
30M	1.5G	1M	3M	RMS	994.32M	-53.64	-13.00	-40.64	-	-
1.5G	1.82G	1M	3M	RMS	1.80056G	-52.25	-13.00	-39.25	-	-
1.82G	1.849G	200k	500k	RMS	1.8465G	-45.50	-13.00	-32.50	MBW 1M	-
1.849G	1.85G	200k	500k	RMS	1.84925G	-42.33	-13.00	-29.33	-	-
1.91G	1.911G	200k	500k	RMS	1.91074G	-42.77	-13.00	-29.77	-	-
1.911G	1.94G	200k	500k	RMS	1.9115G	-46.51	-13.00	-33.51	MBW 1M	-
1.94G	5G	1M	3M	RMS	3.74693G	-50.03	-13.00	-37.03	-	-
5G	20G	1M	3M	RMS	19.65125G	-42.30	-13.00	-29.30	-	-

