

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N25	15	5	DFT-PI2BPSK	L	Outer_Full	21.91	23.28	33	PASS
N25	15	5	DFT-PI2BPSK	L	Inner_Full	22.39	23.76	33	PASS
N25	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	21.86	23.23	33	PASS
N25	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	21.8	23.17	33	PASS
N25	15	5	DFT-QPSK	L	Outer_Full	21.57	22.94	33	PASS
N25	15	5	DFT-QPSK	L	Inner_Full	22.49	23.86	33	PASS
N25	15	5	DFT-QPSK	L	Edge_1RB_Left	21.37	22.74	33	PASS
N25	15	5	DFT-QPSK	L	Edge_1RB_Right	21.4	22.77	33	PASS
N25	15	5	DFT-16QAM	L	Outer_Full	20.71	22.08	33	PASS
N25	15	5	DFT-16QAM	L	Inner_Full	21.45	22.82	33	PASS
N25	15	5	DFT-16QAM	L	Edge_1RB_Left	20.67	22.04	33	PASS
N25	15	5	DFT-16QAM	L	Edge_1RB_Right	20.63	22	33	PASS
N25	15	5	DFT-64QAM	L	Outer_Full	20.05	21.42	33	PASS
N25	15	5	DFT-64QAM	L	Inner_Full	20.22	21.59	33	PASS
N25	15	5	DFT-64QAM	L	Edge_1RB_Left	20.03	21.4	33	PASS
N25	15	5	DFT-64QAM	L	Edge_1RB_Right	19.99	21.36	33	PASS
N25	15	5	DFT-256QAM	L	Outer_Full	17.85	19.22	33	PASS
N25	15	5	DFT-256QAM	L	Inner_Full	18.09	19.46	33	PASS
N25	15	5	DFT-256QAM	L	Edge_1RB_Left	18.24	19.61	33	PASS
N25	15	5	DFT-256QAM	L	Edge_1RB_Right	18.2	19.57	33	PASS
N25	15	5	DFT-PI2BPSK	M	Outer_Full	21.94	23.31	33	PASS
N25	15	5	DFT-PI2BPSK	M	Inner_Full	22.36	23.73	33	PASS
N25	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	21.93	23.3	33	PASS
N25	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	21.91	23.28	33	PASS
N25	15	5	DFT-QPSK	M	Outer_Full	21.56	22.93	33	PASS

N25	15	5	DFT-QPSK	M	Inner_Full	22.51	23.88	33	PASS
N25	15	5	DFT-QPSK	M	Edge_1RB_Left	21.71	23.08	33	PASS
N25	15	5	DFT-QPSK	M	Edge_1RB_Right	21.81	23.18	33	PASS
N25	15	5	DFT-16QAM	M	Outer_Full	20.63	22	33	PASS
N25	15	5	DFT-16QAM	M	Inner_Full	21.6	22.97	33	PASS
N25	15	5	DFT-16QAM	M	Edge_1RB_Left	20.29	21.66	33	PASS
N25	15	5	DFT-16QAM	M	Edge_1RB_Right	20.25	21.62	33	PASS
N25	15	5	DFT-64QAM	M	Outer_Full	20.09	21.46	33	PASS
N25	15	5	DFT-64QAM	M	Inner_Full	20.12	21.49	33	PASS
N25	15	5	DFT-64QAM	M	Edge_1RB_Left	20.19	21.56	33	PASS
N25	15	5	DFT-64QAM	M	Edge_1RB_Right	20.16	21.53	33	PASS
N25	15	5	DFT-256QAM	M	Outer_Full	18.09	19.46	33	PASS
N25	15	5	DFT-256QAM	M	Inner_Full	17.85	19.22	33	PASS
N25	15	5	DFT-256QAM	M	Edge_1RB_Left	18.12	19.49	33	PASS
N25	15	5	DFT-256QAM	M	Edge_1RB_Right	18.17	19.54	33	PASS
N25	15	5	DFT-PI2BPSK	H	Outer_Full	21.76	23.13	33	PASS
N25	15	5	DFT-PI2BPSK	H	Inner_Full	22.19	23.56	33	PASS
N25	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	21.89	23.26	33	PASS
N25	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	21.91	23.28	33	PASS
N25	15	5	DFT-QPSK	H	Outer_Full	21.43	22.8	33	PASS
N25	15	5	DFT-QPSK	H	Inner_Full	22.37	23.74	33	PASS
N25	15	5	DFT-QPSK	H	Edge_1RB_Left	21.15	22.52	33	PASS
N25	15	5	DFT-QPSK	H	Edge_1RB_Right	21.18	22.55	33	PASS
N25	15	5	DFT-16QAM	H	Outer_Full	20.46	21.83	33	PASS
N25	15	5	DFT-16QAM	H	Inner_Full	21.46	22.83	33	PASS
N25	15	5	DFT-16QAM	H	Edge_1RB_Left	20.11	21.48	33	PASS
N25	15	5	DFT-16QAM	H	Edge_1RB_Right	20.16	21.53	33	PASS
N25	15	5	DFT-64QAM	H	Outer_Full	19.94	21.31	33	PASS
N25	15	5	DFT-64QAM	H	Inner_Full	19.84	21.21	33	PASS
N25	15	5	DFT-64QAM	H	Edge_1RB_Left	19.76	21.13	33	PASS

N25	15	5	DFT-64QAM	H	Edge_1RB_Right	19.84	21.21	33	PASS
N25	15	5	DFT-256QAM	H	Outer_Full	17.76	19.13	33	PASS
N25	15	5	DFT-256QAM	H	Inner_Full	17.83	19.2	33	PASS
N25	15	5	DFT-256QAM	H	Edge_1RB_Left	17.91	19.28	33	PASS
N25	15	5	DFT-256QAM	H	Edge_1RB_Right	17.9	19.27	33	PASS
N25	15	10	DFT-PI2BPSK	L	Outer_Full	21.76	23.13	33	PASS
N25	15	10	DFT-PI2BPSK	L	Inner_Full	22.26	23.63	33	PASS
N25	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	21.73	23.1	33	PASS
N25	15	10	DFT-PI2BPSK	L	Edge_1RB_Right	21.7	23.07	33	PASS
N25	15	10	DFT-QPSK	L	Outer_Full	21.54	22.91	33	PASS
N25	15	10	DFT-QPSK	L	Inner_Full	22.48	23.85	33	PASS
N25	15	10	DFT-QPSK	L	Edge_1RB_Left	21.25	22.62	33	PASS
N25	15	10	DFT-QPSK	L	Edge_1RB_Right	21.28	22.65	33	PASS
N25	15	10	DFT-16QAM	L	Outer_Full	20.56	21.93	33	PASS
N25	15	10	DFT-16QAM	L	Inner_Full	21.46	22.83	33	PASS
N25	15	10	DFT-16QAM	L	Edge_1RB_Left	20.61	21.98	33	PASS
N25	15	10	DFT-16QAM	L	Edge_1RB_Right	20.53	21.9	33	PASS
N25	15	10	DFT-64QAM	L	Outer_Full	20.04	21.41	33	PASS
N25	15	10	DFT-64QAM	L	Inner_Full	20	21.37	33	PASS
N25	15	10	DFT-64QAM	L	Edge_1RB_Left	19.58	20.95	33	PASS
N25	15	10	DFT-64QAM	L	Edge_1RB_Right	19.62	20.99	33	PASS
N25	15	10	DFT-256QAM	L	Outer_Full	18.02	19.39	33	PASS
N25	15	10	DFT-256QAM	L	Inner_Full	18.1	19.47	33	PASS
N25	15	10	DFT-256QAM	L	Edge_1RB_Left	17.83	19.2	33	PASS
N25	15	10	DFT-256QAM	L	Edge_1RB_Right	17.77	19.14	33	PASS
N25	15	10	DFT-PI2BPSK	M	Outer_Full	21.91	23.28	33	PASS
N25	15	10	DFT-PI2BPSK	M	Inner_Full	22.39	23.76	33	PASS
N25	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	21.73	23.1	33	PASS

N25	15	10	DFT-PI2BPSK	M	Edge_1RB_Right	21.83	23.2	33	PASS
N25	15	10	DFT-QPSK	M	Outer_Full	21.38	22.75	33	PASS
N25	15	10	DFT-QPSK	M	Inner_Full	22.6	23.97	33	PASS
N25	15	10	DFT-QPSK	M	Edge_1RB_Left	21.3	22.67	33	PASS
N25	15	10	DFT-QPSK	M	Edge_1RB_Right	21.11	22.48	33	PASS
N25	15	10	DFT-16QAM	M	Outer_Full	20.51	21.88	33	PASS
N25	15	10	DFT-16QAM	M	Inner_Full	21.64	23.01	33	PASS
N25	15	10	DFT-16QAM	M	Edge_1RB_Left	20.36	21.73	33	PASS
N25	15	10	DFT-16QAM	M	Edge_1RB_Right	20.36	21.73	33	PASS
N25	15	10	DFT-64QAM	M	Outer_Full	19.97	21.34	33	PASS
N25	15	10	DFT-64QAM	M	Inner_Full	20.07	21.44	33	PASS
N25	15	10	DFT-64QAM	M	Edge_1RB_Left	19.77	21.14	33	PASS
N25	15	10	DFT-64QAM	M	Edge_1RB_Right	19.65	21.02	33	PASS
N25	15	10	DFT-256QAM	M	Outer_Full	17.97	19.34	33	PASS
N25	15	10	DFT-256QAM	M	Inner_Full	18.07	19.44	33	PASS
N25	15	10	DFT-256QAM	M	Edge_1RB_Left	17.74	19.11	33	PASS
N25	15	10	DFT-256QAM	M	Edge_1RB_Right	17.67	19.04	33	PASS
N25	15	10	DFT-PI2BPSK	H	Outer_Full	21.71	23.08	33	PASS
N25	15	10	DFT-PI2BPSK	H	Inner_Full	22.24	23.61	33	PASS
N25	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	21.57	22.94	33	PASS
N25	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	21.59	22.96	33	PASS
N25	15	10	DFT-QPSK	H	Outer_Full	21.37	22.74	33	PASS
N25	15	10	DFT-QPSK	H	Inner_Full	22.43	23.8	33	PASS
N25	15	10	DFT-QPSK	H	Edge_1RB_Left	21.65	23.02	33	PASS
N25	15	10	DFT-QPSK	H	Edge_1RB_Right	21.51	22.88	33	PASS
N25	15	10	DFT-16QAM	H	Outer_Full	20.33	21.7	33	PASS
N25	15	10	DFT-16QAM	H	Inner_Full	21.44	22.81	33	PASS
N25	15	10	DFT-16QAM	H	Edge_1RB_Left	20.16	21.53	33	PASS
N25	15	10	DFT-16QAM	H	Edge_1RB_Right	19.86	21.23	33	PASS
N25	15	10	DFT-64QAM	H	Outer_Full	19.81	21.18	33	PASS
N25	15	10	DFT-64QAM	H	Inner_Full	19.85	21.22	33	PASS

N25	15	10	DFT-64QAM	H	Edge_1RB_Left	19.43	20.8	33	PASS
N25	15	10	DFT-64QAM	H	Edge_1RB_Right	19.65	21.02	33	PASS
N25	15	10	DFT-256QAM	H	Outer_Full	17.84	19.21	33	PASS
N25	15	10	DFT-256QAM	H	Inner_Full	18.04	19.41	33	PASS
N25	15	10	DFT-256QAM	H	Edge_1RB_Left	17.62	18.99	33	PASS
N25	15	10	DFT-256QAM	H	Edge_1RB_Right	17.68	19.05	33	PASS
N25	15	15	DFT-PI2BPSK	L	Outer_Full	21.91	23.28	33	PASS
N25	15	15	DFT-PI2BPSK	L	Inner_Full	22.43	23.8	33	PASS
N25	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	22.15	23.52	33	PASS
N25	15	15	DFT-PI2BPSK	L	Edge_1RB_Right	22.01	23.38	33	PASS
N25	15	15	DFT-QPSK	L	Outer_Full	21.63	23	33	PASS
N25	15	15	DFT-QPSK	L	Inner_Full	22.72	24.09	33	PASS
N25	15	15	DFT-QPSK	L	Edge_1RB_Left	21.46	22.83	33	PASS
N25	15	15	DFT-QPSK	L	Edge_1RB_Right	21.31	22.68	33	PASS
N25	15	15	DFT-16QAM	L	Outer_Full	20.59	21.96	33	PASS
N25	15	15	DFT-16QAM	L	Inner_Full	21.53	22.9	33	PASS
N25	15	15	DFT-16QAM	L	Edge_1RB_Left	20.82	22.19	33	PASS
N25	15	15	DFT-16QAM	L	Edge_1RB_Right	20.67	22.04	33	PASS
N25	15	15	DFT-64QAM	L	Outer_Full	20.18	21.55	33	PASS
N25	15	15	DFT-64QAM	L	Inner_Full	20.22	21.59	33	PASS
N25	15	15	DFT-64QAM	L	Edge_1RB_Left	20.47	21.84	33	PASS
N25	15	15	DFT-64QAM	L	Edge_1RB_Right	20.36	21.73	33	PASS
N25	15	15	DFT-256QAM	L	Outer_Full	18.07	19.44	33	PASS
N25	15	15	DFT-256QAM	L	Inner_Full	18.19	19.56	33	PASS
N25	15	15	DFT-256QAM	L	Edge_1RB_Left	17.86	19.23	33	PASS
N25	15	15	DFT-256QAM	L	Edge_1RB_Right	17.69	19.06	33	PASS
N25	15	15	DFT-PI2BPSK	M	Outer_Full	21.97	23.34	33	PASS
N25	15	15	DFT-PI2BPSK	M	Inner_Full	22.46	23.83	33	PASS

N25	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	21.91	23.28	33	PASS
N25	15	15	DFT-PI2BPSK	M	Edge_1RB_Right	21.81	23.18	33	PASS
N25	15	15	DFT-QPSK	M	Outer_Full	21.59	22.96	33	PASS
N25	15	15	DFT-QPSK	M	Inner_Full	22.58	23.95	33	PASS
N25	15	15	DFT-QPSK	M	Edge_1RB_Left	21.24	22.61	33	PASS
N25	15	15	DFT-QPSK	M	Edge_1RB_Right	21.27	22.64	33	PASS
N25	15	15	DFT-16QAM	M	Outer_Full	20.54	21.91	33	PASS
N25	15	15	DFT-16QAM	M	Inner_Full	21.57	22.94	33	PASS
N25	15	15	DFT-16QAM	M	Edge_1RB_Left	20.3	21.67	33	PASS
N25	15	15	DFT-16QAM	M	Edge_1RB_Right	20.33	21.7	33	PASS
N25	15	15	DFT-64QAM	M	Outer_Full	20.06	21.43	33	PASS
N25	15	15	DFT-64QAM	M	Inner_Full	20	21.37	33	PASS
N25	15	15	DFT-64QAM	M	Edge_1RB_Left	20.09	21.46	33	PASS
N25	15	15	DFT-64QAM	M	Edge_1RB_Right	20.11	21.48	33	PASS
N25	15	15	DFT-256QAM	M	Outer_Full	18.16	19.53	33	PASS
N25	15	15	DFT-256QAM	M	Inner_Full	18.15	19.52	33	PASS
N25	15	15	DFT-256QAM	M	Edge_1RB_Left	18.38	19.75	33	PASS
N25	15	15	DFT-256QAM	M	Edge_1RB_Right	18.44	19.81	33	PASS
N25	15	15	DFT-PI2BPSK	H	Outer_Full	21.76	23.13	33	PASS
N25	15	15	DFT-PI2BPSK	H	Inner_Full	22.28	23.65	33	PASS
N25	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	22.04	23.41	33	PASS
N25	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	21.91	23.28	33	PASS
N25	15	15	DFT-QPSK	H	Outer_Full	21.53	22.9	33	PASS
N25	15	15	DFT-QPSK	H	Inner_Full	22.51	23.88	33	PASS
N25	15	15	DFT-QPSK	H	Edge_1RB_Left	21.48	22.85	33	PASS
N25	15	15	DFT-QPSK	H	Edge_1RB_Right	21.45	22.82	33	PASS
N25	15	15	DFT-16QAM	H	Outer_Full	20.54	21.91	33	PASS
N25	15	15	DFT-16QAM	H	Inner_Full	21.6	22.97	33	PASS
N25	15	15	DFT-16QAM	H	Edge_1RB_Left	20.56	21.93	33	PASS
N25	15	15	DFT-16QAM	H	Edge_1RB_Right	20.44	21.81	33	PASS

N25	15	15	DFT-64QAM	H	Outer_Full	20.06	21.43	33	PASS
N25	15	15	DFT-64QAM	H	Inner_Full	20.01	21.38	33	PASS
N25	15	15	DFT-64QAM	H	Edge_1RB_Left	20.19	21.56	33	PASS
N25	15	15	DFT-64QAM	H	Edge_1RB_Right	20.04	21.41	33	PASS
N25	15	15	DFT-256QAM	H	Outer_Full	17.98	19.35	33	PASS
N25	15	15	DFT-256QAM	H	Inner_Full	18.03	19.4	33	PASS
N25	15	15	DFT-256QAM	H	Edge_1RB_Left	18.15	19.52	33	PASS
N25	15	15	DFT-256QAM	H	Edge_1RB_Right	18.17	19.54	33	PASS
N25	15	20	DFT-PI2BPSK	L	Outer_Full	21.99	23.36	33	PASS
N25	15	20	DFT-PI2BPSK	L	Inner_Full	22.48	23.85	33	PASS
N25	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	21.84	23.21	33	PASS
N25	15	20	DFT-PI2BPSK	L	Edge_1RB_Right	21.81	23.18	33	PASS
N25	15	20	DFT-QPSK	L	Outer_Full	21.53	22.9	33	PASS
N25	15	20	DFT-QPSK	L	Inner_Full	22.69	24.06	33	PASS
N25	15	20	DFT-QPSK	L	Edge_1RB_Left	21.7	23.07	33	PASS
N25	15	20	DFT-QPSK	L	Edge_1RB_Right	21.51	22.88	33	PASS
N25	15	20	DFT-16QAM	L	Outer_Full	20.53	21.9	33	PASS
N25	15	20	DFT-16QAM	L	Inner_Full	21.75	23.12	33	PASS
N25	15	20	DFT-16QAM	L	Edge_1RB_Left	20.76	22.13	33	PASS
N25	15	20	DFT-16QAM	L	Edge_1RB_Right	20.75	22.12	33	PASS
N25	15	20	DFT-64QAM	L	Outer_Full	20.04	21.41	33	PASS
N25	15	20	DFT-64QAM	L	Inner_Full	19.99	21.36	33	PASS
N25	15	20	DFT-64QAM	L	Edge_1RB_Left	20.15	21.52	33	PASS
N25	15	20	DFT-64QAM	L	Edge_1RB_Right	20.01	21.38	33	PASS
N25	15	20	DFT-256QAM	L	Outer_Full	18.06	19.43	33	PASS
N25	15	20	DFT-256QAM	L	Inner_Full	18.01	19.38	33	PASS
N25	15	20	DFT-256QAM	L	Edge_1RB_Left	18.29	19.66	33	PASS
N25	15	20	DFT-256QAM	L	Edge_1RB_Right	18.16	19.53	33	PASS
N25	15	20	DFT-PI2BPSK	M	Outer_Full	22.01	23.38	33	PASS

N25	15	20	DFT-PI2BPSK	M	Inner_Full	22.62	23.99	33	PASS
N25	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	21.85	23.22	33	PASS
N25	15	20	DFT-PI2BPSK	M	Edge_1RB_Right	21.88	23.25	33	PASS
N25	15	20	DFT-QPSK	M	Outer_Full	21.58	22.95	33	PASS
N25	15	20	DFT-QPSK	M	Inner_Full	22.64	24.01	33	PASS
N25	15	20	DFT-QPSK	M	Edge_1RB_Left	21.71	23.08	33	PASS
N25	15	20	DFT-QPSK	M	Edge_1RB_Right	21.83	23.2	33	PASS
N25	15	20	DFT-16QAM	M	Outer_Full	20.59	21.96	33	PASS
N25	15	20	DFT-16QAM	M	Inner_Full	21.61	22.98	33	PASS
N25	15	20	DFT-16QAM	M	Edge_1RB_Left	20.59	21.96	33	PASS
N25	15	20	DFT-16QAM	M	Edge_1RB_Right	20.48	21.85	33	PASS
N25	15	20	DFT-64QAM	M	Outer_Full	20.08	21.45	33	PASS
N25	15	20	DFT-64QAM	M	Inner_Full	20.05	21.42	33	PASS
N25	15	20	DFT-64QAM	M	Edge_1RB_Left	20.16	21.53	33	PASS
N25	15	20	DFT-64QAM	M	Edge_1RB_Right	20.25	21.62	33	PASS
N25	15	20	DFT-256QAM	M	Outer_Full	18.11	19.48	33	PASS
N25	15	20	DFT-256QAM	M	Inner_Full	18.02	19.39	33	PASS
N25	15	20	DFT-256QAM	M	Edge_1RB_Left	18.32	19.69	33	PASS
N25	15	20	DFT-256QAM	M	Edge_1RB_Right	18.37	19.74	33	PASS
N25	15	20	DFT-PI2BPSK	H	Outer_Full	21.81	23.18	33	PASS
N25	15	20	DFT-PI2BPSK	H	Inner_Full	22.29	23.66	33	PASS
N25	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	21.77	23.14	33	PASS
N25	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	21.82	23.19	33	PASS
N25	15	20	DFT-QPSK	H	Outer_Full	21.52	22.89	33	PASS
N25	15	20	DFT-QPSK	H	Inner_Full	22.55	23.92	33	PASS
N25	15	20	DFT-QPSK	H	Edge_1RB_Left	21.7	23.07	33	PASS
N25	15	20	DFT-QPSK	H	Edge_1RB_Right	21.61	22.98	33	PASS
N25	15	20	DFT-16QAM	H	Outer_Full	20.55	21.92	33	PASS
N25	15	20	DFT-16QAM	H	Inner_Full	21.51	22.88	33	PASS
N25	15	20	DFT-16QAM	H	Edge_1RB_Left	20.85	22.22	33	PASS

N25	15	20	DFT-16QAM	H	Edge_1RB_Right	20.71	22.08	33	PASS
N25	15	20	DFT-64QAM	H	Outer_Full	20.06	21.43	33	PASS
N25	15	20	DFT-64QAM	H	Inner_Full	19.94	21.31	33	PASS
N25	15	20	DFT-64QAM	H	Edge_1RB_Left	20.11	21.48	33	PASS
N25	15	20	DFT-64QAM	H	Edge_1RB_Right	20.02	21.39	33	PASS
N25	15	20	DFT-256QAM	H	Outer_Full	18.03	19.4	33	PASS
N25	15	20	DFT-256QAM	H	Inner_Full	17.92	19.29	33	PASS
N25	15	20	DFT-256QAM	H	Edge_1RB_Left	18.22	19.59	33	PASS
N25	15	20	DFT-256QAM	H	Edge_1RB_Right	18.09	19.46	33	PASS
N25	15	25	DFT-PI2BPSK	L	Outer_Full	22	23.37	33	PASS
N25	15	25	DFT-PI2BPSK	L	Inner_Full	22.4	23.77	33	PASS
N25	15	25	DFT-PI2BPSK	L	Edge_1RB_Left	22.06	23.43	33	PASS
N25	15	25	DFT-PI2BPSK	L	Edge_1RB_Right	22.05	23.42	33	PASS
N25	15	25	DFT-QPSK	L	Outer_Full	21.72	23.09	33	PASS
N25	15	25	DFT-QPSK	L	Inner_Full	22.61	23.98	33	PASS
N25	15	25	DFT-QPSK	L	Edge_1RB_Left	21.78	23.15	33	PASS
N25	15	25	DFT-QPSK	L	Edge_1RB_Right	21.66	23.03	33	PASS
N25	15	25	DFT-16QAM	L	Outer_Full	20.62	21.99	33	PASS
N25	15	25	DFT-16QAM	L	Inner_Full	21.54	22.91	33	PASS
N25	15	25	DFT-16QAM	L	Edge_1RB_Left	20.88	22.25	33	PASS
N25	15	25	DFT-16QAM	L	Edge_1RB_Right	20.87	22.24	33	PASS
N25	15	25	DFT-64QAM	L	Outer_Full	20.11	21.48	33	PASS
N25	15	25	DFT-64QAM	L	Inner_Full	19.97	21.34	33	PASS
N25	15	25	DFT-64QAM	L	Edge_1RB_Left	20.08	21.45	33	PASS
N25	15	25	DFT-64QAM	L	Edge_1RB_Right	20.08	21.45	33	PASS
N25	15	25	DFT-256QAM	L	Outer_Full	18	19.37	33	PASS
N25	15	25	DFT-256QAM	L	Inner_Full	18.12	19.49	33	PASS
N25	15	25	DFT-256QAM	L	Edge_1RB_Left	18.76	20.13	33	PASS
N25	15	25	DFT-256QAM	L	Edge_1RB_Right	18.59	19.96	33	PASS

N25	15	25	DFT-PI2BPSK	M	Outer_Full	22.06	23.43	33	PASS
N25	15	25	DFT-PI2BPSK	M	Inner_Full	22.53	23.9	33	PASS
N25	15	25	DFT-PI2BPSK	M	Edge_1RB_Left	22.04	23.41	33	PASS
N25	15	25	DFT-PI2BPSK	M	Edge_1RB_Right	22.02	23.39	33	PASS
N25	15	25	DFT-QPSK	M	Outer_Full	21.61	22.98	33	PASS
N25	15	25	DFT-QPSK	M	Inner_Full	22.61	23.98	33	PASS
N25	15	25	DFT-QPSK	M	Edge_1RB_Left	21.7	23.07	33	PASS
N25	15	25	DFT-QPSK	M	Edge_1RB_Right	21.82	23.19	33	PASS
N25	15	25	DFT-16QAM	M	Outer_Full	20.67	22.04	33	PASS
N25	15	25	DFT-16QAM	M	Inner_Full	21.6	22.97	33	PASS
N25	15	25	DFT-16QAM	M	Edge_1RB_Left	20.64	22.01	33	PASS
N25	15	25	DFT-16QAM	M	Edge_1RB_Right	20.76	22.13	33	PASS
N25	15	25	DFT-64QAM	M	Outer_Full	20.17	21.54	33	PASS
N25	15	25	DFT-64QAM	M	Inner_Full	20.16	21.53	33	PASS
N25	15	25	DFT-64QAM	M	Edge_1RB_Left	20.12	21.49	33	PASS
N25	15	25	DFT-64QAM	M	Edge_1RB_Right	20.13	21.5	33	PASS
N25	15	25	DFT-256QAM	M	Outer_Full	18.05	19.42	33	PASS
N25	15	25	DFT-256QAM	M	Inner_Full	18.08	19.45	33	PASS
N25	15	25	DFT-256QAM	M	Edge_1RB_Left	18.37	19.74	33	PASS
N25	15	25	DFT-256QAM	M	Edge_1RB_Right	18.36	19.73	33	PASS
N25	15	25	DFT-PI2BPSK	H	Outer_Full	21.84	23.21	33	PASS
N25	15	25	DFT-PI2BPSK	H	Inner_Full	22.36	23.73	33	PASS
N25	15	25	DFT-PI2BPSK	H	Edge_1RB_Left	22.02	23.39	33	PASS
N25	15	25	DFT-PI2BPSK	H	Edge_1RB_Right	21.87	23.24	33	PASS
N25	15	25	DFT-QPSK	H	Outer_Full	21.52	22.89	33	PASS
N25	15	25	DFT-QPSK	H	Inner_Full	22.44	23.81	33	PASS
N25	15	25	DFT-QPSK	H	Edge_1RB_Left	21.53	22.9	33	PASS
N25	15	25	DFT-QPSK	H	Edge_1RB_Right	21.44	22.81	33	PASS
N25	15	25	DFT-16QAM	H	Outer_Full	20.58	21.95	33	PASS
N25	15	25	DFT-16QAM	H	Inner_Full	21.46	22.83	33	PASS

N25	15	25	DFT-16QAM	H	Edge_1RB_Left	20.79	22.16	33	PASS
N25	15	25	DFT-16QAM	H	Edge_1RB_Right	20.71	22.08	33	PASS
N25	15	25	DFT-64QAM	H	Outer_Full	19.95	21.32	33	PASS
N25	15	25	DFT-64QAM	H	Inner_Full	19.96	21.33	33	PASS
N25	15	25	DFT-64QAM	H	Edge_1RB_Left	20.31	21.68	33	PASS
N25	15	25	DFT-64QAM	H	Edge_1RB_Right	20.11	21.48	33	PASS
N25	15	25	DFT-256QAM	H	Outer_Full	17.99	19.36	33	PASS
N25	15	25	DFT-256QAM	H	Inner_Full	17.83	19.2	33	PASS
N25	15	25	DFT-256QAM	H	Edge_1RB_Left	18.1	19.47	33	PASS
N25	15	25	DFT-256QAM	H	Edge_1RB_Right	17.94	19.31	33	PASS
N25	15	30	DFT-PI2BPSK	L	Outer_Full	21.98	23.35	33	PASS
N25	15	30	DFT-PI2BPSK	L	Inner_Full	22.45	23.82	33	PASS
N25	15	30	DFT-PI2BPSK	L	Edge_1RB_Left	21.89	23.26	33	PASS
N25	15	30	DFT-PI2BPSK	L	Edge_1RB_Right	21.93	23.3	33	PASS
N25	15	30	DFT-QPSK	L	Outer_Full	21.61	22.98	33	PASS
N25	15	30	DFT-QPSK	L	Inner_Full	22.57	23.94	33	PASS
N25	15	30	DFT-QPSK	L	Edge_1RB_Left	21.66	23.03	33	PASS
N25	15	30	DFT-QPSK	L	Edge_1RB_Right	21.66	23.03	33	PASS
N25	15	30	DFT-16QAM	L	Outer_Full	20.66	22.03	33	PASS
N25	15	30	DFT-16QAM	L	Inner_Full	21.67	23.04	33	PASS
N25	15	30	DFT-16QAM	L	Edge_1RB_Left	20.83	22.2	33	PASS
N25	15	30	DFT-16QAM	L	Edge_1RB_Right	20.82	22.19	33	PASS
N25	15	30	DFT-64QAM	L	Outer_Full	20.11	21.48	33	PASS
N25	15	30	DFT-64QAM	L	Inner_Full	20.06	21.43	33	PASS
N25	15	30	DFT-64QAM	L	Edge_1RB_Left	20.4	21.77	33	PASS
N25	15	30	DFT-64QAM	L	Edge_1RB_Right	20.48	21.85	33	PASS
N25	15	30	DFT-256QAM	L	Outer_Full	18.09	19.46	33	PASS
N25	15	30	DFT-256QAM	L	Inner_Full	17.98	19.35	33	PASS
N25	15	30	DFT-256QAM	L	Edge_1RB_Left	18.13	19.5	33	PASS

N25	15	30	DFT-256QAM	L	Edge_1RB_Right	18.09	19.46	33	PASS
N25	15	30	DFT-PI2BPSK	M	Outer_Full	21.99	23.36	33	PASS
N25	15	30	DFT-PI2BPSK	M	Inner_Full	22.43	23.8	33	PASS
N25	15	30	DFT-PI2BPSK	M	Edge_1RB_Left	22.02	23.39	33	PASS
N25	15	30	DFT-PI2BPSK	M	Edge_1RB_Right	21.95	23.32	33	PASS
N25	15	30	DFT-QPSK	M	Outer_Full	21.62	22.99	33	PASS
N25	15	30	DFT-QPSK	M	Inner_Full	22.64	24.01	33	PASS
N25	15	30	DFT-QPSK	M	Edge_1RB_Left	21.56	22.93	33	PASS
N25	15	30	DFT-QPSK	M	Edge_1RB_Right	21.6	22.97	33	PASS
N25	15	30	DFT-16QAM	M	Outer_Full	20.62	21.99	33	PASS
N25	15	30	DFT-16QAM	M	Inner_Full	21.68	23.05	33	PASS
N25	15	30	DFT-16QAM	M	Edge_1RB_Left	20.6	21.97	33	PASS
N25	15	30	DFT-16QAM	M	Edge_1RB_Right	20.74	22.11	33	PASS
N25	15	30	DFT-64QAM	M	Outer_Full	20.15	21.52	33	PASS
N25	15	30	DFT-64QAM	M	Inner_Full	20.07	21.44	33	PASS
N25	15	30	DFT-64QAM	M	Edge_1RB_Left	20.33	21.7	33	PASS
N25	15	30	DFT-64QAM	M	Edge_1RB_Right	20.3	21.67	33	PASS
N25	15	30	DFT-256QAM	M	Outer_Full	18.17	19.54	33	PASS
N25	15	30	DFT-256QAM	M	Inner_Full	18.08	19.45	33	PASS
N25	15	30	DFT-256QAM	M	Edge_1RB_Left	18.1	19.47	33	PASS
N25	15	30	DFT-256QAM	M	Edge_1RB_Right	18.07	19.44	33	PASS
N25	15	30	DFT-PI2BPSK	H	Outer_Full	21.94	23.31	33	PASS
N25	15	30	DFT-PI2BPSK	H	Inner_Full	22.42	23.79	33	PASS
N25	15	30	DFT-PI2BPSK	H	Edge_1RB_Left	21.85	23.22	33	PASS
N25	15	30	DFT-PI2BPSK	H	Edge_1RB_Right	21.73	23.1	33	PASS
N25	15	30	DFT-QPSK	H	Outer_Full	21.62	22.99	33	PASS
N25	15	30	DFT-QPSK	H	Inner_Full	22.36	23.73	33	PASS
N25	15	30	DFT-QPSK	H	Edge_1RB_Left	21.55	22.92	33	PASS
N25	15	30	DFT-QPSK	H	Edge_1RB_Right	21.45	22.82	33	PASS

N25	15	30	DFT-16QAM	H	Outer_Full	20.51	21.88	33	PASS
N25	15	30	DFT-16QAM	H	Inner_Full	21.48	22.85	33	PASS
N25	15	30	DFT-16QAM	H	Edge_1RB_Left	20.74	22.11	33	PASS
N25	15	30	DFT-16QAM	H	Edge_1RB_Right	20.63	22	33	PASS
N25	15	30	DFT-64QAM	H	Outer_Full	20	21.37	33	PASS
N25	15	30	DFT-64QAM	H	Inner_Full	19.91	21.28	33	PASS
N25	15	30	DFT-64QAM	H	Edge_1RB_Left	20.03	21.4	33	PASS
N25	15	30	DFT-64QAM	H	Edge_1RB_Right	19.95	21.32	33	PASS
N25	15	30	DFT-256QAM	H	Outer_Full	17.95	19.32	33	PASS
N25	15	30	DFT-256QAM	H	Inner_Full	17.94	19.31	33	PASS
N25	15	30	DFT-256QAM	H	Edge_1RB_Left	18.3	19.67	33	PASS
N25	15	30	DFT-256QAM	H	Edge_1RB_Right	18.2	19.57	33	PASS
N25	15	40	DFT-PI2BPSK	L	Outer_Full	22.12	23.49	33	PASS
N25	15	40	DFT-PI2BPSK	L	Inner_Full	22.48	23.85	33	PASS
N25	15	40	DFT-PI2BPSK	L	Edge_1RB_Left	21.97	23.34	33	PASS
N25	15	40	DFT-PI2BPSK	L	Edge_1RB_Right	21.87	23.24	33	PASS
N25	15	40	DFT-QPSK	L	Outer_Full	21.68	23.05	33	PASS
N25	15	40	DFT-QPSK	L	Inner_Full	22.63	24	33	PASS
N25	15	40	DFT-QPSK	L	Edge_1RB_Left	21.63	23	33	PASS
N25	15	40	DFT-QPSK	L	Edge_1RB_Right	21.62	22.99	33	PASS
N25	15	40	DFT-16QAM	L	Outer_Full	20.72	22.09	33	PASS
N25	15	40	DFT-16QAM	L	Inner_Full	21.59	22.96	33	PASS
N25	15	40	DFT-16QAM	L	Edge_1RB_Left	20.58	21.95	33	PASS
N25	15	40	DFT-16QAM	L	Edge_1RB_Right	20.62	21.99	33	PASS
N25	15	40	DFT-64QAM	L	Outer_Full	20.21	21.58	33	PASS
N25	15	40	DFT-64QAM	L	Inner_Full	20.25	21.62	33	PASS
N25	15	40	DFT-64QAM	L	Edge_1RB_Left	20.33	21.7	33	PASS
N25	15	40	DFT-64QAM	L	Edge_1RB_Right	20.35	21.72	33	PASS
N25	15	40	DFT-256QAM	L	Outer_Full	18.05	19.42	33	PASS
N25	15	40	DFT-256QAM	L	Inner_Full	18.1	19.47	33	PASS

N25	15	40	DFT-256QAM	L	Edge_1RB_Left	18.37	19.74	33	PASS
N25	15	40	DFT-256QAM	L	Edge_1RB_Right	18.5	19.87	33	PASS
N25	15	40	DFT-PI2BPSK	M	Outer_Full	21.93	23.3	33	PASS
N25	15	40	DFT-PI2BPSK	M	Inner_Full	22.4	23.77	33	PASS
N25	15	40	DFT-PI2BPSK	M	Edge_1RB_Left	21.89	23.26	33	PASS
N25	15	40	DFT-PI2BPSK	M	Edge_1RB_Right	21.89	23.26	33	PASS
N25	15	40	DFT-QPSK	M	Outer_Full	21.64	23.01	33	PASS
N25	15	40	DFT-QPSK	M	Inner_Full	22.59	23.96	33	PASS
N25	15	40	DFT-QPSK	M	Edge_1RB_Left	21.61	22.98	33	PASS
N25	15	40	DFT-QPSK	M	Edge_1RB_Right	21.51	22.88	33	PASS
N25	15	40	DFT-16QAM	M	Outer_Full	20.64	22.01	33	PASS
N25	15	40	DFT-16QAM	M	Inner_Full	21.61	22.98	33	PASS
N25	15	40	DFT-16QAM	M	Edge_1RB_Left	20.66	22.03	33	PASS
N25	15	40	DFT-16QAM	M	Edge_1RB_Right	20.63	22	33	PASS
N25	15	40	DFT-64QAM	M	Outer_Full	20.17	21.54	33	PASS
N25	15	40	DFT-64QAM	M	Inner_Full	20.08	21.45	33	PASS
N25	15	40	DFT-64QAM	M	Edge_1RB_Left	20.08	21.45	33	PASS
N25	15	40	DFT-64QAM	M	Edge_1RB_Right	20.01	21.38	33	PASS
N25	15	40	DFT-256QAM	M	Outer_Full	18.05	19.42	33	PASS
N25	15	40	DFT-256QAM	M	Inner_Full	18.08	19.45	33	PASS
N25	15	40	DFT-256QAM	M	Edge_1RB_Left	18.36	19.73	33	PASS
N25	15	40	DFT-256QAM	M	Edge_1RB_Right	18.34	19.71	33	PASS
N25	15	40	DFT-PI2BPSK	H	Outer_Full	21.97	23.34	33	PASS
N25	15	40	DFT-PI2BPSK	H	Inner_Full	22.42	23.79	33	PASS
N25	15	40	DFT-PI2BPSK	H	Edge_1RB_Left	21.96	23.33	33	PASS
N25	15	40	DFT-PI2BPSK	H	Edge_1RB_Right	21.73	23.1	33	PASS
N25	15	40	DFT-QPSK	H	Outer_Full	21.79	23.16	33	PASS
N25	15	40	DFT-QPSK	H	Inner_Full	22.47	23.84	33	PASS
N25	15	40	DFT-QPSK	H	Edge_1RB_Left	21.62	22.99	33	PASS

N25	15	40	DFT-QPSK	H	Edge_1RB_Right	21.5	22.87	33	PASS
N25	15	40	DFT-16QAM	H	Outer_Full	20.64	22.01	33	PASS
N25	15	40	DFT-16QAM	H	Inner_Full	21.53	22.9	33	PASS
N25	15	40	DFT-16QAM	H	Edge_1RB_Left	20.69	22.06	33	PASS
N25	15	40	DFT-16QAM	H	Edge_1RB_Right	20.68	22.05	33	PASS
N25	15	40	DFT-64QAM	H	Outer_Full	20.23	21.6	33	PASS
N25	15	40	DFT-64QAM	H	Inner_Full	20.09	21.46	33	PASS
N25	15	40	DFT-64QAM	H	Edge_1RB_Left	19.9	21.27	33	PASS
N25	15	40	DFT-64QAM	H	Edge_1RB_Right	19.87	21.24	33	PASS
N25	15	40	DFT-256QAM	H	Outer_Full	18.03	19.4	33	PASS
N25	15	40	DFT-256QAM	H	Inner_Full	18.01	19.38	33	PASS
N25	15	40	DFT-256QAM	H	Edge_1RB_Left	18.63	20	33	PASS
N25	15	40	DFT-256QAM	H	Edge_1RB_Right	18.73	20.1	33	PASS
n25	15	35	DFT-BPSK	L	Edge_1RB_Left	22.47	23.84	33	PASS
n25	15	35	DFT-BPSK	L	Outer_Full	22.57	23.94	33	PASS
n25	15	35	DFT-BPSK	L	Inner_Full	23.02	24.39	33	PASS
n25	15	35	DFT-BPSK	L	Edge_1RB_Right	22.45	23.82	33	PASS
n25	15	35	DFT-QPSK	L	Edge_1RB_Left	22.04	23.41	33	PASS
n25	15	35	DFT-QPSK	L	Outer_Full	22.06	23.43	33	PASS
n25	15	35	DFT-QPSK	L	Inner_Full	23.07	24.44	33	PASS
n25	15	35	DFT-QPSK	L	Edge_1RB_Right	22	23.37	33	PASS
n25	15	35	DFT-16QAM	L	Edge_1RB_Left	21.06	22.43	33	PASS
n25	15	35	DFT-16QAM	L	Outer_Full	21.11	22.48	33	PASS
n25	15	35	DFT-16QAM	L	Inner_Full	22.05	23.42	33	PASS
n25	15	35	DFT-16QAM	L	Edge_1RB_Right	20.83	22.2	33	PASS
n25	15	35	DFT-64QAM	L	Edge_1RB_Left	20.7	22.07	33	PASS
n25	15	35	DFT-64QAM	L	Outer_Full	20.62	21.99	33	PASS
n25	15	35	DFT-64QAM	L	Inner_Full	20.7	22.07	33	PASS
n25	15	35	DFT-64QAM	L	Edge_1RB_Right	20.59	21.96	33	PASS
n25	15	35	DFT-256QAM	L	Edge_1RB_Left	18.1	19.47	33	PASS
n25	15	35	DFT-256QAM	L	Outer_Full	18.58	19.95	33	PASS

n25	15	35	DFT-256QAM	L	Inner_Full	18.55	19.92	33	PASS
n25	15	35	DFT-256QAM	L	Edge_1RB_Right	17.93	19.3	33	PASS
n25	15	35	DFT-BPSK	M	Edge_1RB_Left	22.54	23.91	33	PASS
n25	15	35	DFT-BPSK	M	Outer_Full	22.52	23.89	33	PASS
n25	15	35	DFT-BPSK	M	Inner_Full	22.83	24.2	33	PASS
n25	15	35	DFT-BPSK	M	Edge_1RB_Right	22.39	23.76	33	PASS
n25	15	35	DFT-QPSK	M	Edge_1RB_Left	21.87	23.24	33	PASS
n25	15	35	DFT-QPSK	M	Outer_Full	21.96	23.33	33	PASS
n25	15	35	DFT-QPSK	M	Inner_Full	22.89	24.26	33	PASS
n25	15	35	DFT-QPSK	M	Edge_1RB_Right	21.83	23.2	33	PASS
n25	15	35	DFT-16QAM	M	Edge_1RB_Left	20.9	22.27	33	PASS
n25	15	35	DFT-16QAM	M	Outer_Full	20.91	22.28	33	PASS
n25	15	35	DFT-16QAM	M	Inner_Full	21.87	23.24	33	PASS
n25	15	35	DFT-16QAM	M	Edge_1RB_Right	20.78	22.15	33	PASS
n25	15	35	DFT-64QAM	M	Edge_1RB_Left	20.62	21.99	33	PASS
n25	15	35	DFT-64QAM	M	Outer_Full	20.44	21.81	33	PASS
n25	15	35	DFT-64QAM	M	Inner_Full	20.46	21.83	33	PASS
n25	15	35	DFT-64QAM	M	Edge_1RB_Right	20.62	21.99	33	PASS

Peak-to-Average Ratio for SA


Peak-to-Average Ratio(CCDF)

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
N25	15	5	DFT-PI2BPSK	M	Outer_Full	4.02	≤13	PASS
N25	15	5	DFT-QPSK	M	Outer_Full	4.52	≤13	PASS
N25	15	5	DFT-16QAM	M	Outer_Full	5.60	≤13	PASS
N25	15	5	DFT-64QAM	M	Outer_Full	5.95	≤13	PASS
N25	15	5	DFT-256QAM	M	Outer_Full	6.05	≤13	PASS
N25	15	10	DFT-PI2BPSK	M	Outer_Full	4.32	≤13	PASS
N25	15	10	DFT-QPSK	M	Outer_Full	4.92	≤13	PASS
N25	15	10	DFT-16QAM	M	Outer_Full	5.84	≤13	PASS
N25	15	10	DFT-64QAM	M	Outer_Full	6.36	≤13	PASS
N25	15	10	DFT-256QAM	M	Outer_Full	6.52	≤13	PASS
N25	15	15	DFT-PI2BPSK	M	Outer_Full	4.19	≤13	PASS
N25	15	15	DFT-QPSK	M	Outer_Full	4.58	≤13	PASS
N25	15	15	DFT-16QAM	M	Outer_Full	5.55	≤13	PASS
N25	15	15	DFT-64QAM	M	Outer_Full	6.03	≤13	PASS
N25	15	15	DFT-256QAM	M	Outer_Full	6.64	≤13	PASS
N25	15	20	DFT-PI2BPSK	M	Outer_Full	4.03	≤13	PASS
N25	15	20	DFT-QPSK	M	Outer_Full	4.68	≤13	PASS
N25	15	20	DFT-16QAM	M	Outer_Full	5.52	≤13	PASS
N25	15	20	DFT-64QAM	M	Outer_Full	6.08	≤13	PASS
N25	15	20	DFT-256QAM	M	Outer_Full	6.73	≤13	PASS
N25	15	25	DFT-PI2BPSK	M	Outer_Full	4.43	≤13	PASS
N25	15	25	DFT-QPSK	M	Outer_Full	5.31	≤13	PASS
N25	15	25	DFT-16QAM	M	Outer_Full	6.09	≤13	PASS
N25	15	25	DFT-64QAM	M	Outer_Full	6.44	≤13	PASS
N25	15	25	DFT-256QAM	M	Outer_Full	6.81	≤13	PASS
N25	15	30	DFT-PI2BPSK	M	Outer_Full	4.41	≤13	PASS
N25	15	30	DFT-QPSK	M	Outer_Full	5.14	≤13	PASS
N25	15	30	DFT-16QAM	M	Outer_Full	6.09	≤13	PASS
N25	15	30	DFT-64QAM	M	Outer_Full	6.41	≤13	PASS
N25	15	30	DFT-256QAM	M	Outer_Full	6.71	≤13	PASS
N25	15	40	DFT-PI2BPSK	M	Outer_Full	4.03	≤13	PASS
N25	15	40	DFT-QPSK	M	Outer_Full	5.29	≤13	PASS
N25	15	40	DFT-16QAM	M	Outer_Full	6.17	≤13	PASS
N25	15	40	DFT-64QAM	M	Outer_Full	6.55	≤13	PASS
N25	15	40	DFT-256QAM	M	Outer_Full	6.74	≤13	PASS
n25	15	35	DFT-BPSK	M	Outer_Full	8.52	≤13dB	PASS

n25	15	35	DFT-QPSK	M	Outer_Full	8.5	≤13dB	PASS
n25	15	35	DFT-16QAM	M	Outer_Full	8.42	≤13dB	PASS
n25	15	35	DFT-64QAM	M	Outer_Full	8.46	≤13dB	PASS
n25	15	35	DFT-256QAM	M	Outer_Full	8.46	≤13dB	PASS

Test Graphs




NTNV-N25-PC3-15-5-M-DFT-PI2BPSK-Outer_Full-PASS



NTNV-N25-PC3-15-5-M-DFT-QPSK-Outer_Full-PASS




NTNV-N25-PC3-15-5-M-DFT-16QAM-Outer_Full-PASS




NTNV-N25-PC3-15-5-M-DFT-64QAM-Outer_Full-PASS




NTVN-N25-PC3-15-5-M-DFT-256QAM-Outer_Full-PASS



NTVN-N25-PC3-15-10-M-DFT-PI2BPSK-Outer_Full-PASS



NTVN-N25-PC3-15-10-M-DFT-QPSK-Outer_Full-PASS




NTVN-N25-PC3-15-10-M-DFT-16QAM-Outer_Full-PASS



NTVN-N25-PC3-15-10-M-DFT-64QAM-Outer_Full-PASS



NTVN-N25-PC3-15-10-M-DFT-256QAM-Outer_Full-PASS




NTVN-N25-PC3-15-15-M-DFT-PI2BPSK-Outer_Full-PASS




NTVN-N25-PC3-15-15-M-DFT-QPSK-Outer_Full-PASS




NTVN-N25-PC3-15-15-M-DFT-16QAM-Outer_Full-PASS




NTVN-N25-PC3-15-15-M-DFT-64QAM-Outer_Full-PASS



NTVN-N25-PC3-15-15-M-DFT-256QAM-Outer_Full-PASS



NTVN-N25-PC3-15-20-M-DFT-PI2BPSK-Outer_Full-PASS




NTNV-N25-PC3-15-20-M-DFT-QPSK-Outer_Full-PASS



NTNV-N25-PC3-15-20-M-DFT-16QAM-Outer_Full-PASS




NTNV-N25-PC3-15-20-M-DFT-64QAM-Outer_Full-PASS




NTNV-N25-PC3-15-20-M-DFT-256QAM-Outer_Full-PASS




NTNV-N25-PC3-15-25-M-DFT-PI2BPSK-Outer_Full-PASS




NTNV-N25-PC3-15-25-M-DFT-QPSK-Outer_Full-PASS




NTNV-N25-PC3-15-25-M-DFT-16QAM-Outer_Full-PASS




NTNV-N25-PC3-15-25-M-DFT-64QAM-Outer_Full-PASS




NTVN-N25-PC3-15-25-M-DFT-256QAM-Outer_Full-PASS




NTVN-N25-PC3-15-30-M-DFT-PI2BPSK-Outer_Full-PASS




NTVN-N25-PC3-15-30-M-DFT-QPSK-Outer_Full-PASS




NTVN-N25-PC3-15-30-M-DFT-16QAM-Outer_Full-PASS



NTVN-N25-PC3-15-30-M-DFT-64QAM-Outer_Full-PASS




NTVN-N25-PC3-15-30-M-DFT-256QAM-Outer_Full-PASS




NTVN-N25-PC3-15-40-M-DFT-PI2BPSK-Outer_Full-PASS




NTVN-N25-PC3-15-40-M-DFT-QPSK-Outer_Full-PASS




NTNV-N25-PC3-15-40-M-DFT-16QAM-Outer_Full-PASS





NTNV-N25-PC3-15-40-M-DFT-64QAM-Outer_Full-PASS



NTNV-N25-PC3-15-40-M-DFT-256QAM-Outer_Full-PASS





NTNV-n25-PC3-15-35-M-DFT-BPSK-Outer_Full-PASS



NTVN-n25-PC3-15-35-M-DFT-QPSK-Outer_Full-PASS

NTVN-n25-PC3-15-35-M-DFT-16QAM-Outer_Full-PASS



NTVN-n25-PC3-15-35-M-DFT-64QAM-Outer_Full-PASS


NTVN-n25-PC3-15-35-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result



Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N25	15	5	CP-QPSK	M	Outer_Full	4.4781	5.111	PASS
N25	15	5	CP-16QAM	M	Outer_Full	4.4972	5.209	PASS
N25	15	5	CP-64QAM	M	Outer_Full	4.5078	5.202	PASS
N25	15	5	CP-256QAM	M	Outer_Full	4.4839	5.086	PASS
N25	15	10	CP-QPSK	M	Outer_Full	9.3061	10.18	PASS
N25	15	10	CP-16QAM	M	Outer_Full	9.3064	10.19	PASS
N25	15	10	CP-64QAM	M	Outer_Full	9.3138	10.31	PASS
N25	15	10	CP-256QAM	M	Outer_Full	9.2796	10.06	PASS
N25	15	15	CP-QPSK	M	Outer_Full	14.142	15.23	PASS
N25	15	15	CP-16QAM	M	Outer_Full	14.115	15.25	PASS
N25	15	15	CP-64QAM	M	Outer_Full	14.168	15.21	PASS
N25	15	15	CP-256QAM	M	Outer_Full	14.160	15.16	PASS
N25	15	20	CP-QPSK	M	Outer_Full	18.969	20.17	PASS
N25	15	20	CP-16QAM	M	Outer_Full	18.953	20.16	PASS
N25	15	20	CP-64QAM	M	Outer_Full	18.927	20.13	PASS
N25	15	20	CP-256QAM	M	Outer_Full	18.925	20.10	PASS
N25	15	25	CP-QPSK	M	Outer_Full	23.768	25.04	PASS
N25	15	25	CP-16QAM	M	Outer_Full	23.772	25.21	PASS
N25	15	25	CP-64QAM	M	Outer_Full	23.854	25.20	PASS
N25	15	25	CP-256QAM	M	Outer_Full	23.779	25.14	PASS
N25	15	30	CP-QPSK	M	Outer_Full	28.625	30.09	PASS
N25	15	30	CP-16QAM	M	Outer_Full	28.607	30.07	PASS
N25	15	30	CP-64QAM	M	Outer_Full	28.606	30.09	PASS
N25	15	30	CP-256QAM	M	Outer_Full	28.582	30.06	PASS
N25	15	40	CP-QPSK	M	Outer_Full	38.589	40.43	PASS
N25	15	40	CP-16QAM	M	Outer_Full	38.604	40.42	PASS
N25	15	40	CP-64QAM	M	Outer_Full	38.614	40.38	PASS
N25	15	40	CP-256QAM	M	Outer_Full	38.675	40.49	PASS
n25	15	35	CP-QPSK	M	Outer_Full	32.217	33.670	PASS
n25	15	35	CP-16QAM	M	Outer_Full	32.184	33.670	PASS
n25	15	35	CP-64QAM	M	Outer_Full	32.15	33.740	PASS
n25	15	35	CP-256QAM	M	Outer_Full	32.14	33.670	PASS

Test Graphs




NTNV-N25-PC3-15-5-M-CP-QPSK-Outer_Full-Ant1-PASS

NTNV-N25-PC3-15-5-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-5-M-CP-64QAM-Outer_Full-Ant1-PASS

NTNV-N25-PC3-15-5-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-10-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-10-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-10-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-10-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-15-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-15-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-15-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-15-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-20-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-20-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-20-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-20-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-25-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-25-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-25-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-25-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-30-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-30-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-30-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-30-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-N25-PC3-15-40-M-CP-QPSK-Outer_Full-Ant1-PASS





NTNV-N25-PC3-15-40-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-N25-PC3-15-40-M-CP-64QAM-Outer_Full-Ant1-PASS





NTNV-N25-PC3-15-40-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-n25-PC3-15-35-M-CP-QPSK-Outer_Full-Ant1-PASS

NTNV-n25-PC3-15-35-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n25-PC3-15-35-M-CP-64QAM-Outer_Full-Ant1-PASS

NTNV-n25-PC3-15-35-M-CP-256QAM-Outer_Full-Ant1-PASS



Band Edge for SA

Test Graphs





NTNV-N25-PC3-15-5-L-DFT-PI2BPSK-Outter_Full-Ant1-PASS

NTNV-N25-PC3-15-5-L-DFT-PI2BPSK-Edge_1RB_Left-Ant1-PASS





NTNV-N25-PC3-15-5-L-DFT-QPSK-Outter_Full-Ant1-PASS

NTNV-N25-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left-Ant1-PASS



NTNV-N25-PC3-15-5-H-DFT-PI2BPSK-Outer_Full-Ant1-PASS

NTNV-N25-PC3-15-5-H-DFT-PI2BPSK-Edge_1RB_Right-Ant1-PASS



NTNV-N25-PC3-15-5-H-DFT-QPSK-Outer_Full-Ant1-PASS

NTNV-N25-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right-Ant1-PASS