

## Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result (dBm) | Gain (dBi) | EIRP/ERP (dBm) | Limit (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|--------------|------------|----------------|-------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 23.39        | 1.6        | 24.99          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | 22.55        | 1.6        | 24.15          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#2            | 23.42        | 1.6        | 25.02          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 23.40        | 1.6        | 25             | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 23.44        | 1.6        | 25.04          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 22.55        | 1.6        | 24.15          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#2            | 23.42        | 1.6        | 25.02          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 23.43        | 1.6        | 25.03          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 23.41        | 1.6        | 25.01          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | 22.59        | 1.6        | 24.19          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#2            | 23.43        | 1.6        | 25.03          | 33          | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 23.47        | 1.6        | 25.07          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#0            | 22.66        | 1.6        | 24.26          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 6RB#0            | 21.61        | 1.6        | 23.21          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#2            | 22.63        | 1.6        | 24.23          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18607   | 1RB#5            | 22.66        | 1.6        | 24.26          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#0            | 22.65        | 1.6        | 24.25          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 21.60        | 1.6        | 23.2           | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#2            | 22.66        | 1.6        | 24.26          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 1RB#5            | 22.60        | 1.6        | 24.2           | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#0            | 22.27        | 1.6        | 23.87          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 6RB#0            | 21.41        | 1.6        | 23.01          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#2            | 22.31        | 1.6        | 23.91          | 33          | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 19193   | 1RB#5            | 22.37        | 1.6        | 23.97          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 23.47        | 1.6        | 25.07          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | 22.52        | 1.6        | 24.12          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#8            | 23.48        | 1.6        | 25.08          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#14           | 23.46        | 1.6        | 25.06          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 1RB#0            | 23.48        | 1.6        | 25.08          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 22.50        | 1.6        | 24.1           | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 1RB#8            | 23.47        | 1.6        | 25.07          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 1RB#14           | 23.48        | 1.6        | 25.08          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#0            | 23.50        | 1.6        | 25.1           | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | 22.64        | 1.6        | 24.24          | 33          | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#8            | 23.50        | 1.6        | 25.1           | 33          | PASS    |

|       |       |       |       |        |       |     |       |    |      |
|-------|-------|-------|-------|--------|-------|-----|-------|----|------|
| Band2 | 3MHz  | QPSK  | 19185 | 1RB#14 | 23.50 | 1.6 | 25.1  | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18615 | 1RB#0  | 22.44 | 1.6 | 24.04 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18615 | 15RB#0 | 21.58 | 1.6 | 23.18 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18615 | 1RB#8  | 22.42 | 1.6 | 24.02 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18615 | 1RB#14 | 22.46 | 1.6 | 24.06 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18900 | 1RB#0  | 22.44 | 1.6 | 24.04 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18900 | 15RB#0 | 21.58 | 1.6 | 23.18 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18900 | 1RB#8  | 22.46 | 1.6 | 24.06 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 18900 | 1RB#14 | 22.44 | 1.6 | 24.04 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 19185 | 1RB#0  | 22.36 | 1.6 | 23.96 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 19185 | 15RB#0 | 21.40 | 1.6 | 23    | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 19185 | 1RB#8  | 22.34 | 1.6 | 23.94 | 33 | PASS |
| Band2 | 3MHz  | 16QAM | 19185 | 1RB#14 | 22.33 | 1.6 | 23.93 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 1RB#0  | 23.64 | 1.6 | 25.24 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 25RB#0 | 22.53 | 1.6 | 24.13 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 1RB#12 | 23.66 | 1.6 | 25.26 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18625 | 1RB#24 | 23.63 | 1.6 | 25.23 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 1RB#0  | 23.66 | 1.6 | 25.26 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 25RB#0 | 22.53 | 1.6 | 24.13 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 1RB#12 | 23.66 | 1.6 | 25.26 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 18900 | 1RB#24 | 23.64 | 1.6 | 25.24 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 1RB#0  | 23.61 | 1.6 | 25.21 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 25RB#0 | 22.60 | 1.6 | 24.2  | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 1RB#12 | 23.62 | 1.6 | 25.22 | 33 | PASS |
| Band2 | 5MHz  | QPSK  | 19175 | 1RB#24 | 23.60 | 1.6 | 25.2  | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#0  | 22.24 | 1.6 | 23.84 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 25RB#0 | 21.62 | 1.6 | 23.22 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#12 | 22.24 | 1.6 | 23.84 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18625 | 1RB#24 | 22.23 | 1.6 | 23.83 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#0  | 22.22 | 1.6 | 23.82 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 25RB#0 | 21.56 | 1.6 | 23.16 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#12 | 22.24 | 1.6 | 23.84 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 18900 | 1RB#24 | 22.22 | 1.6 | 23.82 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#0  | 22.53 | 1.6 | 24.13 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 25RB#0 | 21.56 | 1.6 | 23.16 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#12 | 22.55 | 1.6 | 24.15 | 33 | PASS |
| Band2 | 5MHz  | 16QAM | 19175 | 1RB#24 | 22.58 | 1.6 | 24.18 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#0  | 23.45 | 1.6 | 25.05 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 50RB#0 | 22.53 | 1.6 | 24.13 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#24 | 23.40 | 1.6 | 25    | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18650 | 1RB#49 | 23.36 | 1.6 | 24.96 | 33 | PASS |

|       |       |       |       |        |       |     |       |    |      |
|-------|-------|-------|-------|--------|-------|-----|-------|----|------|
| Band2 | 10MHz | QPSK  | 18900 | 1RB#0  | 23.43 | 1.6 | 25.03 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 50RB#0 | 22.53 | 1.6 | 24.13 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#24 | 23.40 | 1.6 | 25    | 33 | PASS |
| Band2 | 10MHz | QPSK  | 18900 | 1RB#49 | 23.42 | 1.6 | 25.02 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#0  | 23.52 | 1.6 | 25.12 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 50RB#0 | 22.60 | 1.6 | 24.2  | 33 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#24 | 23.56 | 1.6 | 25.16 | 33 | PASS |
| Band2 | 10MHz | QPSK  | 19150 | 1RB#49 | 23.60 | 1.6 | 25.2  | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#0  | 22.55 | 1.6 | 24.15 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 50RB#0 | 21.50 | 1.6 | 23.1  | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#24 | 22.51 | 1.6 | 24.11 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18650 | 1RB#49 | 22.52 | 1.6 | 24.12 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#0  | 22.48 | 1.6 | 24.08 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 50RB#0 | 21.53 | 1.6 | 23.13 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#24 | 22.46 | 1.6 | 24.06 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 18900 | 1RB#49 | 22.46 | 1.6 | 24.06 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#0  | 22.40 | 1.6 | 24    | 33 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 50RB#0 | 21.60 | 1.6 | 23.2  | 33 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#24 | 22.44 | 1.6 | 24.04 | 33 | PASS |
| Band2 | 10MHz | 16QAM | 19150 | 1RB#49 | 22.39 | 1.6 | 23.99 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#0  | 23.47 | 1.6 | 25.07 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 75RB#0 | 22.54 | 1.6 | 24.14 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#38 | 23.41 | 1.6 | 25.01 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18675 | 1RB#74 | 23.37 | 1.6 | 24.97 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#0  | 23.46 | 1.6 | 25.06 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 75RB#0 | 22.61 | 1.6 | 24.21 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#38 | 23.45 | 1.6 | 25.05 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 18900 | 1RB#74 | 23.42 | 1.6 | 25.02 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#0  | 23.51 | 1.6 | 25.11 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 75RB#0 | 22.64 | 1.6 | 24.24 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#38 | 23.57 | 1.6 | 25.17 | 33 | PASS |
| Band2 | 15MHz | QPSK  | 19125 | 1RB#74 | 23.58 | 1.6 | 25.18 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#0  | 22.57 | 1.6 | 24.17 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 75RB#0 | 21.52 | 1.6 | 23.12 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#38 | 22.48 | 1.6 | 24.08 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18675 | 1RB#74 | 22.45 | 1.6 | 24.05 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#0  | 22.52 | 1.6 | 24.12 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 75RB#0 | 21.57 | 1.6 | 23.17 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#38 | 22.51 | 1.6 | 24.11 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 18900 | 1RB#74 | 22.54 | 1.6 | 24.14 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#0  | 22.63 | 1.6 | 24.23 | 33 | PASS |


|       |       |       |       |         |       |     |       |    |      |
|-------|-------|-------|-------|---------|-------|-----|-------|----|------|
| Band2 | 15MHz | 16QAM | 19125 | 75RB#0  | 21.66 | 1.6 | 23.26 | 33 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#38  | 22.70 | 1.6 | 24.3  | 33 | PASS |
| Band2 | 15MHz | 16QAM | 19125 | 1RB#74  | 22.74 | 1.6 | 24.34 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#0   | 23.40 | 1.6 | 25    | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 100RB#0 | 22.34 | 1.6 | 23.94 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#49  | 23.32 | 1.6 | 24.92 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18700 | 1RB#99  | 23.27 | 1.6 | 24.87 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#0   | 23.38 | 1.6 | 24.98 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 100RB#0 | 22.40 | 1.6 | 24    | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#49  | 23.40 | 1.6 | 25    | 33 | PASS |
| Band2 | 20MHz | QPSK  | 18900 | 1RB#99  | 23.40 | 1.6 | 25    | 33 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#0   | 23.51 | 1.6 | 25.11 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 100RB#0 | 22.45 | 1.6 | 24.05 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#49  | 23.56 | 1.6 | 25.16 | 33 | PASS |
| Band2 | 20MHz | QPSK  | 19100 | 1RB#99  | 23.59 | 1.6 | 25.19 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#0   | 22.21 | 1.6 | 23.81 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 100RB#0 | 21.35 | 1.6 | 22.95 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#49  | 22.10 | 1.6 | 23.7  | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18700 | 1RB#99  | 22.03 | 1.6 | 23.63 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#0   | 22.20 | 1.6 | 23.8  | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 100RB#0 | 21.42 | 1.6 | 23.02 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#49  | 22.13 | 1.6 | 23.73 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 18900 | 1RB#99  | 22.14 | 1.6 | 23.74 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#0   | 22.62 | 1.6 | 24.22 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 100RB#0 | 21.48 | 1.6 | 23.08 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#49  | 22.68 | 1.6 | 24.28 | 33 | PASS |
| Band2 | 20MHz | 16QAM | 19100 | 1RB#99  | 22.68 | 1.6 | 24.28 | 33 | PASS |


## Peak-to-Average Ratio(CCDF)

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 6.09       | 13        | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 7.02       | 13        | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 5.97       | 13        | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 6.84       | 13        | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 6.07       | 13        | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 6.76       | 13        | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 50RB#0           | 5.94       | 13        | PASS    |
| Band2 | 10MHz     | 16QAM      | 18900   | 50RB#0           | 6.74       | 13        | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 75RB#0           | 6.32       | 13        | PASS    |
| Band2 | 15MHz     | 16QAM      | 18900   | 75RB#0           | 6.76       | 13        | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 100RB#0          | 5.96       | 13        | PASS    |
| Band2 | 20MHz     | 16QAM      | 18900   | 100RB#0          | 6.71       | 13        | PASS    |

## Test Graphs





Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS


## 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18900   | 6RB#0            | 1.0974                   | 1.264                | PASS    |
| Band2 | 1.4MHz    | 16QAM      | 18900   | 6RB#0            | 1.0911                   | 1.252                | PASS    |
| Band2 | 3MHz      | QPSK       | 18900   | 15RB#0           | 2.6957                   | 2.887                | PASS    |
| Band2 | 3MHz      | 16QAM      | 18900   | 15RB#0           | 2.6953                   | 2.898                | PASS    |
| Band2 | 5MHz      | QPSK       | 18900   | 25RB#0           | 4.4927                   | 4.833                | PASS    |
| Band2 | 5MHz      | 16QAM      | 18900   | 25RB#0           | 4.4982                   | 4.836                | PASS    |
| Band2 | 10MHz     | QPSK       | 18900   | 50RB#0           | 8.9551                   | 9.652                | PASS    |
| Band2 | 10MHz     | 16QAM      | 18900   | 50RB#0           | 8.9624                   | 9.658                | PASS    |
| Band2 | 15MHz     | QPSK       | 18900   | 75RB#0           | 13.438                   | 14.48                | PASS    |
| Band2 | 15MHz     | 16QAM      | 18900   | 75RB#0           | 13.449                   | 14.46                | PASS    |
| Band2 | 20MHz     | QPSK       | 18900   | 100RB#0          | 17.978                   | 19.59                | PASS    |
| Band2 | 20MHz     | 16QAM      | 18900   | 100RB#0          | 17.994                   | 19.60                | PASS    |

## Test Graphs







Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS

## Band Edge

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | Margin(dB) | Verdict |
|-------|-----------|------------|---------|------------------|-------------|------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | -33.98      | 20.98      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 6RB#0            | -36.42      | 23.42      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | -36.37      | 23.37      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | -33.41      | 20.41      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 6RB#0            | -31.25      | 18.25      | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | -29.04      | 16.04      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | -30.81      | 17.81      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 15RB#0           | -38.38      | 25.38      | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#14           | -41.34      | 28.34      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#0            | -42.20      | 29.20      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 15RB#0           | -34.54      | 21.54      | PASS    |
| Band2 | 3MHz      | QPSK       | 19185   | 1RB#14           | -26.47      | 13.47      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#0            | -34.25      | 21.25      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 25RB#0           | -40.34      | 27.34      | PASS    |
| Band2 | 5MHz      | QPSK       | 18625   | 1RB#24           | -54.41      | 41.41      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#0            | -54.57      | 41.57      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 25RB#0           | -38.20      | 25.20      | PASS    |
| Band2 | 5MHz      | QPSK       | 19175   | 1RB#24           | -30.73      | 17.73      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 1RB#0            | -41.37      | 28.37      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 50RB#0           | -41.01      | 28.01      | PASS    |
| Band2 | 10MHz     | QPSK       | 18650   | 1RB#49           | -56.04      | 43.04      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 1RB#0            | -56.48      | 43.48      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 50RB#0           | -40.64      | 27.64      | PASS    |
| Band2 | 10MHz     | QPSK       | 19150   | 1RB#49           | -39.86      | 26.86      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 1RB#0            | -43.19      | 30.19      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 75RB#0           | -39.84      | 26.84      | PASS    |
| Band2 | 15MHz     | QPSK       | 18675   | 1RB#74           | -56.21      | 43.21      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 1RB#0            | -56.85      | 43.85      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 75RB#0           | -42.18      | 29.18      | PASS    |
| Band2 | 15MHz     | QPSK       | 19125   | 1RB#74           | -42.57      | 29.57      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 1RB#0            | -41.32      | 28.32      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 100RB#0          | -39.41      | 26.41      | PASS    |
| Band2 | 20MHz     | QPSK       | 18700   | 1RB#99           | -53.64      | 40.64      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 1RB#0            | -54.77      | 41.77      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 100RB#0          | -43.39      | 30.39      | PASS    |
| Band2 | 20MHz     | QPSK       | 19100   | 1RB#99           | -40.13      | 27.13      | PASS    |

# Test Graphs





Band2-3MHz-QPSK-18615-1RB#14-PASS




Band2-3MHz-QPSK-19185-1RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-QPSK-19185-1RB#14-PASS



Band2-5MHz-QPSK-18625-1RB#0-PASS



Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-QPSK-18625-1RB#24-PASS



Band2-5MHz-QPSK-19175-1RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-5MHz-QPSK-19175-1RB#24-PASS



Band2-10MHz-QPSK-18650-1RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-QPSK-18650-1RB#49-PASS



Band2-10MHz-QPSK-19150-1RB#0-PASS




Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-QPSK-19150-1RB#49-PASS



Band2-15MHz-QPSK-18675-1RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-QPSK-18675-1RB#74-PASS



Band2-15MHz-QPSK-19125-1RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-QPSK-19125-1RB#74-PASS



Band2-20MHz-QPSK-18700-1RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-QPSK-18700-1RB#99-PASS



Band2-20MHz-QPSK-19100-1RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#99-PASS

## Conducted Spurious Emission

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range | Result (dBm) | Limit (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-----------------|--------------|-------------|---------|
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 0.009~0.15      | -70.08       | -43.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 0.15~30         | -67.65       | -33.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 30~1000         | -69.59       | -23.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 1000~3000       | -36.35       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#0            | 3000~20000      | -47.52       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 0.009~0.15      | -69.19       | -43.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 0.15~30         | -66.82       | -33.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 30~1000         | -69.65       | -23.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 1000~3000       | -37.85       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18607   | 1RB#5            | 3000~20000      | -47.89       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 0.009~0.15      | -68.97       | -43.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 0.15~30         | -66.46       | -33.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 30~1000         | -69.73       | -23.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 1000~3000       | -36.67       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#0            | 3000~20000      | -47.89       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 0.009~0.15      | -69.70       | -43.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 0.15~30         | -69.00       | -33.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 30~1000         | -69.71       | -23.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 1000~3000       | -36.88       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 18900   | 1RB#5            | 3000~20000      | -47.70       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 0.009~0.15      | -69.19       | -43.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 0.15~30         | -69.12       | -33.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 30~1000         | -69.91       | -23.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 1000~3000       | -36.18       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#0            | 3000~20000      | -46.82       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 0.009~0.15      | -69.32       | -43.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 0.15~30         | -68.58       | -33.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 30~1000         | -69.69       | -23.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 1000~3000       | -36.71       | -13.0       | PASS    |
| Band2 | 1.4MHz    | QPSK       | 19193   | 1RB#5            | 3000~20000      | -47.75       | -13.0       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 0.009~0.15      | -69.53       | -43.0       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 0.15~30         | -65.33       | -33.0       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 30~1000         | -69.61       | -23.0       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 1000~3000       | -43.09       | -13.0       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#0            | 3000~20000      | -47.89       | -13.0       | PASS    |
| Band2 | 3MHz      | QPSK       | 18615   | 1RB#14           | 0.009~0.15      | -69.95       | -43.0       | PASS    |


|       |      |      |       |        |            |        |       |      |
|-------|------|------|-------|--------|------------|--------|-------|------|
| Band2 | 3MHz | QPSK | 18615 | 1RB#14 | 0.15~30    | -70.21 | -33.0 | PASS |
| Band2 | 3MHz | QPSK | 18615 | 1RB#14 | 30~1000    | -69.90 | -23.0 | PASS |
| Band2 | 3MHz | QPSK | 18615 | 1RB#14 | 1000~3000  | -42.95 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 18615 | 1RB#14 | 3000~20000 | -47.77 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#0  | 0.009~0.15 | -69.80 | -43.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#0  | 0.15~30    | -68.40 | -33.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#0  | 30~1000    | -69.74 | -23.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#0  | 1000~3000  | -42.56 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#0  | 3000~20000 | -47.47 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#14 | 0.009~0.15 | -70.18 | -43.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#14 | 0.15~30    | -69.11 | -33.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#14 | 30~1000    | -69.90 | -23.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#14 | 1000~3000  | -43.26 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 18900 | 1RB#14 | 3000~20000 | -47.88 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#0  | 0.009~0.15 | -70.18 | -43.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#0  | 0.15~30    | -66.59 | -33.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#0  | 30~1000    | -69.79 | -23.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#0  | 1000~3000  | -40.63 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#0  | 3000~20000 | -47.17 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#14 | 0.009~0.15 | -70.33 | -43.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#14 | 0.15~30    | -67.36 | -33.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#14 | 30~1000    | -69.57 | -23.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#14 | 1000~3000  | -42.56 | -13.0 | PASS |
| Band2 | 3MHz | QPSK | 19185 | 1RB#14 | 3000~20000 | -45.64 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#0  | 0.009~0.15 | -68.68 | -43.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#0  | 0.15~30    | -67.72 | -33.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#0  | 30~1000    | -69.75 | -23.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#0  | 1000~3000  | -48.80 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#0  | 3000~20000 | -47.82 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#24 | 0.009~0.15 | -70.07 | -43.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#24 | 0.15~30    | -67.07 | -33.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#24 | 30~1000    | -69.76 | -23.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#24 | 1000~3000  | -44.90 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18625 | 1RB#24 | 3000~20000 | -47.70 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#0  | 0.009~0.15 | -69.58 | -43.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#0  | 0.15~30    | -66.79 | -33.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#0  | 30~1000    | -69.97 | -23.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#0  | 1000~3000  | -46.48 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#0  | 3000~20000 | -48.11 | -13.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#24 | 0.009~0.15 | -69.62 | -43.0 | PASS |
| Band2 | 5MHz | QPSK | 18900 | 1RB#24 | 0.15~30    | -67.00 | -33.0 | PASS |


|       |       |      |       |        |            |        |       |      |
|-------|-------|------|-------|--------|------------|--------|-------|------|
| Band2 | 5MHz  | QPSK | 18900 | 1RB#24 | 30~1000    | -69.74 | -23.0 | PASS |
| Band2 | 5MHz  | QPSK | 18900 | 1RB#24 | 1000~3000  | -48.22 | -13.0 | PASS |
| Band2 | 5MHz  | QPSK | 18900 | 1RB#24 | 3000~20000 | -47.87 | -13.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#0  | 0.009~0.15 | -69.76 | -43.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#0  | 0.15~30    | -66.13 | -33.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#0  | 30~1000    | -69.71 | -23.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#0  | 1000~3000  | -47.59 | -13.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#0  | 3000~20000 | -46.41 | -13.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#24 | 0.009~0.15 | -70.16 | -43.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#24 | 0.15~30    | -67.84 | -33.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#24 | 30~1000    | -69.51 | -23.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#24 | 1000~3000  | -48.94 | -13.0 | PASS |
| Band2 | 5MHz  | QPSK | 19175 | 1RB#24 | 3000~20000 | -46.68 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#0  | 0.009~0.15 | -70.04 | -43.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#0  | 0.15~30    | -67.83 | -33.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#0  | 30~1000    | -69.75 | -23.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#0  | 1000~3000  | -49.03 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#0  | 3000~20000 | -47.79 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#49 | 0.009~0.15 | -69.57 | -43.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#49 | 0.15~30    | -68.14 | -33.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#49 | 30~1000    | -69.33 | -23.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#49 | 1000~3000  | -49.07 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18650 | 1RB#49 | 3000~20000 | -47.65 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#0  | 0.009~0.15 | -69.45 | -43.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#0  | 0.15~30    | -66.44 | -33.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#0  | 30~1000    | -69.83 | -23.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#0  | 1000~3000  | -49.27 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#0  | 3000~20000 | -47.40 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#49 | 0.009~0.15 | -69.41 | -43.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#49 | 0.15~30    | -67.57 | -33.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#49 | 30~1000    | -69.82 | -23.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#49 | 1000~3000  | -49.24 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 18900 | 1RB#49 | 3000~20000 | -48.10 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#0  | 0.009~0.15 | -69.61 | -43.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#0  | 0.15~30    | -69.35 | -33.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#0  | 30~1000    | -69.37 | -23.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#0  | 1000~3000  | -49.14 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#0  | 3000~20000 | -46.77 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#49 | 0.009~0.15 | -67.27 | -43.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#49 | 0.15~30    | -65.99 | -33.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#49 | 30~1000    | -69.89 | -23.0 | PASS |

|       |       |      |       |        |            |        |       |      |
|-------|-------|------|-------|--------|------------|--------|-------|------|
| Band2 | 10MHz | QPSK | 19150 | 1RB#49 | 1000~3000  | -49.29 | -13.0 | PASS |
| Band2 | 10MHz | QPSK | 19150 | 1RB#49 | 3000~20000 | -47.90 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#0  | 0.009~0.15 | -68.50 | -43.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#0  | 0.15~30    | -67.60 | -33.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#0  | 30~1000    | -69.59 | -23.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#0  | 1000~3000  | -48.89 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#0  | 3000~20000 | -47.97 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#74 | 0.009~0.15 | -70.18 | -43.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#74 | 0.15~30    | -66.36 | -33.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#74 | 30~1000    | -69.96 | -23.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#74 | 1000~3000  | -49.35 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18675 | 1RB#74 | 3000~20000 | -47.78 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#0  | 0.009~0.15 | -68.86 | -43.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#0  | 0.15~30    | -67.04 | -33.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#0  | 30~1000    | -69.91 | -23.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#0  | 1000~3000  | -49.06 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#0  | 3000~20000 | -47.65 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#74 | 0.009~0.15 | -69.98 | -43.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#74 | 0.15~30    | -66.04 | -33.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#74 | 30~1000    | -69.44 | -23.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#74 | 1000~3000  | -48.68 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 18900 | 1RB#74 | 3000~20000 | -47.91 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#0  | 0.009~0.15 | -70.57 | -43.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#0  | 0.15~30    | -67.45 | -33.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#0  | 30~1000    | -69.96 | -23.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#0  | 1000~3000  | -49.00 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#0  | 3000~20000 | -47.36 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#74 | 0.009~0.15 | -70.58 | -43.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#74 | 0.15~30    | -67.34 | -33.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#74 | 30~1000    | -69.59 | -23.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#74 | 1000~3000  | -49.05 | -13.0 | PASS |
| Band2 | 15MHz | QPSK | 19125 | 1RB#74 | 3000~20000 | -47.12 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#0  | 0.009~0.15 | -69.19 | -43.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#0  | 0.15~30    | -68.29 | -33.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#0  | 30~1000    | -69.49 | -23.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#0  | 1000~3000  | -49.20 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#0  | 3000~20000 | -47.92 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#99 | 0.009~0.15 | -70.40 | -43.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#99 | 0.15~30    | -67.63 | -33.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#99 | 30~1000    | -69.19 | -23.0 | PASS |
| Band2 | 20MHz | QPSK | 18700 | 1RB#99 | 1000~3000  | -49.12 | -13.0 | PASS |

|       |       |      |       |        |            |        |       |      |
|-------|-------|------|-------|--------|------------|--------|-------|------|
| Band2 | 20MHz | QPSK | 18700 | 1RB#99 | 3000~20000 | -47.52 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#0  | 0.009~0.15 | -69.72 | -43.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#0  | 0.15~30    | -69.55 | -33.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#0  | 30~1000    | -69.55 | -23.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#0  | 1000~3000  | -49.35 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#0  | 3000~20000 | -47.78 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#99 | 0.009~0.15 | -68.54 | -43.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#99 | 0.15~30    | -67.99 | -33.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#99 | 30~1000    | -69.77 | -23.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#99 | 1000~3000  | -49.38 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 18900 | 1RB#99 | 3000~20000 | -48.03 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#0  | 0.009~0.15 | -69.91 | -43.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#0  | 0.15~30    | -66.52 | -33.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#0  | 30~1000    | -69.41 | -23.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#0  | 1000~3000  | -49.03 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#0  | 3000~20000 | -47.35 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#99 | 0.009~0.15 | -69.91 | -43.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#99 | 0.15~30    | -68.07 | -33.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#99 | 30~1000    | -69.84 | -23.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#99 | 1000~3000  | -49.04 | -13.0 | PASS |
| Band2 | 20MHz | QPSK | 19100 | 1RB#99 | 3000~20000 | -47.52 | -13.0 | PASS |

## Test Graphs






Band2-1.4MHz-QPSK-18607-1RB#5-1000~3000-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-3000~20000-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-0.009~0.15-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-0.15~30-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-30~1000-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-1000~3000-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-30~1000-PASS



Band2-1.4MHz-QPSK-18900-1RB#5-0.009~0.15-PASS

