



Appendix E

RF Test Data for 5.8GWIFI(Conducted Measurement)

Product Name: ePaper Tablet PC, E Ink Tablet PC, 2-in-1 Tablet PC

Trade Mark: BOOX

Test Model: Tab X

Environmental Conditions

Temperature:	25.5° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

Page

COVER PAGE

1	Duty Cycle	3
1.1	Test Result.....	3
1.2	Test Graphs	4
2	Maximum Conducted Output Power	11
2.1	Test Result.....	11
3	-6dB Bandwidth	12
3.1	Test Result.....	12
3.2	Test Graphs	13
4	Occupied Channel Bandwidth	20
4.1	Test Result.....	20
4.2	Test Graphs	21
5	Maximum Power Spectral Density Level.....	28
5.1	Test Result.....	28
5.2	Test Graphs	29
6	Frequency Stability.....	36
6.1	Test Result.....	36
7	Conducted RF Spurious Emission	40
7.1	Test Result.....	40
7.2	Test Graphs	41




1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5745	Ant1	98.8	0.05	0.49
a	5785	Ant1	98.8	0.05	0.49
a	5825	Ant1	98.56	0.06	0.49
n20	5745	Ant1	98.71	0.06	0.53
n20	5785	Ant1	98.7	0.06	0.53
n20	5825	Ant1	98.7	0.06	0.53
n40	5755	Ant1	96.14	0.17	2.04
n40	5795	Ant1	96.16	0.17	2.04
ac20	5745	Ant1	98.69	0.06	0.53
ac20	5785	Ant1	98.65	0.06	0.53
ac20	5825	Ant1	98.65	0.06	0.53
ac40	5755	Ant1	97.56	0.11	1.06
ac40	5795	Ant1	97.6	0.11	1.08
ac80	5775	Ant1	94.74	0.23	2.17




1.2 Test Graphs










Duty Cycle a 5825MHz Ant1



Duty Cycle n20 5745MHz Ant1











Duty Cycle ac20 5745MHz Ant1




Duty Cycle ac20 5785MHz Ant1








Duty Cycle ac20 5825MHz Ant1



Duty Cycle ac40 5755MHz Ant1







2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
a	5745	Ant1	-1.32	0.05	-1.27	30	Pass
a	5785	Ant1	-1.21	0.05	-1.16	30	Pass
a	5825	Ant1	-1.79	0.06	-1.73	30	Pass
n20	5745	Ant1	-1.43	0.06	-1.37	30	Pass
n20	5785	Ant1	-1.4	0.06	-1.34	30	Pass
n20	5825	Ant1	-2.18	0.06	-2.12	30	Pass
n40	5755	Ant1	-4.77	0.17	-4.6	30	Pass
n40	5795	Ant1	-4.81	0.17	-4.64	30	Pass
ac20	5745	Ant1	-1.67	0.06	-1.61	30	Pass
ac20	5785	Ant1	-1.43	0.06	-1.37	30	Pass
ac20	5825	Ant1	-2.5	0.06	-2.44	30	Pass
ac40	5755	Ant1	-4.76	0.11	-4.65	30	Pass
ac40	5795	Ant1	-4.84	0.11	-4.73	30	Pass
ac80	5775	Ant1	-5.14	0.23	-4.91	30	Pass




3 -6dB Bandwidth

3.1 Test Result

Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
a	5745	Ant1	12.786	0.5	Pass
a	5785	Ant1	16.386	0.5	Pass
a	5825	Ant1	16.377	0.5	Pass
n20	5745	Ant1	17.163	0.5	Pass
n20	5785	Ant1	17.586	0.5	Pass
n20	5825	Ant1	15.696	0.5	Pass
n40	5755	Ant1	35.718	0.5	Pass
n40	5795	Ant1	35.676	0.5	Pass
ac20	5745	Ant1	17.622	0.5	Pass
ac20	5785	Ant1	17.613	0.5	Pass
ac20	5825	Ant1	17.595	0.5	Pass
ac40	5755	Ant1	36.342	0.5	Pass
ac40	5795	Ant1	34.458	0.5	Pass
ac80	5775	Ant1	74.88	0.5	Pass




3.2 Test Graphs






-6dB Bandwidth a 5825MHz Ant1




-6dB Bandwidth n20 5745MHz Ant1






-6dB Bandwidth n20 5785MHz Ant1




-6dB Bandwidth n20 5825MHz Ant1










-6dB Bandwidth n40 5755MHz Ant1





-6dB Bandwidth n40 5795MHz Ant1












4 Occupied Channel Bandwidth


4.1 Test Result



Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5745	Ant1	16.699
a	5785	Ant1	16.477
a	5825	Ant1	16.516
n20	5745	Ant1	17.635
n20	5785	Ant1	17.755
n20	5825	Ant1	17.737
n40	5755	Ant1	36.512
n40	5795	Ant1	36.254
ac20	5745	Ant1	17.71
ac20	5785	Ant1	17.692
ac20	5825	Ant1	17.866
ac40	5755	Ant1	36.374
ac40	5795	Ant1	36.176
ac80	5775	Ant1	76.204







4.2 Test Graphs



















OBW ac40 5795MHz Ant1



OBW ac80 5775MHz Ant1






5 Maximum Power Spectral Density Level



5.1 Test Result


Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5745	Ant1	-10.91	0.05	-10.86	30	Pass
a	5785	Ant1	-10.75	0.05	-10.7	30	Pass
a	5825	Ant1	-11.47	0.06	-11.41	30	Pass
n20	5745	Ant1	-10.8	0.06	-10.74	30	Pass
n20	5785	Ant1	-11.01	0.06	-10.95	30	Pass
n20	5825	Ant1	-12.4	0.06	-12.34	30	Pass
n40	5755	Ant1	-17.84	0.17	-17.67	30	Pass
n40	5795	Ant1	-18.38	0.17	-18.21	30	Pass
ac20	5745	Ant1	-11.49	0.06	-11.43	30	Pass
ac20	5785	Ant1	-10.82	0.06	-10.76	30	Pass
ac20	5825	Ant1	-13.35	0.06	-13.29	30	Pass
ac40	5755	Ant1	-17.92	0.11	-17.81	30	Pass
ac40	5795	Ant1	-18.09	0.11	-17.98	30	Pass
ac80	5775	Ant1	-21.07	0.23	-20.84	30	Pass







5.2 Test Graphs



















6 Frequency Stability

6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 120V	a	5745	Ant1	5745	0	0	25	Pass
20C 138V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	a	5745	Ant1	5745	0	0	25	Pass
-10C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
0C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
10C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
30C 120V	a	5745	Ant1	5745	0	0	25	Pass
40C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
50C 120V	a	5745	Ant1	5745	0	0	25	Pass
20C 102V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 138V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-20C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-10C 120V	a	5785	Ant1	5785	0	0	25	Pass
0C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
10C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
30C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
40C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
50C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 102V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 138V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-20C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-10C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
10C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
30C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
40C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 102V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 138V	n20	5745	Ant1	5745	0	0	25	Pass
-20C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass



0C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
10C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	n20	5745	Ant1	5745	0	0	25	Pass
40C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
50C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 102V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 120V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 138V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-20C 120V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-10C 120V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
0C 120V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
10C 120V	n20	5785	Ant1	5785	0	0	25	Pass
30C 120V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
40C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
50C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 102V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 138V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-10C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
10C 120V	n20	5825	Ant1	5825	0	0	25	Pass
30C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	n20	5825	Ant1	5825	0	0	25	Pass
20C 102V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-20C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	n40	5795	Ant1	5795	0	0	25	Pass
20C 120V	n40	5795	Ant1	5795	0	0	25	Pass
20C 138V	n40	5795	Ant1	5795	0	0	25	Pass
-20C 120V	n40	5795	Ant1	5795	0	0	25	Pass
-10C 120V	n40	5795	Ant1	5795	0	0	25	Pass
0C 120V	n40	5795	Ant1	5795	0	0	25	Pass
10C 120V	n40	5795	Ant1	5795	0	0	25	Pass
30C 120V	n40	5795	Ant1	5795	0	0	25	Pass



40C 120V	n40	5795	Ant1	5795	0	0	25	Pass
50C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 138V	ac20	5745	Ant1	5745	0	0	25	Pass
-20C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
-10C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
0C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
10C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
30C 120V	ac20	5745	Ant1	5745	0	0	25	Pass
40C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
50C 120V	ac20	5745	Ant1	5745	0	0	25	Pass
20C 102V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 120V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 138V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-20C 120V	ac20	5785	Ant1	5785	0	0	25	Pass
-10C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
0C 120V	ac20	5785	Ant1	5785	0	0	25	Pass
10C 120V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
30C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
40C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
50C 120V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 102V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-20C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
-10C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
0C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
10C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
30C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
40C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
50C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 102V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-20C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	ac40	5795	Ant1	5795	0	0	25	Pass



20C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
20C 138V	ac40	5795	Ant1	5795	0	0	25	Pass
-20C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
-10C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
0C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
10C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
30C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
40C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
50C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
20C 102V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant1	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
-10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
0C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant1	5775	0	0	25	Pass




7 Conducted RF Spurious Emission



7.1 Test Result


Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5745	Ant1	-39.45	-27	Pass
a	5785	Ant1	-39.47	-27	Pass
a	5825	Ant1	-38.57	-27	Pass
n20	5745	Ant1	-39.57	-27	Pass
n20	5785	Ant1	-39.41	-27	Pass
n20	5825	Ant1	-38.21	-27	Pass
n40	5755	Ant1	-39.14	-27	Pass
n40	5795	Ant1	-38.67	-27	Pass
ac20	5745	Ant1	-38.91	-27	Pass
ac20	5785	Ant1	-39.38	-27	Pass
ac20	5825	Ant1	-38.73	-27	Pass
ac40	5755	Ant1	-39.15	-27	Pass
ac40	5795	Ant1	-39.47	-27	Pass
ac80	5775	Ant1	-39.15	-27	Pass






7.2 Test Graphs




















8 Restrict Band

8.1 Test Result

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5745	Ant1	5650	-42.71	2	-40.71	Peak	-27	Pass
a	5745	Ant1	5650	-55.15	2	-53.15	Average	-27	Pass
a	5745	Ant1	5700	-45.63	2	-43.63	Peak	10	Pass
a	5745	Ant1	5700	-54.78	2	-52.78	Average	10	Pass
a	5745	Ant1	5720	-45.56	2	-43.56	Peak	15.6	Pass
a	5745	Ant1	5720	-55.18	2	-53.18	Average	15.6	Pass
a	5745	Ant1	5725	-45.13	2	-43.13	Peak	27	Pass
a	5745	Ant1	5725	-54.61	2	-52.61	Average	27	Pass
a	5825	Ant1	5850	-44.22	2	-42.22	Peak	27	Pass
a	5825	Ant1	5850	-54.59	2	-52.59	Average	27	Pass
a	5825	Ant1	5855	-44.75	2	-42.75	Peak	15.6	Pass
a	5825	Ant1	5855	-54.43	2	-52.43	Average	15.6	Pass
a	5825	Ant1	5875	-42.34	2	-40.34	Peak	10	Pass
a	5825	Ant1	5875	-53.99	2	-51.99	Average	10	Pass
a	5825	Ant1	5925	-44.91	2	-42.91	Peak	-27	Pass
a	5825	Ant1	5925	-53.84	2	-51.84	Average	-27	Pass
n20	5745	Ant1	5650	-46.66	2	-44.66	Peak	-27	Pass
n20	5745	Ant1	5650	-54.81	2	-52.81	Average	-27	Pass
n20	5745	Ant1	5700	-46.53	2	-44.53	Peak	10	Pass
n20	5745	Ant1	5700	-54.59	2	-52.59	Average	10	Pass
n20	5745	Ant1	5720	-46.35	2	-44.35	Peak	15.6	Pass
n20	5745	Ant1	5720	-55.02	2	-53.02	Average	15.6	Pass
n20	5745	Ant1	5725	-45.04	2	-43.04	Peak	27	Pass
n20	5745	Ant1	5725	-54.25	2	-52.25	Average	27	Pass
n20	5825	Ant1	5850	-44.18	2	-42.18	Peak	27	Pass
n20	5825	Ant1	5850	-54.39	2	-52.39	Average	27	Pass
n20	5825	Ant1	5855	-46.4	2	-44.4	Peak	15.6	Pass
n20	5825	Ant1	5855	-54.19	2	-52.19	Average	15.6	Pass
n20	5825	Ant1	5875	-45.76	2	-43.76	Peak	10	Pass
n20	5825	Ant1	5875	-53.7	2	-51.7	Average	10	Pass
n20	5825	Ant1	5925	-45.2	2	-43.2	Peak	-27	Pass
n20	5825	Ant1	5925	-53.8	2	-51.8	Average	-27	Pass
n40	5755	Ant1	5650	-46.54	2	-44.54	Peak	-27	Pass
n40	5755	Ant1	5650	-53.94	2	-51.94	Average	-27	Pass
n40	5755	Ant1	5700	-45.6	2	-43.6	Peak	10	Pass
n40	5755	Ant1	5700	-53.59	2	-51.59	Average	10	Pass




n40	5755	Ant1	5720	-45.99	2	-43.99	Peak	15.6	Pass
n40	5755	Ant1	5720	-54.26	2	-52.26	Average	15.6	Pass
n40	5755	Ant1	5725	-46.2	2	-44.2	Peak	27	Pass
n40	5755	Ant1	5725	-54.28	2	-52.28	Average	27	Pass
n40	5795	Ant1	5850	-45.48	2	-43.48	Peak	27	Pass
n40	5795	Ant1	5850	-53.3	2	-51.3	Average	27	Pass
n40	5795	Ant1	5855	-46.04	2	-44.04	Peak	15.6	Pass
n40	5795	Ant1	5855	-53.31	2	-51.31	Average	15.6	Pass
n40	5795	Ant1	5875	-43.19	2	-41.19	Peak	10	Pass
n40	5795	Ant1	5875	-53.62	2	-51.62	Average	10	Pass
n40	5795	Ant1	5925	-44.53	2	-42.53	Peak	-27	Pass
n40	5795	Ant1	5925	-52.91	2	-50.91	Average	-27	Pass
ac20	5745	Ant1	5650	-43.84	2	-41.84	Peak	-27	Pass
ac20	5745	Ant1	5650	-55.18	2	-53.18	Average	-27	Pass
ac20	5745	Ant1	5700	-43	2	-41	Peak	10	Pass
ac20	5745	Ant1	5700	-54.56	2	-52.56	Average	10	Pass
ac20	5745	Ant1	5720	-46.36	2	-44.36	Peak	15.6	Pass
ac20	5745	Ant1	5720	-55.11	2	-53.11	Average	15.6	Pass
ac20	5745	Ant1	5725	-46.87	2	-44.87	Peak	27	Pass
ac20	5745	Ant1	5725	-54.16	2	-52.16	Average	27	Pass
ac20	5825	Ant1	5850	-43.66	2	-41.66	Peak	27	Pass
ac20	5825	Ant1	5850	-54.17	2	-52.17	Average	27	Pass
ac20	5825	Ant1	5855	-45.14	2	-43.14	Peak	15.6	Pass
ac20	5825	Ant1	5855	-54.32	2	-52.32	Average	15.6	Pass
ac20	5825	Ant1	5875	-47.09	2	-45.09	Peak	10	Pass
ac20	5825	Ant1	5875	-54.17	2	-52.17	Average	10	Pass
ac20	5825	Ant1	5925	-44.14	2	-42.14	Peak	-27	Pass
ac20	5825	Ant1	5925	-53.75	2	-51.75	Average	-27	Pass
ac40	5755	Ant1	5650	-45.76	2	-43.76	Peak	-27	Pass
ac40	5755	Ant1	5650	-54.6	2	-52.6	Average	-27	Pass
ac40	5755	Ant1	5700	-45.87	2	-43.87	Peak	10	Pass
ac40	5755	Ant1	5700	-53.89	2	-51.89	Average	10	Pass
ac40	5755	Ant1	5720	-46.11	2	-44.11	Peak	15.6	Pass
ac40	5755	Ant1	5720	-54.21	2	-52.21	Average	15.6	Pass
ac40	5755	Ant1	5725	-43.38	2	-41.38	Peak	27	Pass
ac40	5755	Ant1	5725	-54.6	2	-52.6	Average	27	Pass
ac40	5795	Ant1	5850	-46.44	2	-44.44	Peak	27	Pass
ac40	5795	Ant1	5850	-54.12	2	-52.12	Average	27	Pass
ac40	5795	Ant1	5855	-44.22	2	-42.22	Peak	15.6	Pass
ac40	5795	Ant1	5855	-53.95	2	-51.95	Average	15.6	Pass
ac40	5795	Ant1	5875	-44.12	2	-42.12	Peak	10	Pass
ac40	5795	Ant1	5875	-53.76	2	-51.76	Average	10	Pass
ac40	5795	Ant1	5925	-46.44	2	-44.44	Peak	-27	Pass




ac40	5795	Ant1	5925	-53.82	2	-51.82	Average	-27	Pass
ac80	5775	Ant1	5650	-46.69	2	-44.69	Peak	-27	Pass
ac80	5775	Ant1	5650	-54.57	2	-52.57	Average	-27	Pass
ac80	5775	Ant1	5700	-46.74	2	-44.74	Peak	10	Pass
ac80	5775	Ant1	5700	-54.12	2	-52.12	Average	10	Pass
ac80	5775	Ant1	5720	-46.07	2	-44.07	Peak	15.6	Pass
ac80	5775	Ant1	5720	-54.76	2	-52.76	Average	15.6	Pass
ac80	5775	Ant1	5725	-45.31	2	-43.31	Peak	27	Pass
ac80	5775	Ant1	5725	-54.7	2	-52.7	Average	27	Pass
ac80	5775	Ant1	5850	-43.72	2	-41.72	Peak	27	Pass
ac80	5775	Ant1	5850	-53.87	2	-51.87	Average	27	Pass
ac80	5775	Ant1	5855	-44.23	2	-42.23	Peak	15.6	Pass
ac80	5775	Ant1	5855	-53.43	2	-51.43	Average	15.6	Pass
ac80	5775	Ant1	5875	-44.07	2	-42.07	Peak	10	Pass
ac80	5775	Ant1	5875	-53.58	2	-51.58	Average	10	Pass
ac80	5775	Ant1	5925	-45.34	2	-43.34	Peak	-27	Pass
ac80	5775	Ant1	5925	-53.35	2	-51.35	Average	-27	Pass

8.2 Test Graphs










Restrict Band a 5825MHz Ant1 Peak







Restrict Band a 5825MHz Ant1 Average





















Restrict Band ac20 5825MHz Ant1 Peak



Restrict Band ac20 5825MHz Ant1 Average













Restrict Band ac80 5775MHz Ant1 Peak



Restrict Band ac80 5775MHz Ant1 Average





---The End---