

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3457.5	630500	10	15kHz	Inner_1RB_Left	25.53	23.44	0.221
					Inner_1RB_Right	25.64	23.55	0.226
					Inner_Full	25.61	23.52	0.225
	3500.01	633334			Inner_1RB_Left	25.40	23.31	0.214
					Inner_1RB_Right	25.21	23.12	0.205
					Inner_Full	24.92	22.83	0.192
	3542.49	636166			Inner_1RB_Left	25.43	23.34	0.216
					Inner_1RB_Right	25.59	23.5	0.224
					Inner_Full	25.36	23.27	0.212
CP-16QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	23.90	21.81	0.152
					Inner_Full	23.82	21.73	0.149
	3500.01	633334			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.45	22.36	0.172
					Inner_Full	24.43	22.34	0.171
	3542.49	636166			Inner_1RB_Left	23.67	21.58	0.144
					Inner_1RB_Right	23.83	21.74	0.149
					Inner_Full	23.84	21.75	0.150
CP-64QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	21.64	19.55	0.090
					Inner_1RB_Right	22.07	19.98	0.100
					Inner_Full	22.07	19.98	0.100
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.85	20.76	0.119
	3542.49	636166			Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	22.03	19.94	0.099
					Inner_Full	21.97	19.88	0.097
CP-256QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	22.08	19.99	0.100
					Inner_1RB_Right	23.16	21.07	0.128
					Inner_Full	21.42	19.33	0.086
	3500.01	633334			Inner_1RB_Left	22.80	20.71	0.118
					Inner_1RB_Right	23.20	21.11	0.129
					Inner_Full	22.15	20.06	0.101
	3542.49	636166			Inner_1RB_Left	21.52	19.43	0.088
					Inner_1RB_Right	21.63	19.54	0.090
					Inner_Full	21.96	19.87	0.097

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	22.76	20.67	0.117
					Inner_1RB_Right	22.76	20.67	0.117
					Inner_Full	21.78	19.69	0.093
	3500.01	633334			Inner_1RB_Left	25.27	23.18	0.208
					Inner_1RB_Right	25.17	23.08	0.203
					Inner_Full	25.03	22.94	0.197
	3542.49	636166			Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	26.34	24.25	0.266
					Inner_Full	26.35	24.26	0.267
DFT-16QAM	3457.5	630500	Inner_1RB_Left	24.69	22.6	0.182		
			Inner_1RB_Right	24.70	22.61	0.182		
			Inner_Full	23.83	21.74	0.149		
	3500.01	633334	Inner_1RB_Left	24.26	22.17	0.165		
			Inner_1RB_Right	24.69	22.6	0.182		
			Inner_Full	24.57	22.48	0.177		
	3542.49	636166	Inner_1RB_Left	25.14	23.05	0.202		
			Inner_1RB_Right	25.49	23.4	0.219		
			Inner_Full	25.35	23.26	0.212		
DFT-64QAM	3457.5	630500	Inner_1RB_Left	23.78	21.69	0.148		
			Inner_1RB_Right	22.70	20.61	0.115		
			Inner_Full	23.78	21.69	0.148		
	3500.01	633334	Inner_1RB_Left	22.95	20.86	0.122		
			Inner_1RB_Right	23.11	21.02	0.126		
			Inner_Full	22.90	20.81	0.121		
	3542.49	636166	Inner_1RB_Left	23.65	21.56	0.143		
			Inner_1RB_Right	23.78	21.69	0.148		
			Inner_Full	23.59	21.5	0.141		
DFT-256QAM	3457.5	630500	Inner_1RB_Left	22.79	20.7	0.117		
			Inner_1RB_Right	21.67	19.58	0.091		
			Inner_Full	22.75	20.66	0.116		
	3500.01	633334	Inner_1RB_Left	23.02	20.93	0.124		
			Inner_1RB_Right	23.13	21.04	0.127		
			Inner_Full	22.98	20.89	0.123		
	3542.49	636166	Inner_1RB_Left	23.63	21.54	0.143		
			Inner_1RB_Right	23.75	21.66	0.147		
			Inner_Full	23.67	21.58	0.144		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	22.77	20.68	0.117
					Inner_1RB_Right	22.72	20.63	0.116
					Inner_Full	22.73	20.64	0.116
	3500.01	633334			Inner_1RB_Left	25.26	23.17	0.207
					Inner_1RB_Right	25.28	23.19	0.208
					Inner_Full	25.03	22.94	0.197
	3542.49	636166			Inner_1RB_Left	26.30	24.21	0.264
					Inner_1RB_Right	26.37	24.28	0.268
					Inner_Full	26.42	24.33	0.271
CP-16QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	24.73	22.64	0.184
					Inner_1RB_Right	24.73	22.64	0.184
					Inner_Full	24.78	22.69	0.186
	3500.01	633334			Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	24.41	22.32	0.171
					Inner_Full	24.54	22.45	0.176
	3542.49	636166			Inner_1RB_Left	25.41	23.32	0.215
					Inner_1RB_Right	25.50	23.41	0.219
					Inner_Full	25.25	23.16	0.207
CP-64QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	25.76	23.67	0.233
					Inner_1RB_Right	24.63	22.54	0.179
					Inner_Full	24.68	22.59	0.182
	3500.01	633334			Inner_1RB_Left	22.93	20.84	0.121
					Inner_1RB_Right	23.08	20.99	0.126
					Inner_Full	22.99	20.9	0.123
	3542.49	636166			Inner_1RB_Left	23.63	21.54	0.143
					Inner_1RB_Right	23.58	21.49	0.141
					Inner_Full	23.76	21.67	0.147
CP-256QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	22.82	20.73	0.118
					Inner_1RB_Right	22.78	20.69	0.117
					Inner_Full	21.77	19.68	0.093
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.97	20.88	0.122
	3542.49	636166			Inner_1RB_Left	23.62	21.53	0.142
					Inner_1RB_Right	23.56	21.47	0.140
					Inner_Full	23.56	21.47	0.140

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	24.87	22.78	0.190
					Inner_1RB_Right	25.17	23.08	0.203
					Inner_Full	25.10	23.01	0.200
	3500.01	633334			Inner_1RB_Left	26.55	24.46	0.279
					Inner_1RB_Right	26.55	24.46	0.279
					Inner_Full	26.68	24.59	0.288
	3540	636000			Inner_1RB_Left	26.38	24.29	0.269
					Inner_1RB_Right	26.39	24.3	0.269
					Inner_Full	26.47	24.38	0.274
DFT-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	24.44	22.35	0.172
					Inner_1RB_Right	24.70	22.61	0.182
					Inner_Full	24.49	22.4	0.174
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.74	23.65	0.232
					Inner_Full	25.65	23.56	0.227
	3540	636000			Inner_1RB_Left	25.47	23.38	0.218
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	25.38	23.29	0.213
DFT-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	23.06	20.97	0.125
					Inner_Full	22.96	20.87	0.122
	3500.01	633334			Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	23.86	21.77	0.150
					Inner_Full	24.04	21.95	0.157
	3540	636000			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.90	21.81	0.152
					Inner_Full	23.77	21.68	0.147
DFT-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	22.80	20.71	0.118
					Inner_1RB_Right	23.01	20.92	0.124
					Inner_Full	22.93	20.84	0.121
	3500.01	633334			Inner_1RB_Left	23.77	21.68	0.147
					Inner_1RB_Right	23.87	21.78	0.151
					Inner_Full	24.04	21.95	0.157
	3540	636000			Inner_1RB_Left	23.60	21.51	0.142
					Inner_1RB_Right	23.55	21.46	0.140
					Inner_Full	23.85	21.76	0.150

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	25.15	23.06	0.202
					Inner_1RB_Right	25.21	23.12	0.205
					Inner_Full	25.01	22.92	0.196
	3500.01	633334			Inner_1RB_Left	26.62	24.53	0.284
					Inner_1RB_Right	26.52	24.43	0.277
					Inner_Full	26.47	24.38	0.274
	3540	636000			Inner_1RB_Left	26.42	24.33	0.271
					Inner_1RB_Right	26.40	24.31	0.270
					Inner_Full	26.35	24.26	0.267
CP-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	24.29	22.2	0.166
					Inner_Full	24.49	22.4	0.174
	3500.01	633334			Inner_1RB_Left	25.49	23.4	0.219
					Inner_1RB_Right	25.71	23.62	0.230
					Inner_Full	25.68	23.59	0.229
	3540	636000			Inner_1RB_Left	25.27	23.18	0.208
					Inner_1RB_Right	25.41	23.32	0.215
					Inner_Full	25.21	23.12	0.205
CP-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	22.75	20.66	0.116
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	22.89	20.8	0.120
	3500.01	633334			Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	24.12	22.03	0.160
					Inner_Full	23.86	21.77	0.150
	3540	636000			Inner_1RB_Left	23.57	21.48	0.141
					Inner_1RB_Right	23.60	21.51	0.142
					Inner_Full	23.89	21.8	0.151
CP-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	22.74	20.65	0.116
					Inner_1RB_Right	23.06	20.97	0.125
					Inner_Full	22.88	20.79	0.120
	3500.01	633334			Inner_1RB_Left	24.16	22.07	0.161
					Inner_1RB_Right	24.24	22.15	0.164
					Inner_Full	23.84	21.75	0.150
	3540	636000			Inner_1RB_Left	23.59	21.5	0.141
					Inner_1RB_Right	23.52	21.43	0.139
					Inner_Full	23.51	21.42	0.139

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	26.08	23.99	0.251
					Inner_1RB_Right	26.33	24.24	0.265
					Inner_Full	26.70	24.61	0.289
	3500.01	633334			Inner_1RB_Left	24.03	21.94	0.156
					Inner_1RB_Right	24.04	21.95	0.157
					Inner_Full	24.02	21.93	0.156
	3530.01	635334			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	24.82	22.73	0.187
DFT-16QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	25.29	23.2	0.209
					Inner_1RB_Right	25.43	23.34	0.216
					Inner_Full	25.69	23.6	0.229
	3500.01	633334			Inner_1RB_Left	24.02	21.93	0.156
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	24.01	21.92	0.156
	3530.01	635334			Inner_1RB_Left	24.41	22.32	0.171
					Inner_1RB_Right	23.46	21.37	0.137
					Inner_Full	24.29	22.2	0.166
DFT-64QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	23.32	21.23	0.133
					Inner_1RB_Right	23.56	21.47	0.140
					Inner_Full	24.12	22.03	0.160
	3500.01	633334			Inner_1RB_Left	24.03	21.94	0.156
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	24.06	21.97	0.157
	3530.01	635334			Inner_1RB_Left	22.67	20.58	0.114
					Inner_1RB_Right	22.19	20.1	0.102
					Inner_Full	22.68	20.59	0.115
DFT-256QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	23.63	21.54	0.143
					Inner_1RB_Right	23.45	21.36	0.137
					Inner_Full	24.16	22.07	0.161
	3500.01	633334			Inner_1RB_Left	23.05	20.96	0.125
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	23.06	20.97	0.125
	3530.01	635334			Inner_1RB_Left	22.67	20.58	0.114
					Inner_1RB_Right	22.21	20.12	0.103
					Inner_Full	22.67	20.58	0.114

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	26.14	24.05	0.254
					Inner_1RB_Right	26.34	24.25	0.266
					Inner_Full	26.74	24.65	0.292
	3500.01	633334			Inner_1RB_Left	22.04	19.95	0.099
					Inner_1RB_Right	24.97	22.88	0.194
					Inner_Full	23.01	20.92	0.124
	3530.01	635334			Inner_1RB_Left	24.81	22.72	0.187
					Inner_1RB_Right	24.45	22.36	0.172
					Inner_Full	24.74	22.65	0.184
CP-16QAM	3470.01	631334			Inner_1RB_Left	25.27	23.18	0.208
					Inner_1RB_Right	25.16	23.07	0.203
					Inner_Full	25.72	23.63	0.231
	3500.01	633334			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	24.07	21.98	0.158
	3530.01	635334			Inner_1RB_Left	24.36	22.27	0.169
					Inner_1RB_Right	23.46	21.37	0.137
					Inner_Full	24.27	22.18	0.165
CP-64QAM	3470.01	631334			Inner_1RB_Left	23.61	21.52	0.142
					Inner_1RB_Right	23.49	21.4	0.138
					Inner_Full	24.13	22.04	0.160
	3500.01	633334			Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	24.02	21.93	0.156
	3530.01	635334			Inner_1RB_Left	22.72	20.63	0.116
					Inner_1RB_Right	22.20	20.11	0.103
					Inner_Full	22.65	20.56	0.114
CP-256QAM	3470.01	631334	Inner_1RB_Left	23.31	21.22	0.132		
			Inner_1RB_Right	23.49	21.4	0.138		
			Inner_Full	24.09	22	0.158		
	3500.01	633334	Inner_1RB_Left	24.08	21.99	0.158		
			Inner_1RB_Right	24.06	21.97	0.157		
			Inner_Full	24.00	21.91	0.155		
	3530.01	635334	Inner_1RB_Left	22.67	20.58	0.114		
			Inner_1RB_Right	22.18	20.09	0.102		
			Inner_Full	22.69	20.6	0.115		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	25.12	23.03	0.201
					Inner_1RB_Right	24.91	22.82	0.191
					Inner_Full	25.15	23.06	0.202
	3500.01	633334			Inner_1RB_Left	26.45	24.36	0.273
					Inner_1RB_Right	26.14	24.05	0.254
					Inner_Full	26.56	24.47	0.280
	3525	635000			Inner_1RB_Left	26.05	23.96	0.249
					Inner_1RB_Right	25.88	23.79	0.239
					Inner_Full	26.42	24.33	0.271
DFT-16QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	23.80	21.71	0.148
					Inner_Full	24.61	22.52	0.179
	3500.01	633334			Inner_1RB_Left	25.36	23.27	0.212
					Inner_1RB_Right	25.28	23.19	0.208
					Inner_Full	25.48	23.39	0.218
	3525	635000			Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	25.06	22.97	0.198
					Inner_Full	25.38	23.29	0.213
DFT-64QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	22.80	20.71	0.118
					Inner_1RB_Right	22.63	20.54	0.113
					Inner_Full	23.00	20.91	0.123
	3500.01	633334			Inner_1RB_Left	23.69	21.6	0.145
					Inner_1RB_Right	23.35	21.26	0.134
					Inner_Full	23.98	21.89	0.155
	3525	635000			Inner_1RB_Left	23.36	21.27	0.134
					Inner_1RB_Right	23.14	21.05	0.127
					Inner_Full	23.80	21.71	0.148
DFT-256QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	22.81	20.72	0.118
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	23.02	20.93	0.124
	3500.01	633334			Inner_1RB_Left	23.68	21.59	0.144
					Inner_1RB_Right	23.72	21.63	0.146
					Inner_Full	23.84	21.75	0.150
	3525	635000			Inner_1RB_Left	23.57	21.48	0.141
					Inner_1RB_Right	23.30	21.21	0.132
					Inner_Full	23.77	21.68	0.147

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	25.07	22.98	0.199
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	25.17	23.08	0.203
	3500.01	633334			Inner_1RB_Left	26.44	24.35	0.272
					Inner_1RB_Right	26.09	24	0.251
					Inner_Full	26.50	24.41	0.276
	3525	635000			Inner_1RB_Left	26.13	24.04	0.254
					Inner_1RB_Right	25.92	23.83	0.242
					Inner_Full	26.37	24.28	0.268
CP-16QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	24.46	22.37	0.173
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.64	22.55	0.180
	3500.01	633334			Inner_1RB_Left	25.35	23.26	0.212
					Inner_1RB_Right	24.99	22.9	0.195
					Inner_Full	25.49	23.4	0.219
	3525	635000			Inner_1RB_Left	25.00	22.91	0.195
					Inner_1RB_Right	25.02	22.93	0.196
					Inner_Full	25.34	23.25	0.211
CP-64QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	22.76	20.67	0.117
					Inner_1RB_Right	22.55	20.46	0.111
					Inner_Full	23.09	21	0.126
	3500.01	633334			Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	23.40	21.31	0.135
					Inner_Full	23.93	21.84	0.153
	3525	635000			Inner_1RB_Left	23.54	21.45	0.140
					Inner_1RB_Right	23.13	21.04	0.127
					Inner_Full	23.78	21.69	0.148
CP-256QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	22.77	20.68	0.117
					Inner_1RB_Right	22.53	20.44	0.111
					Inner_Full	22.99	20.9	0.123
	3500.01	633334			Inner_1RB_Left	24.12	22.03	0.160
					Inner_1RB_Right	23.68	21.59	0.144
					Inner_Full	23.90	21.81	0.152
	3525	635000			Inner_1RB_Left	23.49	21.4	0.138
					Inner_1RB_Right	23.34	21.25	0.133
					Inner_Full	23.73	21.64	0.146

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	23.07	20.98	0.125
					Inner_1RB_Right	25.19	23.1	0.204
					Inner_Full	26.17	24.08	0.256
	3500.01	633334			Inner_1RB_Left	26.30	24.21	0.264
					Inner_1RB_Right	26.33	24.24	0.265
					Inner_Full	26.32	24.23	0.265
	3545.01	636334			Inner_1RB_Left	26.18	24.09	0.256
					Inner_1RB_Right	26.12	24.03	0.253
					Inner_Full	26.16	24.07	0.255
DFT-16QAM	3455.01	630334	Inner_1RB_Left	25.26	23.17	0.207		
			Inner_1RB_Right	25.18	23.09	0.204		
			Inner_Full	25.12	23.03	0.201		
	3500.01	633334	Inner_1RB_Left	25.37	23.28	0.213		
			Inner_1RB_Right	25.39	23.3	0.214		
			Inner_Full	25.23	23.14	0.206		
	3545.01	636334	Inner_1RB_Left	25.33	23.24	0.211		
			Inner_1RB_Right	25.20	23.11	0.205		
			Inner_Full	25.13	23.04	0.201		
DFT-64QAM	3455.01	630334	Inner_1RB_Left	23.84	21.75	0.150		
			Inner_1RB_Right	23.79	21.7	0.148		
			Inner_Full	23.73	21.64	0.146		
	3500.01	633334	Inner_1RB_Left	23.91	21.82	0.152		
			Inner_1RB_Right	20.72	18.63	0.073		
			Inner_Full	23.81	21.72	0.149		
	3545.01	636334	Inner_1RB_Left	23.83	21.74	0.149		
			Inner_1RB_Right	23.74	21.65	0.146		
			Inner_Full	23.72	21.63	0.146		
DFT-256QAM	3455.01	630334	Inner_1RB_Left	22.00	19.91	0.098		
			Inner_1RB_Right	21.95	19.86	0.097		
			Inner_Full	21.64	19.55	0.090		
	3500.01	633334	Inner_1RB_Left	22.16	20.07	0.102		
			Inner_1RB_Right	22.13	20.04	0.101		
			Inner_Full	21.75	19.66	0.092		
	3545.01	636334	Inner_1RB_Left	21.96	19.87	0.097		
			Inner_1RB_Right	21.84	19.75	0.094		
			Inner_Full	21.72	19.63	0.092		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	17.91	15.82	0.038
					Inner_Full	24.67	22.58	0.181
	3500.01	633334			Inner_1RB_Left	24.83	22.74	0.188
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	24.76	22.67	0.185
	3545.01	636334			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	24.64	22.55	0.180
					Inner_Full	24.65	22.56	0.180
CP-16QAM	3455.01	630334	Inner_1RB_Left	24.18	22.09	0.162		
			Inner_1RB_Right	24.02	21.93	0.156		
			Inner_Full	24.13	22.04	0.160		
	3500.01	633334	Inner_1RB_Left	24.30	22.21	0.166		
			Inner_1RB_Right	24.26	22.17	0.165		
			Inner_Full	24.18	22.09	0.162		
	3545.01	636334	Inner_1RB_Left	24.31	22.22	0.167		
			Inner_1RB_Right	24.04	21.95	0.157		
			Inner_Full	24.07	21.98	0.158		
CP-64QAM	3455.01	630334	Inner_1RB_Left	22.89	20.8	0.120		
			Inner_1RB_Right	22.89	20.8	0.120		
			Inner_Full	22.64	20.55	0.114		
	3500.01	633334	Inner_1RB_Left	23.01	20.92	0.124		
			Inner_1RB_Right	23.04	20.95	0.124		
			Inner_Full	22.77	20.68	0.117		
	3545.01	636334	Inner_1RB_Left	22.92	20.83	0.121		
			Inner_1RB_Right	22.89	20.8	0.120		
			Inner_Full	22.60	20.51	0.112		
CP-256QAM	3455.01	630334	Inner_1RB_Left	20.45	18.36	0.069		
			Inner_1RB_Right	20.40	18.31	0.068		
			Inner_Full	19.81	17.72	0.059		
	3500.01	633334	Inner_1RB_Left	20.50	18.41	0.069		
			Inner_1RB_Right	20.25	18.16	0.065		
			Inner_Full	19.93	17.84	0.061		
	3545.01	636334	Inner_1RB_Left	20.28	18.19	0.066		
			Inner_1RB_Right	20.21	18.12	0.065		
			Inner_Full	19.78	17.69	0.059		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	26.05	23.96	0.249
					Inner_1RB_Right	26.02	23.93	0.247
					Inner_Full	26.15	24.06	0.255
	3500.01	633334			Inner_1RB_Left	26.27	24.18	0.262
					Inner_1RB_Right	26.45	24.36	0.273
					Inner_Full	26.31	24.22	0.264
	3542.49	636166			Inner_1RB_Left	26.12	24.03	0.253
					Inner_1RB_Right	26.04	23.95	0.248
					Inner_Full	26.20	24.11	0.258
DFT-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	25.14	23.05	0.202
					Inner_1RB_Right	25.06	22.97	0.198
					Inner_Full	25.13	23.04	0.201
	3500.01	633334			Inner_1RB_Left	25.26	23.17	0.207
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	25.24	23.15	0.207
	3542.49	636166			Inner_1RB_Left	25.20	23.11	0.205
					Inner_1RB_Right	25.40	23.31	0.214
					Inner_Full	25.16	23.07	0.203
DFT-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	23.67	21.58	0.144
					Inner_Full	23.61	21.52	0.142
	3500.01	633334			Inner_1RB_Left	23.78	21.69	0.148
					Inner_1RB_Right	23.70	21.61	0.145
					Inner_Full	23.76	21.67	0.147
	3542.49	636166			Inner_1RB_Left	23.63	21.54	0.143
					Inner_1RB_Right	23.50	21.41	0.138
					Inner_Full	23.68	21.59	0.144
DFT-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	21.92	19.83	0.096
					Inner_1RB_Right	21.86	19.77	0.095
					Inner_Full	21.53	19.44	0.088
	3500.01	633334			Inner_1RB_Left	22.10	20.01	0.100
					Inner_1RB_Right	22.01	19.92	0.098
					Inner_Full	21.64	19.55	0.090
	3542.49	636166			Inner_1RB_Left	21.81	19.72	0.094
					Inner_1RB_Right	21.87	19.78	0.095
					Inner_Full	21.55	19.46	0.088

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.59	22.5	0.178
					Inner_1RB_Right	24.54	22.45	0.176
					Inner_Full	24.72	22.63	0.183
	3500.01	633334			Inner_1RB_Left	24.68	22.59	0.182
					Inner_1RB_Right	24.68	22.59	0.182
					Inner_Full	24.84	22.75	0.188
	3542.49	636166			Inner_1RB_Left	24.64	22.55	0.180
					Inner_1RB_Right	24.58	22.49	0.177
					Inner_Full	21.56	19.47	0.089
CP-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	21.03	18.94	0.078
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	24.20	22.11	0.163
	3500.01	633334			Inner_1RB_Left	24.14	22.05	0.160
					Inner_1RB_Right	24.08	21.99	0.158
					Inner_Full	24.30	22.21	0.166
	3542.49	636166			Inner_1RB_Left	24.10	22.01	0.159
					Inner_1RB_Right	23.94	21.85	0.153
					Inner_Full	24.21	22.12	0.163
CP-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	22.78	20.69	0.117
					Inner_Full	22.70	20.61	0.115
	3500.01	633334			Inner_1RB_Left	22.92	20.83	0.121
					Inner_1RB_Right	23.01	20.92	0.124
					Inner_Full	22.80	20.71	0.118
	3542.49	636166			Inner_1RB_Left	22.80	20.71	0.118
					Inner_1RB_Right	22.73	20.64	0.116
					Inner_Full	22.69	20.6	0.115
CP-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	20.17	18.08	0.064
					Inner_1RB_Right	21.78	19.69	0.093
					Inner_Full	19.74	17.65	0.058
	3500.01	633334			Inner_1RB_Left	20.40	18.31	0.068
					Inner_1RB_Right	20.40	18.31	0.068
					Inner_Full	19.85	17.76	0.060
	3542.49	636166			Inner_1RB_Left	20.23	18.14	0.065
					Inner_1RB_Right	20.19	18.1	0.065
					Inner_Full	19.75	17.66	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	12.82	10.73	0.012
					Inner_1RB_Right	25.90	23.81	0.240
					Inner_Full	26.19	24.1	0.257
	3500.01	633334			Inner_1RB_Left	26.16	24.07	0.255
					Inner_1RB_Right	12.88	10.79	0.012
					Inner_Full	26.33	24.24	0.265
	3540	636000			Inner_1RB_Left	26.00	23.91	0.246
					Inner_1RB_Right	25.91	23.82	0.241
					Inner_Full	26.22	24.13	0.259
DFT-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	25.07	22.98	0.199
					Inner_1RB_Right	25.07	22.98	0.199
					Inner_Full	22.07	19.98	0.100
	3500.01	633334			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	25.23	23.14	0.206
					Inner_Full	25.38	23.29	0.213
	3540	636000			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	25.05	22.96	0.198
					Inner_Full	25.24	23.15	0.207
DFT-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	23.41	21.32	0.136
					Inner_1RB_Right	23.35	21.26	0.134
					Inner_Full	23.62	21.53	0.142
	3500.01	633334			Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	23.64	21.55	0.143
					Inner_Full	23.78	21.69	0.148
	3540	636000			Inner_1RB_Left	23.58	21.49	0.141
					Inner_1RB_Right	23.47	21.38	0.137
					Inner_Full	23.66	21.57	0.144
DFT-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	21.75	19.66	0.092
					Inner_1RB_Right	21.82	19.73	0.094
					Inner_Full	21.56	19.47	0.089
	3500.01	633334			Inner_1RB_Left	21.90	19.81	0.096
					Inner_1RB_Right	21.95	19.86	0.097
					Inner_Full	21.77	19.68	0.093
	3540	636000			Inner_1RB_Left	21.81	19.72	0.094
					Inner_1RB_Right	21.73	19.64	0.092
					Inner_Full	21.62	19.53	0.090

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	24.54	22.45	0.176
					Inner_1RB_Right	24.54	22.45	0.176
					Inner_Full	11.72	9.63	0.009
	3500.01	633334			Inner_1RB_Left	24.64	22.55	0.180
					Inner_1RB_Right	25.26	23.17	0.207
					Inner_Full	24.82	22.73	0.187
	3540	636000			Inner_1RB_Left	24.50	22.41	0.174
					Inner_1RB_Right	24.50	22.41	0.174
					Inner_Full	23.28	21.19	0.132
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.88	21.79	0.151
					Inner_Full	24.18	22.09	0.162
	3500.01	633334			Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	24.01	21.92	0.156
					Inner_Full	24.34	22.25	0.168
	3540	636000			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.88	21.79	0.151
					Inner_Full	24.23	22.14	0.164
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	22.78	20.69	0.117
					Inner_Full	22.57	20.48	0.112
	3500.01	633334			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	22.88	20.79	0.120
					Inner_Full	22.74	20.65	0.116
	3540	636000			Inner_1RB_Left	22.69	20.6	0.115
					Inner_1RB_Right	22.72	20.63	0.116
					Inner_Full	22.63	20.54	0.113
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	20.22	18.13	0.065
					Inner_1RB_Right	20.19	18.1	0.065
					Inner_Full	19.67	17.58	0.057
	3500.01	633334			Inner_1RB_Left	20.06	17.97	0.063
					Inner_1RB_Right	20.28	18.19	0.066
					Inner_Full	19.81	17.72	0.059
	3540	636000			Inner_1RB_Left	20.08	17.99	0.063
					Inner_1RB_Right	19.95	17.86	0.061
					Inner_Full	19.73	17.64	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	25.74	23.65	0.232
					Inner_1RB_Right	25.97	23.88	0.244
					Inner_Full	26.19	24.1	0.257
	3500.01	633334			Inner_1RB_Left	22.76	20.67	0.117
					Inner_1RB_Right	25.98	23.89	0.245
					Inner_Full	21.00	18.91	0.078
	3530.01	635334			Inner_1RB_Left	25.76	23.67	0.233
					Inner_1RB_Right	19.47	17.38	0.055
					Inner_Full	26.27	24.18	0.262
DFT-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	24.80	22.71	0.187
					Inner_1RB_Right	25.02	22.93	0.196
					Inner_Full	25.19	23.1	0.204
	3500.01	633334			Inner_1RB_Left	24.96	22.87	0.194
					Inner_1RB_Right	24.96	22.87	0.194
					Inner_Full	25.33	23.24	0.211
	3530.01	635334			Inner_1RB_Left	24.77	22.68	0.185
					Inner_1RB_Right	24.79	22.7	0.186
					Inner_Full	25.23	23.14	0.206
DFT-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.34	21.25	0.133
					Inner_Full	23.66	21.57	0.144
	3500.01	633334			Inner_1RB_Left	23.46	21.37	0.137
					Inner_1RB_Right	23.45	21.36	0.137
					Inner_Full	23.82	21.73	0.149
	3530.01	635334			Inner_1RB_Left	23.41	21.32	0.136
					Inner_1RB_Right	23.30	21.21	0.132
					Inner_Full	23.74	21.65	0.146
DFT-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	21.68	19.59	0.091
					Inner_1RB_Right	21.81	19.72	0.094
					Inner_Full	21.56	19.47	0.089
	3500.01	633334			Inner_1RB_Left	21.88	19.79	0.095
					Inner_1RB_Right	21.74	19.65	0.092
					Inner_Full	21.72	19.63	0.092
	3530.01	635334			Inner_1RB_Left	21.64	19.55	0.090
					Inner_1RB_Right	21.46	19.37	0.086
					Inner_Full	21.65	19.56	0.090

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.64	22.55	0.180
	3500.01	633334			Inner_1RB_Left	24.37	22.28	0.169
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.79	22.7	0.186
	3530.01	635334			Inner_1RB_Left	18.11	16.02	0.040
					Inner_1RB_Right	24.25	22.16	0.164
					Inner_Full	24.71	22.62	0.183
CP-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	23.60	21.51	0.142
					Inner_1RB_Right	23.81	21.72	0.149
					Inner_Full	24.13	22.04	0.160
	3500.01	633334			Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	23.82	21.73	0.149
					Inner_Full	24.27	22.18	0.165
	3530.01	635334			Inner_1RB_Left	23.63	21.54	0.143
					Inner_1RB_Right	23.66	21.57	0.144
					Inner_Full	24.14	22.05	0.160
CP-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	22.65	20.56	0.114
					Inner_1RB_Right	22.84	20.75	0.119
					Inner_Full	22.64	20.55	0.114
	3500.01	633334			Inner_1RB_Left	22.77	20.68	0.117
					Inner_1RB_Right	22.78	20.69	0.117
					Inner_Full	22.77	20.68	0.117
	3530.01	635334			Inner_1RB_Left	22.46	20.37	0.109
					Inner_1RB_Right	22.43	20.34	0.108
					Inner_Full	22.68	20.59	0.115
CP-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	19.99	17.9	0.062
					Inner_1RB_Right	20.11	18.02	0.063
					Inner_Full	19.71	17.62	0.058
	3500.01	633334			Inner_1RB_Left	20.02	17.93	0.062
					Inner_1RB_Right	20.06	17.97	0.063
					Inner_Full	19.86	17.77	0.060
	3530.01	635334			Inner_1RB_Left	19.95	17.86	0.061
					Inner_1RB_Right	19.95	17.86	0.061
					Inner_Full	19.75	17.66	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	25.89	23.8	0.240
					Inner_1RB_Right	13.61	11.52	0.014
					Inner_Full	26.30	24.21	0.264
	3500.01	633334			Inner_1RB_Left	26.10	24.01	0.252
					Inner_1RB_Right	25.51	23.42	0.220
					Inner_Full	26.39	24.3	0.269
	3525	635000			Inner_1RB_Left	25.94	23.85	0.243
					Inner_1RB_Right	24.14	22.05	0.160
					Inner_Full	26.30	24.21	0.264
DFT-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	24.96	22.87	0.194
					Inner_1RB_Right	25.05	22.96	0.198
					Inner_Full	25.30	23.21	0.209
	3500.01	633334			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	25.36	23.27	0.212
	3525	635000			Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	24.96	22.87	0.194
					Inner_Full	25.31	23.22	0.210
DFT-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.53	21.44	0.139
					Inner_1RB_Right	23.62	21.53	0.142
					Inner_Full	23.79	21.7	0.148
	3500.01	633334			Inner_1RB_Left	23.67	21.58	0.144
					Inner_1RB_Right	23.71	21.62	0.145
					Inner_Full	23.88	21.79	0.151
	3525	635000			Inner_1RB_Left	23.45	21.36	0.137
					Inner_1RB_Right	23.46	21.37	0.137
					Inner_Full	23.81	21.72	0.149
DFT-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	21.69	19.6	0.091
					Inner_Full	21.67	19.58	0.091
	3500.01	633334			Inner_1RB_Left	21.93	19.84	0.096
					Inner_1RB_Right	21.92	19.83	0.096
					Inner_Full	21.78	19.69	0.093
	3525	635000			Inner_1RB_Left	21.83	19.74	0.094
					Inner_1RB_Right	21.75	19.66	0.092
					Inner_Full	21.69	19.6	0.091

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	24.45	22.36	0.172
					Inner_1RB_Right	18.48	16.39	0.044
					Inner_Full	24.75	22.66	0.185
	3500.01	633334			Inner_1RB_Left	24.64	22.55	0.180
					Inner_1RB_Right	18.65	16.56	0.045
					Inner_Full	24.84	22.75	0.188
	3525	635000			Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	24.51	22.42	0.175
					Inner_Full	24.73	22.64	0.184
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.80	21.71	0.148
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	24.23	22.14	0.164
	3500.01	633334			Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	24.34	22.25	0.168
	3525	635000			Inner_1RB_Left	23.86	21.77	0.150
					Inner_1RB_Right	25.95	23.86	0.243
					Inner_Full	24.24	22.15	0.164
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	22.64	20.55	0.114
					Inner_1RB_Right	22.65	20.56	0.114
					Inner_Full	22.73	20.64	0.116
	3500.01	633334			Inner_1RB_Left	22.73	20.64	0.116
					Inner_1RB_Right	22.83	20.74	0.119
					Inner_Full	22.79	20.7	0.117
	3525	635000			Inner_1RB_Left	22.61	20.52	0.113
					Inner_1RB_Right	22.66	20.57	0.114
					Inner_Full	22.70	20.61	0.115
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	20.25	18.16	0.065
					Inner_1RB_Right	20.42	18.33	0.068
					Inner_Full	19.79	17.7	0.059
	3500.01	633334			Inner_1RB_Left	20.26	18.17	0.066
					Inner_1RB_Right	20.31	18.22	0.066
					Inner_Full	19.86	17.77	0.060
	3525	635000			Inner_1RB_Left	20.07	17.98	0.063
					Inner_1RB_Right	20.14	18.05	0.064
					Inner_Full	19.78	17.69	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	26.05	23.96	0.249
					Inner_1RB_Right	26.09	24	0.251
					Inner_Full	26.27	24.18	0.262
	3500.01	633334			Inner_1RB_Left	26.15	24.06	0.255
					Inner_1RB_Right	20.11	18.02	0.063
					Inner_Full	26.37	24.28	0.268
	3519.99	634666			Inner_1RB_Left	26.16	24.07	0.255
					Inner_1RB_Right	26.02	23.93	0.247
					Inner_Full	26.29	24.2	0.263
DFT-16QAM	3480	632000	Inner_1RB_Left	22.97	20.88	0.122		
			Inner_1RB_Right	25.03	22.94	0.197		
			Inner_Full	25.23	23.14	0.206		
	3500.01	633334	Inner_1RB_Left	25.25	23.16	0.207		
			Inner_1RB_Right	25.25	23.16	0.207		
			Inner_Full	25.33	23.24	0.211		
	3519.99	634666	Inner_1RB_Left	25.25	23.16	0.207		
			Inner_1RB_Right	25.09	23	0.200		
			Inner_Full	25.25	23.16	0.207		
DFT-64QAM	3480	632000	Inner_1RB_Left	23.46	21.37	0.137		
			Inner_1RB_Right	23.51	21.42	0.139		
			Inner_Full	23.70	21.61	0.145		
	3500.01	633334	Inner_1RB_Left	23.76	21.67	0.147		
			Inner_1RB_Right	23.73	21.64	0.146		
			Inner_Full	23.82	21.73	0.149		
	3519.99	634666	Inner_1RB_Left	23.66	21.57	0.144		
			Inner_1RB_Right	23.58	21.49	0.141		
			Inner_Full	23.75	21.66	0.147		
DFT-256QAM	3480	632000	Inner_1RB_Left	21.76	19.67	0.093		
			Inner_1RB_Right	21.66	19.57	0.091		
			Inner_Full	22.93	20.84	0.121		
	3500.01	633334	Inner_1RB_Left	21.94	19.85	0.097		
			Inner_1RB_Right	21.96	19.87	0.097		
			Inner_Full	21.77	19.68	0.093		
	3519.99	634666	Inner_1RB_Left	21.87	19.78	0.095		
			Inner_1RB_Right	21.86	19.77	0.095		
			Inner_Full	21.68	19.59	0.091		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.76	22.67	0.185
	3500.01	633334			Inner_1RB_Left	24.62	22.53	0.179
					Inner_1RB_Right	24.75	22.66	0.185
					Inner_Full	24.83	22.74	0.188
	3519.99	634666			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.76	22.67	0.185
CP-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	23.83	21.74	0.149
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	24.26	22.17	0.165
	3500.01	633334			Inner_1RB_Left	22.16	20.07	0.102
					Inner_1RB_Right	24.12	22.03	0.160
					Inner_Full	24.31	22.22	0.167
	3519.99	634666			Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	23.97	21.88	0.154
					Inner_Full	24.24	22.15	0.164
CP-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	22.82	20.73	0.118
					Inner_1RB_Right	22.97	20.88	0.122
					Inner_Full	22.68	20.59	0.115
	3500.01	633334			Inner_1RB_Left	22.86	20.77	0.119
					Inner_1RB_Right	22.93	20.84	0.121
					Inner_Full	22.78	20.69	0.117
	3519.99	634666			Inner_1RB_Left	22.76	20.67	0.117
					Inner_1RB_Right	22.75	20.66	0.116
					Inner_Full	22.72	20.63	0.116
CP-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	20.08	17.99	0.063
					Inner_1RB_Right	20.19	18.1	0.065
					Inner_Full	19.76	17.67	0.058
	3500.01	633334			Inner_1RB_Left	20.01	17.92	0.062
					Inner_1RB_Right	20.50	18.41	0.069
					Inner_Full	24.35	22.26	0.168
	3519.99	634666			Inner_1RB_Left	20.26	18.17	0.066
					Inner_1RB_Right	20.20	18.11	0.065
					Inner_Full	19.77	17.68	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	26.37	24.28	0.268
					Inner_1RB_Right	23.09	21	0.126
					Inner_Full	26.37	24.28	0.268
	3500.01	633334			Inner_1RB_Left	26.40	24.31	0.270
					Inner_1RB_Right	26.41	24.32	0.270
					Inner_Full	26.40	24.31	0.270
	3515.01	634334			Inner_1RB_Left	22.56	20.47	0.111
					Inner_1RB_Right	22.57	20.48	0.112
					Inner_Full	22.56	20.47	0.111
DFT-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	25.36	23.27	0.212
					Inner_1RB_Right	25.38	23.29	0.213
					Inner_Full	25.36	23.27	0.212
	3500.01	633334			Inner_1RB_Left	25.39	23.3	0.214
					Inner_1RB_Right	25.38	23.29	0.213
					Inner_Full	25.41	23.32	0.215
	3515.01	634334			Inner_1RB_Left	22.56	20.47	0.111
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	22.57	20.48	0.112
DFT-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	23.82	21.73	0.149
					Inner_Full	23.81	21.72	0.149
	3500.01	633334			Inner_1RB_Left	23.83	21.74	0.149
					Inner_1RB_Right	23.04	20.95	0.124
					Inner_Full	23.85	21.76	0.150
	3515.01	634334			Inner_1RB_Left	22.49	20.4	0.110
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.51	20.42	0.110
DFT-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.11	22.02	0.159
					Inner_1RB_Right	21.74	19.65	0.092
					Inner_Full	21.72	19.63	0.092
	3500.01	633334			Inner_1RB_Left	21.80	19.71	0.094
					Inner_1RB_Right	21.79	19.7	0.093
					Inner_Full	21.79	19.7	0.093
	3515.01	634334			Inner_1RB_Left	21.54	19.45	0.088
					Inner_1RB_Right	21.59	19.5	0.089
					Inner_Full	21.46	19.37	0.086

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	24.80	22.71	0.187
					Inner_1RB_Right	21.02	18.93	0.078
					Inner_Full	24.82	22.73	0.187
	3500.01	633334			Inner_1RB_Left	24.88	22.79	0.190
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	24.87	22.78	0.190
	3515.01	634334			Inner_1RB_Left	22.62	20.53	0.113
					Inner_1RB_Right	22.65	20.56	0.114
					Inner_Full	22.65	20.56	0.114
CP-16QAM	3485.01	632334			Inner_1RB_Left	24.33	22.24	0.167
					Inner_1RB_Right	24.31	22.22	0.167
					Inner_Full	24.32	22.23	0.167
	3500.01	633334			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.40	22.31	0.170
					Inner_Full	24.38	22.29	0.169
	3515.01	634334			Inner_1RB_Left	22.67	20.58	0.114
					Inner_1RB_Right	22.47	20.38	0.109
					Inner_Full	22.63	20.54	0.113
CP-64QAM	3485.01	632334			Inner_1RB_Left	22.76	20.67	0.117
					Inner_1RB_Right	22.76	20.67	0.117
					Inner_Full	22.76	20.67	0.117
	3500.01	633334			Inner_1RB_Left	22.81	20.72	0.118
					Inner_1RB_Right	22.82	20.73	0.118
					Inner_Full	22.82	20.73	0.118
	3515.01	634334			Inner_1RB_Left	22.62	20.53	0.113
					Inner_1RB_Right	22.75	20.66	0.116
					Inner_Full	22.68	20.59	0.115
CP-256QAM	3485.01	632334	Inner_1RB_Left	19.85	17.76	0.060		
			Inner_1RB_Right	24.38	22.29	0.169		
			Inner_Full	19.83	17.74	0.059		
	3500.01	633334	Inner_1RB_Left	19.88	17.79	0.060		
			Inner_1RB_Right	19.91	17.82	0.061		
			Inner_Full	19.88	17.79	0.060		
	3515.01	634334	Inner_1RB_Left	19.98	17.89	0.062		
			Inner_1RB_Right	19.90	17.81	0.060		
			Inner_Full	19.94	17.85	0.061		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.88	23.79	0.239
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	26.39	24.3	0.269
	3500.01	633334			Inner_1RB_Left	25.89	23.8	0.240
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	26.45	24.36	0.273
	3510	634000			Inner_1RB_Left	25.92	23.83	0.242
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	26.44	24.35	0.272
DFT-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	24.95	22.86	0.193
					Inner_1RB_Right	24.96	22.87	0.194
					Inner_Full	25.38	23.29	0.213
	3500.01	633334			Inner_1RB_Left	24.88	22.79	0.190
					Inner_1RB_Right	25.02	22.93	0.196
					Inner_Full	25.45	23.36	0.217
	3510	634000			Inner_1RB_Left	25.00	22.91	0.195
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	25.41	23.32	0.215
DFT-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.54	21.45	0.140
					Inner_1RB_Right	23.84	21.75	0.150
					Inner_Full	23.85	21.76	0.150
	3500.01	633334			Inner_1RB_Left	23.50	21.41	0.138
					Inner_1RB_Right	23.67	21.58	0.144
					Inner_Full	23.92	21.83	0.152
	3510	634000			Inner_1RB_Left	23.16	21.07	0.128
					Inner_1RB_Right	23.51	21.42	0.139
					Inner_Full	23.88	21.79	0.151
DFT-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	21.26	19.17	0.083
					Inner_1RB_Right	21.39	19.3	0.085
					Inner_Full	21.81	19.72	0.094
	3500.01	633334			Inner_1RB_Left	21.27	19.18	0.083
					Inner_1RB_Right	21.50	19.41	0.087
					Inner_Full	21.87	19.78	0.095
	3510	634000			Inner_1RB_Left	21.40	19.31	0.085
					Inner_1RB_Right	21.37	19.28	0.085
					Inner_Full	21.85	19.76	0.095

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	24.48	22.39	0.173
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.85	22.76	0.189
	3500.01	633334			Inner_1RB_Left	24.44	22.35	0.172
					Inner_1RB_Right	24.68	22.59	0.182
					Inner_Full	24.90	22.81	0.191
	3510	634000			Inner_1RB_Left	24.45	22.36	0.172
					Inner_1RB_Right	24.53	22.44	0.175
					Inner_Full	24.90	22.81	0.191
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.90	21.81	0.152
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	24.35	22.26	0.168
	3500.01	633334			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	24.40	22.31	0.170
	3510	634000			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	23.99	21.9	0.155
					Inner_Full	24.36	22.27	0.169
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	22.41	20.32	0.108
					Inner_1RB_Right	22.53	20.44	0.111
					Inner_Full	22.82	20.73	0.118
	3500.01	633334			Inner_1RB_Left	22.44	20.35	0.108
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.85	20.76	0.119
	3510	634000			Inner_1RB_Left	22.40	20.31	0.107
					Inner_1RB_Right	22.40	20.31	0.107
					Inner_Full	22.80	20.71	0.118
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	19.86	17.77	0.060
					Inner_1RB_Right	19.99	17.9	0.062
					Inner_Full	19.93	17.84	0.061
	3500.01	633334			Inner_1RB_Left	19.81	17.72	0.059
					Inner_1RB_Right	19.94	17.85	0.061
					Inner_Full	20.05	17.96	0.063
	3510	634000			Inner_1RB_Left	19.72	17.63	0.058
					Inner_1RB_Right	19.74	17.65	0.058
					Inner_Full	19.96	17.87	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	25.84	23.75	0.237
					Inner_1RB_Right	26.03	23.94	0.248
					Inner_Full	26.39	24.3	0.269
	3500.01	633334			Inner_1RB_Left	25.81	23.72	0.236
					Inner_1RB_Right	25.99	23.9	0.245
					Inner_Full	26.42	24.33	0.271
	3504.99	633666			Inner_1RB_Left	25.87	23.78	0.239
					Inner_1RB_Right	25.88	23.79	0.239
					Inner_Full	26.44	24.35	0.272
DFT-16QAM	3495	633000	Inner_1RB_Left	24.93	22.84	0.192		
			Inner_1RB_Right	25.10	23.01	0.200		
			Inner_Full	25.38	23.29	0.213		
	3500.01	633334	Inner_1RB_Left	24.82	22.73	0.187		
			Inner_1RB_Right	24.96	22.87	0.194		
			Inner_Full	25.42	23.33	0.215		
	3504.99	633666	Inner_1RB_Left	24.83	22.74	0.188		
			Inner_1RB_Right	24.87	22.78	0.190		
			Inner_Full	25.41	23.32	0.215		
DFT-64QAM	3495	633000	Inner_1RB_Left	23.31	21.22	0.132		
			Inner_1RB_Right	23.42	21.33	0.136		
			Inner_Full	23.83	21.74	0.149		
	3500.01	633334	Inner_1RB_Left	23.12	21.03	0.127		
			Inner_1RB_Right	23.22	21.13	0.130		
			Inner_Full	23.88	21.79	0.151		
	3504.99	633666	Inner_1RB_Left	23.21	21.12	0.129		
			Inner_1RB_Right	23.37	21.28	0.134		
			Inner_Full	23.90	21.81	0.152		
DFT-256QAM	3495	633000	Inner_1RB_Left	21.24	19.15	0.082		
			Inner_1RB_Right	21.35	19.26	0.084		
			Inner_Full	21.80	19.71	0.094		
	3500.01	633334	Inner_1RB_Left	21.17	19.08	0.081		
			Inner_1RB_Right	21.22	19.13	0.082		
			Inner_Full	21.85	19.76	0.095		
	3504.99	633666	Inner_1RB_Left	21.31	19.22	0.084		
			Inner_1RB_Right	21.31	19.22	0.084		
			Inner_Full	21.85	19.76	0.095		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	24.36	22.27	0.169
					Inner_1RB_Right	24.60	22.51	0.178
					Inner_Full	24.82	22.73	0.187
	3500.01	633334			Inner_1RB_Left	24.32	22.23	0.167
					Inner_1RB_Right	24.40	22.31	0.170
					Inner_Full	24.84	22.75	0.188
	3504.99	633666			Inner_1RB_Left	24.32	22.23	0.167
					Inner_1RB_Right	24.44	22.35	0.172
					Inner_Full	24.91	22.82	0.191
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	23.93	21.84	0.153
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	24.31	22.22	0.167
	3500.01	633334			Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	24.01	21.92	0.156
					Inner_Full	24.33	22.24	0.167
	3504.99	633666			Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	24.36	22.27	0.169
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	22.35	20.26	0.106
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	22.84	20.75	0.119
	3500.01	633334			Inner_1RB_Left	22.57	20.48	0.112
					Inner_1RB_Right	22.72	20.63	0.116
					Inner_Full	22.83	20.74	0.119
	3504.99	633666			Inner_1RB_Left	22.42	20.33	0.108
					Inner_1RB_Right	22.45	20.36	0.109
					Inner_Full	22.87	20.78	0.120
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	22.99	20.9	0.123
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	19.89	17.8	0.060
	3500.01	633334			Inner_1RB_Left	19.79	17.7	0.059
					Inner_1RB_Right	23.97	21.88	0.154
					Inner_Full	19.91	17.82	0.061
	3504.99	633666			Inner_1RB_Left	19.77	17.68	0.059
					Inner_1RB_Right	19.74	17.65	0.058
					Inner_Full	19.95	17.86	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	25.64	23.55	0.226
					Inner_1RB_Right	14.02	11.93	0.016
					Inner_Full	26.43	24.34	0.272
DFT-16QAM	3500.01	633334			Inner_1RB_Left	24.61	22.52	0.179
					Inner_1RB_Right	24.68	22.59	0.182
					Inner_Full	25.40	23.31	0.214
DFT-64QAM	3500.01	633334			Inner_1RB_Left	23.59	21.5	0.141
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	23.87	21.78	0.151
DFT-256QAM	3500.01	633334			Inner_1RB_Left	20.83	18.74	0.075
					Inner_1RB_Right	24.83	22.74	0.188
					Inner_Full	21.82	19.73	0.094

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP -QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	24.20	22.11	0.163
					Inner_1RB_Right	24.30	22.21	0.166
					Inner_Full	24.88	22.79	0.190
CP -16QAM	3500.01	633334			Inner_1RB_Left	23.70	21.61	0.145
					Inner_1RB_Right	23.72	21.63	0.146
					Inner_Full	24.36	22.27	0.169
CP -64QAM	3500.01	633334			Inner_1RB_Left	22.10	20.01	0.100
					Inner_1RB_Right	22.13	20.04	0.101
					Inner_Full	22.83	20.74	0.119
CP -256QAM	3500.01	633334			Inner_1RB_Left	19.48	17.39	0.055
					Inner_1RB_Right	19.53	17.44	0.055
					Inner_Full	19.92	17.83	0.061

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	21.52	23.14	25.42	23.33	0.215
					Inner_1RB_Right	21.62	22.94	25.34	23.25	0.211
					Inner_Full	21.58	23.08	25.40	23.31	0.214
	3500.01	633334			Inner_1RB_Left	21.92	23.37	25.72	23.63	0.231
					Inner_1RB_Right	21.76	23.41	25.67	23.58	0.228
					Inner_Full	21.79	23.5	25.74	23.65	0.232
	3545.01	636334			Inner_1RB_Left	21.63	23.12	25.45	23.36	0.217
					Inner_1RB_Right	21.67	23.02	25.41	23.32	0.215
					Inner_Full	21.62	23.22	25.50	23.41	0.219
CP-16QAM	3455.01	630334	Inner_1RB_Left	21.06	22.55	24.88	22.79	0.190		
			Inner_1RB_Right	21.63	21.4	24.53	22.44	0.175		
			Inner_Full	21.07	22.58	24.90	22.81	0.191		
	3500.01	633334	Inner_1RB_Left	22.06	22.27	25.18	23.09	0.204		
			Inner_1RB_Right	21.89	21.64	24.78	22.69	0.186		
			Inner_Full	21.41	23.02	25.30	23.21	0.209		
	3545.01	636334	Inner_1RB_Left	21.43	22.67	25.10	23.01	0.200		
			Inner_1RB_Right	21.5	22.73	25.17	23.08	0.203		
			Inner_Full	21.26	22.73	25.07	22.98	0.199		
CP-64QAM	3455.01	630334	Inner_1RB_Left	20.22	20.48	23.36	21.27	0.134		
			Inner_1RB_Right	19.9	20.36	23.15	21.06	0.128		
			Inner_Full	19.57	21	23.35	21.26	0.134		
	3500.01	633334	Inner_1RB_Left	20.68	20.81	23.76	21.67	0.147		
			Inner_1RB_Right	17.94	20.58	22.47	20.38	0.109		
			Inner_Full	19.97	21.42	23.77	21.68	0.147		
	3545.01	636334	Inner_1RB_Left	19.84	20.97	23.45	21.36	0.137		
			Inner_1RB_Right	20.6	20.46	23.54	21.45	0.140		
			Inner_Full	19.77	21.17	23.54	21.45	0.140		
CP-256QAM	3455.01	630334	Inner_1RB_Left	16.35	17.85	20.17	18.08	0.064		
			Inner_1RB_Right	17.2	17.3	20.26	18.17	0.066		
			Inner_Full	16.47	18.24	20.45	18.36	0.069		
	3500.01	633334	Inner_1RB_Left	16.84	18.22	20.59	18.5	0.071		
			Inner_1RB_Right	17.26	17.5	20.39	18.3	0.068		
			Inner_Full	16.86	18.63	20.84	18.75	0.075		
	3545.01	636334	Inner_1RB_Left	16.58	16.97	19.79	17.7	0.059		
			Inner_1RB_Right	17.2	17.28	20.25	18.16	0.065		
			Inner_Full	16.71	18.33	20.61	18.52	0.071		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	21.5	22.94	25.29	23.2	0.209
					Inner_1RB_Right	21.51	22.97	25.31	23.22	0.210
					Inner_Full	21.66	23.19	25.50	23.41	0.219
	3500.01	633334			Inner_1RB_Left	21.85	23.34	25.67	23.58	0.228
					Inner_1RB_Right	21.7	23.25	25.55	23.46	0.222
					Inner_Full	21.81	23.49	25.74	23.65	0.232
	3542.49	636166			Inner_1RB_Left	21.74	23.2	25.54	23.45	0.221
					Inner_1RB_Right	21.77	23.25	25.58	23.49	0.223
					Inner_Full	21.8	23.37	25.67	23.58	0.228
CP-16QAM	3457.5	630500	Inner_1RB_Left	21.12	22.53	24.89	22.8	0.191		
			Inner_1RB_Right	21.24	22.59	24.98	22.89	0.195		
			Inner_Full	21.15	22.69	25.00	22.91	0.195		
	3500.01	633334	Inner_1RB_Left	21.59	22.91	25.31	23.22	0.210		
			Inner_1RB_Right	21.5	22.88	25.25	23.16	0.207		
			Inner_Full	21.47	23.03	25.33	23.24	0.211		
	3542.49	636166	Inner_1RB_Left	21.47	22.71	25.14	23.05	0.202		
			Inner_1RB_Right	21.54	22.76	25.20	23.11	0.205		
			Inner_Full	21.4	22.89	25.22	23.13	0.206		
CP-64QAM	3457.5	630500	Inner_1RB_Left	19.53	20.79	23.22	21.13	0.130		
			Inner_1RB_Right	20.2	20.56	23.39	21.3	0.135		
			Inner_Full	19.62	21.08	23.42	21.33	0.136		
	3500.01	633334	Inner_1RB_Left	20.06	21.24	23.70	21.61	0.145		
			Inner_1RB_Right	19.84	21.16	23.56	21.47	0.140		
			Inner_Full	20.4	20.87	23.65	21.56	0.143		
	3542.49	636166	Inner_1RB_Left	19.89	21.11	23.55	21.46	0.140		
			Inner_1RB_Right	20.67	20.56	23.63	21.54	0.143		
			Inner_Full	19.84	21.29	23.64	21.55	0.143		
CP-256QAM	3457.5	630500	Inner_1RB_Left	16.94	17.2	20.08	17.99	0.063		
			Inner_1RB_Right	16.97	17.33	20.16	18.07	0.064		
			Inner_Full	16.59	18.14	20.44	18.35	0.068		
	3500.01	633334	Inner_1RB_Left	16.8	18.27	20.61	18.52	0.071		
			Inner_1RB_Right	17.17	17.46	20.33	18.24	0.067		
			Inner_Full	16.87	18.51	20.78	18.69	0.074		
	3542.49	636166	Inner_1RB_Left	17.38	17.13	20.27	18.18	0.066		
			Inner_1RB_Right	17.38	17.39	20.40	18.31	0.068		
			Inner_Full	16.87	18.36	20.69	18.6	0.072		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	21.51	22.96	25.31	23.22	0.210
					Inner_1RB_Right	21.88	22.39	25.15	23.06	0.202
					Inner_Full	21.69	23.18	25.51	23.42	0.220
	3500.01	633334			Inner_1RB_Left	21.84	23.34	25.66	23.57	0.228
					Inner_1RB_Right	21.63	23.3	25.56	23.47	0.222
					Inner_Full	21.84	23.47	25.74	23.65	0.232
	3540	636000			Inner_1RB_Left	21.69	23.06	25.44	23.35	0.216
					Inner_1RB_Right	21.68	23.08	25.45	23.36	0.217
					Inner_Full	21.72	23.3	25.59	23.5	0.224
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	21.11	22.61	24.93	22.84	0.192
					Inner_1RB_Right	21.61	21.33	24.48	22.39	0.173
					Inner_Full	21.69	21.81	24.76	22.67	0.185
	3500.01	633334			Inner_1RB_Left	21.58	22.93	25.32	23.23	0.210
					Inner_1RB_Right	21.35	22.9	25.20	23.11	0.205
					Inner_Full	21.47	22.96	25.29	23.2	0.209
	3540	636000			Inner_1RB_Left	21.37	22.64	25.06	22.97	0.198
					Inner_1RB_Right	21.37	22.7	25.10	23.01	0.200
					Inner_Full	21.37	22.77	25.14	23.05	0.202
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	19.49	20.88	23.25	21.16	0.131
					Inner_1RB_Right	19.57	19.86	22.73	20.64	0.116
					Inner_Full	20.17	20.71	23.46	21.37	0.137
	3500.01	633334			Inner_1RB_Left	19.93	21.2	23.62	21.53	0.142
					Inner_1RB_Right	19.8	21.23	23.58	21.49	0.141
					Inner_Full	20.47	20.81	23.65	21.56	0.143
	3540	636000			Inner_1RB_Left	19.85	21.05	23.50	21.41	0.138
					Inner_1RB_Right	20.49	20.51	23.51	21.42	0.139
					Inner_Full	19.85	21.28	23.63	21.54	0.143
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	16.9	17.47	20.20	18.11	0.065
					Inner_1RB_Right	16.4	17.86	20.20	18.11	0.065
					Inner_Full	16.59	18.27	20.52	18.43	0.070
	3500.01	633334			Inner_1RB_Left	16.76	18.2	20.55	18.46	0.070
					Inner_1RB_Right	16.63	18.15	20.47	18.38	0.069
					Inner_Full	16.83	18.52	20.77	18.68	0.074
	3540	636000			Inner_1RB_Left	14.25	13.36	16.84	14.75	0.030
					Inner_1RB_Right	17.11	17.39	20.26	18.17	0.066
					Inner_Full	16.78	18.37	20.66	18.57	0.072

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	21.32	22.81	25.14	23.05	0.202
					Inner_1RB_Right	21.4	22.92	25.24	23.15	0.207
					Inner_Full	21.59	23.32	25.55	23.46	0.222
	3500.01	633334			Inner_1RB_Left	21.32	23.02	25.26	23.17	0.207
					Inner_1RB_Right	21.5	23.03	25.34	23.25	0.211
					Inner_Full	21.84	23.48	25.75	23.66	0.232
	3530.01	635334			Inner_1RB_Left	21.26	22.89	25.16	23.07	0.203
					Inner_1RB_Right	21.45	22.87	25.23	23.14	0.206
					Inner_Full	21.79	23.36	25.66	23.57	0.228
CP-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	20.91	22.35	24.7	22.61	0.182
					Inner_1RB_Right	21.25	22.61	24.99	22.9	0.195
					Inner_Full	21.26	22.75	25.08	22.99	0.199
	3500.01	633334			Inner_1RB_Left	21.09	22.53	24.88	22.79	0.190
					Inner_1RB_Right	21.35	22.68	25.08	22.99	0.199
					Inner_Full	21.47	22.93	25.27	23.18	0.208
	3530.01	635334			Inner_1RB_Left	20.98	22.41	24.76	22.67	0.185
					Inner_1RB_Right	21.23	22.51	24.93	22.84	0.192
					Inner_Full	21.42	22.81	25.18	23.09	0.204
CP-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	19.32	20.66	23.05	20.96	0.125
					Inner_1RB_Right	20.11	20.47	23.3	21.21	0.132
					Inner_Full	19.72	21.27	23.57	21.48	0.141
	3500.01	633334			Inner_1RB_Left	19.52	20.88	23.26	21.17	0.131
					Inner_1RB_Right	20.25	20.35	23.31	21.22	0.132
					Inner_Full	19.96	21.44	23.77	21.68	0.147
	3530.01	635334			Inner_1RB_Left	19.5	20.79	23.2	21.11	0.129
					Inner_1RB_Right	19.62	20.9	23.32	21.23	0.133
					Inner_Full	20.31	20.6	23.47	21.38	0.137
CP-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	16.74	16.92	19.84	17.75	0.060
					Inner_1RB_Right	16.83	17.11	19.98	17.89	0.062
					Inner_Full	16.67	18.29	20.57	18.48	0.070
	3500.01	633334			Inner_1RB_Left	16.36	10.91	17.45	15.36	0.034
					Inner_1RB_Right	16.91	17.12	20.03	17.94	0.062
					Inner_Full	16.86	18.44	20.73	18.64	0.073
	3530.01	635334			Inner_1RB_Left	16.31	17.78	20.12	18.03	0.064
					Inner_1RB_Right	16.44	17.8	20.18	18.09	0.064
					Inner_Full	16.85	18.31	20.65	18.56	0.072

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	21.71	23.08	25.46	23.37	0.217
					Inner_1RB_Right	21.68	23.26	25.55	23.46	0.222
					Inner_Full	21.71	23.58	25.76	23.67	0.233
	3500.01	633334			Inner_1RB_Left	21.51	22.25	24.91	22.82	0.191
					Inner_1RB_Right	22.35	22.56	25.47	23.38	0.218
					Inner_Full	21.87	23.51	25.78	23.69	0.234
	3525	635000			Inner_1RB_Left	21.52	22.87	25.26	23.17	0.207
					Inner_1RB_Right	21.64	23.06	25.42	23.33	0.215
					Inner_Full	21.66	23.31	25.57	23.48	0.223
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	21.3	22.67	25.05	22.96	0.198
					Inner_1RB_Right	21.54	22.8	25.23	23.14	0.206
					Inner_Full	21.32	23.07	25.29	23.2	0.209
	3500.01	633334			Inner_1RB_Left	21.3	22.77	25.11	23.02	0.200
					Inner_1RB_Right	21.64	22.88	25.31	23.22	0.210
					Inner_Full	21.48	23.07	25.36	23.27	0.212
	3525	635000			Inner_1RB_Left	21.29	22.47	24.93	22.84	0.192
					Inner_1RB_Right	21.49	22.68	25.14	23.05	0.202
					Inner_Full	21.28	22.81	25.12	23.03	0.201
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	19.68	20.96	23.38	21.29	0.135
					Inner_1RB_Right	20.49	20.54	23.53	21.44	0.139
					Inner_Full	19.83	21.43	23.71	21.62	0.145
	3500.01	633334			Inner_1RB_Left	19.72	20.97	23.40	21.31	0.135
					Inner_1RB_Right	20.02	21.2	23.66	21.57	0.144
					Inner_Full	19.98	21.44	23.78	21.69	0.148
	3525	635000			Inner_1RB_Left	19.71	20.8	23.30	21.21	0.132
					Inner_1RB_Right	19.9	18.79	22.39	20.3	0.107
					Inner_Full	19.82	21.18	23.56	21.47	0.140
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	16.54	15.84	19.21	17.12	0.052
					Inner_1RB_Right	17.26	17.4	20.34	18.25	0.067
					Inner_Full	16.76	18.5	20.73	18.64	0.073
	3500.01	633334			Inner_1RB_Left	16.55	18.08	20.39	18.3	0.068
					Inner_1RB_Right	17.39	17.82	20.62	18.53	0.071
					Inner_Full	16.89	18.51	20.79	18.7	0.074
	3525	635000			Inner_1RB_Left	16.54	17.86	20.26	18.17	0.066
					Inner_1RB_Right	17.21	17.45	20.34	18.25	0.067
					Inner_Full	16.72	18.27	20.57	18.48	0.070

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	21.64	23	25.38	23.29	0.213
					Inner_1RB_Right	21.61	23.25	25.52	23.43	0.220
					Inner_Full	21.62	23.43	25.63	23.54	0.226
	3500.01	633334			Inner_1RB_Left	21.47	23.04	25.34	23.25	0.211
					Inner_1RB_Right	21.86	23.21	25.60	23.51	0.224
					Inner_Full	21.85	23.52	25.78	23.69	0.234
	3519.99	634666			Inner_1RB_Left	21.83	23.17	25.56	23.47	0.222
					Inner_1RB_Right	21.82	23.28	25.62	23.53	0.225
					Inner_Full	21.81	23.55	25.78	23.69	0.234
CP-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	21.21	22.6	24.97	22.88	0.194
					Inner_1RB_Right	21.49	22.77	25.19	23.1	0.204
					Inner_Full	21.27	22.91	25.18	23.09	0.204
	3500.01	633334			Inner_1RB_Left	21.34	22.62	25.04	22.95	0.197
					Inner_1RB_Right	21.75	22.81	25.32	23.23	0.210
					Inner_Full	21.47	22.95	25.28	23.19	0.208
	3519.99	634666			Inner_1RB_Left	21.55	22.76	25.21	23.12	0.205
					Inner_1RB_Right	21.74	22.71	25.26	23.17	0.207
					Inner_Full	21.5	23.03	25.34	23.25	0.211
CP-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	19.63	20.83	23.28	21.19	0.132
					Inner_1RB_Right	20.29	20.51	23.41	21.32	0.136
					Inner_Full	19.79	21.37	23.66	21.57	0.144
	3500.01	633334			Inner_1RB_Left	19.79	20.95	23.42	21.33	0.136
					Inner_1RB_Right	20.56	20.75	23.67	21.58	0.144
					Inner_Full	19.96	21.47	23.79	21.7	0.148
	3519.99	634666			Inner_1RB_Left	20.04	21.15	23.64	21.55	0.143
					Inner_1RB_Right	20.62	20.49	23.57	21.48	0.141
					Inner_Full	19.98	21.49	23.81	21.72	0.149
CP-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	16.89	17.37	20.15	18.06	0.064
					Inner_1RB_Right	17.16	17.63	20.41	18.32	0.068
					Inner_Full	16.74	18.42	20.67	18.58	0.072
	3500.01	633334			Inner_1RB_Left	16.57	11.1	17.65	15.56	0.036
					Inner_1RB_Right	17.46	17.77	20.63	18.54	0.071
					Inner_Full	16.91	18.49	20.78	18.69	0.074
	3519.99	634666			Inner_1RB_Left	17.27	17.32	20.31	18.22	0.066
					Inner_1RB_Right	17.55	17.69	20.63	18.54	0.071
					Inner_Full	16.95	18.52	20.82	18.73	0.075

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	21.08	22.58	24.90	22.81	0.191
					Inner_1RB_Right	21.39	22.87	25.20	23.11	0.205
					Inner_Full	20.2	21.78	24.07	21.98	0.158
	3500.01	633334			Inner_1RB_Left	21.35	22.77	25.13	23.04	0.201
					Inner_1RB_Right	21.48	22.84	25.22	23.13	0.206
					Inner_Full	20.4	21.92	24.24	22.15	0.164
	3515.01	634334			Inner_1RB_Left	21.23	22.81	25.10	23.01	0.200
					Inner_1RB_Right	21.62	22.93	25.33	23.24	0.211
					Inner_Full	20.39	21.85	24.19	22.1	0.162
CP-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	20.92	22.21	24.62	22.53	0.179
					Inner_1RB_Right	21.22	22.54	24.94	22.85	0.193
					Inner_Full	20.23	21.75	24.07	21.98	0.158
	3500.01	633334			Inner_1RB_Left	21.21	22.39	24.85	22.76	0.189
					Inner_1RB_Right	21.39	22.5	24.99	22.9	0.195
					Inner_Full	20.41	21.93	24.25	22.16	0.164
	3515.01	634334			Inner_1RB_Left	21.1	22.52	24.88	22.79	0.190
					Inner_1RB_Right	21.48	22.53	25.05	22.96	0.198
					Inner_Full	20.37	21.86	24.19	22.1	0.162
CP-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	19.36	20.38	22.91	20.82	0.121
					Inner_1RB_Right	19.61	20.35	23.01	20.92	0.124
					Inner_Full	19.7	21.24	23.55	21.46	0.140
	3500.01	633334			Inner_1RB_Left	19.65	20.59	23.16	21.07	0.128
					Inner_1RB_Right	20.23	20.39	23.32	21.23	0.133
					Inner_Full	19.84	21.42	23.71	21.62	0.145
	3515.01	634334			Inner_1RB_Left	19.52	20.66	23.14	21.05	0.127
					Inner_1RB_Right	20.38	20.39	23.40	21.31	0.135
					Inner_Full	19.85	21.33	23.66	21.57	0.144
CP-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	16.24	17.59	19.98	17.89	0.062
					Inner_1RB_Right	17.01	17.46	20.25	18.16	0.065
					Inner_Full	16.99	17.31	20.16	18.07	0.064
	3500.01	633334			Inner_1RB_Left	16.84	17.17	20.02	17.93	0.062
					Inner_1RB_Right	16.95	17.23	20.10	18.01	0.063
					Inner_Full	16.81	18.46	20.72	18.63	0.073
	3515.01	634334			Inner_1RB_Left	16.87	17.11	20.00	17.91	0.062
					Inner_1RB_Right	17.08	17.28	20.19	18.1	0.065
					Inner_Full	16.79	18.39	20.67	18.58	0.072

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	21.09	22.56	24.90	22.81	0.191
					Inner_1RB_Right	21.38	22.84	25.18	23.09	0.204
					Inner_Full	21.61	23.41	25.61	23.52	0.225
	3500.01	633334			Inner_1RB_Left	21.26	22.7	25.05	22.96	0.198
					Inner_1RB_Right	21.42	22.76	25.15	23.06	0.202
					Inner_Full	21.76	23.55	25.76	23.67	0.233
	3510	634000			Inner_1RB_Left	21.12	22.73	25.01	22.92	0.196
					Inner_1RB_Right	21.87	22.08	24.99	22.9	0.195
					Inner_Full	21.81	23.53	25.76	23.67	0.233
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	20.94	22.15	24.60	22.51	0.178
					Inner_1RB_Right	21.35	22.48	24.96	22.87	0.194
					Inner_Full	21.32	22.88	25.18	23.09	0.204
	3500.01	633334			Inner_1RB_Left	21.41	21.6	24.52	22.43	0.175
					Inner_1RB_Right	21.4	22.41	24.94	22.85	0.193
					Inner_Full	21.47	23.01	25.32	23.23	0.210
	3510	634000			Inner_1RB_Left	21.06	22.3	24.73	22.64	0.184
					Inner_1RB_Right	21.35	21.47	24.42	22.33	0.171
					Inner_Full	21.52	22.98	25.32	23.23	0.210
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	19.42	18.27	21.89	19.8	0.095
					Inner_1RB_Right	20.13	20.34	23.25	21.16	0.131
					Inner_Full	19.78	21.33	23.63	21.54	0.143
	3500.01	633334			Inner_1RB_Left	19.63	20.56	23.13	21.04	0.127
					Inner_1RB_Right	19.73	20.66	23.23	21.14	0.130
					Inner_Full	19.9	21.46	23.76	21.67	0.147
	3510	634000			Inner_1RB_Left	19.5	20.59	23.09	21	0.126
					Inner_1RB_Right	20.07	20.28	23.19	21.1	0.129
					Inner_Full	20.39	20.56	23.49	21.4	0.138
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	16.65	17.11	19.90	17.81	0.060
					Inner_1RB_Right	16.89	17.32	20.12	18.03	0.064
					Inner_Full	16.7	18.35	20.61	18.52	0.071
	3500.01	633334			Inner_1RB_Left	16.36	17.75	20.12	18.03	0.064
					Inner_1RB_Right	16.91	17.19	20.06	17.97	0.063
					Inner_Full	16.91	18.5	20.79	18.7	0.074
	3510	634000			Inner_1RB_Left	16.75	17.06	19.92	17.83	0.061
					Inner_1RB_Right	16.99	17.3	20.16	18.07	0.064
					Inner_Full	16.89	18.52	20.79	18.7	0.074

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	20.87	22.47	24.75	22.66	0.185
					Inner_1RB_Right	21.38	22.58	25.03	22.94	0.197
					Inner_Full	21.49	23.24	25.46	23.37	0.217
	3500.01	633334			Inner_1RB_Left	21.1	22.67	24.97	22.88	0.194
					Inner_1RB_Right	21.38	22.74	25.12	23.03	0.201
					Inner_Full	21.75	23.48	25.71	23.62	0.230
	3504.99	633666			Inner_1RB_Left	21.24	22.72	25.05	22.96	0.198
					Inner_1RB_Right	21.28	22.68	25.05	22.96	0.198
					Inner_Full	21.77	23.57	25.77	23.68	0.233
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	20.87	22	24.48	22.39	0.173
					Inner_1RB_Right	21.37	22.22	24.83	22.74	0.188
					Inner_Full	21.16	22.74	25.03	22.94	0.197
	3500.01	633334			Inner_1RB_Left	21.09	22.15	24.66	22.57	0.181
					Inner_1RB_Right	21.41	22.28	24.88	22.79	0.190
					Inner_Full	21.38	22.97	25.26	23.17	0.207
	3504.99	633666			Inner_1RB_Left	21.17	22.32	24.79	22.7	0.186
					Inner_1RB_Right	21.27	22.27	24.81	22.72	0.187
					Inner_Full	21.48	23.07	25.36	23.27	0.212
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	19.26	20.25	22.79	20.7	0.117
					Inner_1RB_Right	20.01	20.2	23.12	21.03	0.127
					Inner_Full	19.64	21.15	23.47	21.38	0.137
	3500.01	633334			Inner_1RB_Left	19.5	20.43	23.00	20.91	0.123
					Inner_1RB_Right	20.01	20.22	23.13	21.04	0.127
					Inner_Full	19.84	21.4	23.70	21.61	0.145
	3504.99	633666			Inner_1RB_Left	19.58	20.54	23.10	21.01	0.126
					Inner_1RB_Right	19.65	19.57	22.62	20.53	0.113
					Inner_Full	19.93	21.45	23.77	21.68	0.147
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	16.07	17.46	19.83	17.74	0.059
					Inner_1RB_Right	16.92	17.19	20.07	17.98	0.063
					Inner_Full	16.61	18.25	20.52	18.43	0.070
	3500.01	633334			Inner_1RB_Left	16.77	17.08	19.94	17.85	0.061
					Inner_1RB_Right	17.12	17.05	20.10	18.01	0.063
					Inner_Full	16.81	18.47	20.73	18.64	0.073
	3504.99	633666			Inner_1RB_Left	16.84	17.12	19.99	17.9	0.062
					Inner_1RB_Right	16.96	17.03	20.01	17.92	0.062
					Inner_Full	16.92	18.56	20.83	18.74	0.075

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	3495	633000	100	30kHz	Inner_1RB_Left	20.87	22.48	24.76	22.67	0.185
					Inner_1RB_Right	21.17	22.55	24.92	22.83	0.192
					Inner_Full	21.76	23.51	25.73	23.64	0.231
	3500.01	633334			Inner_1RB_Left	20.87	22.45	24.74	22.65	0.184
					Inner_1RB_Right	21.14	22.5	24.88	22.79	0.190
					Inner_Full	21.76	23.52	25.74	23.65	0.232
	3504.99	633666			Inner_1RB_Left	20.85	22.55	24.79	22.7	0.186
					Inner_1RB_Right	21.17	22.66	24.99	22.9	0.195
					Inner_Full	21.74	23.59	25.77	23.68	0.233
CP-16QAM	3495	633000	100	30kHz	Inner_1RB_Left	20.89	21.98	24.48	22.39	0.173
					Inner_1RB_Right	21.23	22.17	24.74	22.65	0.184
					Inner_Full	21.41	22.97	25.27	23.18	0.208
	3500.01	633334			Inner_1RB_Left	20.82	21.97	24.44	22.35	0.172
					Inner_1RB_Right	21.18	22.14	24.70	22.61	0.182
					Inner_Full	21.4	22.96	25.26	23.17	0.207
	3504.99	633666			Inner_1RB_Left	20.68	22.05	24.43	22.34	0.171
					Inner_1RB_Right	21	22.25	24.68	22.59	0.182
					Inner_Full	21.34	22.96	25.24	23.15	0.207
CP-64QAM	3495	633000	100	30kHz	Inner_1RB_Left	19.24	20.2	22.76	20.67	0.117
					Inner_1RB_Right	20.16	20	23.09	21	0.126
					Inner_Full	19.89	21.45	23.75	21.66	0.147
	3500.01	633334			Inner_1RB_Left	19.14	20.39	22.82	20.73	0.118
					Inner_1RB_Right	20.1	20.18	23.15	21.06	0.128
					Inner_Full	19.89	21.45	23.75	21.66	0.147
	3504.99	633666			Inner_1RB_Left	19.54	20.29	22.94	20.85	0.122
					Inner_1RB_Right	19.35	20.61	23.04	20.95	0.124
					Inner_Full	20.5	20.77	23.65	21.56	0.143
CP-256QAM	3495	633000	100	30kHz	Inner_1RB_Left	16.09	17.53	19.88	17.79	0.060
					Inner_1RB_Right	16.96	17.14	20.06	17.97	0.063
					Inner_Full	16.82	18.5	20.75	18.66	0.073
	3500.01	633334			Inner_1RB_Left	16.45	16.99	19.74	17.65	0.058
					Inner_1RB_Right	16.93	16.97	19.96	17.87	0.061
					Inner_Full	16.76	18.49	20.72	18.63	0.073
	3504.99	633666			Inner_1RB_Left	16.29	17.84	20.14	18.05	0.064
					Inner_1RB_Right	16.97	17.04	20.02	17.93	0.062
					Inner_Full	16.76	18.56	20.76	18.67	0.074