


Annex C. Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.84	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.96	-13	Pass	2985
30	500	0.1	Peak	464.592	-42.16	-13	Pass	4700
500	1000	0.1	Peak	824.165	33.74	-13	N/A	5000
1000	10000	1	Peak	9939.993	-22.71	-13	Pass	9000




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.27	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.17	-13	Pass	2985
30	500	0.1	Peak	449.889	-42.35	-13	Pass	4700
500	1000	0.1	Peak	836.567	33.81	-13	N/A	5000
1000	10000	1	Peak	9739.971	-22.41	-13	Pass	9000



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.47	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.64	-13	Pass	2985
30	500	0.1	Peak	418.083	-41.24	-13	Pass	4700
500	1000	0.1	Peak	848.77	33.74	-13	N/A	5000
1000	10000	1	Peak	7662.74	-22.87	-13	Pass	9000



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42	-13	Pass	601
0.15	30	0.01	Peak	0.15	-47.44	-13	Pass	2985
30	1000	0.1	Peak	810.68	-46.3	-13	Pass	9700
1000	3000	1	Peak	1849.425	18.49	-13	N/A	2000
3000	20000	1	Peak	18716.925	-19.7	-13	Pass	17000




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.38	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.28	-13	Pass	2985
30	1000	0.1	Peak	961.796	-46.31	-13	Pass	9700
1000	3000	1	Peak	1880.44	16.59	-13	N/A	2000
3000	20000	1	Peak	19046.944	-19.96	-13	Pass	17000



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.71	-13	Pass	601
0.15	30	0.01	Peak	0.15	-47.24	-13	Pass	2985
30	1000	0.1	Peak	893.489	-46.32	-13	Pass	9700
1000	3000	1	Peak	1909.455	21.85	-13	N/A	2000
3000	20000	1	Peak	18712.924	-19.25	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.62	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.79	-13	Pass	2985
30	500	0.1	Peak	414.682	-42.46	-13	Pass	4700
500	1000	0.1	Peak	824.165	30.56	-13	N/A	5000
1000	10000	1	Peak	9552.95	-21.86	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.08	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.68	-13	Pass	2985
30	500	0.1	Peak	486.697	-42.33	-13	Pass	4700
500	1000	0.1	Peak	836.667	30.91	-13	N/A	5000
1000	10000	1	Peak	7635.737	-22.95	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.53	-13	Pass	601
0.15	30	0.01	Peak	0.15	-41.22	-13	Pass	2985
30	500	0.1	Peak	345.267	-42.09	-13	Pass	4700
500	1000	0.1	Peak	848.87	30.24	-13	N/A	5000
1000	10000	1	Peak	7264.696	-22.68	-13	Pass	9000



4. EGPRS_PCS

4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.38	-13	Pass	601
0.15	30	0.01	Peak	0.16	-46.33	-13	Pass	2985
30	1000	0.1	Peak	922.292	-46.25	-13	Pass	9700
1000	3000	1	Peak	1850.425	24.17	-13	N/A	2000
3000	20000	1	Peak	18792.929	-19.66	-13	Pass	17000



4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.5	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.32	-13	Pass	2985
30	1000	0.1	Peak	893.289	-45.69	-13	Pass	9700
1000	3000	1	Peak	1880.44	24.48	-13	N/A	2000
3000	20000	1	Peak	19567.975	-19.62	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.89	-13	Pass	601
0.15	30	0.01	Peak	0.15	-47.22	-13	Pass	2985
30	1000	0.1	Peak	799.079	-46.64	-13	Pass	9700
1000	3000	1	Peak	1909.455	23.92	-13	N/A	2000
3000	20000	1	Peak	19006.942	-19.72	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.41	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.72	-13	Pass	2985
30	1000	0.1	Peak	860.186	-50.52	-13	Pass	9700
1000	3000	1	Peak	1851.426	24.39	-13	N/A	2000
3000	20000	1	Peak	18766.927	-23.93	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-48.2	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.22	-13	Pass	2985
30	1000	0.1	Peak	827.282	-42.24	-13	Pass	9700
1000	3000	1	Peak	1878.439	24.48	-13	N/A	2000
3000	20000	1	Peak	18820.931	-23.69	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.31	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.38	-13	Pass	2985
30	1000	0.1	Peak	984.298	-50.56	-13	Pass	9700
1000	3000	1	Peak	1906.453	24.65	-13	N/A	2000
3000	20000	1	Peak	18759.927	-23.68	-13	Pass	17000



6. WCDMA_Band5


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.06	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.48	-13	Pass	2985
30	500	0.1	Peak	480.496	-52.35	-13	Pass	4700
500	1000	0.1	Peak	826.365	18.85	-13	N/A	5000
1000	10000	1	Peak	9623.958	-32.81	-13	Pass	9000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.71	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.1	-13	Pass	2985
30	500	0.1	Peak	479.796	-52.38	-13	Pass	4700
500	1000	0.1	Peak	836.667	18.88	-13	N/A	5000
1000	10000	1	Peak	9558.951	-33.12	-13	Pass	9000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.83	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.24	-13	Pass	2985
30	500	0.1	Peak	418.383	-51.76	-13	Pass	4700
500	1000	0.1	Peak	847.269	18.63	-13	N/A	5000
1000	10000	1	Peak	9794.977	-33.08	-13	Pass	9000



7. CDMA BC0


7.1. Spurious Emission at Antenna Terminals(NTNV) _CH1013

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.97	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.67	-13	Pass	2985
30	500	0.1	Peak	491.998	-42.31	-13	Pass	4700
500	1000	0.1	Peak	825.265	19.58	-13	N/A	5000
1000	10000	1	Peak	7581.731	-22.61	-13	Pass	9000




7.2. Spurious Emission at Antenna Terminals(NTNV) _CH384

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.98	-13	Pass	601
0.15	30	0.01	Peak	0.16	-41.52	-13	Pass	2985
30	500	0.1	Peak	474.094	-40.82	-13	Pass	4700
500	1000	0.1	Peak	836.567	24.04	-13	N/A	5000
1000	10000	1	Peak	9817.98	-22.53	-13	Pass	9000



7.3. Spurious Emission at Antenna Terminals(NTNV) _CH77


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.16	-13	Pass	601
0.15	30	0.01	Peak	0.16	-41.09	-13	Pass	2985
30	500	0.1	Peak	478.395	-42.21	-13	Pass	4700
500	1000	0.1	Peak	848.67	22.99	-13	N/A	5000
1000	10000	1	Peak	9524.947	-22.53	-13	Pass	9000



8. EVDO BC0_CH1013


8.1. Spurious Emission at Antenna Terminals(NTNV) _CH101

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.61	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.67	-13	Pass	2985
30	500	0.1	Peak	415.282	-41.69	-13	Pass	4700
500	1000	0.1	Peak	824.465	19.36	-13	N/A	5000
1000	10000	1	Peak	9816.98	-22.7	-13	Pass	9000




8.2. Spurious Emission at Antenna Terminals(NTNV) _CH384

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.02	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.3	-13	Pass	2985
30	500	0.1	Peak	423.484	-42.15	-13	Pass	4700
500	1000	0.1	Peak	836.167	19.58	-13	N/A	5000
1000	10000	1	Peak	9852.984	-22.98	-13	Pass	9000



8.3. Spurious Emission at Antenna Terminals(NTNV) _CH77


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.47	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.76	-13	Pass	2985
30	500	0.1	Peak	362.871	-41.94	-13	Pass	4700
500	1000	0.1	Peak	848.27	20.2	-13	N/A	5000
1000	10000	1	Peak	9762.974	-22.7	-13	Pass	9000



9. LTE_Band2


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.83	-13	Pass	2985
30	1000	0.1	RMS	935.493	-61.42	-13	Pass	9700
1000	1840	1	RMS	1840	-51.09	-13	Pass	840
1840	1920	1	RMS	1850.267	24.15	60	Pass	601
1920	3000	1	RMS	2657.683	-48.59	-13	Pass	1080
3000	12000	1	RMS	11997	-42.48	-13	Pass	9000
12000	20000	1	RMS	18753.844	-35.42	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2985
30	1000	0.1	RMS	916.291	-61.39	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.12	-13	Pass	840
1840	1920	1	RMS	1850.267	23.14	60	Pass	601
1920	3000	1	RMS	2664.69	-48.63	-13	Pass	1080
3000	12000	1	RMS	11986.999	-42.47	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.39	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.87	-13	Pass	2985
30	1000	0.1	RMS	943.794	-61.37	-13	Pass	9700
1000	1840	1	RMS	1816.973	-51.11	-13	Pass	840
1840	1920	1	RMS	1879.6	24.1	60	Pass	601
1920	3000	1	RMS	2644.671	-48.46	-13	Pass	1080
3000	12000	1	RMS	11996	-42.41	-13	Pass	9000
12000	20000	1	RMS	18751.844	-35.33	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2985
30	1000	0.1	RMS	935.293	-61.3	-13	Pass	9700
1000	1840	1	RMS	1840	-51.18	-13	Pass	840
1840	1920	1	RMS	1879.6	23.07	60	Pass	601
1920	3000	1	RMS	2654.68	-48.63	-13	Pass	1080
3000	12000	1	RMS	11996	-42.46	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.39	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.77	-13	Pass	2985
30	1000	0.1	RMS	926.392	-61.35	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.16	-13	Pass	840
1840	1920	1	RMS	1908.8	24.27	60	Pass	601
1920	3000	1	RMS	2650.677	-48.56	-13	Pass	1080
3000	12000	1	RMS	11992.999	-42.53	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.36	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2985
30	1000	0.1	RMS	913.591	-61.26	-13	Pass	9700
1000	1840	1	RMS	1840	-51.15	-13	Pass	840
1840	1920	1	RMS	1908.8	23.37	60	Pass	601
1920	3000	1	RMS	2653.679	-48.59	-13	Pass	1080
3000	12000	1	RMS	11996	-42.42	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.36	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.58	-13	Pass	2985
30	1000	0.1	RMS	936.994	-61.33	-13	Pass	9700
1000	1840	1	RMS	1840	-51.01	-13	Pass	840
1840	1920	1	RMS	1850.267	24.21	60	Pass	601
1920	3000	1	RMS	2657.683	-48.59	-13	Pass	1080
3000	12000	1	RMS	11990.999	-42.51	-13	Pass	9000
12000	20000	1	RMS	19021.878	-35.39	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2985
30	1000	0.1	RMS	952.995	-61.39	-13	Pass	9700
1000	1840	1	RMS	1840	-51.01	-13	Pass	840
1840	1920	1	RMS	1850.267	23.32	60	Pass	601
1920	3000	1	RMS	2647.674	-48.55	-13	Pass	1080
3000	12000	1	RMS	11978.998	-42.44	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.25	-13	Pass	8000




9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2985
30	1000	0.1	RMS	926.392	-61.46	-13	Pass	9700
1000	1840	1	RMS	1809.964	-51.13	-13	Pass	840
1840	1920	1	RMS	1878.8	24.15	60	Pass	601
1920	3000	1	RMS	2648.675	-48.55	-13	Pass	1080
3000	12000	1	RMS	11998	-42.53	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.37	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.17	-13	Pass	2985
30	1000	0.1	RMS	949.295	-61.46	-13	Pass	9700
1000	1840	1	RMS	1840	-51.11	-13	Pass	840
1840	1920	1	RMS	1878.667	23.25	60	Pass	601
1920	3000	1	RMS	2654.68	-48.56	-13	Pass	1080
3000	12000	1	RMS	11998	-42.54	-13	Pass	9000
12000	20000	1	RMS	19018.877	-35.24	-13	Pass	8000




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.58	-13	Pass	2985
30	1000	0.1	RMS	929.993	-61.28	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.07	-13	Pass	840
1840	1920	1	RMS	1907.2	24.37	60	Pass	601
1920	3000	1	RMS	2663.689	-48.42	-13	Pass	1080
3000	12000	1	RMS	11997	-42.46	-13	Pass	9000
12000	20000	1	RMS	19025.878	-35.22	-13	Pass	8000




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2985
30	1000	0.1	RMS	934.093	-61.47	-13	Pass	9700
1000	1840	1	RMS	1820.977	-51.12	-13	Pass	840
1840	1920	1	RMS	1907.2	23.52	60	Pass	601
1920	3000	1	RMS	2661.687	-48.51	-13	Pass	1080
3000	12000	1	RMS	11993.999	-42.5	-13	Pass	9000
12000	20000	1	RMS	19018.877	-35.19	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.14	-13	Pass	2985
30	1000	0.1	RMS	935.493	-61.31	-13	Pass	9700
1000	1840	1	RMS	1840	-50.75	-13	Pass	840
1840	1920	1	RMS	1850.4	24.16	60	Pass	601
1920	3000	1	RMS	2664.69	-48.48	-13	Pass	1080
3000	12000	1	RMS	11989.999	-42.56	-13	Pass	9000
12000	20000	1	RMS	19014.877	-35.26	-13	Pass	8000




9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2985
30	1000	0.1	RMS	910.791	-61.44	-13	Pass	9700
1000	1840	1	RMS	1840	-50.92	-13	Pass	840
1840	1920	1	RMS	1850.4	23.18	60	Pass	601
1920	3000	1	RMS	2650.677	-48.57	-13	Pass	1080
3000	12000	1	RMS	11999	-42.56	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.25	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.4	-13	Pass	2985
30	1000	0.1	RMS	978.798	-61.33	-13	Pass	9700
1000	1840	1	RMS	1802.956	-51.09	-13	Pass	840
1840	1920	1	RMS	1877.867	24.17	60	Pass	601
1920	3000	1	RMS	2653.679	-48.5	-13	Pass	1080
3000	12000	1	RMS	11996	-42.5	-13	Pass	9000
12000	20000	1	RMS	19012.877	-35.14	-13	Pass	8000




9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2985
30	1000	0.1	RMS	962.496	-61.47	-13	Pass	9700
1000	1840	1	RMS	1810.965	-51.14	-13	Pass	840
1840	1920	1	RMS	1877.867	23.34	60	Pass	601
1920	3000	1	RMS	2645.672	-48.56	-13	Pass	1080
3000	12000	1	RMS	11997	-42.52	-13	Pass	9000
12000	20000	1	RMS	19021.878	-35.25	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2985
30	1000	0.1	RMS	963.196	-61.45	-13	Pass	9700
1000	1840	1	RMS	1818.975	-51.09	-13	Pass	840
1840	1920	1	RMS	1905.333	24.29	60	Pass	601
1920	3000	1	RMS	2646.673	-48.52	-13	Pass	1080
3000	12000	1	RMS	12000	-42.46	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.22	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2985
30	1000	0.1	RMS	912.491	-61.39	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.07	-13	Pass	840
1840	1920	1	RMS	1905.333	23.52	60	Pass	601
1920	3000	1	RMS	2644.671	-48.57	-13	Pass	1080
3000	12000	1	RMS	11988.999	-42.54	-13	Pass	9000
12000	20000	1	RMS	18746.843	-35.22	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.65	-13	Pass	2985
30	1000	0.1	RMS	925.592	-61.21	-13	Pass	9700
1000	1840	1	RMS	1840	-50.33	-13	Pass	840
1840	1920	1	RMS	1850.533	24.28	60	Pass	601
1920	3000	1	RMS	2651.677	-48.52	-13	Pass	1080
3000	12000	1	RMS	11996	-42.44	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.2	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2985
30	1000	0.1	RMS	946.194	-61.11	-13	Pass	9700
1000	1840	1	RMS	1840	-50.45	-13	Pass	840
1840	1920	1	RMS	1850.667	23.35	60	Pass	601
1920	3000	1	RMS	2643.67	-48.55	-13	Pass	1080
3000	12000	1	RMS	11997	-42.51	-13	Pass	9000
12000	20000	1	RMS	19014.877	-35.23	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.08	-13	Pass	2985
30	1000	0.1	RMS	909.191	-61.27	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.12	-13	Pass	840
1840	1920	1	RMS	1875.6	24.18	60	Pass	601
1920	3000	1	RMS	2648.675	-48.56	-13	Pass	1080
3000	12000	1	RMS	11992.999	-42.51	-13	Pass	9000
12000	20000	1	RMS	18746.843	-35.18	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.58	-13	Pass	2985
30	1000	0.1	RMS	935.093	-61.47	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.15	-13	Pass	840
1840	1920	1	RMS	1875.6	23.3	60	Pass	601
1920	3000	1	RMS	2654.68	-48.55	-13	Pass	1080
3000	12000	1	RMS	11999	-42.46	-13	Pass	9000
12000	20000	1	RMS	19013.877	-35.39	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2985
30	1000	0.1	RMS	922.392	-61.44	-13	Pass	9700
1000	1840	1	RMS	1830.989	-51.1	-13	Pass	840
1840	1920	1	RMS	1900.533	24.32	60	Pass	601
1920	3000	1	RMS	2649.676	-48.47	-13	Pass	1080
3000	12000	1	RMS	11934.993	-42.55	-13	Pass	9000
12000	20000	1	RMS	19015.877	-35.35	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2985
30	1000	0.1	RMS	943.394	-61.42	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.13	-13	Pass	840
1840	1920	1	RMS	1900.667	23.44	60	Pass	601
1920	3000	1	RMS	2658.684	-48.52	-13	Pass	1080
3000	12000	1	RMS	11994.999	-42.51	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.4	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2985
30	1000	0.1	RMS	920.592	-61.32	-13	Pass	9700
1000	1840	1	RMS	1840	-48.9	-13	Pass	840
1840	1920	1	RMS	1850.8	24.18	60	Pass	601
1920	3000	1	RMS	2645.672	-48.5	-13	Pass	1080
3000	12000	1	RMS	11987.999	-42.5	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.35	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.52	-13	Pass	2985
30	1000	0.1	RMS	941.494	-61.29	-13	Pass	9700
1000	1840	1	RMS	1840	-49.26	-13	Pass	840
1840	1920	1	RMS	1850.8	23.23	60	Pass	601
1920	3000	1	RMS	2654.68	-48.55	-13	Pass	1080
3000	12000	1	RMS	11989.999	-42.52	-13	Pass	9000
12000	20000	1	RMS	19021.878	-35.33	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.88	-13	Pass	2985
30	1000	0.1	RMS	901.89	-61.38	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.09	-13	Pass	840
1840	1920	1	RMS	1873.333	24.16	60	Pass	601
1920	3000	1	RMS	2651.677	-48.53	-13	Pass	1080
3000	12000	1	RMS	11991.999	-42.47	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.33	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2985
30	1000	0.1	RMS	913.791	-61.41	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.12	-13	Pass	840
1840	1920	1	RMS	1873.333	23.23	60	Pass	601
1920	3000	1	RMS	2655.681	-48.52	-13	Pass	1080
3000	12000	1	RMS	11970.997	-42.55	-13	Pass	9000
12000	20000	1	RMS	19027.878	-35.41	-13	Pass	8000




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2985
30	1000	0.1	RMS	813.081	-61.42	-13	Pass	9700
1000	1840	1	RMS	1802.956	-51.07	-13	Pass	840
1840	1920	1	RMS	1895.867	24.16	60	Pass	601
1920	3000	1	RMS	1922.002	-41.46	-13	Pass	1080
3000	12000	1	RMS	11990.999	-42.41	-13	Pass	9000
12000	20000	1	RMS	18745.843	-35.33	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.38	-13	Pass	2985
30	1000	0.1	RMS	928.393	-61.35	-13	Pass	9700
1000	1840	1	RMS	1827.986	-51.15	-13	Pass	840
1840	1920	1	RMS	1895.733	23.23	60	Pass	601
1920	3000	1	RMS	1922.002	-42.53	-13	Pass	1080
3000	12000	1	RMS	11974.997	-42.54	-13	Pass	9000
12000	20000	1	RMS	19019.877	-35.4	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2985
30	1000	0.1	RMS	907.59	-61.22	-13	Pass	9700
1000	1840	1	RMS	1840	-49.33	-13	Pass	840
1840	1920	1	RMS	1851.067	24.02	60	Pass	601
1920	3000	1	RMS	2658.684	-48.59	-13	Pass	1080
3000	12000	1	RMS	11976.997	-42.47	-13	Pass	9000
12000	20000	1	RMS	19012.877	-35.37	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.15	-13	Pass	2985
30	1000	0.1	RMS	922.292	-61.2	-13	Pass	9700
1000	1840	1	RMS	1840	-49.49	-13	Pass	840
1840	1920	1	RMS	1851.067	23.21	60	Pass	601
1920	3000	1	RMS	2662.688	-48.58	-13	Pass	1080
3000	12000	1	RMS	11997	-42.48	-13	Pass	9000
12000	20000	1	RMS	18751.844	-35.37	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.53	-13	Pass	2985
30	1000	0.1	RMS	927.293	-61.34	-13	Pass	9700
1000	1840	1	RMS	1834.994	-50.74	-13	Pass	840
1840	1920	1	RMS	1871.067	23.84	60	Pass	601
1920	3000	1	RMS	2656.682	-48.59	-13	Pass	1080
3000	12000	1	RMS	12000	-42.51	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.31	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2985
30	1000	0.1	RMS	924.392	-61.32	-13	Pass	9700
1000	1840	1	RMS	1834.994	-50.95	-13	Pass	840
1840	1920	1	RMS	1871.067	23.01	60	Pass	601
1920	3000	1	RMS	2654.68	-48.52	-13	Pass	1080
3000	12000	1	RMS	11998	-42.52	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.34	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2985
30	1000	0.1	RMS	921.592	-61.39	-13	Pass	9700
1000	1840	1	RMS	1840	-51.11	-13	Pass	840
1840	1920	1	RMS	1891.067	23.69	60	Pass	601
1920	3000	1	RMS	2653.679	-48.56	-13	Pass	1080
3000	12000	1	RMS	11984.998	-42.51	-13	Pass	9000
12000	20000	1	RMS	18751.844	-35.33	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.2	-13	Pass	2985
30	1000	0.1	RMS	944.994	-61.25	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.16	-13	Pass	840
1840	1920	1	RMS	1891.067	22.98	60	Pass	601
1920	3000	1	RMS	2646.673	-48.61	-13	Pass	1080
3000	12000	1	RMS	11998	-42.52	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.32	-13	Pass	8000



10. LTE_Band4


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2985
30	1000	0.1	RMS	915.691	-61.47	-13	Pass	9700
1000	1700	1	RMS	1700	-51.53	-13	Pass	700
1700	1765	1	RMS	1710.292	23.1	60	Pass	601
1765	3000	1	RMS	2648.716	-48.37	-13	Pass	1235
3000	12000	1	RMS	11999	-42.58	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.31	-13	Pass	8000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2985
30	1000	0.1	RMS	920.792	-61.37	-13	Pass	9700
1000	1700	1	RMS	1700	-51.6	-13	Pass	700
1700	1765	1	RMS	1710.292	22.14	60	Pass	601
1765	3000	1	RMS	2654.72	-48.45	-13	Pass	1235
3000	12000	1	RMS	11992.999	-42.56	-13	Pass	9000
12000	20000	1	RMS	18752.844	-35.3	-13	Pass	8000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.39	-13	Pass	2985
30	1000	0.1	RMS	928.493	-61.44	-13	Pass	9700
1000	1700	1	RMS	1626.896	-51.65	-13	Pass	700
1700	1765	1	RMS	1732.067	23.22	60	Pass	601
1765	3000	1	RMS	2652.719	-48.37	-13	Pass	1235
3000	12000	1	RMS	11964.996	-42.67	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.38	-13	Pass	8000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2985
30	1000	0.1	RMS	930.893	-61.39	-13	Pass	9700
1000	1700	1	RMS	1624.893	-51.67	-13	Pass	700
1700	1765	1	RMS	1732.067	22.27	60	Pass	601
1765	3000	1	RMS	2650.717	-48.41	-13	Pass	1235
3000	12000	1	RMS	11988.999	-42.52	-13	Pass	9000
12000	20000	1	RMS	19027.878	-35.53	-13	Pass	8000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2985
30	1000	0.1	RMS	931.093	-61.38	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.61	-13	Pass	700
1700	1765	1	RMS	1753.842	23.35	60	Pass	601
1765	3000	1	RMS	2648.716	-48.44	-13	Pass	1235
3000	12000	1	RMS	11988.999	-42.56	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.55	-13	Pass	8000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2985
30	1000	0.1	RMS	937.094	-61.25	-13	Pass	9700
1000	1700	1	RMS	1619.886	-51.65	-13	Pass	700
1700	1765	1	RMS	1753.842	22.55	60	Pass	601
1765	3000	1	RMS	2661.726	-48.38	-13	Pass	1235
3000	12000	1	RMS	11994.999	-42.59	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.47	-13	Pass	8000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2985
30	1000	0.1	RMS	928.993	-61.48	-13	Pass	9700
1000	1700	1	RMS	1700	-51.46	-13	Pass	700
1700	1765	1	RMS	1710.292	22.79	60	Pass	601
1765	3000	1	RMS	2663.728	-48.35	-13	Pass	1235
3000	12000	1	RMS	11989.999	-42.56	-13	Pass	9000
12000	20000	1	RMS	19023.878	-35.43	-13	Pass	8000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2985
30	1000	0.1	RMS	942.294	-61.27	-13	Pass	9700
1000	1700	1	RMS	1624.893	-51.58	-13	Pass	700
1700	1765	1	RMS	1710.292	22.04	60	Pass	601
1765	3000	1	RMS	2649.716	-48.45	-13	Pass	1235
3000	12000	1	RMS	11991.999	-42.6	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.5	-13	Pass	8000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2985
30	1000	0.1	RMS	927.893	-61.34	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.62	-13	Pass	700
1700	1765	1	RMS	1731.2	22.91	60	Pass	601
1765	3000	1	RMS	2653.72	-48.34	-13	Pass	1235
3000	12000	1	RMS	12000	-42.59	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.53	-13	Pass	8000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2985
30	1000	0.1	RMS	904.19	-61.48	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.64	-13	Pass	700
1700	1765	1	RMS	1731.2	22.24	60	Pass	601
1765	3000	1	RMS	2661.726	-48.43	-13	Pass	1235
3000	12000	1	RMS	11997	-42.6	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.41	-13	Pass	8000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2985
30	1000	0.1	RMS	929.393	-61.48	-13	Pass	9700
1000	1700	1	RMS	1615.88	-51.63	-13	Pass	700
1700	1765	1	RMS	1752.217	22.93	60	Pass	601
1765	3000	1	RMS	2651.718	-48.38	-13	Pass	1235
3000	12000	1	RMS	11949.994	-42.6	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.42	-13	Pass	8000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.7	-13	Pass	2985
30	1000	0.1	RMS	909.191	-61.33	-13	Pass	9700
1000	1700	1	RMS	1631.903	-51.61	-13	Pass	700
1700	1765	1	RMS	1752.217	22.54	60	Pass	601
1765	3000	1	RMS	2654.72	-48.38	-13	Pass	1235
3000	12000	1	RMS	11979.998	-42.49	-13	Pass	9000
12000	20000	1	RMS	18746.843	-35.41	-13	Pass	8000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2985
30	1000	0.1	RMS	912.791	-61.38	-13	Pass	9700
1000	1700	1	RMS	1700	-51.3	-13	Pass	700
1700	1765	1	RMS	1710.292	22.54	60	Pass	601
1765	3000	1	RMS	2654.72	-48.27	-13	Pass	1235
3000	12000	1	RMS	12000	-42.47	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.36	-13	Pass	8000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2985
30	1000	0.1	RMS	946.695	-61.38	-13	Pass	9700
1000	1700	1	RMS	1700	-51.42	-13	Pass	700
1700	1765	1	RMS	1710.292	21.68	60	Pass	601
1765	3000	1	RMS	2652.719	-48.3	-13	Pass	1235
3000	12000	1	RMS	11993.999	-42.5	-13	Pass	9000
12000	20000	1	RMS	18745.843	-35.4	-13	Pass	8000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2985
30	1000	0.1	RMS	932.493	-61.42	-13	Pass	9700
1000	1700	1	RMS	1627.897	-51.58	-13	Pass	700
1700	1765	1	RMS	1730.333	22.69	60	Pass	601
1765	3000	1	RMS	2648.716	-48.35	-13	Pass	1235
3000	12000	1	RMS	11974.997	-42.56	-13	Pass	9000
12000	20000	1	RMS	19028.879	-35.35	-13	Pass	8000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2985
30	1000	0.1	RMS	902.49	-61.21	-13	Pass	9700
1000	1700	1	RMS	1619.886	-51.54	-13	Pass	700
1700	1765	1	RMS	1730.333	22.22	60	Pass	601
1765	3000	1	RMS	2653.72	-48.36	-13	Pass	1235
3000	12000	1	RMS	11999	-42.78	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.33	-13	Pass	8000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.68	-13	Pass	2985
30	1000	0.1	RMS	915.091	-61.28	-13	Pass	9700
1000	1700	1	RMS	1617.883	-51.59	-13	Pass	700
1700	1765	1	RMS	1750.375	22.94	60	Pass	601
1765	3000	1	RMS	2648.716	-48.3	-13	Pass	1235
3000	12000	1	RMS	11989.999	-42.34	-13	Pass	9000
12000	20000	1	RMS	18752.844	-35.39	-13	Pass	8000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2985
30	1000	0.1	RMS	922.592	-61.08	-13	Pass	9700
1000	1700	1	RMS	1651.931	-51.58	-13	Pass	700
1700	1765	1	RMS	1750.267	22.45	60	Pass	601
1765	3000	1	RMS	2656.722	-48.37	-13	Pass	1235
3000	12000	1	RMS	11982.998	-42.5	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.36	-13	Pass	8000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.44	-13	Pass	2985
30	1000	0.1	RMS	931.893	-61.35	-13	Pass	9700
1000	1700	1	RMS	1692.99	-49.19	-13	Pass	700
1700	1765	1	RMS	1710.617	22.69	60	Pass	601
1765	3000	1	RMS	2658.724	-48.38	-13	Pass	1235
3000	12000	1	RMS	12000	-42.51	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.24	-13	Pass	8000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.39	-13	Pass	2985
30	1000	0.1	RMS	948.095	-61.37	-13	Pass	9700
1000	1700	1	RMS	1692.99	-49.42	-13	Pass	700
1700	1765	1	RMS	1710.617	22	60	Pass	601
1765	3000	1	RMS	2653.72	-48.36	-13	Pass	1235
3000	12000	1	RMS	11986.999	-42.47	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.38	-13	Pass	8000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.78	-13	Pass	2985
30	1000	0.1	RMS	939.594	-61.28	-13	Pass	9700
1000	1700	1	RMS	1614.878	-51.57	-13	Pass	700
1700	1765	1	RMS	1728.058	22.93	60	Pass	601
1765	3000	1	RMS	2650.717	-48.38	-13	Pass	1235
3000	12000	1	RMS	11991.999	-42.49	-13	Pass	9000
12000	20000	1	RMS	19018.877	-35.4	-13	Pass	8000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2985
30	1000	0.1	RMS	934.493	-61.31	-13	Pass	9700
1000	1700	1	RMS	1624.893	-51.59	-13	Pass	700
1700	1765	1	RMS	1728.058	22.24	60	Pass	601
1765	3000	1	RMS	2652.719	-48.33	-13	Pass	1235
3000	12000	1	RMS	11998	-42.54	-13	Pass	9000
12000	20000	1	RMS	19021.878	-35.34	-13	Pass	8000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2985
30	1000	0.1	RMS	909.391	-61.34	-13	Pass	9700
1000	1700	1	RMS	1630.901	-51.53	-13	Pass	700
1700	1765	1	RMS	1745.608	23.25	60	Pass	601
1765	3000	1	RMS	1765	-47.48	-13	Pass	1235
3000	12000	1	RMS	11976.997	-42.51	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.34	-13	Pass	8000




**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2985
30	1000	0.1	RMS	940.794	-61.2	-13	Pass	9700
1000	1700	1	RMS	1630.901	-51.59	-13	Pass	700
1700	1765	1	RMS	1745.5	22.68	60	Pass	601
1765	3000	1	RMS	1765	-47.71	-13	Pass	1235
3000	12000	1	RMS	11990.999	-42.45	-13	Pass	9000
12000	20000	1	RMS	19014.877	-35.34	-13	Pass	8000




10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.22	-13	Pass	2985
30	1000	0.1	RMS	918.692	-61.4	-13	Pass	9700
1000	1700	1	RMS	1697.997	-47.26	-13	Pass	700
1700	1765	1	RMS	1710.833	22.74	60	Pass	601
1765	3000	1	RMS	2645.713	-48.39	-13	Pass	1235
3000	12000	1	RMS	11997	-42.51	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.35	-13	Pass	8000




**10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.55	-13	Pass	2985
30	1000	0.1	RMS	943.194	-61.41	-13	Pass	9700
1000	1700	1	RMS	1697.997	-47.23	-13	Pass	700
1700	1765	1	RMS	1710.833	21.89	60	Pass	601
1765	3000	1	RMS	2658.724	-48.42	-13	Pass	1235
3000	12000	1	RMS	11997	-42.51	-13	Pass	9000
12000	20000	1	RMS	19022.878	-35.37	-13	Pass	8000




10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.12	-13	Pass	2985
30	1000	0.1	RMS	943.494	-61.27	-13	Pass	9700
1000	1700	1	RMS	1698.999	-43.37	-13	Pass	700
1700	1765	1	RMS	1725.783	23	60	Pass	601
1765	3000	1	RMS	2660.725	-48.35	-13	Pass	1235
3000	12000	1	RMS	11992.999	-42.53	-13	Pass	9000
12000	20000	1	RMS	19021.878	-35.36	-13	Pass	8000




**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.07	-13	Pass	2985
30	1000	0.1	RMS	903.29	-61.41	-13	Pass	9700
1000	1700	1	RMS	1698.999	-44.48	-13	Pass	700
1700	1765	1	RMS	1725.783	22.16	60	Pass	601
1765	3000	1	RMS	2648.716	-48.34	-13	Pass	1235
3000	12000	1	RMS	11993.999	-42.52	-13	Pass	9000
12000	20000	1	RMS	19020.878	-35.42	-13	Pass	8000




10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2985
30	1000	0.1	RMS	944.794	-61.35	-13	Pass	9700
1000	1700	1	RMS	1615.88	-51.54	-13	Pass	700
1700	1765	1	RMS	1740.842	23.54	60	Pass	601
1765	3000	1	RMS	1767.002	-23.88	-13	Pass	1235
3000	12000	1	RMS	11991.999	-42.51	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.23	-13	Pass	8000




**10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2985
30	1000	0.1	RMS	934.093	-61.37	-13	Pass	9700
1000	1700	1	RMS	1628.898	-51.55	-13	Pass	700
1700	1765	1	RMS	1740.842	22.86	60	Pass	601
1765	3000	1	RMS	1767.002	-25.28	-13	Pass	1235
3000	12000	1	RMS	11980.998	-42.5	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.22	-13	Pass	8000




10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.67	-13	Pass	2985
30	1000	0.1	RMS	906.69	-61.35	-13	Pass	9700
1000	1700	1	RMS	1700	-48.62	-13	Pass	700
1700	1765	1	RMS	1711.05	22.73	60	Pass	601
1765	3000	1	RMS	2667.731	-48.31	-13	Pass	1235
3000	12000	1	RMS	11998	-42.49	-13	Pass	9000
12000	20000	1	RMS	18743.843	-35.28	-13	Pass	8000




10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2985
30	1000	0.1	RMS	925.992	-61.31	-13	Pass	9700
1000	1700	1	RMS	1700	-48.94	-13	Pass	700
1700	1765	1	RMS	1711.05	22.22	60	Pass	601
1765	3000	1	RMS	2652.719	-48.29	-13	Pass	1235
3000	12000	1	RMS	11968.997	-42.51	-13	Pass	9000
12000	20000	1	RMS	18746.843	-35.19	-13	Pass	8000




10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.88	-13	Pass	2985
30	1000	0.1	RMS	917.692	-61.47	-13	Pass	9700
1000	1700	1	RMS	1687.983	-51.46	-13	Pass	700
1700	1765	1	RMS	1723.508	22.91	60	Pass	601
1765	3000	1	RMS	2659.724	-48.3	-13	Pass	1235
3000	12000	1	RMS	11998	-42.48	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.22	-13	Pass	8000




10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.13	-13	Pass	2985
30	1000	0.1	RMS	935.993	-61.46	-13	Pass	9700
1000	1700	1	RMS	1700	-51.51	-13	Pass	700
1700	1765	1	RMS	1723.617	22.22	60	Pass	601
1765	3000	1	RMS	2652.719	-48.35	-13	Pass	1235
3000	12000	1	RMS	11981.998	-42.49	-13	Pass	9000
12000	20000	1	RMS	19018.877	-35.24	-13	Pass	8000




10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2985
30	1000	0.1	RMS	913.191	-61.36	-13	Pass	9700
1000	1700	1	RMS	1700	-43.2	-13	Pass	700
1700	1765	1	RMS	1736.075	23.17	60	Pass	601
1765	3000	1	RMS	1772.006	-24.6	-13	Pass	1235
3000	12000	1	RMS	11988.999	-42.5	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.24	-13	Pass	8000



**10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.42	-13	Pass	2985
30	1000	0.1	RMS	951.595	-61.26	-13	Pass	9700
1000	1700	1	RMS	1700	-44.18	-13	Pass	700
1700	1765	1	RMS	1736.075	22.39	60	Pass	601
1765	3000	1	RMS	1772.006	-26.13	-13	Pass	1235
3000	12000	1	RMS	11999	-42.51	-13	Pass	9000
12000	20000	1	RMS	19019.877	-35.27	-13	Pass	8000



11. LTE_Band5


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.27	-13	Pass	2985
30	814	0.1	RMS	809.199	-61.6	-13	Pass	7840
814	860	0.1	RMS	824.273	21.91	60	Pass	601
860	1000	0.1	RMS	948.964	-62.46	-13	Pass	1400
1000	3000	1	RMS	2655.828	-47.93	-13	Pass	2000
3000	10000	1	RMS	9718.96	-44.54	-13	Pass	7000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2985
30	814	0.1	RMS	800.998	-61.54	-13	Pass	7840
814	860	0.1	RMS	824.273	20.66	60	Pass	601
860	1000	0.1	RMS	941.458	-62.51	-13	Pass	1400
1000	3000	1	RMS	2643.822	-47.97	-13	Pass	2000
3000	10000	1	RMS	9652.95	-44.63	-13	Pass	7000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.88	-13	Pass	2985
30	814	0.1	RMS	787.297	-61.49	-13	Pass	7840
814	860	0.1	RMS	836.08	21.76	60	Pass	601
860	1000	0.1	RMS	913.939	-62.42	-13	Pass	1400
1000	3000	1	RMS	2659.83	-47.91	-13	Pass	2000
3000	10000	1	RMS	7622.66	-44.83	-13	Pass	7000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2985
30	814	0.1	RMS	812.2	-61.57	-13	Pass	7840
814	860	0.1	RMS	836.08	20.77	60	Pass	601
860	1000	0.1	RMS	906.733	-62.28	-13	Pass	1400
1000	3000	1	RMS	2647.824	-47.94	-13	Pass	2000
3000	10000	1	RMS	7616.66	-44.9	-13	Pass	7000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.3	-13	Pass	2985
30	814	0.1	RMS	806.499	-61.52	-13	Pass	7840
814	860	0.1	RMS	847.887	21.56	60	Pass	601
860	1000	0.1	RMS	910.436	-62.38	-13	Pass	1400
1000	3000	1	RMS	2652.826	-47.86	-13	Pass	2000
3000	10000	1	RMS	7627.661	-44.86	-13	Pass	7000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2985
30	814	0.1	RMS	800.798	-61.63	-13	Pass	7840
814	860	0.1	RMS	847.887	20.78	60	Pass	601
860	1000	0.1	RMS	945.861	-62.42	-13	Pass	1400
1000	3000	1	RMS	2659.83	-47.87	-13	Pass	2000
3000	10000	1	RMS	7603.658	-44.89	-13	Pass	7000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.49	-13	Pass	2985
30	814	0.1	RMS	799.698	-61.55	-13	Pass	7840
814	860	0.1	RMS	824.273	21.78	60	Pass	601
860	1000	0.1	RMS	924.546	-62.52	-13	Pass	1400
1000	3000	1	RMS	2661.831	-47.91	-13	Pass	2000
3000	10000	1	RMS	9608.944	-44.58	-13	Pass	7000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.77	-13	Pass	2985
30	814	0.1	RMS	807.299	-61.5	-13	Pass	7840
814	860	0.1	RMS	824.273	20.85	60	Pass	601
860	1000	0.1	RMS	943.66	-62.38	-13	Pass	1400
1000	3000	1	RMS	2658.829	-47.93	-13	Pass	2000
3000	10000	1	RMS	9717.96	-44.58	-13	Pass	7000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2985
30	814	0.1	RMS	803.599	-61.41	-13	Pass	7840
814	860	0.1	RMS	835.237	22.13	60	Pass	601
860	1000	0.1	RMS	950.565	-62.26	-13	Pass	1400
1000	3000	1	RMS	2650.825	-47.91	-13	Pass	2000
3000	10000	1	RMS	9716.96	-44.57	-13	Pass	7000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2985
30	814	0.1	RMS	803.799	-61.59	-13	Pass	7840
814	860	0.1	RMS	835.237	20.91	60	Pass	601
860	1000	0.1	RMS	907.134	-62.47	-13	Pass	1400
1000	3000	1	RMS	2653.827	-47.96	-13	Pass	2000
3000	10000	1	RMS	9732.962	-44.56	-13	Pass	7000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.88	-13	Pass	2985
30	814	0.1	RMS	798.498	-61.4	-13	Pass	7840
814	860	0.1	RMS	846.277	21.72	60	Pass	601
860	1000	0.1	RMS	919.643	-62.35	-13	Pass	1400
1000	3000	1	RMS	2538.769	-47.73	-13	Pass	2000
3000	10000	1	RMS	9600.943	-44.6	-13	Pass	7000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.16	-13	Pass	2985
30	814	0.1	RMS	793.297	-61.55	-13	Pass	7840
814	860	0.1	RMS	846.277	20.77	60	Pass	601
860	1000	0.1	RMS	970.379	-62.33	-13	Pass	1400
1000	3000	1	RMS	2652.826	-47.92	-13	Pass	2000
3000	10000	1	RMS	9604.944	-44.59	-13	Pass	7000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2985
30	814	0.1	RMS	798.298	-61.45	-13	Pass	7840
814	860	0.1	RMS	824.35	21.72	60	Pass	601
860	1000	0.1	RMS	926.748	-62.33	-13	Pass	1400
1000	3000	1	RMS	2652.826	-47.92	-13	Pass	2000
3000	10000	1	RMS	9629.947	-44.61	-13	Pass	7000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2985
30	814	0.1	RMS	792.897	-61.59	-13	Pass	7840
814	860	0.1	RMS	824.35	20.92	60	Pass	601
860	1000	0.1	RMS	947.162	-62.42	-13	Pass	1400
1000	3000	1	RMS	2645.823	-47.9	-13	Pass	2000
3000	10000	1	RMS	9617.945	-44.59	-13	Pass	7000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2985
30	814	0.1	RMS	783.996	-61.58	-13	Pass	7840
814	860	0.1	RMS	834.317	21.87	60	Pass	601
860	1000	0.1	RMS	932.652	-62.34	-13	Pass	1400
1000	3000	1	RMS	2650.825	-47.89	-13	Pass	2000
3000	10000	1	RMS	9611.945	-44.54	-13	Pass	7000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.37	-13	Pass	2985
30	814	0.1	RMS	811.8	-61.55	-13	Pass	7840
814	860	0.1	RMS	834.317	20.94	60	Pass	601
860	1000	0.1	RMS	928.249	-62.42	-13	Pass	1400
1000	3000	1	RMS	2652.826	-47.97	-13	Pass	2000
3000	10000	1	RMS	9718.96	-44.63	-13	Pass	7000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2985
30	814	0.1	RMS	808.099	-61.5	-13	Pass	7840
814	860	0.1	RMS	844.36	21.56	60	Pass	601
860	1000	0.1	RMS	865.904	-62.44	-13	Pass	1400
1000	3000	1	RMS	2657.829	-47.95	-13	Pass	2000
3000	10000	1	RMS	9608.944	-44.61	-13	Pass	7000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.14	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.52	-13	Pass	7840
814	860	0.1	RMS	844.36	21.07	60	Pass	601
860	1000	0.1	RMS	918.542	-62.35	-13	Pass	1400
1000	3000	1	RMS	2653.827	-47.94	-13	Pass	2000
3000	10000	1	RMS	9631.947	-44.55	-13	Pass	7000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2985
30	814	0.1	RMS	811.8	-61.39	-13	Pass	7840
814	860	0.1	RMS	824.58	21.96	60	Pass	601
860	1000	0.1	RMS	993.996	-62.46	-13	Pass	1400
1000	3000	1	RMS	2653.827	-47.92	-13	Pass	2000
3000	10000	1	RMS	9718.96	-44.55	-13	Pass	7000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.38	-13	Pass	2985
30	814	0.1	RMS	809.299	-61.61	-13	Pass	7840
814	860	0.1	RMS	824.58	21.02	60	Pass	601
860	1000	0.1	RMS	918.842	-62.46	-13	Pass	1400
1000	3000	1	RMS	2659.83	-47.89	-13	Pass	2000
3000	10000	1	RMS	9606.944	-44.6	-13	Pass	7000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.29	-13	Pass	2985
30	814	0.1	RMS	810.9	-61.44	-13	Pass	7840
814	860	0.1	RMS	832.093	22.1	60	Pass	601
860	1000	0.1	RMS	925.347	-62.25	-13	Pass	1400
1000	3000	1	RMS	1664.332	-47.41	-13	Pass	2000
3000	10000	1	RMS	9617.945	-44.59	-13	Pass	7000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2985
30	814	0.1	RMS	789.797	-61.62	-13	Pass	7840
814	860	0.1	RMS	832.093	21.01	60	Pass	601
860	1000	0.1	RMS	917.941	-62.39	-13	Pass	1400
1000	3000	1	RMS	2652.826	-47.85	-13	Pass	2000
3000	10000	1	RMS	9747.964	-44.6	-13	Pass	7000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2985
30	814	0.1	RMS	803.599	-61.58	-13	Pass	7840
814	860	0.1	RMS	839.607	21.99	60	Pass	601
860	1000	0.1	RMS	941.258	-62.42	-13	Pass	1400
1000	3000	1	RMS	2654.827	-47.87	-13	Pass	2000
3000	10000	1	RMS	9615.945	-44.61	-13	Pass	7000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2985
30	814	0.1	RMS	801.298	-61.65	-13	Pass	7840
814	860	0.1	RMS	839.607	20.84	60	Pass	601
860	1000	0.1	RMS	947.462	-62.42	-13	Pass	1400
1000	3000	1	RMS	2653.827	-47.88	-13	Pass	2000
3000	10000	1	RMS	9662.952	-44.6	-13	Pass	7000



12. LTE_Band7


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.47	-25	Pass	2985
30	1000	0.1	RMS	926.092	-61.33	-25	Pass	9700
1000	2490	1	RMS	2487.999	-44.79	-25	Pass	1490
2490	2580	1	RMS	2500.35	24.31	60	Pass	601
2580	3000	1	RMS	2660.5	-48.58	-25	Pass	601
3000	12000	1	RMS	11993.999	-52.34	-25	Pass	9000
12000	27000	1	RMS	26268.951	-41.59	-25	Pass	15000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.31	-25	Pass	2985
30	1000	0.1	RMS	924.192	-61.44	-25	Pass	9700
1000	2490	1	RMS	2490	-43.68	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.41	60	Pass	601
2580	3000	1	RMS	2648.6	-48.6	-25	Pass	601
3000	12000	1	RMS	11994.999	-52.37	-25	Pass	9000
12000	27000	1	RMS	26764.984	-41.65	-25	Pass	15000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.53	-25	Pass	2985
30	1000	0.1	RMS	951.295	-61.43	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.08	-25	Pass	1490
2490	2580	1	RMS	2532.9	24.05	60	Pass	601
2580	3000	1	RMS	2657	-48.51	-25	Pass	601
3000	12000	1	RMS	11942.994	-52.38	-25	Pass	9000
12000	27000	1	RMS	26265.951	-41.67	-25	Pass	15000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.68	-25	Pass	2985
30	1000	0.1	RMS	929.993	-61.51	-25	Pass	9700
1000	2490	1	RMS	2485.997	-49.16	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.44	60	Pass	601
2580	3000	1	RMS	2654.2	-48.52	-25	Pass	601
3000	12000	1	RMS	11996	-52.34	-25	Pass	9000
12000	27000	1	RMS	26263.951	-41.69	-25	Pass	15000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.61	-25	Pass	2985
30	1000	0.1	RMS	921.192	-61.5	-25	Pass	9700
1000	2490	1	RMS	2484.997	-49.16	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.88	60	Pass	601
2580	3000	1	RMS	2662.6	-48.61	-25	Pass	601
3000	12000	1	RMS	11966.996	-52.39	-25	Pass	9000
12000	27000	1	RMS	26262.951	-41.66	-25	Pass	15000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58	-25	Pass	2985
30	1000	0.1	RMS	949.495	-61.51	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.15	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.18	60	Pass	601
2580	3000	1	RMS	2650.7	-48.61	-25	Pass	601
3000	12000	1	RMS	11999	-52.38	-25	Pass	9000
12000	27000	1	RMS	26794.986	-41.72	-25	Pass	15000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.66	-25	Pass	2985
30	1000	0.1	RMS	927.693	-61.43	-25	Pass	9700
1000	2490	1	RMS	2482.995	-37.86	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.99	60	Pass	601
2580	3000	1	RMS	2659.8	-48.62	-25	Pass	601
3000	12000	1	RMS	11980.998	-52.39	-25	Pass	9000
12000	27000	1	RMS	26261.951	-41.66	-25	Pass	15000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.53	-25	Pass	2985
30	1000	0.1	RMS	980.498	-61.5	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.09	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.07	60	Pass	601
2580	3000	1	RMS	2651.4	-48.59	-25	Pass	601
3000	12000	1	RMS	11972.997	-52.35	-25	Pass	9000
12000	27000	1	RMS	26264.951	-41.6	-25	Pass	15000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.1	-25	Pass	2985
30	1000	0.1	RMS	930.993	-61.53	-25	Pass	9700
1000	2490	1	RMS	2490	-49.18	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.89	60	Pass	601
2580	3000	1	RMS	2652.1	-48.48	-25	Pass	601
3000	12000	1	RMS	11966.996	-52.29	-25	Pass	9000
12000	27000	1	RMS	26276.952	-41.67	-25	Pass	15000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.69	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.66	-25	Pass	2985
30	1000	0.1	RMS	918.992	-61.26	-25	Pass	9700
1000	2490	1	RMS	2486.998	-49.25	-25	Pass	1490
2490	2580	1	RMS	2530.5	23.19	60	Pass	601
2580	3000	1	RMS	2655.6	-48.52	-25	Pass	601
3000	12000	1	RMS	11973.997	-52.36	-25	Pass	9000
12000	27000	1	RMS	26257.951	-41.57	-25	Pass	15000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.65	-25	Pass	2985
30	1000	0.1	RMS	911.491	-61.56	-25	Pass	9700
1000	2490	1	RMS	2490	-49.11	-25	Pass	1490
2490	2580	1	RMS	2560.65	24.04	60	Pass	601
2580	3000	1	RMS	2580	-47.91	-25	Pass	601
3000	12000	1	RMS	11962.996	-52.4	-25	Pass	9000
12000	27000	1	RMS	26264.951	-41.65	-25	Pass	15000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.17	-25	Pass	2985
30	1000	0.1	RMS	941.194	-61.4	-25	Pass	9700
1000	2490	1	RMS	2480.994	-49.25	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.09	60	Pass	601
2580	3000	1	RMS	2580	-48.09	-25	Pass	601
3000	12000	1	RMS	11956.995	-52.4	-25	Pass	9000
12000	27000	1	RMS	26267.951	-41.67	-25	Pass	15000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.38	-25	Pass	2985
30	1000	0.1	RMS	921.592	-61.36	-25	Pass	9700
1000	2490	1	RMS	2486.998	-39.93	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.95	60	Pass	601
2580	3000	1	RMS	2655.6	-48.62	-25	Pass	601
3000	12000	1	RMS	11984.998	-52.34	-25	Pass	9000
12000	27000	1	RMS	26264.951	-41.67	-25	Pass	15000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.16	-25	Pass	2985
30	1000	0.1	RMS	916.591	-61.47	-25	Pass	9700
1000	2490	1	RMS	2487.999	-42.34	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.12	60	Pass	601
2580	3000	1	RMS	2651.4	-48.62	-25	Pass	601
3000	12000	1	RMS	11950.995	-52.38	-25	Pass	9000
12000	27000	1	RMS	26249.95	-41.68	-25	Pass	15000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.49	-25	Pass	2985
30	1000	0.1	RMS	923.692	-61.49	-25	Pass	9700
1000	2490	1	RMS	2487.999	-49.13	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.9	60	Pass	601
2580	3000	1	RMS	2652.8	-48.49	-25	Pass	601
3000	12000	1	RMS	11979.998	-52.38	-25	Pass	9000
12000	27000	1	RMS	26262.951	-41.63	-25	Pass	15000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.24	-25	Pass	2985
30	1000	0.1	RMS	930.093	-61.44	-25	Pass	9700
1000	2490	1	RMS	2487.999	-49.16	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.14	60	Pass	601
2580	3000	1	RMS	2653.5	-48.5	-25	Pass	601
3000	12000	1	RMS	11988.999	-52.29	-25	Pass	9000
12000	27000	1	RMS	26264.951	-41.67	-25	Pass	15000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.65	-25	Pass	2985
30	1000	0.1	RMS	935.193	-61.57	-25	Pass	9700
1000	2490	1	RMS	2490	-49.17	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.96	60	Pass	601
2580	3000	1	RMS	2582.8	-26.09	-25	Pass*	601
3000	12000	1	RMS	11998	-52.41	-25	Pass	9000
12000	27000	1	RMS	26259.951	-41.64	-25	Pass	15000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.13	-25	Pass	2985
30	1000	0.1	RMS	920.992	-61.43	-25	Pass	9700
1000	2490	1	RMS	2490	-49.32	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.18	60	Pass	601
2580	3000	1	RMS	2582.8	-27.16	-25	Pass*	601
3000	12000	1	RMS	11945.994	-52.5	-25	Pass	9000
12000	27000	1	RMS	26749.983	-41.84	-25	Pass	15000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.07	-25	Pass	2985
30	1000	0.1	RMS	943.194	-61.32	-25	Pass	9700
1000	2490	1	RMS	2482.995	-43.48	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.81	60	Pass	601
2580	3000	1	RMS	2638.8	-48.71	-25	Pass	601
3000	12000	1	RMS	11988.999	-52.44	-25	Pass	9000
12000	27000	1	RMS	26251.95	-41.86	-25	Pass	15000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.53	-25	Pass	2985
30	1000	0.1	RMS	928.993	-61.32	-25	Pass	9700
1000	2490	1	RMS	2482.995	-44.77	-25	Pass	1490
2490	2580	1	RMS	2501.1	22.97	60	Pass	601
2580	3000	1	RMS	2636	-48.71	-25	Pass	601
3000	12000	1	RMS	11986.999	-52.38	-25	Pass	9000
12000	27000	1	RMS	26270.951	-41.76	-25	Pass	15000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.27	-25	Pass	2985
30	1000	0.1	RMS	924.792	-61.5	-25	Pass	9700
1000	2490	1	RMS	2490	-46.14	-25	Pass	1490
2490	2580	1	RMS	2526.15	23.73	60	Pass	601
2580	3000	1	RMS	2657.7	-48.61	-25	Pass	601
3000	12000	1	RMS	11941.994	-52.38	-25	Pass	9000
12000	27000	1	RMS	26264.951	-41.67	-25	Pass	15000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.06	-25	Pass	2985
30	1000	0.1	RMS	899.49	-61.58	-25	Pass	9700
1000	2490	1	RMS	2490	-47.79	-25	Pass	1490
2490	2580	1	RMS	2526.15	22.9	60	Pass	601
2580	3000	1	RMS	2660.5	-48.63	-25	Pass	601
3000	12000	1	RMS	11951.995	-52.48	-25	Pass	9000
12000	27000	1	RMS	26269.951	-41.83	-25	Pass	15000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.99	-25	Pass	2985
30	1000	0.1	RMS	916.891	-61.43	-25	Pass	9700
1000	2490	1	RMS	2490	-49.26	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.74	60	Pass	601
2580	3000	1	RMS	2587	-30	-25	Pass*	601
3000	12000	1	RMS	11960.996	-52.45	-25	Pass	9000
12000	27000	1	RMS	26265.951	-41.83	-25	Pass	15000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.94	-25	Pass	2985
30	1000	0.1	RMS	946.795	-61.5	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.29	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.21	60	Pass	601
2580	3000	1	RMS	2587	-31.32	-25	Pass	601
3000	12000	1	RMS	11972.997	-52.46	-25	Pass	9000
12000	27000	1	RMS	26261.951	-41.82	-25	Pass	15000




END

13. LTE_Band12


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2985
30	689	0.1	RMS	687.4	-62.39	-13	Pass	6590
689	726	0.1	RMS	699.237	22.19	60	Pass	601
726	1000	0.1	RMS	918.47	-62.23	-13	Pass	2740
1000	3000	1	RMS	1398.199	-47.18	-13	Pass	2000
3000	10000	1	RMS	9711.959	-44.57	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2985
30	689	0.1	RMS	685.099	-62.44	-13	Pass	6590
689	726	0.1	RMS	699.237	20.9	60	Pass	601
726	1000	0.1	RMS	886.158	-62.18	-13	Pass	2740
1000	3000	1	RMS	2651.826	-47.91	-13	Pass	2000
3000	10000	1	RMS	9721.96	-44.55	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2985
30	689	0.1	RMS	525.575	-62.34	-13	Pass	6590
689	726	0.1	RMS	707.068	22.14	60	Pass	601
726	1000	0.1	RMS	926.873	-62.21	-13	Pass	2740
1000	3000	1	RMS	1414.207	-47.21	-13	Pass	2000
3000	10000	1	RMS	9632.948	-44.61	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.43	-13	Pass	6590
689	726	0.1	RMS	707.068	21.04	60	Pass	601
726	1000	0.1	RMS	919.271	-62.17	-13	Pass	2740
1000	3000	1	RMS	2659.83	-47.93	-13	Pass	2000
3000	10000	1	RMS	9623.946	-44.6	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.86	-13	Pass	2985
30	689	0.1	RMS	688.3	-62.37	-13	Pass	6590
689	726	0.1	RMS	714.838	21.53	60	Pass	601
726	1000	0.1	RMS	914.269	-62.18	-13	Pass	2740
1000	3000	1	RMS	2651.826	-47.9	-13	Pass	2000
3000	10000	1	RMS	7615.659	-44.88	-13	Pass	7000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.59	-13	Pass	2985
30	689	0.1	RMS	680.299	-62.5	-13	Pass	6590
689	726	0.1	RMS	714.838	20.6	60	Pass	601
726	1000	0.1	RMS	895.862	-62.19	-13	Pass	2740
1000	3000	1	RMS	2659.83	-47.91	-13	Pass	2000
3000	10000	1	RMS	7611.659	-44.9	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.57	-13	Pass	2985
30	689	0.1	RMS	688.7	-62.37	-13	Pass	6590
689	726	0.1	RMS	699.237	21.82	60	Pass	601
726	1000	0.1	RMS	925.973	-62.12	-13	Pass	2740
1000	3000	1	RMS	1398.199	-47.54	-13	Pass	2000
3000	10000	1	RMS	7626.661	-44.85	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2985
30	689	0.1	RMS	521.575	-62.46	-13	Pass	6590
689	726	0.1	RMS	699.237	21.23	60	Pass	601
726	1000	0.1	RMS	908.467	-62.3	-13	Pass	2740
1000	3000	1	RMS	2642.821	-47.91	-13	Pass	2000
3000	10000	1	RMS	7604.658	-44.86	-13	Pass	7000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.91	-13	Pass	2985
30	689	0.1	RMS	688.2	-62.35	-13	Pass	6590
689	726	0.1	RMS	706.267	21.86	60	Pass	601
726	1000	0.1	RMS	906.166	-62.13	-13	Pass	2740
1000	3000	1	RMS	1412.206	-47.69	-13	Pass	2000
3000	10000	1	RMS	7615.659	-44.84	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2985
30	689	0.1	RMS	683.899	-62.24	-13	Pass	6590
689	726	0.1	RMS	706.267	21.09	60	Pass	601
726	1000	0.1	RMS	926.273	-62.11	-13	Pass	2740
1000	3000	1	RMS	2658.829	-47.91	-13	Pass	2000
3000	10000	1	RMS	9602.943	-44.57	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2985
30	689	0.1	RMS	511.073	-62.46	-13	Pass	6590
689	726	0.1	RMS	713.235	21.84	60	Pass	601
726	1000	0.1	RMS	897.663	-62.25	-13	Pass	2740
1000	3000	1	RMS	1426.213	-47.48	-13	Pass	2000
3000	10000	1	RMS	9626.947	-44.6	-13	Pass	7000




13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.02	-13	Pass	2985
30	689	0.1	RMS	687.4	-62.52	-13	Pass	6590
689	726	0.1	RMS	713.235	21.22	60	Pass	601
726	1000	0.1	RMS	918.97	-62.16	-13	Pass	2740
1000	3000	1	RMS	2655.828	-47.94	-13	Pass	2000
3000	10000	1	RMS	9614.945	-44.59	-13	Pass	7000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2985
30	689	0.1	RMS	681.399	-62.06	-13	Pass	6590
689	726	0.1	RMS	699.36	21.6	60	Pass	601
726	1000	0.1	RMS	951.582	-61.91	-13	Pass	2740
1000	3000	1	RMS	2657.829	-47.91	-13	Pass	2000
3000	10000	1	RMS	9606.944	-44.59	-13	Pass	7000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2985
30	689	0.1	RMS	673.498	-62.35	-13	Pass	6590
689	726	0.1	RMS	699.36	21.02	60	Pass	601
726	1000	0.1	RMS	925.673	-62.13	-13	Pass	2740
1000	3000	1	RMS	2650.825	-47.84	-13	Pass	2000
3000	10000	1	RMS	9653.951	-44.59	-13	Pass	7000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.65	-13	Pass	2985
30	689	0.1	RMS	511.473	-62.42	-13	Pass	6590
689	726	0.1	RMS	705.342	22.08	60	Pass	601
726	1000	0.1	RMS	925.973	-62.02	-13	Pass	2740
1000	3000	1	RMS	2649.825	-47.82	-13	Pass	2000
3000	10000	1	RMS	9623.946	-44.58	-13	Pass	7000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2985
30	689	0.1	RMS	682.299	-62.47	-13	Pass	6590
689	726	0.1	RMS	705.342	21.27	60	Pass	601
726	1000	0.1	RMS	928.174	-62.07	-13	Pass	2740
1000	3000	1	RMS	2654.827	-47.82	-13	Pass	2000
3000	10000	1	RMS	9604.944	-44.58	-13	Pass	7000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2985
30	689	0.1	RMS	514.173	-62.48	-13	Pass	6590
689	726	0.1	RMS	711.323	22.01	60	Pass	601
726	1000	0.1	RMS	921.371	-61.96	-13	Pass	2740
1000	3000	1	RMS	1422.211	-47.76	-13	Pass	2000
3000	10000	1	RMS	9724.961	-44.6	-13	Pass	7000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2985
30	689	0.1	RMS	682.999	-62.44	-13	Pass	6590
689	726	0.1	RMS	711.323	21.02	60	Pass	601
726	1000	0.1	RMS	947.181	-62.2	-13	Pass	2740
1000	3000	1	RMS	2654.827	-47.83	-13	Pass	2000
3000	10000	1	RMS	9710.959	-44.57	-13	Pass	7000




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.54	-13	Pass	2985
30	689	0.1	RMS	528.976	-62.33	-13	Pass	6590
689	726	0.1	RMS	699.607	22.25	60	Pass	601
726	1000	0.1	RMS	907.266	-62.15	-13	Pass	2740
1000	3000	1	RMS	1399.2	-46.62	-13	Pass	2000
3000	10000	1	RMS	9629.947	-44.58	-13	Pass	7000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.29	-13	Pass	6590
689	726	0.1	RMS	699.607	21.2	60	Pass	601
726	1000	0.1	RMS	920.171	-62.13	-13	Pass	2740
1000	3000	1	RMS	1399.2	-47.46	-13	Pass	2000
3000	10000	1	RMS	9723.961	-44.59	-13	Pass	7000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2985
30	689	0.1	RMS	688.7	-62.37	-13	Pass	6590
689	726	0.1	RMS	703.122	21.86	60	Pass	601
726	1000	0.1	RMS	905.065	-61.94	-13	Pass	2740
1000	3000	1	RMS	1406.203	-46.79	-13	Pass	2000
3000	10000	1	RMS	9644.949	-44.65	-13	Pass	7000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2985
30	689	0.1	RMS	676.498	-62.52	-13	Pass	6590
689	726	0.1	RMS	703.122	21.02	60	Pass	601
726	1000	0.1	RMS	927.674	-62.18	-13	Pass	2740
1000	3000	1	RMS	1406.203	-47.6	-13	Pass	2000
3000	10000	1	RMS	9707.958	-44.55	-13	Pass	7000




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2985
30	689	0.1	RMS	504.872	-62.31	-13	Pass	6590
689	726	0.1	RMS	706.575	22.11	60	Pass	601
726	1000	0.1	RMS	923.272	-61.98	-13	Pass	2740
1000	3000	1	RMS	1413.207	-47.07	-13	Pass	2000
3000	10000	1	RMS	9611.945	-44.6	-13	Pass	7000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.49	-13	Pass	2985
30	689	0.1	RMS	683.699	-62.44	-13	Pass	6590
689	726	0.1	RMS	706.575	21.28	60	Pass	601
726	1000	0.1	RMS	911.868	-62.3	-13	Pass	2740
1000	3000	1	RMS	1413.207	-47.75	-13	Pass	2000
3000	10000	1	RMS	9625.947	-44.6	-13	Pass	7000



14. LTE_Band13


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.25	-13	Pass	2985
30	767	0.1	RMS	760.899	-61.73	-13	Pass	7370
767	797	0.1	RMS	777.35	21.43	60	Pass	601
797	1000	0.1	RMS	967.884	-62.34	-13	Pass	2030
1000	3000	1	RMS	2649.825	-47.87	-13	Pass	2000
3000	10000	1	RMS	9717.96	-44.58	-13	Pass	7000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2985
30	767	0.1	RMS	766.9	-61.86	-13	Pass	7370
767	797	0.1	RMS	777.35	20.61	60	Pass	601
797	1000	0.1	RMS	928.965	-62.27	-13	Pass	2030
1000	3000	1	RMS	2654.827	-47.88	-13	Pass	2000
3000	10000	1	RMS	9628.947	-44.6	-13	Pass	7000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.36	-13	Pass	2985
30	767	0.1	RMS	766.3	-61.88	-13	Pass	7370
767	797	0.1	RMS	779.85	21.62	60	Pass	601
797	1000	0.1	RMS	953.077	-62.26	-13	Pass	2030
1000	3000	1	RMS	2661.831	-47.85	-13	Pass	2000
3000	10000	1	RMS	9659.951	-44.58	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2985
30	767	0.1	RMS	761.199	-61.88	-13	Pass	7370
767	797	0.1	RMS	779.85	20.76	60	Pass	601
797	1000	0.1	RMS	950.876	-62.31	-13	Pass	2030
1000	3000	1	RMS	2649.825	-47.9	-13	Pass	2000
3000	10000	1	RMS	9627.947	-44.58	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2985
30	767	0.1	RMS	763.7	-61.73	-13	Pass	7370
767	797	0.1	RMS	782.35	21.47	60	Pass	601
797	1000	0.1	RMS	971.086	-62.16	-13	Pass	2030
1000	3000	1	RMS	2658.829	-47.86	-13	Pass	2000
3000	10000	1	RMS	9610.944	-44.6	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2985
30	767	0.1	RMS	766.7	-61.93	-13	Pass	7370
767	797	0.1	RMS	782.35	20.77	60	Pass	601
797	1000	0.1	RMS	915.759	-62.23	-13	Pass	2030
1000	3000	1	RMS	2655.828	-47.82	-13	Pass	2000
3000	10000	1	RMS	9601.943	-44.52	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2985
30	767	0.1	RMS	762.899	-61.76	-13	Pass	7370
767	797	0.1	RMS	777.6	21.71	60	Pass	601
797	1000	0.1	RMS	965.183	-62.26	-13	Pass	2030
1000	3000	1	RMS	2647.824	-47.86	-13	Pass	2000
3000	10000	1	RMS	9633.948	-44.51	-13	Pass	7000



**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.75	-13	Pass	2985
30	767	0.1	RMS	763.9	-61.87	-13	Pass	7370
767	797	0.1	RMS	777.6	20.8	60	Pass	601
797	1000	0.1	RMS	931.466	-62.24	-13	Pass	2030
1000	3000	1	RMS	2655.828	-47.9	-13	Pass	2000
3000	10000	1	RMS	9616.945	-44.54	-13	Pass	7000



15. LTE_Band17


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.31	-13	Pass	2985
30	694	0.1	RMS	513.573	-62.22	-13	Pass	6640
694	726	0.1	RMS	704.347	21.79	60	Pass	601
726	1000	0.1	RMS	882.257	-62.27	-13	Pass	2740
1000	3000	1	RMS	2650.825	-47.94	-13	Pass	2000
3000	10000	1	RMS	9730.962	-44.52	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.73	-13	Pass	2985
30	694	0.1	RMS	687.499	-62.45	-13	Pass	6640
694	726	0.1	RMS	704.347	21.21	60	Pass	601
726	1000	0.1	RMS	912.368	-62.11	-13	Pass	2740
1000	3000	1	RMS	2655.828	-47.94	-13	Pass	2000
3000	10000	1	RMS	9710.959	-44.59	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2985
30	694	0.1	RMS	693.9	-59.83	-13	Pass	6640
694	726	0.1	RMS	707.813	21.99	60	Pass	601
726	1000	0.1	RMS	924.973	-62.02	-13	Pass	2740
1000	3000	1	RMS	2123.562	-47.74	-13	Pass	2000
3000	10000	1	RMS	9614.945	-44.61	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2985
30	694	0.1	RMS	693.9	-59.33	-13	Pass	6640
694	726	0.1	RMS	707.813	21.27	60	Pass	601
726	1000	0.1	RMS	890.86	-61.98	-13	Pass	2740
1000	3000	1	RMS	2649.825	-47.96	-13	Pass	2000
3000	10000	1	RMS	9670.953	-44.59	-13	Pass	7000




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.28	-13	Pass	2985
30	694	0.1	RMS	693.4	-62.38	-13	Pass	6640
694	726	0.1	RMS	711.333	22.17	60	Pass	601
726	1000	0.1	RMS	915.869	-62.12	-13	Pass	2740
1000	3000	1	RMS	1422.211	-47.66	-13	Pass	2000
3000	10000	1	RMS	9627.947	-44.61	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2985
30	694	0.1	RMS	692.1	-62.42	-13	Pass	6640
694	726	0.1	RMS	711.333	21.19	60	Pass	601
726	1000	0.1	RMS	925.173	-62.3	-13	Pass	2740
1000	3000	1	RMS	2652.826	-47.96	-13	Pass	2000
3000	10000	1	RMS	9668.953	-44.57	-13	Pass	7000




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.22	-13	Pass	2985
30	694	0.1	RMS	694	-61.95	-13	Pass	6640
694	726	0.1	RMS	704.56	22.09	60	Pass	601
726	1000	0.1	RMS	898.363	-62.07	-13	Pass	2740
1000	3000	1	RMS	1409.205	-46.82	-13	Pass	2000
3000	10000	1	RMS	9652.95	-44.61	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2985
30	694	0.1	RMS	693.7	-62.16	-13	Pass	6640
694	726	0.1	RMS	704.613	21.33	60	Pass	601
726	1000	0.1	RMS	905.766	-62.04	-13	Pass	2740
1000	3000	1	RMS	1409.205	-47.56	-13	Pass	2000
3000	10000	1	RMS	9639.949	-44.6	-13	Pass	7000




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2985
30	694	0.1	RMS	693.4	-62.25	-13	Pass	6640
694	726	0.1	RMS	705.573	22.15	60	Pass	601
726	1000	0.1	RMS	900.764	-62.09	-13	Pass	2740
1000	3000	1	RMS	1411.206	-46.98	-13	Pass	2000
3000	10000	1	RMS	9724.961	-44.6	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2985
30	694	0.1	RMS	692.3	-62.22	-13	Pass	6640
694	726	0.1	RMS	705.573	21.25	60	Pass	601
726	1000	0.1	RMS	916.57	-62.07	-13	Pass	2740
1000	3000	1	RMS	1411.206	-47.94	-13	Pass	2000
3000	10000	1	RMS	9727.961	-44.58	-13	Pass	7000




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2985
30	694	0.1	RMS	692.7	-62.3	-13	Pass	6640
694	726	0.1	RMS	706.587	22.12	60	Pass	601
726	1000	0.1	RMS	920.071	-62.27	-13	Pass	2740
1000	3000	1	RMS	1413.207	-47.26	-13	Pass	2000
3000	10000	1	RMS	9618.946	-44.57	-13	Pass	7000



**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.16	-13	Pass	2985
30	694	0.1	RMS	691.2	-62.28	-13	Pass	6640
694	726	0.1	RMS	706.587	21.38	60	Pass	601
726	1000	0.1	RMS	946.38	-62.04	-13	Pass	2740
1000	3000	1	RMS	1413.207	-47.81	-13	Pass	2000
3000	10000	1	RMS	9718.96	-44.55	-13	Pass	7000



16. LTE_Band25


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2985
30	1000	0.1	RMS	943.094	-61.35	-13	Pass	9700
1000	1840	1	RMS	1840	-51.08	-13	Pass	840
1840	1925	1	RMS	1850.2	24.18	60	Pass	601
1925	3000	1	RMS	2643.669	-48.65	-13	Pass	1075
3000	12000	1	RMS	11994.999	-42.59	-13	Pass	9000
12000	20000	1	RMS	19021.878	-35.3	-13	Pass	8000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2985
30	1000	0.1	RMS	945.494	-61.41	-13	Pass	9700
1000	1840	1	RMS	1840	-51.18	-13	Pass	840
1840	1925	1	RMS	1850.2	23.09	60	Pass	601
1925	3000	1	RMS	2658.682	-48.66	-13	Pass	1075
3000	12000	1	RMS	11977.998	-42.63	-13	Pass	9000
12000	20000	1	RMS	19016.877	-35.27	-13	Pass	8000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2985
30	1000	0.1	RMS	947.295	-61.42	-13	Pass	9700
1000	1840	1	RMS	1821.979	-51.22	-13	Pass	840
1840	1925	1	RMS	1882.075	24.07	60	Pass	601
1925	3000	1	RMS	2652.677	-48.62	-13	Pass	1075
3000	12000	1	RMS	11992.999	-42.59	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.33	-13	Pass	8000




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.74	-13	Pass	2985
30	1000	0.1	RMS	948.195	-61.48	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.23	-13	Pass	840
1840	1925	1	RMS	1882.075	23.11	60	Pass	601
1925	3000	1	RMS	2648.673	-48.66	-13	Pass	1075
3000	12000	1	RMS	11990.999	-42.6	-13	Pass	9000
12000	20000	1	RMS	19023.878	-35.35	-13	Pass	8000




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2985
30	1000	0.1	RMS	921.692	-61.34	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.19	-13	Pass	840
1840	1925	1	RMS	1913.808	24.04	60	Pass	601
1925	3000	1	RMS	2641.667	-48.66	-13	Pass	1075
3000	12000	1	RMS	12000	-42.56	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.29	-13	Pass	8000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2985
30	1000	0.1	RMS	963.896	-61.36	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.24	-13	Pass	840
1840	1925	1	RMS	1913.808	23.21	60	Pass	601
1925	3000	1	RMS	2650.675	-48.68	-13	Pass	1075
3000	12000	1	RMS	11993.999	-42.59	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.37	-13	Pass	8000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.82	-13	Pass	2985
30	1000	0.1	RMS	918.892	-61.43	-13	Pass	9700
1000	1840	1	RMS	1840	-51.08	-13	Pass	840
1840	1925	1	RMS	1850.2	24.28	60	Pass	601
1925	3000	1	RMS	2656.681	-48.62	-13	Pass	1075
3000	12000	1	RMS	11998	-42.52	-13	Pass	9000
12000	20000	1	RMS	19017.877	-35.33	-13	Pass	8000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.43	-13	Pass	2985
30	1000	0.1	RMS	935.193	-61.48	-13	Pass	9700
1000	1840	1	RMS	1840	-51.09	-13	Pass	840
1840	1925	1	RMS	1850.2	23.38	60	Pass	601
1925	3000	1	RMS	2659.683	-48.68	-13	Pass	1075
3000	12000	1	RMS	11985.998	-42.58	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.37	-13	Pass	8000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.87	-13	Pass	2985
30	1000	0.1	RMS	937.394	-61.4	-13	Pass	9700
1000	1840	1	RMS	1815.971	-51.21	-13	Pass	840
1840	1925	1	RMS	1881.225	24.22	60	Pass	601
1925	3000	1	RMS	2665.689	-48.64	-13	Pass	1075
3000	12000	1	RMS	11982.998	-42.62	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.31	-13	Pass	8000




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2985
30	1000	0.1	RMS	949.695	-61.42	-13	Pass	9700
1000	1840	1	RMS	1830.989	-51.25	-13	Pass	840
1840	1925	1	RMS	1881.225	23.25	60	Pass	601
1925	3000	1	RMS	2651.676	-48.65	-13	Pass	1075
3000	12000	1	RMS	11999	-42.55	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.26	-13	Pass	8000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.39	-13	Pass	2985
30	1000	0.1	RMS	950.095	-61.32	-13	Pass	9700
1000	1840	1	RMS	1826.985	-51.21	-13	Pass	840
1840	1925	1	RMS	1912.25	24.3	60	Pass	601
1925	3000	1	RMS	2652.677	-48.63	-13	Pass	1075
3000	12000	1	RMS	11987.999	-42.58	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.32	-13	Pass	8000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.86	-13	Pass	2985
30	1000	0.1	RMS	917.692	-61.4	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.24	-13	Pass	840
1840	1925	1	RMS	1912.108	23.23	60	Pass	601
1925	3000	1	RMS	2652.677	-48.69	-13	Pass	1075
3000	12000	1	RMS	12000	-42.61	-13	Pass	9000
12000	20000	1	RMS	19015.877	-35.32	-13	Pass	8000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2985
30	1000	0.1	RMS	935.093	-61.42	-13	Pass	9700
1000	1840	1	RMS	1840	-50.71	-13	Pass	840
1840	1925	1	RMS	1850.342	24.16	60	Pass	601
1925	3000	1	RMS	2653.678	-48.63	-13	Pass	1075
3000	12000	1	RMS	11999	-42.59	-13	Pass	9000
12000	20000	1	RMS	19013.877	-35.37	-13	Pass	8000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2985
30	1000	0.1	RMS	939.794	-61.44	-13	Pass	9700
1000	1840	1	RMS	1840	-51.04	-13	Pass	840
1840	1925	1	RMS	1850.342	23.2	60	Pass	601
1925	3000	1	RMS	2664.688	-48.69	-13	Pass	1075
3000	12000	1	RMS	12000	-42.61	-13	Pass	9000
12000	20000	1	RMS	19022.878	-35.37	-13	Pass	8000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2985
30	1000	0.1	RMS	937.294	-61.49	-13	Pass	9700
1000	1840	1	RMS	1807.962	-51.23	-13	Pass	840
1840	1925	1	RMS	1880.375	24.08	60	Pass	601
1925	3000	1	RMS	2652.677	-48.69	-13	Pass	1075
3000	12000	1	RMS	11999	-42.64	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.35	-13	Pass	8000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.93	-13	Pass	2985
30	1000	0.1	RMS	926.192	-61.39	-13	Pass	9700
1000	1840	1	RMS	1840	-51.21	-13	Pass	840
1840	1925	1	RMS	1880.375	23.29	60	Pass	601
1925	3000	1	RMS	2663.687	-48.69	-13	Pass	1075
3000	12000	1	RMS	12000	-42.61	-13	Pass	9000
12000	20000	1	RMS	18745.843	-35.3	-13	Pass	8000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.36	-13	Pass	2985
30	1000	0.1	RMS	923.892	-61.49	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.23	-13	Pass	840
1840	1925	1	RMS	1910.267	24.23	60	Pass	601
1925	3000	1	RMS	2654.679	-48.58	-13	Pass	1075
3000	12000	1	RMS	12000	-42.57	-13	Pass	9000
12000	20000	1	RMS	18750.844	-35.33	-13	Pass	8000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2985
30	1000	0.1	RMS	971.397	-61.44	-13	Pass	9700
1000	1840	1	RMS	1826.985	-51.15	-13	Pass	840
1840	1925	1	RMS	1910.408	23.54	60	Pass	601
1925	3000	1	RMS	2661.685	-48.61	-13	Pass	1075
3000	12000	1	RMS	11996	-42.59	-13	Pass	9000
12000	20000	1	RMS	19023.878	-35.35	-13	Pass	8000




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2985
30	1000	0.1	RMS	932.693	-61.42	-13	Pass	9700
1000	1840	1	RMS	1840	-50.42	-13	Pass	840
1840	1925	1	RMS	1850.625	24.34	60	Pass	601
1925	3000	1	RMS	2658.682	-48.58	-13	Pass	1075
3000	12000	1	RMS	11951.995	-42.65	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.29	-13	Pass	8000




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2985
30	1000	0.1	RMS	930.893	-61.41	-13	Pass	9700
1000	1840	1	RMS	1840	-50.53	-13	Pass	840
1840	1925	1	RMS	1850.625	23.46	60	Pass	601
1925	3000	1	RMS	2661.685	-48.55	-13	Pass	1075
3000	12000	1	RMS	11999	-42.56	-13	Pass	9000
12000	20000	1	RMS	19024.878	-35.35	-13	Pass	8000




16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2985
30	1000	0.1	RMS	936.593	-61.49	-13	Pass	9700
1000	1840	1	RMS	1811.967	-51.09	-13	Pass	840
1840	1925	1	RMS	1878.108	24.33	60	Pass	601
1925	3000	1	RMS	2646.671	-48.56	-13	Pass	1075
3000	12000	1	RMS	11984.998	-42.53	-13	Pass	9000
12000	20000	1	RMS	18751.844	-35.25	-13	Pass	8000




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2985
30	1000	0.1	RMS	924.092	-61.41	-13	Pass	9700
1000	1840	1	RMS	1812.968	-51.11	-13	Pass	840
1840	1925	1	RMS	1878.108	23.32	60	Pass	601
1925	3000	1	RMS	2651.676	-48.61	-13	Pass	1075
3000	12000	1	RMS	11982.998	-42.64	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.36	-13	Pass	8000




16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2985
30	1000	0.1	RMS	925.692	-61.43	-13	Pass	9700
1000	1840	1	RMS	1840	-51.08	-13	Pass	840
1840	1925	1	RMS	1905.592	24.44	60	Pass	601
1925	3000	1	RMS	2652.677	-48.57	-13	Pass	1075
3000	12000	1	RMS	11999	-42.63	-13	Pass	9000
12000	20000	1	RMS	18748.844	-35.34	-13	Pass	8000




**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.73	-13	Pass	2985
30	1000	0.1	RMS	914.091	-61.48	-13	Pass	9700
1000	1840	1	RMS	1823.981	-51.14	-13	Pass	840
1840	1925	1	RMS	1905.592	23.54	60	Pass	601
1925	3000	1	RMS	2654.679	-48.6	-13	Pass	1075
3000	12000	1	RMS	11985.998	-42.62	-13	Pass	9000
12000	20000	1	RMS	19025.878	-35.41	-13	Pass	8000




16.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.58	-13	Pass	2985
30	1000	0.1	RMS	940.994	-61.36	-13	Pass	9700
1000	1840	1	RMS	1840	-49.01	-13	Pass	840
1840	1925	1	RMS	1850.767	24.25	60	Pass	601
1925	3000	1	RMS	2662.686	-48.59	-13	Pass	1075
3000	12000	1	RMS	11992.999	-42.62	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.32	-13	Pass	8000




**16.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.64	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.88	-13	Pass	2985
30	1000	0.1	RMS	886.188	-61.44	-13	Pass	9700
1000	1840	1	RMS	1840	-49.24	-13	Pass	840
1840	1925	1	RMS	1850.767	23.34	60	Pass	601
1925	3000	1	RMS	2653.678	-48.56	-13	Pass	1075
3000	12000	1	RMS	11987.999	-42.57	-13	Pass	9000
12000	20000	1	RMS	18747.843	-35.31	-13	Pass	8000




**16.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.32	-13	Pass	2985
30	1000	0.1	RMS	917.491	-61.37	-13	Pass	9700
1000	1840	1	RMS	1840	-51.11	-13	Pass	840
1840	1925	1	RMS	1875.842	24.27	60	Pass	601
1925	3000	1	RMS	2647.672	-48.59	-13	Pass	1075
3000	12000	1	RMS	11981.998	-42.56	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.3	-13	Pass	8000




**16.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2985
30	1000	0.1	RMS	940.194	-61.39	-13	Pass	9700
1000	1840	1	RMS	1825.983	-51.15	-13	Pass	840
1840	1925	1	RMS	1875.842	23.31	60	Pass	601
1925	3000	1	RMS	2652.677	-48.64	-13	Pass	1075
3000	12000	1	RMS	11998	-42.52	-13	Pass	9000
12000	20000	1	RMS	19016.877	-35.31	-13	Pass	8000




16.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.23	-13	Pass	2985
30	1000	0.1	RMS	916.591	-61.5	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.18	-13	Pass	840
1840	1925	1	RMS	1900.775	24.28	60	Pass	601
1925	3000	1	RMS	2646.671	-48.53	-13	Pass	1075
3000	12000	1	RMS	11994.999	-42.57	-13	Pass	9000
12000	20000	1	RMS	19015.877	-35.35	-13	Pass	8000




**16.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.03	-13	Pass	2985
30	1000	0.1	RMS	912.091	-61.49	-13	Pass	9700
1000	1840	1	RMS	1820.977	-51.13	-13	Pass	840
1840	1925	1	RMS	1900.775	23.52	60	Pass	601
1925	3000	1	RMS	2650.675	-48.59	-13	Pass	1075
3000	12000	1	RMS	11991.999	-42.62	-13	Pass	9000
12000	20000	1	RMS	18749.844	-35.32	-13	Pass	8000




16.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2985
30	1000	0.1	RMS	887.088	-61.39	-13	Pass	9700
1000	1840	1	RMS	1840	-49.35	-13	Pass	840
1840	1925	1	RMS	1851.05	24.17	60	Pass	601
1925	3000	1	RMS	2653.678	-48.58	-13	Pass	1075
3000	12000	1	RMS	11963.996	-42.64	-13	Pass	9000
12000	20000	1	RMS	19017.877	-35.34	-13	Pass	8000




**16.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2985
30	1000	0.1	RMS	919.392	-61.47	-13	Pass	9700
1000	1840	1	RMS	1840	-49.54	-13	Pass	840
1840	1925	1	RMS	1851.05	23.34	60	Pass	601
1925	3000	1	RMS	2657.682	-48.59	-13	Pass	1075
3000	12000	1	RMS	11996	-42.65	-13	Pass	9000
12000	20000	1	RMS	18746.843	-35.36	-13	Pass	8000




16.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.29	-13	Pass	2985
30	1000	0.1	RMS	914.091	-61.51	-13	Pass	9700
1000	1840	1	RMS	1837.998	-48.5	-13	Pass	840
1840	1925	1	RMS	1873.575	24.17	60	Pass	601
1925	3000	1	RMS	2655.68	-48.61	-13	Pass	1075
3000	12000	1	RMS	11988.999	-42.57	-13	Pass	9000
12000	20000	1	RMS	19017.877	-35.34	-13	Pass	8000




**16.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2985
30	1000	0.1	RMS	940.694	-61.37	-13	Pass	9700
1000	1840	1	RMS	1837.998	-49.16	-13	Pass	840
1840	1925	1	RMS	1873.575	23.26	60	Pass	601
1925	3000	1	RMS	2658.682	-48.57	-13	Pass	1075
3000	12000	1	RMS	11988.999	-42.6	-13	Pass	9000
12000	20000	1	RMS	19018.877	-35.31	-13	Pass	8000




16.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2985
30	1000	0.1	RMS	922.892	-61.52	-13	Pass	9700
1000	1840	1	RMS	1828.987	-51.1	-13	Pass	840
1840	1925	1	RMS	1896.1	24.23	60	Pass	601
1925	3000	1	RMS	2651.676	-48.6	-13	Pass	1075
3000	12000	1	RMS	11969.997	-42.55	-13	Pass	9000
12000	20000	1	RMS	19014.877	-35.34	-13	Pass	8000



**16.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2985
30	1000	0.1	RMS	930.593	-61.54	-13	Pass	9700
1000	1840	1	RMS	1829.988	-51.14	-13	Pass	840
1840	1925	1	RMS	1896.1	23.25	60	Pass	601
1925	3000	1	RMS	2650.675	-48.61	-13	Pass	1075
3000	12000	1	RMS	12000	-42.58	-13	Pass	9000
12000	20000	1	RMS	19024.878	-35.3	-13	Pass	8000



17. LTE_Band41 100M


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.98	-25	Pass	2985
30	1000	0.1	RMS	905.79	-61.45	-25	Pass	9700
1000	2486	1	RMS	2486	-49.29	-25	Pass	1486
2486	2700	1	RMS	2555.55	20.37	60	Pass	601
2700	3000	1	RMS	2765.5	-49.06	-25	Pass	601
3000	12000	1	RMS	10220.802	-68.94	-25	Pass	9000
12000	27000	1	RMS	26265.951	-62.31	-25	Pass	15000




17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.87	-25	Pass	2985
30	1000	0.1	RMS	831.183	-57.39	-25	Pass	9700
1000	2486	1	RMS	2486	-49.26	-25	Pass	1486
2486	2700	1	RMS	2555.55	18.65	60	Pass	601
2700	3000	1	RMS	2768	-49.09	-25	Pass	601
3000	12000	1	RMS	10221.802	-70.38	-25	Pass	9000
12000	27000	1	RMS	26262.951	-62.22	-25	Pass	15000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.92	-25	Pass	2985
30	1000	0.1	RMS	905.69	-61.47	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.27	-25	Pass	1486
2486	2700	1	RMS	2602.987	19.92	60	Pass	601
2700	3000	1	RMS	2780.5	-49.08	-25	Pass	601
3000	12000	1	RMS	11993.999	-73.13	-25	Pass	9000
12000	27000	1	RMS	26263.951	-62.3	-25	Pass	15000




17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.7	-25	Pass	2985
30	1000	0.1	RMS	935.393	-61.44	-25	Pass	9700
1000	2486	1	RMS	2486	-49.25	-25	Pass	1486
2486	2700	1	RMS	2602.987	19.64	60	Pass	601
2700	3000	1	RMS	2998	-49.05	-25	Pass	601
3000	12000	1	RMS	11968.997	-73.1	-25	Pass	9000
12000	27000	1	RMS	26268.951	-62.14	-25	Pass	15000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-25	Pass	2985
30	1000	0.1	RMS	921.592	-61.43	-25	Pass	9700
1000	2486	1	RMS	2486	-49.25	-25	Pass	1486
2486	2700	1	RMS	2650.423	20.4	60	Pass	601
2700	3000	1	RMS	2999.5	-49.07	-25	Pass	601
3000	12000	1	RMS	10600.845	-72.25	-25	Pass	9000
12000	27000	1	RMS	26263.951	-62.26	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.59	-25	Pass	2985
30	1000	0.1	RMS	917.792	-61.47	-25	Pass	9700
1000	2486	1	RMS	2477.995	-49.3	-25	Pass	1486
2486	2700	1	RMS	2650.423	18.9	60	Pass	601
2700	3000	1	RMS	2996.5	-49.08	-25	Pass	601
3000	12000	1	RMS	10601.845	-72.78	-25	Pass	9000
12000	27000	1	RMS	26264.951	-62.26	-25	Pass	15000




17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.02	-25	Pass	2985
30	1000	0.1	RMS	948.195	-61.54	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.26	-25	Pass	1486
2486	2700	1	RMS	2555.907	20.14	60	Pass	601
2700	3000	1	RMS	2999.5	-49.04	-25	Pass	601
3000	12000	1	RMS	10221.802	-70.06	-25	Pass	9000
12000	27000	1	RMS	25302.887	-62.28	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.68	-25	Pass	2985
30	1000	0.1	RMS	913.991	-61.47	-25	Pass	9700
1000	2486	1	RMS	2476.994	-49.25	-25	Pass	1486
2486	2700	1	RMS	2555.55	20.12	60	Pass	601
2700	3000	1	RMS	2768.5	-49.04	-25	Pass	601
3000	12000	1	RMS	10221.802	-69.79	-25	Pass	9000
12000	27000	1	RMS	25296.886	-62.14	-25	Pass	15000




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.74	-25	Pass	2985
30	1000	0.1	RMS	935.093	-61.27	-25	Pass	9700
1000	2486	1	RMS	2474.993	-49.27	-25	Pass	1486
2486	2700	1	RMS	2600.49	19.61	60	Pass	601
2700	3000	1	RMS	2785	-48.98	-25	Pass	601
3000	12000	1	RMS	11987.999	-73.16	-25	Pass	9000
12000	27000	1	RMS	26258.951	-62.24	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.02	-25	Pass	2985
30	1000	0.1	RMS	912.391	-61.5	-25	Pass	9700
1000	2486	1	RMS	2475.993	-49.26	-25	Pass	1486
2486	2700	1	RMS	2600.49	19.31	60	Pass	601
2700	3000	1	RMS	2999.5	-49.06	-25	Pass	601
3000	12000	1	RMS	11984.998	-73.11	-25	Pass	9000
12000	27000	1	RMS	26267.951	-62.17	-25	Pass	15000




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.67	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.02	-25	Pass	2985
30	1000	0.1	RMS	927.793	-61.38	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.26	-25	Pass	1486
2486	2700	1	RMS	2645.787	20.29	60	Pass	601
2700	3000	1	RMS	2999.5	-49.04	-25	Pass	601
3000	12000	1	RMS	11982.998	-73.12	-25	Pass	9000
12000	27000	1	RMS	26258.951	-62.17	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.77	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.19	-25	Pass	2985
30	1000	0.1	RMS	947.195	-61.37	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.3	-25	Pass	1486
2486	2700	1	RMS	2645.787	19.36	60	Pass	601
2700	3000	1	RMS	2999.5	-49.06	-25	Pass	601
3000	12000	1	RMS	11967.996	-73.12	-25	Pass	9000
12000	27000	1	RMS	26258.951	-62.23	-25	Pass	15000




17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.19	-25	Pass	2985
30	1000	0.1	RMS	918.792	-61.46	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.2	-25	Pass	1486
2486	2700	1	RMS	2555.907	20.6	60	Pass	601
2700	3000	1	RMS	2786	-49.06	-25	Pass	601
3000	12000	1	RMS	10222.803	-69.27	-25	Pass	9000
12000	27000	1	RMS	26268.951	-62.21	-25	Pass	15000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.64	-25	Pass	2985
30	1000	0.1	RMS	905.69	-61.37	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.33	-25	Pass	1486
2486	2700	1	RMS	2555.907	20.06	60	Pass	601
2700	3000	1	RMS	3000	-49.05	-25	Pass	601
3000	12000	1	RMS	10222.803	-69.79	-25	Pass	9000
12000	27000	1	RMS	26260.951	-62.26	-25	Pass	15000




17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.91	-25	Pass	2985
30	1000	0.1	RMS	928.793	-61.42	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.23	-25	Pass	1486
2486	2700	1	RMS	2598.35	20.02	60	Pass	601
2700	3000	1	RMS	2779	-49.06	-25	Pass	601
3000	12000	1	RMS	10392.821	-72.99	-25	Pass	9000
12000	27000	1	RMS	26259.951	-62.22	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.59	-25	Pass	2985
30	1000	0.1	RMS	912.391	-61.41	-25	Pass	9700
1000	2486	1	RMS	2486	-49.28	-25	Pass	1486
2486	2700	1	RMS	2598.35	19.38	60	Pass	601
2700	3000	1	RMS	2783	-49.04	-25	Pass	601
3000	12000	1	RMS	11989.999	-73.14	-25	Pass	9000
12000	27000	1	RMS	26268.951	-62.31	-25	Pass	15000




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.1	-25	Pass	2985
30	1000	0.1	RMS	956.095	-61.35	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.27	-25	Pass	1486
2486	2700	1	RMS	2641.15	19.54	60	Pass	601
2700	3000	1	RMS	3000	-49.06	-25	Pass	601
3000	12000	1	RMS	10562.84	-72.42	-25	Pass	9000
12000	27000	1	RMS	26263.951	-62.2	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.75	-25	Pass	2985
30	1000	0.1	RMS	924.492	-61.4	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.32	-25	Pass	1486
2486	2700	1	RMS	2640.793	19.47	60	Pass	601
2700	3000	1	RMS	2999.5	-49.07	-25	Pass	601
3000	12000	1	RMS	11978.998	-73.16	-25	Pass	9000
12000	27000	1	RMS	26269.951	-62.21	-25	Pass	15000




17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.66	-25	Pass	2985
30	1000	0.1	RMS	927.893	-61.44	-25	Pass	9700
1000	2486	1	RMS	2480.997	-49.25	-25	Pass	1486
2486	2700	1	RMS	2556.263	20.67	60	Pass	601
2700	3000	1	RMS	2765.5	-49.03	-25	Pass	601
3000	12000	1	RMS	10224.803	-72.05	-25	Pass	9000
12000	27000	1	RMS	26264.951	-62.28	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.51	-25	Pass	2985
30	1000	0.1	RMS	921.792	-61.24	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.3	-25	Pass	1486
2486	2700	1	RMS	2556.263	19.87	60	Pass	601
2700	3000	1	RMS	2997.5	-49.07	-25	Pass	601
3000	12000	1	RMS	10224.803	-69.84	-25	Pass	9000
12000	27000	1	RMS	26787.986	-62.02	-25	Pass	15000




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.6	-25	Pass	2985
30	1000	0.1	RMS	904.09	-61.42	-25	Pass	9700
1000	2486	1	RMS	2486	-49.27	-25	Pass	1486
2486	2700	1	RMS	2596.21	20.73	60	Pass	601
2700	3000	1	RMS	2784	-49.05	-25	Pass	601
3000	12000	1	RMS	11977.998	-73.01	-25	Pass	9000
12000	27000	1	RMS	26256.95	-62	-25	Pass	15000




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.93	-25	Pass	2985
30	1000	0.1	RMS	946.394	-61.42	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.24	-25	Pass	1486
2486	2700	1	RMS	2596.21	19.89	60	Pass	601
2700	3000	1	RMS	2997	-49.01	-25	Pass	601
3000	12000	1	RMS	11973.997	-73.04	-25	Pass	9000
12000	27000	1	RMS	26252.95	-62.04	-25	Pass	15000



**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.71	-25	Pass	2985
30	1000	0.1	RMS	935.693	-61.28	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.21	-25	Pass	1486
2486	2700	1	RMS	2635.8	19.55	60	Pass	601
2700	3000	1	RMS	2997	-48.97	-25	Pass	601
3000	12000	1	RMS	11989.999	-73.05	-25	Pass	9000
12000	27000	1	RMS	26259.951	-62.03	-25	Pass	15000



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.6	-25	Pass	2985
30	1000	0.1	RMS	922.892	-61.51	-25	Pass	9700
1000	2486	1	RMS	2486	-49.24	-25	Pass	1486
2486	2700	1	RMS	2636.157	19.2	60	Pass	601
2700	3000	1	RMS	3000	-49.02	-25	Pass	601
3000	12000	1	RMS	10544.838	-72.78	-25	Pass	9000
12000	27000	1	RMS	26766.984	-62.05	-25	Pass	15000

