

P003_BOM (四频/ATV/WIFI/BT/CLASS K/GS)

1	4	B11100270023	IC-CPU, MTK Platform GSM Phone processor	MT6235BA/H	MTK	1	U200
2	4	B11100240023	IC-RF TRANSEIVER, MTK Platform Qual Band Transeiver	AD6548BCPZ-RL	MTK	1	U102
2	4	B11110430235L	Analog TV tuner & demodulator; QFN-6*6-48PIN	ATV168H	NEWPORT	1	U1001
3	4	B11110440023	MTK蓝牙芯片, 5*5*0.9mm,QFN-40.	MT6622N/A-L	MTK	1	U713
4	4	B11110360023	IC-WIFI ,TFBGA 115 ball	MT5921A	MTK	1	U901
5	4	B11120390108	IC-Memory-Combo, 1Gb Nand flash+256Mb SDRAM, 107 FBGA (1.8V IO)	H8ACSOPEOMBR-46M-C	HYNIX	1	U301
6	4	B11150640133L	LDO(2.8V, 300ma)	SGM2019-2.8YC5G/TR	SGMC	1	U1002
7	4	B11150650133	IC-LDO, 3.3V/200mA , SOT235	SGM2019-3.3YN5G/TR	SGMC	1	U909
8	4	B11150720308	IC-DC/DC convert, adjust (4.2V-26V), SOT-23-6L	LN2117B025MR/L	Natlinear	1	U801
9	4	B11160550152	IC-RFPA, 四频 GSM850/900/DCS/1900	RDA6232	RDA	1	U101
10	4	B11160600210	IC-WIFI PA	RTC6667E	RICHWAVE	1	U904
11	4	B11160390208	K类音频功放2W(4.2V/8Ω), 4×4×0.8mm, 28PIN TQFN	AW8731TQR	Awinic (艾为)	1	U601
12	4	B11170080035	IC-SWITCH FSA3157P6X FAIRCHILD, FSA3157P6X	FSA3157P6X	FAIRCHILD	1	U520
12	4-A	B11170260133	模拟开关 (单路单刀双掷, 4.5Ω, 300MHz)	SGM3157YC6/TR	SGM	0	
13	4	B11180190220	IC-±2g/±4g/±8g/±16g Three Axis Low-g Digital Output Accelerometer	BMA220	BOSCH	1	U761
14	4	B11200340236	稳压二极管(5.1V, 500mW, SOD523)	PZ5D4V2H	Prisemi	1	D301
14	4-A	B11200350150	稳压二极管(5.1V, 500mW, SOD523)	SEZ52C5V1-5	Sino-ic	0	
15	4	B11200360025	DIODE-Schottky Barrier Diode, <0.5A 30V-EMD2 (SOD-523)	RP521S-30TE61	ROHM	2	D321 D603
15	4-A	B11200100026	DIODE-Schottky Barrier Diode, <0.5A 30V-EMD2 (SOD-523)	RB521S-30	长电	0	
16	4	B11220130027L	晶体管(NPN)	PDTC123JE	PHILIPS	3	Q603 Q802 Q403
16	4-A	B11220140025L	晶体管(NPN)	DTC123JETL	ROHM	0	
16	4-B	B11220150026L	晶体管(NPN)	DTC123JE	长电	0	
17	4	B11220200308	TRAN_P-channel MOSFET , -20V, 3.6A, sigle , SOT-23	LN2301	Natlinear	1	Q804
18	4	B11230140011	-20V 80mΩ 导通内阻	Si5853CDC-T1-E3	VISHAY (威世)	1	U312
18	4-A	B11230300192	P-MOS+DIODE	WPM2005B-8/TR	Will	0	
18	4-B	B11230310304	P-MOS+DIODE	MF5853C	MegaPower	0	
18	4-C	B11230130010	P-MOS+DIODE	NTHD4P02FT1G	ONSEMI	0	
18	4-D	B11230200191	P-MOS+DIODE	BF9024SPD-M	BYD	0	
19	4	B11300280126	SMD2520, 40MHz 10ppm, CL=10.5pF	TZ1478A	TST	1	U903
19	4-A	B11300530087	Crystal-40MHZ-SMD3.2X2.5mm-TXC	7V40000003	TXC	0	
20	4	B11300340126	CRYSTAL-26MHz LC=11.2pF , TZ1387A, 3.2x2.5x0.7mm, for AD6548	TZ1387A	TST	1	U903
20	4-A	B11300430158	CRYSTAL-26MHz LC=11.5pF, 3.2x2.5x0.7mm	E3SB26.0000FBES11M*	Hosonic	0	

20	4-B	B11300270087	CRYSTAL-26MHz LC=11pF ,7M26000018, 3. 2x2. 5x0. 7mm, for AD6548	7M26000018	TXC	0	X101
20	4-C	B11300390223	CRYSTAL-26MHz LC=11. 2pF ,TZ1387A, 3. 2x2. 5x0. 7mm, for AD6548	X3S026000B71HZ-HPR	HELE	0	
21	4	B11300480014	CRYSTAL-32. 768KHZ, LC-12. 5PF, +/-20ppm, 1. 4*1. 4*5. 0mm	MS3V-T1R	微晶	1	
21	4-A	B11300500018	32. 768KHZ晶振	11R0021-32. 768KHZ	NDK	0	X201
21	4-B	B11300480014	32. 768KHZ晶振	MS3V-T1R	微晶	0	
21	4-C	B11300130015	32. 768KHZ晶振	SSP-T7-F(12. 5pf)	SEIKO	0	
21	4-D	B11300490115	Q13MC1462000200	32.768KHZ晶振	EPSON	0	
22	4	B11420200002	MTK6622用蓝牙滤波器	LFB212G45CF7D291	MURATA	1	
22	4-A	B11420180070	MTK6622用蓝牙滤波器	BF2012-L2R4FCAT/LF	ACX	0	U711
22	4-B	B11420190070	MTK6622用蓝牙滤波器	RFBPF2012060AM2FNH	Walsin	0	
23	4	B11430370016	IC-GSM850-RX-SAW-SF14-0881M5UB50 KYOCERA	SF14-0881M5UBA1	KYOCERA	1	U106
23	4-A	B11430210106	1411 850 RX SAW	EFCH881MTDA1	PANASONIC	0	
24	4	B11430380016	IC-GSM900-RX-SAW-SF14-0942M5UB00	SF14-0942M 5UBA1	KYOCERA	1	U104
24	4-A	B11430160106	1411 900 RX SAW	EFCH942MTDA1	PANASONIC	0	
25	4	B11430390016	IC-GSM1800-RX-SAW-SF14-1842M5UB00	SF14-1842M5UBA1	KYOCERA	1	U103
25	4-A	B11430170106	1411 1800 RX SAW	EFCH1842TDA1	PANASONIC	0	
26	4	B11430400016	IC-RX-SAW SAFEA1G96FA0F00 MURATA	SF14-1960M5UBA1	KYOCERA	1	U105
26	4-A	B11430180106	1411 1900 RX SAW	EFCH1960TDA1	PANASONIC	0	
27	4	B11540020002	1000ohm +/-25%,250mA,Rdc=1.25ohm	BLM15HD102SN1D	Murata	13	B251 B252 B253 B254 B501 B502 B503 B600 B601 B602 B610 B651 B652
27	4-A	B11550200309	0402贴片磁珠 (1000ohm/100MHZ)	HFJ100505T-102Y-N	CHILISIN		
28	4	B11540100002	0603贴片磁珠 (180ohm/100mhz)	BLM18PG181SN1D	MURATA	2	B504 B505
28	4-A	B11550190309L	180ohm 2000mA Rdc=0. 09ohm	PBY160808T-181Y-N	CHILISIN	0	
29	4	B11610010001	R 0402 0R 5% 1/16W	RC0402JR-070RL	YAGEO	43	C713 L107 L112 L114 R111 R112 R113 R208 R307 R311 R372 R633 R713 R723 R802 R812 R813 R901 R904 R908 R926 R927 R928 R929 R939 R941 R1002 R1003 R1004 R1005 R1006 R1007 R1008 R952 R348 L109 R1020 L303 L304 B1000 B1001 L401 R609
29	4-A	B11610760074L	R 0402 0R 5% 1/16W	WR04X000 PTL	Walsin	0	
30	4	B11610060001	R 0402 1K 5% 1/16W	RC0402JR-071KL	YAGEO	24	R101 R107 R108 R109 R201 R203 R211 R251 R252 R253 R254 R255 R256 R376 R502 R513 R1000 R1001 R104 R504 R600 R603 R610 R611
30	4-A	B11610800074L	R 0402 1K 5% 1/16W	WR04X102 JTL	Walsin	0	
31	4	B11610100001	R 0402 10K 5% 1/16W	RC0402JR-0710KL	YAGEO	14	R359 R618 R619 R631 R761 R762 R763 R1022 R1023 R102 R413 R414 R1012 R1013
31	4-A	B11610840074L	R 0402 10K 5% 1/16W	WR04X103 JTL	Walsin	0	
32	4	B11610240001	R 0402 10R 5% 1/16W	RC0402JR-0710RL	YAGEO	3	R322 R607 R615
33	4	B11610380001	0402贴片电阻(51R)	RC0402JR-0751RL	YAGEO	1	R417
33	4-A	B11610780074L	R 0402 51R 5% 1/16W	WR04X510 JTL	Walsin	0	
34	4	B11610430001	R 0402 2. 2K 5% 1/16W	RC0402JR-072K2L	YAGEO	4	L104 L105 L106 L108
35	4	B11610560001	RES-470R, +/-5%, 1/16W-0402	RC0402JR-07470RL	YAGEO	11	R1009 R1010 R1011 R1014 R1015 R1016 R1017 R1018 R1019 R1021 R1024

36	4	B11610580001	RES-36K, +/-5%, 1/16W-0402	RC0402JR-0736KL	YAGEO	1	R103
36	4-A	B11610890074	RES-36K, +/-5%, 1/16W-0402	WR04X363 JTL	WALSIN	0	
37	4	B11610650001	R 0402 12.1K 1% 1/16W	RC0402FR-0712K1L	YAGEO	1	R367
38	4	B11610790074	R 0402 100R 5% 1/16W	WR04X101 JTL	Walsin	4	R613 R614 R923 R925
38	4-A	B11610040001	R 0402 100R 5% 1/16W	RC0402JR-07100RL	YAGEO	0	
39	4	B11610810074	R 0402 1.5K 5% 1/16W	WR04X152 JTL	Walsin	3	R601 R602 R612
39	4-A	B11610070001	R 0402 1.5K 5% 1/16W	RC0402JR-071K5L	YAGEO	0	
40	4	B11610820074	R 0402 5.1K 1% 1/16W	WR04X512 JTL	Walsin	2	R207 R369
40	4-A	B11610360001	RES-5.1K, +/-5%, 1/16W-0402	RC0402JR-075K1	YAGEO	0	
41	4	B11610850074	R 0402 15K 5% 1/16W	WR04X153 JTL	Walsin	1	R711
41	4-A	B11610110001	R 0402 15K 5% 1/16W	RC0402JR-0715KL	YAGEO	0	
42	4	B11610880074	R 0402 100K 5% 1/16W	WR04X104 JTL	Walsin	16	R356 R520 R617 R905 R906 R907 R910 R912 R913 R930 R940 R625 R605 R511 R306 R728
42	4-A	B11610140001	R 0402 100K 5% 1/16W	RC0402JR-07100KL	YAGEO	0	
43	4	B11610930001	R 0402 16K 5% 1/16W	RC0402FR-0716KL	YAGEO	1	R903
43	4-A	B11610920074	RES-16K, +/-1%, 1/16W-0402	WR04X1602FTL	WALSIN	0	
44	4	B11610940001	RES-82R, +/-5%, 1/16W-0402	RC0402JR-0782RL	YAGEO	2	R105 R106
45	4	B11610950001	RES-18R, +/-5%, 1/16W-0402	RC0402JR-0718RL	YAGEO	1	L908
46	4	B11650090074	0805 1/4W 0.22Ω ±1%	WW08PR220FTL	Walsin	1	R317
46	4-A	B11630020001	R 0805 0.22R 1% 1/4W	RL0805FR-7WOR22L	YAGEO	0	
47	4	B11650050001	RN 0402 470R排阻 5% 1/16W	YC124-JR-07470RL	YAGEO	5	EMI801 EMI802 EIM803 EMI804 EMI805
48	4	B11710020002	C 0402×0.5mm 50V 1pF ±0.25pF COG	GRM1555C1H1R0CZ01D	MURATA	2	C917 C1012
48	4-A	B11711150163	0402陶瓷贴片电容(1p)	C0402COG1R0C500NT/Y	EYANG	0	
48	4-B	B11711790001	C 0402×0.5mm 50V 1.0pF±0.25pF 5% COG	CC0402CRNPO9BN1R0	YAGEO	0	
48	4-C	B11713430016	CAP-1pF, +/-0.25pF, COG, 50V-0402	CM05CG1R0C50AH	KYOCERA	0	
49	4	B11711520001	C 0402×0.5mm 50V 1.5pF ±0.25pF NPO	CC0402CRNPO9BN1R5	YAGEO	1	C1030
50	4	B11710040002	C 0402×0.5mm 50V 6pF ±5% COG	GRM1555C1H6R0DZ01D	MURATA	5	C110 C145 C146 C147 C148
50	4-A	B11711180163	0402陶瓷贴片电容(6p)	C0402COG6R0D500NT	EYANG	0	
50	4-B	B11711540001	C 0402×0.5mm 50V 6pF ±0.25pF NPO	CC0402CRNPO9BN6R0	YAGEO	0	
50	4-C	B11713140016	CAP-6pF, +/-0.5pF, COG, 50V-0402	CM05CG6R0D50AH	KYOCERA	0	
51	4	B11710240002	0402陶瓷贴片电容(10pF)	GRM1555C1H100JZ01D	MURATA	1	C106
51	4-A	B11712390163	C 0402×0.5mm 50V 10pF 5% COG	C0402COG100J500NT	EYANG	0	
51	4-B	B11711920001	C 0402×0.5mm 50V 10pF 5% COG	CC0402JRNPO9BN100	YAGEO	0	
51	4-C	B11713540016	CAP-10P, +/-5%, COG, 50V-0402	CM05CG100J50AH	KYOCERA	0	
52	4	B11710050002	C 0402×0.5mm 50V 15pF ±5% COG	GRM1555C1H150JZ01D	MURATA	1	C902
52	4-A	B11713450163	CAP-15pF, +/-5%, COG, 50V-0402	C0402COG150J500NT/Y	EYANG	0	
52	4-B	B11711970001	C 0402×0.5mm 50V 15pF ±5% COG	CC0402JRNPO9BN150	YAGEO	0	
52	4-C	B11713440016	CAP-15P, +/-5%, COG, 50V-0402	CM05CG150J50AH	KYOCERA	0	
53	4	B11710060002	C 0402×0.5mm 50V 18pF ±5% COG	GRM1555C1H180JZ01D	MURATA	4	C137 C142 C143 C144
53	4-A	B11711210163	0402陶瓷贴片电容(18p)	C0402COG180J500NT	EYANG	0	
53	4-B	B11711570001	C 0402×0.5mm 50V 18pF 5% NPO	CC0402JRNPO9BN180	YAGEO	0	
53	4-C	B11713130016	CAP-18P, +/-5%, COG, 50V-0402	CM05CG180J50AH	KYOCERA	0	
54	4	B11710070002	C 0402×0.5mm 50V 22pF ±5% COG	GRM1555C1H220JZ01D	MURATA	10	C108 C109 C114 C130 C131 C134 C136 C103 C203
54	4-A	B11712820163L	0402陶瓷贴片电容(22pF, 50V, ±5%)	C0402COG220J500NT	EYANG	0	

54	4-B	B11711580001	0402陶瓷贴片电容 (22pF, 50V, ±5%)	CC0402JRNPO9BN220	YAGEO	0	C208
54	4-C	B11712710307L	0402陶瓷贴片电容 (22pF, 50V, ±5%)	CM05CG220J50AH	KYOCERA	0	
55	4	B11710080002	C 0402×0.5mm 50V 33pF ±5% COG	GRM1555C1H330JZ01D	MURATA	11	C603 C604 C612 C614 C618 C620 C634 C635 C651
55	4-A	B11712830163L	0402陶瓷贴片电容 (33pF, 50V, ±5%)	C0402C0G330J500NT	EYANG	0	C653 C807
55	4-B	B11711600001	0402陶瓷贴片电容 (33pF, 50V, ±5%)	CC0402JRNPO9BN330	YAGEO	0	
55	4-C	B11712720307L	0402陶瓷贴片电容 (33pF, 50V, ±5%)	CM05CG330J50AH	KYOCERA	0	
56	4	B11710090002	C 0402×0.5mm 50V 56pF ±5% COG	GRM1555C1H560J*	MURATA	1	
56	4-A	B11713460163	CAP-56P, +/-5%, COG, 50V-0402	C0402C0G560J500NT/Y	EYANG	0	C711
56	4-B	B11712870001	0402陶瓷贴片电容 (56pF, 50V, ±5%)	CC0402JRNPO9BN560	YAGEO	0	
56	4-C	B11712730307	0402陶瓷贴片电容 (56pF, 50V, ±5%)	CM05CG560J50AH	KYOCERA	0	
57	4	B11710100002	C 0402×0.5mm 10V 100pF 5% COG	GRM1555C1H101JZ01D	MURATA	7	
57	4-A	B11711250163	0402陶瓷贴片电容 (100pF, 50V, ±5%)	C0402C0G101J500NT	EYANG	0	C111 C602 C613 C619 C652 C636 C503
57	4-B	B11711610001	0402陶瓷贴片电容 (100pF, 50V, ±5%)	CC0402JRNPO9BN101	YAGEO	0	
57	4-C	B11712740307L	0402陶瓷贴片电容 (100pF, 50V, ±5%)	CM05CG101J50AH	KYOCERA	0	
58	4	B11710110002	C 0402×0.5mm 50V 220pF ±10% X7R	GRM155R71H221KA01D	MURATA	2	
58	4-A	B11711270163	0402陶瓷贴片电容 (220pF, 50V, ±10%)	C0402X7R221K500NT	EYANG	0	C107 C630
58	4-B	B11712880001L	0402陶瓷贴片电容 (220pF, 50V, ±5%)	CC0402JRNPO9BN221	YAGEO	0	
58	4-C	B11712750307L	0402陶瓷贴片电容 (220pF, 50V, ±10%)	CM05X7R221K50AH	KYOCERA	0	
59	4	B11710120002	C 0402×0.5mm 50V 1nF ±10% X7R	GRM155R71H102KA01D	MURATA	5	
59	4-A	B11711280163	0402陶瓷贴片电容 (1nF, 50V, ±10%)	C0402X7R102K500NT	EYANG	0	C112 C212 C712 C135 C1013
59	4-B	B11711640001	0402陶瓷贴片电容 (1nF, 50V, ±10%)	CC0402KRX7R9B3102	YAGEO	0	
59	4-C	B11712760307L	0402陶瓷贴片电容 (1nF, 50V, ±10%)	CM05X7R102K50AH	KYOCERA	0	
60	4	B11710150002	C 0402×0.5mm 16V 100nF ±10% X7R	GRM155R61C104KA01D	MURATA	49	C211 C301 C302 C304 C307 C317 C318 C319 C320
60	4-A	B11711320163	0402陶瓷贴片电容 (100nF, 16V, ±10%)	CC0402X5R104K160NT	EYANG	0	C322 C335 C336 C341 C352 C353 C600 C601 C610
60	4-B	B11712900001L	0402陶瓷贴片电容 (100nF, 10V, ±10%)	CC0402KRX5R6BB104	YAGEO	0	C611 C801 C911 C912 C943 C944 C945 C946 C403
60	4-C	B11712780307L	0402陶瓷贴片电容 (100nF, 10V, ±10%)	CM05X5R104K10AH	KYOCERA	0	C404 C505 C513 C517 C804 C806 C1005 C1006
61	4	B11710310002	C 0402×0.5mm 50V 12pF ±5% COG	GRM1555C1H120J*	MURATA	2	C1007 C1009 C1010 C1019 C121 C716 C717 C718
61	4-A	B11711390163	0402陶瓷贴片电容 (12p)	C0402C0G120J500NT	EYANG	0	C120 C124 C125 C126 C127 C129
61	4-B	B11711850001	C 0402×0.5mm 50V 12pF ±5% COG	CC0402JRNPO9BN120	YAGEO	0	
61	4-C	B11713340016	CAP-12PF, +/-5%, COG, 50V-0402	CM05CG120J50AH	KYOCERA	0	C913 C947
62	4	B11710370002	C 0402×0.5mm 50V 47pF ±5% COG	GRM1555C1H470JA01D	MURATA	2	
62	4-A	B11711420163	C 0402×0.5mm 50V 47pF ±5% COG	C0402C0G470J500NT/Y	EYANG	0	C105 C119
62	4-B	B11711820001	C 0402×0.5mm 50V 47pF ±5% COG	CC0402JRNPO9BN470	YAGEO	0	
62	4-C	B11713420016	CAP-47pF, +/-5%, COG, 50V-0402	CM05CG470J50AH	KYOCERA	0	
63	4	B11710770002	C 0402×0.5mm 16V 22nF ±10% X7R	GRM155R71C223K*	MURATA	5	
63	4-A	B11711300163	0402陶瓷贴片电容 (22nF)	C0402X7R223K160NT	EYANG	0	C631 C632 C1000 C1001 C1024
63	4-B	B11711860001	C 0402×0.5mm 25V 22nF 10% X7R	CC0402KRX7R8BB223	YAGEO	0	
63	4-C	B11713350016	CAP-22nF, +/-10%, X7R, 16V-0402	CM05X7R223K16AH	KYOCERA	0	
64	4	B11710830002	C 0402×0.5mm 10V 1uF ±10% X5R	GRM155R61A105KA01D	MURATA	30	C213 C305 C313 C316 C324 C331 C332 C333 C334
64	4-A	B11712850163L	0402陶瓷贴片电容 (1uF, 10V, ±10%)	C0402X5R105K100NT	EYANG	0	C344 C345 C346 C347 C355 C502 C714 C719 C761

64	4-B	B11712910001L	0402陶瓷贴片电容(1uF, 6.3V, ±10%)	CC0402KRX5R5BB105	YAGEO	0	C762 C908 C928 C940 C941 C1004 C1008 C1011
64	4-C	B11712790307L	0402陶瓷贴片电容(1uF, 6.3V, ±10%)	CM05X5R105K06AH*	KYOCERA	0	C1023 C1026 C1027 D302
65	4	B11710840002	C 0402×0.5mm 10V 33nF ±10% X7R	GRM155R71A333K*	MURATA	1	C122
65	4-A	B11711480163	C 0402×0.5mm 10V 33nF ±10% X7R	C0402X7R333K160NT	EYANG	0	
65	4-B	B11711830001	C 0402×0.5mm 33n 10V 10% X5R	CC0402KRX7R7BB333	YAGEO	0	
65	4-C	B11712770307	0402陶瓷贴片电容(33nF, 16V, ±10%)	CM05X5R333K16AH	KYOCERA	0	
66	4	B11710850002	C 0402×0.5mm 10V 220nF ±10% X5R	GRM155R61A224K*	MURATA	1	
66	4-A	B11711500163	220nF +/-10% 16V	C0402X5R224K160NT	EYANG	0	C123
66	4-B	B11711680001	C 0402×0.5mm 10V 220nF 10% X5R	CC0402KRX5R6BB224	YAGEO	0	
66	4-C	B11713480016	CAP-33nF, +/-10%, X5R, 10V-0402	CM05X5R333K10AH	KYOCERA	0	
67	4	B11711510002	C 0402×0.5mm 50V 39pF ±5% COG	GRM1555C1H390J*	MURATA	3	C201 C116 C128
67	4-A	B11713490163	CAP-39PF, +/-5%, COG, 50V-0402	C0402COG390J500NT/Y	EYANG	0	
67	4-B	B11711810001	C 0402×0.5mm 50V 39pF ±5% COG	CC0402JRNPO9BN390	YAGEO	0	
67	4-C	B11713500016	CAP-39PF, +/-5%, COG, 50V-0402	CM05CG390J50AH	KYOCERA	0	
68	4	B11711990002	C 0402×0.5mm 50V 82pF ±5% COG	GRM1555C1H820J*	MURATA	2	C117 C118
68	4-A	B11712010163	C 0402 82pF ±5% 50V COG	C0402COG820J500NT	EYANG	0	
68	4-B	B11712020001	C 0402 82pF ±5% 50V COG	CC0402JRNPO9BN820	YAGEO	0	
68	4-C	B11713510016	CAP-82P, +/-5%, COG, 50V-0402	CM05CG820J50AH	KYOCERA	0	
69	4	B11713060002	C 0402×0.5mm 16V 10nF ±10% X7R	GRM155R71C103K*	MURATA	1	C930
69	4-A	B11711290163	0402陶瓷贴片电容(10nF)	C0402X7R103K250NT	EYANG	0	
69	4-B	B11711650001	C 0402×0.5mm 25V 10nF 10% X7R	CC0402KRX7R8B3103	YAGEO	0	
69	4-C	B11713150016	CAP-10nF, +/-10%, X5R, 25V-0402	CM05X5R103K25AH	KYOCERA	0	
70	4	B11713080002	C 0402×0.5mm 50V 8.2p ±5% COG	GRM1555C1H8R2DZ01D	MURATA	3	C903 C905 C904
70	4-A	B11713520163	CAP-8.2pF, +/-0.5pF, COG, 50V-0402	C0402COG8R2D500NT/Y	EYANG	0	
70	4-B	B11713070001	C 0402×0.5mm 50V 8.2p ±5% COG	CC0402JRNPO9BN8R2	YAGEO	0	
70	4-C	B11713530016	CAP-8.2pF, +/-0.5pF, COG, 50V-0402	CM05CG3R2D50AH	KYOCERA	0	
71	4	B11720020002	C 0603×0.8mm 10V 2.2uF 10% X5R	GRM188R61A225KE34D	MURATA	8	C402 C508 C608 C802 C901 C915 C715 C948
71	4-A	B11713360163	CAP-2.2uF, +/-10%, X5R, 10V-0603	CG603X5R225K100NT	EYANG	0	
71	4-B	B11720250002L	0603陶瓷贴片电容(2.2uF, 6.3V, ±10%)	CC0603KRX5R5BB225	YAGEO	0	
71	4-C	B11720270307L	0603陶瓷贴片电容(2.2uF, 6.3V, ±10%)	CM105X5R225K06AT	KYOCERA	0	
72	4	B11720050002	C 0603×0.8mm 6.3V 4.7uF ±10% X5R	GRM188R60J475KE19D	MURATA	19	C327 C328 C329 C356 C306 C615 C310 C311 C312 C325 C929 C326 C303 C606 C622 C629 C633 C909 C1025
72	4-A	B11713370163	CAP-4.7uF, +/-10%, X5R, 10V-0603	C0603X5R475K100NT	EYANG	0	
72	4-B	B11720300002L	0603陶瓷贴片电容(4.7uF, 10V, ±10%)	CC0603KRX5R6BB475	YAGEO	0	
72	4-C	B11720320307L	0603陶瓷贴片电容(4.7uF, 6.3V, ±10%)	CM105X5R475K06AT	KYOCERA	0	
73	4	B11730020002	C 0805×1.25mm 10V 10uF ±10% X5R	GRM21BR61A106KE19L	MURATA	5	C314 C605 C616 C668 C506
73	4-A	B11713380163	CAP-10uF, +/-10%, X5R, 10V-0805	C0805X5R106K100NTM	EYANG	0	
73	4-B	B11713390001	CAP-10uF, +/-10%, X5R, 6.3V-0805	CC0805KKX5R5BB106	YAGEO	0	
73	4-C	B11730260307L	0805陶瓷贴片电容(10uF, 6.3V, ±10%, 1.25H)	CM21X5R106K06AT	KYOCERA	0	
74	4	B11750010125	1206钽电容(47u) (尺寸3.2*1.6*1.6), 6.3V	F930J476MAA	NICHICON	1	C115
74	4-A	B11750250005L	CAP-TANT, 47uF, 20%, 6.3V-3216, ESR=2.5, T=1.8mm	TAJA476M006RNJ	AVX	0	
73	4-B	B11750160230	1206钽电容(47u) (尺寸3.2*1.6*1.6), 6.3V	TEESVA0J476M8R	NEC	0	
75	4	B11810060002	L 0402×0.5mm 300mA 18nH ±5%	LQG15HS18NJ02D	MURATA	2	

75	4-A	B11810710164	L 0402×0.5mm 300mA 18nH ±5%	SDCL1005C18NJT	Sunlord	0	L101 L113
75	4-B	B11811270309	L 0402×0.5mm 300mA 18nH ± 0.3nH	CLH1005T-18NJ-S-NP	Chilisin	0	
76	4	B11810110002	0402叠层电感 (4.3nH)	LQG15HS4N3S02D	MURATA	1	L907
76	4-A	B11810680164	0402叠层电感 (4.3nH)	SDCL1005C4N3STF	SUNLORD	0	
76	4-B	B11811300309	0402叠层电感 (4.3nH)	CLH1005T-4N3S-SNP	Chilisin	0	
77	4	B11810130002	0402叠层电感 (2.4nH)	LQG15HS2N4S02	MURATA	1	R110
77	4-B	B11811630309	L 0402×0.5mm 200mA 2.4nH ± 0.3nH	CHL1005T-2N4S-S	Chilisin	0	
78	4	B11810010002	0402叠层电感 (3.9nH)	LQG15HS3N9S02D	MURATA	2	L110 L111
78	4-A	B11810810164	L 0402×0.5mm 300mA 3.9nH± 0.3nH	SDCL1005C3N9ST	Sunlord	0	
78	4-B	B11811560309L	IND-MULTILAYER-3.9nH, +/-0.3nH-0402	CLH1005T-3N9S-S-NP	Chilisin	0	
79	4	B11811460002	L 0402×0.5mm 300mA 10nH ± 0.3nH	LQG15HN10NJ02D	MURATA	2	C907 R909
79	4-A	B11810870164	L 0402×0.5mm 300mA 10nH ±5%	SDCL1005C10NJT	Sunlord	0	
79	4-B	B11811450309	L 0402×0.5mm 200mA 10nH ±5%	CLH1005T-10NJ-S	Chilisin	0	
80	4	B11811480002	L 0402×0.5mm 300mA 9.1nH ± 0.3nH	LQG15HN9N1J02D	MURATA	1	L1000
80	4-A	B11811660164	IND-MULTILAYER-9.1nH, +/-5%-0402	SDCL1005C9N1ST	SUNLORD	0	
80	4-B	B11811470309	L 0402×0.5mm 200mA 9.1nH ±5%	CLH1005T-9N1J-S	Chilisin	0	
81	4	B11811500002	L 0402×0.5mm 300mA 5.6nH ± 0.3nH	LQG15HN5N6S02D	MURATA	1	L103
81	4-A	B11810860164	L 0402×0.5mm 300mA 5.6nH ± 0.3nH	SDCL1005C5N6JT	Sunlord	0	
81	4-B	B11811490309	L 0402×0.5mm 200mA 5.6nH ± 0.3nH	CLH1005T-5N6S-S-NP	Chilisin	0	
82	4	B11811520002	L 0402×0.5mm 200mA 4.7nH ± 0.3nH	LQG15HN4N7S02D	MURATA	2	L102 R902
82	4-A	B11810800164	L 0402×0.5mm 300mA 4.7nH± 0.3nH	SDCL1005C4N7STF	Sunlord	0	
82	4-B	B11811510309	L 0402×0.5mm 200mA 4.7nH ± 0.3nH	CLH1005T-4N7S-S-NP	Chilisin	0	
83	4	B11880140002L	0805贴片线绕电感(4.7uH, 300mA, ±20%, 0.95H)	LQH2MCM4R7M02L	MURATA	2	L605 L301
83	4-A	B11880150006	0805叠层功率电感(4.7uH, 650mA, ±20%, 1.0H)	APIS05G4R7MT	AMOTECH	0	
84	4	B11930030912L	4.25H/三合一/带抽屉	CAF00-22433-0300-E	乾德	1	J802
84	4-A	B11930029901L	4.25H/三合一/带抽屉	S07-1B2242FA	鸿日达	0	
84	4-B	B11930008904	4.25H/三合一/带抽屉	ST5712332-R	龙梦	0	
85	4	B11920026903L	刀片/刀片高2.8H//刀片0.5厚/板上	02-0321122	信为通	1	J301
86	4	B11910011926L	39PIN/0.3PITCH/1.0H	BL125-39RL	日慎	1	J601
87	4	B11950010901L	3.5耳机/板上4.5H/带定位柱	PH1-1B06F35A	鸿日达	1	J502
87	4-A	B11950021916L	3.5耳机/板上4.5H/带定位柱	JAK-006B204	大为	0	
87	4-B	B11950022903L	3.5耳机/板上4.5H/带定位柱	PJK-011	信为通	0	
88	4	B11900002901	单排12PIN/2.0H/前DIP高0.75/	U03-3B12F201	鸿日达	1	CON504
88	4-A	B11900003904	单排12PIN/2.0H/前DIP高0.75/	US01512511	龙梦	0	
88	4-B	B11900004903	单排12PIN/2.0H/前DIP高0.75/	05-1221101	信为通	0	
89	4	B11950020925L	天线弹片/3.5X1.6/2.5H	ALP-PPD25-02	安连普	1	ANT1000
90	4	B12000048902L	D003基带屏蔽罩	D003 BB SHIELD	旭达	1	SH100
91	4	B12000051902L	D003TV屏蔽罩	D003 TV SHIELD	旭达	1	SH102
92	4	B12000050902L	D003WIFI屏蔽罩	D003 WIFI SHIELD	旭达	1	SH103
93	4	B12000054902L	D003K类屏蔽罩	D003 K SHIELD	旭达	1	SH104
94	4	B12000049902L	D003射频T屏蔽罩	D003-RF-SHIELD	旭达	1	SH101
95	4	B30104160690	D003主板V1.2, 6层(1.0±0.1mm),FR4板材,108*59	D003_MB_PCB_V1.2_110715	捷智	1	PCB
96	4	B11510090192	双向TVS管	ESD9B5V-2/TR	WILL	1	T1000