

## **Appendix for N5**

Product Name: Smart Phone  
Model No: F91 5G

## Appendix A: Average Power Output

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Power Class	Verdict
N5	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	23.13	PC3	PASS
N5	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	23.03	PC3	PASS
N5	15	5	DFT-PI2BPSK	L	Outer_Full	23.10	PC3	PASS
N5	15	5	DFT-PI2BPSK	L	Inner_Full	23.05	PC3	PASS
N5	15	5	DFT-QPSK	L	Edge_1RB_Left	22.07	PC3	PASS
N5	15	5	DFT-QPSK	L	Edge_1RB_Right	21.85	PC3	PASS
N5	15	5	DFT-QPSK	L	Outer_Full	22.03	PC3	PASS
N5	15	5	DFT-QPSK	L	Inner_Full	23.04	PC3	PASS
N5	15	5	DFT-16QAM	L	Edge_1RB_Left	21.81	PC3	PASS
N5	15	5	DFT-16QAM	L	Edge_1RB_Right	21.61	PC3	PASS
N5	15	5	DFT-16QAM	L	Outer_Full	21.65	PC3	PASS
N5	15	5	DFT-16QAM	L	Inner_Full	21.56	PC3	PASS
N5	15	5	DFT-64QAM	L	Edge_1RB_Left	19.47	PC3	PASS
N5	15	5	DFT-64QAM	L	Edge_1RB_Right	19.31	PC3	PASS
N5	15	5	DFT-64QAM	L	Outer_Full	19.56	PC3	PASS
N5	15	5	DFT-64QAM	L	Inner_Full	19.57	PC3	PASS
N5	15	5	DFT-256QAM	L	Edge_1RB_Left	19.48	PC3	PASS
N5	15	5	DFT-256QAM	L	Edge_1RB_Right	19.31	PC3	PASS
N5	15	5	DFT-256QAM	L	Outer_Full	19.57	PC3	PASS
N5	15	5	DFT-256QAM	L	Inner_Full	19.56	PC3	PASS
N5	15	5	CP-QPSK	L	Edge_1RB_Left	22.13	PC3	PASS
N5	15	5	CP-QPSK	L	Edge_1RB_Right	21.92	PC3	PASS
N5	15	5	CP-QPSK	L	Outer_Full	22.07	PC3	PASS
N5	15	5	CP-QPSK	L	Inner_Full	22.08	PC3	PASS
N5	15	5	CP-16QAM	L	Edge_1RB_Left	21.76	PC3	PASS
N5	15	5	CP-16QAM	L	Edge_1RB_Right	21.66	PC3	PASS
N5	15	5	CP-16QAM	L	Outer_Full	21.59	PC3	PASS
N5	15	5	CP-16QAM	L	Inner_Full	21.59	PC3	PASS
N5	15	5	CP-64QAM	L	Edge_1RB_Left	19.47	PC3	PASS
N5	15	5	CP-64QAM	L	Edge_1RB_Right	19.43	PC3	PASS
N5	15	5	CP-64QAM	L	Outer_Full	19.56	PC3	PASS
N5	15	5	CP-64QAM	L	Inner_Full	19.57	PC3	PASS
N5	15	5	CP-256QAM	L	Edge_1RB_Left	19.46	PC3	PASS
N5	15	5	CP-256QAM	L	Edge_1RB_Right	19.30	PC3	PASS
N5	15	5	CP-256QAM	L	Outer_Full	19.56	PC3	PASS
N5	15	5	CP-256QAM	L	Inner_Full	19.55	PC3	PASS

N5	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	20.93	PC3	PASS
N5	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	21.00	PC3	PASS
N5	15	5	DFT-PI2BPSK	M	Outer_Full	20.98	PC3	PASS
N5	15	5	DFT-PI2BPSK	M	Inner_Full	22.55	PC3	PASS
N5	15	5	DFT-QPSK	M	Edge_1RB_Left	21.11	PC3	PASS
N5	15	5	DFT-QPSK	M	Edge_1RB_Right	20.96	PC3	PASS
N5	15	5	DFT-QPSK	M	Outer_Full	20.97	PC3	PASS
N5	15	5	DFT-QPSK	M	Inner_Full	22.68	PC3	PASS
N5	15	5	DFT-16QAM	M	Edge_1RB_Left	21.60	PC3	PASS
N5	15	5	DFT-16QAM	M	Edge_1RB_Right	21.70	PC3	PASS
N5	15	5	DFT-16QAM	M	Outer_Full	21.13	PC3	PASS
N5	15	5	DFT-16QAM	M	Inner_Full	21.92	PC3	PASS
N5	15	5	DFT-64QAM	M	Edge_1RB_Left	20.54	PC3	PASS
N5	15	5	DFT-64QAM	M	Edge_1RB_Right	20.44	PC3	PASS
N5	15	5	DFT-64QAM	M	Outer_Full	20.55	PC3	PASS
N5	15	5	DFT-64QAM	M	Inner_Full	20.68	PC3	PASS
N5	15	5	DFT-256QAM	M	Edge_1RB_Left	20.61	PC3	PASS
N5	15	5	DFT-256QAM	M	Edge_1RB_Right	20.45	PC3	PASS
N5	15	5	DFT-256QAM	M	Outer_Full	20.54	PC3	PASS
N5	15	5	DFT-256QAM	M	Inner_Full	20.68	PC3	PASS
N5	15	5	CP-QPSK	M	Edge_1RB_Left	21.07	PC3	PASS
N5	15	5	CP-QPSK	M	Edge_1RB_Right	21.05	PC3	PASS
N5	15	5	CP-QPSK	M	Outer_Full	21.01	PC3	PASS
N5	15	5	CP-QPSK	M	Inner_Full	22.50	PC3	PASS
N5	15	5	CP-16QAM	M	Edge_1RB_Left	21.64	PC3	PASS
N5	15	5	CP-16QAM	M	Edge_1RB_Right	21.68	PC3	PASS
N5	15	5	CP-16QAM	M	Outer_Full	21.09	PC3	PASS
N5	15	5	CP-16QAM	M	Inner_Full	22.01	PC3	PASS
N5	15	5	CP-64QAM	M	Edge_1RB_Left	20.60	PC3	PASS
N5	15	5	CP-64QAM	M	Edge_1RB_Right	20.44	PC3	PASS
N5	15	5	CP-64QAM	M	Outer_Full	20.64	PC3	PASS
N5	15	5	CP-64QAM	M	Inner_Full	20.46	PC3	PASS
N5	15	5	CP-256QAM	M	Edge_1RB_Left	20.60	PC3	PASS
N5	15	5	CP-256QAM	M	Edge_1RB_Right	20.44	PC3	PASS
N5	15	5	CP-256QAM	M	Outer_Full	20.55	PC3	PASS
N5	15	5	CP-256QAM	M	Inner_Full	20.46	PC3	PASS
N5	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	20.81	PC3	PASS
N5	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	20.66	PC3	PASS
N5	15	5	DFT-PI2BPSK	H	Outer_Full	20.82	PC3	PASS
N5	15	5	DFT-PI2BPSK	H	Inner_Full	22.45	PC3	PASS
N5	15	5	DFT-QPSK	H	Edge_1RB_Left	20.94	PC3	PASS
N5	15	5	DFT-QPSK	H	Edge_1RB_Right	20.57	PC3	PASS

N5	15	5	DFT-QPSK	H	Outer_Full	20.82	PC3	PASS
N5	15	5	DFT-QPSK	H	Inner_Full	22.47	PC3	PASS
N5	15	5	DFT-16QAM	H	Edge_1RB_Left	21.48	PC3	PASS
N5	15	5	DFT-16QAM	H	Edge_1RB_Right	20.73	PC3	PASS
N5	15	5	DFT-16QAM	H	Outer_Full	20.88	PC3	PASS
N5	15	5	DFT-16QAM	H	Inner_Full	21.79	PC3	PASS
N5	15	5	DFT-64QAM	H	Edge_1RB_Left	20.49	PC3	PASS
N5	15	5	DFT-64QAM	H	Edge_1RB_Right	20.28	PC3	PASS
N5	15	5	DFT-64QAM	H	Outer_Full	20.38	PC3	PASS
N5	15	5	DFT-64QAM	H	Inner_Full	20.47	PC3	PASS
N5	15	5	DFT-256QAM	H	Edge_1RB_Left	20.63	PC3	PASS
N5	15	5	DFT-256QAM	H	Edge_1RB_Right	20.24	PC3	PASS
N5	15	5	DFT-256QAM	H	Outer_Full	20.35	PC3	PASS
N5	15	5	DFT-256QAM	H	Inner_Full	20.41	PC3	PASS
N5	15	5	CP-QPSK	H	Edge_1RB_Left	20.96	PC3	PASS
N5	15	5	CP-QPSK	H	Edge_1RB_Right	20.60	PC3	PASS
N5	15	5	CP-QPSK	H	Outer_Full	20.98	PC3	PASS
N5	15	5	CP-QPSK	H	Inner_Full	22.25	PC3	PASS
N5	15	5	CP-16QAM	H	Edge_1RB_Left	20.88	PC3	PASS
N5	15	5	CP-16QAM	H	Edge_1RB_Right	21.23	PC3	PASS
N5	15	5	CP-16QAM	H	Outer_Full	20.94	PC3	PASS
N5	15	5	CP-16QAM	H	Inner_Full	21.88	PC3	PASS
N5	15	5	CP-64QAM	H	Edge_1RB_Left	20.52	PC3	PASS
N5	15	5	CP-64QAM	H	Edge_1RB_Right	20.24	PC3	PASS
N5	15	5	CP-64QAM	H	Outer_Full	20.45	PC3	PASS
N5	15	5	CP-64QAM	H	Inner_Full	20.22	PC3	PASS
N5	15	5	CP-256QAM	H	Edge_1RB_Left	20.52	PC3	PASS
N5	15	5	CP-256QAM	H	Edge_1RB_Right	20.43	PC3	PASS
N5	15	5	CP-256QAM	H	Outer_Full	20.35	PC3	PASS
N5	15	5	CP-256QAM	H	Inner_Full	20.21	PC3	PASS
N5	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	20.86	PC3	PASS
N5	15	10	DFT-PI2BPSK	L	Edge_1RB_Right	20.76	PC3	PASS
N5	15	10	DFT-PI2BPSK	L	Outer_Full	21.03	PC3	PASS
N5	15	10	DFT-PI2BPSK	L	Inner_Full	22.64	PC3	PASS
N5	15	10	DFT-QPSK	L	Edge_1RB_Left	21.11	PC3	PASS
N5	15	10	DFT-QPSK	L	Edge_1RB_Right	20.98	PC3	PASS
N5	15	10	DFT-QPSK	L	Outer_Full	21.10	PC3	PASS
N5	15	10	DFT-QPSK	L	Inner_Full	22.54	PC3	PASS
N5	15	10	DFT-16QAM	L	Edge_1RB_Left	21.37	PC3	PASS
N5	15	10	DFT-16QAM	L	Edge_1RB_Right	21.40	PC3	PASS
N5	15	10	DFT-16QAM	L	Outer_Full	21.04	PC3	PASS
N5	15	10	DFT-16QAM	L	Inner_Full	22.11	PC3	PASS

N5	15	10	DFT-64QAM	L	Edge_1RB_Left	20.67	PC3	PASS
N5	15	10	DFT-64QAM	L	Edge_1RB_Right	20.46	PC3	PASS
N5	15	10	DFT-64QAM	L	Outer_Full	20.63	PC3	PASS
N5	15	10	DFT-64QAM	L	Inner_Full	20.55	PC3	PASS
N5	15	10	DFT-256QAM	L	Edge_1RB_Left	20.54	PC3	PASS
N5	15	10	DFT-256QAM	L	Edge_1RB_Right	20.47	PC3	PASS
N5	15	10	DFT-256QAM	L	Outer_Full	20.53	PC3	PASS
N5	15	10	DFT-256QAM	L	Inner_Full	20.64	PC3	PASS
N5	15	10	CP-QPSK	L	Edge_1RB_Left	21.15	PC3	PASS
N5	15	10	CP-QPSK	L	Edge_1RB_Right	20.93	PC3	PASS
N5	15	10	CP-QPSK	L	Outer_Full	21.06	PC3	PASS
N5	15	10	CP-QPSK	L	Inner_Full	22.67	PC3	PASS
N5	15	10	CP-16QAM	L	Edge_1RB_Left	21.62	PC3	PASS
N5	15	10	CP-16QAM	L	Edge_1RB_Right	21.68	PC3	PASS
N5	15	10	CP-16QAM	L	Outer_Full	20.96	PC3	PASS
N5	15	10	CP-16QAM	L	Inner_Full	22.06	PC3	PASS
N5	15	10	CP-64QAM	L	Edge_1RB_Left	20.54	PC3	PASS
N5	15	10	CP-64QAM	L	Edge_1RB_Right	20.44	PC3	PASS
N5	15	10	CP-64QAM	L	Outer_Full	20.56	PC3	PASS
N5	15	10	CP-64QAM	L	Inner_Full	20.61	PC3	PASS
N5	15	10	CP-256QAM	L	Edge_1RB_Left	20.53	PC3	PASS
N5	15	10	CP-256QAM	L	Edge_1RB_Right	20.43	PC3	PASS
N5	15	10	CP-256QAM	L	Outer_Full	20.52	PC3	PASS
N5	15	10	CP-256QAM	L	Inner_Full	20.58	PC3	PASS
N5	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	20.68	PC3	PASS
N5	15	10	DFT-PI2BPSK	M	Edge_1RB_Right	20.81	PC3	PASS
N5	15	10	DFT-PI2BPSK	M	Outer_Full	20.96	PC3	PASS
N5	15	10	DFT-PI2BPSK	M	Inner_Full	22.65	PC3	PASS
N5	15	10	DFT-QPSK	M	Edge_1RB_Left	21.05	PC3	PASS
N5	15	10	DFT-QPSK	M	Edge_1RB_Right	21.00	PC3	PASS
N5	15	10	DFT-QPSK	M	Outer_Full	21.03	PC3	PASS
N5	15	10	DFT-QPSK	M	Inner_Full	22.53	PC3	PASS
N5	15	10	DFT-16QAM	M	Edge_1RB_Left	21.56	PC3	PASS
N5	15	10	DFT-16QAM	M	Edge_1RB_Right	21.49	PC3	PASS
N5	15	10	DFT-16QAM	M	Outer_Full	20.97	PC3	PASS
N5	15	10	DFT-16QAM	M	Inner_Full	22.06	PC3	PASS
N5	15	10	DFT-64QAM	M	Edge_1RB_Left	20.52	PC3	PASS
N5	15	10	DFT-64QAM	M	Edge_1RB_Right	20.32	PC3	PASS
N5	15	10	DFT-64QAM	M	Outer_Full	20.59	PC3	PASS
N5	15	10	DFT-64QAM	M	Inner_Full	20.62	PC3	PASS
N5	15	10	DFT-256QAM	M	Edge_1RB_Left	20.43	PC3	PASS
N5	15	10	DFT-256QAM	M	Edge_1RB_Right	20.33	PC3	PASS

N5	15	10	DFT-256QAM	M	Outer_Full	20.58	PC3	PASS
N5	15	10	DFT-256QAM	M	Inner_Full	20.61	PC3	PASS
N5	15	10	CP-QPSK	M	Edge_1RB_Left	21.04	PC3	PASS
N5	15	10	CP-QPSK	M	Edge_1RB_Right	20.99	PC3	PASS
N5	15	10	CP-QPSK	M	Outer_Full	21.06	PC3	PASS
N5	15	10	CP-QPSK	M	Inner_Full	22.54	PC3	PASS
N5	15	10	CP-16QAM	M	Edge_1RB_Left	21.54	PC3	PASS
N5	15	10	CP-16QAM	M	Edge_1RB_Right	21.56	PC3	PASS
N5	15	10	CP-16QAM	M	Outer_Full	20.92	PC3	PASS
N5	15	10	CP-16QAM	M	Inner_Full	22.06	PC3	PASS
N5	15	10	CP-64QAM	M	Edge_1RB_Left	20.51	PC3	PASS
N5	15	10	CP-64QAM	M	Edge_1RB_Right	20.32	PC3	PASS
N5	15	10	CP-64QAM	M	Outer_Full	20.69	PC3	PASS
N5	15	10	CP-64QAM	M	Inner_Full	20.62	PC3	PASS
N5	15	10	CP-256QAM	M	Edge_1RB_Left	20.51	PC3	PASS
N5	15	10	CP-256QAM	M	Edge_1RB_Right	20.32	PC3	PASS
N5	15	10	CP-256QAM	M	Outer_Full	20.48	PC3	PASS
N5	15	10	CP-256QAM	M	Inner_Full	20.53	PC3	PASS
N5	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	20.72	PC3	PASS
N5	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	20.64	PC3	PASS
N5	15	10	DFT-PI2BPSK	H	Outer_Full	20.83	PC3	PASS
N5	15	10	DFT-PI2BPSK	H	Inner_Full	22.47	PC3	PASS
N5	15	10	DFT-QPSK	H	Edge_1RB_Left	21.00	PC3	PASS
N5	15	10	DFT-QPSK	H	Edge_1RB_Right	20.80	PC3	PASS
N5	15	10	DFT-QPSK	H	Outer_Full	20.90	PC3	PASS
N5	15	10	DFT-QPSK	H	Inner_Full	22.40	PC3	PASS
N5	15	10	DFT-16QAM	H	Edge_1RB_Left	21.70	PC3	PASS
N5	15	10	DFT-16QAM	H	Edge_1RB_Right	21.12	PC3	PASS
N5	15	10	DFT-16QAM	H	Outer_Full	20.89	PC3	PASS
N5	15	10	DFT-16QAM	H	Inner_Full	21.89	PC3	PASS
N5	15	10	DFT-64QAM	H	Edge_1RB_Left	20.41	PC3	PASS
N5	15	10	DFT-64QAM	H	Edge_1RB_Right	20.23	PC3	PASS
N5	15	10	DFT-64QAM	H	Outer_Full	20.49	PC3	PASS
N5	15	10	DFT-64QAM	H	Inner_Full	20.48	PC3	PASS
N5	15	10	DFT-256QAM	H	Edge_1RB_Left	20.39	PC3	PASS
N5	15	10	DFT-256QAM	H	Edge_1RB_Right	20.34	PC3	PASS
N5	15	10	DFT-256QAM	H	Outer_Full	20.46	PC3	PASS
N5	15	10	DFT-256QAM	H	Inner_Full	20.48	PC3	PASS
N5	15	10	CP-QPSK	H	Edge_1RB_Left	20.99	PC3	PASS
N5	15	10	CP-QPSK	H	Edge_1RB_Right	20.81	PC3	PASS
N5	15	10	CP-QPSK	H	Outer_Full	20.92	PC3	PASS
N5	15	10	CP-QPSK	H	Inner_Full	22.48	PC3	PASS

N5	15	10	CP-16QAM	H	Edge_1RB_Left	21.36	PC3	PASS
N5	15	10	CP-16QAM	H	Edge_1RB_Right	21.42	PC3	PASS
N5	15	10	CP-16QAM	H	Outer_Full	20.86	PC3	PASS
N5	15	10	CP-16QAM	H	Inner_Full	21.91	PC3	PASS
N5	15	10	CP-64QAM	H	Edge_1RB_Left	20.49	PC3	PASS
N5	15	10	CP-64QAM	H	Edge_1RB_Right	20.22	PC3	PASS
N5	15	10	CP-64QAM	H	Outer_Full	20.38	PC3	PASS
N5	15	10	CP-64QAM	H	Inner_Full	20.45	PC3	PASS
N5	15	10	CP-256QAM	H	Edge_1RB_Left	20.39	PC3	PASS
N5	15	10	CP-256QAM	H	Edge_1RB_Right	20.23	PC3	PASS
N5	15	10	CP-256QAM	H	Outer_Full	20.50	PC3	PASS
N5	15	10	CP-256QAM	H	Inner_Full	20.37	PC3	PASS
N5	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	20.91	PC3	PASS
N5	15	15	DFT-PI2BPSK	L	Edge_1RB_Right	20.76	PC3	PASS
N5	15	15	DFT-PI2BPSK	L	Outer_Full	21.10	PC3	PASS
N5	15	15	DFT-PI2BPSK	L	Inner_Full	22.62	PC3	PASS
N5	15	15	DFT-QPSK	L	Edge_1RB_Left	21.26	PC3	PASS
N5	15	15	DFT-QPSK	L	Edge_1RB_Right	20.94	PC3	PASS
N5	15	15	DFT-QPSK	L	Outer_Full	21.12	PC3	PASS
N5	15	15	DFT-QPSK	L	Inner_Full	22.65	PC3	PASS
N5	15	15	DFT-16QAM	L	Edge_1RB_Left	21.75	PC3	PASS
N5	15	15	DFT-16QAM	L	Edge_1RB_Right	21.67	PC3	PASS
N5	15	15	DFT-16QAM	L	Outer_Full	21.16	PC3	PASS
N5	15	15	DFT-16QAM	L	Inner_Full	22.05	PC3	PASS
N5	15	15	DFT-64QAM	L	Edge_1RB_Left	20.63	PC3	PASS
N5	15	15	DFT-64QAM	L	Edge_1RB_Right	20.43	PC3	PASS
N5	15	15	DFT-64QAM	L	Outer_Full	20.71	PC3	PASS
N5	15	15	DFT-64QAM	L	Inner_Full	20.71	PC3	PASS
N5	15	15	DFT-256QAM	L	Edge_1RB_Left	20.64	PC3	PASS
N5	15	15	DFT-256QAM	L	Edge_1RB_Right	20.42	PC3	PASS
N5	15	15	DFT-256QAM	L	Outer_Full	20.71	PC3	PASS
N5	15	15	DFT-256QAM	L	Inner_Full	20.71	PC3	PASS
N5	15	15	CP-QPSK	L	Edge_1RB_Left	21.24	PC3	PASS
N5	15	15	CP-QPSK	L	Edge_1RB_Right	21.12	PC3	PASS
N5	15	15	CP-QPSK	L	Outer_Full	21.12	PC3	PASS
N5	15	15	CP-QPSK	L	Inner_Full	22.70	PC3	PASS
N5	15	15	CP-16QAM	L	Edge_1RB_Left	21.75	PC3	PASS
N5	15	15	CP-16QAM	L	Edge_1RB_Right	21.66	PC3	PASS
N5	15	15	CP-16QAM	L	Outer_Full	21.15	PC3	PASS
N5	15	15	CP-16QAM	L	Inner_Full	22.04	PC3	PASS
N5	15	15	CP-64QAM	L	Edge_1RB_Left	20.64	PC3	PASS
N5	15	15	CP-64QAM	L	Edge_1RB_Right	20.56	PC3	PASS

N5	15	15	CP-64QAM	L	Outer_Full	20.64	PC3	PASS
N5	15	15	CP-64QAM	L	Inner_Full	20.67	PC3	PASS
N5	15	15	CP-256QAM	L	Edge_1RB_Left	20.63	PC3	PASS
N5	15	15	CP-256QAM	L	Edge_1RB_Right	20.55	PC3	PASS
N5	15	15	CP-256QAM	L	Outer_Full	20.64	PC3	PASS
N5	15	15	CP-256QAM	L	Inner_Full	20.69	PC3	PASS
N5	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	20.92	PC3	PASS
N5	15	15	DFT-PI2BPSK	M	Edge_1RB_Right	20.87	PC3	PASS
N5	15	15	DFT-PI2BPSK	M	Outer_Full	21.05	PC3	PASS
N5	15	15	DFT-PI2BPSK	M	Inner_Full	22.47	PC3	PASS
N5	15	15	DFT-QPSK	M	Edge_1RB_Left	21.19	PC3	PASS
N5	15	15	DFT-QPSK	M	Edge_1RB_Right	20.85	PC3	PASS
N5	15	15	DFT-QPSK	M	Outer_Full	21.07	PC3	PASS
N5	15	15	DFT-QPSK	M	Inner_Full	22.58	PC3	PASS
N5	15	15	DFT-16QAM	M	Edge_1RB_Left	21.69	PC3	PASS
N5	15	15	DFT-16QAM	M	Edge_1RB_Right	21.35	PC3	PASS
N5	15	15	DFT-16QAM	M	Outer_Full	21.03	PC3	PASS
N5	15	15	DFT-16QAM	M	Inner_Full	21.96	PC3	PASS
N5	15	15	DFT-64QAM	M	Edge_1RB_Left	20.63	PC3	PASS
N5	15	15	DFT-64QAM	M	Edge_1RB_Right	20.53	PC3	PASS
N5	15	15	DFT-64QAM	M	Outer_Full	20.63	PC3	PASS
N5	15	15	DFT-64QAM	M	Inner_Full	20.65	PC3	PASS
N5	15	15	DFT-256QAM	M	Edge_1RB_Left	20.65	PC3	PASS
N5	15	15	DFT-256QAM	M	Edge_1RB_Right	20.32	PC3	PASS
N5	15	15	DFT-256QAM	M	Outer_Full	20.60	PC3	PASS
N5	15	15	DFT-256QAM	M	Inner_Full	20.65	PC3	PASS
N5	15	15	CP-QPSK	M	Edge_1RB_Left	21.15	PC3	PASS
N5	15	15	CP-QPSK	M	Edge_1RB_Right	20.88	PC3	PASS
N5	15	15	CP-QPSK	M	Outer_Full	21.07	PC3	PASS
N5	15	15	CP-QPSK	M	Inner_Full	22.47	PC3	PASS
N5	15	15	CP-16QAM	M	Edge_1RB_Left	21.77	PC3	PASS
N5	15	15	CP-16QAM	M	Edge_1RB_Right	21.53	PC3	PASS
N5	15	15	CP-16QAM	M	Outer_Full	21.08	PC3	PASS
N5	15	15	CP-16QAM	M	Inner_Full	21.96	PC3	PASS
N5	15	15	CP-64QAM	M	Edge_1RB_Left	20.84	PC3	PASS
N5	15	15	CP-64QAM	M	Edge_1RB_Right	20.32	PC3	PASS
N5	15	15	CP-64QAM	M	Outer_Full	20.52	PC3	PASS
N5	15	15	CP-64QAM	M	Inner_Full	20.62	PC3	PASS
N5	15	15	CP-256QAM	M	Edge_1RB_Left	20.69	PC3	PASS
N5	15	15	CP-256QAM	M	Edge_1RB_Right	20.36	PC3	PASS
N5	15	15	CP-256QAM	M	Outer_Full	20.62	PC3	PASS
N5	15	15	CP-256QAM	M	Inner_Full	20.60	PC3	PASS



N5	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	20.99	PC3	PASS
N5	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	20.66	PC3	PASS
N5	15	15	DFT-PI2BPSK	H	Outer_Full	20.99	PC3	PASS
N5	15	15	DFT-PI2BPSK	H	Inner_Full	22.48	PC3	PASS
N5	15	15	DFT-QPSK	H	Edge_1RB_Left	20.93	PC3	PASS
N5	15	15	DFT-QPSK	H	Edge_1RB_Right	20.74	PC3	PASS
N5	15	15	DFT-QPSK	H	Outer_Full	20.92	PC3	PASS
N5	15	15	DFT-QPSK	H	Inner_Full	22.48	PC3	PASS
N5	15	15	DFT-16QAM	H	Edge_1RB_Left	21.78	PC3	PASS
N5	15	15	DFT-16QAM	H	Edge_1RB_Right	21.49	PC3	PASS
N5	15	15	DFT-16QAM	H	Outer_Full	20.90	PC3	PASS
N5	15	15	DFT-16QAM	H	Inner_Full	21.95	PC3	PASS
N5	15	15	DFT-64QAM	H	Edge_1RB_Left	20.52	PC3	PASS
N5	15	15	DFT-64QAM	H	Edge_1RB_Right	20.32	PC3	PASS
N5	15	15	DFT-64QAM	H	Outer_Full	20.54	PC3	PASS
N5	15	15	DFT-64QAM	H	Inner_Full	20.59	PC3	PASS
N5	15	15	DFT-256QAM	H	Edge_1RB_Left	20.58	PC3	PASS
N5	15	15	DFT-256QAM	H	Edge_1RB_Right	20.31	PC3	PASS
N5	15	15	DFT-256QAM	H	Outer_Full	20.55	PC3	PASS
N5	15	15	DFT-256QAM	H	Inner_Full	20.59	PC3	PASS
N5	15	15	CP-QPSK	H	Edge_1RB_Left	20.96	PC3	PASS
N5	15	15	CP-QPSK	H	Edge_1RB_Right	20.67	PC3	PASS
N5	15	15	CP-QPSK	H	Outer_Full	21.00	PC3	PASS
N5	15	15	CP-QPSK	H	Inner_Full	22.51	PC3	PASS
N5	15	15	CP-16QAM	H	Edge_1RB_Left	21.82	PC3	PASS
N5	15	15	CP-16QAM	H	Edge_1RB_Right	20.81	PC3	PASS
N5	15	15	CP-16QAM	H	Outer_Full	21.01	PC3	PASS
N5	15	15	CP-16QAM	H	Inner_Full	21.91	PC3	PASS
N5	15	15	CP-64QAM	H	Edge_1RB_Left	20.62	PC3	PASS
N5	15	15	CP-64QAM	H	Edge_1RB_Right	20.24	PC3	PASS
N5	15	15	CP-64QAM	H	Outer_Full	20.60	PC3	PASS
N5	15	15	CP-64QAM	H	Inner_Full	20.52	PC3	PASS
N5	15	15	CP-256QAM	H	Edge_1RB_Left	20.59	PC3	PASS
N5	15	15	CP-256QAM	H	Edge_1RB_Right	20.39	PC3	PASS
N5	15	15	CP-256QAM	H	Outer_Full	20.49	PC3	PASS
N5	15	15	CP-256QAM	H	Inner_Full	20.51	PC3	PASS
N5	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	20.99	PC3	PASS
N5	15	20	DFT-PI2BPSK	L	Edge_1RB_Right	20.68	PC3	PASS
N5	15	20	DFT-PI2BPSK	L	Outer_Full	21.15	PC3	PASS
N5	15	20	DFT-PI2BPSK	L	Inner_Full	22.65	PC3	PASS
N5	15	20	DFT-QPSK	L	Edge_1RB_Left	21.24	PC3	PASS
N5	15	20	DFT-QPSK	L	Edge_1RB_Right	20.80	PC3	PASS

N5	15	20	DFT-QPSK	L	Outer_Full	21.08	PC3	PASS
N5	15	20	DFT-QPSK	L	Inner_Full	22.60	PC3	PASS
N5	15	20	DFT-16QAM	L	Edge_1RB_Left	21.78	PC3	PASS
N5	15	20	DFT-16QAM	L	Edge_1RB_Right	21.47	PC3	PASS
N5	15	20	DFT-16QAM	L	Outer_Full	21.03	PC3	PASS
N5	15	20	DFT-16QAM	L	Inner_Full	22.06	PC3	PASS
N5	15	20	DFT-64QAM	L	Edge_1RB_Left	20.78	PC3	PASS
N5	15	20	DFT-64QAM	L	Edge_1RB_Right	20.40	PC3	PASS
N5	15	20	DFT-64QAM	L	Outer_Full	20.64	PC3	PASS
N5	15	20	DFT-64QAM	L	Inner_Full	20.61	PC3	PASS
N5	15	20	DFT-256QAM	L	Edge_1RB_Left	20.78	PC3	PASS
N5	15	20	DFT-256QAM	L	Edge_1RB_Right	20.41	PC3	PASS
N5	15	20	DFT-256QAM	L	Outer_Full	20.63	PC3	PASS
N5	15	20	DFT-256QAM	L	Inner_Full	20.51	PC3	PASS
N5	15	20	CP-QPSK	L	Edge_1RB_Left	21.23	PC3	PASS
N5	15	20	CP-QPSK	L	Edge_1RB_Right	20.78	PC3	PASS
N5	15	20	CP-QPSK	L	Outer_Full	21.03	PC3	PASS
N5	15	20	CP-QPSK	L	Inner_Full	22.56	PC3	PASS
N5	15	20	CP-16QAM	L	Edge_1RB_Left	21.78	PC3	PASS
N5	15	20	CP-16QAM	L	Edge_1RB_Right	21.47	PC3	PASS
N5	15	20	CP-16QAM	L	Outer_Full	21.03	PC3	PASS
N5	15	20	CP-16QAM	L	Inner_Full	22.16	PC3	PASS
N5	15	20	CP-64QAM	L	Edge_1RB_Left	20.82	PC3	PASS
N5	15	20	CP-64QAM	L	Edge_1RB_Right	20.43	PC3	PASS
N5	15	20	CP-64QAM	L	Outer_Full	20.58	PC3	PASS
N5	15	20	CP-64QAM	L	Inner_Full	20.62	PC3	PASS
N5	15	20	CP-256QAM	L	Edge_1RB_Left	20.77	PC3	PASS
N5	15	20	CP-256QAM	L	Edge_1RB_Right	20.40	PC3	PASS
N5	15	20	CP-256QAM	L	Outer_Full	20.57	PC3	PASS
N5	15	20	CP-256QAM	L	Inner_Full	20.81	PC3	PASS
N5	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	20.93	PC3	PASS
N5	15	20	DFT-PI2BPSK	M	Edge_1RB_Right	20.82	PC3	PASS
N5	15	20	DFT-PI2BPSK	M	Outer_Full	21.11	PC3	PASS
N5	15	20	DFT-PI2BPSK	M	Inner_Full	22.50	PC3	PASS
N5	15	20	DFT-QPSK	M	Edge_1RB_Left	21.18	PC3	PASS
N5	15	20	DFT-QPSK	M	Edge_1RB_Right	20.83	PC3	PASS
N5	15	20	DFT-QPSK	M	Outer_Full	21.03	PC3	PASS
N5	15	20	DFT-QPSK	M	Inner_Full	22.49	PC3	PASS
N5	15	20	DFT-16QAM	M	Edge_1RB_Left	21.73	PC3	PASS
N5	15	20	DFT-16QAM	M	Edge_1RB_Right	21.55	PC3	PASS
N5	15	20	DFT-16QAM	M	Outer_Full	20.99	PC3	PASS
N5	15	20	DFT-16QAM	M	Inner_Full	21.95	PC3	PASS

N5	15	20	DFT-64QAM	M	Edge_1RB_Left	20.70	PC3	PASS
N5	15	20	DFT-64QAM	M	Edge_1RB_Right	20.31	PC3	PASS
N5	15	20	DFT-64QAM	M	Outer_Full	20.51	PC3	PASS
N5	15	20	DFT-64QAM	M	Inner_Full	20.53	PC3	PASS
N5	15	20	DFT-256QAM	M	Edge_1RB_Left	20.64	PC3	PASS
N5	15	20	DFT-256QAM	M	Edge_1RB_Right	20.23	PC3	PASS
N5	15	20	DFT-256QAM	M	Outer_Full	20.60	PC3	PASS
N5	15	20	DFT-256QAM	M	Inner_Full	20.61	PC3	PASS
N5	15	20	CP-QPSK	M	Edge_1RB_Left	21.18	PC3	PASS
N5	15	20	CP-QPSK	M	Edge_1RB_Right	20.79	PC3	PASS
N5	15	20	CP-QPSK	M	Outer_Full	20.97	PC3	PASS
N5	15	20	CP-QPSK	M	Inner_Full	22.62	PC3	PASS
N5	15	20	CP-16QAM	M	Edge_1RB_Left	21.69	PC3	PASS
N5	15	20	CP-16QAM	M	Edge_1RB_Right	21.46	PC3	PASS
N5	15	20	CP-16QAM	M	Outer_Full	20.96	PC3	PASS
N5	15	20	CP-16QAM	M	Inner_Full	22.01	PC3	PASS
N5	15	20	CP-64QAM	M	Edge_1RB_Left	20.67	PC3	PASS
N5	15	20	CP-64QAM	M	Edge_1RB_Right	20.26	PC3	PASS
N5	15	20	CP-64QAM	M	Outer_Full	20.54	PC3	PASS
N5	15	20	CP-64QAM	M	Inner_Full	20.56	PC3	PASS
N5	15	20	CP-256QAM	M	Edge_1RB_Left	20.65	PC3	PASS
N5	15	20	CP-256QAM	M	Edge_1RB_Right	20.21	PC3	PASS
N5	15	20	CP-256QAM	M	Outer_Full	20.49	PC3	PASS
N5	15	20	CP-256QAM	M	Inner_Full	20.56	PC3	PASS
N5	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	21.17	PC3	PASS
N5	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	22.72	PC3	PASS
N5	15	20	DFT-PI2BPSK	H	Outer_Full	23.50	PC3	PASS
N5	15	20	DFT-PI2BPSK	H	Inner_Full	23.26	PC3	PASS
N5	15	20	DFT-QPSK	H	Edge_1RB_Left	23.16	PC3	PASS
N5	15	20	DFT-QPSK	H	Edge_1RB_Right	22.72	PC3	PASS
N5	15	20	DFT-QPSK	H	Outer_Full	23.06	PC3	PASS
N5	15	20	DFT-QPSK	H	Inner_Full	23.06	PC3	PASS
N5	15	20	DFT-16QAM	H	Edge_1RB_Left	21.96	PC3	PASS
N5	15	20	DFT-16QAM	H	Edge_1RB_Right	21.76	PC3	PASS
N5	15	20	DFT-16QAM	H	Outer_Full	22.10	PC3	PASS
N5	15	20	DFT-16QAM	H	Inner_Full	22.91	PC3	PASS
N5	15	20	DFT-64QAM	H	Edge_1RB_Left	21.69	PC3	PASS
N5	15	20	DFT-64QAM	H	Edge_1RB_Right	21.41	PC3	PASS
N5	15	20	DFT-64QAM	H	Outer_Full	21.51	PC3	PASS
N5	15	20	DFT-64QAM	H	Inner_Full	21.47	PC3	PASS
N5	15	20	DFT-256QAM	H	Edge_1RB_Left	19.70	PC3	PASS
N5	15	20	DFT-256QAM	H	Edge_1RB_Right	19.35	PC3	PASS


N5	15	20	DFT-256QAM	H	Outer_Full	19.53	PC3	PASS
N5	15	20	DFT-256QAM	H	Inner_Full	19.48	PC3	PASS
N5	15	20	CP-QPSK	H	Edge_1RB_Left	21.20	PC3	PASS
N5	15	20	CP-QPSK	H	Edge_1RB_Right	20.64	PC3	PASS
N5	15	20	CP-QPSK	H	Outer_Full	21.09	PC3	PASS
N5	15	20	CP-QPSK	H	Inner_Full	22.62	PC3	PASS
N5	15	20	CP-16QAM	H	Edge_1RB_Left	21.10	PC3	PASS
N5	15	20	CP-16QAM	H	Edge_1RB_Right	20.81	PC3	PASS
N5	15	20	CP-16QAM	H	Outer_Full	20.96	PC3	PASS
N5	15	20	CP-16QAM	H	Inner_Full	22.01	PC3	PASS
N5	15	20	CP-64QAM	H	Edge_1RB_Left	20.54	PC3	PASS
N5	15	20	CP-64QAM	H	Edge_1RB_Right	20.32	PC3	PASS
N5	15	20	CP-64QAM	H	Outer_Full	20.53	PC3	PASS
N5	15	20	CP-64QAM	H	Inner_Full	20.53	PC3	PASS
N5	15	20	CP-256QAM	H	Edge_1RB_Left	20.79	PC3	PASS
N5	15	20	CP-256QAM	H	Edge_1RB_Right	20.19	PC3	PASS
N5	15	20	CP-256QAM	H	Outer_Full	20.63	PC3	PASS
N5	15	20	CP-256QAM	H	Inner_Full	20.62	PC3	PASS


## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N5	15	20	DFT-PI2BPSK	M	Outer_Full	4.01	≤13	PASS
N5	15	20	DFT-QPSK	M	Outer_Full	5.02	≤13	PASS
N5	15	20	DFT-16QAM	M	Outer_Full	5.86	≤13	PASS
N5	15	20	DFT-64QAM	M	Outer_Full	6.29	≤13	PASS
N5	15	20	DFT-256QAM	M	Outer_Full	6.77	≤13	PASS
N5	15	20	CP-QPSK	M	Outer_Full	7.00	≤13	PASS
N5	15	20	CP-16QAM	M	Outer_Full	7.12	≤13	PASS
N5	15	20	CP-64QAM	M	Outer_Full	7.48	≤13	PASS
N5	15	20	CP-256QAM	M	Outer_Full	7.46	≤13	PASS


### Test Graphs






1-N5-PC3-15-20-M-3-DFT-16QAM-Outer\_Full-100@0-5.86-100%-0.00-5.86-PASS-≤13

1-N5-PC3-15-20-M-4-DFT-64QAM-Outer\_Full-100@0-6.29-100%-0.00-6.29-PASS-≤13



1-N5-PC3-15-20-M-5-DFT-256QAM-Outer\_Full-100@0-6.77-100%-0.00-6.77-PASS-≤13

1-N5-PC3-15-20-M-6-CP-QPSK-Outer\_Full-100@0-7.00-100%-0.00-7.00-PASS-≤13



<p>1-N5-PC3-15-20-M-7-CP-16QAM-Outer_Full-106@0-7.12-100%-0.00-7.12-PASS-≤13</p>	<p>1-N5-PC3-15-20-M-8-CP-64QAM-Outer_Full-106@0-7.48-100%-0.00-7.48-PASS-≤13</p>
<p>1-N5-PC3-15-20-M-9-CP-256QAM-Outer_Ful I-106@0-7.46-100%-0.00-7.46-PASS-≤13</p>	

## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N5	15	5	DFT-QPSK	L	Outer_Full	4.4847	4.906	PASS
N5	15	5	DFT-PI2BPSK	L	Outer_Full	4.4725	4.765	PASS
N5	15	5	DFT-16QAM	L	Outer_Full	4.4783	4.928	PASS
N5	15	5	DFT-64QAM	L	Outer_Full	4.4734	4.853	PASS
N5	15	5	CP-QPSK	L	Outer_Full	4.4722	4.988	PASS
N5	15	5	CP-16QAM	L	Outer_Full	4.4729	4.861	PASS
N5	15	5	CP-64QAM	L	Outer_Full	4.4709	4.905	PASS
N5	15	5	CP-256QAM	L	Outer_Full	4.4707	4.908	PASS
N5	15	5	DFT-QPSK	M	Outer_Full	4.4688	4.831	PASS
N5	15	5	DFT-PI2BPSK	M	Outer_Full	4.4548	4.836	PASS
N5	15	5	DFT-16QAM	M	Outer_Full	4.4967	5.012	PASS
N5	15	5	DFT-64QAM	M	Outer_Full	4.4667	4.948	PASS
N5	15	5	CP-QPSK	M	Outer_Full	4.4652	5.012	PASS
N5	15	5	CP-16QAM	M	Outer_Full	4.4823	4.927	PASS
N5	15	5	CP-64QAM	M	Outer_Full	4.4737	4.876	PASS
N5	15	5	CP-256QAM	M	Outer_Full	4.4777	4.914	PASS
N5	15	5	DFT-QPSK	H	Outer_Full	4.4727	4.893	PASS
N5	15	5	DFT-PI2BPSK	H	Outer_Full	4.4660	4.769	PASS
N5	15	5	DFT-16QAM	H	Outer_Full	4.4812	4.947	PASS
N5	15	5	DFT-64QAM	H	Outer_Full	4.4758	4.869	PASS
N5	15	5	CP-QPSK	H	Outer_Full	4.4753	5.053	PASS
N5	15	5	CP-16QAM	H	Outer_Full	4.4682	4.819	PASS
N5	15	5	CP-64QAM	H	Outer_Full	4.4606	4.875	PASS
N5	15	5	CP-256QAM	H	Outer_Full	4.4660	4.884	PASS
N5	15	10	DFT-QPSK	L	Outer_Full	8.9237	9.575	PASS
N5	15	10	DFT-PI2BPSK	L	Outer_Full	8.9146	9.506	PASS
N5	15	10	DFT-16QAM	L	Outer_Full	8.9322	9.580	PASS
N5	15	10	DFT-64QAM	L	Outer_Full	8.9027	9.433	PASS
N5	15	10	CP-QPSK	L	Outer_Full	8.9354	9.746	PASS
N5	15	10	CP-16QAM	L	Outer_Full	9.2790	10.27	PASS
N5	15	10	CP-64QAM	L	Outer_Full	9.2694	9.894	PASS
N5	15	10	CP-256QAM	L	Outer_Full	9.2825	9.901	PASS
N5	15	10	DFT-QPSK	M	Outer_Full	8.9432	9.586	PASS
N5	15	10	DFT-PI2BPSK	M	Outer_Full	8.9146	9.472	PASS
N5	15	10	DFT-16QAM	M	Outer_Full	8.9305	9.534	PASS
N5	15	10	DFT-64QAM	M	Outer_Full	8.8919	9.448	PASS



N5	15	10	CP-QPSK	M	Outer_Full	8.9214	9.519	PASS
N5	15	10	CP-16QAM	M	Outer_Full	9.2691	10.08	PASS
N5	15	10	CP-64QAM	M	Outer_Full	9.2861	9.796	PASS
N5	15	10	CP-256QAM	M	Outer_Full	9.2689	9.861	PASS
N5	15	10	DFT-QPSK	H	Outer_Full	8.9516	9.660	PASS
N5	15	10	DFT-PI2BPSK	H	Outer_Full	8.9575	10.93	PASS
N5	15	10	DFT-16QAM	H	Outer_Full	8.9341	9.574	PASS
N5	15	10	DFT-64QAM	H	Outer_Full	8.9176	9.521	PASS
N5	15	10	CP-QPSK	H	Outer_Full	8.9325	9.599	PASS
N5	15	10	CP-16QAM	H	Outer_Full	9.3009	10.21	PASS
N5	15	10	CP-64QAM	H	Outer_Full	9.2861	9.866	PASS
N5	15	10	CP-256QAM	H	Outer_Full	9.2873	9.813	PASS
N5	15	15	DFT-QPSK	L	Outer_Full	13.424	14.15	PASS
N5	15	15	DFT-PI2BPSK	L	Outer_Full	13.401	14.18	PASS
N5	15	15	DFT-16QAM	L	Outer_Full	13.401	14.16	PASS
N5	15	15	DFT-64QAM	L	Outer_Full	13.407	14.13	PASS
N5	15	15	CP-QPSK	L	Outer_Full	13.367	14.05	PASS
N5	15	15	CP-16QAM	L	Outer_Full	14.104	14.88	PASS
N5	15	15	CP-64QAM	L	Outer_Full	14.096	14.90	PASS
N5	15	15	CP-256QAM	L	Outer_Full	14.084	14.87	PASS
N5	15	15	DFT-QPSK	M	Outer_Full	13.430	14.14	PASS
N5	15	15	DFT-PI2BPSK	M	Outer_Full	13.387	14.12	PASS
N5	15	15	DFT-16QAM	M	Outer_Full	13.373	14.17	PASS
N5	15	15	DFT-64QAM	M	Outer_Full	13.391	14.08	PASS
N5	15	15	CP-QPSK	M	Outer_Full	13.349	14.15	PASS
N5	15	15	CP-16QAM	M	Outer_Full	14.068	14.82	PASS
N5	15	15	CP-64QAM	M	Outer_Full	14.060	14.79	PASS
N5	15	15	CP-256QAM	M	Outer_Full	14.063	14.85	PASS
N5	15	15	DFT-QPSK	H	Outer_Full	13.431	14.10	PASS
N5	15	15	DFT-PI2BPSK	H	Outer_Full	13.376	14.13	PASS
N5	15	15	DFT-16QAM	H	Outer_Full	13.389	14.12	PASS
N5	15	15	DFT-64QAM	H	Outer_Full	13.388	14.06	PASS
N5	15	15	CP-QPSK	H	Outer_Full	13.348	14.04	PASS
N5	15	15	CP-16QAM	H	Outer_Full	14.062	14.76	PASS
N5	15	15	CP-64QAM	H	Outer_Full	14.061	14.77	PASS
N5	15	15	CP-256QAM	H	Outer_Full	14.061	14.79	PASS
N5	15	20	DFT-QPSK	L	Outer_Full	17.839	18.68	PASS
N5	15	20	DFT-PI2BPSK	L	Outer_Full	17.804	18.70	PASS
N5	15	20	DFT-16QAM	L	Outer_Full	17.832	18.66	PASS
N5	15	20	DFT-64QAM	L	Outer_Full	17.833	18.68	PASS
N5	15	20	CP-QPSK	L	Outer_Full	17.816	18.70	PASS
N5	15	20	CP-16QAM	L	Outer_Full	18.863	19.67	PASS

N5	15	20	CP-64QAM	L	Outer_Full	18.865	19.75	PASS
N5	15	20	CP-256QAM	L	Outer_Full	18.856	19.72	PASS
N5	15	20	DFT-QPSK	M	Outer_Full	17.851	18.78	PASS
N5	15	20	DFT-PI2BPSK	M	Outer_Full	17.819	18.64	PASS
N5	15	20	DFT-16QAM	M	Outer_Full	17.824	18.68	PASS
N5	15	20	DFT-64QAM	M	Outer_Full	17.836	18.68	PASS
N5	15	20	CP-QPSK	M	Outer_Full	17.804	18.65	PASS
N5	15	20	CP-16QAM	M	Outer_Full	18.842	19.72	PASS
N5	15	20	CP-64QAM	M	Outer_Full	18.875	19.71	PASS
N5	15	20	CP-256QAM	M	Outer_Full	18.877	19.81	PASS
N5	15	20	DFT-QPSK	H	Outer_Full	17.852	18.67	PASS
N5	15	20	DFT-PI2BPSK	H	Outer_Full	17.796	18.66	PASS
N5	15	20	DFT-16QAM	H	Outer_Full	17.819	18.61	PASS
N5	15	20	DFT-64QAM	H	Outer_Full	17.849	18.62	PASS
N5	15	20	CP-QPSK	H	Outer_Full	17.782	18.62	PASS
N5	15	20	CP-16QAM	H	Outer_Full	18.843	19.66	PASS
N5	15	20	CP-64QAM	H	Outer_Full	18.857	19.72	PASS
N5	15	20	CP-256QAM	H	Outer_Full	18.870	19.74	PASS

### Test Graphs

