



REPORT No.: SZ21120367S01

Annex E Conducted Power

Conducted Power

GSM850 TX Channel	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)	Ch Delta > 0.5	
	128	189	251		128	189	251			
	824.2	836.4	848.8		824.2	836.4	848.8			
Frequency (MHz)	32.92	32.67	32.50	33.50	23.92	23.67	23.50	24.50	0.42	
GSM 1 Tx slot	32.74	32.53	32.53	33.50	23.74	23.53	23.53	24.50		
GPRS 1 Tx slot	30.42	30.46	30.22	31.00	24.42	24.46	24.22	25.00		
GPRS 2 Tx slots	28.60	28.50	28.30	29.00	24.34	24.24	24.04	24.74		
GPRS 3 Tx slots	26.45	26.35	26.21	27.00	23.45	23.35	23.21	24.00		
GPRS 4 Tx slots	26.38	26.47	26.22	27.00	17.38	17.47	17.22	18.00		
EDGE 1 Tx slot	25.17	25.39	25.05	25.50	19.17	19.39	19.05	19.50		
EDGE 2 Tx slots	22.24	22.48	22.41	23.00	17.98	18.22	18.15	18.74		
EDGE 3 Tx slots	19.53	19.85	19.61	20.50	16.53	16.85	16.61	17.50		
EDGE 4 Tx slots		Max.	32.92			Max.	24.46			
Mode										
Attenuator	Cable Loss : 0.6									

GSM1900 TX Channel	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)	Ch Delta > 0.5	
	512	661	810		512	661	810			
	1850.2	1880	1909.8		1850.2	1880	1909.8			
Frequency (MHz)	23.31	23.26	23.00	23.50	14.31	14.26	14.00	14.50	0.45	
GSM 1 Tx slot	23.38	23.45	23.15	23.50	14.38	14.45	14.15	14.50		
GPRS 1 Tx slot	23.32	23.32	23.03	23.50	17.32	17.32	17.03	17.50		
GPRS 2 Tx slots	23.06	23.10	23.00	24.00	18.80	18.84	18.74	19.74		
GPRS 3 Tx slots	22.10	22.12	22.33	22.50	19.10	19.12	19.33	19.50		
GPRS 4 Tx slots	20.99	20.94	20.92	21.50	11.99	11.94	11.92	12.50		
EDGE 1 Tx slot	20.83	20.72	20.80	21.50	14.83	14.72	14.80	15.50		
EDGE 2 Tx slots	20.80	20.52	20.31	21.50	16.54	16.26	16.05	17.24		
EDGE 3 Tx slots	18.89	18.40	18.51	19.50	15.89	15.40	15.51	16.50		
EDGE 4 Tx slots		Max.	23.45			Max.	19.33			
Mode										
Attenuator	Cable Loss : 0.8									

Band TX Channel	WCDMA Band II			Tune-up Limit (dBm)	WCDMA Band IV			Tune-up Limit (dBm)	WCDMA Band V			Tune-up Limit (dBm)		
	9262	9400	9538		1312	1413	1513		4132	4182	4233			
	9662	9800	9938		1537	1638	1738		4357	4407	4458			
Rx Channel	1852.4	1880	1907.6		1712.4	1732.6	1752.6	826.4	836.4	846.6				
Frequency (MHz)	3GPP Rel 99	RMC 12.2Kbps	18.20	18.55	18.21	19.50	17.89	18.46	18.24	19.00	21.75	21.76	21.74	23.50
3GPP Rel 6	HSDPA Subtest-1	18.41	18.55	18.41	23.50	18.13	18.46	18.45	23.50	21.38	20.98	21.26	22.50	
3GPP Rel 6	HSDPA Subtest-2	18.15	18.18	18.05	23.50	18.11	18.49	18.38	23.50	21.13	20.74	21.00	22.50	
3GPP Rel 6	HSDPA Subtest-3	18.31	18.39	18.23	23.00	18.06	18.39	18.35	23.50	20.85	20.47	20.73	22.00	
3GPP Rel 6	HSDPA Subtest-4	17.95	18.07	17.82	23.00	18.07	18.47	18.36	23.50	20.74	20.37	20.62	22.00	
3GPP Rel 6	HSUPA Subtest-1	18.44	18.62	18.40	23.00	18.07	18.48	18.34	23.50	21.64	21.73	21.68	23.00	
3GPP Rel 6	HSUPA Subtest-2	18.43	18.61	18.38	23.00	18.09	18.37	18.39	23.50	21.57	21.66	21.62	23.00	
3GPP Rel 6	HSUPA Subtest-3	18.40	18.57	18.34	23.00	18.03	18.40	18.44	23.50	21.63	21.69	21.61	23.00	
3GPP Rel 6	HSUPA Subtest-4	18.39	18.56	18.37	23.00	18.10	18.46	18.43	23.50	21.60	21.68	21.67	23.00	
3GPP Rel 6	HSUPA Subtest-5	18.36	18.55	18.33	23.00	18.08	18.34	18.41	23.50	21.70	21.74	21.71	23.00	
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	18.35	18.52	18.31	23.00	17.93	18.33	18.40	23.50	21.64	21.72	21.65	23.00	
Attenuator		Cable Loss	0.8			Cable Loss	0.8			Cable Loss	0.6			
Mode		Max.	18.62			Max.	18.49			Max.	21.76			

Band 2 (1900MHz Band) Part 24E									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)		
Channel				18700	18900	19100			
Frequency (MHz)				1860	1880	1900			
20	QPSK	1	0	17.23	17.86	17.35	18.5		
20	QPSK	1	49	17.20	17.55	17.26			
20	QPSK	1	99	17.30	17.42	17.23	17.5		
20	QPSK	50	0	16.20	16.45	16.31			
20	QPSK	50	24	16.10	16.33	16.25	17.5		
20	QPSK	50	50	16.09	16.26	16.25			
20	QPSK	100	0	16.00	16.19	16.23	17.5		
20	16QAM	1	0	16.59	16.71	16.72			
20	16QAM	1	49	16.35	16.46	16.52	16.5		
20	16QAM	1	99	16.31	16.39	16.37			
20	16QAM	50	0	15.55	15.67	15.80	16.5		
20	16QAM	50	24	15.26	15.35	15.72			
20	16QAM	50	50	15.13	15.20	15.65	16.5		
20	16QAM	100	0	15.10	15.16	15.40			
Channel				18675	18900	19125	Tune-up limit (dBm)		
Frequency (MHz)				1857.5	1880	1902.5			
15	QPSK	1	0	17.30	17.54	17.50	17.5		
15	QPSK	1	37	17.28	17.36	17.49			
15	QPSK	1	74	17.27	17.34	17.52	16.5		
15	QPSK	36	0	16.14	16.36	16.32			
15	QPSK	36	20	16.18	16.14	16.28	16.5		
15	QPSK	36	39	16.24	16.26	16.24			
15	QPSK	75	0	16.35	16.28	16.30	16.5		
15	16QAM	1	0	16.60	16.37	16.46			
15	16QAM	1	37	16.21	16.27	16.37	16.5		
15	16QAM	1	74	16.19	16.14	16.18			
15	16QAM	36	0	15.35	15.31	15.39	15.5		
15	16QAM	36	20	15.27	15.28	15.37			
15	16QAM	36	39	15.21	15.28	15.15	15.5		
15	16QAM	75	0	15.36	15.46	15.37			
Channel				18650	18900	19150	Tune-up limit (dBm)		
Frequency (MHz)				1855	1880	1905			
10	QPSK	1	0	17.38	17.44	17.33	17.5		
10	QPSK	1	25	17.36	17.42	17.32			
10	QPSK	1	49	17.35	17.40	17.35	16.5		
10	QPSK	25	0	16.22	16.44	16.40			
10	QPSK	25	12	16.26	16.20	16.36	16.5		
10	QPSK	25	25	16.32	16.32	16.32			
10	QPSK	50	0	16.41	16.34	16.38	16.5		
10	16QAM	1	0	16.68	16.43	16.54			
10	16QAM	1	25	16.29	16.33	16.45	16.5		
10	16QAM	1	49	16.27	16.20	16.26			
10	16QAM	25	0	15.43	15.37	15.47	15.5		
10	16QAM	25	12	15.35	15.32	15.45			
10	16QAM	25	25	15.29	15.34	15.23	15.5		
10	16QAM	50	0	15.44	15.52	15.45			
Channel				18625	18900	19175	Tune-up limit (dBm)		
Frequency (MHz)				1852.5	1880	1907.5			
5	QPSK	1	0	17.28	17.52	17.48	17.5		
5	QPSK	1	12	17.26	17.34	17.47			
5	QPSK	1	24	17.25	17.32	17.50	16.5		
5	QPSK	12	0	16.12	16.34	16.30			
5	QPSK	12	7	16.16	16.12	16.26	16.5		
5	QPSK	12	13	16.22	16.24	16.22			
5	QPSK	25	0	16.33	16.26	16.28	16.5		
5	16QAM	1	0	16.58	16.35	16.44			
5	16QAM	1	12	16.19	16.25	16.35	16.5		
5	16QAM	1	24	16.17	16.12	16.16			
5	16QAM	12	0	15.33	15.29	15.37	15.5		
5	16QAM	12	7	15.25	15.24	15.35			
5	16QAM	12	13	15.19	15.26	15.13	15.5		
5	16QAM	25	0	15.34	15.44	15.35			
Channel				18615	18900	19185	Tune-up limit (dBm)		
Frequency (MHz)				1851.5	1880	1908.5			
3	QPSK	1	0	17.37	17.55	17.47	17.5		
3	QPSK	1	8	17.35	17.41	17.52			
3	QPSK	1	14	17.34	17.39	17.46	16.5		
3	QPSK	8	0	16.21	16.43	16.39			
3	QPSK	8	4	16.25	16.19	16.35	16.5		
3	QPSK	8	7	16.31	16.31	16.31			
3	QPSK	15	0	16.40	16.33	16.37	16.5		
3	16QAM	1	0	16.67	16.42	16.53			
3	16QAM	1	8	16.28	16.32	16.44	16.5		
3	16QAM	1	14	16.26	16.19	16.25			
3	16QAM	8	0	15.42	15.36	15.46	15.5		
3	16QAM	8	4	15.34	15.31	15.44			
3	16QAM	8	7	15.28	15.33	15.22	15.5		
3	16QAM	15	0	15.43	15.51	15.44			
Channel				18607	18900	19193	Tune-up limit (dBm)		
Frequency (MHz)				1850.7	1880	1909.3			
1.4	QPSK	1	0	17.23	17.48	17.43	17.5		
1.4	QPSK	1	3	17.21	17.30	17.42			
1.4	QPSK	1	5	17.20	17.28	17.45	16.5		
1.4	QPSK	3	0	16.07	16.29	16.25			
1.4	QPSK	3	1	16.11	16.08	16.21	16.5		
1.4	QPSK	3	3	16.17	16.20	16.17			
1.4	QPSK	6	0	16.51	16.44	16.45	16.5		
1.4	16QAM	1	0	16.53	16.31	16.39			
1.4	16QAM	1	3	16.14	16.21	16.30	16.5		
1.4	16QAM	1	5	16.12	16.08	16.11			
1.4	16QAM	3	0	15.50	15.47	15.54	16.5		
1.4	16QAM	3	1	15.42	15.42	15.52			
1.4	16QAM	3	3	15.36	15.44	15.30	15.5		
1.4	16QAM	6	0	15.51	15.40	15.30			

Band 4 (AWS Band) Part 27L (only on channel required)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)		
Channel				20050	20175	20300			
Frequency (MHz)				1720	1732.5	1745			
20	QPSK	1	0	16.09	16.44	16.11	17		
20	QPSK	1	49	16.03	16.11	16.15			
20	QPSK	1	99	16.00	16.09	16.05	16		
20	QPSK	50	0	14.96	15.23	14.89			
20	QPSK	50	24	15.00	15.12	15.10	16		
20	QPSK	50	50	14.81	15.05	15.08			
20	QPSK	100	0	14.72	15.01	14.89	16		
20	16QAM	1	0	14.85	14.77	14.56			
20	16QAM	1	49	14.55	14.69	14.46	16		
20	16QAM	1	99	14.23	14.56	14.35			
20	16QAM	50	0	13.66	13.57	13.46	15		
20	16QAM	50	24	13.42	13.34	13.23			
20	16QAM	50	50	13.23	13.12	13.11	15		
20	16QAM	100	0	13.20	13.09	13.10			
Channel				20025	20175	20325	Tune-up limit (dBm)		
Frequency (MHz)				1717.5	1732.5	1747.5			
15	QPSK	1	0	16.01	16.12	15.93	16		
15	QPSK	1	37	15.96	15.88	15.83			
15	QPSK	1	74	15.87	15.85	15.77	15		
15	QPSK	36	0	14.90	14.94	14.91			
15	QPSK	36	20	14.85	14.90	14.73	15		
15	QPSK	36	39	14.73	14.78	14.81			
15	QPSK	75	0	14.89	14.72	14.80	15		
15	16QAM	1	0	15.05	15.28	15.01			
15	16QAM	1	37	14.94	14.91	14.86	15		
15	16QAM	1	74	14.85	14.79	14.94			
15	16QAM	36	0	13.99	13.99	14.02	14		
15	16QAM	36	20	13.96	13.96	13.95			
15	16QAM	36	39	13.90	13.90	13.90	14		
15	16QAM	75	0	14.07	13.93	14.16			
Channel				20000	20175	20350	Tune-up limit (dBm)		
Frequency (MHz)				1715	1732.5	1750			
10	QPSK	1	0	16.07	16.13	15.99	16		
10	QPSK	1	25	16.02	15.99	15.89			
10	QPSK	1	49	15.93	15.96	15.83	15		
10	QPSK	25	0	14.96	15.05	14.97			
10	QPSK	25	12	14.91	15.01	14.79	15		
10	QPSK	25	25	14.79	14.89	14.87			
10	QPSK	50	0	14.95	14.93	14.96	15		
10	16QAM	1	0	15.11	15.39	15.07			
10	16QAM	1	25	15.00	15.02	14.92	15		
10	16QAM	1	49	14.91	14.90	15.00			
10	16QAM	25	0	14.05	14.10	14.08	14		
10	16QAM	25	12	14.02	13.97	14.01			
10	16QAM	25	25	13.96	13.91	13.96	14		
10	16QAM	50	0	14.13	13.94	14.22			
Channel				19975	20175	20375	Tune-up limit (dBm)		
Frequency (MHz)				1712.5	1732.5	1752.5			
5	QPSK	1	0	16.01	16.17	15.93	16		
5	QPSK	1	12	15.96	15.93	15.83			
5	QPSK	1	24	15.87	15.90	15.77	15		
5	QPSK	12	0	14.90	14.99	14.91			
5	QPSK	12	7	14.95	14.95	14.83	15		
5	QPSK	12	13	14.83	14.93	14.91			
5	QPSK	25	0	14.89	14.87	14.90	15		
5	16QAM	1	0	15.05	15.33	15.01			
5	16QAM	1	12	14.94	14.96	14.86	1		

Band 5 (Cellular Band) Part 22H(only on channel required)							
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)
Channel				20450	20525	20600	
Frequency (MHz)				829	836.5	844	
10	QPSK	1	0	22.69	22.75	22.84	23.5
10	QPSK	1	25	22.66	22.50	22.56	
10	QPSK	1	49	22.64	22.53	22.53	
10	QPSK	25	0	21.55	21.69	21.60	22.5
10	QPSK	25	12	21.53	21.58	21.52	
10	QPSK	25	25	21.50	21.60	21.57	
10	QPSK	50	0	21.41	21.55	21.48	22.5
10	16QAM	1	0	21.44	21.61	21.67	
10	16QAM	1	25	21.57	21.54	21.67	
10	16QAM	1	49	21.51	21.50	21.62	21.5
10	16QAM	25	0	20.51	20.52	20.66	
10	16QAM	25	12	20.64	20.71	20.58	
10	16QAM	25	25	20.58	20.63	20.60	21.5
10	16QAM	50	0	20.54	20.82	20.81	
Channel				20425	20525	20625	
Frequency (MHz)				826.5	836.5	846.5	
5	QPSK	1	0	22.66	22.72	22.61	23.5
5	QPSK	1	12	22.63	22.47	22.55	
5	QPSK	1	24	22.61	22.50	22.52	
5	QPSK	12	0	21.52	21.66	21.59	22.5
5	QPSK	12	7	21.50	21.55	21.51	
5	QPSK	12	13	21.47	21.57	21.56	
5	QPSK	25	0	21.38	21.52	21.47	22.5
5	16QAM	1	0	21.41	21.58	21.66	
5	16QAM	1	12	21.54	21.51	21.66	
5	16QAM	1	24	21.48	21.47	21.61	21.5
5	16QAM	12	0	20.48	20.49	20.65	
5	16QAM	12	7	20.61	20.68	20.57	
5	16QAM	12	13	20.55	20.60	20.59	21.5
5	16QAM	25	0	20.51	20.79	20.80	
Channel				20415	20525	20635	
Frequency (MHz)				825.5	836.5	847.5	
3	QPSK	1	0	22.58	22.64	22.53	23.5
3	QPSK	1	8	22.62	22.46	22.52	
3	QPSK	1	14	22.60	22.49	22.49	
3	QPSK	8	0	21.51	21.65	21.56	22.5
3	QPSK	8	4	21.49	21.54	21.48	
3	QPSK	8	7	21.46	21.56	21.53	
3	QPSK	15	0	21.37	21.51	21.44	22.5
3	16QAM	1	0	21.40	21.57	21.63	
3	16QAM	1	8	21.53	21.50	21.63	
3	16QAM	1	14	21.47	21.46	21.58	21.5
3	16QAM	8	0	20.47	20.48	20.62	
3	16QAM	8	4	20.60	20.67	20.54	
3	16QAM	8	7	20.54	20.59	20.56	21.5
3	16QAM	15	0	20.50	20.78	20.77	
Channel				20407	20525	20643	
Frequency (MHz)				824.7	836.5	848.3	
1.4	QPSK	1	0	22.59	22.65	22.53	23.5
1.4	QPSK	1	3	22.64	22.48	22.54	
1.4	QPSK	1	5	22.62	22.51	22.51	
1.4	QPSK	3	0	21.53	21.67	21.58	22.5
1.4	QPSK	3	1	21.51	21.56	21.50	
1.4	QPSK	3	3	21.48	21.58	21.55	
1.4	QPSK	6	0	21.39	21.53	21.46	22.5
1.4	16QAM	1	0	21.42	21.59	21.65	
1.4	16QAM	1	3	21.55	21.52	21.65	
1.4	16QAM	1	5	21.49	21.48	21.60	22.5
1.4	16QAM	3	0	20.49	20.50	20.64	
1.4	16QAM	3	1	20.62	20.69	20.56	
1.4	16QAM	3	3	20.56	20.61	20.58	21.5
1.4	16QAM	6	0	20.52	20.80	20.79	

Band 7 (2600MHz Band) Part 27							
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	19.81	19.85	19.83	20.5
20	QPSK	1	49	19.68	19.69	19.74	
20	QPSK	1	99	19.65	19.65	19.76	
20	QPSK	50	0	18.82	18.63	18.79	19.5
20	QPSK	50	24	18.53	18.61	18.68	
20	QPSK	50	50	18.52	18.55	18.60	
20	QPSK	100	0	18.62	18.58	18.68	19.5
20	16QAM	1	0	18.79	18.72	18.61	
20	16QAM	1	49	18.61	18.69	18.72	
20	16QAM	1	99	18.59	18.60	18.57	18.5
20	16QAM	50	0	17.64	17.61	17.62	
20	16QAM	50	24	17.77	17.75	17.66	
20	16QAM	50	50	17.73	17.65	17.53	18.5
20	16QAM	100	0	17.68	17.74	17.60	
Channel				20825	21100	21375	
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	19.55	19.67	19.58	20.5
15	QPSK	1	37	19.57	19.59	19.63	
15	QPSK	1	74	19.54	19.55	19.65	
15	QPSK	36	0	18.53	18.67	18.57	19.5
15	QPSK	36	20	18.44	18.53	18.59	
15	QPSK	36	39	18.43	18.47	18.51	
15	QPSK	75	0	18.53	18.50	18.59	19.5
15	16QAM	1	0	18.70	18.64	18.52	
15	16QAM	1	37	18.52	18.61	18.63	
15	16QAM	1	74	18.70	18.52	18.68	18.5
15	16QAM	36	0	17.55	17.53	17.53	
15	16QAM	36	20	17.68	17.67	17.57	
15	16QAM	36	39	17.64	17.57	17.44	18.5
15	16QAM	75	0	17.59	17.66	17.51	
Channel				20800	21100	21400	
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	19.52	19.65	19.55	20.5
10	QPSK	1	25	19.54	19.57	19.60	
10	QPSK	1	49	19.51	19.53	19.62	
10	QPSK	25	0	18.50	18.64	18.55	19.5
10	QPSK	25	12	18.41	18.51	18.56	
10	QPSK	25	25	18.40	18.45	18.48	
10	QPSK	50	0	18.50	18.48	18.56	19.5
10	16QAM	1	0	18.67	18.62	18.49	
10	16QAM	1	25	18.49	18.59	18.60	
10	16QAM	1	49	18.47	18.50	18.45	18.5
10	16QAM	25	0	17.52	17.51	17.50	
10	16QAM	25	12	17.65	17.65	17.54	
10	16QAM	25	25	17.61	17.55	17.41	18.5
10	16QAM	50	0	17.56	17.64	17.48	
Channel				20775	21100	21425	
Frequency (MHz)				2502.5	2535	2567.5	
5	QPSK	1	0	19.50	19.60	19.53	20.5
5	QPSK	1	12	19.52	19.51	19.58	
5	QPSK	1	24	19.49	19.47	19.59	
5	QPSK	12	0	18.48	18.62	18.49	19.5
5	QPSK	12	7	18.39	18.45	18.54	
5	QPSK	12	13	18.38	18.39	18.46	
5	QPSK	25	0	18.48	18.42	18.54	19.5
5	16QAM	1	0	18.65	18.56	18.47	
5	16QAM	1	12	18.47	18.53	18.58	
5	16QAM	1	24	18.45	18.44	18.43	18.5
5	16QAM	12	0	17.50	17.45	17.48	
5	16QAM	12	7	17.63	17.59	17.52	
5	16QAM	12	13	17.59	17.49	17.39	18.5
5	16QAM	25	0	17.54	17.58	17.46	

Band 12 (700MHz Low Band) Part 27F(only on channel required)							
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)
Channel				23060	23095	23130	
Frequency (MHz)				704	707.5	711	
10	QPSK	1	0	22.58	22.71	22.61	23.5
10	QPSK	1	25	22.40	22.70	22.62	
10	QPSK	1	49	22.42	22.68	22.67	
10	QPSK	25	0	21.55	21.92	21.52	22.5
10	QPSK	25	12	21.50	21.53	21.50	
10	QPSK	25	25	21.48	21.46	21.52	
10	QPSK	50	0	21.51	21.48	21.56	22.5
10	16QAM	1	0	21.86	21.60	21.69	
10	16QAM	1	25	21.74	21.65	21.61	
10	16QAM	1	49	21.63	21.58	21.62	21.5
10	16QAM	25	0	21.00	20.62	20.77	
10	16QAM	25	12	20.86	20.67	20.61	
10	16QAM	25	25	20.83	20.72	20.58	21.5
10	16QAM	50	0	20.94	20.53	20.92	
Channel				23035	23095	23155	
Frequency (MHz)				701.5	707.5	713.5	
5	QPSK	1	0	22.53	22.68	22.56	23.5
5	QPSK	1	12	22.35	22.67	22.57	
5	QPSK	1	24	22.37	22.65	22.62	
5	QPSK	12	0	21.50	21.87	21.47	22.5
5	QPSK	12	7	21.45	21.50	21.45	
5	QPSK	12	13	21.43	21.43	21.47	
5	QPSK	25	0	21.46	21.45	21.53	22.5
5	16QAM	1	0	21.81	21.57	21.64	
5	16QAM	1	12	21.69	21.62	21.56	
5	16QAM	1	24	21.58	21.55	21.57	21.5
5	16QAM	12	0	20.95	20.59	20.72	
5	16QAM	12	7	20.81	20.64	20.56	
5	16QAM	12	13	20.78	20.69	20.53	21.5
5	16QAM	25	0	20.89	20.50	20.87	
Channel				23025	23095	23165	
Frequency (MHz)				700.5	707.5	714.5	
3	QPSK	1	0	22.51	22.67	22.54	23.5
3	QPSK	1	8	22.33	22.66	22.55	
3	QPSK	1	14	22.35	22.64	22.60	
3	QPSK	8	0	21.48	21.45	21.45	22.5
3	QPSK	8	4	21.43	21.49	21.43	
3	QPSK	8	7	21.41	21.42	21.45	
3	QPSK	15	0	21.44	21.44	21.35	22.5
3	16QAM	1	0	21.79	21.56	21.62	
3	16QAM	1	8	21.67	21.61	21.54	
3	16QAM	1	14	21.56	21.54	21.55	21.5
3	16QAM	8	0	20.93	20.58	20.70	
3	16QAM	8	4	20.79	20.63	20.54	
3	16QAM	8	7	20.76	20.68	20.51	21.5
3	16QAM	15	0	20.87	20.49	20.85	
Channel				23017	23095	23173	
Frequency (MHz)				699.7	707.5	715.3	
1.4	QPSK	1	0	22.57	22.66	22.60	23.5
1.4	QPSK	1	3	22.39	22.64	22.61	
1.4	QPSK	1	5	22.41	22.62	22.65	
1.4	QPSK	3	0	21.54	21.43	21.51	22.5
1.4	QPSK	3	1	21.49	21.47	21.49	
1.4	QPSK	3	3	21.47	21.40	21.51	
1.4	QPSK	6	0	21.50	21.42	21.91	22.5
1.4	16QAM	1	0	21.85	21.54	21.68	
1.4	16QAM	1	3	21.73	21.59	21.60	
1.4	16QAM	1	5	21.62	21.52	21.61	22.5
1.4	16QAM	3	0	20.99	20.56	20.76	
1.4	16QAM	3	1	20.85	20.61	20.60	
1.4	16QAM	3	3	20.82	20.66	20.57	21.5
1.4	16QAM	6	0	20.93	20.47	20.91	

Band 17 (700MHz Band) Part 27H(only on channel required)							
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)
Channel				23780	23790	23800	
Frequency (MHz)				709	710	711	
10	QPSK	1	0	22.62	22.74	22.56	23.5
10	QPSK	1	25	22.50	22.65	22.57	
10	QPSK	1	49	22.60	22.63	22.73	
10	QPSK	25	0	21.56	21.84	21.61	22.5
10	QPSK	25	12	21.60	21.65	21.63	
10	QPSK	25	25	21.53	21.52	21.57	
10	QPSK	50	0	21.64	21.78	21.63	22.5
10	16QAM	1	0	21.65	21.68	21.72	
10	16QAM	1	25	21.59	21.57	21.64	
10	16QAM	1	49	21.61	21.53	21.61	21.5
10	16QAM	25	0	20.62	20.51	20.52	
10	16QAM	25	12	20.70	20.63	20.60	
10	16QAM	25	25	20.54	20.53	20.52	21.5
10	16QAM	50	0	20.50	20.98	20.97	
Channel				23755	23790	23825	
Frequency (MHz)				706.5	710	713.5	
5	QPSK	1	0	22.49	22.65	22.53	23.5
5	QPSK	1	12	22.37	22.56	22.54	
5	QPSK	1	24	22.47	22.54	22.60	
5	QPSK	12	0	21.53	21.69	21.58	22.5
5	QPSK	12	7	21.57	21.66	21.50	
5	QPSK	12	13	21.50	21.53	21.54	
5	QPSK	25	0	21.51	21.89	21.91	22.5
5	16QAM	1	0	21.52	21.59	21.59	
5	16QAM	1	12	21.46	21.48	21.51	
5	16QAM	1	24	21.48	21.44	21.48	21.5
5	16QAM	12	0	20.60	20.53	20.50	
5	16QAM	12	7	20.68	20.65	20.58	
5	16QAM	12	13	20.52	20.55	20.50	21.5
5	16QAM	25	0	20.48	20.89	20.84	

Band 66

BW [MHz]	Modulation	RB Size	RB Offset	Low Channel	Middle Channel	High Channel	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	17.58	17.64	17.58	18.5
20	QPSK	1	49	17.62	17.58	17.60	
20	QPSK	1	99	17.58	17.51	17.55	
20	QPSK	50	0	16.79	16.44	16.74	17.5
20	QPSK	50	24	16.80	16.55	16.56	
20	QPSK	50	50	16.54	16.51	16.48	
20	QPSK	100	0	16.61	16.67	16.54	
20	16QAM	1	0	17.00	16.94	17.06	
20	16QAM	1	49	16.87	16.92	16.74	17.5
20	16QAM	1	99	16.82	16.78	16.63	
20	16QAM	50	0	15.90	15.81	15.91	
20	16QAM	50	24	15.77	15.74	15.59	16.5
20	16QAM	50	50	15.70	15.67	15.64	
20	16QAM	100	0	15.88	15.94	15.96	
Channel				132047	132322	132597	
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	17.59	17.63	17.55	18.5
15	QPSK	1	37	17.56	17.36	17.42	
15	QPSK	1	74	17.52	17.29	17.39	
15	QPSK	36	0	16.37	16.48	16.33	17.5
15	QPSK	36	20	16.34	16.33	16.30	
15	QPSK	36	39	16.28	16.29	16.22	
15	QPSK	75	0	16.35	16.45	16.28	17.5
15	16QAM	1	0	16.74	16.72	16.80	
15	16QAM	1	37	16.61	16.70	16.48	
15	16QAM	1	74	16.56	16.56	16.57	16.5
15	16QAM	36	0	15.64	15.59	15.65	
15	16QAM	36	20	15.51	15.52	15.33	
15	16QAM	36	39	15.44	15.45	15.38	
15	16QAM	75	0	15.62	15.72	15.70	
Channel				132022	132322	132622	
Frequency (MHz)				1715	1745	1775	
10	QPSK	1	0	17.61	17.62	17.60	18.5
10	QPSK	1	25	17.56	17.41	17.47	
10	QPSK	1	49	17.57	17.34	17.44	
10	QPSK	25	0	16.42	16.53	16.38	17.5
10	QPSK	25	12	16.39	16.38	16.35	
10	QPSK	25	25	16.33	16.34	16.27	
10	QPSK	50	0	16.40	16.50	16.33	17.5
10	16QAM	1	0	16.79	16.77	16.85	
10	16QAM	1	25	16.66	16.75	16.53	
10	16QAM	1	49	16.61	16.61	16.62	16.5
10	16QAM	25	0	15.69	15.64	15.70	
10	16QAM	25	12	15.56	15.57	15.38	
10	16QAM	25	25	15.49	15.50	15.43	
10	16QAM	50	0	15.67	15.77	15.75	
Channel				131997	132322	132647	
Frequency (MHz)				1712.5	1745	1777.5	
5	QPSK	1	0	17.58	17.59	17.58	18.5
5	QPSK	1	12	17.50	17.37	17.49	
5	QPSK	1	24	17.59	17.30	17.46	
5	QPSK	12	0	16.44	16.49	16.40	17.5
5	QPSK	12	7	16.41	16.34	16.37	
5	QPSK	12	13	16.35	16.30	16.29	
5	QPSK	25	0	16.42	16.46	16.35	17.5
5	16QAM	1	0	16.81	16.73	16.87	
5	16QAM	1	12	16.68	16.71	16.55	
5	16QAM	1	24	16.63	16.57	16.64	16.5
5	16QAM	12	0	15.71	15.60	15.72	
5	16QAM	12	7	15.56	15.53	15.40	
5	16QAM	12	13	15.51	15.46	15.45	
5	16QAM	25	0	15.69	15.73	15.77	
Channel				131987	132322	132657	
Frequency (MHz)				1711.5	1745	1778.5	
3	QPSK	1	0	17.49	17.61	17.45	18.5
3	QPSK	1	8	17.51	17.40	17.45	
3	QPSK	1	14	17.55	17.33	17.42	
3	QPSK	8	0	16.40	16.52	16.36	17.5
3	QPSK	8	4	16.37	16.37	16.33	
3	QPSK	8	7	16.31	16.33	16.25	
3	QPSK	15	0	16.38	16.49	16.31	17.5
3	16QAM	1	0	16.77	16.76	16.83	
3	16QAM	1	8	16.64	16.74	16.51	
3	16QAM	1	14	16.59	16.60	16.60	16.5
3	16QAM	8	0	15.67	15.63	15.68	
3	16QAM	8	4	15.54	15.56	15.36	
3	16QAM	8	7	15.47	15.49	15.41	
3	16QAM	15	0	15.65	15.76	15.73	
Channel				131979	132322	132665	
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	17.55	17.60	17.51	18.5
1.4	QPSK	1	3	17.52	17.32	17.38	
1.4	QPSK	1	5	17.48	17.25	17.35	
1.4	QPSK	3	0	16.33	16.44	16.29	
1.4	QPSK	3	1	16.30	16.29	16.26	
1.4	QPSK	3	3	16.24	16.25	16.18	17.5
1.4	QPSK	6	0	16.31	16.41	16.24	
1.4	16QAM	1	0	16.70	16.68	16.76	
1.4	16QAM	1	3	16.57	16.66	16.44	17.5
1.4	16QAM	1	5	16.52	16.52	16.53	
1.4	16QAM	3	0	15.60	15.55	15.61	
1.4	16QAM	3	1	15.47	15.48	15.29	
1.4	16QAM	3	3	15.40	15.41	15.34	
1.4	16QAM	6	0	15.58	15.68	15.66	16.5

2.4GHz WLAN ANT 1

2.4GHz WLAN ANT 1	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Power Setting	Duty Cycle %
	802.11b 1Mbps	CH 1	2412	15.18	16.00	13.00	98.78
		CH 7	2442	15.86	16.50	13.00	
		CH 13	2472	15.75	16.50	13.00	
	802.11g 6Mbps	CH 1	2412	13.34	14.00	12.00	92.44
		CH 7	2442	14.29	15.00	12.00	
		CH 13	2472	13.48	14.00	12.00	
	802.11n-HT20 MCS0	CH 1	2412	12.53	13.00	11.00	91.09
		CH 7	2442	13.52	14.00	11.00	
		CH 13	2472	12.73	13.50	11.00	

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	0.78	0.07	0.03
	CH 39	2441	2.15	1.26	1.31
	CH 78	2480	1.01	0.09	0.14
Tune-up Limit			3.00	2.00	2.00
Duty Cycle %			77.6	77.07	77.07

Mode	Channel	Frequency (MHz)	Average power (dBm)
			GFSK
LE	CH 00	2402	-4.77
	CH 19	2440	-3.78
	CH 39	2480	-4.11
Tune-up Limit			0.5
Duty Cycle %			32