


Annex. Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.41	-13	Pass	2986
30	1000	0.1	RMS	889.2	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1850.2	22.23	60	Pass	401
1920	3000	1	RMS	2810	-47.41	-13	Pass	1081
3000	12000	1	RMS	11446	-39.51	-13	Pass	9001
12000	20000	1	RMS	19441	-34.51	-13	Pass	8001




**1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.72	-13	Pass	2986
30	1000	0.1	RMS	887.9	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1920	1	RMS	1850.2	21.12	60	Pass	401
1920	3000	1	RMS	3000	-47.37	-13	Pass	1081
3000	12000	1	RMS	11450	-39.46	-13	Pass	9001
12000	20000	1	RMS	19412	-34.43	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.17	-13	Pass	2986
30	1000	0.1	RMS	910.9	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1879.6	22.15	60	Pass	401
1920	3000	1	RMS	2806	-47.36	-13	Pass	1081
3000	12000	1	RMS	11451	-39.47	-13	Pass	9001
12000	20000	1	RMS	19419	-34.52	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.23	-13	Pass	2986
30	1000	0.1	RMS	902.9	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	Pass	841
1840	1920	1	RMS	1879.6	21.14	60	Pass	401
1920	3000	1	RMS	2816	-47.37	-13	Pass	1081
3000	12000	1	RMS	11453	-39.37	-13	Pass	9001
12000	20000	1	RMS	19406	-34.51	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.78	-13	Pass	2986
30	1000	0.1	RMS	886.2	-62.36	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1920	1	RMS	1908.8	22.23	60	Pass	401
1920	3000	1	RMS	2807	-47.39	-13	Pass	1081
3000	12000	1	RMS	11449	-39.42	-13	Pass	9001
12000	20000	1	RMS	19439	-34.52	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.56	-13	Pass	2986
30	1000	0.1	RMS	887.6	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1920	1	RMS	1908.8	21.22	60	Pass	401
1920	3000	1	RMS	2781	-47.37	-13	Pass	1081
3000	12000	1	RMS	11450	-39.52	-13	Pass	9001
12000	20000	1	RMS	19402	-34.5	-13	Pass	8001




**1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62	-13	Pass	2986
30	1000	0.1	RMS	905	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.32	-13	Pass	841
1840	1920	1	RMS	1850.2	22.25	60	Pass	401
1920	3000	1	RMS	2804	-47.39	-13	Pass	1081
3000	12000	1	RMS	11451	-39.49	-13	Pass	9001
12000	20000	1	RMS	19411	-34.49	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.33	-13	Pass	2986
30	1000	0.1	RMS	871.5	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1850.2	21.05	60	Pass	401
1920	3000	1	RMS	2817	-47.42	-13	Pass	1081
3000	12000	1	RMS	11448	-39.43	-13	Pass	9001
12000	20000	1	RMS	19390	-34.5	-13	Pass	8001




**1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.84	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.29	-13	Pass	9701
1000	1840	1	RMS	1839	-50.58	-13	Pass	841
1840	1920	1	RMS	1878.8	22.27	60	Pass	401
1920	3000	1	RMS	2813	-47.41	-13	Pass	1081
3000	12000	1	RMS	11461	-39.5	-13	Pass	9001
12000	20000	1	RMS	19412	-34.43	-13	Pass	8001




**1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-63.56	-13	Pass	2986
30	1000	0.1	RMS	895.1	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1920	1	RMS	1878.8	21.18	60	Pass	401
1920	3000	1	RMS	2818	-47.38	-13	Pass	1081
3000	12000	1	RMS	11451	-39.49	-13	Pass	9001
12000	20000	1	RMS	19401	-34.51	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.13	-13	Pass	2986
30	1000	0.1	RMS	892	-62.34	-13	Pass	9701
1000	1840	1	RMS	1838	-50.61	-13	Pass	841
1840	1920	1	RMS	1907.2	22.25	60	Pass	401
1920	3000	1	RMS	2807	-47.34	-13	Pass	1081
3000	12000	1	RMS	11450	-39.49	-13	Pass	9001
12000	20000	1	RMS	19402	-34.5	-13	Pass	8001




**1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.93	-13	Pass	2986
30	1000	0.1	RMS	905	-62.35	-13	Pass	9701
1000	1840	1	RMS	1837	-50.63	-13	Pass	841
1840	1920	1	RMS	1907.2	21.03	60	Pass	401
1920	3000	1	RMS	2813	-47.37	-13	Pass	1081
3000	12000	1	RMS	11459	-39.58	-13	Pass	9001
12000	20000	1	RMS	19413	-34.52	-13	Pass	8001




**1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.03	-13	Pass	2986
30	1000	0.1	RMS	987.7	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.31	-13	Pass	841
1840	1920	1	RMS	1850.4	22.04	60	Pass	401
1920	3000	1	RMS	2807	-47.33	-13	Pass	1081
3000	12000	1	RMS	11448	-39.43	-13	Pass	9001
12000	20000	1	RMS	19422	-34.45	-13	Pass	8001




**1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.35	-13	Pass	2986
30	1000	0.1	RMS	929.8	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.31	-13	Pass	841
1840	1920	1	RMS	1850.4	20.98	60	Pass	401
1920	3000	1	RMS	3000	-47.35	-13	Pass	1081
3000	12000	1	RMS	11448	-39.47	-13	Pass	9001
12000	20000	1	RMS	19461	-34.47	-13	Pass	8001




**1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.58	-13	Pass	2986
30	1000	0.1	RMS	888.3	-62.42	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1920	1	RMS	1877.8	22.24	60	Pass	401
1920	3000	1	RMS	2805	-47.39	-13	Pass	1081
3000	12000	1	RMS	11451	-39.51	-13	Pass	9001
12000	20000	1	RMS	19418	-34.53	-13	Pass	8001




**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.65	-13	Pass	2986
30	1000	0.1	RMS	914.6	-62.37	-13	Pass	9701
1000	1840	1	RMS	1711	-49.83	-13	Pass	841
1840	1920	1	RMS	1877.8	21.14	60	Pass	401
1920	3000	1	RMS	2993	-47.48	-13	Pass	1081
3000	12000	1	RMS	11450	-39.57	-13	Pass	9001
12000	20000	1	RMS	19409	-34.53	-13	Pass	8001




**1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.85	-13	Pass	2986
30	1000	0.1	RMS	897.8	-62.21	-13	Pass	9701
1000	1840	1	RMS	1838	-50.68	-13	Pass	841
1840	1920	1	RMS	1905.4	21.95	60	Pass	401
1920	3000	1	RMS	2812	-47.49	-13	Pass	1081
3000	12000	1	RMS	11448	-39.55	-13	Pass	9001
12000	20000	1	RMS	19425	-34.52	-13	Pass	8001




**1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.75	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.38	-13	Pass	9701
1000	1840	1	RMS	1837	-50.72	-13	Pass	841
1840	1920	1	RMS	1905.4	21.03	60	Pass	401
1920	3000	1	RMS	2819	-47.49	-13	Pass	1081
3000	12000	1	RMS	11453	-39.6	-13	Pass	9001
12000	20000	1	RMS	19407	-34.56	-13	Pass	8001




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.74	-13	Pass	2986
30	1000	0.1	RMS	909.1	-62.31	-13	Pass	9701
1000	1840	1	RMS	1833	-48.99	-13	Pass	841
1840	1920	1	RMS	1850.6	22.33	60	Pass	401
1920	3000	1	RMS	2814	-47.46	-13	Pass	1081
3000	12000	1	RMS	11450	-39.53	-13	Pass	9001
12000	20000	1	RMS	19407	-34.58	-13	Pass	8001




**1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.03	-13	Pass	2986
30	1000	0.1	RMS	895.6	-62.35	-13	Pass	9701
1000	1840	1	RMS	1833	-48.1	-13	Pass	841
1840	1920	1	RMS	1850.6	21	60	Pass	401
1920	3000	1	RMS	2807	-47.48	-13	Pass	1081
3000	12000	1	RMS	11451	-39.55	-13	Pass	9001
12000	20000	1	RMS	19410	-34.48	-13	Pass	8001




**1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.51	-13	Pass	2986
30	1000	0.1	RMS	885.7	-62.29	-13	Pass	9701
1000	1840	1	RMS	1838	-50.64	-13	Pass	841
1840	1920	1	RMS	1875.6	22.31	60	Pass	401
1920	3000	1	RMS	2819	-47.42	-13	Pass	1081
3000	12000	1	RMS	11447	-39.61	-13	Pass	9001
12000	20000	1	RMS	19407	-34.6	-13	Pass	8001




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.95	-13	Pass	2986
30	1000	0.1	RMS	880.7	-62.31	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1920	1	RMS	1875.6	21.18	60	Pass	401
1920	3000	1	RMS	2823	-47.48	-13	Pass	1081
3000	12000	1	RMS	11450	-39.49	-13	Pass	9001
12000	20000	1	RMS	19397	-34.55	-13	Pass	8001




**1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.02	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.4	-13	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	Pass	841
1840	1920	1	RMS	1900.6	22.29	60	Pass	401
1920	3000	1	RMS	2821	-47.45	-13	Pass	1081
3000	12000	1	RMS	11450	-39.49	-13	Pass	9001
12000	20000	1	RMS	19443	-34.5	-13	Pass	8001




**1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.51	-13	Pass	2986
30	1000	0.1	RMS	898.3	-58.31	-13	Pass	9701
1000	1840	1	RMS	1836	-50.65	-13	Pass	841
1840	1920	1	RMS	1900.6	21.18	60	Pass	401
1920	3000	1	RMS	2816	-47.47	-13	Pass	1081
3000	12000	1	RMS	11449	-39.53	-13	Pass	9001
12000	20000	1	RMS	19412	-34.56	-13	Pass	8001




**1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.88	-13	Pass	2986
30	1000	0.1	RMS	905.6	-62.32	-13	Pass	9701
1000	1840	1	RMS	1838	-49.73	-13	Pass	841
1840	1920	1	RMS	1850.8	22.33	60	Pass	401
1920	3000	1	RMS	2826	-47.45	-13	Pass	1081
3000	12000	1	RMS	11458	-39.52	-13	Pass	9001
12000	20000	1	RMS	19375	-34.51	-13	Pass	8001




**1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.09	-13	Pass	2986
30	1000	0.1	RMS	922.6	-62.41	-13	Pass	9701
1000	1840	1	RMS	1838	-49.9	-13	Pass	841
1840	1920	1	RMS	1850.8	20.96	60	Pass	401
1920	3000	1	RMS	2992	-47.45	-13	Pass	1081
3000	12000	1	RMS	11451	-39.55	-13	Pass	9001
12000	20000	1	RMS	19401	-34.48	-13	Pass	8001




**1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.47	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.02	-13	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	Pass	841
1840	1920	1	RMS	1873.4	22.2	60	Pass	401
1920	3000	1	RMS	2815	-47.42	-13	Pass	1081
3000	12000	1	RMS	11447	-39.54	-13	Pass	9001
12000	20000	1	RMS	19404	-34.5	-13	Pass	8001




**1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.58	-13	Pass	2986
30	1000	0.1	RMS	891.1	-62.39	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1873.4	21.15	60	Pass	401
1920	3000	1	RMS	3000	-47.49	-13	Pass	1081
3000	12000	1	RMS	11455	-39.5	-13	Pass	9001
12000	20000	1	RMS	19418	-34.53	-13	Pass	8001




**1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.65	-13	Pass	2986
30	1000	0.1	RMS	899.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	Pass	841
1840	1920	1	RMS	1895.8	22.03	60	Pass	401
1920	3000	1	RMS	2994	-47.45	-13	Pass	1081
3000	12000	1	RMS	11449	-39.57	-13	Pass	9001
12000	20000	1	RMS	19418	-34.45	-13	Pass	8001




**1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.31	-13	Pass	2986
30	1000	0.1	RMS	882.1	-62.39	-13	Pass	9701
1000	1840	1	RMS	1838	-50.66	-13	Pass	841
1840	1920	1	RMS	1895.8	20.83	60	Pass	401
1920	3000	1	RMS	2991	-47.4	-13	Pass	1081
3000	12000	1	RMS	11451	-39.53	-13	Pass	9001
12000	20000	1	RMS	19416	-34.52	-13	Pass	8001




**1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.06	-13	Pass	2986
30	1000	0.1	RMS	883.5	-62.25	-13	Pass	9701
1000	1840	1	RMS	1833	-49.56	-13	Pass	841
1840	1920	1	RMS	1851	22.1	60	Pass	401
1920	3000	1	RMS	2999	-47.46	-13	Pass	1081
3000	12000	1	RMS	11453	-39.47	-13	Pass	9001
12000	20000	1	RMS	19395	-34.48	-13	Pass	8001




**1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.08	-13	Pass	2986
30	1000	0.1	RMS	909.6	-62.31	-13	Pass	9701
1000	1840	1	RMS	1833	-50.18	-13	Pass	841
1840	1920	1	RMS	1851	20.93	60	Pass	401
1920	3000	1	RMS	2810	-47.43	-13	Pass	1081
3000	12000	1	RMS	11452	-39.4	-13	Pass	9001
12000	20000	1	RMS	19410	-34.41	-13	Pass	8001




**1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.78	-13	Pass	2986
30	1000	0.1	RMS	847.3	-62.29	-13	Pass	9701
1000	1840	1	RMS	1835	-47.3	-13	Pass	841
1840	1920	1	RMS	1871	22.36	60	Pass	401
1920	3000	1	RMS	2996	-47.42	-13	Pass	1081
3000	12000	1	RMS	11451	-39.52	-13	Pass	9001
12000	20000	1	RMS	19407	-34.52	-13	Pass	8001




**1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.17	-13	Pass	2986
30	1000	0.1	RMS	876.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1835	-47.4	-13	Pass	841
1840	1920	1	RMS	1871	21.07	60	Pass	401
1920	3000	1	RMS	2999	-47.41	-13	Pass	1081
3000	12000	1	RMS	11447	-39.51	-13	Pass	9001
12000	20000	1	RMS	19415	-34.5	-13	Pass	8001




**1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.22	-13	Pass	2986
30	1000	0.1	RMS	877.4	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1891	22.16	60	Pass	401
1920	3000	1	RMS	2997	-47.39	-13	Pass	1081
3000	12000	1	RMS	11454	-39.44	-13	Pass	9001
12000	20000	1	RMS	19406	-34.45	-13	Pass	8001



**1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.64	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1891	21.2	60	Pass	401
1920	3000	1	RMS	2996	-47.41	-13	Pass	1081
3000	12000	1	RMS	11454	-39.39	-13	Pass	9001
12000	20000	1	RMS	19406	-34.49	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.52	-13	Pass	2986
30	1000	0.1	RMS	867.6	-62.32	-13	Pass	9701
1000	1700	1	RMS	1680	-50.96	-13	Pass	701
1700	1765	1	RMS	1710.238	22.52	60	Pass	401
1765	3000	1	RMS	2816	-47.43	-13	Pass	1236
3000	12000	1	RMS	11451	-39.55	-13	Pass	9001
12000	20000	1	RMS	19413	-34.53	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.74	-13	Pass	2986
30	1000	0.1	RMS	906.4	-62.35	-13	Pass	9701
1000	1700	1	RMS	1679	-50.98	-13	Pass	701
1700	1765	1	RMS	1710.238	21.41	60	Pass	401
1765	3000	1	RMS	3000	-47.41	-13	Pass	1236
3000	12000	1	RMS	11453	-39.51	-13	Pass	9001
12000	20000	1	RMS	19402	-34.51	-13	Pass	8001




**2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.7	-13	Pass	2986
30	1000	0.1	RMS	880.2	-62.15	-13	Pass	9701
1000	1700	1	RMS	1675	-50.93	-13	Pass	701
1700	1765	1	RMS	1732.013	22.47	60	Pass	401
1765	3000	1	RMS	2823	-47.45	-13	Pass	1236
3000	12000	1	RMS	11450	-39.55	-13	Pass	9001
12000	20000	1	RMS	19433	-34.48	-13	Pass	8001




**2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.82	-13	Pass	2986
30	1000	0.1	RMS	865.5	-62.36	-13	Pass	9701
1000	1700	1	RMS	1673	-51.01	-13	Pass	701
1700	1765	1	RMS	1732.013	21.22	60	Pass	401
1765	3000	1	RMS	2807	-47.42	-13	Pass	1236
3000	12000	1	RMS	11460	-39.53	-13	Pass	9001
12000	20000	1	RMS	19407	-34.5	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.91	-13	Pass	2986
30	1000	0.1	RMS	898.8	-62.35	-13	Pass	9701
1000	1700	1	RMS	1677	-51.02	-13	Pass	701
1700	1765	1	RMS	1753.788	22.43	60	Pass	401
1765	3000	1	RMS	2813	-47.45	-13	Pass	1236
3000	12000	1	RMS	11458	-39.53	-13	Pass	9001
12000	20000	1	RMS	19413	-34.5	-13	Pass	8001




**2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.36	-13	Pass	2986
30	1000	0.1	RMS	904	-62.28	-13	Pass	9701
1000	1700	1	RMS	1680	-51.01	-13	Pass	701
1700	1765	1	RMS	1753.788	21.33	60	Pass	401
1765	3000	1	RMS	2786	-47.4	-13	Pass	1236
3000	12000	1	RMS	11456	-39.51	-13	Pass	9001
12000	20000	1	RMS	19379	-34.5	-13	Pass	8001




**2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.27	-13	Pass	2986
30	1000	0.1	RMS	872.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1682	-50.99	-13	Pass	701
1700	1765	1	RMS	1710.238	22.44	60	Pass	401
1765	3000	1	RMS	2809	-47.44	-13	Pass	1236
3000	12000	1	RMS	11453	-39.5	-13	Pass	9001
12000	20000	1	RMS	19412	-34.37	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.49	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.3	-13	Pass	9701
1000	1700	1	RMS	1680	-50.96	-13	Pass	701
1700	1765	1	RMS	1710.238	21.18	60	Pass	401
1765	3000	1	RMS	2813	-47.46	-13	Pass	1236
3000	12000	1	RMS	11450	-39.54	-13	Pass	9001
12000	20000	1	RMS	19401	-34.51	-13	Pass	8001




**2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.67	-13	Pass	2986
30	1000	0.1	RMS	913.3	-62.38	-13	Pass	9701
1000	1700	1	RMS	1681	-51.01	-13	Pass	701
1700	1765	1	RMS	1731.2	22.6	60	Pass	401
1765	3000	1	RMS	2789	-47.47	-13	Pass	1236
3000	12000	1	RMS	11445	-39.51	-13	Pass	9001
12000	20000	1	RMS	19411	-34.47	-13	Pass	8001




**2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.77	-13	Pass	2986
30	1000	0.1	RMS	886	-62.35	-13	Pass	9701
1000	1700	1	RMS	1681	-50.97	-13	Pass	701
1700	1765	1	RMS	1731.2	21.25	60	Pass	401
1765	3000	1	RMS	2826	-47.47	-13	Pass	1236
3000	12000	1	RMS	11449	-39.53	-13	Pass	9001
12000	20000	1	RMS	19413	-34.48	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.35	-13	Pass	2986
30	1000	0.1	RMS	897.1	-62.28	-13	Pass	9701
1000	1700	1	RMS	1685	-51.01	-13	Pass	701
1700	1765	1	RMS	1752.163	22.16	60	Pass	401
1765	3000	1	RMS	2808	-47.47	-13	Pass	1236
3000	12000	1	RMS	11451	-39.41	-13	Pass	9001
12000	20000	1	RMS	19423	-34.5	-13	Pass	8001




**2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.29	-13	Pass	2986
30	1000	0.1	RMS	844.7	-62.29	-13	Pass	9701
1000	1700	1	RMS	1676	-51.03	-13	Pass	701
1700	1765	1	RMS	1752.163	21.16	60	Pass	401
1765	3000	1	RMS	2819	-47.42	-13	Pass	1236
3000	12000	1	RMS	11445	-39.46	-13	Pass	9001
12000	20000	1	RMS	19405	-34.51	-13	Pass	8001




**2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.87	-13	Pass	2986
30	1000	0.1	RMS	889.2	-62.28	-13	Pass	9701
1000	1700	1	RMS	1678	-51	-13	Pass	701
1700	1765	1	RMS	1710.4	22.23	60	Pass	401
1765	3000	1	RMS	2809	-47.44	-13	Pass	1236
3000	12000	1	RMS	11452	-39.51	-13	Pass	9001
12000	20000	1	RMS	19406	-34.47	-13	Pass	8001




**2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.12	-13	Pass	2986
30	1000	0.1	RMS	902.6	-62.28	-13	Pass	9701
1000	1700	1	RMS	1681	-50.99	-13	Pass	701
1700	1765	1	RMS	1710.4	21.28	60	Pass	401
1765	3000	1	RMS	2822	-47.4	-13	Pass	1236
3000	12000	1	RMS	11455	-39.44	-13	Pass	9001
12000	20000	1	RMS	19420	-34.5	-13	Pass	8001




**2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.42	-13	Pass	2986
30	1000	0.1	RMS	897.8	-62.31	-13	Pass	9701
1000	1700	1	RMS	1680	-50.98	-13	Pass	701
1700	1765	1	RMS	1730.388	22.44	60	Pass	401
1765	3000	1	RMS	2812	-47.46	-13	Pass	1236
3000	12000	1	RMS	11447	-39.5	-13	Pass	9001
12000	20000	1	RMS	19407	-34.5	-13	Pass	8001




**2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.13	-13	Pass	2986
30	1000	0.1	RMS	909.1	-62.36	-13	Pass	9701
1000	1700	1	RMS	1670	-50.98	-13	Pass	701
1700	1765	1	RMS	1730.388	21.42	60	Pass	401
1765	3000	1	RMS	2816	-47.42	-13	Pass	1236
3000	12000	1	RMS	11450	-39.45	-13	Pass	9001
12000	20000	1	RMS	19407	-34.51	-13	Pass	8001




**2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.94	-13	Pass	2986
30	1000	0.1	RMS	875	-62.38	-13	Pass	9701
1000	1700	1	RMS	1678	-50.97	-13	Pass	701
1700	1765	1	RMS	1750.375	22.25	60	Pass	401
1765	3000	1	RMS	2824	-47.42	-13	Pass	1236
3000	12000	1	RMS	11455	-39.55	-13	Pass	9001
12000	20000	1	RMS	19395	-34.53	-13	Pass	8001




**2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.69	-13	Pass	2986
30	1000	0.1	RMS	907	-62.35	-13	Pass	9701
1000	1700	1	RMS	1681	-51.01	-13	Pass	701
1700	1765	1	RMS	1750.375	21.17	60	Pass	401
1765	3000	1	RMS	2811	-47.48	-13	Pass	1236
3000	12000	1	RMS	11447	-39.52	-13	Pass	9001
12000	20000	1	RMS	19421	-34.47	-13	Pass	8001




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.32	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.35	-13	Pass	9701
1000	1700	1	RMS	1693	-50.7	-13	Pass	701
1700	1765	1	RMS	1710.563	22.58	60	Pass	401
1765	3000	1	RMS	2998	-47.46	-13	Pass	1236
3000	12000	1	RMS	11450	-39.47	-13	Pass	9001
12000	20000	1	RMS	19423	-34.46	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.69	-13	Pass	2986
30	1000	0.1	RMS	890.9	-62.4	-13	Pass	9701
1000	1700	1	RMS	1693	-50.87	-13	Pass	701
1700	1765	1	RMS	1710.563	21.36	60	Pass	401
1765	3000	1	RMS	3000	-47.46	-13	Pass	1236
3000	12000	1	RMS	11449	-39.51	-13	Pass	9001
12000	20000	1	RMS	19395	-34.48	-13	Pass	8001




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.95	-13	Pass	2986
30	1000	0.1	RMS	907.7	-62.28	-13	Pass	9701
1000	1700	1	RMS	1677	-51.02	-13	Pass	701
1700	1765	1	RMS	1728.113	22.5	60	Pass	401
1765	3000	1	RMS	2794	-47.45	-13	Pass	1236
3000	12000	1	RMS	11453	-39.42	-13	Pass	9001
12000	20000	1	RMS	19418	-34.49	-13	Pass	8001




**2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.14	-13	Pass	2986
30	1000	0.1	RMS	901.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1679	-50.98	-13	Pass	701
1700	1765	1	RMS	1728.113	21.18	60	Pass	401
1765	3000	1	RMS	2815	-47.48	-13	Pass	1236
3000	12000	1	RMS	11449	-39.5	-13	Pass	9001
12000	20000	1	RMS	19416	-34.52	-13	Pass	8001




**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.94	-13	Pass	2986
30	1000	0.1	RMS	898.8	-62.37	-13	Pass	9701
1000	1700	1	RMS	1679	-50.96	-13	Pass	701
1700	1765	1	RMS	1745.663	22.41	60	Pass	401
1765	3000	1	RMS	2813	-47.39	-13	Pass	1236
3000	12000	1	RMS	11452	-39.49	-13	Pass	9001
12000	20000	1	RMS	19411	-34.47	-13	Pass	8001




**2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.46	-13	Pass	2986
30	1000	0.1	RMS	898.7	-62.33	-13	Pass	9701
1000	1700	1	RMS	1672	-51.01	-13	Pass	701
1700	1765	1	RMS	1745.5	21.27	60	Pass	401
1765	3000	1	RMS	2823	-47.46	-13	Pass	1236
3000	12000	1	RMS	11447	-39.47	-13	Pass	9001
12000	20000	1	RMS	19408	-34.54	-13	Pass	8001




**2.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.7	-13	Pass	2986
30	1000	0.1	RMS	882.7	-62.26	-13	Pass	9701
1000	1700	1	RMS	1697	-47.6	-13	Pass	701
1700	1765	1	RMS	1710.888	22.59	60	Pass	401
1765	3000	1	RMS	2812	-47.47	-13	Pass	1236
3000	12000	1	RMS	11457	-39.5	-13	Pass	9001
12000	20000	1	RMS	19404	-34.48	-13	Pass	8001




**2.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.56	-13	Pass	2986
30	1000	0.1	RMS	897.6	-62.26	-13	Pass	9701
1000	1700	1	RMS	1698	-48.65	-13	Pass	701
1700	1765	1	RMS	1710.888	21.45	60	Pass	401
1765	3000	1	RMS	2792	-47.43	-13	Pass	1236
3000	12000	1	RMS	11450	-39.44	-13	Pass	9001
12000	20000	1	RMS	19441	-34.45	-13	Pass	8001




**2.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.82	-13	Pass	2986
30	1000	0.1	RMS	846	-62.37	-13	Pass	9701
1000	1700	1	RMS	1699	-47.96	-13	Pass	701
1700	1765	1	RMS	1725.838	22.43	60	Pass	401
1765	3000	1	RMS	3000	-47.39	-13	Pass	1236
3000	12000	1	RMS	11457	-39.46	-13	Pass	9001
12000	20000	1	RMS	19415	-34.47	-13	Pass	8001




**2.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.92	-13	Pass	2986
30	1000	0.1	RMS	885.4	-62.32	-13	Pass	9701
1000	1700	1	RMS	1699	-49.24	-13	Pass	701
1700	1765	1	RMS	1725.838	21.33	60	Pass	401
1765	3000	1	RMS	2822	-47.44	-13	Pass	1236
3000	12000	1	RMS	11451	-39.49	-13	Pass	9001
12000	20000	1	RMS	19405	-34.48	-13	Pass	8001




**2.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.26	-13	Pass	2986
30	1000	0.1	RMS	883.2	-62.37	-13	Pass	9701
1000	1700	1	RMS	1675	-50.98	-13	Pass	701
1700	1765	1	RMS	1740.788	22.45	60	Pass	401
1765	3000	1	RMS	1767	-33.43	-13	Pass	1236
3000	12000	1	RMS	11448	-39.45	-13	Pass	9001
12000	20000	1	RMS	19411	-34.48	-13	Pass	8001




**2.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.22	-13	Pass	2986
30	1000	0.1	RMS	943	-62.22	-13	Pass	9701
1000	1700	1	RMS	1673	-51.01	-13	Pass	701
1700	1765	1	RMS	1740.788	21.29	60	Pass	401
1765	3000	1	RMS	1767	-34.55	-13	Pass	1236
3000	12000	1	RMS	11450	-39.53	-13	Pass	9001
12000	20000	1	RMS	19404	-34.46	-13	Pass	8001




**2.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.21	-13	Pass	2986
30	1000	0.1	RMS	877.2	-62.22	-13	Pass	9701
1000	1700	1	RMS	1693	-48.65	-13	Pass	701
1700	1765	1	RMS	1711.05	22.48	60	Pass	401
1765	3000	1	RMS	2820	-47.41	-13	Pass	1236
3000	12000	1	RMS	11447	-39.56	-13	Pass	9001
12000	20000	1	RMS	19406	-34.47	-13	Pass	8001




**2.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-64.18	-13	Pass	2986
30	1000	0.1	RMS	899.3	-62.4	-13	Pass	9701
1000	1700	1	RMS	1693	-49.5	-13	Pass	701
1700	1765	1	RMS	1711.05	21.57	60	Pass	401
1765	3000	1	RMS	2996	-47.41	-13	Pass	1236
3000	12000	1	RMS	11442	-39.48	-13	Pass	9001
12000	20000	1	RMS	19418	-34.45	-13	Pass	8001




**2.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.55	-13	Pass	2986
30	1000	0.1	RMS	867.6	-62.39	-13	Pass	9701
1000	1700	1	RMS	1688	-50.62	-13	Pass	701
1700	1765	1	RMS	1723.563	22.6	60	Pass	401
1765	3000	1	RMS	2806	-47.42	-13	Pass	1236
3000	12000	1	RMS	11447	-39.51	-13	Pass	9001
12000	20000	1	RMS	19386	-34.53	-13	Pass	8001




**2.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.8	-13	Pass	2986
30	1000	0.1	RMS	896.7	-62.34	-13	Pass	9701
1000	1700	1	RMS	1677	-51.01	-13	Pass	701
1700	1765	1	RMS	1723.563	21.42	60	Pass	401
1765	3000	1	RMS	2816	-47.41	-13	Pass	1236
3000	12000	1	RMS	11451	-39.51	-13	Pass	9001
12000	20000	1	RMS	19419	-34.5	-13	Pass	8001




**2.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.94	-13	Pass	2986
30	1000	0.1	RMS	908.8	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1765	1	RMS	1736.075	22.47	60	Pass	401
1765	3000	1	RMS	1772	-31.47	-13	Pass	1236
3000	12000	1	RMS	11451	-39.47	-13	Pass	9001
12000	20000	1	RMS	19416	-34.43	-13	Pass	8001



**2.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.44	-13	Pass	2986
30	1000	0.1	RMS	856.3	-62.37	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1765	1	RMS	1736.075	21.44	60	Pass	401
1765	3000	1	RMS	1772	-33.29	-13	Pass	1236
3000	12000	1	RMS	11450	-39.44	-13	Pass	9001
12000	20000	1	RMS	19403	-34.44	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.6	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.57	-13	Pass	7841
814	860	0.1	RMS	824.2	17.97	60	Pass	461
860	1000	0.1	RMS	882.1	-62.92	-13	Pass	1401
1000	3000	1	RMS	2807	-46.8	-13	Pass	2001
3000	10000	1	RMS	9846	-41.11	-13	Pass	7001




**3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.02	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.99	-13	Pass	7841
814	860	0.1	RMS	824.3	16.56	60	Pass	461
860	1000	0.1	RMS	878.6	-62.72	-13	Pass	1401
1000	3000	1	RMS	2791	-46.77	-13	Pass	2001
3000	10000	1	RMS	9744	-41.11	-13	Pass	7001



**3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.44	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.81	-13	Pass	7841
814	860	0.1	RMS	836.1	17.87	60	Pass	461
860	1000	0.1	RMS	893.2	-62.83	-13	Pass	1401
1000	3000	1	RMS	2819	-46.79	-13	Pass	2001
3000	10000	1	RMS	9723	-41.14	-13	Pass	7001



**3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.61	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.89	-13	Pass	7841
814	860	0.1	RMS	836.1	16.86	60	Pass	461
860	1000	0.1	RMS	884.1	-62.92	-13	Pass	1401
1000	3000	1	RMS	2788	-46.8	-13	Pass	2001
3000	10000	1	RMS	9705	-41.1	-13	Pass	7001

