



**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.78	-13	Pass	2986
30	1000	0.1	RMS	883.7	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1925	1	RMS	1850.2	21.12	60	Pass	401
1925	3000	1	RMS	2818	-47.47	-13	Pass	1076
3000	12000	1	RMS	11818	-39.13	-13	Pass	9001
12000	20000	1	RMS	19413	-33.47	-13	Pass	8001




**7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2986
30	1000	0.1	RMS	890.6	-62.12	-13	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	Pass	841
1840	1925	1	RMS	1882.075	22.85	60	Pass	401
1925	3000	1	RMS	2781	-47.49	-13	Pass	1076
3000	12000	1	RMS	11450	-39.08	-13	Pass	9001
12000	20000	1	RMS	19426	-33.43	-13	Pass	8001




**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.4	-13	Pass	2986
30	1000	0.1	RMS	881.9	-62.19	-13	Pass	9701
1000	1840	1	RMS	1838	-50.61	-13	Pass	841
1840	1925	1	RMS	1882.075	21.71	60	Pass	401
1925	3000	1	RMS	2994	-47.45	-13	Pass	1076
3000	12000	1	RMS	11715	-39.05	-13	Pass	9001
12000	20000	1	RMS	19405	-33.48	-13	Pass	8001




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.17	-13	Pass	2986
30	1000	0.1	RMS	989.7	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-50.6	-13	Pass	841
1840	1925	1	RMS	1913.95	22.5	60	Pass	401
1925	3000	1	RMS	2998	-47.43	-13	Pass	1076
3000	12000	1	RMS	11695	-39.09	-13	Pass	9001
12000	20000	1	RMS	19424	-33.42	-13	Pass	8001




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.67	-13	Pass	2986
30	1000	0.1	RMS	894.3	-62.25	-13	Pass	9701
1000	1840	1	RMS	1838	-50.67	-13	Pass	841
1840	1925	1	RMS	1913.95	21.21	60	Pass	401
1925	3000	1	RMS	2798	-47.48	-13	Pass	1076
3000	12000	1	RMS	11709	-39.13	-13	Pass	9001
12000	20000	1	RMS	19417	-33.49	-13	Pass	8001




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.32	-13	Pass	2986
30	1000	0.1	RMS	895.9	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1925	1	RMS	1850.2	22.36	60	Pass	401
1925	3000	1	RMS	2821	-47.46	-13	Pass	1076
3000	12000	1	RMS	11705	-39.08	-13	Pass	9001
12000	20000	1	RMS	19432	-33.48	-13	Pass	8001




**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.31	-13	Pass	2986
30	1000	0.1	RMS	860.8	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1925	1	RMS	1850.2	21.3	60	Pass	401
1925	3000	1	RMS	2820	-47.42	-13	Pass	1076
3000	12000	1	RMS	11450	-39.11	-13	Pass	9001
12000	20000	1	RMS	19415	-33.42	-13	Pass	8001




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.08	-13	Pass	2986
30	1000	0.1	RMS	888.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	Pass	841
1840	1925	1	RMS	1881.225	22.68	60	Pass	401
1925	3000	1	RMS	2803	-47.45	-13	Pass	1076
3000	12000	1	RMS	11444	-39.08	-13	Pass	9001
12000	20000	1	RMS	19445	-33.47	-13	Pass	8001




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.42	-13	Pass	2986
30	1000	0.1	RMS	898.9	-62.37	-13	Pass	9701
1000	1840	1	RMS	1839	-50.66	-13	Pass	841
1840	1925	1	RMS	1881.225	21.49	60	Pass	401
1925	3000	1	RMS	2820	-47.45	-13	Pass	1076
3000	12000	1	RMS	11713	-39.1	-13	Pass	9001
12000	20000	1	RMS	19416	-33.48	-13	Pass	8001




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.61	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.26	-13	Pass	9701
1000	1840	1	RMS	1838	-50.64	-13	Pass	841
1840	1925	1	RMS	1912.25	22.64	60	Pass	401
1925	3000	1	RMS	2812	-47.43	-13	Pass	1076
3000	12000	1	RMS	11785	-39.11	-13	Pass	9001
12000	20000	1	RMS	19413	-33.31	-13	Pass	8001




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.9	-13	Pass	2986
30	1000	0.1	RMS	875.1	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	Pass	841
1840	1925	1	RMS	1912.25	21.44	60	Pass	401
1925	3000	1	RMS	2817	-47.41	-13	Pass	1076
3000	12000	1	RMS	11714	-39.07	-13	Pass	9001
12000	20000	1	RMS	19395	-33.43	-13	Pass	8001




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.38	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1925	1	RMS	1850.413	22.2	60	Pass	401
1925	3000	1	RMS	2821	-47.41	-13	Pass	1076
3000	12000	1	RMS	11700	-39.04	-13	Pass	9001
12000	20000	1	RMS	19373	-33.46	-13	Pass	8001




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.63	-13	Pass	2986
30	1000	0.1	RMS	901.1	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1925	1	RMS	1850.413	21.31	60	Pass	401
1925	3000	1	RMS	2817	-47.46	-13	Pass	1076
3000	12000	1	RMS	11692	-39.03	-13	Pass	9001
12000	20000	1	RMS	19460	-33.41	-13	Pass	8001




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.41	-13	Pass	2986
30	1000	0.1	RMS	896.5	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1925	1	RMS	1880.375	22.67	60	Pass	401
1925	3000	1	RMS	2793	-47.43	-13	Pass	1076
3000	12000	1	RMS	11706	-39.08	-13	Pass	9001
12000	20000	1	RMS	19413	-33.46	-13	Pass	8001




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2986
30	1000	0.1	RMS	895.6	-62.4	-13	Pass	9701
1000	1840	1	RMS	1837	-50.66	-13	Pass	841
1840	1925	1	RMS	1880.375	21.71	60	Pass	401
1925	3000	1	RMS	2819	-47.44	-13	Pass	1076
3000	12000	1	RMS	11702	-39.08	-13	Pass	9001
12000	20000	1	RMS	19436	-33.47	-13	Pass	8001




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.73	-13	Pass	2986
30	1000	0.1	RMS	903.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	Pass	841
1840	1925	1	RMS	1910.338	22.46	60	Pass	401
1925	3000	1	RMS	2995	-47.4	-13	Pass	1076
3000	12000	1	RMS	11451	-39.08	-13	Pass	9001
12000	20000	1	RMS	19398	-33.46	-13	Pass	8001




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.64	-13	Pass	2986
30	1000	0.1	RMS	890	-62.35	-13	Pass	9701
1000	1840	1	RMS	1837	-50.62	-13	Pass	841
1840	1925	1	RMS	1910.338	21.54	60	Pass	401
1925	3000	1	RMS	2806	-47.44	-13	Pass	1076
3000	12000	1	RMS	11706	-39.11	-13	Pass	9001
12000	20000	1	RMS	19401	-33.4	-13	Pass	8001




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.67	-13	Pass	2986
30	1000	0.1	RMS	912.8	-62.38	-13	Pass	9701
1000	1840	1	RMS	1833	-49.25	-13	Pass	841
1840	1925	1	RMS	1850.625	22.59	60	Pass	401
1925	3000	1	RMS	2997	-47.44	-13	Pass	1076
3000	12000	1	RMS	11452	-39.01	-13	Pass	9001
12000	20000	1	RMS	19471	-33.43	-13	Pass	8001




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.56	-13	Pass	2986
30	1000	0.1	RMS	998.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1833	-49.94	-13	Pass	841
1840	1925	1	RMS	1850.625	21.22	60	Pass	401
1925	3000	1	RMS	2820	-47.41	-13	Pass	1076
3000	12000	1	RMS	11451	-39.1	-13	Pass	9001
12000	20000	1	RMS	19418	-33.41	-13	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.36	-13	Pass	2986
30	1000	0.1	RMS	900.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1925	1	RMS	1878.038	23.02	60	Pass	401
1925	3000	1	RMS	2796	-47.44	-13	Pass	1076
3000	12000	1	RMS	11447	-39.1	-13	Pass	9001
12000	20000	1	RMS	19413	-33.4	-13	Pass	8001




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.91	-13	Pass	2986
30	1000	0.1	RMS	874.8	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1925	1	RMS	1878.038	21.77	60	Pass	401
1925	3000	1	RMS	2815	-47.44	-13	Pass	1076
3000	12000	1	RMS	11449	-39.07	-13	Pass	9001
12000	20000	1	RMS	19407	-33.46	-13	Pass	8001




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.6	-13	Pass	2986
30	1000	0.1	RMS	880	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1925	1	RMS	1905.663	22.65	60	Pass	401
1925	3000	1	RMS	2997	-47.45	-13	Pass	1076
3000	12000	1	RMS	11710	-39.09	-13	Pass	9001
12000	20000	1	RMS	19433	-33.42	-13	Pass	8001




**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.72	-13	Pass	2986
30	1000	0.1	RMS	870.1	-62.25	-13	Pass	9701
1000	1840	1	RMS	1838	-50.56	-13	Pass	841
1840	1925	1	RMS	1905.663	21.56	60	Pass	401
1925	3000	1	RMS	2810	-47.34	-13	Pass	1076
3000	12000	1	RMS	11698	-39.06	-13	Pass	9001
12000	20000	1	RMS	19414	-33.42	-13	Pass	8001




**7.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.88	-13	Pass	2986
30	1000	0.1	RMS	899.3	-62.38	-13	Pass	9701
1000	1840	1	RMS	1838	-48.53	-13	Pass	841
1840	1925	1	RMS	1850.838	22.63	60	Pass	401
1925	3000	1	RMS	2816	-47.42	-13	Pass	1076
3000	12000	1	RMS	11700	-39.14	-13	Pass	9001
12000	20000	1	RMS	19414	-33.48	-13	Pass	8001




**7.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.63	-13	Pass	2986
30	1000	0.1	RMS	906.8	-62.31	-13	Pass	9701
1000	1840	1	RMS	1838	-49.88	-13	Pass	841
1840	1925	1	RMS	1850.838	21.34	60	Pass	401
1925	3000	1	RMS	2813	-47.35	-13	Pass	1076
3000	12000	1	RMS	11453	-39.15	-13	Pass	9001
12000	20000	1	RMS	19405	-33.46	-13	Pass	8001




**7.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.11	-13	Pass	2986
30	1000	0.1	RMS	895.1	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	Pass	841
1840	1925	1	RMS	1875.913	22.88	60	Pass	401
1925	3000	1	RMS	2817	-47.44	-13	Pass	1076
3000	12000	1	RMS	11704	-39.07	-13	Pass	9001
12000	20000	1	RMS	19426	-33.43	-13	Pass	8001




**7.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.21	-13	Pass	2986
30	1000	0.1	RMS	888.7	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1925	1	RMS	1875.913	21.69	60	Pass	401
1925	3000	1	RMS	2815	-47.41	-13	Pass	1076
3000	12000	1	RMS	11455	-39.12	-13	Pass	9001
12000	20000	1	RMS	19396	-33.44	-13	Pass	8001




7.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.86	-13	Pass	2986
30	1000	0.1	RMS	900.9	-62.21	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1925	1	RMS	1900.775	22.6	60	Pass	401
1925	3000	1	RMS	2809	-47.39	-13	Pass	1076
3000	12000	1	RMS	11819	-39.1	-13	Pass	9001
12000	20000	1	RMS	19388	-33.45	-13	Pass	8001




**7.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.66	-13	Pass	2986
30	1000	0.1	RMS	900.2	-62.33	-13	Pass	9701
1000	1840	1	RMS	1839	-50.6	-13	Pass	841
1840	1925	1	RMS	1900.775	21.6	60	Pass	401
1925	3000	1	RMS	2817	-47.41	-13	Pass	1076
3000	12000	1	RMS	11706	-39.1	-13	Pass	9001
12000	20000	1	RMS	19425	-33.5	-13	Pass	8001




**7.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.97	-13	Pass	2986
30	1000	0.1	RMS	887.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1833	-49.1	-13	Pass	841
1840	1925	1	RMS	1851.05	22.51	60	Pass	401
1925	3000	1	RMS	2811	-47.4	-13	Pass	1076
3000	12000	1	RMS	11710	-39.1	-13	Pass	9001
12000	20000	1	RMS	19407	-33.43	-13	Pass	8001




**7.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.94	-13	Pass	2986
30	1000	0.1	RMS	919.8	-62.37	-13	Pass	9701
1000	1840	1	RMS	1833	-49.86	-13	Pass	841
1840	1925	1	RMS	1851.05	21.39	60	Pass	401
1925	3000	1	RMS	2997	-47.42	-13	Pass	1076
3000	12000	1	RMS	11705	-39.12	-13	Pass	9001
12000	20000	1	RMS	19414	-33.42	-13	Pass	8001




**7.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.47	-13	Pass	2986
30	1000	0.1	RMS	897.7	-62.28	-13	Pass	9701
1000	1840	1	RMS	1838	-45.46	-13	Pass	841
1840	1925	1	RMS	1873.575	22.89	60	Pass	401
1925	3000	1	RMS	2790	-47.36	-13	Pass	1076
3000	12000	1	RMS	11695	-39.14	-13	Pass	9001
12000	20000	1	RMS	19417	-33.47	-13	Pass	8001




**7.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.92	-13	Pass	2986
30	1000	0.1	RMS	895.1	-62.31	-13	Pass	9701
1000	1840	1	RMS	1838	-48.17	-13	Pass	841
1840	1925	1	RMS	1873.575	21.7	60	Pass	401
1925	3000	1	RMS	2803	-47.42	-13	Pass	1076
3000	12000	1	RMS	11797	-39.06	-13	Pass	9001
12000	20000	1	RMS	19438	-33.48	-13	Pass	8001




**7.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.49	-13	Pass	2986
30	1000	0.1	RMS	906.8	-62.25	-13	Pass	9701
1000	1840	1	RMS	1837	-59.98	-13	Pass	841
1840	1925	1	RMS	1896.1	22.58	60	Pass	401
1925	3000	1	RMS	3000	-47.43	-13	Pass	1076
3000	12000	1	RMS	11801	-39.11	-13	Pass	9001
12000	20000	1	RMS	19412	-33.47	-13	Pass	8001



**7.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.02	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1925	1	RMS	1896.1	21.64	60	Pass	401
1925	3000	1	RMS	2812	-47.41	-13	Pass	1076
3000	12000	1	RMS	11443	-39.13	-13	Pass	9001
12000	20000	1	RMS	19408	-33.44	-13	Pass	8001



8. LTE_Band26(part22)


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.99	-13	Pass	2986
30	814	0.1	RMS	812	-62.7	-13	Pass	7841
814	860	0.1	RMS	824.3	17.74	60	Pass	461
860	1000	0.1	RMS	886.5	-62.85	-13	Pass	1401
1000	3000	1	RMS	2815	-46.6	-13	Pass	2001
3000	10000	1	RMS	9756	-40.13	-13	Pass	7001




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.12	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.73	-13	Pass	7841
814	860	0.1	RMS	824.3	16.64	60	Pass	461
860	1000	0.1	RMS	901.9	-62.84	-13	Pass	1401
1000	3000	1	RMS	3000	-46.62	-13	Pass	2001
3000	10000	1	RMS	9748	-40.15	-13	Pass	7001




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.84	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.78	-13	Pass	7841
814	860	0.1	RMS	836	17.86	60	Pass	461
860	1000	0.1	RMS	861	-62.81	-13	Pass	1401
1000	3000	1	RMS	2808	-46.59	-13	Pass	2001
3000	10000	1	RMS	9746	-40.14	-13	Pass	7001




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.15	-13	Pass	2986
30	814	0.1	RMS	803.8	-62.85	-13	Pass	7841
814	860	0.1	RMS	836.1	16.65	60	Pass	461
860	1000	0.1	RMS	881.6	-62.82	-13	Pass	1401
1000	3000	1	RMS	2819	-46.6	-13	Pass	2001
3000	10000	1	RMS	9773	-40.09	-13	Pass	7001




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.3	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.92	-13	Pass	7841
814	860	0.1	RMS	847.8	18.04	60	Pass	461
860	1000	0.1	RMS	897.6	-62.76	-13	Pass	1401
1000	3000	1	RMS	2994	-46.62	-13	Pass	2001
3000	10000	1	RMS	9739	-40.11	-13	Pass	7001




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.88	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.93	-13	Pass	7841
814	860	0.1	RMS	847.8	16.9	60	Pass	461
860	1000	0.1	RMS	933.8	-62.84	-13	Pass	1401
1000	3000	1	RMS	2817	-46.63	-13	Pass	2001
3000	10000	1	RMS	9717	-40.11	-13	Pass	7001




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.6	-13	Pass	2986
30	814	0.1	RMS	812.3	-62.71	-13	Pass	7841
814	860	0.1	RMS	824.2	17.93	60	Pass	461
860	1000	0.1	RMS	878.3	-62.7	-13	Pass	1401
1000	3000	1	RMS	2815	-46.59	-13	Pass	2001
3000	10000	1	RMS	9753	-40.15	-13	Pass	7001




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.68	-13	Pass	2986
30	814	0.1	RMS	810.5	-62.97	-13	Pass	7841
814	860	0.1	RMS	824.2	17.04	60	Pass	461
860	1000	0.1	RMS	889.1	-62.74	-13	Pass	1401
1000	3000	1	RMS	2998	-46.59	-13	Pass	2001
3000	10000	1	RMS	9777	-40.16	-13	Pass	7001




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.91	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.85	-13	Pass	7841
814	860	0.1	RMS	835.2	17.85	60	Pass	461
860	1000	0.1	RMS	905.3	-62.65	-13	Pass	1401
1000	3000	1	RMS	2995	-46.66	-13	Pass	2001
3000	10000	1	RMS	9839	-40.17	-13	Pass	7001




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.34	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.77	-13	Pass	7841
814	860	0.1	RMS	835.2	16.85	60	Pass	461
860	1000	0.1	RMS	889.3	-62.71	-13	Pass	1401
1000	3000	1	RMS	2997	-46.64	-13	Pass	2001
3000	10000	1	RMS	9778	-40.16	-13	Pass	7001




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.87	-13	Pass	2986
30	814	0.1	RMS	799.7	-62.74	-13	Pass	7841
814	860	0.1	RMS	846.2	18.08	60	Pass	461
860	1000	0.1	RMS	891.3	-62.65	-13	Pass	1401
1000	3000	1	RMS	2993	-46.61	-13	Pass	2001
3000	10000	1	RMS	9751	-40.15	-13	Pass	7001




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.51	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.76	-13	Pass	7841
814	860	0.1	RMS	846.2	17.15	60	Pass	461
860	1000	0.1	RMS	891.8	-62.74	-13	Pass	1401
1000	3000	1	RMS	2816	-46.6	-13	Pass	2001
3000	10000	1	RMS	9729	-40.08	-13	Pass	7001




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.23	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.65	-13	Pass	7841
814	860	0.1	RMS	824.3	17.64	60	Pass	461
860	1000	0.1	RMS	873.3	-62.86	-13	Pass	1401
1000	3000	1	RMS	2814	-46.6	-13	Pass	2001
3000	10000	1	RMS	9747	-40.14	-13	Pass	7001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.79	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.82	-13	Pass	7841
814	860	0.1	RMS	824.3	16.84	60	Pass	461
860	1000	0.1	RMS	995.1	-62.77	-13	Pass	1401
1000	3000	1	RMS	2815	-46.61	-13	Pass	2001
3000	10000	1	RMS	9771	-40.12	-13	Pass	7001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.91	-13	Pass	2986
30	814	0.1	RMS	810.2	-62.95	-13	Pass	7841
814	860	0.1	RMS	834.3	17.65	60	Pass	461
860	1000	0.1	RMS	880.5	-62.68	-13	Pass	1401
1000	3000	1	RMS	2999	-46.58	-13	Pass	2001
3000	10000	1	RMS	9758	-40.13	-13	Pass	7001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.71	-13	Pass	2986
30	814	0.1	RMS	798	-63.03	-13	Pass	7841
814	860	0.1	RMS	834.3	16.83	60	Pass	461
860	1000	0.1	RMS	878.2	-62.75	-13	Pass	1401
1000	3000	1	RMS	2810	-46.6	-13	Pass	2001
3000	10000	1	RMS	9762	-40.12	-13	Pass	7001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.5	-13	Pass	2986
30	814	0.1	RMS	779.4	-62.9	-13	Pass	7841
814	860	0.1	RMS	844.3	18.2	60	Pass	461
860	1000	0.1	RMS	893.4	-62.72	-13	Pass	1401
1000	3000	1	RMS	2813	-46.62	-13	Pass	2001
3000	10000	1	RMS	9725	-40.13	-13	Pass	7001




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.52	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.83	-13	Pass	7841
814	860	0.1	RMS	844.3	17.1	60	Pass	461
860	1000	0.1	RMS	892.1	-62.7	-13	Pass	1401
1000	3000	1	RMS	2999	-46.6	-13	Pass	2001
3000	10000	1	RMS	9717	-40.1	-13	Pass	7001




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.88	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.58	-13	Pass	7841
814	860	0.1	RMS	824.6	18.29	60	Pass	461
860	1000	0.1	RMS	878.4	-62.69	-13	Pass	1401
1000	3000	1	RMS	2994	-46.63	-13	Pass	2001
3000	10000	1	RMS	9719	-40.16	-13	Pass	7001




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.8	-13	Pass	2986
30	814	0.1	RMS	812.3	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.6	17.29	60	Pass	461
860	1000	0.1	RMS	876.3	-62.58	-13	Pass	1401
1000	3000	1	RMS	2810	-46.6	-13	Pass	2001
3000	10000	1	RMS	9729	-40.12	-13	Pass	7001




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.28	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.79	-13	Pass	7841
814	860	0.1	RMS	832.1	18.61	60	Pass	461
860	1000	0.1	RMS	885.7	-62.65	-13	Pass	1401
1000	3000	1	RMS	2822	-46.63	-13	Pass	2001
3000	10000	1	RMS	9782	-40.15	-13	Pass	7001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.87	-13	Pass	2986
30	814	0.1	RMS	806.7	-62.89	-13	Pass	7841
814	860	0.1	RMS	832.1	17.4	60	Pass	461
860	1000	0.1	RMS	881.1	-62.62	-13	Pass	1401
1000	3000	1	RMS	2807	-46.61	-13	Pass	2001
3000	10000	1	RMS	9771	-40.16	-13	Pass	7001




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.13	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.89	-13	Pass	7841
814	860	0.1	RMS	839.6	18.46	60	Pass	461
860	1000	0.1	RMS	891.3	-62.7	-13	Pass	1401
1000	3000	1	RMS	2816	-46.61	-13	Pass	2001
3000	10000	1	RMS	9754	-40.18	-13	Pass	7001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.54	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.92	-13	Pass	7841
814	860	0.1	RMS	839.6	17.33	60	Pass	461
860	1000	0.1	RMS	895.1	-62.71	-13	Pass	1401
1000	3000	1	RMS	2999	-46.63	-13	Pass	2001
3000	10000	1	RMS	9728	-40.13	-13	Pass	7001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.89	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.65	-13	Pass	7841
814	860	0.1	RMS	824.8	17.95	60	Pass	461
860	1000	0.1	RMS	880.5	-62.75	-13	Pass	1401
1000	3000	1	RMS	3000	-46.59	-13	Pass	2001
3000	10000	1	RMS	9755	-40.14	-13	Pass	7001




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.3	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.8	16.52	60	Pass	461
860	1000	0.1	RMS	881.5	-62.7	-13	Pass	1401
1000	3000	1	RMS	3000	-46.63	-13	Pass	2001
3000	10000	1	RMS	9726	-40.2	-13	Pass	7001




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.04	-13	Pass	2986
30	814	0.1	RMS	809	-62.9	-13	Pass	7841
814	860	0.1	RMS	829.8	17.48	60	Pass	461
860	1000	0.1	RMS	881.9	-62.77	-13	Pass	1401
1000	3000	1	RMS	2806	-46.65	-13	Pass	2001
3000	10000	1	RMS	9706	-40.19	-13	Pass	7001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.48	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.87	-13	Pass	7841
814	860	0.1	RMS	829.8	16.61	60	Pass	461
860	1000	0.1	RMS	882.7	-62.78	-13	Pass	1401
1000	3000	1	RMS	2808	-46.65	-13	Pass	2001
3000	10000	1	RMS	9735	-40.13	-13	Pass	7001




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.46	-13	Pass	2986
30	814	0.1	RMS	809	-62.68	-13	Pass	7841
814	860	0.1	RMS	834.8	17.77	60	Pass	461
860	1000	0.1	RMS	887.3	-62.72	-13	Pass	1401
1000	3000	1	RMS	2820	-46.63	-13	Pass	2001
3000	10000	1	RMS	9738	-40.21	-13	Pass	7001



**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.38	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.87	-13	Pass	7841
814	860	0.1	RMS	834.8	16.7	60	Pass	461
860	1000	0.1	RMS	891.2	-62.71	-13	Pass	1401
1000	3000	1	RMS	2817	-46.67	-13	Pass	2001
3000	10000	1	RMS	9769	-40.17	-13	Pass	7001



9. LTE_Band26(part90)


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-44.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.73	-13	Pass	2986
30	809	0.1	Peak	752.2	-52.62	-13	Pass	7791
809	829	0.1	Peak	814.25	23.08	60	Pass	401
829	1000	0.1	Peak	972.1	-51.43	-13	Pass	1711
1000	3000	1	Peak	2803	-34.79	-13	Pass	2001
3000	10000	1	Peak	9775	-28.26	-13	Pass	7001




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-45.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.1	-13	Pass	2986
30	809	0.1	Peak	740.1	-52.41	-13	Pass	7791
809	829	0.1	Peak	814.2	23.13	60	Pass	401
829	1000	0.1	Peak	913.9	-51.95	-13	Pass	1711
1000	3000	1	Peak	2816	-35.3	-13	Pass	2001
3000	10000	1	Peak	9722	-27.81	-13	Pass	7001




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-46.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-56.19	-13	Pass	2986
30	809	0.1	Peak	807.5	-48.1	-13	Pass	7791
809	829	0.1	Peak	818.5	23.38	60	Pass	401
829	1000	0.1	Peak	864.7	-51.22	-13	Pass	1711
1000	3000	1	Peak	2827	-35.22	-13	Pass	2001
3000	10000	1	Peak	8261	-28.92	-13	Pass	7001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.46	-13	Pass	2986
30	809	0.1	Peak	780	-52.31	-13	Pass	7791
809	829	0.1	Peak	818.5	23.76	60	Pass	401
829	1000	0.1	Peak	837.1	-34.42	-13	Pass	1711
1000	3000	1	Peak	2764	-35	-13	Pass	2001
3000	10000	1	Peak	9726	-28.88	-13	Pass	7001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.33	-13	Pass	2986
30	809	0.1	Peak	766.2	-51.28	-13	Pass	7791
809	829	0.1	Peak	822.85	23.81	60	Pass	401
829	1000	0.1	Peak	887.1	-51.63	-13	Pass	1711
1000	3000	1	Peak	2765	-34.78	-13	Pass	2001
3000	10000	1	Peak	9662	-28.54	-13	Pass	7001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.3	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.49	-13	Pass	2986
30	809	0.1	Peak	807.3	-51.51	-13	Pass	7791
809	829	0.1	Peak	822.9	23.7	60	Pass	401
829	1000	0.1	Peak	856.7	-51.85	-13	Pass	1711
1000	3000	1	Peak	2703	-34.44	-13	Pass	2001
3000	10000	1	Peak	9819	-28.36	-13	Pass	7001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.83	-13	Pass	2986
30	809	0.1	Peak	808.9	-46.61	-13	Pass	7791
809	829	0.1	Peak	814.2	23.02	60	Pass	401
829	1000	0.1	Peak	892.4	-52.22	-13	Pass	1711
1000	3000	1	Peak	2982	-34.65	-13	Pass	2001
3000	10000	1	Peak	9804	-28.58	-13	Pass	7001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-45.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.04	-13	Pass	2986
30	809	0.1	Peak	809	-44.68	-13	Pass	7791
809	829	0.1	Peak	814.2	23.11	60	Pass	401
829	1000	0.1	Peak	855.1	-51.76	-13	Pass	1711
1000	3000	1	Peak	2994	-34.92	-13	Pass	2001
3000	10000	1	Peak	9699	-28.92	-13	Pass	7001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-56.96	-13	Pass	2986
30	809	0.1	Peak	762.8	-52.57	-13	Pass	7791
809	829	0.1	Peak	817.7	23.12	60	Pass	401
829	1000	0.1	Peak	930	-51.99	-13	Pass	1711
1000	3000	1	Peak	2789	-34.85	-13	Pass	2001
3000	10000	1	Peak	9840	-28.85	-13	Pass	7001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-56.13	-13	Pass	2986
30	809	0.1	Peak	808.1	-41.59	-13	Pass	7791
809	829	0.1	Peak	817.75	24.14	60	Pass	401
829	1000	0.1	Peak	833.4	-35.06	-13	Pass	1711
1000	3000	1	Peak	2658	-34.74	-13	Pass	2001
3000	10000	1	Peak	9829	-28.43	-13	Pass	7001



**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.84	-13	Pass	401
0.15	30	0.01	Peak	0.17	-55.01	-13	Pass	2986
30	809	0.1	Peak	781.4	-52.27	-13	Pass	7791
809	829	0.1	Peak	821.2	23.19	60	Pass	401
829	1000	0.1	Peak	898.1	-51.29	-13	Pass	1711
1000	3000	1	Peak	2748	-34.67	-13	Pass	2001
3000	10000	1	Peak	9785	-27.57	-13	Pass	7001



**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-45.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.1	-13	Pass	2986
30	809	0.1	Peak	789.2	-51.91	-13	Pass	7791
809	829	0.1	Peak	821.2	23.64	60	Pass	401
829	1000	0.1	Peak	981.4	-51.61	-13	Pass	1711
1000	3000	1	Peak	2979	-35.15	-13	Pass	2001
3000	10000	1	Peak	9763	-28.73	-13	Pass	7001

